

CEER - 2
MAY 1977

THE RELEASE OF CADMIUM, CHROMIUM, COPPER, NICKEL AND ZINC
BY SEWAGE SLUDGE AND THE SUBSEQUENT UPTAKE BY MEMBERS
OF A TURTLE GRASS (THALASSIA TESTUDINUM) ECOSYSTEM

John R. Montgomery, Mary Price,
John Thurston, Gina Laite de
Castro, Luz Laida Cruz and
Dominica DeCaro Zimmerman



CENTER FOR ENERGY AND ENVIRONMENT RESEARCH
FORMERLY PUERTO RICO NUCLEAR CENTER: UNIVERSITY OF PUERTO RICO

CEER - 2
MAY 1977

THE RELEASE OF CADMIUM, CHROMIUM, COPPER, NICKEL AND ZINC
BY SEWAGE SLUDGE AND THE SUBSEQUENT UPTAKE BY MEMBERS
OF A TURTLE GRASS (THALASSIA TESTUDINUM) ECOSYSTEM

by

John R. Montgomery, Mary Price, John Thurston,
Gina Laite de Castro, Luz Laida Cruz and
Dominica DeCaro Zimmerman
Center for Energy and Environment Research
(Formerly Puerto Rico Nuclear Center)
Mayaguez, Puerto Rico 00708

This Project was sponsored by the Environmental
Protection Agency Interagency Agreement IAE ERDA No.
40-468-74, EPA No. IAG-D4-0541 "Biological Availability
of Pollutants".

ABSTRACT

This research was initiated to determine the rates of uptake, by a Thalassia testudinum ecosystem, of Cd, Cr, Cu, Ni, Pb, and Zn which were leached from sewage sludge by seawater. The experimental design used aerated flowing seawater (8.4 l min^{-1}), which passed over a 0.1 m^3 bed of sewage sludge before traversing the model ecosystem. The tanks, both control and experimental, were $9.2 \text{ m} \times 0.9 \text{ m} \times 1.1 \text{ m}$ in size with a volume of 3.1×10^3 liters. Each tank contained sand to a depth of 0.5 m for a total volume of 4.2 m^3 . The experiment ran for 125 days from March, 1975 to July, 1975 and was duplicated from December 1975 to April, 1976.


The largest net uptake of metals occurred in the "fouling organisms" where Cd, Pb, and Zn uptake closely paralleled the net loss of metals from the sewage sludge. Thalassia leaves showed a net uptake for Cr, Pb, Ni, and Zn for both experiments. The urchin (Lytechinus variegatus) a herbivore on Thalassia leaves also demonstrated a net uptake of Cu, Cr, Pb, Zn, and Ni in both experiments. The sea cucumber (Holothuria mexicana), in both experiments showed a net uptake of Cr, Cu, Pb, and Zn. Net uptake of metals in mangroves (Rhizophorae mangle) was limited to the roots. In the first experiment Ni and Zn showed a significant uptake whereas in the second experiment only Cr demonstrated a net uptake. The uptake in mangrove roots appeared to be a direct function of metal concentration in the sediment. The lack of apparent metal uptake in the sediment, except for Ni, Pb, and Zn in the second experiment, was probably due to the sampling technique rather than to a lack of

uptake of metals by the sediment.

No consistent or significant metal uptake was found for the clam (Codokia orbicularis), oyster (Crassostrea rhizophorae) or the snail (Nerita tessplata).

The lack of sufficient sample mass, for these organisms, probably obscured any net uptake that may have occurred.

The results indicate that the dumping of sewage sludge in coastal tropical waters can lead to the uptake and concentration of toxic trace metals by members of a turtle grass community.



CONTENTS

Abstract. i
Figures iv
Tables. vii
Acknowledgment. viii

1. Introduction. 1
2. Methods 5
 Construction of seawater tanks 5
 Sewage sludge. 6
 Sampling 6
 organisms 6
 overlying water 8
 pore water. 9
 sediment. 9
 dissolved and particulate trace metals 9
 Physical and chemical analyses. 10
 general 10
 oxygen, temperature, and salinity 10
 dissolved reactive phosphate. 10
 particulate trace metals. 11
 soluble trace metals. 11
 biological and sediment samples 11
3. Results 15
4. Discussion. 21
5. Conclusions and Recommendations 27

References. 71

Appendices

A. Sorted raw data, Experiment I and II. 75
B. Results for net uptake for Experiment I and II. 97
C. Experiment II, water data 138
D. Wet/dry ratios for all samples. 140

FIGURES

<u>Number</u>		<u>Page</u>
1	Study site location	29
2	Diagram of experimental design, tank configuration, and seawater system.	30
3	Flow chart of trace metal and hydrocarbon sampling from collection through processing into final sample form.	31
4	Dissolved reactive phosphate concentration Experiment I and II, control	32
5	Dissolved reactive phosphate concentration Experiment I and II, experimental.	33
6	Mean net uptake of Cd between experimental and control, fouling organisms and sewage - Experiment I	34
7	Mean net uptake of Cd between experimental and control, fouling organisms and sewage - Experiment II.	35
8	Mean net uptake of Cu between experimental and control, fouling organisms and sewage - Experiment I	36
9	Mean net uptake of Pb between experimental and control, fouling organisms and sewage - Experiment I	37
10	Mean net uptake of Pb between experimental and control, fouling organisms - Experiment II	38
11	Mean net uptake of Zn between experimental and control, fouling organisms and sewage - Experiment I	39
12	Mean net uptake of Zn between experimental and control, fouling organisms and sewage - Experiment II.	40

13	Mean net uptake of Ni between experimental and control, fouling organisms and sewage - Experiment II.41
14	Mean net uptake of Cr and Ni between experimental and control, sewage - Experiment I42
15	Mean net uptake of Cr between experimental and control, fouling organisms and sewage - Experiment II.43
16	Mean net uptake of Cu between experimental and control, <u>Thalassia</u> leaves and urchin guts - Experiment I44
17	Mean net uptake of Cu between experimental and control, <u>Thalassia</u> leaves and urchin guts - Experiment II.45
18	Mean net uptake of Cr between experimental and control, <u>Thalassia</u> leaves and urchin guts - Experiment I46
19	Mean net uptake of Cr between experimental and control, <u>Thalassia</u> leaves and urchin guts - Experiment II.47
20	Mean net uptake of Pb between experimental and control, <u>Thalassia</u> leaves and urchin guts - Experiment I48
21	Mean net uptake of Pb between experimental and control, <u>Thalassia</u> leaves and urchin guts - Experiment II.49
22	Mean net uptake of Ni between experimental and control, <u>Thalassia</u> leaves and urchin guts - Experiment I50
23	Mean net uptake of Ni between experimental and control, <u>Thalassia</u> leaves and urchin guts - Experiment II.51
24	Mean net uptake of Zn between experimental and control, <u>Thalassia</u> leaves and urchin guts - Experiment I52
25	Mean net uptake of Zn between experimental and control, <u>Thalassia</u> leaves and urchin guts - Experiment II.53

26	Mean net uptake of Cd between experimental and control, Thalassia leaves and urchin guts - Experiment II.51
27	Mean net uptake of Ni between experimental and control, Thalassia roots and mangrove roots - Experiment I.55
28	Mean net uptake of Ni between experimental and control, Thalassia roots and mangrove roots - Experiment II56
29	Mean net uptake of Cr between experimental and control, Thalassia roots - Experiment I57
30	Mean net uptake of Cr between experimental and control, Thalassia roots and mangrove roots - Experiment II58
31	Mean net uptake of Cu between experimental and control, Thalassia roots - Experiment I59
32	Mean net uptake of Cu between experimental and control, Thalassia roots and mangrove roots - Experiment II60
33	Mean net uptake of Pb between experimental and control, Thalassia roots - Experiment I61
34	Mean net uptake of Pb between experimental and control, Thalassia roots and mangrove roots - Experiment II62
35	Mean net uptake of Zn between experimental and control, mangrove roots - Experiment I.63
36	Mean net uptake of Zn between experimental and control, Thalassia roots and mangrove roots - Experiment II64
37	Mean net uptake of Cd between experimental and control, Thalassia roots - Experiment II.65
38	Mean net uptake of Cr and Ni between experimental and control, sea cucumber guts - Experiment I66
39	Mean net uptake of Cd and Cr between experimental and control, sea cucumber guts - Experiment II.67
40	Mean net uptake of Cu between experimental and control, sea cucumber guts - Experiment I68

41	Mean net uptake of Cu and Ni between experimental and control, sea cucumber guts - Experiment II	69
42	Mean net uptake of Pb and Zn between experimental and control, sea cucumber guts - Experiment I.	70
43	Mean net uptake of Pb and Zn between experimental and control, sea cucumber guts - Experiment II	71

TABLES

<u>Number</u>		<u>Page</u>
1	Physical dimensions, number stocked and sample size of animals, Experiment I and II	7
2	Taxonomic list of experimental organisms.	8
3	Results of trace metal analyses of NBS biological standards, with minimum detectable concentrations.	13a
4	Initial trace metal concentrations of sewage sludge, Experiment I and II.	19

ACKNOWLEDGMENTS

The authors would like to express their appreciation to the following organizations: the Puerto Rico Department of Agriculture for wet laboratory facilities and Harbor Branch Foundation and the Smithsonian Institution for financial support and use of facilities for completion of this report. The technical support of the following people was invaluable for the completion of this report: Mr. Pedro Acosta, Mr. Jon Cole, Mr. Jose Echeverria, Mr. Thomas Prinslow, Mr. Jose Ramirez, Ms. Arlene Ramirez, and Dr. Kenneth Watters. Special thanks go to Mrs. Barbara Herman, Mrs. Jackie McKay, and Mrs. Rose Neville for typing the manuscript, and Mr. Mr. Tom Smoyer for photographic aid. Our sincere thanks to Dr. Frank Lowman for the initial conception of this project.

SECTION I

INTRODUCTION

The deposition of sewage sludge in the marine environment may adversely affect the resident organisms in three ways:(1) Siltation with resultant death of sessile organisms.(2) Production of an anoxic environment due to the oxidation of the large organic load in the sludge.(3) By the release of toxic materials into water in forms that may be incorporated into the organisms. These materials usually include metals (zinc, cadmium, chromium, nickel, lead and copper), pesticides or organohalogens and hydrocarbons of petroleum origin. The mass dumping of treated sewage sludge into oceans and shallow inshore areas is occurring in a number of areas. In the New York Bight, an example of an area receiving large quantities of solid waste for almost a century (Carmody et al., 1973). Carmody, Pearce, and Yasso (1973) determined that there was a definite increase in the sediment of Cr, Cu, Pb, Ni and Zn due to the dumping of sewage sludge. The concentration of Cr, Cu, Cd, Pb, Ni, and Zn in sewage sludge is markedly elevated over ambient marine water concentrations (Salotto, B.V. and Farrell, J.B., 1971; Jacobs, S.A., 1973). Therefore, the deposit of this sludge in the marine environment could result in the uptake and concentration within the food web. The uptake of metals by marine organisms and concentration within the food web has been demonstrated numerous times (Jacobs, S.A., 1973; Kerfoot and Jacobs, 1973a, 1973b; Kerfoot, W.B., 1973; Shuster and Pringle, 1969; Valiela et al., 1974).

The most extensive compilation of metal concentrations in the tissues

of marine organisms is found in Vinogradov (1953) and Goldberg (1965). However, the results were usually based on very small sample sizes so it is very difficult to assess the background levels of metals in marine organisms. Eisler (1973) compiled an annotated bibliography on biological effects of metals on aquatic organisms. Montgomery et al. (1976) found that in order to obtain a valid sample size for trace metal determination in the thread fin herring (Opisthonema oglinum (Le Sueur)) a pooled sample size of from 50 to 124 fish was necessary in order to detect a 15 to 25 percent difference in two populations. Other researchers have shown the effect of various metals on the marine food web or individual organisms both in laboratory models and field experiments (Phelps, D.K. et al., 1975; Nair, K.V. et al., 1973; Eisler, R. et al., 1972; Eisler, R., 1971; Gardner, G.R. and G. LaRoche, 1973; Jackim, E., 1973; Frazier, J.M., 1976; Ferrell, R.E. et al., 1973; Huggett, R.J., 1973; Hannan, P.J. and C. Patouillet, 1972). Schroeder (1975) demonstrated, using radioactive isotopes, that Thalassia testudinum would concentrate cobalt and manganese in the leaves rather than the root structure (excluding rhizomes). The incorporation of cations in Thalassia testudinum was primarily accomplished through the leaves (Schroeder, 1975).

The use of sewage sludge to amend agricultural soils has been extensively studied (Street, J.J. et al., 1977; Silveira, D.J. and L.E. Sommers, 1977; Turner, R.E. et al., 1976). However, very little has been published regarding the rates of release of potentially toxic trace metals into complex tropical ecosystems. The necessity for this type of controlled field experiments was explained by Menzel (1977) for the CEPEX experiment. Inherently, it is impossible to duplicate exactly the marine ecosystem due to its spatial and temporal dimensions. Also, the isolation of organisms from their surrounding environment produces results that are ambiguous. Therefore, it is

unlikely that any "artificial" system can duplicate conditions in the natural environment.

It may not be necessary to duplicate in a laboratory the real system, but rather to produce a system that can duplicate itself (Menzel, D.W., 1977), while at the same time attempting to duplicate the gross physical marine parameters, such as light, suspended sediment load, salinity and temperature. In order to do this, a flow-through seawater system with replicate experiments in different seasons is mandatory.

Our objectives in this research were to use a flow-through system of sufficient size and complexity so as to nearly duplicate a tropical marine ecosystem and also allow repeatability over varying seasons. This system would allow us to determine the rates of uptake, by a tropical marine community, of Cu, Cd, Cr, Zn, Ni, and Pb which were leached from sewage sludge by seawater. This community was comprised of turtle grass (Thalassia testudinum) with its associated sedimental infauna, spiny sea urchin (Lytechinus variegatus), sea cucumber (Holothurea mexicana), attached "fouling organisms", plankton, and the red mangrove (Rhizophorae mangle).

This ecosystem was chosen for three reasons: (1) the system comprised a tightly bound community with strong interaction between the members, (2) the important role of the seagrass/mangrove ecosystem in the overall tropical near shore environment (Jones, J.A., 1968; Odum, H.T. et al., 1959; Golley, F. et al., 1962), (3) the possibility of the active concentration of these trace metals in the higher trophic levels with passage of the materials through the food webs.

The results from this research will aid in forming a basis for determining the potential effects of leached toxicants from sewage sludge on a tropical marine ecosystem. These problems are especially critical in Puerto Rico.

The population density on the island is nearly 2000 people per square kilometer; about ten times that of the continental United States. Only a few towns and cities have sewage treatment facilities and most of the sewage is dumped, minimally treated, into the rivers and bays.

With the increased awareness of the potential detrimental effects of raw sewage on the health of the inhabitants and the marine ecosystem, the construction of sewage plants will increase. This increase of modern plants will produce large amounts of sewage sludge. The disposal of this sludge will pose an especially critical problem in the densely populated, mountainous island of Puerto Rico as the available land for sludge disposal is very limited and disposal poses its own set of ecological problems at least as serious as marine disposal of sludge. Therefore, the judicious selection of ocean dump sites for sludge, if this alternative is chosen, will require estimates on the leaching rates of toxic substances from sewage sludge by seawater. These substances can enter the food web and become concentrated relative to the concentration in the water column. The toxicity to marine organisms of Cd, Pb, Cr, Ni, Zn and Cu has been demonstrated (Eisler, R., 1971; Eisler, R. et al., 1972; Frazier, J.M., 1976; Gardner, G. and LaRoche 1973; Ikuta, K., 1968). It is also possible that some of the leachable substances could promote growth in portions of the ecosystem i.e., vitamins, chelators, organic growth substances (Vallentyne, J.R., 1957). However, the potential possible benefits of sewage sludge leachate will not be examined in this research.

SECTION 2

METHODS

Construction of Seawater Tanks

The seawater system and tanks were located near Bramadero Bay, approximately 8 km from Mayaguez, Puerto Rico (Fig. 1). Two tanks (9.2 m x 0.9 m x 1.1 m) were constructed from 1.9 cm exterior grade plywood with 5 cm x 10 cm external framing (see Fig. 2). These tanks were sealed with two coats of fibreglass epoxy resin and leached in running seawater for 2 weeks. The tanks were located in an open structure. The roof of the structure was fabricated of galvanized corrugated roofing. The underside of the roof was covered with plastic sheeting to prevent zinc contamination.

Flowing Seawater System

Each tank was filled with 4.2 m³ of calcareous beach sand (7% CaCO₃) from Aguada, Puerto Rico. The mean depth of sand was 0.5 m with an additional 0.1 m of sand over the last 3 m of tank. The tanks were then filled with seawater to a mean depth of 0.5 m and flushed for an additional week.

The seawater for the system was pumped from the dock of the Center for Energy and Environment Research at a depth of 3 meters. The pump was a Sears Dynaglas^R 1 hp (230 volt). A plastic minnow trap was used as a coarse pre-filter for a Filterchem^R combination filter and foot valve at the pump inlet. All piping used was grey schedule 40 P.V.C. The water traversed 73 m to a charcoal, sand and gravel filter (0.5 x 0.5 x 1.0 m), then to a 1000 liter settling tank. The settling tank was constructed of 1.9 cm thick plywood

lined with two coats of fibreglass^R and epoxy resin. The water was then gravity fed to the two seawater tanks with the flow split using P.V.C. "T" joints. The flowrate in each tank was monitored and maintained at 8.2 to 8.7 $\ell \text{ min}^{-1}$ by PVC ballvalves. The total water volume was 3.1×10^3 litre. The turnover time was 5.9 hrs per tank. The inflowing water was diverted below the surface by submerging the inflow end using a perforated inflow pipe (Fig. 2). The seawater was continuously aerated with an air pump and air stones.

Sewage Sludge

Activated sludge was shipped from New York City in 208 ℓ polyethylene lined drums. The sludge was allowed to settle and the overlying liquid decanted. In general, sludge is 5% solids. The black, "oily" sludge slurry remaining was mixed in a large fibreglass tank. The sludge was added to a depth of 7.6 cm in an area 1 m wide by 2.3 m long (0.1 m^3) at the incurrent end of the Experimental tank which had previously been sealed off from the rest of the tank. A PVC frame with small mesh screen attached was placed over the sludge to prevent direct contamination of the organisms. A duplicate screen was placed in the control tank. After 24 hrs, when the sludge had settled, the seal was removed and Experiment I was begun. At days 1, 5, 25, 50, 85 (Experiment II only) and 125, after the sludge was added to the Experimental tank, samples of organisms, sediment, sludge (day 1, 125 EXPI) and water were taken from both tanks. A presample was taken prior to addition of any sludge, in this study it is referred to as day 0.

Sampling

Organisms

The initial stocking quantity or density for the biological organisms, used in both Experiment I and II, are shown in Table 1.

Table 1. Physical dimensions of organisms with number of total organisms stocked per tank and number of organisms sampled per tank per day.

EXPERIMENT I

	Experimental Tank					Control Tank				
	L	W	H	#stocked	#/Sample*	L	W	H	#stocked	#/Sample*
Clams	\bar{x} 38.3	33.5	15.1	104	10	39.3	36.8	17.2	104	10
	S.D. 7.3	6.2	3.2		20	7.1	25.7	17.2		27
Sea Cucumbers	\bar{x}	35.8	29.2	110	9	35.9	29.4		101	9
	S.D.	9.6	7.8		35	9.1	8.0			29
Snails	\bar{x} 15.3	11.4		124	10	15.3	11.4		115	10
	S.D. 1.6	1.4			16	1.5	1.1			-
Oysters	\bar{x} 32.6			159	8	33.2			158	8
	S.D. 7.5				-	8.3				-
Urchins	\bar{x}	47.3	27.7	73	5	46.0	26.8		72	5
	S.D.	6.8	4.6		14	6.4	4.0			16

EXPERIMENT II

	Experimental Tank					Control Tank				
	L	W	H	#stocked	#/Sample*	L	W	H	#stocked	#/Sample*
Clams	\bar{x} 40	34.6	15.8	106	10	39.3	36.1	15.4	106	10
	S.D. 7.5	6.3	3.4			7.5	7.4	3.2		
Sea Cucumbers	\bar{x}	44.6	35.8	52	5	44.5	35.2		52	5
	S.D.	12.8	10.4			13.4	10.4			
Snails	\bar{x} 15.7	11.5		180	20	15.5	11.5		180	20**
	S.D. 1.1	0.7				1.1	0.8			
Oysters	\bar{x} 39.0			132	10	38.6			131	10
	S.D. 9.2					9.5				
Urchins	\bar{x}	45.8	29.2	57	5	47.4	29.7		57	5
	S.D.	5.2	4.0			5.7	3.5			

**Snails not taken on day 125 control as none left

*upper values are for days 0 through 50, Experiment I
lower values for day 125. Numbers refer to number of organisms in each pooled sample.

The organisms, except for the clams, were all collected using manual techniques at Pt. Osteones, Puerto Rico. The organisms were allowed to equilibrate for 2 weeks in the flowing seawater system. The turtle grass was replanted manually at 400 plants m^{-2} , after soaking in a 10% NAPDH solution (Kelly et al., 1971). The clams were collected at Pt. Viento on the Southeast coast of Puerto Rico.

Mangroves in Experiment I (230 seedlings) were planted as ungerminated seedlings and as germinated seedlings in Experiment I (120 seedlings).

Oysters in Experiment I, were placed in tanks and suspended in one plastic mesh bag per tank. In Experiment II the oysters were placed 13 per bag, for a total of 10 bags per tank. The location of the bags was randomized except no bag was hung directly over the sewage sludge deposit.

Table 2 is a species, common name list of plants and animals used for this study.

TABLE 2

Common name	Species
Clam	<u>Codorkia orbicularis</u>
Oyster	<u>Crassostria rhizophorae</u>
Snail	<u>Nerita tessplata</u>
Sea cucumber	<u>Holothurea</u> sp. (predominantly <u>H. mexicana</u>)
Urchin	<u>Lytechinus variegatus</u>
Turtle grass	<u>Thalassia testudinum</u>
Red mangrove	<u>Rhizophorae mangle</u>

After equilibration, organisms were sampled at the prescribed intervals, the samples were removed, physical measurements made, placed in double bags and frozen. Simultaneously, samples were collected for hydrocarbon analyses. The samples for hydrocarbon analyses were placed in glass bottles with aluminum foil seals, capped and frozen. The bottles were previously rinsed with 2N HCl, deionized water, CCl₄, and air dried. The physical dimensions for the animals sampled and number of animals sampled per day are shown in Table 1.

Overlying Water

Water samples were taken, for Experiment I and II, prior to biological

samples. There were three types of water samples taken: pore water for analysis of soluble trace metals and hydrocarbons, overlying water for soluble and particulate trace metals and hydrocarbons, and dissolved reactive phosphate (DRP). The DRP was sampled at weekly intervals. The trace metals and hydrocarbons in water and pore water were sampled at the same intervals as the organisms. Pore water samples were not taken in Experiment II.

Pore Waters

Samples were taken using one inch PVC pipes sealed at one end with 0.8 mm holes drilled in the lower 38 cm of the pipe. The pipes were placed 46 cm from the sides at 1.2, 3.5, 5.8, and 8.1 m from the intake end of the tanks. Two liter water samples were withdrawn using 6.4 mm Tygon^R tubing and 25 lbs of vacuum pressure, from a laboratory vacuum pump.

Sediment

Sediment was collected using a 2.5 cm diameter x 25 cm PVC core. The sediment core was homogenized and ground after drying (105°C) and a 1 g samples taken for trace metals. After day 25 in Experiment I and throughout Experiment II, a 5 g sample was taken for trace metals.

Dissolved and particulate trace metals

All water samples were placed in 2.5 l glass bottles (which formerly contained conc. HNO₃ or HCl) which were equilibrated in reagent grade seawater for 12 hrs prior to sampling (4 l samples for Experiment II). The sample bottles were drained, rinsed with the sample, filled, then filtered within 4 hrs. The filtering was accomplished using an all plastic filter system containing a .4 µm pore size, 142 mm diameter, Gelman^R filters. The filters were previously washed in 6 N HCl and rinsed with copious amounts of R.O./D.I. water. The fraction retained on the filter was referred to as the "particulate" portion. The filtrate was the "soluble" fraction.

Physical and Chemical Analyses

General

All reagents used are reagent ACS grade. All glassware was cleaned with detergent, rinsed with water from a Millipore^R "Milli-Q" system. All water referred to in this paper is R.O./D.I. water from the Millipore^R "Milli-Q" system. This refers to the technique of reverse osmosis followed by ion-exchange. The final cleaning for glassware used to digest samples for trace metal analysis involved refluxing the covered beakers with concentrated HNO₃ followed by rinsing with R.O./D.I. water. All other equipment was washed with detergent, rinsed with R.O./D.I. water, followed with 6N HCl and rinsed with R.O./D.I. water. Only non-metallic instruments and materials were used and all equipment, after cleaning, was stored covered with Parafilm^R or plastic bags.

Oxygen, temperature, and salinity

A Yellow Springs International YSI - 57 oxygen/temperature meter was used. The oxygen output was both salinity and temperature compensated. The oxygen calibration was checked using the Winkler titration technique (Strickland and Parsons, 1965).

Dissolved reactive phosphate

One hundred mL samples were collected and immediately filtered through a Millipore Swin-Loc^R adaptor containing an acid washed (6N HCl) 27 mm Millipore, 0.45 µ pore size filter using an acid washed 100 mL polypropylene syringe. The sample was frozen and later DRP was determined using the single solution technique (Strickland and Parsons, 1965) with a 10 cm cell in a Beckman DU spectrophotometer. A small number of samples were run on a Technicon autoanalyzer using standard Technicon procedures (Zimmermann, C. et al., 1977).

Particulate trace metals

The 142 mm diameter filters were placed in Pyrex^R beakers, 6 ml of concentrated HNO₃: HCl (3:1) were added and the beaker covered with a ribbed watch glass. The solution was heated to a slow boil (less than 95°C), when the filters dissolved, the liquid was brought to a rapid boil and taken to near dryness. Then, 4 ml concentrated HNO₃ were added, followed by dropwise addition of 1 ml of H₂O₂ (30% by volume). The sample was then reboiled to near dryness and 3 drops of concentrated H₂SO₄ were added. If the sample turned black, more H₂O₂ was added. The samples were dried until SO₃ fumes disappeared. The sample was then brought to 10 ml volume with R.O./D.I. water.

Soluble Trace Metals

After 2.5% of sample was filtered for determination of "particulate" trace metals (41 in Experiment II), the effluent was run through two 1.2 cm diameter x 10 cm glass columns. The flow rate was maintained at 1 ml min⁻¹ cm⁻². The columns were in series and the first column contained 10 ml of Chelex-100^R in the ammonium form (20 ml in Experiment II) with 20 ml of Amberlite XAD-2^R resin (Rohm and Haas) in the second column. The Chelex resin was purified by 2 bed volumes (BV) of 1N HCl (isothermally distilled) followed by 5 BV of D.I./R.O. water and then 2 BV 1N NH₄OH (isothermally distilled) with a final wash of D.I./R.O. water. The Amberlite XAD-2 resin was cleaned by washing for 10 minutes with D.I./D.O. water. The water was decanted and the procedure repeated 5 times. The resin was washed four times with anhydrous methanol followed by four washes with D.I./D.O. water. The Chelex resin was left covered with water prior to use. The Amberlite was stored under methanol until just prior to use.

In Experiment I and II, the metals were extracted from the Chelex-100^R resin after the resin column was first washed with 100 ml of water. The trace metals, in EXP I, were eluted with 40 ml of boiling concentrated HCl. The resin was rinsed with 20 ml of water and this water was combined with the acid eluate. The eluate was boiled down (95°C) to 1 ml and then brought to 10 ml volume with water. This was referred to as the soluble inorganically complexed fraction. In Experiment II, the Chelex 100 was eluted batchwise using 6 ml concentrated HNO₃ per 10 ml resin (Davey, E.W. and A.E. Soper, 1975) rather than eluting with concentrated HCl. The Chelex resin was filtered and the acid eluate dried to 1 ml followed by the addition of 6 ml 2NHCl (isothermally distilled) and dried down to 1 ml. This was repeated and the final product was diluted to 10 ml with distilled water. The Amberlite^R resin was first washed with 100 ml water then the resin was placed in an open glass Petri dish, rinsed with methanol, and the resin ignited. The ignited resin was placed in a muffle oven and the temperature raised in 100°C increments until 400°C. The resin was maintained at 400°C for 1 additional hour then the temperature was raised to 450°C for 24 hours. The cooled resin was dissolved in 5 ml 1NHCl, then boiled down to 1 ml and brought to the desired final volume. This fraction was referred to as the soluble, organically complexed trace metal (Montgomery, J.R. and J.E. Echevarria, 1975). The trace metals were determined by atomic absorption spectrophotometry (A.A.S.) on a Perkin-Elmer Model 303 A.A.S. with a deuterium background corrector. The output was recorded using a Model 56 Perkin-Elmer recorder and DCR-1 digital readout. The flow chart for sample collection and processing is shown in Fig. 3.

Biological and sediment samples

Analysis of National Bureau of Standards (NBS) bovine liver and orchard leaves were performed along with the regular samples. One gram samples were used, when available, for all standards and samples. The flow chart for sample collection is shown in Figure 3.

The number of organisms sampled per day per experiment are shown in Table 1. The samples were defrosted after collection and dissected into the following tissues using Pyrex glass shards and plastic gloves.

Urchins - shell and internal tissues.

Sea cucumbers - body, muscle bands and internal tissues. In Experiment II, muscle bands were combined with internal tissues.

Snails, clams, oysters - shell and internal organs.

Fouling organisms - total mass scraped from glass collecting plates (23 x 30 cm). In Experiment I, all plates were sampled at each sampling time. In Experiment II, cumulative results were obtained by sampling plates which had remained in the tanks for 25,50,85,125 days after addition of sludge.

Thalassia - Roots and leaves. The roots and rhizomes were combined and are referred to as roots.

Mangroves - The lower 3.8cm of the hypocotyl not including the roots. This is referred to in this paper as the bottom. Growing stem includes all of the primary meristamatic tissue from the hypocotyl excluding the leaves and the roots/rhizomes.

After dissection into these various parts, the wet weight was obtained. The samples were dried in covered, cleaned Pyrex beakers at 105°C. The dried sample was weighed, then homogenized, using a ceramic mortar and pestle.

TABLE 3

Results in $\mu\text{g g}^{-1}$ dry weight for determination of metals in NBS bovine liver and orchard leaf standards. The results for Experiment I and II are shown with statistics and our computed minimum detectable concentration (MDC).

EXPERIMENT I Bovine Liver						
	Cd	Cu	Cr	Pb	Zn	Ni
MDC	0.3	8.9	3.4	0.5	2.8	0.9
\bar{x}	0.56	177	<MDC	2.5	132	-
SD	0.26	20.2		.96	31.7	
N	9	10		10	12	
EXPERIMENT II						
	Cd	Cu	Cr	Pb	Zn	Ni
\bar{x}	0.55	187.4	<MDC	<MDC	131.7	1.0
SD	0.45	15.50			17.59	0.69
N	49	41			53	48
NBS values	0.27 ± 0.04	193 ± 10	-	0.34 ± 0.08	130 ± 10	
EXPERIMENT I Orchard Leaves						
	Cd	Cu	Cr	Pb	Zn	Ni
\bar{x}	<MDC	12.3	2.6	44.8	26.1	3.9
SD		3.9	0.63	2.82	5.4	0.6
N		11	6	6	11	3
EXPERIMENT II Orchard Leaves						
	Cd	Cu	Cr	Pb	Zn	Ni
\bar{x}	0.66	11	-	45.0	25.6	4.0
SD	0.34	1.5		3.6	7.64	1.3
N	17	20		23	26	24
NBS values	0.11 ± 0.02	12 ± 1	(2.3)	45 ± 3	25 ± 3	1.3 ± 0.2

The ground sample, not used for analysis, was stored in plastic, screw cap bottles. The dried samples were placed in cleaned Pyrex beakers, at least 1g where possible, and were digested using the following procedure.

Twenty-five ml of a concentrated HNO_3 : HCl mixture (3:1) was added to the dried, weighed sample in the covered clean beaker. The sample was slowly boiled and refluxed in the covered beaker at 90 to 95°C until 1 ml of solution remained. The sample was allowed to cool then 30 ml of 30% H_2O_2 was added slowly and reheated to 90-95°C until 1 ml of the solution remained. A further 10 ml of HNO_3 : HCl mixture was added and reheated. The mixture was allowed to cool and 10 ml of 30% H_2O_2 was added. This was allowed to boil again (90-95°C). The 10 ml additions were repeated, if necessary, a maximum of three times. Six ml of 2N HCl were added, boiled at 90-95°C, until 3 ml were left. The sample was allowed to cool then centrifuged in a clean 50 ml plastic capped centrifuged tubes at 1700 rpm for 20 minutes. The liquid was carefully decanted and brought to 10.0 ml with R.O./D.I. water. This sample was placed in clean, 25 ml polyethylene vials with caps.

SECTION 3

RESULTS

The raw data, expressed as μg metal/g dry weight for all samples, are found in Appendix A. The computed net uptake for each metal is located in Appendix B and is expressed as mean experimental results ($\mu\text{g}/\text{g}$ dry weight) minus the mean control results for each sample, with their respective standard deviations, and degree of freedom. The "t" value for the null hypothesis, $H_0: M_1 - M_2 = 0$ ($P < 0.05$) where M_1 is experimental and M_2 is control is also shown in Appendix B. The analyses for the NBS biological standards are shown in Table 3. The results for all fractions of dissolved and particulate trace metals in the water for both control and experimental tanks (Experiment II) are in Appendix C. The wet/dry weight ratios with statistics for all the samples in Experiment I and II are in Appendix D.

The experiments were replicated, Experiment I began on 11 March, 1975 and ended 15 July 1975; Experiment II began on December 12, 1975 and ended April 26, 1976. The experimental tank refers to the tank with the sludge added and the control tank was identical, in experimental design, to the experimental tank except no sludge was added.

Temperature, salinity, and oxygen

In Experiment I the temperature ranged from 21 to 28°C with a salinity range from 32 to 34 ‰. In Experiment II the temperature ranged from 21 to 26.5°C with a salinity range from 24 to 35 ‰ (\bar{x} , 30 ‰, S.D. 4.2 ‰, $N = 18$).

Dissolved reactive phosphate (DRP)

The results are shown in Figs. 4 and 5 for control, Experiment I and II and experimental, Experiment I and II, respectively. The plotted points are the mean values for a five day period.

Fouling Organisms

In Experiment I, Cd, Cu, Pb, and Zn showed a significant net uptake after 125 days (Figs. 6, 8, 9, 11), whereas in Experiment II, Pb (Fig. 10) showed a steady uptake to the end of the sampling period (85 days). For Experiment II, Cd and Ni demonstrated a steady uptake until day 50 (Figs. 7 and 13) then a decline in the net uptake. Zinc and chromium indicated a net uptake after day 50 (Figs. 12 and 15) and Cu showed little significant uptake for the sampling period (Appendix B).

Sewage Sludge

The initial values for trace metals in sewage sludge are shown in Table 4.

A rapid decline was noted in the concentration of Cd, Cr, Cu, Ni, and Zn in the sewage sludge for Experiment I (Figs. 6, 15, 8, 14, 11). The Pb results are inconclusive for both experiments (Fig. 9 and Appendix B) due to the loss of lead as the easily volatilized $PbSO_4$ during the digestion of the sludge. Because of the shorter sampling interval for sludge in Experiment II, a two stage decline for Cd, Ni, and Zn was shown (Figs. 7, 13, 12). The first decrease in metal concentration was nearly instantaneous with a further, smaller decrease after day 50.

Thalassia

Leaves

The results of EXP I were biased due to the "die off" of the plants by

day 50. This was probably due to insufficient light. The plants survived for the full 125 day period in Experiment II after the light level was increased.

Copper, Cr, Pb, Ni and Zn showed rapid increases in net uptake in Experiment I (Figs. 16,18,20,22,24). In Experiment II the same overall trend of increasing net uptake was shown for Cu, Cr, Pb, and Cd for Experiment II (Figs. 17,19,21,26). Nickel and zinc, in Experiment II did not show a significant uptake up to day 50 but the net uptake was significant at day 85 and 125 (Figs. 23, 25).

Roots

The only significant net uptake of trace metals for Thalassia roots and rhizomes in Experiment I was for nickel, Cr, Cu, and Pb (Figs. 27,29,31, 33).

The repeat experiment also showed a significant net uptake for Cr and Zn (Figs. 30, 36) with Pb, Ni, and Cu showing peaks of significant net uptake values at day 5 and/or 25 days (Figs. 34,28,32). Cadmium uptake was significant only at day 25 (Fig. 37).

Urchin, internal organs

To facilitate later discussion, the results of the net uptake for urchins are shown with the results for Thalassia leaves.

Copper, Cr, and Pb show a steady and rapid increase in net uptake for EXP I and II (Figs. 16,17,18,19,20,21). The net uptake for Cd was not significant in Experiment I (Appendix B), however in Experiment II (Fig. 26) the net uptake increased after day 50. The results for nickel and Zn uptake are very similar in Experiment I and II (Figs. 22,23,24,25,26). Zinc shows a steady increase with a decrease, in net uptake, at day 50 followed by a

rapid increase in both Experiment I and II.

Sea cucumber, internal organs

In both Experiment I and II, Cr, Cu, Pb and Zn showed very similar net uptakes over the 125 day period (Figs. 38,39,40,41,42,43). Ni showed a net uptake spike at day 5 in Experiment I, and in Experiment II a spike showing uptake of nickel occurred at day 5, 50 and a smaller spike at day 125 (Figs. 38, 41).

Mangrove Roots

Nickel, in Experiment I, shows an initial decrease in net uptake before day 50 with a gradual increase to day 125 (Fig. 27). The opposite occurs in Experiment II where the net uptake increases rapidly up to day 5 (Appendix B). The net uptake for Cr was not significant for Experiment I (Appendix B), but indicated a linear net uptake from day 50 to day 125 for Experiment II (Fig. 30). Lead uptake in Experiment I and II (Figs. 33 and 34) exhibits similar trends. However, Pb uptake is much higher in Experiment I (Fig. 33). Zinc, in Experiment I, also demonstrated a rapid linear uptake curve (Fig. 35) which was very similar to the uptake in Experiment II (Fig. 36). However, the net uptake was greater for Zn in Experiment I. The net uptake for Cu was not significant in Experiment I (Appendix B), but appeared to show a gradual uptake after day 50 followed by a decline to original levels (Fig. 32).

Other

No significant net uptake was shown for the oysters, clams, mangrove body, stem or leaves, snails, holothurian body and muscle parts or sediment for Experiment I or II. The results shown are in Appendix B. The significant results for net uptake of metals are shown in Figs. 6-43 and are indicated by open rectangles. Dark rectangles indicate non-significant results.

TABLE 4. Concentration of Cd, Cr, Cu, Ni, Pb and Zn in $\mu\text{g/g}$ dry weight, in sewage sludge used in this experiment. The results are for Experiment I and II. Results for the same metals as determined by Salotto and Farrell (1971) for activated sludge are included.

Experiment I

	Cd	Cr	Cu	Pb*	Ni	Zn
\bar{x}	109	2120.	2560.	60	319	2926
SD	6.70	115.	124.0	55	11.3	388.4


Experiment II

	Cd	Cr	Cu	Pb*	Ni	Zn
\bar{x}	166.	3667	2445.	21.0	376.	2508
SD	85.5	338.5	266.4	3.29	12.7	122.1

Salotto and Farrell (1971)

	Cd	Cr	Cu	Pb*	Ni	Zn
\bar{x}	350	4330	1100	1500	380	3300

*Lead values are low due to digestion technique.



Samples were collected at 0,1,5,25,50,85** and 125 days after addition of sewage sludge.

*Samples for mercury, and hydrocarbons in both water, sediment, sludge and organisms were stored frozen for future analyses.

**An additional sampling was made for Experiment II, Day 0 refers to the sample taken before addition of sewage sludge.

FIGURE 3. Flow chart of trace metal and hydrocarbon sampling from collection processing into final sample form.

SECTION 4

DISCUSSION

Oysters and clams have been extensively studied regarding trace metal uptake because of their commercial significance, hardness and feeding method. Bivalves, in general, show uptake and concentration of most trace metals (Kerfoot, W.B., 1973; Kerfoot, W.B. and S.A. Jacobs, 1973 a and b; Shuster, C.N. and B.H. Pringle, 1969; Huggett, R.J. et al., 1973; and Frazier, J.N., 1976). However, oysters and clams in our research showed no consistent nor significant net uptake of metal except possibly zinc and copper. In Experiment I, all the oysters were placed in a single net bag. This procedure was changed to ten net bags per tank in Experiment II. This drastically reduced the crowding and increased the survival of the oysters beyond day 50 in Experiment II. The wet weight of the clam and oyster internal organs was too small to allow an adequate sample size for the trace metal analyses. This same problem was encountered in the analyses for the snails, Holothurian muscle parts in Experiment I, and zooplankton samples for both Experiment I and II.

The results for lead in the sewage sludge were very low compared to other investigators (Table 4) and is due to the addition of H_2SO_4 to aid in the digestion of the sludge organic matter. When the sample was heated, the lead was lost as volatile $PbSO_4$. The H_2SO_4 was only used for the digestion of the sludge.

The results for the analyses on the NBS bovine liver standards (Table 3)

are in good agreement for Cu and Zn and high for Cd. Our results for Cr and Pb in bovine liver were below our detection limits. The results for NBS orchard leaves were in good agreement for Cu, Pb and Zn. Cadmium, in NBS orchard leaves, was too high as was nickel. The coefficient of variation (CV) for Ni was lower than the CV for Cd. The results for Cr, in orchard leaves, were in good agreement with the non-certified value for Cr published by NBS.

Our results for the concentration of trace metals in water for Experiment I were at or below the detection limits for nearly all metals and were therefore not shown. This was due to the 2.5 l sample size. When we used 4 l sample in Experiment II, the results for most of the metals were within our detection limits. However, no significant difference was noted between metal concentrations in the experimental tank and those in the control tank. Obviously, metals were released from the sludge, as shown by the results in Figs. 6 through 15 and, also, by the significant net uptake of metals by *Thalassia* leaves and roots, urchin and sea cucumber internal parts, and fouling organisms. This net uptake in organisms was hard to explain when no net change was seen in the water of the experimental tank. The problem in interpretation of the water results was due to the "point sampling" of the water versus the "integrated" sampling for the organisms, sediment, and sludge. The "point" concentration of the water was very low at any one time (Appendix C). These trace concentrations, coupled with the high blanks and matrix problems in trace metal analyses of seawater by flame atomic absorption spectrophotometry, produced results with very high within-sample variance. This high variance effectively obscured any differences between the experimental and control tanks in Experiment II. Schuster and Pringle

(1969) demonstrated that the concentration of metal in the water, at any one time, may not be the best indicator of the total contamination by metals.

The net uptake of metal by "fouling organisms" was clearly shown in both Experiment I and II. This net uptake was replicated in Experiment I and II for Cd, Pb, and Zn. The uptake of copper by fouling organisms was only significant in Experiment I and for Ni and Cr in Experiment II. The fact that Ni and Cr didn't show a net uptake in Experiment I was probably due to a change in sample technique for fouling organisms initiated in Experiment II. In Experiment I, when a settling plate was sampled for fouling organisms, clean plates were added for the next sampling period, whereas, in Experiment II, a plate which was sampled at day 125 had remained in the system from day 0 to day 125. The fouling organisms sampled in Experiment II are, therefore, integrated samples over the sampling time. The net uptake by the fouling organisms of Cd, Pb, and Zn closely follows the loss of these same metals from the sewage sludge for both Experiment I and II. This same correlation, between fouling organisms and sludge, holds true for Cd and Ni uptake in Experiment II.

The net uptake by *Thalassia* leaves and urchin internal organs closely parallel each other for Cu, Cr, Pb, Ni and Zn in both Experiment I and II. Significant cadmium uptake by *Thalassia* leaves and urchin internal organs was seen only in Experiment II. Schroeder (1975), using radioactive ^{57}Co , ^{60}Co , ^{54}Mn and ^{65}Zn in seawater, showed that, in *Thalassia testudinum*, the rhizomes had the highest uptake followed by leaves then roots. In both Experiments our results for *Thalassia*, show significant net uptake for Cu, Cr, Ni and Pb in roots. The net uptake was higher in Experiment I for Pb

and Cu and higher in Experiment II for Ni and Cr. Cadmium and zinc had a net uptake in *Thalassia* roots only in Experiment II. This uptake of metals by the urchin and the close correlation between the urchin's uptake and the uptake in *Thalassia* leaves was not surprising as the urchins were voracious foragers on *Thalassia* leaves and epiphytes. This was also shown in the field by Camp et al., (1973). The net uptake of some metals in leaves was closely coupled to the uptake in the roots of *Thalassia*. The results for Cd, Ni, and Cr in Experiment II indicate a translocation of these two metals from roots to leaves. The translocation of metal was also indicated for Zn in Experiment II from day 85, where the net uptake decreases in the roots with an increase in the leaves and vice versa at day 125. In general, the maximum net uptake in *Thalassia* leaves was slightly greater than the uptake in roots. This is in apparent contradiction of Schroeder's results (1975) where roots were found to have the greatest uptake. However, our root sample consisted of roots plus rhizomes and, as rhizomes showed the highest net uptake in Schroeder's paper (1975), the contradiction between our results and Schroeder's is cleared up.

The interpretation of the significant net uptake for mangrove roots indicates that only Ni and Zn in Experiment I show a near linear increase over time. In Experiment II, only Cr showed a linear response over time, whereas, Zn and Cu showed an increase in net uptake followed by attainment of apparent equilibrium then loss of the metal. Lead shows no net uptake until day 85. These results appear to be loosely correlated with the fact that the sediment never showed a net uptake until at day 85 in Experiment II when Ni, Pb and Zn begin to show a slight net uptake (Appendix B) in the sediment. Since no other part of the mangroves sampled indicated a signifi-

cant uptake of metal (Appendix B), then the only source for the metals in the mangrove roots must be the sediments. If that is so, then only Ni, Pb and Zn should show net uptake in mangrove roots and then only after day 85 in Experiment II. This lack of significant uptake of metals by the sediments could be due to the pooling of whole sediment samples from a 2.5 cm diam. x 25 cm core. If the gradient of trace metal concentration in the sediment was very steep, then the pooling of the core could have diluted the higher surface metal concentrations with the much lower metal concentrations in the bottom of the core.

There was similarities in net uptake by Holothurian guts for Experiments I and II. Although there are similar patterns of uptake in the Holothurian gut, the maximum values for net uptake were always higher in Experiment I for Ni, Cu, Pb and Zn. Chromium showed a higher maximum net uptake in Experiment II for Holothurian guts. In Experiment II, the sewage sludge showed a two stage release. The first stage occurred at day 1 followed by a slow constant release until day 50 when another rapid release occurred. A slow but steady release would more likely result in a higher maximum uptake, whereas, a two stage release, as shown by the sewage sludge in Experiment II would, due to the estimated 6 hour residence time for the water in the tanks and 8.5 l min^{-1} flow rate, produce a lower maximum net uptake. The data for the net loss of metals from the sewage sludge was only available for two sampling times in Experiment I, so it is difficult to determine the true instantaneous net loss of metals from the sludge.

The original objectives for this research, as stated in the Introduction, have been obtained. A definite net uptake was found in members of a tropical marine community. These results were replicated at two different seasons

and the results, considering the complexity of the system, agree quite well.

Originally, the fish, Diodon holacanthus (puffer) was to be added to the system. However, after collecting over 360 specimens we found that they were too sensitive to environmental factors other than sewage sludge and were easily killed. Therefore, fish were deleted from the ecosystem in order to expedite the completion of the experiment.

SECTION 5

CONCLUSIONS AND RECOMMENDATIONS

Net uptake of trace metals by members of a Thalassia testudinum/Rhizophorae mangle community was demonstrated in two 125 day replicated experiments over the period from March 1975 to April 1976. The net uptake was especially significant in: Thalassia testudinum leaves and roots/rhizomes, internal organs of the urchin Lytechinus variegatus, "fouling organisms", internal organs of Holothurea sp., and for some metals in Rhizophorae mangle roots. In general, the net uptake pathways followed the trophic levels in the food webs. This pathway was especially noticeable from the water to the fouling organisms and from the water to the Thalassia testudinum leaves and thence to the urchin herbivore Lytechinus variegatus. The net uptake in the Holothurea sp. were closely related to the net uptake in the fouling organisms and the trace metal loss rate of the sludge. The food web in this artificial system was dominated by the fouling organisms as would be expected. The uptake of trace metals, leached from the sludge, was always greatest in this complex group.

The results of long term exposure, in a simulated tropical ecosystem, to toxic trace metals more closely approximates the situation in nature than laboratory experiments. In this respect we are in agreement with the statement by Phelps et al. (1975) "Chronic exposures to elevated metal levels through the food web should be used as a more realistic test for possible deleterious effects from such metals as Cr". No artificial system can ever

reproduce a natural ecosystem. However, it is more important to closely approximate the natural system with a system which can duplicate itself (Menzel, D.W. 1977). Our results show that chronic exposure to toxic metals can lead to uptake and concentration of these metals in marine organisms. We were able to duplicate our results using this complex simulation of a marine ecosystem.

More detailed work on the net uptake of toxic metals, using this complex simulated ecosystem, and the roles of the "fouling organisms" and plankton in this system is needed. This must involve integrated sampling of the organisms as well as the water. The advent of more precise methods of direct trace metal determination in seawater using anodic stripping voltammetry and nonflame atomic absorption spectrophotometry, in lieu of flame AAS, should allow a reasonable sample size for both organisms and water.

The authors would not recommend, based on the results of this research, the dumping of sewage sludge in shallow, tropical marine environments. The potential exists for rapid concentration of toxic trace metals by members of the food web high on the trophic scale. These toxic levels could then affect organisms used as food by man.

The next logical step in future research would be to add vertebrate organisms to this system to see if a herbivore, which normally consumes turtle grass, would show a net uptake of toxic trace metals.




Figure 1. Study site location






Figure 2. Diagram of experimental design, tank configuration, and seawater system.




Samples were collected at 0,1,5,25,50,85** and 125 days after addition of sewage sludge.

*Samples for mercury, and hydrocarbons in both water, sediment, sludge and organisms were stored frozen for future analyses.

**An additional sampling was made for Experiment II, Day 0 refers to the sample taken before addition of sewage sludge.

FIGURE 3. Flow chart of trace metal and hydrocarbon sampling from collection processing into final sample form.

DRP, CONTROL EXP. 1



DRP, CONTROL EXP. 2





Figure 4. Dissolved reactive phosphate concentration Experiment I and II, control. Data points are mean values for 5 day period, excluding day 1.

DRP, EXPERIMENTAL EXP. I



DRP, EXPERIMENTAL EXP. II





Figure 5. Dissolved reactive phosphate concentration Experiment I and II, experimental. Data points are mean values for 5 day period, excluding day 1.

CD FOULING ORGANISMS- EXP. I



CD SEWAGE- EXP. I





Figure 6. Mean net uptake of Cd between experimental and control, fouling organisms and sewage - Experiment I.

CD FOULING ORGANISMS- EXP. II



CD SEWAGE- EXP. II





Figure 7. Mean net uptake of Cd between experimental and control, fouling organisms and sewage - Experiment II.

Cu FOULING ORGANISMS- EXP. I



Cu SEWAGE- EXP. I





Figure 8. Mean net uptake of Cu between experimental and control, fouling organisms and sewage - Experiment I.

Pb FOULING ORGANISMS - EXP. I



Pb SEWAGE - EXP. I




Figure 9. Mean net uptake of Pb between experimental and control, fouling organisms and sewage - Experiment I.

Pb FOULING ORGANISMS - EXP. 2





Figure 10. Mean net uptake of Pb between experimental and control, fouling organisms - Experiment II.

ZN FOULING ORGANISMS - EXP. I



ZN SEWAGE - EXP. I





Figure 11. Mean net uptake of Zn between experimental and control, fouling organisms and sewage - Experiment I.

ZN FOULING ORGANISMS- EXP. 2



ZN SEWAGE- EXP. 2





Figure 12. Mean net uptake of Zn between experimental and control, fouling organisms and sewage - Experiment II.

2. FOULING ORGANISMS- EXP. 2



2. SEWAGE- EXP. 2





Figure 13. Mean net uptake of Ni between experimental and control, fouling organisms and sewage - Experiment II.

CR SEWAGE - EXP. I



NI SEWAGE - EXP. I





Figure 14. Mean net uptake of Cr and Ni between experimental and control, sewage - Experiment I.

CR FOLLING ORGANISMS - EXP. II



CR SEWAGE - EXP. II





Figure 15. Mean net uptake of Cr between experimental and control, fouling organisms and sewage - Experiment II.

Cu THALASSIA LEAVES - EXP. I



Cu URCHIN GUT - EXP. I





Figure 16. Mean net uptake of Cu between experimental and control, Thalassia leaves and urchin guts - Experiment I.

CU THALASSIA LEAVES- EXP. 2



CU URCHIN GUT- EXP. 2





Figure 17. Mean net uptake of Cu between experimental and control, Thalassia leaves and urchin guts - Experiment II.

CR THALASSIA LEAVES- EXP. I



CR URCHIN GUT- EXP. I





Figure 18. Mean net uptake of Cr between experimental and control, Thalassia leaves and urchin guts - Experiment I.

CR THALASSIA LEAVES- EXP. 2



CR URCHIN GUT- EXP. 2





Figure 19. Mean net uptake of Cr between experimental and control, Thalassia leaves and urchin guts - Experiment II.

PB THALASSIA LEAVES- EXP. I



PB URCHIN GUT- EXP. I





Figure 20. Mean net uptake of Pb between experimental and control, Thalassia leaves and urchin guts - Experiment I.

PB THALASSIA LEAVES- EXP. 2



PB URCHIN GUT- EXP. 2





Figure 21. Mean net uptake of Pb between experimental and control, Thalassia leaves and urchin guts - Experiment II.

21 THALASSIA LEAVES- EXP. I



21 URCHIN GUT- EXP. I





Figure 22. Mean net uptake of Ni between experimental and control, Thalassia leaves and urchin guts - Experiment I.

Z: THALASSIA LEAVES- EXP. N



Z: URCHIN GUT- EXP. N





Figure 23. Mean net uptake of Ni between experimental and control, Thalassia leaves and urchin guts - Experiment II.

NZ THALASSIA LEAVES - EXP. I



NZ URCHIN GUT - EXP. I





Figure 24. Mean net uptake of Zn between experimental and control, Thalassia leaves and urchin guts - Experiment I.

ZN THALASSIA LEAVES- EXP. II



ZN URCHIN GUT- EXP. II





Figure 25. Mean net uptake of Zn between experimental and control, Thalassia leaves and urchin guts - Experiment II.

Cd THALASSIA LEAVES- EXP. 2



Cd URCHIN GUT- EXP. 2





Figure 26. Mean net uptake of Cd between experimental and control, Thalassia leaves and urchin guts - Experiment II.

ZI MANGROVE ROOT - EXP. I



ZI THALASSIA ROOTS - EXP. I





Figure 27. Mean net uptake of Ni between experimental and control, Thalassia roots and mangrove roots - Experiment I.

Z - MANGROVE ROOT - EXP. 2



Z - THALASSIA ROOTS - EXP. 2




Figure 28. Mean net uptake of Ni between experimental and control, Thalassia roots and mangrove roots - Experiment II.

CR THALASSIA ROOTS- EXP. I





Figure 29. Mean net uptake of Cr between experimental and control, Thalassia roots - Experiment I.

CR MANGROVE ROOT- EXP. II



CR THALASSIA ROOTS- EXP. II




Figure 30. Mean net uptake of Cr between experimental and control, Thalassia roots and mangrove roots - Experiment II.

CU THALASSIA ROOTS - EXP. I





Figure 31. Mean net uptake of Cu between experimental and control, Thalassia roots - Experiment I.

CU MANGROVE ROOT- EXP. 2



CU THALASSIA ROOTS- EXP. 2




Figure 32. Mean net uptake of Cu between experimental and control, Thalassia roots and mangrove roots - Experiment II.

PB THALASSIA ROOTS- EXP I





Figure 33. Mean net uptake of Pb between experimental and control, Thalassia roots - Experiment I.

Pb MANGROVE ROOT- EXP. II



Pb THALASSIA ROOTS- EXP. II




Figure 34. Mean net uptake of Pb between experimental and control, Thalassia roots and mangrove roots - Experiment II.

Zn MANGROVE ROOT - EXP. I





Figure 35. Mean net uptake of Zn between experimental and control, mangrove roots - Experiment I.

NZ MANGROVE ROOT - EXP. 2



NZ THALASSIA ROOTS - EXP. 2




Figure 36. Mean net uptake of Zn between experimental and control, Thalassia roots and mangrove roots - Experiment II.

CD THALASSIA ROOTS - EXP. 2





Figure 37. Mean net uptake of Cd between experimental and control, Thalassia roots - Experiment II.

CR HOLOTHURIAN GUT - EXP. I



NI HOLOTHURIAN GUT - EXP. I





Figure 38. Mean net uptake of Cr and Ni between experimental and control, sea cucumber guts - Experiment I.

CD HOLOTHURIAN GUT- EXP. 2



CR HOLOTHURIAN GUT- EXP. 2




Figure 39. Mean net uptake of Cd and Cr between experimental and control, sea cucumber guts - Experiment II.

Cu HOLOTHURIAN GUT - EXP. I





Figure 40. Mean net uptake of Cu between experimental and control, sea cucumber guts - Experiment I.

CU HOLOTHURIAN GUT - EXP. II



NI HOLOTHURIAN GUT - EXP. II





Figure 41. Mean net uptake of Cu and Ni between experimental and control, sea cucumber guts - Experiment II.

Pb IDOLOTHURIAN GUT - EXP. I



Zn IDOLOTHURIAN GUT - EXP. I





Figure 42. Mean net uptake of Pb and Zn between experimental and control, sea cucumber guts - Experiment I.

Pb HOLOTHURIAN GUT - EXP. II



Zn HOLOTHURIAN GUT - EXP. II




Figure 43. Mean net uptake of Pb and Zn between experimental and control, sea cucumber guts - Experiment II.

BIBLIOGRAPHY

- Camp, D.K., S.P. Cobb, J.F. VanBreedveld. 1973. Overgrazing of seagrasses by a regular urchin, Lytechinus variegatus. Bioscience 23(1): 37-38.
- Carmody, D.J., J.B. Pearce and W.E. Yasso. 1973. Trace metals in sediments of New York Bight. Pollut. Bull. 4(9): 132-134.
- Davey, E.W. and A.E. Soper. 1975. Apparatus for the sampling and concentration of trace metals from seawater. Limnol. Oceanog. 20(6): 1019-1023.
- Eisler, R. 1971. Cadmium poisoning in Fundulus heteroclitus (Pisces: Cyprinodontidae) and other marine organisms. J. Fish. Res. Bd. Canada 28: 1225-1234.
- Eisler, R. 1973. Annotated bibliography on biological effects of metals in aquatic environments (no. 1-567). EPA report no. EPA-R3-73-007 Corvallis, Oregon.
- Eisler R., G.E. Zarogian and R.J. Hennekey. 1972. Cadmium uptake by marine organisms. J. Fish. Res. Bd. Canada 29: 1367-1369.
- Ferrell, R.E., T.E. Carville, and J.D. Martinez. 1973. Trace metals in oyster shells. Environmental Letters 4(4): 311-316.
- Frazier, J.M. 1976. The dynamics of metals in the American oyster, Crassostrea virginica II. Environmental effects. Chesapeake Sci. 17(3): 188-197
- Gardner, G.R. and G. LaRoche. 1973. Copper induced lesions in estuarine teleosts. J. Fish. Res. Bd. Canada 30: 363-368.
- Goldberg, E.D. 1965. Review of trace element concentrations in marine organisms Vols. I & II. Puerto Rico Nuclear Center.
- Golley, F., H.T. Odum, and R.F. Wilson. 1962. The structure and metabolism of a Puerto Rican red mangrove forest in May. Ecology 43(1): 9-19.
- Hannan, P.J. and C. Patouillet. 1972. Effect of pollutants on growth of algae. Report on NRL progress.

- Huggett, R.J., M.E. Bender, and H.D. Slone. 1973. Utilizing metal concentration relationships in the eastern oyster (*Crassostrea virginica*) to detect heavy metal pollution. *Water Research* 1: 451-460.
- Ikuta, K. 1968. Studies on the accumulation of heavy metals in aquatic organisms. II. On accumulation of copper and zinc in oysters. *Bull. Jap. Soc. Sci. Fish.* 34: 112-116.
- Jackim, E. 1973. Influence of lead and other metals on fish δ - Aminoleuillinate dehydrase activity. *G. Fish. Res. Board Can.* 30: 560-562.
- Jacobs, S.A. 1973. Some measurements of heavy metal content of sewage effluent and sludge. *In: The use of flowing biological systems in aquaculture, sewage treatment, pollution assay, and food chain studies.* Woods Hole Oceanographic Inst. Tech. Rept. WHOI-73-2. January.
- Jones, J. A. 1968. Primary productivity by the tropical marine turtlegrass, *Thalassia testudinum* König, and its epiphytes. Ph.D thesis, University of Miami, Coral Gables, Florida, January 1968.
- Kelly, J.A., C.M. Fuss Jr., J.R. Hall. 1971. The transplanting and survival in Boca Ciega Bay, Florida. *Fishery Bulletin* 69(2): 273-280.
- Kerfoot, W.B. and S.A. Jacobs. 1973a. Premeditated cadmium contamination of a combined waste water treatment. Aquaculture system *In: The use of flowing biological systems in aquaculture, sewage treatment, pollution assay, and food chain studies.* Woods Hole Oceanographic Inst. Tech. Rept. WHOI-73-2. January.
- Kerfoot, W.B. and S.A. Jacobs. 1973b. The accumulation of metal by organisms cultured in a combined tertiary treatment-aquaculture system. *In: The use of flowing biological systems in aquaculture, sewage treatment, pollution assay, and food chain studies.* Woods Hole Oceanographic Inst. Tech. Rept. WHOI-73-2. January.
- Kerfoot, W.B. 1973. Cadmium accrual in a flowing marine microcosm. *In: The use of flowing biological systems in aquaculture, sewage treatment, pollution assay, and food chain studies.* Woods Hole Oceanographic Inst. Tech. Rept. WHOI-73-2. January.
- Menzel, D.W. 1977. Summary of experimental results: Controlled ecosystem pollution experiment. *Bull. Mar. Sci.* 27(1): 142-145.
- Montgomery, J. R., S.E. Kolehmainen, M.D. Banus, B.J. Bendien, J.L. Donaldson and J.A. Ramirez. 1976. *In: National Bureau of Standards special publication #422 Accuracy in Trace Analysis: Sampling, sample handling, and analyses.* 7th IMR Symposium Gaithersburg, MD. p. 163-172.
- Montgomery, J.R. and J.E. Echevarria. 1975. Organically complexed copper, zinc, and chelating agents in the rivers of Western Puerto Rico. *In: Mineral cycling in Southeastern Ecosystems.* E.G. Howell, J.B. Gentry

- and M.H. Smith (EDS.). ERDA Symposium Series (Conf-740513) p. 423-434.
- Nair, K.V., M.C. Balani, and S.G. Shringarpure. 1973. Zn⁶⁵ uptake by laboratory cultures of Microcystis littoralis and Chlorella vulgaris. J. Mar. Biol. Assoc. of India 15(1): 302-305.
- Odum, H.T., P.R. Burkholder, and J. Rivero. 1959. Measurements of productivity of turtle grass flats, reefs, and the Bahia Fosforescente of Southern Puerto Rico. Publ. Instr. Mar. Sci., Univ. Tex. 6: 159-170.
- Phelps, D.K., G. Telek, R.L. Lapan Jr. 1975. Assessment of heavy metal distribution within the food web. In: Marine Pollution and marine waste disposal: International Congress, 2nd, San Remo Dec. 17-21, 1973. Pearson & Frangipane, Pergamon Press, Oxford and New York.
- Salotto, B.V. and J.B. Farrell. 1971. Preliminary report - The impact of sludge incineration on air and land. Prepared by Advanced Waste Treatment Research Laboratory, NERC, Cincinnati EPA task force on sludge incineration, July 12, 1971.
- Schroeder, P. B. 1975. Thermal stress in Thalassia testudinum. Ph.D dissertation, University of Miami, Coral Gables, Florida.
- Shuster, C.N. Jr., and B.H. Pringle. 1969. Trace metal accumulation by the American eastern oyster, Crassostrea virginica. Proc. National Shellfisheries Assoc. 59: 91-103.
- Silviera, D.J. and L. E. Sommers. 1977. Extractability of copper, zinc, cadmium, and lead in soils incubated with sewage sludge. J. Environ. Qual. 6(1): 47-52.
- Street, J.J., W.L. Lindsay, and B.R. Sabey. 1977. Solubility and plant uptake of cadmium in soils amended with cadmium and sewage sludge. J. Environ. Qual. 6(1): 72-77.
- Strickland, J.D.H. and T.R. Parsons. 1965. A manual of seawater analysis. Fish. Res. Bd. Canada Bull. #125. 203 pp.
- Turner, R.E., J.W. Day Jr., M. Meo, P.M. Payonk, J.H. Stone, T.B. Ford and W.G. Smith. 1976. Aspects of land-treated waste applications in Louisiana wetlands. In: Proc. of the Natl. Symp. on Freshwater wetlands and Sewage Effluent Disposal Ann Arbor Michigan. D.L. Tilton, R.H. Kadlec, C.J. Richardson (Eds.). p. 147-167.
- Valiela, I., M.D. Banus, and J.M. Teal. 1974. Response of salt marsh bivalves to enrichment with metal-containing sewage sludge and retention of lead, zinc, and cadmium by marsh sediments. Environ. Pollut. 7: 149-157.
- Vallentyne, J.R. 1957. The molecular nature of organic matter in lakes and oceans with lesser reference to sewage and terrestrial soils. J. Fish.

Res. Bd. Canada 14(1): 33-82.

Vinogradov, A.P. 1953. The elementary chemical composition of marine organisms. Sears Foundation New Haven, Conn.

Zimmermann, C., M. Price, J. Montgomery. 1977. Operation, methods and quality control of Technicon AutoAnalyzer II systems for nutrient determinations in seawater. Harbor Branch Found. Tech. Rept. 11. 53 p.

Appendix A

Sorted Raw Data Experiment I and II

There are eleven(11) columns shown which represent the following:

Column

1 - Animal type

C = Clam
H = Holothurian
M = Mangrove
T = Thalassia
P = Fouling Organisms
U = Urchin
S = Sediment

2 - Tissue type

M = Muscle
I = Internal contents (guts)
S = Shell
B = Body/Bottom
L = Leaves
R = Roots and rhizomes
G = Upper Meristem
D = Solids

3 - Experiment number - I(1) or II(2)

4 - Sample type - whether from experimental tank (0) or control tank (1)

5 - Represents sample time

0 = presample
1 = 1 day after sewage added
5 = 5 days " " "
25 = 25 " " "
50 = 50 " " "
85 = 85 " " "
125 = 125" " "

6 =	Concentration ($\mu\text{g/g}$ dry weight)	Cd
7 =	"	Cr
8 =	"	Cu
9 =	"	Ni
10 =	"	Pb
11 =	"	Zn

Multiple values for the same sample represent replicate samples. The value -999.9 is an indication of a value that could not be detected. All manipulation of the data used one half minimum detectable concentration (MDC) when a value was less than or equal to the MDC. The MDC values are listed in the Results (Table 4).

		SORTED DATA				1	
C I 0 0	0	2.4	-999.9	31.6	-999.9	-999.9	81.0
C I 0 0	0	2.7	-999.9	31.4	-999.9	-999.9	82.0
C I 1 0	0	-999.9	-999.9	17.5	-999.9	-999.9	102.2
C I 1 0	0	-2.0	-999.9	16.4	-6.7	4.5	167.6
C I 1 1	0	.9	1.7	14.4	6.9	5.0	89.4
C I 1 1	0	1.0	1.1	17.4	7.9	5.9	107.4
C I 1 0	1	-999.9	-999.9	10.6	-999.9	-999.9	164.7
C I 1 0	1	-999.9	-999.9	10.0	-999.9	-999.9	164.3
C I 1 0	1	.9	-999.9	7.0	7.5	6.5	191.2
C I 1 1	1	-999.9	-999.9	21.9	-999.9	-999.9	275.1
C I 1 1	1	4.2	-999.9	26.2	-999.9	-999.9	306.9
C I 1 0	5	-999.9	-999.9	11.2	-999.9	10.2	216.3
C I 1 0	5	-999.9	-999.9	9.9	-999.9	14.1	241.9
C I 1 1	5	3.7	-999.9	20.6	-999.9	-999.9	211.4
C I 1 1	5	-999.9	-999.9	19.6	-999.9	-999.9	216.0
C I 1 0	25	2.0	-999.9	9.8	-999.9	-999.9	137.2
C I 1 0	25	2.0	-999.9	12.3	9.1	-999.9	164.6
C I 1 1	25	-999.9	-999.9	27.4	-999.9	-999.9	85.2
C I 1 1	25	2.0	.8	15.2	10.4	6.6	101.8
C I 1 0	50	2.4	3.7	9.7	9.4	5.6	137.1
C I 1 0	50	3.5	5.8	6.5	5.0	10.5	194.0
C I 1 0	50	1.2	-999.9	9.5	-7.6	10.0	162.3
C I 1 1	50	5.0	3.5	10.6	14.1	12.7	353.6
C I 1 1	50	3.6	3.0	7.5	11.3	10.7	262.3
C I 1 1	50	-1.5	1.9	5.6	9.6	6.1	187.5
C I 1 0	125	1.6	1.4	5.5	5.0	5.8	139.6
C I 1 0	125	1.6	2.1	4.8	2.0	4.4	109.6
C I 1 0	125	1.3	-999.9	4.7	-2.8	5.3	99.7
C I 1 0	125	1.4	-999.9	6.0	6.8	5.9	119.0
C I 1 0	125	1.4	-999.9	6.4	6.8	5.8	114.6
C I 1 1	125	2.0	-999.9	1.8	2.0	6.2	69.8
C I 1 1	125	2.0	2.8	5.2	5.0	6.2	119.5
C I 1 1	125	1.6	2.5	5.1	7.9	4.0	120.5
C I 1 1	125	1.5	3.1	5.3	7.6	4.7	117.1
C S 1 0	0	4.0	-999.9	1.2	-999.9	20.8	1.7
C S 1 0	0	4.0	-999.9	1.4	-999.9	20.0	2.6
C S 1 0	0	3.3	6.7	6.1	32.9	49.8	3.0
C S 1 0	0	3.1	.0	.0	33.8	.0	3.6
C S 1 1	0	4.0	-999.9	1.4	-999.9	10.5	3.3
C S 1 1	0	3.0	-999.9	1.4	-999.9	13.4	1.5
C S 1 1	0	3.4	1.4	5.6	33.7	49.6	4.6
C S 1 1	0	3.4	3.1	5.4	34.0	54.5	5.2
C S 1 0	1	-999.9	-999.9	1.4	-999.9	13.5	1.6
C S 1 0	1	4.6	5.2	.0	36.9	13.3	5.5
C S 1 0	1	3.1	6.4	6.0	34.0	57.0	3.3
C S 1 0	1	3.1	6.8	6.1	34.0	53.9	3.6
C S 1 1	1	-999.9	-999.9	1.3	-999.9	11.4	.5
C S 1 1	1	-999.9	-999.9	1.2	-999.9	15.9	.3
C S 1 1	1	3.1	6.9	6.2	33.7	51.0	4.2
C S 1 1	1	3.1	6.5	6.2	34.0	51.9	.0
C S 1 0	5	-999.9	-999.9	2.4	-999.9	20.0	1.3
C S 1 0	5	-999.9	-999.9	1.6	-999.9	11.5	.9

SORTED DATA 2

C S 1 0	5	3.6	3.1	5.5	33.2	42.1	4.3
C S 1 0	5	3.4	2.9	5.6	32.9	41.2	3.6
C S 1 1	5	-999.9	-999.9	1.6	-999.9	11.4	.2
C S 1 1	5	-999.9	-999.9	1.7	-999.9	11.7	1.5
C S 1 1	5	3.3	2.7	5.5	33.7	46.8	3.9
C S 1 1	5	3.5	2.3	5.6	33.8	50.7	3.9
C S 1 0	25	-999.9	-999.9	1.2	-999.9	17.2	.6
C S 1 0	25	4.6	3.8	6.3	.0	14.0	6.4
C S 1 0	25	3.4	1.3	5.8	34.6	49.0	4.2
C S 1 0	25	3.3	2.5	6.2	33.7	49.7	4.5
C S 1 1	25	-999.9	-999.9	1.4	-999.9	10.1	-999.9
C S 1 1	25	-999.9	-999.9	1.2	-999.9	9.3	.2
C S 1 1	25	3.5	-999.9	5.6	33.8	43.0	3.7
C S 1 1	25	3.7	2.5	5.2	33.9	42.9	3.6
C S 1 0	50	5.0	3.8	6.5	31.1	14.3	6.4
C S 1 0	50	5.0	3.4	6.7	30.0	8.8	4.7
C S 1 0	50	3.7	2.0	5.2	33.7	42.7	20.0
C S 1 0	50	3.5	3.1	5.1	34.2	42.0	26.6
C S 1 1	50	4.6	3.5	6.9	36.6	15.0	7.9
C S 1 1	50	4.4	3.4	6.5	36.8	12.7	5.0
C S 1 0	125	5.4	3.2	5.8	32.8	49.3	4.3
C S 1 0	125	5.4	3.7	5.4	33.0	45.6	2.5
C S 1 0	125	3.3	2.7	6.0	33.8	49.6	7.0
C S 1 0	125	3.3	2.6	5.5	33.2	43.9	3.6
C S 1 1	125	4.9	4.7	5.5	30.0	43.3	3.0
C S 1 1	125	5.3	3.7	5.5	31.9	46.6	3.2
F B 1 0	0	1.4	-999.9	1.8	13.9	6.1	19.8
F B 1 0	0	1.5	-999.9	2.0	10.0	7.9	16.3
F B 1 1	0	2.3	.8	2.8	11.9	10.5	20.3
F B 1 1	0	2.5	.3	3.3	12.0	10.6	25.1
F B 1 0	-1	-999.9	-999.9	1.7	8.9	2.8	9.4
F B 1 0	1	1.5	-999.9	3.4	11.9	11.3	11.9
F B 1 1	1	-999.9	-999.9	1.9	13.0	3.4	8.0
F B 1 1	1	1.6	.4	1.8	11.0	7.6	10.0
F B 1 0	5	1.4	-999.9	1.6	10.9	11.4	9.9
F B 1 0	5	1.3	-999.9	2.1	10.0	12.0	14.0
F B 1 0	5	2.4	.5	2.4	.0	11.9	12.5
F B 1 0	5	2.5	.5	2.4	10.4	12.6	14.1
F B 1 1	5	1.4	-999.9	1.5	11.0	6.7	8.7
F B 1 1	5	1.3	-999.9	1.2	10.0	6.2	7.5
F B 1 0	25	1.3	.9	2.0	11.0	2.9	10.0
F B 1 0	25	1.6	.6	2.0	12.9	12.3	9.9
F B 1 1	25	1.0	-999.9	1.5	6.9	6.1	7.7
F B 1 1	25	.8	-999.9	1.2	6.2	5.5	5.6
F B 1 0	50	2.1	1.3	2.1	10.0	2.8	29.9
F B 1 0	50	2.7	2.3	2.7	10.0	2.8	9.0
F B 1 0	50	2.4	2.0	3.0	.0	10.6	10.6
F B 1 0	50	2.4	2.6	3.4	7.7	14.7	11.8
F B 1 1	50	9.8	1.0	9.8	11.0	2.9	15.1
F B 1 1	50	2.0	1.5	2.0	9.0	3.2	12.0
F B 1 0	125	.9	.7	1.7	.0	10.5	6.5
F B 1 0	125	.9	1.4	2.1	.0	12.0	7.5

SORTED DATA 4

F N	1 1	5	1.4	1.6	3.6	9.1	9.5	47.5
F N	1 0	25	-999.9	-999.9	4.5	3.9	11.6	67.9
F N	1 0	25	-999.9	-999.9	4.7	3.8	14.2	67.5
F N	1 1	25	1.7	-999.9	3.4	3.8	13.9	62.1
F N	1 1	25	-999.9	-999.9	2.7	3.9	13.2	66.6
F N	1 0	50	1.0	3.9	3.1	11.8	12.2	39.2
F N	1 0	50	1.0	.4	2.2	7.9	7.1	29.5
H N	1 0	50	2.2	9.2	6.4	13.2	12.0	46.1
H N	1 0	50	2.4	10.6	7.6	16.0	13.3	52.7
F N	1 0	125	1.2	4.0	4.7	9.9	2.9	51.7
H N	1 0	125	1.4	3.4	4.5	10.0	2.9	47.8
H N	1 1	125	1.1	3.2	2.9	15.9	5.3	32.9
F N	1 1	125	1.7	5.4	6.2	10.0	8.8	42.3
F N	1 1	125	3.6	6.8	7.0	19.9	16.9	56.5
H N	1 1	125	2.5	6.8	7.0	19.6	15.7	51.6
M B	1 0	0	.5	3.9	3.2	1.9	-999.9	4.5
M B	1 0	0	.0	.1	2.5	1.7	.0	5.1
M B	1 0	0	.5	.1	3.1	1.6	-999.9	4.5
M B	1 1	0	.3	-999.9	2.9	1.5	-999.9	4.3
M B	1 1	0	.5	-999.9	2.9	1.4	-999.9	5.6
M B	1 1	0	.5	-999.9	2.9	1.2	-999.9	4.3
M B	1 0	5	1.5	-999.9	2.1	3.0	-999.9	1.4
M B	1 0	5	.5	-999.9	2.0	3.0	-999.9	2.5
M B	1 1	5	.4	-999.9	2.6	.0	-999.9	1.9
M B	1 1	5	.4	-999.9	2.5	.0	-999.9	1.8
M B	1 0	50	.7	-999.9	2.6	.0	-999.9	2.6
M B	1 0	50	.6	-999.9	2.1	.0	3.0	2.2
M B	1 1	50	.7	-999.9	2.7	3.0	-999.9	1.6
M B	1 1	50	.7	-999.9	2.5	3.0	-999.9	2.1
M B	1 1	125	.7	-999.9	2.7	.0	3.0	2.5
M B	1 1	125	1.0	-999.9	3.6	.0	4.0	3.3
M C	1 0	0	.3	3.9	3.9	2.2	-999.9	6.2
K G	1 0	0	.3	3.7	3.8	1.8	-999.9	5.7
M G	1 1	0	.3	.1	3.2	1.9	-999.9	5.7
M G	1 1	0	.3	.1	3.1	2.3	-999.9	5.2
M G	1 1	0	.4	-999.9	2.9	2.4	-999.9	6.0
M G	1 0	5	1.2	-999.9	4.0	2.4	-999.9	3.6
M G	1 1	5	1.0	4.8	8.2	9.6	16.0	31.6
M G	1 0	50	.8	-999.9	4.4	2.2	4.0	2.8
M G	1 0	50	.8	-999.9	4.9	2.3	4.0	3.1
M G	1 1	50	1.4	-999.9	6.0	1.6	-999.9	4.8
M G	1 1	50	1.4	-999.9	5.9	1.8	-999.9	6.7
M G	1 0	125	1.0	-999.9	4.4	4.0	5.0	6.4
M G	1 0	125	1.0	-999.9	4.2	3.4	3.0	4.9
M G	1 1	125	1.1	-999.9	4.2	2.1	4.0	4.3
M G	1 1	125	1.0	-999.9	4.2	2.6	3.0	4.1
M L	1 0	5	.6	-999.9	4.3	.0	-999.9	8.3
M L	1 0	5	.8	-999.9	4.2	.0	-999.9	8.0
M L	1 1	5	1.5	-999.9	9.0	4.5	-999.9	11.5
M L	1 0	50	1.1	-999.9	7.0	3.4	5.0	8.1
M L	1 0	50	1.0	-999.9	6.3	3.5	4.0	7.5
M L	1 1	50	1.1	-999.9	7.4	7.0	7.0	11.5

SORTED DATA 3

T	F	1	1	125	1.4	-999.9	1.6	.0	9.0	6.1
T	F	1	1	125	2.5	1.7	3.0	7.5	12.6	11.8
T	F	1	1	125	2.4	1.4	2.6	7.8	12.8	10.8
H	I	1	0	0	1.0	8.0	8.6	17.1	5.9	37.9
H	I	1	0	0	1.3	7.0	10.1	19.9	2.4	26.3
H	I	1	1	0	1.1	13.3	9.9	20.1	5.9	33.4
H	I	1	1	0	1.1	22.3	14.0	30.9	12.0	42.7
H	I	1	1	0	.0	18.6	11.9	25.8	11.9	41.8
H	I	1	1	0	2.3	19.2	8.5	22.6	11.7	43.9
T	I	1	1	0	2.3	19.2	8.0	21.8	11.3	45.7
T	I	1	0	1	1.5	7.0	10.1	13.0	.0	69.8
T	I	1	0	1	2.4	11.8	10.1	15.8	16.7	56.4
H	I	1	0	1	2.4	10.6	9.9	14.8	16.8	55.9
H	I	1	1	1	-999.9	9.0	8.7	19.0	2.8	31.8
H	I	1	1	1	1.7	10.8	11.1	23.7	4.0	37.5
H	I	1	0	5	2.0	14.9	15.0	24.9	17.3	56.7
H	I	1	0	5	-999.9	12.9	15.0	24.3	25.8	55.6
H	I	1	1	5	-999.9	7.0	8.4	16.9	2.8	29.0
H	I	1	1	5	1.5	5.3	8.6	15.8	3.3	27.3
H	I	1	0	25	3.3	.0	.0	.0	.0	.0
H	I	1	0	25	3.8	27.0	31.4	22.4	66.2	68.6
H	I	1	0	25	3.6	25.0	28.2	21.4	60.2	62.0
H	I	1	1	25	2.1	12.0	10.1	28.0	.0	37.0
H	I	1	1	25	-999.9	10.4	.0	17.4	13.4	.0
H	I	1	1	25	3.4	11.5	9.5	21.6	14.8	34.6
H	I	1	1	25	2.8	12.6	10.1	18.9	11.9	36.0
H	I	1	0	50	2.7	27.9	33.9	21.0	75.8	79.8
H	I	1	0	50	3.7	31.9	40.8	23.9	82.8	79.7
H	I	1	1	50	1.6	.0	.0	.0	12.0	27.9
H	I	1	1	50	1.6	8.0	.0	19.9	10.6	19.9
H	I	1	1	50	2.6	10.5	9.5	21.7	15.8	35.2
H	I	1	1	50	2.7	10.6	10.4	21.9	15.9	35.6
H	I	1	0	125	2.3	29.6	25.7	23.7	71.0	60.8
H	I	1	0	125	2.4	29.7	27.9	24.0	65.3	64.4
H	I	1	1	125	2.1	18.0	13.0	28.0	.0	46.9
H	I	1	1	125	2.1	18.0	20.0	28.9	25.0	43.9
H	I	1	1	125	3.4	17.6	12.9	28.8	22.9	41.6
H	I	1	1	125	3.4	17.6	13.5	27.9	19.9	43.9
H	M	1	0	1	-999.9	-999.9	2.7	7.9	1.6	54.3
H	M	1	0	1	1.4	2.0	3.2	8.6	10.5	99.5
H	M	1	0	1	1.4	2.3	2.7	.0	11.9	.0
H	M	1	0	1	2.0	2.3	4.7	8.9	9.9	66.8
H	M	1	0	1	1.0	-999.9	3.5	7.0	9.8	64.2
H	M	1	1	1	-999.9	.8	2.4	8.0	1.6	40.5
H	M	1	1	1	1.6	3.2	3.2	11.6	12.0	65.8
H	M	1	1	1	2.0	3.7	5.8	10.8	9.8	57.6
H	M	1	1	1	2.0	3.6	4.8	10.8	9.8	57.8
H	M	1	0	5	.0	3.4	5.6	11.9	3.0	69.1
H	M	1	0	5	-999.9	.2	4.0	8.0	1.6	47.0
H	M	1	0	5	2.8	3.6	5.5	10.8	12.8	70.2
H	M	1	0	5	2.4	3.1	4.9	10.8	12.8	63.8
H	M	1	1	5	-999.9	-999.9	2.6	8.0	9.9	43.6

SORTED DATA 5

M L 1 1 50	1.2	-999.9	7.7	8.0	6.0	12.0
M L 1 0 125	1.0	.2	5.4	.0	6.0	10.0
M L 1 0 125	.9	-999.9	6.0	.0	5.0	10.5
M L 1 1 125	1.2	-999.9	6.1	.0	4.0	7.6
M L 1 1 125	1.1	-999.9	5.9	.0	4.0	7.8
M R 1 0 5	1.2	.6	4.0	.0	4.0	12.5
M R 1 0 5	1.2	-999.9	3.5	.0	4.0	10.6
M R 1 1 5	1.1	-999.9	3.7	6.0	5.0	8.1
M R 1 1 5	1.0	-999.9	3.6	6.0	6.0	7.6
M R 1 0 50	1.8	1.0	4.6	9.0	8.0	24.0
M R 1 0 50	1.8	1.0	4.5	9.0	7.0	23.9
M R 1 1 50	1.6	1.0	4.4	.0	6.0	12.3
M R 1 1 50	1.4	.0	4.0	5.5	5.0	10.3
M R 1 0 125	1.6	8.0	6.8	17.9	11.0	53.8
M R 1 0 125	.5	6.0	3.3	15.0	10.0	44.9
M R 1 1 125	1.2	3.8	4.8	10.8	8.9	26.0
M R 1 1 125	1.2	4.2	4.0	10.8	6.9	33.5
M R 1 1 125	1.1	2.9	3.5	10.5	6.7	31.4
M I 1 0 0	5.4	10.8	46.9	27.0	40.9	119.7
M I 1 1 0	3.5	3.5	55.2	27.4	20.8	129.3
M I 1 1 1	-999.9	-999.9	62.2	-999.9	23.3	173.6
M I 1 0 5	3.1	-999.9	55.4	24.0	18.1	157.0
M I 1 1 5	-999.9	-999.9	50.3	-999.9	28.7	168.6
M I 1 0 25	-999.9	-999.9	56.0	-999.9	34.2	118.5
M I 1 1 25	-999.9	7.4	49.6	-999.9	34.4	189.1
M I 1 0 50	4.1	5.6	53.8	16.4	6.2	163.5
M I 1 1 50	3.2	-999.9	50.7	17.2	16.7	141.8
M I 1 0 125	3.0	41.6	21.4	9.9	3.8	82.3
M S 1 0 0	-999.9	-999.9	-999.9	-999.9	79.1	8.9
M S 1 0 0	-999.9	-999.9	-999.9	-999.9	79.3	5.2
M S 1 0 0	5.7	6.8	6.3	33.8	46.8	5.6
M S 1 0 0	5.5	6.5	6.3	35.8	43.7	6.5
M S 1 1 0	-999.9	-999.9	2.0	-999.9	75.1	7.4
M S 1 1 0	-999.9	-999.9	3.0	-999.9	76.6	7.5
M S 1 0 1	-999.9	-999.9	-999.9	-999.9	74.8	8.6
M S 1 0 1	-999.9	-999.9	-999.9	-999.9	72.5	9.6
M S 1 1 1	-999.9	-999.9	3.0	-999.9	61.8	12.3
M S 1 1 1	-999.9	-999.9	3.0	-999.9	56.8	11.6
M S 1 0 5	-999.9	-999.9	-999.9	-999.9	81.7	8.9
M S 1 0 5	-999.9	4.7	-999.9	.0	51.8	7.0
M S 1 1 5	-999.9	-999.9	3.0	-999.9	72.6	9.4
M S 1 1 5	3.5	-999.9	2.0	-999.9	73.1	8.6
M S 1 0 25	-999.9	-999.9	-999.9	-999.9	72.6	11.5
M S 1 0 25	-999.9	-999.9	-999.9	-999.9	72.8	9.7
M S 1 1 25	-999.9	-999.9	7.6	-999.9	71.9	11.4
M S 1 1 25	-999.9	-999.9	3.9	-999.9	67.0	13.6
M S 1 0 50	4.2	3.4	6.6	32.7	42.6	7.1
M S 1 0 50	4.3	3.8	6.8	33.6	43.8	7.1
M S 1 1 50	4.2	2.1	6.6	33.6	41.8	7.9
M S 1 1 50	3.6	2.3	6.0	32.6	38.7	8.6
M S 1 1 50	5.1	6.9	6.2	32.6	47.0	7.0
M S 1 1 50	5.0	6.3	6.1	33.0	48.4	6.4

SORTED DATA 6

M S 1 0 125	4.3	3.5	7.1	33.9	43.8	7.2
M S 1 0 125	4.4	3.4	7.1	33.9	41.1	6.8
C 1 1 0 0	2.6	3.3	532.2	11.2	11.2	1037.6
C 1 1 0 0	2.7	5.8	613.9	12.4	10.3	1593.2
C 1 1 1 0	3.9	8.9	520.0	14.4	15.5	1384.2
C 1 1 1 0	1.1	2.3	217.0	4.9	3.7	414.5
C 1 1 0 1	2.5	1.2	220.9	10.9	8.8	1057.0
C 1 1 1 1	2.6	4.2	121.6	8.9	10.0	916.8
C 1 1 0 5	4.0	3.9	87.9	13.2	36.2	527.6
C 1 1 1 5	2.8	1.3	290.6	7.1	5.7	1150.0
C 1 1 0 25	6.9	4.0	363.9	30.9	33.5	611.7
C 1 1 1 25	3.9	3.9	106.3	7.5	5.7	620.1
C S 1 0 0	5.0	4.4	7.9	34.9	42.6	14.0
C S 1 0 0	5.0	4.4	7.9	34.9	42.0	13.2
C S 1 1 0	3.4	4.0	7.8	36.4	39.5	19.5
C S 1 1 0	3.5	4.7	8.0	36.9	41.4	20.3
C S 1 0 1	4.3	4.5	7.1	36.9	13.0	14.4
C S 1 0 1	4.4	4.6	8.1	37.0	12.3	16.4
C S 1 1 1	4.3	4.0	7.1	38.9	13.7	14.0
C S 1 1 1	4.6	3.6	7.1	36.9	12.3	13.6
C S 1 0 5	3.9	3.4	6.9	35.9	39.9	9.2
C S 1 0 5	4.3	4.2	7.3	37.9	47.8	9.4
C S 1 0 5	5.6	4.8	6.7	.0	44.7	8.1
C S 1 0 5	5.8	5.2	6.9	.0	53.4	7.9
C S 1 1 5	4.1	4.0	7.1	37.0	13.7	12.4
C S 1 1 5	4.4	4.5	7.1	36.9	12.6	12.0
C S 1 0 25	4.9	5.6	9.4	33.8	12.1	18.1
C S 1 0 25	5.5	6.3	5.0	37.5	13.2	23.0
C S 1 0 25	5.9	3.3	7.8	.0	49.4	27.0
C S 1 0 25	5.6	4.5	7.9	.0	44.4	29.0
C S 1 1 25	3.9	2.8	6.7	33.8	41.8	9.7
C S 1 1 25	4.3	5.0	7.6	37.8	50.8	9.0
P D 1 0 25	.0	179.7	57.1	204.5	69.3	99.2
P D 1 0 25	1.5	161.7	784.0	205.2	13.6	105.7
P D 1 1 25	6.0	42.5	34.7	62.7	6.3	78.4
P D 1 1 25	1.9	.0	46.3	20.3	5.4	76.7
P D 1 0 50	1.7	209.1	82.9	306.7	13.6	109.6
P D 1 1 50	3.6	79.2	55.6	105.6	5.9	82.5
P D 1 0 125	4.3	42.7	70.3	69.6	27.6	224.7
P D 1 1 125	1.6	43.9	36.0	71.6	17.5	59.6
P D 1 1 125	1.8	49.7	38.0	71.6	17.1	67.7

SORTED DATA

7

S	1	0	0	-999.9	6.0	10.9	4.0	11.9	21.8
S	1	0	0	-999.9	7.0	12.0	4.0	17.0	24.8
S	1	1	0	-999.9	5.0	11.0	7.0	13.0	20.3
S	1	1	0	-999.9	6.0	11.0	9.0	14.0	20.0
S	1	0	1	-999.9	7.0	10.0	9.0	11.0	20.0
S	1	0	1	-999.9	8.0	10.9	7.0	16.9	21.9
S	1	1	1	-999.9	8.0	10.9	9.0	12.9	20.7
S	1	1	1	-999.9	7.0	11.9	9.0	16.9	20.7
S	1	0	5	-999.9	5.0	9.9	4.0	10.9	17.1
S	1	0	5	-999.9	7.0	11.0	7.0	15.0	19.2
S	1	1	5	-999.9	7.0	10.9	7.0	15.9	20.7
S	1	1	5	-999.9	6.0	12.0	11.1	19.9	21.1
S	1	0	25	-999.9	5.9	10.9	6.9	14.9	20.6
S	1	0	25	-999.9	8.0	10.0	7.0	12.9	18.7
S	1	1	25	-999.9	8.0	15.9	11.9	23.9	23.5
S	1	1	25	.6	7.0	8.4	9.8	10.0	18.8
S	1	0	50	.7	7.5	8.0	9.2	10.0	18.0
S	1	0	50	.6	6.9	8.4	9.6	10.0	18.8
S	1	1	50	.6	6.4	8.8	8.2	10.2	19.7
S	1	1	50	3.6	4.6	8.6	17.6	9.8	18.8
S	1	0	125	2.8	11.7	10.9	17.9	10.5	19.4
S	1	0	125	1.1	9.7	10.0	15.9	13.4	17.1
S	1	1	125	4.8	13.0	12.0	17.9	11.4	24.5
S	1	1	125	4.0	10.8	11.0	16.0	9.7	19.2
T L	1	1	0	-999.9	-999.9	15.8	-999.9	13.8	47.3
T L	1	1	0	2.3	2.7	13.2	12.9	9.9	30.1
T L	1	1	0	2.5	2.8	13.1	13.8	10.8	32.5
T L	1	0	1	2.6	30.8	22.1	60.0	34.0	53.9
T L	1	0	1	1.7	31.0	21.9	50.8	33.9	45.8
T L	1	0	1	3.9	23.6	20.7	46.7	30.8	48.7
T L	1	0	1	3.8	25.2	20.4	43.1	29.4	52.8
T L	1	1	1	2.4	23.9	14.0	40.9	16.9	43.4
T L	1	1	1	2.6	21.0	16.0	40.9	15.0	39.4
T L	1	1	1	4.0	16.4	14.5	35.4	14.7	37.8
T L	1	1	1	3.9	16.6	14.7	36.7	12.9	39.3
T L	1	0	5	1.3	28.8	21.5	46.7	31.8	.0
T L	1	0	5	2.0	26.9	25.9	43.9	31.9	47.2
T L	1	0	5	3.6	23.6	21.8	43.7	30.8	45.9
T L	1	0	5	3.6	23.6	21.8	42.7	29.8	44.8
T L	1	1	5	1.3	30.6	15.8	46.4	26.7	37.0
T L	1	1	5	2.0	29.7	13.0	.0	16.0	34.4
T L	1	1	5	3.3	39.3	16.6	46.8	18.7	.0
T L	1	0	25	-999.9	67.8	32.1	39.3	35.7	30.7
T L	1	0	25	10.4	63.4	29.8	41.0	41.0	.0
T L	1	0	25	2.8	.0	.0	.0	.0	27.4
T L	1	0	25	2.8	.0	.0	.0	.0	27.5
T L	1	0	25	.0	.0	21.9	49.7	33.8	29.8
T L	1	0	25	.0	.0	24.4	60.0	31.9	28.1
T L	1	1	25	5.2	25.5	14.2	31.2	17.0	31.7
T L	1	1	25	3.2	.0	.0	32.6	13.7	.0
T L	1	1	25	6.7	39.4	.0	.0	19.7	34.6

SORTED DATA

6

T L 1 1	25	10.0	.0	.0	.0	.0	.0
T L 1 0	50	4.2	90.6	63.9	75.9	94.7	56.3
T L 1 0	50	6.0	93.6	65.6	77.2	100.0	.0
T L 1 0	50	3.9	.0	49.7	59.0	91.3	53.1
T L 1 1	50	8.3	34.0	19.5	46.7	16.7	26.5
T L 1 1	50	11.2	34.1	25.3	37.3	.0	.0
T L 1 1	50	10.9	39.5	22.7	44.4	19.8	31.1
T R 1 1	0	-999.9	5.9	-999.9	-999.9	15.5	27.2
T R 1 1	0	-999.9	4.1	-999.9	-999.9	15.5	23.6
T R 1 0	1	1.0	27.4	15.7	46.1	28.4	35.3
T R 1 0	1	1.3	24.9	16.0	40.9	28.9	33.0
T K 1 1	1	-999.9	20.0	12.0	29.9	20.0	28.9
T R 1 1	1	1.0	27.3	11.9	27.8	21.8	35.2
T R 1 1	1	3.4	15.6	12.2	30.2	20.1	30.8
T R 1 1	1	3.4	21.2	13.4	30.4	21.2	32.9
T F 1 0	5	-999.9	32.9	15.9	43.6	31.7	37.7
T K 1 0	5	1.5	32.9	12.9	43.8	27.9	30.4
T R 1 0	5	2.9	32.7	13.4	48.1	24.0	34.9
T R 1 0	5	2.8	.0	14.2	50.3	25.6	35.5
T R 1 1	5	2.6	.0	15.8	40.4	15.8	34.5
T R 1 1	5	3.2	29.9	15.0	45.8	.0	39.4
T R 1 1	5	3.3	30.8	15.4	43.7		37.2
T R 1 1	5	2.9	28.8	12.9	40.8	19.9	36.3
T R 1 0	25	1.3	33.0	17.0	46.9	22.0	25.0
T R 1 0	25	1.0	45.4	24.7	50.4	24.7	34.8
T R 1 0	25	2.0	41.7	17.9	43.7	21.8	32.8
T R 1 0	25	2.4	40.0	16.9	42.8	19.9	44.9
T R 1 1	25	1.1	22.7	11.8	37.5	24.7	27.2
T R 1 1	25	1.3	21.8	11.9	33.8	24.8	27.3
T R 1 1	25	3.0	31.7	13.8	.0	17.8	28.7
T R 1 1	25	2.0	33.4	15.7	31.4	21.6	30.4
T R 1 0	50	2.1	46.2	29.2	46.2	39.0	34.9
T R 1 0	50	2.1	45.9	27.0	46.9	41.2	28.8
T R 1 0	50	2.9	64.5	34.3	56.5	49.6	45.8
T R 1 0	50	2.5	60.7	32.7	51.9	48.0	39.1
T R 1 1	50	2.2	27.9	16.3	33.6	12.3	29.8
T R 1 1	50	2.4	29.4	11.6	34.9	12.1	25.9
U I 1 0	0	1.0	-999.9	5.9	16.8	13.1	50.0
U I 1 0	0	-999.9	-999.9	7.9	19.7	15.1	39.4
U I 1 0	0	4.0	4.3	7.5	13.9	12.9	49.0
U I 1 0	0	3.9	5.1	7.8	15.3	13.4	47.2
U I 1 1	0	2.2	17.2	12.1	36.9	19.9	.6
U I 1 1	0	.0	14.0	11.1	35.9	16.0	48.2
U I 1 0	1	.0	10.3	11.6	21.4	16.1	63.1
U I 1 0	1	-999.9	9.4	11.7	21.4	19.4	59.3
U I 1 1	1	3.7	10.2	9.6	27.0	.0	44.5
U I 1 1	1	-999.9	9.3	7.8	23.3	18.7	44.9
U I 1 0	5	2.0	11.9	15.9	39.6	29.0	69.6
U I 1 0	5	-999.9	13.9	11.9	39.7	27.4	74.4
U I 1 1	5	2.6	10.9	7.9	27.7	20.9	34.8
U I 1 1	5	2.0	11.1	12.9	31.4	16.6	32.5
U I 1 1	5	4.7	11.5	9.8	23.9	16.2	35.3

SURTED DATA

9

U I 1 1	5	4.5	10.8	9.5	23.6	16.7	40.3
U I 1 0	25	3.0	27.9	22.0	37.9	37.9	91.5
U I 1 0	25	3.4	29.9	25.9	45.9	37.1	92.1
U I 1 0	25	6.3	23.5	20.2	36.6	39.6	85.9
U I 1 0	25	4.8	18.6	19.9	35.8	39.8	94.1
U I 1 1	25	3.4	14.0	14.0	21.9	16.6	53.9
U I 1 1	25	3.3	13.5	19.3	.0	18.2	50.2
U I 1 1	25	5.7	9.7	10.5	23.2	14.0	40.6
U I 1 1	25	5.9	9.7	11.1	23.0	18.0	44.9
U I 1 0	50	2.2	36.6	24.9	53.8	29.5	92.7
U I 1 0	50	2.4	36.4	27.0	57.9	32.7	96.8
U I 1 1	50	3.5	27.9	20.0	50.7	20.3	.0
U I 1 1	50	3.4	29.5	19.0	51.0	20.4	.0
U I 1 1	50	4.6	34.7	17.3	44.7	19.9	77.4
U I 1 1	50	4.6	34.7	17.4	44.6	19.8	77.3
U I 1 0	125	2.6	22.9	27.9	18.9	55.9	166.4
U I 1 0	125	2.3	18.9	22.9	17.0	46.6	207.0
U I 1 0	125	4.6	19.3	19.0	26.1	50.0	172.9
U I 1 0	125	4.6	22.6	19.3	25.4	49.8	187.8
U I 1 0	125	4.5	18.6	18.7	24.8	49.6	179.1
U I 1 0	125	4.3	19.6	19.4	24.8	49.7	171.2
U I 1 1	125	3.4	7.6	7.1	18.9	21.0	89.9
U I 1 1	125	3.7	6.5	8.0	19.0	19.6	114.6
U I 1 1	125	6.1	8.2	9.0	16.5	20.4	123.2
U I 1 1	125	6.2	8.7	8.8	16.3	20.4	118.2
U S 1 0	0	-999.9	4.4	1.0	1.0	34.9	11.3
U S 1 0	0	3.5	4.9	4.3	22.3	52.5	11.6
U S 1 1	0	3.5	4.9	4.1	22.9	43.0	12.4
U S 1 1	0	3.1	4.8	4.1	22.3	42.0	11.6
U S 1 0	1	-999.9	4.4	1.0	8.5	56.8	11.5
U S 1 0	1	2.8	3.8	1.0	-3.9	55.1	9.4
U S 1 0	1	5.4	2.9	4.5	7.0	37.9	8.4
U S 1 0	1	5.8	3.3	4.2	16.4	35.6	26.2
U S 1 0	1	5.1	3.4	3.9	14.7	37.9	22.2
U S 1 1	1	-999.9	3.8	1.0	3.9	64.1	12.4
U S 1 1	1	-999.9	3.8	1.0	2.5	62.0	12.5
U S 1 0	5	-999.9	5.3	.9	5.2	56.2	10.4
U S 1 0	5	-999.9	5.9	1.0	4.0	56.5	12.7
U S 1 1	5	3.9	3.4	4.6	34.8	44.8	12.4
U S 1 1	5	-999.9	3.6	.9	7.8	49.1	10.1
U S 1 1	5	5.5	2.6	4.4	15.6	38.1	8.3
U S 1 1	5	5.2	2.8	4.2	17.6	39.2	8.4
U S 1 0	25	3.9	3.5	6.1	30.9	12.8	10.0
U S 1 0	25	3.9	3.5	5.1	32.9	11.4	11.0
U S 1 1	25	3.7	2.8	4.4	30.9	10.5	13.0
U S 1 1	25	4.3	3.6	5.1	35.8	10.1	13.4
U S 1 0	50	4.4	6.5	6.2	28.9	57.8	14.9
U S 1 0	50	4.1	6.6	6.2	27.8	57.8	15.9
U S 1 1	50	5.0	6.5	6.2	29.8	60.7	15.9
U S 1 1	50	4.7	6.5	6.2	27.9	56.0	14.9
U S 1 0	125	4.8	6.5	6.6	27.8	57.7	16.4
U S 1 0	125	4.7	6.5	5.3	28.0	59.0	16.0

SORTED DATA 10

U S 1 1 125	4.4	5.4	4.9	25.9	52.0	13.5
U S 1 1 125	4.7	5.4	5.0	28.0	51.2	13.5
Z D 1 0 25	4.9	185.4	74.6	201.8	15.7	126.7
Z D 1 1 25	5.7	260.8	99.7	248.1	15.3	67.0
Z D 1 0 50	2.3	10.0	19.2	49.5	7.8	30.4
Z D 1 1 50	2.9	97.5	42.9	113.1	47.2	46.8
Z D 1 1 50	.0	230.3	77.4	216.3	47.2	.0
C I 2 1 0	2.2	3.8	21.9	7.2	-099.9	111.7
C I 2 1 0	2.0	3.8	20.7	6.7	5.9	120.0
C I 2 1 0	2.2	3.6	22.9	6.5	5.0	121.4
C I 2 0 1	1.1	2.0	20.8	6.0	5.0	152.1
C I 2 0 1	1.1	2.0	20.3	5.6	4.0	151.9
C I 2 0 1	1.2	1.9	19.3	5.8	3.8	147.5
C I 2 1 1	1.3	1.8	26.7	6.4	3.7	112.7
C I 2 1 1	1.2	1.9	27.2	6.1	3.9	104.1
C I 2 1 1	1.0	1.9	28.5	5.8	4.4	106.1
C I 2 0 5	1.3	3.9	24.4	5.0	5.8	124.1
C I 2 0 5	1.6	4.8	26.7	5.8	5.8	128.7
C I 2 0 5	1.1	2.8	18.1	4.8	7.5	105.6
C I 2 1 5	1.4	1.8	14.2	4.0	2.8	65.8
C I 2 1 5	1.5	3.8	17.5	4.3	4.8	83.0
C I 2 1 5	2.2	4.5	16.8	5.0	8.1	119.4
C I 2 0 25	1.9	4.4	20.6	5.9	5.0	95.7
C I 2 0 25	2.0	3.8	18.8	5.7	5.0	79.2
C I 2 0 25	1.6	3.8	21.2	6.1	5.7	95.1
C I 2 1 25	1.6	4.8	12.5	6.4	5.8	85.4
C I 2 1 25	1.6	4.8	14.4	6.6	4.8	94.4
C I 2 1 25	1.5	4.8	12.8	7.0	4.8	99.2
C I 2 0 50	1.6	4.2	20.0	3.9	6.9	98.0
C I 2 0 50	1.6	4.2	20.8	4.0	4.0	90.6
C I 2 0 50	1.5	4.1	19.3	3.8	4.8	113.4
C I 2 1 50	1.8	4.1	13.5	3.8	3.8	66.2
C I 2 1 50	1.9	4.1	14.5	3.8	3.8	61.4
C I 2 1 50	1.7	3.5	11.8	3.8	2.8	56.7
C I 2 0 85	1.5	7.4	23.4	6.6	4.8	109.7
C I 2 0 85	1.3	6.5	21.2	6.3	5.9	101.5
C I 2 0 85	1.4	7.5	22.0	6.2	5.4	107.4
C I 2 1 85	1.0	6.5	23.2	6.0	4.9	103.0
C I 2 1 85	1.0	5.4	21.0	5.7	5.8	97.1
C I 2 1 85	1.1	6.4	27.2	5.7	5.3	109.7
C I 2 0 125	2.4	3.7	27.2	6.3	4.0	86.7
C I 2 0 125	2.3	3.7	26.1	5.2	4.1	87.8
C I 2 0 125	2.5	4.6	29.0	6.1	4.2	97.0
C I 2 1 125	1.6	4.7	12.9	5.9	2.7	140.6
C I 2 1 125	1.4	3.3	11.1	5.0	4.1	124.8
C I 2 1 125	1.5	3.2	11.2	5.9	3.2	131.1
C S 2 1 0	3.6	8.0	7.6	11.9	33.8	2.9
C S 2 1 0	3.5	7.8	7.6	12.4	35.5	2.3
C S 2 1 0	4.5	5.7	7.3	14.8	32.6	2.6
C S 2 0 1	.0	6.4	7.6	15.6	38.6	2.4
C S 2 0 1	2.4	7.8	8.1	15.6	37.1	3.6
C S 2 0 1	2.2	6.7	7.8	14.2	35.1	1.8

SORTED DATA

11

C S	2 1	1	2.6	6.7	3.7	15.2	56.2	3.0
C S	2 1	1	2.1	7.4	8.4	13.8	34.0	3.0
C S	2 1	1	2.1	7.6	8.9	17.1	47.6	4.5
C S	2 0	5	2.5	7.6	9.0	11.4	34.3	1.0
C S	2 0	5	2.9	6.8	7.8	12.8	35.9	1.4
C S	2 0	5	2.6	6.5	7.7	12.3	35.2	1.6
C S	2 1	5	4.0	7.1	7.7	12.4	35.5	1.0
C S	2 1	5	2.9	7.2	7.8	14.4	37.8	1.6
C S	2 1	5	2.7	7.4	8.0	12.0	34.1	1.6
C S	2 0	25	3.2	.0	7.8	14.4	35.2	2.8
C S	2 0	25	2.8	.0	8.3	13.8	34.9	6.1
C S	2 0	25	.0	*****	7.8	12.8	34.2	5.9
C S	2 1	25	2.8	8.6	7.9	13.3	.0	2.0
C S	2 1	25	.3	7.6	8.2	13.3	36.0	2.6
C S	2 1	25	2.9	7.3	.0	13.7	33.8	2.8
C S	2 0	50	2.0	7.4	5.6	8.2	46.2	3.2
C S	2 0	50	2.4	6.4	5.1	8.9	44.6	3.6
C S	2 0	50	1.8	8.0	5.6	7.3	47.1	4.1
C S	2 1	50	2.2	7.3	5.5	8.1	49.3	2.2
C S	2 1	50	2.1	6.8	5.2	8.1	48.7	3.0
C S	2 1	50	.0	7.8	5.5	8.0	47.2	3.7
C S	2 0	85	.0	9.0	7.1	15.2	45.0	2.8
C S	2 0	85	2.0	9.8	6.7	14.5	49.2	1.6
C S	2 0	85	.0	9.0	6.7	14.6	50.2	3.1
C S	2 1	85	2.2	7.7	6.2	16.0	50.0	2.0
C S	2 1	85	2.0	8.8	6.7	13.9	48.1	2.5
C S	2 1	85	2.0	10.1	7.7	13.8	47.6	1.4
C S	2 0	125	2.7	6.5	6.8	18.0	.0	4.4
C S	2 0	125	2.8	.0	6.9	18.4	44.8	2.5
C S	2 0	125	2.7	6.5	7.0	17.6	42.1	2.9
C S	2 1	125	2.5	7.0	6.6	15.8	45.7	5.3
C S	2 1	125	2.8	6.0	5.9	16.8	44.4	4.1
C S	2 1	125	2.8	5.9	5.9	18.7	45.0	2.6
H B	2 1	0	1.8	2.8	2.7	6.4	11.1	5.0
H B	2 1	0	2.1	3.0	2.8	.0	12.6	5.4
H B	2 1	0	2.0	2.8	2.6	7.0	10.0	5.4
H B	2 0	1	*****	2.0	2.9	6.5	11.7	4.7
H B	2 0	1	1.8	2.2	2.8	6.2	11.4	4.7
H B	2 0	1	1.5	2.2	2.7	5.8	11.2	5.0
H B	2 1	1	1.4	1.4	2.4	5.6	7.6	4.2
H B	2 1	1	1.4	1.8	2.6	5.5	9.2	4.2
H B	2 1	1	1.6	1.4	2.5	6.0	9.0	4.6
H B	2 0	5	1.2	2.6	2.9	6.0	11.4	4.2
H B	2 0	5	.1	3.8	3.2	6.2	11.6	4.5
H B	2 0	5	*****	3.9	3.0	*****	10.7	4.3
H B	2 1	5	1.5	4.8	3.2	.0	11.5	4.6
H B	2 1	5	1.6	4.9	3.2	7.5	13.6	4.2
H B	2 1	5	1.3	4.5	3.0	6.9	9.9	3.5
H B	2 0	25	.4	5.7	9.7	1.3	.0	10.0
H B	2 0	25	.8	4.5	2.8	5.0	10.4	8.9
H B	2 0	25	.7	5.1	2.8	4.7	11.4	8.4
H B	2 1	25	.7	3.0	2.5	3.5	12.7	6.4

SORTED DATA 12

F B 2 1 25	.4	12.7	5.7	6.5	-999.9	9.9
F B 2 1 25	.3	11.8	4.6	5.2	-999.9	7.1
F B 1 0 50	.8	4.6	4.9	5.4	8.2	9.9
F B 2 0 50	1.1	4.7	4.3	5.9	11.7	6.7
H B 2 1 50	.8	3.5	3.7	5.4	13.8	5.7
H B 2 1 50	1.0	4.1	4.3	6.6	24.3	6.7
H B 2 1 50	.9	3.9	4.7	6.5	15.6	7.1
H B 2 0 85	*****	5.2	3.6	6.2	13.7	7.2
H B 2 0 85	.8	6.0	3.8	6.3	12.6	7.0
H B 2 0 85	.7	4.9	3.2	6.0	13.4	5.9
H B 2 1 85	.7	.5	2.7	6.6	12.8	7.1
H B 2 1 85	.7	6.0	3.2	6.6	13.9	6.8
H B 2 1 85	.7	5.4	3.1	6.6	13.7	6.1
H B 2 0 125	.8	8.0	5.1	11.6	7.2	22.5
H B 2 0 125	.8	9.2	5.1	11.1	7.2	17.2
H B 2 0 125	.8	9.7	5.1	11.1	7.2	18.3
H B 2 1 125	.6	1.2	2.6	5.7	7.2	7.2
F B 2 1 125	.6	.8	2.5	5.8	4.2	15.3
H B 2 1 125	.6	1.5	2.6	6.7	4.7	7.2
F I 2 1 0	3.1	15.0	7.6	20.5	30.3	28.0
H I 2 1 0	3.0	13.6	7.6	20.0	28.7	26.2
F I 2 1 0	3.3	14.4	7.6	19.6	23.3	26.7
H I 2 0 1	1.5	7.4	5.4	26.7	9.5	39.9
F I 2 0 1	1.5	7.2	5.5	25.6	6.9	39.3
F I 2 0 1	1.5	7.0	5.2	25.0	9.6	39.3
F I 2 1 1	1.6	19.7	8.5	6.8	9.2	43.8
F I 2 1 1	1.8	21.7	9.2	6.4	9.5	48.2
F I 2 1 1	1.7	21.6	9.0	6.2	9.5	48.9
H I 2 0 5	1.6	36.2	13.8	74.2	17.2	56.1
H I 2 0 5	1.4	37.9	13.6	72.6	15.0	51.9
H I 2 0 5	1.6	41.0	14.6	79.2	15.6	65.6
H I 2 1 5	1.4	46.3	16.3	36.2	13.1	45.8
H I 2 1 5	1.3	46.6	16.8	36.2	12.5	48.9
F I 2 1 5	1.7	45.6	16.7	40.0	15.8	47.0
F I 2 0 25	.9	44.7	14.9	32.3	25.2	47.5
F I 2 0 25	.9	45.3	14.5	33.8	23.6	.0
F I 2 1 25	1.0	32.4	9.7	29.3	-999.9	40.0
F I 2 1 25	4.0	34.7	10.2	30.9	13.5	41.5
F I 2 1 25	1.0	35.3	10.4	.0	14.7	44.1
F I 2 0 50	1.0	84.2	19.0	65.9	12.4	35.1
F I 2 0 50	.9	82.6	18.9	63.4	10.4	40.0
F I 2 0 50	.8	89.7	22.9	78.7	10.1	40.3
H I 2 1 50	.8	44.0	15.0	27.1	8.2	29.8
H I 2 1 50	.8	46.0	15.5	28.5	6.4	27.9
H I 2 1 50	.9	42.8	14.2	26.9	8.2	28.6
H I 2 0 85	1.4	94.6	23.6	4.1	49.9	67.7
H I 2 0 85	1.4	93.2	23.8	40.2	48.3	64.1
H I 2 0 85	1.4	89.1	23.9	39.8	46.4	62.2
H I 2 1 85	.9	75.7	14.0	34.3	15.8	40.5
H I 2 1 85	.8	78.6	13.1	36.2	16.6	45.2
H I 2 1 85	1.0	78.8	13.2	36.7	17.0	39.6
H I 2 0 125	.8	50.5	12.8	36.3	15.5	50.0

SORTED DATA 13

F	2	0	125	.8	50.1	12.6	34.8	13.0	49.7
F	2	0	125	.8	52.9	13.6	35.5	13.5	51.5
S	2	1	125	1.2	28.2	9.7	.0	6.9	41.6
F	2	1	125	1.0	34.4	10.8	21.2	7.2	37.8
H	2	1	125	1.0	28.4	9.1	19.5	7.2	40.3
M	2	1	0	.3	6.9	4.7	9.1	2.1	2.7
M	2	1	0	.2	6.8	6.1	9.8	-999.9	2.6
M	2	1	0	.3	6.9	4.6	10.2	-999.9	2.9
M	2	0	5	.4	6.7	5.7	9.9	-999.9	4.2
M	2	0	5	.4	5.4	5.0	8.9	4.4	3.3
M	2	0	5	.4	6.7	5.2	8.6	2.9	4.2
M	2	1	5	.6	10.6	5.9	7.3	-999.9	5.2
M	2	1	5	1.4	3.1	3.2	5.3	8.5	4.4
M	2	1	5	1.7	3.0	3.0	6.6	9.5	7.2
M	2	0	50	.1	5.0	4.1	3.3	-999.9	4.2
M	2	0	50	.1	4.3	5.2	3.5	-999.9	.6
M	2	0	50	.2	4.7	4.3	3.6	-999.9	2.7
M	2	1	50	.2	4.5	4.8	3.7	-999.9	4.3
M	2	1	50	.1	4.5	5.4	3.4	-999.9	2.7
M	2	1	50	.2	4.5	5.4	3.8	-999.9	.6
M	2	0	125	.3	6.8	5.1	4.3	-999.9	3.7
M	2	0	125	.2	7.1	3.8	3.6	-999.9	2.8
M	2	0	125	.3	7.3	3.8	4.3	-999.9	4.4
M	2	1	125	.4	6.6	4.2	6.1	-999.9	4.5
M	2	1	125	.3	6.5	4.1	5.3	-999.9	5.0
M	2	1	125	.3	6.7	4.1	4.8	-999.9	4.9
M	2	1	0	.3	2.5	4.7	4.8	5.0	5.0
M	2	1	0	.4	2.5	5.4	4.3	5.9	4.7
M	2	1	0	.5	1.2	5.3	4.9	-999.9	4.9
M	2	0	5	.5	6.8	8.2	11.3	7.6	7.7
M	2	0	5	.6	8.9	7.9	14.6	6.3	8.9
M	2	1	5	.8	10.0	6.6	5.6	-999.9	10.6
M	2	1	5	.7	10.5	7.3	.0	-999.9	16.5
M	2	1	5	.6	8.7	6.6	6.0	-999.9	16.2
M	2	0	50	.1	2.0	6.6	2.2	-999.9	4.8
M	2	0	50	.1	2.0	6.9	3.2	-999.9	4.6
M	2	0	50	.2	1.6	5.9	2.4	-999.9	3.5
M	2	1	50	.1	1.6	7.4	2.9	-999.9	5.6
M	2	1	50	.1	1.1	7.8	3.2	-999.9	4.7
M	2	1	50	.2	1.9	7.2	2.5	-999.9	5.3
M	2	0	125	.4	4.0	9.1	4.0	9.2	7.1
M	2	0	125	.4	3.6	8.4	3.9	-999.9	8.4
M	2	0	125	.4	3.3	7.1	4.5	.0	7.6
M	2	1	125	.4	3.8	7.8	4.6	-999.9	9.5
M	2	1	125	.5	3.5	4.0	4.2	-999.9	7.7
M	2	1	125	.2	2.7	6.2	3.8	-999.9	10.4
M	2	1	0	.4	3.3	6.3	5.9	4.9	16.2
M	2	1	0	.4	3.2	5.4	5.9	3.4	17.2
M	2	1	0	.3	2.9	5.9	5.8	-999.9	14.0
M	2	0	5	.7	2.2	13.2	5.6	4.0	10.1
M	2	0	5	.6	2.0	12.1	7.9	7.9	10.9
M	2	0	5	.9	2.1	10.2	6.3	4.5	9.3

				SORTED DATA			14			
M	I	2	1	5	1.0	12.5	8.7	8.2	-999.9	11.0
M	I	2	1	5	.6	7.8	6.4	6.3	-999.9	13.4
M	I	2	0	50	.1	1.4	6.9	2.7	-999.9	10.9
M	I	2	0	50	-999.9	2.1	9.7	2.6	-999.9	14.2
M	I	2	0	50	-999.9	2.0	9.2	2.7	-999.9	8.1
M	I	2	1	50	.1	1.6	7.8	2.4	-999.9	10.9
M	I	2	1	50	.1	1.1	7.5	2.2	2.2	8.9
M	I	2	1	50	.1	2.0	7.4	2.0	6.1	8.7
M	I	2	0	125	.3	2.2	8.7	2.4	-999.9	7.5
M	I	2	0	125	.4	2.1	8.6	2.4	4.0	7.6
M	I	2	0	125	.4	1.4	9.1	2.5	-999.9	7.6
M	I	2	1	125	.4	3.6	9.2	4.5	-999.9	16.1
M	I	2	1	125	.5	3.7	10.1	4.8	-999.9	11.5
M	I	2	1	125	.5	3.5	9.1	5.0	-999.9	11.2
M	P	2	1	0	.0	26.4	10.2	31.3	4.1	.0
M	R	2	1	0	.6	26.6	10.6	33.6	4.7	25.0
M	R	2	1	0	1.0	20.1	10.3	32.8	3.9	20.2
M	R	2	0	5	.6	17.7	10.0	26.4	4.6	20.7
M	R	2	0	5	.5	17.3	9.9	27.2	5.0	21.3
M	R	2	0	5	.5	17.7	9.6	26.3	5.6	20.7
M	R	2	1	5	1.0	17.4	9.7	16.4	-999.9	17.0
M	R	2	1	5	1.0	15.5	6.3	17.4	3.9	17.1
M	R	2	0	50	.3	18.3	10.4	11.2	-999.9	16.7
M	R	2	0	50	.3	15.3	9.7	9.5	4.6	15.6
M	R	2	0	50	.4	17.0	10.7	10.7	2.3	.0
M	R	2	1	50	.3	8.2	5.8	4.4	1.0	13.0
M	R	2	1	50	.3	7.6	6.0	4.8	9.9	12.8
M	R	2	1	50	.4	7.4	5.8	4.2	4.8	11.5
M	R	2	0	125	.7	30.5	6.9	14.1	7.3	20.5
M	R	2	0	0	.0	30.2	6.6	*****	7.2	20.3
M	R	2	0	125	.7	30.9	8.0	14.3	7.4	26.2
M	R	2	1	125	.6	6.8	6.0	11.9	-999.9	17.5
M	R	2	1	125	.8	7.3	6.0	12.6	-999.9	20.2
M	R	2	1	125	1.0	7.5	6.4	13.8	4.1	18.5
N	I	2	1	0	4.5	6.4	48.9	11.2	15.6	159.6
N	I	2	1	0	3.6	6.2	38.6	10.4	16.3	113.6
N	I	2	1	0	3.3	6.1	49.2	12.0	15.8	170.7
N	I	2	0	1	1.4	3.3	11.3	7.3	7.9	112.2
N	I	2	1	1	1.6	3.1	9.6	8.7	9.3	128.1
N	I	2	0	5	1.8	2.6	53.6	9.0	7.0	127.5
N	I	2	1	5	1.8	1.6	61.9	6.5	8.8	176.3
N	I	2	0	25	1.9	2.7	43.3	6.0	7.7	132.7
N	I	2	1	25	1.7	2.9	49.0	5.8	8.2	176.7
N	I	2	0	50	4.4	5.2	67.8	15.7	18.3	193.8
N	I	2	1	50	2.3	7.4	64.8	13.8	10.6	107.4
N	I	2	0	85	2.6	4.8	100.9	7.8	8.7	120.6
N	I	2	1	85	1.5	10.0	74.9	11.9	8.5	142.8
N	I	2	0	125	3.8	6.3	57.7	10.3	11.6	123.2
N	S	2	1	0	4.2	7.0	6.7	13.0	36.4	5.1
N	S	2	1	0	3.8	8.8	7.4	11.6	35.8	5.0
N	S	2	1	0	3.3	7.8	7.3	11.7	35.8	4.8
N	S	2	0	1	3.0	7.3	7.9	11.9	33.8	4.9

		SORTED DATA		15					
N S	2 0	1	3.0	7.9	8.7	11.9	36.7	7.6	
N S	2 0	1	3.0	8.6	8.3	11.4	37.0	4.8	
N S	2 1	1	3.5	7.8	8.1	13.6	37.1	4.3	
N S	2 1	1	3.9	9.9	8.2	13.8	37.5	7.3	
N S	2 1	1	3.0	7.8	8.4	11.6	34.9	4.8	
N S	2 0	5	4.0	7.2	6.3	13.4	34.0	4.2	
N S	2 0	5	3.8	6.2	6.2	11.6	35.6	5.1	
N S	2 0	5	3.3	5.7	6.0	13.2	34.0	4.0	
N S	2 1	5	3.7	7.8	7.1	10.7	35.7	3.6	
N S	2 1	5	4.5	6.8	6.4	13.6	34.0	5.0	
N S	2 1	5	3.7	6.6	6.4	12.3	31.1	4.3	
N S	2 0	25	3.0	7.6	8.6	11.0	32.1	4.6	
N S	2 0	25	3.3	7.4	8.1	12.0	34.3	4.4	
N S	2 0	25	3.2	7.9	6.4	11.0	31.5	4.0	
N S	2 1	25	3.1	9.0	8.5	10.8	32.4	4.0	
N S	2 1	25	2.8	7.7	8.0	11.1	33.4	4.2	
N S	2 1	25	3.6	8.9	8.4	12.5	33.9	5.1	
N S	2 0	50	5.0	8.3	10.2	14.4	48.2	4.6	
N S	2 0	50	5.3	7.7	10.2	14.9	49.2	4.1	
N S	2 0	50	5.1	8.6	10.3	13.6	48.7	4.7	
N S	2 1	50	5.4	7.0	9.3	16.2	46.7	4.7	
N S	2 1	50	5.2	8.0	9.7	15.3	45.9	4.2	
N S	2 1	50	5.0	8.6	10.7	14.6	46.9	4.8	
N S	2 0	65	2.2	8.8	9.4	13.4	50.9	3.0	
N S	2 0	65	2.2	9.3	9.1	13.6	50.6	3.2	
N S	2 0	65	2.3	9.5	9.3	13.7	50.0	3.7	
N S	2 1	65	2.4	8.6	8.9	14.1	45.4	3.8	
N S	2 1	65	2.3	9.5	9.9	13.6	49.3	5.5	
N S	2 1	65	2.3	8.7	9.4	13.5	52.1	3.9	
N S	2 0	125	2.4	9.5	8.0	12.2	39.3	4.4	
N S	2 0	125	2.4	9.7	7.8	12.6	45.5	5.1	
N S	2 0	125	2.5	9.7	8.2	13.2	43.7	4.9	
E I	2 1	0	1.7	10.8	88.8	18.9	4.9	563.4	
O I	2 1	0	1.8	9.8	85.5	17.9	6.0	825.5	
U I	2 1	0	1.8	10.6	91.5	20.9	10.8	583.2	
C I	2 0	1	5.0	6.3	161.6	12.9	14.8	933.3	
C I	2 0	1	5.0	6.1	152.7	12.1	11.3	913.0	
C I	2 0	1	4.7	5.3	162.0	11.9	11.3	915.6	
E I	2 1	1	2.7	9.5	93.5	20.5	9.6	513.0	
O I	2 1	1	2.6	10.2	95.7	21.3	5.9	539.3	
E I	2 1	1	3.1	17.6	68.2	33.4	7.2	433.6	
C I	2 0	5	4.6	11.6	157.1	20.2	8.9	676.1	
C I	2 0	5	4.7	14.3	137.1	23.8	10.5	609.3	
C I	2 1	5	3.6	9.3	99.7	17.4	8.2	491.7	
C I	2 1	5	3.8	11.3	93.7	20.6	10.0	568.7	
E I	2 0	25	5.6	18.5	214.9	20.7	13.1	816.8	
C I	2 0	25	5.3	19.5	217.5	24.8	16.5	839.8	
O I	2 0	25	6.8	25.7	238.4	33.8	14.3	997.7	
C I	2 1	25	3.7	13.6	146.0	17.0	11.2	761.8	
C I	2 1	25	4.4	15.1	155.6	19.7	9.1	713.3	
C I	2 1	25	3.9	17.2	137.6	17.2	4.7	662.2	
O I	2 0	50	3.8	29.8	214.2	25.9	10.9	342.4	

SERIALIZED DATA 10

I 2 1 50	2.1	19.7	122.2	17.3	6.4	741.0
I 2 1 50	2.0	13.9	113.1	15.6	4.3	678.0
I 2 0 85	7.4	18.4	720.8	25.0	25.7	2336.9
I 2 1 85	2.8	7.0	299.2	11.0	7.0	735.2
I 2 0 125	3.6	24.4	300.1	22.4	16.3	1096.0
I 2 0 125	3.3	32.3	372.7	25.4	12.4	1061.2
I 2 1 125	2.5	17.2	244.5	16.9	5.1	391.5
I S 2 1 0	3.0	7.3	6.9	17.8	38.6	4.0
I S 0 1 0	3.1	7.6	6.3	13.6	33.2	3.7
I S 2 1 0	3.1	7.5	6.8	18.4	37.7	3.1
I S 2 0 1	3.2	10.2	9.2	17.0	36.9	3.0
I S 2 0 1	3.1	8.7	7.8	16.8	35.6	4.2
I S 2 0 1	3.0	8.7	7.4	17.8	35.7	4.1
I S 2 1 1	2.6	12.5	8.2	20.8	35.3	8.9
I S 2 1 1	3.3	11.0	3.0	21.5	37.4	9.5
I S 2 1 1	3.2	11.0	7.8	21.5	37.4	11.8
I S 2 0 5	3.1	13.2	9.8	18.0	34.0	10.0
I S 2 0 5	2.6	12.8	9.6	15.9	31.9	9.1
I S 2 0 5	3.4	12.7	9.6	19.0	35.4	7.0
I S 2 1 5	3.1	13.4	9.8	18.2	34.5	7.4
I S 2 1 5	3.1	12.5	9.6	18.3	33.7	5.9
I S 2 1 5	3.9	13.5	10.2	21.2	35.7	6.8
I S 2 0 25	3.2	12.7	6.1	14.4	31.4	5.7
I S 2 0 25	3.2	11.9	7.9	14.3	32.5	5.5
I S 2 0 25	2.9	12.3	3.4	16.4	37.7	5.9
I S 2 1 25	2.6	16.4	9.1	20.1	32.0	6.4
I S 2 1 25	2.2	16.0	9.4	16.0	32.1	6.5
I S 2 1 25	2.7	14.0	6.6	18.1	42.0	7.2
I S 2 0 50	1.7	10.4	7.4	12.8	48.1	6.8
I S 2 0 50	1.9	9.5	7.4	13.9	44.8	7.3
I S 2 0 50	1.9	10.6	7.9	14.1	50.2	7.3
I S 2 1 50	2.0	9.6	7.5	14.0	47.1	7.4
I S 2 1 50	1.6	10.3	7.6	12.7	47.8	6.6
I S 2 1 50	1.6	9.2	7.4	13.4	44.8	6.8
I S 2 0 85	1.7	12.4	13.0	14.6	48.6	16.0
I S 2 0 85	1.7	12.5	12.7	14.3	51.0	18.4
I S 2 0 85	1.5	13.7	13.6	15.2	51.1	20.2
I S 2 1 85	1.7	11.0	10.2	13.0	51.0	15.3
I S 2 1 85	1.8	12.1	11.2	14.7	50.2	15.3
I S 2 1 85	1.9	12.8	11.3	15.8	51.6	16.5
I S 2 0 125	2.3	24.1	10.4	25.0	45.2	16.5
I S 2 0 125	2.3	25.6	11.1	23.6	41.3	17.1
I S 2 0 125	2.4	23.3	9.6	23.8	34.7	16.4
I S 2 1 125	2.4	21.0	9.9	20.8	37.6	11.6
I S 2 1 125	2.3	21.9	9.7	20.8	35.6	10.4
I S 2 1 125	2.4	21.0	9.7	21.7	44.4	10.6
P D 2 0 25	1.8	438.5	47.8	338.0	35.2	74.3
P D 2 0 25	1.8	397.4	48.3	318.8	36.5	72.9
P D 2 0 25	1.9	499.8	51.3	354.5	39.5	79.3
P D 2 1 25	1.6	379.3	52.2	262.5	15.0	70.0
P D 2 1 25	1.5	383.5	49.5	288.6	12.0	80.0
P D 2 1 25	1.5	376.7	55.2	296.7	13.0	86.2

SORTED DATA 17

P	2	0	50	2.0	498.0	55.9	327.7	44.0	88.9
F	2	0	50	2.0	532.3	55.4	357.1	45.6	86.1
P	2	0	50	2.3	539.0	53.8	361.6	.0	75.0
F	2	1	50	1.4	429.6	59.6	284.0	10.6	75.3
F	2	1	50	1.6	437.0	64.1	293.1	10.7	90.1
P	2	1	50	1.6	425.1	60.2	300.0	13.8	73.8
P	2	0	85	1.9	375.9	86.5	270.5	83.5	83.1
P	2	0	85	1.9	395.3	86.1	267.0	81.2	82.8
P	2	0	85	1.9	390.1	85.6	266.7	82.1	85.0
P	2	1	85	2.3	270.4	76.2	235.4	29.7	47.9
P	2	1	85	1.7	168.5	69.3	214.0	29.9	43.9
P	2	1	85	1.8	232.5	79.2	242.2	30.8	51.4
P	2	1	125	1.9	213.2	46.3	226.5	20.8	62.3
P	2	1	125	2.0	204.1	44.7	225.5	19.4	57.7
P	2	1	125	1.9	229.9	47.8	231.0	19.9	62.4
R	2	0	0	264.6	3287.6	2249.8	364.3	19.6	2446.7
R	2	0	0	118.9	3774.8	2748.8	373.2	25.2	2648.2
R	2	0	0	114.4	3938.2	2337.4	389.3	19.4	2427.9
R	2	0	1	57.7	1449.5	1310.5	276.6	19.8	1151.2
R	2	0	1	50.6	1374.4	1230.9	244.6	26.4	1065.0
R	2	0	1	66.7	1878.8	1561.8	317.0	16.9	1365.2
R	2	0	5	63.3	2022.2	994.6	328.7	22.9	1463.1
R	2	0	5	53.3	1763.2	1053.4	307.0	16.9	944.0
R	2	0	5	60.3	2152.9	995.5	337.5	14.7	1377.6
R	2	0	25	56.4	1993.1	1185.6	254.0	49.3	1378.7
R	2	0	25	45.5	1492.6	1652.7	224.2	32.5	933.1
R	2	0	25	52.8	2052.2	1082.1	258.0	20.3	1305.1
R	2	0	50	62.0	2057.0	1445.3	233.7	61.7	1474.0
R	2	0	50	61.4	1815.3	1414.3	215.4	58.7	1360.0
R	2	0	50	76.1	2064.9	1489.3	239.7	51.1	1499.7
R	2	0	85	40.2	1290.6	888.5	254.4	66.5	914.0
R	2	0	85	30.0	1239.7	873.9	239.6	70.0	879.4
R	2	0	85	23.2	1230.1	691.2	219.4	96.2	778.1
R	2	0	125	16.8	668.1	522.3	139.1	19.9	436.0
R	2	0	125	18.8	653.9	547.2	149.1	19.9	451.6
R	2	0	125	18.3	654.2	438.0	130.5	19.9	406.6
S	2	0	0	.6	6.6	6.7	7.1	6.6	16.2
S	2	0	0	.6	6.8	6.6	7.2	6.6	16.0
S	2	0	0	.6	7.1	7.1	7.5	6.7	16.2
S	2	1	0	.6	7.5	5.7	9.6	7.6	15.9
S	2	1	0	.6	7.1	6.0	9.5	7.6	16.3
S	2	1	0	.6	6.9	5.8	9.0	8.0	16.4
S	2	0	1	.6	6.0	6.4	6.2	7.2	15.0
S	2	0	1	.6	5.5	6.3	6.1	6.7	15.0
S	2	0	1	.5	5.6	6.4	6.1	6.9	15.6
S	2	1	1	.6	7.0	6.7	8.2	6.7	16.9
S	2	1	1	.5	6.8	7.4	5.4	6.8	15.6
S	2	1	1	.6	7.1	6.5	5.3	6.5	15.3
S	2	0	5	.3	5.2	6.3	4.3	5.0	12.0
S	2	0	5	.3	5.9	7.1	4.0	5.5	13.6
S	2	0	5	.2	5.9	6.2	4.6	5.2	16.4
S	2	1	5	.3	6.8	6.4	6.6	6.9	12.7

SORTED DATA 16

S	2	1	5	.4	8.0	7.0	6.6	7.5	14.8
S	2	1	5	.2	5.4	5.0	4.7	5.2	13.9
S	2	0	25	.5	7.5	9.6	7.4	7.6	15.3
S	2	0	25	.4	6.7	8.9	6.7	6.5	14.5
S	2	0	25	.5	6.7	8.9	7.1	6.7	13.7
S	2	1	25	.4	7.5	10.0	8.9	6.6	15.5
S	2	1	25	.5	7.8	9.6	8.8	6.2	15.3
S	2	1	25	.5	3.3	9.6	8.9	7.3	16.9
S	2	0	50	.3	7.1	8.7	7.7	5.5	16.0
S	2	0	50	.3	6.5	8.6	7.5	5.1	15.2
S	2	0	50	.3	7.3	9.5	8.7	6.0	18.6
S	2	1	50	.6	7.3	8.9	7.5	5.3	14.1
S	2	1	50	.3	6.3	7.8	7.1	4.5	10.9
S	2	1	50	.3	6.1	7.8	7.3	4.9	11.2
S	2	0	85	.2	43.6	8.0	8.1	7.1	15.4
S	2	0	85	.2	39.4	7.6	7.6	6.6	15.1
S	2	0	85	.3	43.5	8.0	8.4	7.7	14.9
S	2	1	85	.2	42.7	7.6	8.2	6.6	16.3
S	2	1	85	.2	41.6	7.3	8.0	6.4	15.5
S	2	1	85	.3	43.7	7.6	8.3	7.1	14.6
S	2	0	125	.4	54.2	8.4	11.8	8.5	18.2
S	2	0	125	.4	54.2	8.6	11.1	8.1	17.4
S	2	0	125	.3	52.0	8.6	10.9	7.9	17.0
S	2	1	125	.4	54.0	7.8	10.5	7.3	16.1
S	2	1	125	.4	50.2	7.2	10.1	7.1	15.0
S	2	1	125	.3	51.0	7.6	10.5	7.1	15.2
T L	2	1	0	1.2	16.6	7.8	30.7	9.7	26.3
T L	2	1	0	1.1	16.3	7.4	28.1	9.7	26.6
T L	2	1	0	1.0	15.5	7.5	29.4	10.8	28.0
T L	2	0	1	2.1	16.4	10.4	24.0	12.5	25.2
T L	2	0	1	1.5	15.8	11.6	24.6	-11.6	26.9
T L	2	0	1	1.5	14.2	10.6	24.0	12.5	25.4
T L	2	1	1	1.6	12.4	10.2	21.2	7.1	28.0
T L	2	1	1	1.3	13.9	10.1	20.2	-6.1	24.4
T L	2	0	5	2.2	51.0	18.6	55.2	12.4	34.9
T L	2	0	5	1.9	49.6	18.5	55.4	14.6	40.1
T L	2	0	5	2.8	59.3	19.8	59.3	-15.8	37.0
T L	2	1	5	1.9	37.5	15.0	40.9	10.2	39.3
T L	2	1	5	2.0	41.0	15.3	42.9	9.3	36.9
T L	2	1	5	2.3	39.3	15.4	42.9	8.9	33.4
T L	2	0	25	4.1	32.2	19.7	26.6	8.8	23.6
T L	2	0	25	4.3	31.8	20.6	30.4	6.9	22.8
T L	2	1	25	3.6	37.5	22.4	42.0	-999.9	33.0
T L	2	1	25	3.8	37.1	22.8	41.5	-999.9	32.6
T L	2	1	25	3.5	37.5	22.5	41.7	-999.9	30.6
T L	2	0	50	5.1	35.4	26.9	23.5	13.1	41.8
T L	2	0	50	5.9	38.8	30.4	27.5	13.4	45.7
T L	2	0	50	6.4	44.4	34.5	30.3	14.3	53.7
T L	2	1	50	2.7	57.4	24.8	44.1	9.5	39.2
T L	2	1	50	2.7	58.5	24.9	44.2	9.8	41.4
T L	2	1	50	2.7	51.9	25.0	44.4	11.0	40.5
T L	2	0	85	3.4	116.9	29.3	73.6	6.3	31.3

SORTED DATA 19

T L	2 0	85	3.6	128.4	29.1	73.4	6.8	31.6
T L	2 0	85	3.4	129.3	29.1	74.0	6.7	32.5
T L	2 1	85	2.5	43.1	22.4	29.3	6.3	20.6
T L	2 1	85	2.7	49.5	23.6	32.0	6.3	27.0
T L	2 1	85	2.7	42.4	24.0	31.0	6.8	27.2
T L	2 0	125	3.5	73.2	29.6	36.6	-999.9	15.0
T L	2 1	125	1.2	52.6	15.4	29.4	-999.9	12.5
T L	2 1	125	1.2	48.9	14.2	28.5	-999.9	10.7
T L	2 1	125	1.2	52.2	15.6	29.2	-999.9	11.9
T R	2 1	0	1.3	19.0	7.6	27.6	9.3	34.7
T R	2 1	0	1.1	16.7	6.8	25.9	11.9	35.0
T R	2 1	0	1.2	17.7	7.2	25.9	9.2	35.1
T R	2 0	1	1.2	24.8	10.6	33.6	15.4	38.1
T R	2 0	1	1.3	25.4	11.8	33.5	16.8	42.3
T R	2 0	1	1.2	22.8	9.2	31.3	15.7	41.6
T R	2 1	1	1.2	23.6	10.9	29.7	8.9	42.5
T R	2 1	1	.9	20.3	9.2	24.7	8.1	37.3
T R	2 1	1	1.1	22.4	10.3	29.5	7.9	42.4
T R	2 0	5	1.1	72.2	22.2	77.7	16.6	50.4
T R	2 0	5	1.1	72.0	21.8	76.1	15.5	49.6
T R	2 0	5	1.1	68.3	19.9	72.6	18.5	48.6
T R	2 1	5	1.0	33.0	-10.3	34.0	8.2	44.2
T R	2 1	5	1.0	32.2	10.0	34.3	7.8	43.2
T R	2 1	5	1.2	32.8	10.6	31.8	9.3	42.5
T R	2 0	25	1.4	42.0	14.2	38.9	7.8	41.1
T R	2 0	25	1.5	38.2	13.4	35.2	7.6	40.4
T R	2 0	25	1.5	38.7	13.0	35.9	10.2	37.9
T R	2 1	25	1.1	41.7	14.5	40.8	8.7	28.8
T R	2 1	25	1.0	41.0	14.2	40.0	8.6	32.5
T R	2 1	25	1.0	43.0	15.0	44.9	8.4	32.0
T R	2 0	50	1.5	50.9	18.0	33.8	17.3	49.7
T R	2 0	50	1.2	51.1	18.0	34.5	18.3	56.2
T R	2 0	50	1.4	52.8	17.9	33.9	18.6	51.7
T R	2 1	50	1.2	46.4	-16.4	35.4	9.9	42.4
T R	2 1	50	1.4	44.4	16.0	36.0	10.8	43.4
T R	2 1	50	1.1	43.7	15.7	34.2	12.6	38.4
T R	2 0	85	1.7	89.8	20.6	53.0	9.9	43.1
T R	2 0	85	1.5	90.4	18.0	50.2	9.6	41.4
T R	2 0	85	1.7	94.9	20.3	43.5	9.4	43.1
T R	2 1	85	1.9	73.2	19.6	54.0	6.9	32.9
T R	2 1	85	1.8	68.0	20.7	53.3	6.5	31.4
T R	2 1	85	1.9	.0	19.8	54.0	9.9	41.4
T R	2 0	125	1.8	78.0	18.3	36.0	3.3	33.0
T R	2 0	125	1.8	75.8	17.8	35.5	3.3	32.9
T R	2 0	125	1.9	80.4	18.7	37.2	2.9	32.3
T R	2 1	125	1.6	60.6	14.1	37.2	7.1	21.3
T R	2 1	125	1.8	68.6	15.2	40.0	7.7	21.8
T R	2 1	125	1.6	67.0	20.7	.0	7.8	19.2
U I	2 1	0	2.1	7.2	6.7	15.6	20.2	24.3
U I	2 1	0	2.2	7.3	6.5	16.0	17.8	27.9
U I	2 1	0	2.2	7.6	6.5	16.5	17.4	29.8
U I	2 0	1	2.0	8.9	7.8	20.1	18.2	24.1

		SORTED DATA		20				
U I 2 0	1	1.9	8.9	7.5	20.0	21.8	22.0	
U I 2 0	1	2.0	9.0	7.3	20.2	20.2	27.2	
U I 2 1	1	2.0	9.2	7.4	19.6	18.7	26.8	
U I 2 1	1	2.0	8.0	7.2	18.3	17.4	26.1	
U I 2 1	1	2.1	7.8	7.1	18.7	16.9	27.5	
U I 2 0	5	1.8	17.3	10.9	40.5	18.4	39.5	
U I 2 0	5	1.7	18.9	11.6	38.0	17.9	44.9	
U I 2 0	5	1.8	19.9	11.5	33.2	18.2	45.2	
U I 2 1	5	2.1	14.8	9.1	30.9	13.5	34.0	
U I 2 1	5	2.1	14.9	9.4	32.0	15.0	36.2	
U I 2 1	5	2.2	15.0	9.4	32.4	11.8	35.7	
U I 2 0	25	1.4	35.0	14.5	57.5	25.4	41.3	
U I 2 0	25	1.5	39.4	14.7	54.3	26.9	39.4	
U I 2 0	25	1.4	40.6	16.0	64.2	26.8	43.5	
U I 2 1	25	1.7	22.5	10.7	23.9	22.5	30.3	
U I 2 1	25	1.6	15.4	11.3	29.6	23.1	31.7	
U I 2 1	25	1.7	14.3	11.6	29.5	20.3	31.6	
U I 2 0	50	2.2	13.9	11.5	17.1	24.5	24.5	
U I 2 0	50	2.2	13.3	10.7	15.6	23.4	30.7	
U I 2 0	50	2.2	14.5	10.8	16.0	22.5	26.9	
U I 2 1	50	2.1	15.8	11.8	19.4	23.7	35.1	
U I 2 1	50	2.2	15.4	11.6	20.2	23.0	32.1	
U I 2 1	50	2.2	14.4	11.7	18.7	24.3	28.1	
U I 2 0	85	2.3	71.2	15.6	48.6	19.3	42.5	
U I 2 0	85	2.4	70.3	15.6	46.9	20.9	42.6	
U I 2 0	85	2.4	70.8	15.2	47.0	20.7	42.5	
U I 2 1	85	2.2	27.0	9.5	20.4	13.7	41.0	
U I 2 1	85	2.2	28.8	11.0	21.2	14.7	42.2	
U I 2 1	85	2.2	29.5	11.0	23.2	15.8	42.2	
U I 2 0	125	2.3	26.6	20.4	31.6	44.0	50.2	
U I 2 0	125	2.4	29.6	21.1	36.7	49.7	56.3	
U I 2 0	125	2.4	28.6	20.9	35.3	47.0	57.6	
U I 2 1	125	2.1	17.6	9.7	31.6	20.7	39.4	
U I 2 1	125	2.1	17.7	9.3	29.8	24.8	33.4	
U I 2 1	125	1.9	17.6	10.5	30.7	23.6	35.3	
U S 2 1	0	2.8	5.2	6.0	12.5	30.8	4.3	
U S 2 1	0	2.9	5.7	6.0	13.9	31.7	4.4	
U S 2 1	0	3.1	4.2	4.8	16.5	33.0	4.4	
U S 2 0	1	3.1	5.2	5.3	13.9	29.7	5.2	
U S 2 0	1	2.9	5.6	5.1	15.4	31.7	5.0	
U S 2 0	1	2.7	5.6	5.8	14.2	30.3	5.0	
U S 2 1	1	2.8	5.5	5.6	15.2	30.4	5.0	
U S 2 1	1	2.7	5.3	5.6	14.6	28.2	4.6	
U S 2 1	1	2.8	4.9	5.1	14.7	26.7	4.2	
U S 2 0	5	2.4	5.3	5.9	13.4	26.8	19.4	
U S 2 0	5	3.3	4.8	5.6	14.0	28.9	20.0	
U S 2 0	5	2.7	4.9	6.0	12.7	29.6	20.5	
U S 2 1	5	2.7	5.4	5.6	14.0	30.8	15.4	
U S 2 1	5	2.4	4.5	5.0	14.0	29.8	15.4	
U S 2 1	5	2.9	5.3	4.9	13.7	29.2	16.0	
U S 2 0	25	1.9	7.3	5.1	8.1	47.6	9.0	
U S 2 0	25	2.6	7.5	5.3	9.3	48.0	8.8	

APPENDIX B

Results for net uptake for Experiments I and II

A Students t test ($P < 0.05$) was calculated for the null hypothesis:

$H_0: \mu_1 = \mu_2$ where μ_1 is experimental and μ_2 is control for each metal for each combination of Experiment I or II, at each sample time, with $n-2$ degrees of freedom shown (Deg). Also shown are the values of E mean-C mean), the individual means and standard deviations.

INTERNAL EXPERIMENT NO=1

CLAM	DAY NUMBER	INTERNAL	EXPERIMENT NO=1	E MEAN	E DEV	E MEAN	E DEV	C MEAN	C DEV
CADMIUM	2.65	NOT SIGNIFICANT	1.54 DEG	1.70	1.70	1.70	1.70	1.70	1.70
CHROMIUM	11.14	NOT SIGNIFICANT	14.57 DEG	31.50	31.50	31.50	31.50	31.50	31.50
COPPER	1.98	NOT SIGNIFICANT	5.04 DEG	4.5	4.5	4.5	4.5	4.5	4.5
NICKLE	1.95	NOT SIGNIFICANT	3.66 DEG	2.25	2.25	2.25	2.25	2.25	2.25
LEAD	1.41	NOT SIGNIFICANT	36.15 DEG	82.00	82.00	82.00	82.00	82.00	82.00
ZINC	1.15	NOT SIGNIFICANT	1.77 DEG	1.70	1.70	1.70	1.70	1.70	1.70
CADMIUM	5.25	SIGNIFICANT	15.70 DEG	6.35	6.35	6.35	6.35	6.35	6.35
CHROMIUM	1.77	NOT SIGNIFICANT	2.35 DEG	2.80	2.80	2.80	2.80	2.80	2.80
COPPER	0.77	NOT SIGNIFICANT	2.08 DEG	2.33	2.33	2.33	2.33	2.33	2.33
NICKLE	6.43	SIGNIFICANT	115.10 DEG	173.40	173.40	173.40	173.40	173.40	173.40
LEAD	1.00	NOT SIGNIFICANT	1.77 DEG	1.70	1.70	1.70	1.70	1.70	1.70
ZINC	11.65	SIGNIFICANT	9.55 DEG	10.55	10.55	10.55	10.55	10.55	10.55
CADMIUM	6.10	SIGNIFICANT	11.90 DEG	12.15	12.15	12.15	12.15	12.15	12.15
CHROMIUM	1.18	NOT SIGNIFICANT	15.40 DEG	229.10	229.10	229.10	229.10	229.10	229.10
COPPER	1.00	NOT SIGNIFICANT	9.5 DEG	2.00	2.00	2.00	2.00	2.00	2.00
NICKLE	1.65	NOT SIGNIFICANT	10.25 DEG	11.05	11.05	11.05	11.05	11.05	11.05
LEAD	1.10	NOT SIGNIFICANT	6.65 DEG	4.77	4.77	4.77	4.77	4.77	4.77
ZINC	1.00	NOT SIGNIFICANT	3.17 DEG	4.25	4.25	4.25	4.25	4.25	4.25
CADMIUM	11.00	SIGNIFICANT	92.40 DEG	185.90	185.90	185.90	185.90	185.90	185.90
CHROMIUM	0.82	NOT SIGNIFICANT	1.00 DEG	2.37	2.37	2.37	2.37	2.37	2.37
COPPER	1.08	NOT SIGNIFICANT	1.43 DEG	3.73	3.73	3.73	3.73	3.73	3.73
NICKLE	0.52	NOT SIGNIFICANT	1.38 DEG	7.88	7.88	7.88	7.88	7.88	7.88
LEAD	2.37	NOT SIGNIFICANT	4.33 DEG	7.33	7.33	7.33	7.33	7.33	7.33
ZINC	0.45	NOT SIGNIFICANT	1.13 DEG	8.70	8.70	8.70	8.70	8.70	8.70
CADMIUM	1.78	NOT SIGNIFICANT	66.67 DEG	183.13	183.13	183.13	183.13	183.13	183.13
CHROMIUM	2.35	NOT SIGNIFICANT	0.32 DEG	1.46	1.46	1.46	1.46	1.46	1.46
COPPER	0.00	NOT SIGNIFICANT	0.00 DEG	1.70	1.70	1.70	1.70	1.70	1.70
NICKLE	0.57	NOT SIGNIFICANT	0.95 DEG	4.45	4.45	4.45	4.45	4.45	4.45
LEAD	0.28	NOT SIGNIFICANT	0.17 DEG	5.44	5.44	5.44	5.44	5.44	5.44
ZINC	0.74	NOT SIGNIFICANT	9.77 DEG	116.50	116.50	116.50	116.50	116.50	116.50

EXPERIMENT NO=1

CLAM SHELL

CLAM	DAY NUMBER	SHELL	NOT SIGNIFICANT	E MEAN - C MEAN	DEG	E MEAN	E DEV	C MEAN	C DEV
CADMIUM	T= .48	NOT SIGNIFICANT	E MEAN - C MEAN =	.15	DEG =	6	3.60	.47	3.45
CHROMIUM	T= 1.20	NOT SIGNIFICANT	E MEAN - C MEAN =	1.67	DEG =	5	3.37	2.69	1.70
COPPER	T= .02	NOT SIGNIFICANT	E MEAN - C MEAN =	-.25	DEG =	6	4.45	-2.69	4.45
NICKLE	T= .11	NOT SIGNIFICANT	E MEAN - C MEAN =	-1.80	DEG =	5	16.90	19.00	17.15
LEAD	T= 1.26	NOT SIGNIFICANT	E MEAN - C MEAN =	-1.27	DEG =	6	30.20	16.70	32.00
ZINC	T= .88	NOT SIGNIFICANT	E MEAN - C MEAN =	1.12	DEG =	5	2.35	1.12	3.62
DAY NUMBER 1									
CADMIUM	T= .88	NOT SIGNIFICANT	E MEAN - C MEAN =	1.11	DEG =	6	2.74	1.06	1.62
CHROMIUM	T= .36	NOT SIGNIFICANT	E MEAN - C MEAN =	.73	DEG =	6	5.02	2.32	4.30
COPPER	T= .71	NOT SIGNIFICANT	E MEAN - C MEAN =	9.19	DEG =	6	4.45	2.32	4.45
NICKLE	T= .11	NOT SIGNIFICANT	E MEAN - C MEAN =	-1.88	DEG =	6	26.34	17.31	17.15
LEAD	T= .02	NOT SIGNIFICANT	E MEAN - C MEAN =	1.12	DEG =	5	34.42	24.31	32.55
ZINC	T= .04	NOT SIGNIFICANT	E MEAN - C MEAN =	.05	DEG =	6	3.45	1.06	2.33
DAY NUMBER 5									
CADMIUM	T= .72	NOT SIGNIFICANT	E MEAN - C MEAN =	.99	DEG =	6	1.82	1.94	1.77
CHROMIUM	T= 1.00	NOT SIGNIFICANT	E MEAN - C MEAN =	.52	DEG =	6	1.70	1.94	1.70
COPPER	T= .39	NOT SIGNIFICANT	E MEAN - C MEAN =	5.77	DEG =	5	4.45	1.94	4.45
NICKLE	T= .43	NOT SIGNIFICANT	E MEAN - C MEAN =	5.95	DEG =	6	16.75	18.82	17.10
LEAD	T= 1.28	NOT SIGNIFICANT	E MEAN - C MEAN =	1.55	DEG =	6	28.70	15.36	30.15
ZINC	T= .72	NOT SIGNIFICANT	E MEAN - C MEAN =	.99	DEG =	6	2.67	1.50	2.65
DAY NUMBER 25									
CADMIUM	T= .96	NOT SIGNIFICANT	E MEAN - C MEAN =	-.20	DEG =	4	2.66	1.90	1.67
CHROMIUM	T= .00	NOT SIGNIFICANT	E MEAN - C MEAN =	-.52	DEG =	6	2.22	1.05	1.70
COPPER	T= .39	NOT SIGNIFICANT	E MEAN - C MEAN =	5.77	DEG =	5	4.45	1.05	4.45
NICKLE	T= .43	NOT SIGNIFICANT	E MEAN - C MEAN =	5.95	DEG =	6	22.92	19.46	17.15
LEAD	T= 1.28	NOT SIGNIFICANT	E MEAN - C MEAN =	1.55	DEG =	6	32.47	19.53	26.52
ZINC	T= .33	NOT SIGNIFICANT	E MEAN - C MEAN =	-.20	DEG =	4	4.07	1.05	2.52
DAY NUMBER 50									
CADMIUM	T= .82	NOT SIGNIFICANT	E MEAN - C MEAN =	-.75	DEG =	4	4.30	.01	4.50
CHROMIUM	T= .00	NOT SIGNIFICANT	E MEAN - C MEAN =	-.00	DEG =	4	2.65	1.11	3.45
COPPER	T= .38	NOT SIGNIFICANT	E MEAN - C MEAN =	2.25	DEG =	4	4.45	.00	4.45
NICKLE	T= .92	NOT SIGNIFICANT	E MEAN - C MEAN =	2.15	DEG =	4	32.45	1.75	36.70
LEAD	T= .56	NOT SIGNIFICANT	E MEAN - C MEAN =	.97	DEG =	4	26.95	17.95	13.65
ZINC	T= .82	NOT SIGNIFICANT	E MEAN - C MEAN =	-.75	DEG =	4	14.62	10.77	6.45
DAY NUMBER 125									
CADMIUM	T= .82	NOT SIGNIFICANT	E MEAN - C MEAN =	-.75	DEG =	4	4.35	1.21	5.10
CHROMIUM	T= .00	NOT SIGNIFICANT	E MEAN - C MEAN =	-.00	DEG =	4	2.20	1.00	4.20
COPPER	T= .38	NOT SIGNIFICANT	E MEAN - C MEAN =	2.25	DEG =	4	4.45	.00	4.45
NICKLE	T= .92	NOT SIGNIFICANT	E MEAN - C MEAN =	2.15	DEG =	4	33.20	.43	30.95
LEAD	T= .56	NOT SIGNIFICANT	E MEAN - C MEAN =	.97	DEG =	4	47.10	2.80	44.95
ZINC	T= .82	NOT SIGNIFICANT	E MEAN - C MEAN =	-.75	DEG =	4	4.07	2.31	5.10

HOLLOTHUR BODY EXPERIMENT NO=1

DAY NUMBER	1	2	3	4	5	25	50	125
CADMIUM	1.45	1.70	4.45	11.95	7.00	18.05	.62	1.70
CHROMIUM	1.70	4.45	11.95	7.00	18.05	1.90	1.70	4.45
COPPER	4.45	11.95	7.00	18.05	1.90	1.70	4.45	11.95
NICKLE	7.00	18.05	1.90	1.70	4.45	11.95	7.00	18.05
LEAD	18.05	1.90	1.70	4.45	11.95	7.00	18.05	1.90
ZINC	1.90	1.70	4.45	11.95	7.00	18.05	1.90	1.70
CADMIUM	1.70	4.45	11.95	7.00	18.05	1.90	1.70	4.45
CHROMIUM	4.45	11.95	7.00	18.05	1.90	1.70	4.45	11.95
COPPER	11.95	7.00	18.05	1.90	1.70	4.45	11.95	7.00
NICKLE	7.00	18.05	1.90	1.70	4.45	11.95	7.00	18.05
LEAD	18.05	1.90	1.70	4.45	11.95	7.00	18.05	1.90
ZINC	1.90	1.70	4.45	11.95	7.00	18.05	1.90	1.70
CADMIUM	1.90	1.70	4.45	11.95	7.00	18.05	1.90	1.70
CHROMIUM	1.70	4.45	11.95	7.00	18.05	1.90	1.70	4.45
COPPER	4.45	11.95	7.00	18.05	1.90	1.70	4.45	11.95
NICKLE	7.00	18.05	1.90	1.70	4.45	11.95	7.00	18.05
LEAD	18.05	1.90	1.70	4.45	11.95	7.00	18.05	1.90
ZINC	1.90	1.70	4.45	11.95	7.00	18.05	1.90	1.70
CADMIUM	1.45	1.70	4.45	11.95	7.00	18.05	2.40	1.70
CHROMIUM	1.70	4.45	11.95	7.00	18.05	1.90	1.70	4.45
COPPER	4.45	11.95	7.00	18.05	1.90	1.70	4.45	11.95
NICKLE	7.00	18.05	1.90	1.70	4.45	11.95	7.00	18.05
LEAD	18.05	1.90	1.70	4.45	11.95	7.00	18.05	1.90
ZINC	1.90	1.70	4.45	11.95	7.00	18.05	1.90	1.70
CADMIUM	1.45	1.70	4.45	11.95	7.00	18.05	2.40	1.70
CHROMIUM	1.70	4.45	11.95	7.00	18.05	1.90	1.70	4.45
COPPER	4.45	11.95	7.00	18.05	1.90	1.70	4.45	11.95
NICKLE	7.00	18.05	1.90	1.70	4.45	11.95	7.00	18.05
LEAD	18.05	1.90	1.70	4.45	11.95	7.00	18.05	1.90
ZINC	1.90	1.70	4.45	11.95	7.00	18.05	1.90	1.70

HOLUTHUR INTERNAL EXPERIMENT NU=1

CADMIUM	T=	1.04	NOT SIGNIFICANT	E MEAN-C MEAN =	-1.55	DEG=	4	E MEAN =	1.15	E DEV =	.21	C MEAN =	1.70	COEV =	.67
CHROMIUM	T=	4.49	SIGNIFICANT	E MEAN-C MEAN =	-11.02	DEG=	5	E MEAN =	7.50	E DEV =	.71	C MEAN =	18.52	COEV =	3.26
COPPER	T=	1.47	NOT SIGNIFICANT	E MEAN-C MEAN =	-1.66	DEG=	5	E MEAN =	7.27	E DEV =	1.00	C MEAN =	8.94	COEV =	4.35
NICKLE	T=	1.75	NOT SIGNIFICANT	E MEAN-C MEAN =	-5.74	DEG=	5	E MEAN =	18.50	E DEV =	1.98	C MEAN =	24.24	COEV =	4.25
LEAD	T=	2.96	SIGNIFICANT	E MEAN-C MEAN =	-6.41	DEG=	5	E MEAN =	4.15	E DEV =	2.47	C MEAN =	10.56	COEV =	2.52
ZINC	T=	2.82	SIGNIFICANT	E MEAN-C MEAN =	-13.40	DEG=	5	E MEAN =	32.10	E DEV =	8.20	C MEAN =	42.50	COEV =	2.72
DAY NUMBER 1															
CADMIUM	T=	1.89	NOT SIGNIFICANT	E MEAN-C MEAN =	1.17	DEG=	3	E MEAN =	2.10	E DEV =	.52	C MEAN =	.92	COEV =	1.10
CHROMIUM	T=	.05	NOT SIGNIFICANT	E MEAN-C MEAN =	-1.10	DEG=	3	E MEAN =	9.80	E DEV =	2.50	C MEAN =	9.90	COEV =	1.27
COPPER	T=	.91	NOT SIGNIFICANT	E MEAN-C MEAN =	2.26	DEG=	3	E MEAN =	10.03	E DEV =	.12	C MEAN =	7.77	COEV =	4.77
NICKLE	T=	3.33	SIGNIFICANT	E MEAN-C MEAN =	-6.82	DEG=	3	E MEAN =	14.53	E DEV =	1.42	C MEAN =	21.35	COEV =	3.32
LEAD	T=	22.17	SIGNIFICANT	E MEAN-C MEAN =	13.35	DEG=	2	E MEAN =	16.75	E DEV =	.07	C MEAN =	3.40	COEV =	.85
ZINC	T=	4.17	SIGNIFICANT	E MEAN-C MEAN =	26.35	DEG=	3	E MEAN =	60.70	E DEV =	7.08	C MEAN =	34.95	COEV =	4.53
DAY NUMBER 5															
CADMIUM	T=	.22	NOT SIGNIFICANT	E MEAN-C MEAN =	.25	DEG=	2	E MEAN =	1.07	E DEV =	1.91	C MEAN =	.02	COEV =	.95
CHROMIUM	T=	5.91	SIGNIFICANT	E MEAN-C MEAN =	7.75	DEG=	2	E MEAN =	13.90	E DEV =	1.41	C MEAN =	6.15	COEV =	1.20
COPPER	T=	56425.69	SIGNIFICANT	E MEAN-C MEAN =	13.55	DEG=	2	E MEAN =	15.00	E DEV =	.00	C MEAN =	4.45	COEV =	.00
NICKLE	T=	15.39	SIGNIFICANT	E MEAN-C MEAN =	8.50	DEG=	2	E MEAN =	24.85	E DEV =	.07	C MEAN =	16.35	COEV =	.70
LEAD	T=	4.35	SIGNIFICANT	E MEAN-C MEAN =	18.50	DEG=	2	E MEAN =	21.55	E DEV =	6.01	C MEAN =	3.05	COEV =	.35
ZINC	T=	27.66	SIGNIFICANT	E MEAN-C MEAN =	28.00	DEG=	2	E MEAN =	56.15	E DEV =	.70	C MEAN =	28.15	COEV =	1.20
DAY NUMBER 25															
CADMIUM	T=	1.72	NOT SIGNIFICANT	E MEAN-C MEAN =	1.45	DEG=	5	E MEAN =	3.57	E DEV =	.25	C MEAN =	2.11	COEV =	1.41
CHROMIUM	T=	15.47	SIGNIFICANT	E MEAN-C MEAN =	14.38	DEG=	4	E MEAN =	26.00	E DEV =	1.41	C MEAN =	11.62	COEV =	.95
COPPER	T=	16.31	SIGNIFICANT	E MEAN-C MEAN =	19.90	DEG=	5	E MEAN =	29.80	E DEV =	2.26	C MEAN =	9.90	COEV =	.35
NICKLE	T=	18.12	NOT SIGNIFICANT	E MEAN-C MEAN =	.43	DEG=	4	E MEAN =	21.90	E DEV =	.71	C MEAN =	21.47	COEV =	4.68
LEAD	T=	11.8	SIGNIFICANT	E MEAN-C MEAN =	49.83	DEG=	5	E MEAN =	63.20	E DEV =	4.24	C MEAN =	13.37	COEV =	3.45
ZINC	T=	11.24	SIGNIFICANT	E MEAN-C MEAN =	29.43	DEG=	3	E MEAN =	65.30	E DEV =	4.67	C MEAN =	35.57	COEV =	1.21
DAY NUMBER 50															
CADMIUM	T=	1.56	NOT SIGNIFICANT	E MEAN-C MEAN =	1.08	DEG=	4	E MEAN =	3.20	E DEV =	.71	C MEAN =	2.12	COEV =	.61
CHROMIUM	T=	13.2	SIGNIFICANT	E MEAN-C MEAN =	20.2	DEG=	3	E MEAN =	29.90	E DEV =	2.83	C MEAN =	9.7	COEV =	1.47
COPPER	T=	7.3	SIGNIFICANT	E MEAN-C MEAN =	27.4	DEG=	2	E MEAN =	37.35	E DEV =	4.08	C MEAN =	9.95	COEV =	0.64
NICKLE	T=	1.26	NOT SIGNIFICANT	E MEAN-C MEAN =	1.28	DEG=	3	E MEAN =	22.45	E DEV =	2.05	C MEAN =	21.17	COEV =	1.10
LEAD	T=	22.52	SIGNIFICANT	E MEAN-C MEAN =	65.72	DEG=	4	E MEAN =	79.30	E DEV =	4.95	C MEAN =	13.57	COEV =	2.57
ZINC	T=	5.03	SIGNIFICANT	E MEAN-C MEAN =	50.10	DEG=	4	E MEAN =	79.75	E DEV =	.07	C MEAN =	29.65	COEV =	7.40
DAY NUMBER 125															
CADMIUM	T=	.71	NOT SIGNIFICANT	E MEAN-C MEAN =	-.40	DEG=	4	E MEAN =	2.35	E DEV =	.07	C MEAN =	2.75	COEV =	.75
CHROMIUM	T=	67.37	SIGNIFICANT	E MEAN-C MEAN =	11.85	DEG=	4	E MEAN =	29.65	E DEV =	.07	C MEAN =	17.80	COEV =	.25
COPPER	T=	4.48	SIGNIFICANT	E MEAN-C MEAN =	11.95	DEG=	4	E MEAN =	26.80	E DEV =	1.56	C MEAN =	14.85	COEV =	3.44
NICKLE	T=	11.30	SIGNIFICANT	E MEAN-C MEAN =	-4.25	DEG=	4	E MEAN =	23.85	E DEV =	.21	C MEAN =	28.40	COEV =	.52
LEAD	T=	14.89	SIGNIFICANT	E MEAN-C MEAN =	45.6	DEG=	5	E MEAN =	68.15	E DEV =	4.03	C MEAN =	22.6	COEV =	2.56
ZINC	T=	9.62	SIGNIFICANT	E MEAN-C MEAN =	18.47	DEG=	4	E MEAN =	62.60	E DEV =	2.55	C MEAN =	44.12	COEV =	2.10

MANCROVE BODY EXPERIMENT NO=1

DAY NUMBER 2

6

CADMIUM	T=	.77	NOT SIGNIFICANT	E-MEAN-C-MEAN=	.07	DEG=	2	E-MEAN=	.50	E-DEV=	2.43	E-DEV=	1.70	C-MEAN=	.43	C-DEV=	.12
CHROMIUM	T=	1.00	NOT SIGNIFICANT	E-MEAN-C-MEAN=	.73	DEG=	4	E-MEAN=	2.43	E-DEV=	4.45	E-DEV=	1.70	C-MEAN=	1.70	C-DEV=	.00
COPPER	T=	2.94	SIGNIFICANT	E-MEAN-C-MEAN=	.57	DEG=	4	E-MEAN=	1.73	E-DEV=	1.73	E-DEV=	1.37	C-MEAN=	4.45	C-DEV=	.00
IRON	T=	.07	NOT SIGNIFICANT	E-MEAN-C-MEAN=	.03	DEG=	4	E-MEAN=	.25	E-DEV=	4.70	E-DEV=	1.37	C-MEAN=	1.37	C-DEV=	.15
ZINC	T=	1.20	NOT SIGNIFICANT	E-MEAN-C-MEAN=	.60	DEG=	2	E-MEAN=	1.00	E-DEV=	1.70	E-DEV=	1.70	C-MEAN=	4.73	C-DEV=	.75
CADMIUM	T=	.00	NOT SIGNIFICANT	E-MEAN-C-MEAN=	-3.00	DEG=	0	E-MEAN=	1.70	E-DEV=	4.45	E-DEV=	1.70	C-MEAN=	1.70	C-DEV=	.00
CHROMIUM	T=	1.00	NOT SIGNIFICANT	E-MEAN-C-MEAN=	.05	DEG=	2	E-MEAN=	1.70	E-DEV=	1.70	E-DEV=	1.70	C-MEAN=	1.70	C-DEV=	.00
COPPER	T=	1.00	NOT SIGNIFICANT	E-MEAN-C-MEAN=	1.37	DEG=	2	E-MEAN=	4.45	E-DEV=	4.45	E-DEV=	1.70	C-MEAN=	4.45	C-DEV=	.00
IRON	T=	1.00	NOT SIGNIFICANT	E-MEAN-C-MEAN=	3.00	DEG=	2	E-MEAN=	1.00	E-DEV=	1.00	E-DEV=	1.00	C-MEAN=	3.00	C-DEV=	.00
ZINC	T=	1.00	NOT SIGNIFICANT	E-MEAN-C-MEAN=	1.37	DEG=	2	E-MEAN=	1.62	E-DEV=	1.40	E-DEV=	1.40	C-MEAN=	1.40	C-DEV=	.00
CADMIUM	T=	1.00	NOT SIGNIFICANT	E-MEAN-C-MEAN=	.21	NUM=	2	E-MEAN=	.65	E-DEV=	1.70	E-DEV=	1.70	C-MEAN=	1.70	C-DEV=	.00
CHROMIUM	T=	1.00	NOT SIGNIFICANT	E-MEAN-C-MEAN=	.00	NUM=	2	E-MEAN=	1.70	E-DEV=	4.45	E-DEV=	1.70	C-MEAN=	1.70	C-DEV=	.00
COPPER	T=	1.00	NOT SIGNIFICANT	E-MEAN-C-MEAN=	.00	NUM=	2	E-MEAN=	4.45	E-DEV=	4.45	E-DEV=	1.70	C-MEAN=	4.45	C-DEV=	.00
IRON	T=	1.00	NOT SIGNIFICANT	E-MEAN-C-MEAN=	.00	NUM=	0	E-MEAN=	1.00	E-DEV=	1.00	E-DEV=	1.00	C-MEAN=	1.00	C-DEV=	.00
ZINC	T=	1.00	NOT SIGNIFICANT	E-MEAN-C-MEAN=	1.37	NUM=	2	E-MEAN=	1.62	E-DEV=	1.40	E-DEV=	1.40	C-MEAN=	1.40	C-DEV=	.00

CADMIUM	NO EXPERIMENT MEAN=	.85	DEVIATION=	
CHROMIUM	NO EXPERIMENT MEAN=	1.70	DEVIATION=	
COPPER	NO EXPERIMENT MEAN=	4.45	DEVIATION=	
IRON	NO EXPERIMENT MEAN=	.00	DEVIATION=	
ZINC	NO EXPERIMENT MEAN=	3.50	DEVIATION=	

CADMIUM	NO EXPERIMENT MEAN=	1.34	DEVIATION=	
CHROMIUM	NO EXPERIMENT MEAN=	1.00	DEVIATION=	
COPPER	NO EXPERIMENT MEAN=	1.00	DEVIATION=	
IRON	NO EXPERIMENT MEAN=	1.00	DEVIATION=	
ZINC	NO EXPERIMENT MEAN=	1.34	DEVIATION=	

MANCROVE STEM EXPERIMENT NO=1

DAY NUMBER	STEM	NOT SIGNIFICANT	MEAN-CMEAN	DEG	E MEAN	EDEV	C MEAN	CDEV
0.77	CADMIUM	NOT SIGNIFICANT	MEAN-CMEAN	-0.20	0	0.00	0.00	0.53
26.17	CHROMIUM	SIGNIFICANT	MEAN-CMEAN	2.10	0	3.60	0.14	1.70
0.00	COPPER	NOT SIGNIFICANT	MEAN-CMEAN	0.00	0	4.45	0.00	4.45
0.81	NICKLE	NOT SIGNIFICANT	MEAN-CMEAN	-0.20	0	2.00	0.28	2.20
0.69	LEAD	NOT SIGNIFICANT	MEAN-CMEAN	0.32	0	0.25	0.28	0.25
0.69	ZINC	NOT SIGNIFICANT	MEAN-CMEAN	0.32	0	5.95	0.35	5.63
0.00	CADMIUM	NOT SIGNIFICANT	MEAN-CMEAN	0.20	0	1.20	0.00	1.00
0.00	CHROMIUM	NOT SIGNIFICANT	MEAN-CMEAN	-3.10	0	1.70	0.00	4.00
0.00	COPPER	NOT SIGNIFICANT	MEAN-CMEAN	0.00	0	4.45	0.00	4.45
0.00	NICKLE	NOT SIGNIFICANT	MEAN-CMEAN	-7.20	0	2.40	0.00	9.60
0.00	LEAD	NOT SIGNIFICANT	MEAN-CMEAN	-15.75	0	0.25	0.00	16.00
0.00	ZINC	NOT SIGNIFICANT	MEAN-CMEAN	-27.80	0	3.80	0.00	31.00
45404.67	CADMIUM	SIGNIFICANT	MEAN-CMEAN	-0.60	2	0.80	0.00	1.40
4.92	CHROMIUM	NOT SIGNIFICANT	MEAN-CMEAN	0.00	2	1.70	0.00	1.70
0.00	COPPER	NOT SIGNIFICANT	MEAN-CMEAN	0.00	2	4.45	0.00	4.45
0.00	NICKLE	SIGNIFICANT	MEAN-CMEAN	0.55	2	2.25	0.07	1.70
2.91	LEAD	NOT SIGNIFICANT	MEAN-CMEAN	3.75	2	4.00	0.00	0.25
2.91	ZINC	NOT SIGNIFICANT	MEAN-CMEAN	-2.80	2	2.95	0.21	5.75
1.00	CADMIUM	NOT SIGNIFICANT	MEAN-CMEAN	-0.05	2	1.00	0.00	1.05
3.45	CHROMIUM	NOT SIGNIFICANT	MEAN-CMEAN	0.00	2	1.70	0.00	1.70
0.45	COPPER	NOT SIGNIFICANT	MEAN-CMEAN	0.00	2	4.45	0.00	4.45
0.45	NICKLE	NOT SIGNIFICANT	MEAN-CMEAN	1.35	2	3.70	0.42	2.35
1.92	LEAD	NOT SIGNIFICANT	MEAN-CMEAN	0.50	2	4.00	1.41	3.50
1.92	ZINC	NOT SIGNIFICANT	MEAN-CMEAN	1.45	2	5.65	1.06	4.20

MANGROVE LEAF EXPERIMENT 1001

DAY NUMBER	LEAF NUMBER	SIGNIFICANT	E MEAN - C MEAN	DEG	E MEAN	E DEV	C MEAN	C DEV	EDEV	CDEV
CADMIUM	4.62	NOT SIGNIFICANT	E MEAN - C MEAN =	-0.00	1.70	1.70	1.14	1.20	1.70	1.20
CHROMIUM										
COPPER	0.00	NOT SIGNIFICANT	E MEAN - C MEAN =	-4.05	4.45	4.45	0.00	9.00	4.45	9.00
NICKLE	0.00	NOT SIGNIFICANT	E MEAN - C MEAN =	-4.50	0.00	0.00	0.00	4.50	0.00	4.50
LEAD										
ZINC	12.89	SIGNIFICANT	E MEAN - C MEAN =	-3.35	8.15	8.15	0.21	11.50	8.15	11.50
CADMIUM	1.41	NOT SIGNIFICANT	E MEAN - C MEAN =	-0.10	1.05	1.05	0.07	1.15	1.05	1.15
CHROMIUM										
COPPER	8.06	SIGNIFICANT	E MEAN - C MEAN =	-4.05	4.45	4.45	0.07	4.45	4.45	4.45
NICKLE	2.83	NOT SIGNIFICANT	E MEAN - C MEAN =	-2.00	3.45	3.45	0.07	7.50	3.45	7.50
LEAD										
ZINC	10.11	SIGNIFICANT	E MEAN - C MEAN =	-3.95	7.80	7.80	0.42	11.75	7.80	11.75
CADMIUM	2.83	NOT SIGNIFICANT	E MEAN - C MEAN =	-0.20	0.95	0.95	0.07	1.15	0.95	1.15
CHROMIUM										
COPPER										
NICKLE										
LEAD	3.00	NOT SIGNIFICANT	E MEAN - C MEAN =	1.50	5.50	5.50	0.71	4.00	5.50	4.00
ZINC	9.47	SIGNIFICANT	E MEAN - C MEAN =	2.55	10.25	10.25	0.35	7.70	10.25	7.70

MANCOVE RLPT 5 EXPERIMENT NO=1

DAY NUMBER	RLPT	5	EXPERIMENT NO=1	15	DEG=	2	E MEAN=	1.25	ED EV=	.00	C MEAN=	1.05	CO EV=	.07
CHROMIUM	T=	3.00	NOT SIGNIFICANT	E MEAN-C MEAN=		2	E MEAN=	1.70	CO EV=	.00	C MEAN=	1.70	CO EV=	.00
CUPPER	T=		NOT SIGNIFICANT	E MEAN-C MEAN=		2	E MEAN=	4.45	ED EV=	.00	C MEAN=	4.45	CO EV=	.00
NICKLE	T=	.00	NOT SIGNIFICANT	E MEAN-C MEAN=	-6.00	0	E MEAN=	.00	ED EV=	.00	C MEAN=	6.00	CO EV=	.00
LEAD	T=	3.00	NOT SIGNIFICANT	E MEAN-C MEAN=	-1.50	2	E MEAN=	4.00	ED EV=	.00	C MEAN=	5.50	CO EV=	.71
ZINC	T=	3.77	NOT SIGNIFICANT	E MEAN-C MEAN=	-3.70	2	E MEAN=	11.55	ED EV=	1.34	C MEAN=	7.85	CO EV=	.35
CADMIUM	T=	3.00	NOT SIGNIFICANT	E MEAN-C MEAN=	.30	2	E MEAN=	1.00	ED EV=	.00	C MEAN=	1.50	CO EV=	.15
CHROMIUM	T=		NOT SIGNIFICANT	E MEAN-C MEAN=		2	E MEAN=	1.70	CO EV=	.00	C MEAN=	1.70	CO EV=	.00
CUPPER	T=	***	SIGNIFICANT	E MEAN-C MEAN=		1	E MEAN=	4.45	ED EV=	.00	C MEAN=	4.45	CO EV=	.00
NICKLE	T=	2.55	NOT SIGNIFICANT	E MEAN-C MEAN=		2	E MEAN=	9.00	ED EV=	.00	C MEAN=	5.50	CO EV=	0.0
LEAD	T=	12.63	NOT SIGNIFICANT	E MEAN-C MEAN=	-2.00	2	E MEAN=	7.50	ED EV=	.71	C MEAN=	5.50	CO EV=	.71
ZINC	T=		SIGNIFICANT	E MEAN-C MEAN=	12.65	2	E MEAN=	25.95	ED EV=	.07	C MEAN=	11.30	CO EV=	1.41
CADMIUM	T=	.25	NOT SIGNIFICANT	E MEAN-C MEAN=	-1.12	3	E MEAN=	1.05	ED EV=	.76	C MEAN=	1.17	CO EV=	.06
CHROMIUM	T=	3.02	NOT SIGNIFICANT	E MEAN-C MEAN=	3.77	3	E MEAN=	7.00	ED EV=	1.41	C MEAN=	3.23	CO EV=	1.34
CUPPER	T=	.00	NOT SIGNIFICANT	E MEAN-C MEAN=	.00	3	E MEAN=	4.45	ED EV=	.00	C MEAN=	4.45	CO EV=	.00
NICKLE	T=	5.28	SIGNIFICANT	E MEAN-C MEAN=	5.75	3	E MEAN=	16.45	ED EV=	2.05	C MEAN=	10.70	CO EV=	.17
LEAD	T=	3.06	NOT SIGNIFICANT	E MEAN-C MEAN=	9.90	3	E MEAN=	10.50	ED EV=	.71	C MEAN=	7.50	CO EV=	1.22
ZINC	T=	4.39	SIGNIFICANT	E MEAN-C MEAN=	19.05	3	E MEAN=	49.35	ED EV=	6.29	C MEAN=	30.30	CO EV=	3.87

INTERNAL EXPERIMENT 10=1

CADMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 1.90 DEG= 0 EMEAN= 5.40 EDEV= .00 CMEAN= 3.50 CDEV= .00
 CHROMIUM T= .00 NOT SIGNIFICANT LMEAN-CMEAN= 7.30 DEG= 0 EMEAN= 10.80 EDEV= .00 CMEAN= 3.50 CDEV= .00
 COPPER T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -8.30 DEG= 0 EMEAN= 46.90 EDEV= .00 CMEAN= 55.20 CDEV= .00
 NICKLE T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -4.40 DEG= 0 EMEAN= 27.00 EDEV= .00 CMEAN= 27.40 CDEV= .00
 LEAD T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 20.10 DEG= 0 EMEAN= 40.90 EDEV= .00 CMEAN= 20.30 CDEV= .00
 ZINC T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -9.60 DEG= 0 EMEAN= 119.70 EDEV= .00 CMEAN= 129.30 CDEV= .00

DAY NUMBER 1
 NO EXPERIMENT MEAN= .15 DEVIATION= .00 NUM= 1
 NO EXPERIMENT MEAN= 1.70 DEVIATION= .00 NUM= 1
 NO EXPERIMENT MEAN= 62.20 DEVIATION= .00 NUM= 1
 NO EXPERIMENT MEAN= .45 DEVIATION= .00 NUM= 1
 NO EXPERIMENT MEAN= 23.30 DEVIATION= .00 NUM= 1
 NO EXPERIMENT MEAN= 175.60 DEVIATION= .00 NUM= 1

DAY NUMBER 5
 CADMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -2.95 DEG= 0 EMEAN= 3.10 EDEV= .00 CMEAN= .15 CDEV= .00
 CHROMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 8.10 DEG= 0 EMEAN= 1.70 EDEV= .00 CMEAN= 1.70 CDEV= .00
 COPPER T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -23.55 DEG= 0 EMEAN= 58.40 EDEV= .00 CMEAN= 50.30 CDEV= .00
 NICKLE T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -10.60 DEG= 0 EMEAN= 24.00 EDEV= .00 CMEAN= .45 CDEV= .00
 LEAD T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -11.60 DEG= 0 EMEAN= 18.10 EDEV= .00 CMEAN= 28.70 CDEV= .00
 ZINC T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -11.60 DEG= 0 EMEAN= 157.00 EDEV= .00 CMEAN= 168.60 CDEV= .00

DAY NUMBER 25
 EMEAN-CMEAN
 CADMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -5.70 DEG= 0 EMEAN= .15 EDEV= .00 CMEAN= .15 CDEV= .00
 CHROMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 6.40 DEG= 0 EMEAN= 1.70 EDEV= .00 CMEAN= 7.40 CDEV= .00
 COPPER T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -70.60 DEG= 0 EMEAN= 56.00 EDEV= .00 CMEAN= 49.60 CDEV= .00
 NICKLE T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -20.20 DEG= 0 EMEAN= .45 EDEV= .00 CMEAN= .45 CDEV= .00
 LEAD T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -70.60 DEG= 0 EMEAN= 34.20 EDEV= .00 CMEAN= 34.40 CDEV= .00
 ZINC T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 26.70 DEG= 0 EMEAN= 118.50 EDEV= .00 CMEAN= 189.10 CDEV= .00

DAY NUMBER 50
 CADMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= .90 DEG= 0 EMEAN= 4.10 EDEV= .00 CMEAN= 3.20 CDEV= .00
 CHROMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 3.90 DEG= 0 EMEAN= 5.60 EDEV= .00 CMEAN= 1.70 CDEV= .00
 COPPER T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 5.10 DEG= 0 EMEAN= 53.80 EDEV= .00 CMEAN= 50.70 CDEV= .00
 NICKLE T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -10.50 DEG= 0 EMEAN= 16.40 EDEV= .00 CMEAN= 17.50 CDEV= .00
 LEAD T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 26.70 DEG= 0 EMEAN= 6.20 EDEV= .00 CMEAN= 16.70 CDEV= .00
 ZINC T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 82.30 DEVIATION= .00 NUM= 1

DAY NUMBER 125
 NO EXPERIMENT MEAN= 3.00 DEVIATION= .00 NUM= 1
 NO EXPERIMENT MEAN= 41.60 DEVIATION= .00 NUM= 1
 NO EXPERIMENT MEAN= 21.40 DEVIATION= .00 NUM= 1
 NO EXPERIMENT MEAN= 9.90 DEVIATION= .00 NUM= 1
 NO EXPERIMENT MEAN= 3.60 DEVIATION= .00 NUM= 1
 NO EXPERIMENT MEAN= 82.30 DEVIATION= .00 NUM= 1

EXPERIMENT 10=1									
DOYSTER	INTERVAL								
DAY NUMBER	T=	MEAN	DEV	EDEV	MEAN	DEV	EDEV	MEAN	DEV
Cadmium									
.11	NOT SIGNIFICANT	MEAN-CMEAN =	.15	DEV =	2 EMEAN =	2 EMEAN =	2 EMEAN =	2 EMEAN =	2 EMEAN =
.37	NOT SIGNIFICANT	MEAN-CMEAN =	-1.55	DEV =	2 EMEAN =	2 EMEAN =	2 EMEAN =	2 EMEAN =	2 EMEAN =
.30	NOT SIGNIFICANT	MEAN-CMEAN =	204.55	DEV =	2 EMEAN =	2 EMEAN =	2 EMEAN =	2 EMEAN =	2 EMEAN =
1.30	NOT SIGNIFICANT	MEAN-CMEAN =	2.15	DEV =	2 EMEAN =	2 EMEAN =	2 EMEAN =	2 EMEAN =	2 EMEAN =
.45	NOT SIGNIFICANT	MEAN-CMEAN =	1.15	DEV =	2 EMEAN =	2 EMEAN =	2 EMEAN =	2 EMEAN =	2 EMEAN =
.19	NOT SIGNIFICANT	MEAN-CMEAN =	416.05	DEV =	2 EMEAN =	2 EMEAN =	2 EMEAN =	2 EMEAN =	2 EMEAN =
.74	NOT SIGNIFICANT	MEAN-CMEAN =	-1.10	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =
Zinc									
.00	NOT SIGNIFICANT	MEAN-CMEAN =	-2.50	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =
.00	NOT SIGNIFICANT	MEAN-CMEAN =	99.30	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =
.00	NOT SIGNIFICANT	MEAN-CMEAN =	2.00	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =
.00	NOT SIGNIFICANT	MEAN-CMEAN =	-1.20	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =
.00	NOT SIGNIFICANT	MEAN-CMEAN =	140.20	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =
.00	NOT SIGNIFICANT	MEAN-CMEAN =	1.20	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =
Cadmium									
.00	NOT SIGNIFICANT	MEAN-CMEAN =	2.20	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =
.00	NOT SIGNIFICANT	MEAN-CMEAN =	-202.70	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =
.00	NOT SIGNIFICANT	MEAN-CMEAN =	6.10	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =
.00	NOT SIGNIFICANT	MEAN-CMEAN =	30.50	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =
.00	NOT SIGNIFICANT	MEAN-CMEAN =	-622.40	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =
Cadmium									
.00	NOT SIGNIFICANT	MEAN-CMEAN =	3.00	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =
.00	NOT SIGNIFICANT	MEAN-CMEAN =	.10	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =
.00	NOT SIGNIFICANT	MEAN-CMEAN =	257.60	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =
.00	NOT SIGNIFICANT	MEAN-CMEAN =	23.40	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =
.00	NOT SIGNIFICANT	MEAN-CMEAN =	27.80	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =
.00	NOT SIGNIFICANT	MEAN-CMEAN =	-8.40	DEV =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =	0 EMEAN =

EXPERIMENT 8L=1

GYSTER	SMELL	DAY NUMBER	SIGNIFICANT	E MEAN - C MEAN	DEG	E MEAN	E DEV	C MEAN	C DEV
CADMIUM	T=	31.00	NOT SIGNIFICANT	E MEAN - C MEAN =	1.55	2	5.00	.00	5.45
CHROMIUM	T=	.14	NOT SIGNIFICANT	E MEAN - C MEAN =	.05	2	4.40	.00	4.95
COPPER	T=	7.00	SIGNIFICANT	E MEAN - C MEAN =	-1.75	2	34.90	.00	36.65
NICKLE	T=	1.86	NOT SIGNIFICANT	E MEAN - C MEAN =	1.95	2	42.30	.42	40.45
LEAD	T=	11.14	SIGNIFICANT	E MEAN - C MEAN =	-6.30	2	13.60	.57	19.90
ZINC	T=								
CADMIUM	T=	.63	NOT SIGNIFICANT	E MEAN - C MEAN =	-.10	2	4.35	.07	4.45
CHROMIUM	T=	3.64	NOT SIGNIFICANT	E MEAN - C MEAN =	.75	2	4.45	.07	4.45
COPPER	T=	.95	NOT SIGNIFICANT	E MEAN - C MEAN =	-.95	2	36.95	.07	37.90
NICKLE	T=	.45	NOT SIGNIFICANT	E MEAN - C MEAN =	-.35	2	12.05	.49	13.00
LEAD	T=	1.57	NOT SIGNIFICANT	E MEAN - C MEAN =	1.60	2	15.40	1.41	15.90
ZINC	T=								
CADMIUM	T=	.91	NOT SIGNIFICANT	E MEAN - C MEAN =	.65	4	4.90	.94	4.25
CHROMIUM	T=	.25	NOT SIGNIFICANT	E MEAN - C MEAN =	.15	4	4.40	.78	4.25
COPPER	T=	.00	NOT SIGNIFICANT	E MEAN - C MEAN =	-.30	4	4.45	.00	4.45
NICKLE	T=	.05	NOT SIGNIFICANT	E MEAN - C MEAN =	-.05	2	36.90	1.41	36.95
LEAD	T=	7.82	SIGNIFICANT	E MEAN - C MEAN =	93.30	4	46.45	5.08	13.15
ZINC	T=	6.09	SIGNIFICANT	E MEAN - C MEAN =	-3.55	4	9.65	.76	12.20
CADMIUM	T=	.67	NOT SIGNIFICANT	E MEAN - C MEAN =	9.75	1	9.70	.00	5.95
CHROMIUM	T=	8.22	NOT SIGNIFICANT	E MEAN - C MEAN =	128.20	1	170.70	12.73	42.50
COPPER	T=	1.05	NOT SIGNIFICANT	E MEAN - C MEAN =	350.05	2	420.55	514.00	40.50
NICKLE	T=	7.70	SIGNIFICANT	E MEAN - C MEAN =	163.35	2	204.85	.50	41.50
LEAD	T=	1.28	NOT SIGNIFICANT	E MEAN - C MEAN =	35.60	2	41.45	39.39	5.85
ZINC	T=	7.41	SIGNIFICANT	E MEAN - C MEAN =	24.90	2	102.45	4.60	77.55

EXPERIMENT 1001

FOULING ORGANISMS

DAY NUMBER	50	100	150	200	250	300	350	400	450	500	550	600	650	700	750	800	850	900	950	1000
CADMIUM	T=	.00	NOT SIGNIFICANT	E=	1.90	D=	0	E=	1.70	D=	0	E=	3.50	D=	0	E=	79.20	D=	0	E=
CHROMIUM	T=	.00	NOT SIGNIFICANT	E=	129.90	D=	0	E=	209.10	D=	0	E=	55.60	D=	0	E=	105.00	D=	0	E=
COPPER	T=	.00	NOT SIGNIFICANT	E=	27.30	D=	0	E=	82.90	D=	0	E=	105.00	D=	0	E=	5.90	D=	0	E=
NICKLE	T=	.00	NOT SIGNIFICANT	E=	201.10	D=	0	E=	306.70	D=	0	E=	105.00	D=	0	E=	5.90	D=	0	E=
LEAD	T=	.00	NOT SIGNIFICANT	E=	7.70	D=	0	E=	13.60	D=	0	E=	82.50	D=	0	E=	5.90	D=	0	E=
ZINC	T=	.00	NOT SIGNIFICANT	E=	27.10	D=	0	E=	109.60	D=	0	E=	82.50	D=	0	E=	5.90	D=	0	E=
CADMIUM	T=	15.01	SIGNIFICANT	E=	2.60	D=	1	E=	4.30	D=	1	E=	1.70	D=	1	E=	46.80	D=	1	E=
CHROMIUM	T=	.82	NOT SIGNIFICANT	E=	4.10	D=	1	E=	42.70	D=	1	E=	46.80	D=	1	E=	37.00	D=	1	E=
COPPER	T=	19.23	SIGNIFICANT	E=	33.30	D=	1	E=	70.30	D=	1	E=	37.00	D=	1	E=	71.60	D=	1	E=
NICKLE	T=	1152.41	SIGNIFICANT	E=	-2.00	D=	1	E=	69.60	D=	1	E=	71.60	D=	1	E=	17.30	D=	1	E=
LEAD	T=	29.73	SIGNIFICANT	E=	10.30	D=	1	E=	27.60	D=	1	E=	17.30	D=	1	E=	63.65	D=	1	E=
ZINC	T=	22.96	SIGNIFICANT	E=	161.05	D=	1	E=	224.70	D=	1	E=	63.65	D=	1	E=	5.73	D=	1	E=

SERVICE ELEMENT F0=1

DAY NUMBER	NO EXPERIMENT	MEAN	DEVIATION	NUM
CADMIUM	NO EXPERIMENT	MEAN= 108.8	DEVIATION= 6.7	NUM= 5
CADMIUM	NO EXPERIMENT	MEAN= 2120.6	DEVIATION= 115.0	NUM= 5
COPPER	NO EXPERIMENT	MEAN= 2559.8	DEVIATION= 124.0	NUM= 5
NICKLE	NO EXPERIMENT	MEAN= 318.9	DEVIATION= 11.3	NUM= 5
LEAD	NO EXPERIMENT	MEAN= 60.0	DEVIATION= 54.8	NUM= 5
ZINC	NO EXPERIMENT	MEAN= 2925.5	DEVIATION= 388.4	NUM= 5
DAY NUMBER 125				
CADMIUM	NO EXPERIMENT	MEAN= 36.4	DEVIATION= 1.2	NUM= 2
CHEMNUM	NO EXPERIMENT	MEAN= 840.6	DEVIATION= 54.4	NUM= 2
COPPER	NO EXPERIMENT	MEAN= 825.4	DEVIATION= 43.4	NUM= 2
NICKLE	NO EXPERIMENT	MEAN= 113.5	DEVIATION= 1.6	NUM= 2
LEAD	NO EXPERIMENT	MEAN= 55.1	DEVIATION= 45.4	NUM= 2
ZINC	NO EXPERIMENT	MEAN= 964.8	DEVIATION= 13.2	NUM= 2

THALASSA LEAF EXPERIMENT NO=1

DAY NUMBER	MEAN	DEVIATION	NUM	EDEV	CDEV	MEAN	EDEV	CDEV	NUM
CADMIUM	1.65	1.30	3	3.00	1.05	1.05	3.00	1.05	3
CHROMIUM	1.70	1.50	3	27.65	3.01	3.01	27.65	3.01	3
COPPER	14.03	1.53	3	21.27	0.85	0.85	21.27	0.85	3
NICKLE	9.65	7.48	3	50.15	7.28	7.28	50.15	7.28	3
LEAD	11.50	2.04	3	32.02	2.50	2.50	32.02	2.50	3
ZINC	36.63	9.32	3	50.30	3.74	3.74	50.30	3.74	3
DAY NUMBER 1									
CADMIUM	NOT SIGNIFICANT	MEAN-CMEAN = -2.22	DEG = 6	EMEAN =	EMEAN =	1.05	EMEAN =	1.05	6
CHROMIUM	3.11	2.16	6	25.72	2.57	2.57	25.72	2.57	6
COPPER	10.76	6.47	6	22.82	2.05	2.05	22.82	2.05	6
NICKLE	2.99	11.67	6	44.25	1.72	1.72	44.25	1.72	6
LEAD	12.16	17.15	6	31.07	0.78	0.78	31.07	0.78	6
ZINC	4.65	10.32	6	45.97	1.40	1.40	45.97	1.40	6
DAY NUMBER 5									
CADMIUM	NOT SIGNIFICANT	MEAN-CMEAN = 0.42	DEG = 5	EMEAN =	EMEAN =	1.16	EMEAN =	1.16	5
CHROMIUM	2.51	-7.46	5	25.72	2.57	2.57	25.72	2.57	5
COPPER	4.95	7.62	5	22.82	2.05	2.05	22.82	2.05	5
NICKLE	1.82	-2.35	5	44.25	1.72	1.72	44.25	1.72	5
LEAD	3.86	10.61	5	31.07	0.78	0.78	31.07	0.78	5
ZINC	7.79	10.27	5	45.97	1.40	1.40	45.97	1.40	5
DAY NUMBER 25									
CADMIUM	NOT SIGNIFICANT	MEAN-CMEAN = -2.24	DEG = 6	EMEAN =	EMEAN =	4.42	EMEAN =	4.42	6
CHROMIUM	4.55	33.15	6	65.60	3.11	3.11	65.60	3.11	6
COPPER	3.2	12.85	3	27.05	4.71	4.71	27.05	4.71	3
NICKLE	2.19	15.60	4	47.50	9.50	9.50	47.50	9.50	4
LEAD	6.87	13.00	5	35.60	3.72	3.72	35.60	3.72	5
ZINC	3.31	-4.45	5	28.70	1.47	1.47	28.70	1.47	5
DAY NUMBER 50									
CADMIUM	NOT SIGNIFICANT	MEAN-CMEAN = -5.43	DEG = 4	EMEAN =	EMEAN =	1.14	EMEAN =	1.14	4
CHROMIUM	15.48	56.75	4	94.60	5.66	5.66	94.60	5.66	4
COPPER	7.01	37.23	4	59.73	8.75	8.75	59.73	8.75	4
NICKLE	4.29	27.90	4	70.70	10.15	10.15	70.70	10.15	4
LEAD	22.24	77.08	3	95.33	4.58	4.58	95.33	4.58	3
ZINC	9.24	25.90	2	54.70	2.26	2.26	54.70	2.26	2

THALASSI... EXP. NO. 1

DAY NUMBER	EXPERIMENT	MEAN	DEVIATION	DEG	MEAN	EDEV	CMEAN	CDEV
1	CADMIUM	1.00	0.15	1.00	1.15	0.21	1.99	1.67
2	CHROMIUM	1.27	0.00	1.27	26.15	1.77	21.15	5.04
3	COPPER	0.00	4.45	0.00	15.85	0.21	12.37	0.69
4	NICKLE	0.00	0.45	0.00	43.50	3.68	29.57	1.20
5	LEAD	0.00	15.50	0.00	28.05	0.35	20.77	0.87
6	ZINC	2.55	25.40	2.55	34.15	1.63	31.95	2.71
7	CADMIUM	-1.16	0.00	-1.16	1.64	1.29	3.00	0.32
8	CHROMIUM	3.00	0.00	3.00	32.65	0.12	29.83	1.00
9	COPPER	-0.67	0.00	-0.67	14.10	1.51	14.77	1.29
10	NICKLE	3.78	0.00	3.78	46.45	5.30	42.67	2.55
11	LEAD	9.45	0.00	9.45	27.30	3.34	17.85	2.90
12	ZINC	-2.22	0.00	-2.22	34.62	3.06	36.55	2.04
13	CADMIUM	-1.16	0.00	-1.16	1.67	0.64	1.85	0.86
14	CHROMIUM	12.62	0.00	12.62	40.02	5.20	27.40	6.00
15	COPPER	5.02	0.00	5.02	19.12	3.74	19.30	1.65
16	NICKLE	11.72	0.00	11.72	45.95	3.45	34.23	3.07
17	LEAD	-1.13	0.00	-1.13	22.10	1.97	22.22	3.30
18	ZINC	5.97	0.00	5.97	34.37	6.19	28.40	1.50
19	CADMIUM	0.10	0.00	0.10	2.40	0.58	2.30	0.14
20	CHROMIUM	25.67	0.00	25.67	54.32	9.68	28.65	1.06
21	COPPER	16.97	0.00	16.97	30.92	3.49	13.95	3.32
22	NICKLE	16.03	0.00	16.03	50.37	4.81	34.35	0.76
23	LEAD	32.25	0.00	32.25	44.45	5.14	12.20	0.14
24	ZINC	9.30	0.00	9.30	37.15	7.15	27.85	2.76

URCHIL INTERVAL EXPERIMENT NO=1

CADMIUM	T=	0.14	NOT SIGNIFICANT	E MEAN-C MEAN =	0.21	DEG=	4	E MEAN =	1.96	C MEAN =	2.05	C DEV =	1.64
CHROMIUM	T=	7.54	SIGNIFICANT	E MEAN-C MEAN =	-12.40	DEG=	4	E MEAN =	1.76	C MEAN =	15.60	C DEV =	2.26
COPPER	T=	3.56	SIGNIFICANT	E MEAN-C MEAN =	-6.04	DEG=	4	E MEAN =	2.22	C MEAN =	11.60	C DEV =	0.71
NICKLE	T=	10.58	SIGNIFICANT	E MEAN-C MEAN =	-19.97	DEG=	4	E MEAN =	2.48	C MEAN =	36.40	C DEV =	0.71
LEAD	T=	3.06	SIGNIFICANT	E MEAN-C MEAN =	-4.33	DEG=	4	E MEAN =	1.00	C MEAN =	17.95	C DEV =	2.76
ZINC	T=	0.49	NOT SIGNIFICANT	E MEAN-C MEAN =	-1.75	DEG=	4	E MEAN =	4.81	C MEAN =	46.15	C DEV =	0.07
DAY NUMBER 1													
CADMIUM	T=	1.00	NOT SIGNIFICANT	E MEAN-C MEAN =	-1.77	DEG=	2	E MEAN =	0.00	C MEAN =	1.92	C DEV =	2.54
CHROMIUM	T=	0.16	NOT SIGNIFICANT	E MEAN-C MEAN =	0.10	DEG=	2	E MEAN =	0.64	C MEAN =	5.75	C DEV =	0.64
COPPER	T=	1.80	NOT SIGNIFICANT	E MEAN-C MEAN =	4.62	DEG=	2	E MEAN =	0.07	C MEAN =	7.02	C DEV =	3.64
NICKLE	T=	2.03	NOT SIGNIFICANT	E MEAN-C MEAN =	-3.75	DEG=	2	E MEAN =	0.00	C MEAN =	25.15	C DEV =	2.62
LEAD	T=	0.97	NOT SIGNIFICANT	E MEAN-C MEAN =	-1.80	DEG=	2	E MEAN =	2.33	C MEAN =	19.55	C DEV =	1.20
ZINC	T=	8.64	SIGNIFICANT	E MEAN-C MEAN =	16.50	DEG=	2	E MEAN =	2.69	C MEAN =	44.70	C DEV =	0.28
DAY NUMBER 5													
CADMIUM	T=	2.04	NOT SIGNIFICANT	E MEAN-C MEAN =	-2.37	DEG=	4	E MEAN =	1.51	C MEAN =	3.45	C DEV =	1.35
CHROMIUM	T=	2.79	SIGNIFICANT	E MEAN-C MEAN =	1.33	DEG=	4	E MEAN =	1.41	C MEAN =	11.07	C DEV =	0.31
COPPER	T=	1.64	NOT SIGNIFICANT	E MEAN-C MEAN =	4.74	DEG=	4	E MEAN =	2.83	C MEAN =	9.16	C DEV =	3.50
NICKLE	T=	4.75	SIGNIFICANT	E MEAN-C MEAN =	13.10	DEG=	4	E MEAN =	0.07	C MEAN =	26.65	C DEV =	3.68
LEAD	T=	6.13	SIGNIFICANT	E MEAN-C MEAN =	10.60	DEG=	4	E MEAN =	1.13	C MEAN =	17.60	C DEV =	2.21
ZINC	T=	12.65	SIGNIFICANT	E MEAN-C MEAN =	36.27	DEG=	4	E MEAN =	3.39	C MEAN =	35.72	C DEV =	3.29
DAY NUMBER 25													
CADMIUM	T=	0.19	NOT SIGNIFICANT	E MEAN-C MEAN =	-0.20	DEG=	6	E MEAN =	1.50	C MEAN =	4.57	C DEV =	1.42
CHROMIUM	T=	4.73	SIGNIFICANT	E MEAN-C MEAN =	13.25	DEG=	6	E MEAN =	5.02	C MEAN =	11.72	C DEV =	2.35
COPPER	T=	3.34	SIGNIFICANT	E MEAN-C MEAN =	8.27	DEG=	6	E MEAN =	2.76	C MEAN =	13.72	C DEV =	4.02
NICKLE	T=	6.16	SIGNIFICANT	E MEAN-C MEAN =	16.85	DEG=	5	E MEAN =	4.59	C MEAN =	22.70	C DEV =	0.70
LEAD	T=	18.72	SIGNIFICANT	E MEAN-C MEAN =	21.90	DEG=	6	E MEAN =	1.51	C MEAN =	16.70	C DEV =	1.94
ZINC	T=	12.75	SIGNIFICANT	E MEAN-C MEAN =	43.50	DEG=	6	E MEAN =	3.51	C MEAN =	47.40	C DEV =	5.85
DAY NUMBER 50													
CADMIUM	T=	3.43	SIGNIFICANT	E MEAN-C MEAN =	-1.72	DEG=	4	E MEAN =	0.14	C MEAN =	4.02	C DEV =	0.67
CHROMIUM	T=	1.82	NOT SIGNIFICANT	E MEAN-C MEAN =	4.30	DEG=	4	E MEAN =	0.14	C MEAN =	31.70	C DEV =	3.53
COPPER	T=	6.42	SIGNIFICANT	E MEAN-C MEAN =	7.53	DEG=	4	E MEAN =	1.46	C MEAN =	16.42	C DEV =	1.31
NICKLE	T=	2.73	NOT SIGNIFICANT	E MEAN-C MEAN =	8.10	DEG=	4	E MEAN =	2.90	C MEAN =	47.75	C DEV =	3.50
LEAD	T=	10.95	SIGNIFICANT	E MEAN-C MEAN =	11.00	DEG=	4	E MEAN =	2.26	C MEAN =	20.10	C DEV =	0.29
ZINC	T=	7.51	SIGNIFICANT	E MEAN-C MEAN =	17.4	DEG=	2	E MEAN =	2.90	C MEAN =	77.35	C DEV =	0.071
DAY NUMBER 125													
CADMIUM	T=	1.28	NOT SIGNIFICANT	E MEAN-C MEAN =	-1.03	DEG=	8	E MEAN =	1.07	C MEAN =	4.85	C DEV =	1.51
CHROMIUM	T=	11.99	SIGNIFICANT	E MEAN-C MEAN =	12.57	DEG=	8	E MEAN =	1.92	C MEAN =	7.75	C DEV =	0.95
COPPER	T=	7.59	SIGNIFICANT	E MEAN-C MEAN =	15.61	DEG=	8	E MEAN =	3.63	C MEAN =	5.59	C DEV =	2.23
NICKLE	T=	2.51	SIGNIFICANT	E MEAN-C MEAN =	5.16	DEG=	8	E MEAN =	3.86	C MEAN =	17.67	C DEV =	1.46
LEAD	T=	19.06	SIGNIFICANT	E MEAN-C MEAN =	29.92	DEG=	8	E MEAN =	3.04	C MEAN =	20.35	C DEV =	0.57
ZINC	T=	7.24	SIGNIFICANT	E MEAN-C MEAN =	69.26	DEG=	8	E MEAN =	14.83	C MEAN =	111.47	C DEV =	14.31

EXPERIMENT 1081

ICP ELEMENT	DAY NUMBER	SOLIDS	NOT SIGNIFICANT	E MEAN - C MEAN	U MEAN	E DEV	C MEAN	C DEV
CADMIUM	T = 32942.04	.00	NOT SIGNIFICANT	59.70	0	126.70	.00	5.70
COPPER	T = 32942.04	.00	NOT SIGNIFICANT	46.30	0	15.70	.00	260.80
LEAD	T = 32942.04	.00	NOT SIGNIFICANT	15.30	0	201.80	.00	59.70
ZINC	T = 32942.04	.00	NOT SIGNIFICANT	15.70	0	126.70	.00	248.10
CADMIUM	T = 32942.04	.00	NOT SIGNIFICANT	15.30	0	201.80	.00	15.30
COPPER	T = 32942.04	.00	NOT SIGNIFICANT	46.30	0	15.70	.00	67.00
LEAD	T = 32942.04	.00	NOT SIGNIFICANT	15.30	0	201.80	.00	.00
ZINC	T = 32942.04	.00	NOT SIGNIFICANT	15.70	0	126.70	.00	.00
CADMIUM	T = 32942.04	.00	NOT SIGNIFICANT	15.30	0	201.80	.00	93.90
COPPER	T = 32942.04	.00	NOT SIGNIFICANT	46.30	0	15.70	.00	24.60
LEAD	T = 32942.04	.00	NOT SIGNIFICANT	15.30	0	201.80	.00	72.97
ZINC	T = 32942.04	.00	NOT SIGNIFICANT	15.70	0	126.70	.00	.00

INTERNAL EXPERIMENT NO=2

CLAY NUMBER	DAY NUMBER	INTERNAL	EXPERIMENT NO	MEAN	STDEV	COEFF	SE	TEST	RESULT
CADMIUM	1	1.26	NOT SIGNIFICANT	1.35	0.56	0.41	0.08	T=	1.17
CHROMIUM	1	1.26	NOT SIGNIFICANT	1.70	0.30	0.24	0.05	T=	1.70
COPPER	1	10.50	SIGNIFICANT	20.15	0.76	0.23	0.03	T=	27.47
NICKLE	1	1.44	NOT SIGNIFICANT	5.00	0.20	0.16	0.02	T=	6.10
LEAD	1	0.63	NOT SIGNIFICANT	4.27	0.64	0.52	0.10	T=	4.00
ZINC	1	14.29	SIGNIFICANT	150.50	2.60	0.21	0.02	T=	107.63
CADMIUM	2	1.26	NOT SIGNIFICANT	1.35	0.25	0.19	0.04	T=	1.70
CHROMIUM	2	0.11	NOT SIGNIFICANT	3.47	1.59	1.53	0.31	T=	5.33
COPPER	2	2.50	NOT SIGNIFICANT	23.07	4.45	4.43	0.91	T=	18.17
NICKLE	2	1.80	NOT SIGNIFICANT	5.20	0.53	0.43	0.10	T=	4.43
LEAD	2	0.69	NOT SIGNIFICANT	6.57	0.78	0.63	0.15	T=	5.23
ZINC	2	1.74	NOT SIGNIFICANT	119.47	12.23	12.23	2.71	T=	89.70
CADMIUM	3	2.14	NOT SIGNIFICANT	1.65	0.21	0.15	0.03	T=	1.57
CHROMIUM	3	4.00	SIGNIFICANT	4.00	0.35	0.28	0.06	T=	4.80
COPPER	3	7.48	SIGNIFICANT	20.20	1.25	1.23	0.28	T=	15.23
NICKLE	3	3.64	SIGNIFICANT	5.90	0.20	0.15	0.03	T=	6.87
LEAD	3	0.25	NOT SIGNIFICANT	5.25	0.40	0.33	0.08	T=	5.13
ZINC	3	0.44	NOT SIGNIFICANT	90.00	9.35	9.35	2.01	T=	95.90
CADMIUM	4	4.24	SIGNIFICANT	1.57	0.06	0.11	0.02	T=	1.77
CHROMIUM	4	1.32	NOT SIGNIFICANT	4.17	0.06	0.30	0.07	T=	5.90
COPPER	4	7.52	SIGNIFICANT	20.03	0.75	1.27	0.31	T=	15.27
NICKLE	4	1.73	NOT SIGNIFICANT	5.90	0.10	0.70	0.14	T=	3.50
LEAD	4	1.91	NOT SIGNIFICANT	5.23	1.50	1.47	0.33	T=	2.97
ZINC	4	5.41	SIGNIFICANT	100.67	11.03	11.03	2.51	T=	61.43
CADMIUM	5	5.50	SIGNIFICANT	1.40	0.10	0.20	0.04	T=	1.03
CHROMIUM	5	2.16	NOT SIGNIFICANT	7.15	0.08	0.10	0.02	T=	6.10
COPPER	5	3.62	SIGNIFICANT	22.20	1.11	0.90	0.23	T=	25.00
NICKLE	5	0.08	NOT SIGNIFICANT	6.37	0.21	0.10	0.02	T=	5.00
LEAD	5	0.67	NOT SIGNIFICANT	5.37	0.55	0.53	0.12	T=	5.93
ZINC	5	0.67	NOT SIGNIFICANT	106.20	4.23	4.23	0.97	T=	105.27
CADMIUM	6	11.02	SIGNIFICANT	2.40	0.10	0.20	0.04	T=	1.90
CHROMIUM	6	1.25	NOT SIGNIFICANT	4.00	0.52	0.70	0.18	T=	2.73
COPPER	6	15.23	SIGNIFICANT	27.43	1.40	1.70	0.41	T=	11.73
NICKLE	6	0.59	NOT SIGNIFICANT	5.07	0.59	0.60	0.14	T=	5.60
LEAD	6	1.80	NOT SIGNIFICANT	4.10	0.10	0.93	0.23	T=	3.93
ZINC	6	7.15	SIGNIFICANT	90.77	6.12	6.12	1.37	T=	132.17

CLASS MODEL EXPLORE TEST MODEL

COBALTUM	NO EXPERIMENT MEAN=	3.67	DEVIATION=	.55	NOE=	3
COBALTUM	NO EXPERIMENT MEAN=	7.17	DEVIATION=	1.27	NOE=	3
COPPER	NO EXPERIMENT MEAN=	4.45	DEVIATION=	1.60	NOE=	3
NICKEL	NO EXPERIMENT MEAN=	13.93	DEVIATION=	1.55	NOE=	3
LEAD	NO EXPERIMENT MEAN=	35.97	DEVIATION=	1.46	NOE=	3
ZINC	NO EXPERIMENT MEAN=	11.96	DEVIATION=	.87	NOE=	3
DAY NUMBER 1						
COBALTUM	TE	.75	NOT SIGNIFICANT	EMEAN-CMEAN=	6.40	COEVE=
COBALTUM	TE	.53	NOT SIGNIFICANT	EMEAN-CMEAN=	6.97	COEVE=
COPPER	TE	1.30	NOT SIGNIFICANT	EMEAN-CMEAN=	4.45	COEVE=
NICKEL	TE	.82	NOT SIGNIFICANT	EMEAN-CMEAN=	13.13	COEVE=
LEAD	TE	.54	NOT SIGNIFICANT	EMEAN-CMEAN=	34.23	COEVE=
ZINC	TE	1.84	NOT SIGNIFICANT	EMEAN-CMEAN=	11.13	COEVE=
DAY NUMBER 2						
COBALTUM	TE	1.00	NOT SIGNIFICANT	EMEAN-CMEAN=	7.00	COEVE=
COBALTUM	TE	.73	NOT SIGNIFICANT	EMEAN-CMEAN=	8.53	COEVE=
COPPER	TE	1.00	NOT SIGNIFICANT	EMEAN-CMEAN=	5.97	COEVE=
NICKEL	TE	.90	NOT SIGNIFICANT	EMEAN-CMEAN=	12.17	COEVE=
LEAD	TE	.57	NOT SIGNIFICANT	EMEAN-CMEAN=	35.13	COEVE=
ZINC	TE	1.84	NOT SIGNIFICANT	EMEAN-CMEAN=	11.63	COEVE=
DAY NUMBER 25						
COBALTUM	TE	.30	NOT SIGNIFICANT	EMEAN-CMEAN=	2.97	COEVE=
COBALTUM	TE	.40	NOT SIGNIFICANT	EMEAN-CMEAN=	5.50	COEVE=
COPPER	TE	.48	NOT SIGNIFICANT	EMEAN-CMEAN=	1.97	COEVE=
NICKEL	TE	.82	NOT SIGNIFICANT	EMEAN-CMEAN=	13.77	COEVE=
LEAD	TE	2.63	NOT SIGNIFICANT	EMEAN-CMEAN=	34.77	COEVE=
ZINC	TE	2.63	NOT SIGNIFICANT	EMEAN-CMEAN=	11.93	COEVE=
DAY NUMBER 50						
COBALTUM	TE	.72	NOT SIGNIFICANT	EMEAN-CMEAN=	2.67	COEVE=
COBALTUM	TE	.26	NOT SIGNIFICANT	EMEAN-CMEAN=	7.27	COEVE=
COPPER	TE	.14	NOT SIGNIFICANT	EMEAN-CMEAN=	4.45	COEVE=
NICKEL	TE	2.53	NOT SIGNIFICANT	EMEAN-CMEAN=	7.43	COEVE=
LEAD	TE	1.24	NOT SIGNIFICANT	EMEAN-CMEAN=	45.97	COEVE=
ZINC	TE	1.24	NOT SIGNIFICANT	EMEAN-CMEAN=	3.03	COEVE=
DAY NUMBER 75						
COBALTUM	TE	.72	NOT SIGNIFICANT	EMEAN-CMEAN=	2.67	COEVE=
COBALTUM	TE	.26	NOT SIGNIFICANT	EMEAN-CMEAN=	7.27	COEVE=
COPPER	TE	.14	NOT SIGNIFICANT	EMEAN-CMEAN=	4.45	COEVE=
NICKEL	TE	2.53	NOT SIGNIFICANT	EMEAN-CMEAN=	7.43	COEVE=
LEAD	TE	1.24	NOT SIGNIFICANT	EMEAN-CMEAN=	45.97	COEVE=
ZINC	TE	1.24	NOT SIGNIFICANT	EMEAN-CMEAN=	3.03	COEVE=
DAY NUMBER 100						
COBALTUM	TE	.72	NOT SIGNIFICANT	EMEAN-CMEAN=	2.67	COEVE=
COBALTUM	TE	.26	NOT SIGNIFICANT	EMEAN-CMEAN=	7.27	COEVE=
COPPER	TE	.14	NOT SIGNIFICANT	EMEAN-CMEAN=	4.45	COEVE=
NICKEL	TE	2.53	NOT SIGNIFICANT	EMEAN-CMEAN=	7.43	COEVE=
LEAD	TE	1.24	NOT SIGNIFICANT	EMEAN-CMEAN=	45.97	COEVE=
ZINC	TE	1.24	NOT SIGNIFICANT	EMEAN-CMEAN=	3.03	COEVE=
DAY NUMBER 125						
COBALTUM	TE	.72	NOT SIGNIFICANT	EMEAN-CMEAN=	2.67	COEVE=
COBALTUM	TE	.26	NOT SIGNIFICANT	EMEAN-CMEAN=	7.27	COEVE=
COPPER	TE	.14	NOT SIGNIFICANT	EMEAN-CMEAN=	4.45	COEVE=
NICKEL	TE	2.53	NOT SIGNIFICANT	EMEAN-CMEAN=	7.43	COEVE=
LEAD	TE	1.24	NOT SIGNIFICANT	EMEAN-CMEAN=	45.97	COEVE=
ZINC	TE	1.24	NOT SIGNIFICANT	EMEAN-CMEAN=	3.03	COEVE=
DAY NUMBER 150						
COBALTUM	TE	.72	NOT SIGNIFICANT	EMEAN-CMEAN=	2.67	COEVE=
COBALTUM	TE	.26	NOT SIGNIFICANT	EMEAN-CMEAN=	7.27	COEVE=
COPPER	TE	.14	NOT SIGNIFICANT	EMEAN-CMEAN=	4.45	COEVE=
NICKEL	TE	2.53	NOT SIGNIFICANT	EMEAN-CMEAN=	7.43	COEVE=
LEAD	TE	1.24	NOT SIGNIFICANT	EMEAN-CMEAN=	45.97	COEVE=
ZINC	TE	1.24	NOT SIGNIFICANT	EMEAN-CMEAN=	3.03	COEVE=
DAY NUMBER 175						
COBALTUM	TE	.72	NOT SIGNIFICANT	EMEAN-CMEAN=	2.67	COEVE=
COBALTUM	TE	.26	NOT SIGNIFICANT	EMEAN-CMEAN=	7.27	COEVE=
COPPER	TE	.14	NOT SIGNIFICANT	EMEAN-CMEAN=	4.45	COEVE=
NICKEL	TE	2.53	NOT SIGNIFICANT	EMEAN-CMEAN=	7.43	COEVE=
LEAD	TE	1.24	NOT SIGNIFICANT	EMEAN-CMEAN=	45.97	COEVE=
ZINC	TE	1.24	NOT SIGNIFICANT	EMEAN-CMEAN=	3.03	COEVE=
DAY NUMBER 200						
COBALTUM	TE	.72	NOT SIGNIFICANT	EMEAN-CMEAN=	2.67	COEVE=
COBALTUM	TE	.26	NOT SIGNIFICANT	EMEAN-CMEAN=	7.27	COEVE=
COPPER	TE	.14	NOT SIGNIFICANT	EMEAN-CMEAN=	4.45	COEVE=
NICKEL	TE	2.53	NOT SIGNIFICANT	EMEAN-CMEAN=	7.43	COEVE=
LEAD	TE	1.24	NOT SIGNIFICANT	EMEAN-CMEAN=	45.97	COEVE=
ZINC	TE	1.24	NOT SIGNIFICANT	EMEAN-CMEAN=	3.03	COEVE=

FULLY FACTORIAL EXPERIMENT 10=2

DAY NUMBER	EXPERIMENT	MEAN	DEVIATION	NUM	DEG	MEAN	COEV
1	1.51	NOT SIGNIFICANT	E-MEAN-C-MEAN =	4	.17	1.63	1.47
			E-MEAN-C-MEAN =			1.70	1.70
			E-MEAN-C-MEAN =			4.45	4.45
			E-MEAN-C-MEAN =			6.17	5.70
			E-MEAN-C-MEAN =			11.43	8.60
			E-MEAN-C-MEAN =			4.80	4.33
5	2.02	NOT SIGNIFICANT	E-MEAN-C-MEAN =	4	.00	1.26	1.47
			E-MEAN-C-MEAN =			3.13	4.73
			E-MEAN-C-MEAN =			4.45	4.45
			E-MEAN-C-MEAN =			6.00	7.27
			E-MEAN-C-MEAN =			11.23	11.67
			E-MEAN-C-MEAN =			4.53	4.10
25	5.79	NOT SIGNIFICANT	E-MEAN-C-MEAN =	4	.21	5.63	5.47
			E-MEAN-C-MEAN =			5.10	6.73
			E-MEAN-C-MEAN =			6.20	4.45
			E-MEAN-C-MEAN =			3.67	5.07
			E-MEAN-C-MEAN =			21.47	4.40
			E-MEAN-C-MEAN =			9.10	7.80
50	1.11	NOT SIGNIFICANT	E-MEAN-C-MEAN =	4	.02	9.95	8.90
			E-MEAN-C-MEAN =			4.65	3.63
			E-MEAN-C-MEAN =			4.45	4.45
			E-MEAN-C-MEAN =			5.65	5.97
			E-MEAN-C-MEAN =			9.95	17.90
			E-MEAN-C-MEAN =			8.05	6.50
85	1.00	NOT SIGNIFICANT	E-MEAN-C-MEAN =	4	.06	7.75	7.00
			E-MEAN-C-MEAN =			5.37	5.53
			E-MEAN-C-MEAN =			4.45	4.45
			E-MEAN-C-MEAN =			6.17	6.60
			E-MEAN-C-MEAN =			13.57	13.47
			E-MEAN-C-MEAN =			6.70	6.57
125	14.41	NOT SIGNIFICANT	E-MEAN-C-MEAN =	4	.00	8.60	8.60
			E-MEAN-C-MEAN =			6.97	1.76
			E-MEAN-C-MEAN =			4.45	4.45
			E-MEAN-C-MEAN =			11.27	6.07
			E-MEAN-C-MEAN =			7.20	5.37
			E-MEAN-C-MEAN =			19.33	9.90

INTERPOL EXPERIMENT NO=?

HELFTHSE DAY NUMBER

NO EXPERIMENT MEAN= 3.13 DEVIATION= .15 NUM= 3
 NO EXPERIMENT MEAN= 14.33 DEVIATION= .70 NUM= 3
 NO EXPERIMENT MEAN= 4.45 DEVIATION= .05 NUM= 3
 NO EXPERIMENT MEAN= 19.97 DEVIATION= .55 NUM= 3
 NO EXPERIMENT MEAN= 26.77 DEVIATION= 3.50 NUM= 3
 NO EXPERIMENT MEAN= 26.97 DEVIATION= .93 NUM= 3

CADMIUM T= 2.46 SIGNIFICANT EMEAN-CMEAN= -.20 DEG= 4 EMEAN= 1.50 EDEV= .00 CMEAN= 1.70 CDEV= .10
 CHROMIUM T= 20.88 SIGNIFICANT EMEAN-CMEAN= -13.60 DEG= 4 EMEAN= 7.20 EDEV= .20 CMEAN= 21.00 CDEV= 1.13
 COPPER T= 2.00 NOT SIGNIFICANT EMEAN-CMEAN= -3.10 DEG= 4 EMEAN= 4.45 EDEV= .00 CMEAN= 7.55 CDEV= 2.67
 NICKLE T= 36.55 SIGNIFICANT EMEAN-CMEAN= 19.30 DEG= 4 EMEAN= 25.77 EDEV= .06 CMEAN= 9.40 CDEV= .17
 LEAD T= .28 NOT SIGNIFICANT EMEAN-CMEAN= -.07 DEG= 4 EMEAN= 9.33 EDEV= .08 CMEAN= 6.40 CDEV= .17
 ZINC T= 4.64 SIGNIFICANT EMEAN-CMEAN= -7.47 DEG= 4 EMEAN= 39.50 EDEV= .35 CMEAN= 46.97 CDEV= 2.75

CADMIUM T= .49 NOT SIGNIFICANT EMEAN-CMEAN= .07 DEG= 4 EMEAN= 1.53 EDEV= .12 CMEAN= 1.47 CDEV= .21
 CHROMIUM T= 5.43 SIGNIFICANT EMEAN-CMEAN= -7.80 DEG= 4 EMEAN= 36.37 EDEV= 2.43 CMEAN= 46.17 CDEV= .51
 COPPER T= 7.61 SIGNIFICANT EMEAN-CMEAN= -2.60 DEG= 4 EMEAN= 14.00 EDEV= .53 CMEAN= 16.60 CDEV= .29
 NICKLE T= 16.07 SIGNIFICANT EMEAN-CMEAN= 37.67 DEG= 4 EMEAN= 75.33 EDEV= 3.44 CMEAN= 37.47 CDEV= 2.14
 LEAD T= 1.76 NOT SIGNIFICANT EMEAN-CMEAN= 2.13 DEG= 4 EMEAN= 15.93 EDEV= 1.14 CMEAN= 13.50 CDEV= 1.75
 ZINC T= 2.68 NOT SIGNIFICANT EMEAN-CMEAN= 10.63 DEG= 4 EMEAN= 57.87 EDEV= 7.32 CMEAN= 47.23 CDEV= 1.51

CADMIUM T= 1.55 NOT SIGNIFICANT EMEAN-CMEAN= -.07 DEG= 3 EMEAN= .90 EDEV= .00 CMEAN= .97 CDEV= .05
 CHROMIUM T= 9.33 SIGNIFICANT EMEAN-CMEAN= 10.87 DEG= 3 EMEAN= 45.00 EDEV= .42 CMEAN= 34.13 CDEV= 1.53
 COPPER T= 14.97 SIGNIFICANT EMEAN-CMEAN= 4.60 DEG= 3 EMEAN= 14.70 EDEV= .28 CMEAN= 15.10 CDEV= .01
 NICKLE T= .92 NOT SIGNIFICANT EMEAN-CMEAN= 1.68 DEG= 3 EMEAN= 33.05 EDEV= 1.06 CMEAN= 31.37 CDEV= 2.34
 LEAD T= 2.68 NOT SIGNIFICANT EMEAN-CMEAN= 14.92 DEG= 3 EMEAN= 24.40 EDEV= 1.13 CMEAN= 9.48 CDEV= 4.34
 ZINC T= 3.54 SIGNIFICANT EMEAN-CMEAN= 5.46 DEG= 3 EMEAN= 47.35 EDEV= .21 CMEAN= 41.67 CDEV= 2.07

CADMIUM T= 1.00 NOT SIGNIFICANT EMEAN-CMEAN= .07 DEG= 4 EMEAN= .90 EDEV= .10 CMEAN= .65 CDEV= .05
 CHROMIUM T= 17.59 SIGNIFICANT EMEAN-CMEAN= 41.23 DEG= 4 EMEAN= 85.50 EDEV= 3.72 CMEAN= 44.27 CDEV= 1.52
 COPPER T= 3.92 SIGNIFICANT EMEAN-CMEAN= 5.37 DEG= 4 EMEAN= 20.27 EDEV= 2.26 CMEAN= 14.90 CDEV= .64
 NICKLE T= 8.38 SIGNIFICANT EMEAN-CMEAN= 41.33 DEG= 4 EMEAN= 69.35 EDEV= 0.21 CMEAN= 27.50 CDEV= .57
 LEAD T= 3.59 SIGNIFICANT EMEAN-CMEAN= 3.37 DEG= 4 EMEAN= 10.97 EDEV= 1.25 CMEAN= 7.60 CDEV= 1.04
 ZINC T= 5.47 SIGNIFICANT EMEAN-CMEAN= 9.70 DEG= 4 EMEAN= 38.47 EDEV= 2.92 CMEAN= 28.77 CDEV= .91

CADMIUM T= 6.66 SIGNIFICANT EMEAN-CMEAN= .50 DEG= 4 EMEAN= 1.40 EDEV= .00 CMEAN= .90 CDEV= .10
 CHROMIUM T= 7.56 SIGNIFICANT EMEAN-CMEAN= 14.60 DEG= 4 EMEAN= 92.30 EDEV= 2.36 CMEAN= 77.70 CDEV= 1.73
 COPPER T= 34.66 SIGNIFICANT EMEAN-CMEAN= 10.33 DEG= 4 EMEAN= 23.77 EDEV= .15 CMEAN= 13.43 CDEV= .67
 NICKLE T= 5.00 SIGNIFICANT EMEAN-CMEAN= 4.50 DEG= 4 EMEAN= 40.23 EDEV= .45 CMEAN= 35.73 CDEV= .61
 LEAD T= 29.62 SIGNIFICANT EMEAN-CMEAN= 31.73 DEG= 4 EMEAN= 48.20 EDEV= 1.75 CMEAN= 16.47 CDEV= .51
 ZINC T= 5.66 SIGNIFICANT EMEAN-CMEAN= 22.90 DEG= 4 EMEAN= 64.67 EDEV= 2.79 CMEAN= 41.77 CDEV= 3.01

CADMIUM T= 4.00 SIGNIFICANT EMEAN-CMEAN= -.27 DEG= 4 EMEAN= .50 EDEV= .00 CMEAN= 1.07 CDEV= .10
 CHROMIUM T= 9.41 SIGNIFICANT EMEAN-CMEAN= 20.53 DEG= 4 EMEAN= 51.17 EDEV= 1.01 CMEAN= 30.33 CDEV= 3.50
 COPPER T= 5.36 SIGNIFICANT EMEAN-CMEAN= 9.13 DEG= 4 EMEAN= 13.00 EDEV= .53 CMEAN= 9.87 CDEV= .60
 NICKLE T= 22.32 SIGNIFICANT EMEAN-CMEAN= 15.50 DEG= 4 EMEAN= 35.63 EDEV= .76 CMEAN= 20.13 CDEV= .93
 LEAD T= 10.79 SIGNIFICANT EMEAN-CMEAN= 7.10 DEG= 4 EMEAN= 14.20 EDEV= 1.13 CMEAN= 7.10 CDEV= .17
 ZINC T= 8.42 SIGNIFICANT EMEAN-CMEAN= 10.50 DEG= 4 EMEAN= 50.40 EDEV= .96 CMEAN= 39.90 CDEV= 1.93

EXPERIMENT 102

MANUSCRIPT	EXPERIMENT	NO	MEAN	DEVIATION	DEG	NO	MEAN	DEVIATION	DEG
CADMIUM	NO EXPERIMENT	MEAN =	.25	DEVIATION =	1.09	NO =	3		
CHROMIUM	NO EXPERIMENT	MEAN =	6.07	DEVIATION =	.06	NO =	3		
COPPER	NO EXPERIMENT	MEAN =	4.45	DEVIATION =	.00	NO =	3		
NICKLE	NO EXPERIMENT	MEAN =	9.70	DEVIATION =	.50	NO =	3		
LEAD	NO EXPERIMENT	MEAN =	.67	DEVIATION =	1.07	NO =	3		
ZINC	NO EXPERIMENT	MEAN =	2.37	DEVIATION =	.84	NO =	3		
CADMIUM	DAY NUMBER	5			1.05	DEG =			
CHROMIUM	T =	2.54	NOT SIGNIFICANT	E MEAN - C MEAN =	1.60	DEG =			
COPPER	T =	.53	NOT SIGNIFICANT	E MEAN - C MEAN =					
NICKLE	T =	3.87	SIGNIFICANT	E MEAN - C MEAN =	2.73	DEG =			
LEAD	T =	1.14	NOT SIGNIFICANT	E MEAN - C MEAN =	-3.67	DEG =			
ZINC	T =	1.82	NOT SIGNIFICANT	E MEAN - C MEAN =	-1.53	DEG =			
CADMIUM	DAY NUMBER	50							
CHROMIUM	T =	3.78	SIGNIFICANT	E MEAN - C MEAN =	.33	DEG =			
COPPER	T =	1.12	NOT SIGNIFICANT	E MEAN - C MEAN =	-.17	DEG =			
NICKLE	T =	.24	NOT SIGNIFICANT	E MEAN - C MEAN =	.30	DEG =			
LEAD	T =	1.39	NOT SIGNIFICANT	E MEAN - C MEAN =	-.08	DEG =			
ZINC	T =	2.98	SIGNIFICANT	E MEAN - C MEAN =	.47	DEG =			
CADMIUM	DAY NUMBER	125							
CHROMIUM	T =	2.06	SIGNIFICANT	E MEAN - C MEAN =	-1.27	DEG =			
COPPER	T =	2.39	NOT SIGNIFICANT	E MEAN - C MEAN =	-1.17	DEG =			
NICKLE	T =								
LEAD	T =								
ZINC	T =								

DAY NUMBER	MEAN	DEVIATION	DEG	NO	MEAN	DEVIATION	DEG	NO	MEAN	DEVIATION	DEG	NO
1.23	4.67	.75		4	6.27	.45		4	.40			4
4.45	6.40	.68		4	9.13	.52		4	.15			4
6.18	5.50	.23		4	4.07	.15		4	.25			4
15.00	4.50	.15		4	4.83	.45		4	.15			4
4.45	3.63	.15		4	3.47	.25		4	.25			4
2.97	2.97	1.62		4	3.27	.25		4	.25			4
.53	6.50	.25		4	7.07	.45		4	.25			4
4.45	5.40	.29		4	4.13	.25		4	.25			4
.25	4.30	.80		4	3.63	.25		4	.25			4

HANGROVE STEA EXPERIMENT NO=2

DAY NUMBER	EXPERIMENT MEAN	STDEV	DEVIATION	NUM
CADMIUM	1.20	1.70	1.10	3
CHROMIUM	1.30	1.70	0.00	3
COPPER	4.45	4.45	0.00	3
PICKLE	5.25	6.10	0.32	3
LEAD	12.83	6.95	3.04	3
ZINC	2.55	8.30	0.15	3
DAY NUMBER 5				
CADMIUM	1.20	1.70	1.10	3
CHROMIUM	1.30	1.70	0.00	3
COPPER	4.45	4.45	0.00	3
PICKLE	5.25	6.10	0.32	3
LEAD	12.83	6.95	3.04	3
ZINC	2.55	8.30	0.15	3
DAY NUMBER 50				
CADMIUM	1.20	1.70	1.10	3
CHROMIUM	1.30	1.70	0.00	3
COPPER	4.45	4.45	0.00	3
PICKLE	5.25	6.10	0.32	3
LEAD	12.83	6.95	3.04	3
ZINC	2.55	8.30	0.15	3
DAY NUMBER 125				
CADMIUM	1.20	1.70	1.10	3
CHROMIUM	1.30	1.70	0.00	3
COPPER	4.45	4.45	0.00	3
PICKLE	5.25	6.10	0.32	3
LEAD	12.83	6.95	3.04	3
ZINC	2.55	8.30	0.15	3

EXPERIMENT NO=2

MANGROVE LEAF

DAY NUMBER	NO EXPERIMENT	MEAN	DEVIATION	NO EXPERIMENT	MEAN	DEVIATION	NO EXPERIMENT	MEAN	DEVIATION	NO EXPERIMENT	MEAN	DEVIATION	NO EXPERIMENT	MEAN	DEVIATION	NO EXPERIMENT	MEAN	DEVIATION
CADMIUM	3	1.05	0.37	3	1.05	0.37	3	1.05	0.37	3	1.05	0.37	3	1.05	0.37	3	1.05	0.37
CHROMIUM	3	1.70	1.70	3	1.70	1.70	3	1.70	1.70	3	1.70	1.70	3	1.70	1.70	3	1.70	1.70
COPPER	3	4.45	4.45	3	4.45	4.45	3	4.45	4.45	3	4.45	4.45	3	4.45	4.45	3	4.45	4.45
NICKLE	3	5.07	5.07	3	5.07	5.07	3	5.07	5.07	3	5.07	5.07	3	5.07	5.07	3	5.07	5.07
LEAD	3	2.37	2.37	3	2.37	2.37	3	2.37	2.37	3	2.37	2.37	3	2.37	2.37	3	2.37	2.37
ZINC	3	15.80	15.80	3	15.80	15.80	3	15.80	15.80	3	15.80	15.80	3	15.80	15.80	3	15.80	15.80
CADMIUM	5	1.35	0.37	5	1.35	0.37	5	1.35	0.37	5	1.35	0.37	5	1.35	0.37	5	1.35	0.37
CHROMIUM	5	4.84	8.45	5	4.84	8.45	5	4.84	8.45	5	4.84	8.45	5	4.84	8.45	5	4.84	8.45
COPPER	5	6.53	7.36	5	6.53	7.36	5	6.53	7.36	5	6.53	7.36	5	6.53	7.36	5	6.53	7.36
NICKLE	5	5.58	6.60	5	5.58	6.60	5	5.58	6.60	5	5.58	6.60	5	5.58	6.60	5	5.58	6.60
LEAD	5	3.30	5.22	5	3.30	5.22	5	3.30	5.22	5	3.30	5.22	5	3.30	5.22	5	3.30	5.22
ZINC	5	1.95	2.10	5	1.95	2.10	5	1.95	2.10	5	1.95	2.10	5	1.95	2.10	5	1.95	2.10
CADMIUM	50	1.15	0.80	50	1.15	0.80	50	1.15	0.80	50	1.15	0.80	50	1.15	0.80	50	1.15	0.80
CHROMIUM	50	1.70	0.30	50	1.70	0.30	50	1.70	0.30	50	1.70	0.30	50	1.70	0.30	50	1.70	0.30
COPPER	50	9.27	0.40	50	9.27	0.40	50	9.27	0.40	50	9.27	0.40	50	9.27	0.40	50	9.27	0.40
NICKLE	50	2.67	0.60	50	2.67	0.60	50	2.67	0.60	50	2.67	0.60	50	2.67	0.60	50	2.67	0.60
LEAD	50	2.25	0.60	50	2.25	0.60	50	2.25	0.60	50	2.25	0.60	50	2.25	0.60	50	2.25	0.60
ZINC	50	11.07	3.55	50	11.07	3.55	50	11.07	3.55	50	11.07	3.55	50	11.07	3.55	50	11.07	3.55
CADMIUM	125	1.57	0.56	125	1.57	0.56	125	1.57	0.56	125	1.57	0.56	125	1.57	0.56	125	1.57	0.56
CHROMIUM	125	1.70	0.60	125	1.70	0.60	125	1.70	0.60	125	1.70	0.60	125	1.70	0.60	125	1.70	0.60
COPPER	125	6.00	2.66	125	6.00	2.66	125	6.00	2.66	125	6.00	2.66	125	6.00	2.66	125	6.00	2.66
NICKLE	125	2.43	0.60	125	2.43	0.60	125	2.43	0.60	125	2.43	0.60	125	2.43	0.60	125	2.43	0.60
LEAD	125	1.50	2.17	125	1.50	2.17	125	1.50	2.17	125	1.50	2.17	125	1.50	2.17	125	1.50	2.17
ZINC	125	7.57	0.25	125	7.57	0.25	125	7.57	0.25	125	7.57	0.25	125	7.57	0.25	125	7.57	0.25

EXPLOIMENT NO=2

ROOT

DAY NUMBER

DAY NUMBER	ROOT	EXPLOIMENT NO=2	MEAN	STDEV	DEVIATION	MEAN	STDEV	DEVIATION	MEAN	STDEV	DEVIATION
10.84	10.84	10.84	10.84	10.84	10.84	10.84	10.84	10.84	10.84	10.84	10.84
1.53	1.53	1.53	1.53	1.53	1.53	1.53	1.53	1.53	1.53	1.53	1.53
1.41	1.41	1.41	1.41	1.41	1.41	1.41	1.41	1.41	1.41	1.41	1.41
18.59	18.59	18.59	18.59	18.59	18.59	18.59	18.59	18.59	18.59	18.59	18.59
2.12	2.12	2.12	2.12	2.12	2.12	2.12	2.12	2.12	2.12	2.12	2.12
14.76	14.76	14.76	14.76	14.76	14.76	14.76	14.76	14.76	14.76	14.76	14.76
10.13	10.13	10.13	10.13	10.13	10.13	10.13	10.13	10.13	10.13	10.13	10.13
15.63	15.63	15.63	15.63	15.63	15.63	15.63	15.63	15.63	15.63	15.63	15.63
11.23	11.23	11.23	11.23	11.23	11.23	11.23	11.23	11.23	11.23	11.23	11.23
0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93	0.93
5.76	5.76	5.76	5.76	5.76	5.76	5.76	5.76	5.76	5.76	5.76	5.76
0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87
60.30	60.30	60.30	60.30	60.30	60.30	60.30	60.30	60.30	60.30	60.30	60.30
2.35	2.35	2.35	2.35	2.35	2.35	2.35	2.35	2.35	2.35	2.35	2.35
4.49	4.49	4.49	4.49	4.49	4.49	4.49	4.49	4.49	4.49	4.49	4.49
1.72	1.72	1.72	1.72	1.72	1.72	1.72	1.72	1.72	1.72	1.72	1.72

INTERNAL EXPERIMENT NO. 2

HERIATA
 DAY NUMBER 9
 NO EXPERIMENT MEAN= 5.80 DEVIATION= .62 NUM= 3
 NO EXPERIMENT MEAN= 9.23 DEVIATION= .15 NUM= 3
 CHROMIUM NO EXPERIMENT MEAN= 45.57 DEVIATION= -- 6.04 NUM= 3
 COPPER-- NO EXPERIMENT MEAN= 11.20 DEVIATION= .80 NUM= 3
 NICKLE NO EXPERIMENT MEAN= 15.90 DEVIATION= .36 NUM= 3
 LEAD NO EXPERIMENT MEAN= 147.97 DEVIATION= 30.26 NUM= 3
 ZINC

DAY NUMBER 1
 T= .00 NOT SIGNIFICANT EMEAN-CMEAN= --.20 DEG= 0 EMEAN= 0 EDEV= 0 CMEAN= .00 CDEV= 1.60
 CADMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 1.70 DEG= 0 EMEAN= 0 EDEV= 1.70 CMEAN= .00 CDEV= 1.70
 CHROMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -1.45 DEG= 0 EMEAN= 0 EDEV= 11.30 CMEAN= .00 CDEV= 9.60
 COPPER T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -1.40 DEG= 0 EMEAN= 0 EDEV= 7.30 CMEAN= .00 CDEV= 6.70
 NICKLE T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -1.40 DEG= 0 EMEAN= 0 EDEV= 7.90 CMEAN= .00 CDEV= 9.30
 LEAD T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -15.90 DEG= 0 EMEAN= 0 EDEV= 112.20 CMEAN= .00 CDEV= 126.10
 ZINC T= .00 NOT SIGNIFICANT EMEAN-CMEAN=

DAY NUMBER 5
 T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 1.85 DEG= 0 EMEAN= 0 EDEV= 1.85 CMEAN= .00 CDEV= 1.85
 CADMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 1.70 DEG= 0 EMEAN= 0 EDEV= 1.70 CMEAN= .00 CDEV= 1.70
 CHROMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 53.60 DEG= 0 EMEAN= 0 EDEV= 53.60 CMEAN= .00 CDEV= 61.50
 COPPER T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 2.50 DEG= 0 EMEAN= 0 EDEV= 9.00 CMEAN= .00 CDEV= 6.50
 NICKLE T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -1.80 DEG= 0 EMEAN= 0 EDEV= 7.00 CMEAN= .00 CDEV= 6.80
 LEAD T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -48.50 DEG= 0 EMEAN= 0 EDEV= 127.50 CMEAN= .00 CDEV= 176.50
 ZINC T= .00 NOT SIGNIFICANT EMEAN-CMEAN=

DAY NUMBER 25
 T= .00 NOT SIGNIFICANT EMEAN-CMEAN= .20 DEG= 0 EMEAN= 0 EDEV= 1.90 CMEAN= .00 CDEV= 1.70
 CADMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -5.70 DEG= 0 EMEAN= 0 EDEV= 1.70 CMEAN= .00 CDEV= 1.70
 CHROMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= .20 DEG= 0 EMEAN= 0 EDEV= 43.50 CMEAN= .00 CDEV= 49.00
 COPPER T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -1.50 DEG= 0 EMEAN= 0 EDEV= 6.00 CMEAN= .00 CDEV= 5.80
 NICKLE T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -44.00 DEG= 0 EMEAN= 0 EDEV= 7.70 CMEAN= .00 CDEV= 6.20
 LEAD T= .00 NOT SIGNIFICANT EMEAN-CMEAN=

DAY NUMBER 50
 T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 2.10 DEG= 0 EMEAN= 0 EDEV= 4.40 CMEAN= .00 CDEV= 2.30
 CADMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -2.20 DEG= 0 EMEAN= 0 EDEV= 5.20 CMEAN= .00 CDEV= 7.40
 CHROMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 3.00 DEG= 0 EMEAN= 0 EDEV= 67.80 CMEAN= .00 CDEV= 64.80
 COPPER T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 1.90 DEG= 0 EMEAN= 0 EDEV= 15.70 CMEAN= .00 CDEV= 13.80
 NICKLE T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 7.70 DEG= 0 EMEAN= 0 EDEV= 13.30 CMEAN= .00 CDEV= 10.60
 LEAD T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 86.40 DEG= 0 EMEAN= 0 EDEV= 193.80 CMEAN= .00 CDEV= 107.40
 ZINC T= .00 NOT SIGNIFICANT EMEAN-CMEAN=

DAY NUMBER 65
 T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 1.10 DEG= 0 EMEAN= 0 EDEV= 2.60 CMEAN= .00 CDEV= 1.50
 CADMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -5.20 DEG= 0 EMEAN= 0 EDEV= 4.80 CMEAN= .00 CDEV= 10.00
 CHROMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 25.50 DEG= 0 EMEAN= 0 EDEV= 100.90 CMEAN= .00 CDEV= 74.90
 COPPER T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -4.10 DEG= 0 EMEAN= 0 EDEV= 7.60 CMEAN= .00 CDEV= 11.96
 NICKLE T= .00 NOT SIGNIFICANT EMEAN-CMEAN= .20 DEG= 0 EMEAN= 0 EDEV= 8.70 CMEAN= .00 CDEV= 8.50
 LEAD T= .00 NOT SIGNIFICANT EMEAN-CMEAN= -22.20 DEG= 0 EMEAN= 0 EDEV= 120.60 CMEAN= .00 CDEV= 142.00
 ZINC T= .00 NOT SIGNIFICANT EMEAN-CMEAN=

DAY NUMBER 125
 T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 3.80 DEVIATION= .00 NUM= 1
 CADMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 6.30 DEVIATION= .00 NUM= 1
 CHROMIUM T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 57.70 DEVIATION= .00 NUM= 1
 COPPER T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 10.30 DEVIATION= .00 NUM= 1
 NICKLE T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 11.60 DEVIATION= .00 NUM= 1
 LEAD T= .00 NOT SIGNIFICANT EMEAN-CMEAN= 123.20 DEVIATION= .00 NUM= 1
 ZINC

HERITA SHELL EXPERIMENT NO=2

DAY NUMBER	EXPERIMENT MEAN	EXPERIMENT DEVIATION	EXPERIMENT NUM
1	5.77	0.45	3
2	7.67	0.90	3
3	4.45	0.00	3
4	12.10	0.75	3
5	36.00	0.35	3
6	4.97	0.15	3
7	3.00	0.00	3
8	7.95	0.65	3
9	4.45	0.65	3
10	11.73	0.29	3
11	35.89	1.77	3
12	5.77	1.59	3
13	3.87	0.12	3
14	6.37	0.76	3
15	4.45	0.76	3
16	12.73	0.99	3
17	34.55	0.92	3
18	4.45	0.59	3
19	5.17	0.59	3
20	7.63	0.25	3
21	4.45	0.25	3
22	11.53	0.58	3
23	32.63	1.47	3
24	4.35	0.31	3
25	5.15	0.15	3
26	8.20	0.46	3
27	10.23	0.36	3
28	14.30	0.58	3
29	48.70	0.50	3
30	4.47	0.32	3
31	2.23	0.35	3
32	9.20	0.36	3
33	9.27	0.15	3
34	13.57	0.15	3
35	50.50	0.46	3
36	5.30	0.36	3
37	2.43	0.06	3
38	9.63	0.12	3
39	4.45	0.00	3
40	12.67	0.50	3
41	42.63	3.19	3
42	4.80	0.36	3

CYSTER INTERVAL EXPERIMENT NO=2

DAY NUMBER 1

NO EXPERIMENT MEAN= 1.77 DEVIATION= .50 NUM= 3
 NO EXPERIMENT MEAN= 10.40 DEVIATION= .53 NUM= 3
 NO EXPERIMENT MEAN= 86.00 DEVIATION= 3.00 NUM= 3
 NO EXPERIMENT MEAN= 19.23 DEVIATION= 1.53 NUM= 3
 NO EXPERIMENT MEAN= 7.23 DEVIATION= 3.14 NUM= 3
 NO EXPERIMENT MEAN= 657.57 DEVIATION= 145.94 NUM= 3

DAY NUMBER 5

NO EXPERIMENT MEAN= 2.10 DEG= 2.65 DEG= .95 DEG= 2.65 DEG= 4.90 EDEV= .17 CMEAN= 2.60 CDEV= .26
 NO EXPERIMENT MEAN= 10.40 DEVIATION= .53 NUM= 3
 NO EXPERIMENT MEAN= 86.00 DEVIATION= 3.00 NUM= 3
 NO EXPERIMENT MEAN= 19.23 DEVIATION= 1.53 NUM= 3
 NO EXPERIMENT MEAN= 7.23 DEVIATION= 3.14 NUM= 3
 NO EXPERIMENT MEAN= 657.57 DEVIATION= 145.94 NUM= 3

DAY NUMBER 25

NO EXPERIMENT MEAN= 1.93 DEG= 5.93 DEG= 177.20 DEG= 8.47 DEG= 6.50 DEG= 172.17 DEG= 4.60 CDEV= .26
 NO EXPERIMENT MEAN= 10.40 DEVIATION= .53 NUM= 3
 NO EXPERIMENT MEAN= 86.00 DEVIATION= 3.00 NUM= 3
 NO EXPERIMENT MEAN= 19.23 DEVIATION= 1.53 NUM= 3
 NO EXPERIMENT MEAN= 7.23 DEVIATION= 3.14 NUM= 3
 NO EXPERIMENT MEAN= 657.57 DEVIATION= 145.94 NUM= 3

DAY NUMBER 50

NO EXPERIMENT MEAN= 1.25 DEG= 13.00 DEG= 90.05 DEG= 9.45 DEG= 5.55 DEG= 132.90 DEG= 2.55 CDEV= .71
 NO EXPERIMENT MEAN= 10.40 DEVIATION= .53 NUM= 3
 NO EXPERIMENT MEAN= 86.00 DEVIATION= 3.00 NUM= 3
 NO EXPERIMENT MEAN= 19.23 DEVIATION= 1.53 NUM= 3
 NO EXPERIMENT MEAN= 7.23 DEVIATION= 3.14 NUM= 3
 NO EXPERIMENT MEAN= 657.57 DEVIATION= 145.94 NUM= 3

DAY NUMBER 85

NO EXPERIMENT MEAN= 4.60 DEG= 11.40 DEG= 421.50 DEG= 14.00 DEG= 16.70 DEG= 1651.70 DEG= 2.60 CDEV= .67
 NO EXPERIMENT MEAN= 10.40 DEVIATION= .53 NUM= 3
 NO EXPERIMENT MEAN= 86.00 DEVIATION= 3.00 NUM= 3
 NO EXPERIMENT MEAN= 19.23 DEVIATION= 1.53 NUM= 3
 NO EXPERIMENT MEAN= 7.23 DEVIATION= 3.14 NUM= 3
 NO EXPERIMENT MEAN= 657.57 DEVIATION= 145.94 NUM= 3

DAY NUMBER 125

NO EXPERIMENT MEAN= .95 DEG= 11.15 DEG= 91.90 DEG= 8.50 DEG= 9.25 DEG= 637.10 DEG= 2.50 CDEV= .60
 NO EXPERIMENT MEAN= 10.40 DEVIATION= .53 NUM= 3
 NO EXPERIMENT MEAN= 86.00 DEVIATION= 3.00 NUM= 3
 NO EXPERIMENT MEAN= 19.23 DEVIATION= 1.53 NUM= 3
 NO EXPERIMENT MEAN= 7.23 DEVIATION= 3.14 NUM= 3
 NO EXPERIMENT MEAN= 657.57 DEVIATION= 145.94 NUM= 3

DAY NUMBER 165

NO EXPERIMENT MEAN= 3.45 DEG= 28.35 DEG= 336.40 DEG= 25.40 DEG= 14.95 DEG= 1028.60 DEG= 2.50 CDEV= .60
 NO EXPERIMENT MEAN= 10.40 DEVIATION= .53 NUM= 3
 NO EXPERIMENT MEAN= 86.00 DEVIATION= 3.00 NUM= 3
 NO EXPERIMENT MEAN= 19.23 DEVIATION= 1.53 NUM= 3
 NO EXPERIMENT MEAN= 7.23 DEVIATION= 3.14 NUM= 3
 NO EXPERIMENT MEAN= 657.57 DEVIATION= 145.94 NUM= 3

DAY NUMBER 205

NO EXPERIMENT MEAN= 5.59 DEG= 51.34 DEG= 511.34 DEG= 4.24 DEG= 14.95 DEG= 1028.60 DEG= 2.50 CDEV= .60
 NO EXPERIMENT MEAN= 10.40 DEVIATION= .53 NUM= 3
 NO EXPERIMENT MEAN= 86.00 DEVIATION= 3.00 NUM= 3
 NO EXPERIMENT MEAN= 19.23 DEVIATION= 1.53 NUM= 3
 NO EXPERIMENT MEAN= 7.23 DEVIATION= 3.14 NUM= 3
 NO EXPERIMENT MEAN= 657.57 DEVIATION= 145.94 NUM= 3

DAY NUMBER 245

NO EXPERIMENT MEAN= 95.32 DEG= 951.50 DEG= 391.50 CDEV= .60
 NO EXPERIMENT MEAN= 10.40 DEVIATION= .53 NUM= 3
 NO EXPERIMENT MEAN= 86.00 DEVIATION= 3.00 NUM= 3
 NO EXPERIMENT MEAN= 19.23 DEVIATION= 1.53 NUM= 3
 NO EXPERIMENT MEAN= 7.23 DEVIATION= 3.14 NUM= 3
 NO EXPERIMENT MEAN= 657.57 DEVIATION= 145.94 NUM= 3

EXPERIMENT 10=2

DAY NUMBER	SHELL	EXPERIMENT	10=2
CADMIUM	NO EXPERIMENT MEAN=	3.07	DEVIATION=
CHROMIUM	NO EXPERIMENT MEAN=	7.47	DEVIATION=
COPPER	NO EXPERIMENT MEAN=	4.45	DEVIATION=
NICKLE	NO EXPERIMENT MEAN=	18.27	DEVIATION=
LEAD	NO EXPERIMENT MEAN=	36.17	DEVIATION=
ZINC	NO EXPERIMENT MEAN=	3.60	DEVIATION=
DAY NUMBER 1			
CADMIUM	T=	.29	NOT SIGNIFICANT
CHROMIUM	T=	3.25	NOT SIGNIFICANT
COPPER	T=	1.60	NOT SIGNIFICANT
NICKLE	T=	10.58	NOT SIGNIFICANT
LEAD	T=	.78	NOT SIGNIFICANT
ZINC	T=	6.76	NOT SIGNIFICANT
DAY NUMBER 5			
CADMIUM	T=	.94	NOT SIGNIFICANT
CHROMIUM	T=	.66	NOT SIGNIFICANT
COPPER	T=	1.51	NOT SIGNIFICANT
NICKLE	T=	1.19	NOT SIGNIFICANT
LEAD	T=	.74	NOT SIGNIFICANT
ZINC	T=	2.02	NOT SIGNIFICANT
DAY NUMBER 25			
CADMIUM	T=	3.46	NOT SIGNIFICANT
CHROMIUM	T=	4.07	NOT SIGNIFICANT
COPPER	T=	2.00	NOT SIGNIFICANT
NICKLE	T=	2.22	NOT SIGNIFICANT
LEAD	T=	.39	NOT SIGNIFICANT
ZINC	T=	3.61	NOT SIGNIFICANT
DAY NUMBER 50			
CADMIUM	T=	.25	NOT SIGNIFICANT
CHROMIUM	T=	1.00	NOT SIGNIFICANT
COPPER	T=	.62	NOT SIGNIFICANT
NICKLE	T=	.62	NOT SIGNIFICANT
LEAD	T=	.68	NOT SIGNIFICANT
ZINC	T=	.68	NOT SIGNIFICANT
DAY NUMBER 85			
CADMIUM	T=	1.39	NOT SIGNIFICANT
CHROMIUM	T=	1.34	NOT SIGNIFICANT
COPPER	T=	5.24	NOT SIGNIFICANT
NICKLE	T=	.23	NOT SIGNIFICANT
LEAD	T=	.77	NOT SIGNIFICANT
ZINC	T=	2.61	NOT SIGNIFICANT
DAY NUMBER 125			
CADMIUM	T=	.71	NOT SIGNIFICANT
CHROMIUM	T=	4.11	NOT SIGNIFICANT
COPPER	T=	1.37	NOT SIGNIFICANT
NICKLE	T=	5.72	NOT SIGNIFICANT
LEAD	T=	.30	NOT SIGNIFICANT
ZINC	T=	13.46	NOT SIGNIFICANT

SEWAGE EXPERIMENT NO=2

DAY NUMBER	NO	EXPERIMENT	MEAN	DEVIATION	NUM
DAY NUMBER 0	CADMIUM	NO	165.97	85.45	3
	CHROMIUM	NO	3666.87	358.46	3
	COPPER	NO	-2445.53	266.43	3
	NICKLE	NO	375.60	12.67	3
	LEAD	NO	21.40	3.29	3
	ZINC	NO	2507.60	122.13	3
DAY NUMBER 1	CADMIUM	NO	58.53	8.07	3
	CHROMIUM	NO	1567.57	272.14	3
	COPPER	NO	1374.40	183.97	3
	NICKLE	NO	279.40	36.28	3
	LEAD	NO	21.03	4.87	3
	ZINC	NO	1193.80	154.57	3
DAY NUMBER 5	CADMIUM	NO	58.97	5.15	3
	CHROMIUM	NO	1979.43	198.34	3
	COPPER	NO	1016.17	36.58	3
	NICKLE	NO	324.40	15.70	3
	LEAD	NO	18.17	4.24	3
	ZINC	NO	1261.57	278.52	3
DAY NUMBER 25	CADMIUM	NO	51.57	5.55	3
	CHROMIUM	NO	1845.97	307.45	3
	COPPER	NO	1306.80	304.00	3
	NICKLE	NO	245.43	18.41	3
	LEAD	NO	34.03	14.56	3
	ZINC	NO	1205.63	238.87	3
DAY NUMBER 50	CADMIUM	NO	66.50	8.32	3
	CHROMIUM	NO	1979.07	141.83	3
	COPPER	NO	1449.63	37.69	3
	NICKLE	NO	229.60	12.66	3
	LEAD	NO	57.17	5.46	3
	ZINC	NO	1444.57	74.36	3
DAY NUMBER 65	CADMIUM	NO	31.13	8.56	3
	CHROMIUM	NO	1253.47	32.51	3
	COPPER	NO	884.53	9.31	3
	NICKLE	NO	237.80	17.57	3
	LEAD	NO	77.57	16.23	3
	ZINC	NO	857.17	70.63	3
DAY NUMBER 125	CADMIUM	NO	17.97	1.04	3
	CHROMIUM	NO	658.73	8.11	3
	COPPER	NO	502.50	57.23	3
	NICKLE	NO	139.57	9.31	3
	LEAD	NO	19.90	0.00	3
	ZINC	NO	431.40	22.85	3

EXPERIMENT NO=2

SEDIMENT

DAY NUMBER	SEDIMENT	MEAN=CMEAN	MEAN-CMEAN	DEG	EDEV	MEAN	COEV	COEV
1.46	CHROMIUM	NOT SIGNIFICANT			6.85	1.19	7.17	.60
9.50	COPPER	NOT SIGNIFICANT			4.45	.25	4.45	.31
8.00	NICKLE	NOT SIGNIFICANT			7.27	.25	9.37	.34
.40	LEAD	NOT SIGNIFICANT			6.63	.06	7.73	.23
.40	ZINC	NOT SIGNIFICANT			16.13	.12	16.20	.25
7.16	CHROMIUM	NOT SIGNIFICANT			5.70	.12	5.70	.06
.18	COPPER	NOT SIGNIFICANT			4.43	.26	4.45	.15
1.57	NICKLE	NOT SIGNIFICANT			6.93	.06	6.30	1.65
1.38	LEAD	NOT SIGNIFICANT			15.20	.25	8.67	.15
1.38	ZINC	NOT SIGNIFICANT			15.20	.35	15.93	.85
1.36	CHROMIUM	NOT SIGNIFICANT			5.67	.09	6.73	.13
2.54	COPPER	NOT SIGNIFICANT			4.45	.40	4.45	1.30
1.85	NICKLE	NOT SIGNIFICANT			4.30	.30	5.97	.00
.14	LEAD	NOT SIGNIFICANT			5.25	.25	6.53	1.10
.14	ZINC	NOT SIGNIFICANT			14.00	2.23	13.60	1.19
2.54	CHROMIUM	NOT SIGNIFICANT			6.97	2.23	6.73	1.30
2.56	COPPER	NOT SIGNIFICANT			9.13	.46	9.80	.40
.03	NICKLE	NOT SIGNIFICANT			7.07	.35	8.87	.20
2.05	LEAD	NOT SIGNIFICANT			6.93	.59	6.90	.36
2.05	ZINC	NOT SIGNIFICANT			14.50	.80	15.90	.87
1.00	CHROMIUM	NOT SIGNIFICANT			3.0	.00	4.0	.17
.90	COPPER	NOT SIGNIFICANT			6.97	.42	6.57	.64
1.71	NICKLE	NOT SIGNIFICANT			6.13	2.92	5.93	2.57
1.82	LEAD	NOT SIGNIFICANT			7.97	.64	7.30	.20
3.13	ZINC	NOT SIGNIFICANT			5.53	.45	4.90	.40
.33	CHROMIUM	NOT SIGNIFICANT			16.60	1.78	12.07	1.77
.90	COPPER	NOT SIGNIFICANT			4.20	1.76	4.20	.09
1.71	NICKLE	NOT SIGNIFICANT			4.45	2.40	4.45	1.00
1.30	LEAD	NOT SIGNIFICANT			8.03	.40	5.33	.62
.65	ZINC	NOT SIGNIFICANT			7.20	.46	6.77	.33
1.11	CHROMIUM	NOT SIGNIFICANT			15.13	.25	15.57	.65
2.96	COPPER	NOT SIGNIFICANT			5.7	.25	5.7	.06
5.30	NICKLE	NOT SIGNIFICANT			53.47	1.27	52.00	1.91
4.30	LEAD	NOT SIGNIFICANT			4.45	1.27	4.45	.00
4.30	ZINC	NOT SIGNIFICANT			11.27	.47	10.37	.23
					8.17	.31	7.17	.12
					17.53	.61	15.43	.59

EXPERIMENT NO=2

THALASSIUM LEAF

DAY NUMBER 0
 NO EXPERIMENT MEAN= 1.10 DEVIATION= .10 NUM= 3
 CHROMIUM NO EXPERIMENT MEAN= 16.13 DEVIATION= .57 NUM= 3
 COPPER NO EXPERIMENT MEAN= 4.45 DEVIATION= .00 NUM= 3
 NICKLE NO EXPERIMENT MEAN= 29.40 DEVIATION= 1.30 NUM= 3
 LEAD NO EXPERIMENT MEAN= 10.07 DEVIATION= 1.64 NUM= 3
 ZINC NO EXPERIMENT MEAN= 27.63 DEVIATION= .91 NUM= 3

DAY NUMBER 1
 T= .89 NOT SIGNIFICANT EMEAN-CMEAN= .25 DEG= 3 EMEAN= 1.70 EDEV= .35 CMEAN= 1.45 CDEV= .21
 T= 2.20 NOT SIGNIFICANT EMEAN-CMEAN= 2.32 DEG= 3 EMEAN= 15.47 EDEV= 1.14 CMEAN= 13.15 CDEV= 1.06
 T= 1.49 NOT SIGNIFICANT EMEAN-CMEAN= .72 DEG= 3 EMEAN= 10.87 EDEV= .64 CMEAN= 10.15 CDEV= .07
 T= 7.72 SIGNIFICANT EMEAN-CMEAN= 3.50 DEG= 3 EMEAN= 24.20 EDEV= .35 CMEAN= 20.70 CDEV= .71
 T= 10.42 SIGNIFICANT EMEAN-CMEAN= 5.60 DEG= 3 EMEAN= 12.20 EDEV= .52 CMEAN= 6.60 CDEV= .71
 T= .24 NOT SIGNIFICANT EMEAN-CMEAN= -.37 DEG= 3 EMEAN= 25.85 EDEV= .93 CMEAN= 26.20 CDEV= 2.55

DAY NUMBER 5
 T= .80 NOT SIGNIFICANT EMEAN-CMEAN= .23 DEG= 4 EMEAN= 2.30 EDEV= .46 CMEAN= 2.07 CDEV= .21
 T= 4.40 SIGNIFICANT EMEAN-CMEAN= 14.03 DEG= 4 EMEAN= 53.30 EDEV= 5.24 CMEAN= 39.27 CDEV= 1.75
 T= 8.59 SIGNIFICANT EMEAN-CMEAN= 3.73 DEG= 4 EMEAN= 18.97 EDEV= .72 CMEAN= 15.23 CDEV= .21
 T= 9.65 SIGNIFICANT EMEAN-CMEAN= 14.40 DEG= 4 EMEAN= 56.63 EDEV= 2.31 CMEAN= 42.23 CDEV= 1.15
 T= 4.50 SIGNIFICANT EMEAN-CMEAN= 4.80 DEG= 4 EMEAN= 14.27 EDEV= 1.72 CMEAN= 9.47 CDEV= .67
 T= .35 NOT SIGNIFICANT EMEAN-CMEAN= .80 DEG= 4 EMEAN= 37.33 EDEV= 2.62 CMEAN= 36.53 CDEV= 2.97

DAY NUMBER 25
 T= 4.16 SIGNIFICANT EMEAN-CMEAN= .57 DEG= 3 EMEAN= 4.20 EDEV= .14 CMEAN= 3.63 CDEV= .15
 T= 23.57 SIGNIFICANT EMEAN-CMEAN= -5.37 DEG= 3 EMEAN= 32.00 EDEV= .28 CMEAN= 37.37 CDEV= .29
 T= 6.54 SIGNIFICANT EMEAN-CMEAN= -2.42 DEG= 3 EMEAN= 23.15 EDEV= .64 CMEAN= 22.57 CDEV= .21
 T= 17.56 SIGNIFICANT EMEAN-CMEAN= -12.23 DEG= 3 EMEAN= 29.50 EDEV= 1.27 CMEAN= 41.73 CDEV= .25
 T= 10.73 SIGNIFICANT EMEAN-CMEAN= 7.60 DEG= 3 EMEAN= 7.85 EDEV= 1.34 CMEAN= .25 CDEV= .00
 T= 8.83 SIGNIFICANT EMEAN-CMEAN= -8.67 DEG= 3 EMEAN= 23.20 EDEV= .57 CMEAN= 32.07 CDEV= 1.29

DAY NUMBER 50
 T= 8.19 SIGNIFICANT EMEAN-CMEAN= 3.10 DEG= 4 EMEAN= 5.80 EDEV= .66 CMEAN= 2.70 CDEV= .00
 T= 4.93 SIGNIFICANT EMEAN-CMEAN= -16.40 DEG= 4 EMEAN= 39.53 EDEV= 4.54 CMEAN= 55.93 CDEV= 3.54
 T= 2.59 NOT SIGNIFICANT EMEAN-CMEAN= 5.70 DEG= 4 EMEAN= 30.60 EDEV= 3.80 CMEAN= 24.90 CDEV= .10
 T= 8.67 SIGNIFICANT EMEAN-CMEAN= -17.13 DEG= 4 EMEAN= 27.10 EDEV= 3.42 CMEAN= 44.23 CDEV= .15
 T= 5.27 SIGNIFICANT EMEAN-CMEAN= 3.67 DEG= 4 EMEAN= 13.77 EDEV= .91 CMEAN= 10.10 CDEV= .79
 T= 1.88 NOT SIGNIFICANT EMEAN-CMEAN= 6.70 DEG= 4 EMEAN= 47.07 EDEV= 6.07 CMEAN= 40.37 CDEV= 1.11

DAY NUMBER 65
 T= 8.84 SIGNIFICANT EMEAN-CMEAN= .85 DEG= 4 EMEAN= 3.47 EDEV= .12 CMEAN= 2.63 CDEV= .12
 T= 17.41 SIGNIFICANT EMEAN-CMEAN= 79.87 DEG= 4 EMEAN= 124.87 EDEV= 6.91 CMEAN= 45.00 CDEV= 3.91
 T= 11.36 SIGNIFICANT EMEAN-CMEAN= 5.77 DEG= 4 EMEAN= 29.17 EDEV= .12 CMEAN= 23.40 CDEV= .87
 T= 52.12 SIGNIFICANT EMEAN-CMEAN= 42.30 DEG= 4 EMEAN= 73.67 EDEV= .51 CMEAN= 30.77 CDEV= 1.37
 T= .59 NOT SIGNIFICANT EMEAN-CMEAN= .13 DEG= 4 EMEAN= 6.60 EDEV= .26 CMEAN= 6.47 CDEV= .29
 T= 3.13 SIGNIFICANT EMEAN-CMEAN= 6.87 DEG= 4 EMEAN= 31.80 EDEV= .62 CMEAN= 24.93 CDEV= 3.75

DAY NUMBER 125
 T= 9.37 SIGNIFICANT EMEAN-CMEAN= 2.30 DEG= 2 EMEAN= 3.50 EDEV= .00 CMEAN= 1.20 CDEV= .00
 T= 16.62 SIGNIFICANT EMEAN-CMEAN= 14.53 DEG= 2 EMEAN= 73.20 EDEV= .00 CMEAN= 51.23 CDEV= 2.03
 T= 12.87 SIGNIFICANT EMEAN-CMEAN= 7.57 DEG= 2 EMEAN= 29.60 EDEV= .00 CMEAN= 15.07 CDEV= .76
 T= 3.12 NOT SIGNIFICANT EMEAN-CMEAN= 3.30 DEG= 2 EMEAN= 36.60 EDEV= .00 CMEAN= 29.03 CDEV= .47
 T= 3.12 NOT SIGNIFICANT EMEAN-CMEAN= .25 EDEV= .00 CMEAN= .25 CDEV= .00
 T= 3.12 NOT SIGNIFICANT EMEAN-CMEAN= 15.00 EDEV= .00 CMEAN= 11.70 CDEV= .92

EXPERIMENT NO=2

THALASSI ROOT DAY NUMBER

CADMIUM	NO EXPERIMENT MEAN=	1.20	DEVIATION=	.10	NUM=	3
CHROMIUM	NO EXPERIMENT MEAN=	17.80	DEVIATION=	1.15	NUM=	3
COPPER	NO EXPERIMENT MEAN=	4.45	DEVIATION=	.00	NUM=	5
NICKLE	NO EXPERIMENT MEAN=	26.47	DEVIATION=	.98	NUM=	3
LEAD	NO EXPERIMENT MEAN=	10.13	DEVIATION=	1.53	NUM=	3
ZINC	NO EXPERIMENT MEAN=	34.93	DEVIATION=	.21	NUM=	3
DAY NUMBER 1						
CADMIUM	T=	1.77	NOT SIGNIFICANT	E MEAN-C MEAN=	.17	DEG=
CHROMIUM	T=	1.80	NOT SIGNIFICANT	E MEAN-C MEAN=	2.25	DEG=
COPPER	T=	.44	NOT SIGNIFICANT	E MEAN-C MEAN=	.40	DEG=
NICKLE	T=	2.69	NOT SIGNIFICANT	E MEAN-C MEAN=	4.83	DEG=
LEAD	T=	14.63	SIGNIFICANT	E MEAN-C MEAN=	7.67	DEG=
ZINC	T=	.03	NOT SIGNIFICANT	E MEAN-C MEAN=	-.07	DEG=
DAY NUMBER 5						
CADMIUM	T=	.50	NOT SIGNIFICANT	E MEAN-C MEAN=	.03	DEG=
CHROMIUM	T=	29.57	SIGNIFICANT	E MEAN-C MEAN=	38.17	DEG=
COPPER	T=	15.06	SIGNIFICANT	E MEAN-C MEAN=	11.00	DEG=
NICKLE	T=	24.77	SIGNIFICANT	E MEAN-C MEAN=	42.10	DEG=
LEAD	T=	8.57	SIGNIFICANT	E MEAN-C MEAN=	8.43	DEG=
ZINC	T=	8.69	SIGNIFICANT	E MEAN-C MEAN=	6.23	DEG=
DAY NUMBER 25						
CADMIUM	T=	9.19	SIGNIFICANT	E MEAN-C MEAN=	.43	DEG=
CHROMIUM	T=	1.71	NOT SIGNIFICANT	E MEAN-C MEAN=	-2.27	DEG=
COPPER	T=	2.44	NOT SIGNIFICANT	E MEAN-C MEAN=	-1.03	DEG=
NICKLE	T=	2.76	NOT SIGNIFICANT	E MEAN-C MEAN=	-5.23	DEG=
LEAD	T=	.04	NOT SIGNIFICANT	E MEAN-C MEAN=	-.05	DEG=
ZINC	T=	5.75	SIGNIFICANT	E MEAN-C MEAN=	8.70	DEG=
DAY NUMBER 50						
CADMIUM	T=	1.07	NOT SIGNIFICANT	E MEAN-C MEAN=	.13	DEG=
CHROMIUM	T=	6.71	SIGNIFICANT	E MEAN-C MEAN=	6.77	DEG=
COPPER	T=	9.41	SIGNIFICANT	E MEAN-C MEAN=	1.93	DEG=
NICKLE	T=	1.98	NOT SIGNIFICANT	E MEAN-C MEAN=	-1.13	DEG=
LEAD	T=	7.87	SIGNIFICANT	E MEAN-C MEAN=	6.97	DEG=
ZINC	T=	4.53	SIGNIFICANT	E MEAN-C MEAN=	11.13	DEG=
DAY NUMBER 85						
CADMIUM	T=	3.13	SIGNIFICANT	E MEAN-C MEAN=	-.23	DEG=
CHROMIUM	T=	7.43	SIGNIFICANT	E MEAN-C MEAN=	21.10	DEG=
COPPER	T=	.53	NOT SIGNIFICANT	E MEAN-C MEAN=	-.47	DEG=
NICKLE	T=	1.72	NOT SIGNIFICANT	E MEAN-C MEAN=	-4.87	DEG=
LEAD	T=	1.72	NOT SIGNIFICANT	E MEAN-C MEAN=	1.87	DEG=
ZINC	T=	2.31	NOT SIGNIFICANT	E MEAN-C MEAN=	7.30	DEG=
DAY NUMBER 125						
CADMIUM	T=	2.24	NOT SIGNIFICANT	E MEAN-C MEAN=	.17	DEG=
CHROMIUM	T=	4.55	SIGNIFICANT	E MEAN-C MEAN=	12.67	DEG=
COPPER	T=	.78	NOT SIGNIFICANT	E MEAN-C MEAN=	1.60	DEG=
NICKLE	T=	1.92	NOT SIGNIFICANT	E MEAN-C MEAN=	-2.37	DEG=
LEAD	T=	17.05	SIGNIFICANT	E MEAN-C MEAN=	-4.37	DEG=
ZINC	T=	14.49	SIGNIFICANT	E MEAN-C MEAN=	11.97	DEG=

	1.23	EDEV=	.06	CMEAN=	1.07	CDEV=	.15
	24.33	EDEV=	1.36	CMEAN=	22.10	CDEV=	1.67
	10.53	EDEV=	1.30	CMEAN=	10.13	CDEV=	.86
	32.80	EDEV=	1.30	CMEAN=	27.97	CDEV=	2.83
	15.97	EDEV=	.74	CMEAN=	8.30	CDEV=	.53
	40.67	EDEV=	2.25	CMEAN=	40.73	CDEV=	2.97
	1.10	EDEV=	.00	CMEAN=	1.07	CDEV=	.12
	70.83	EDEV=	2.20	CMEAN=	32.67	CDEV=	.42
	21.30	EDEV=	1.23	CMEAN=	10.30	CDEV=	.30
	75.47	EDEV=	2.61	CMEAN=	33.37	CDEV=	1.37
	16.87	EDEV=	1.52	CMEAN=	8.43	CDEV=	.78
	49.53	EDEV=	.90	CMEAN=	43.30	CDEV=	.65
	1.47	EDEV=	.06	CMEAN=	1.03	CDEV=	.05
	39.63	EDEV=	2.06	CMEAN=	41.90	CDEV=	1.01
	13.53	EDEV=	.61	CMEAN=	14.57	CDEV=	.43
	36.67	EDEV=	1.97	CMEAN=	41.90	CDEV=	2.63
	8.53	EDEV=	1.45	CMEAN=	8.57	CDEV=	.15
	39.80	EDEV=	1.68	CMEAN=	31.10	CDEV=	2.01
	1.37	EDEV=	.15	CMEAN=	1.23	CDEV=	.15
	51.60	EDEV=	1.04	CMEAN=	44.83	CDEV=	1.43
	17.97	EDEV=	.06	CMEAN=	16.03	CDEV=	.35
	34.07	EDEV=	.38	CMEAN=	35.20	CDEV=	.94
	18.07	EDEV=	.68	CMEAN=	11.10	CDEV=	1.37
	52.53	EDEV=	3.33	CMEAN=	41.40	CDEV=	2.65
	1.63	EDEV=	.12	CMEAN=	1.87	CDEV=	.06
	91.70	EDEV=	2.79	CMEAN=	70.60	CDEV=	3.63
	19.63	EDEV=	1.42	CMEAN=	20.10	CDEV=	.52
	48.90	EDEV=	4.38	CMEAN=	53.77	CDEV=	.43
	9.63	EDEV=	.25	CMEAN=	7.77	CDEV=	1.86
	42.53	EDEV=	.98	CMEAN=	35.23	CDEV=	5.39
	1.83	EDEV=	.06	CMEAN=	1.67	CDEV=	.12
	76.07	EDEV=	2.30	CMEAN=	65.40	CDEV=	4.23
	18.27	EDEV=	.45	CMEAN=	16.67	CDEV=	3.54
	36.23	EDEV=	.87	CMEAN=	38.60	CDEV=	1.98
	3.17	EDEV=	.23	CMEAN=	7.53	CDEV=	.33
	32.73	EDEV=	.38	CMEAN=	20.77	CDEV=	1.38

URCHIN INTERNAL EXPERIMENT NO=2

DAY NUMBER	NO EXPERIMENT	MEAN	2.17 DEVIATION	.06 NUM	3	MEAN	.06 CMEAN	2.03 CDEV	.06
CADMIUM	NO EXPERIMENT	MEAN	7.37 DEVIATION	.21 NUM	3	MEAN	.06 CMEAN	8.00 CDEV	.20
CHROMIUM	NO EXPERIMENT	MEAN	4.45 DEVIATION	.00 NUM	3	MEAN	.06 CMEAN	4.45 CDEV	.00
COPPER	NO EXPERIMENT	MEAN	16.03 DEVIATION	.45 NUM	3	MEAN	.10 CMEAN	18.87 CDEV	.67
NICKLE	NO EXPERIMENT	MEAN	16.47 DEVIATION	1.51 NUM	3	MEAN	1.80 CMEAN	17.67 CDEV	.93
LEAD	NO EXPERIMENT	MEAN	27.33 DEVIATION	2.79 NUM	3	MEAN	2.62 CMEAN	26.80 CDEV	.70
ZINC	NO EXPERIMENT	MEAN				MEAN			
DAY NUMBER	1	NOT SIGNIFICANT	E MEAN - C MEAN	-.07 DEG	4	MEAN	.06 CMEAN	2.13 CDEV	.06
CADMIUM	T= 1.41	NOT SIGNIFICANT	E MEAN - C MEAN	.93 DEG	4	MEAN	.06 CMEAN	14.90 CDEV	.10
CHROMIUM	T= 7.77	SIGNIFICANT	E MEAN - C MEAN		4	MEAN	.06 CMEAN	9.30 CDEV	.17
COPPER	T= 3.17	SIGNIFICANT	E MEAN - C MEAN	1.23 DEG	4	MEAN	.10 CMEAN	31.77 CDEV	.78
NICKLE	T= 2.05	NOT SIGNIFICANT	E MEAN - C MEAN	2.40 DEG	4	MEAN	1.80 CMEAN	13.43 CDEV	1.60
LEAD	T= 1.51	NOT SIGNIFICANT	E MEAN - C MEAN	-2.37 DEG	4	MEAN	2.62 CMEAN	35.30 CDEV	1.15
ZINC	T= 7.78	SIGNIFICANT	E MEAN - C MEAN	-.37 DEG	4	MEAN	.06 CMEAN	2.13 CDEV	.06
CADMIUM	T= 5.00	SIGNIFICANT	E MEAN - C MEAN	3.80 DEG	4	MEAN	1.31 CMEAN	17.40 CDEV	.45
CHROMIUM	T= 8.46	SIGNIFICANT	E MEAN - C MEAN	2.03 DEG	4	MEAN	.38 CMEAN	11.20 CDEV	.46
COPPER	T= 9.00	SIGNIFICANT	E MEAN - C MEAN	7.40 DEG	4	MEAN	1.19 CMEAN	29.33 CDEV	.39
NICKLE	T= 5.06	SIGNIFICANT	E MEAN - C MEAN	4.73 DEG	4	MEAN	.25 CMEAN	21.97 CDEV	1.47
LEAD	T= 4.01	SIGNIFICANT	E MEAN - C MEAN	7.90 DEG	4	MEAN	3.21 CMEAN	31.20 CDEV	.78
ZINC	T= 7.79	SIGNIFICANT	E MEAN - C MEAN	-.25 DEG	4	MEAN	.06 CMEAN	1.67 CDEV	.06
CADMIUM	T= 6.77	SIGNIFICANT	E MEAN - C MEAN	20.93 DEG	4	MEAN	2.95 CMEAN	17.40 CDEV	4.45
CHROMIUM	T= 7.19	SIGNIFICANT	E MEAN - C MEAN	3.87 DEG	4	MEAN	.81 CMEAN	11.20 CDEV	.46
COPPER	T= 10.53	SIGNIFICANT	E MEAN - C MEAN	29.50 DEG	4	MEAN	4.84 CMEAN	29.33 CDEV	.39
NICKLE	T= 4.49	SIGNIFICANT	E MEAN - C MEAN	4.40 DEG	4	MEAN	.84 CMEAN	21.97 CDEV	1.47
LEAD	T= 8.05	SIGNIFICANT	E MEAN - C MEAN	10.20 DEG	4	MEAN	2.05 CMEAN	31.20 CDEV	.78
ZINC	T= 1.00	NOT SIGNIFICANT	E MEAN - C MEAN	.03 DEG	4	MEAN	.00 CMEAN	2.17 CDEV	.06
CADMIUM	T= 2.40	NOT SIGNIFICANT	E MEAN - C MEAN	-1.30 DEG	4	MEAN	.60 CMEAN	15.20 CDEV	.72
CHROMIUM	T= 2.71	NOT SIGNIFICANT	E MEAN - C MEAN	-.70 DEG	4	MEAN	.44 CMEAN	11.70 CDEV	.10
COPPER	T= 5.13	SIGNIFICANT	E MEAN - C MEAN	-3.20 DEG	4	MEAN	.78 CMEAN	19.43 CDEV	.75
NICKLE	T= .29	NOT SIGNIFICANT	E MEAN - C MEAN	-.20 DEG	4	MEAN	1.00 CMEAN	23.67 CDEV	.65
LEAD	T= 1.62	NOT SIGNIFICANT	E MEAN - C MEAN	-4.40 DEG	4	MEAN	3.13 CMEAN	31.77 CDEV	3.51
ZINC	T= 5.00	SIGNIFICANT	E MEAN - C MEAN	.17 DEG	4	MEAN	.06 CMEAN	2.20 CDEV	.00
CADMIUM	T= 53.67	SIGNIFICANT	E MEAN - C MEAN	42.33 DEG	4	MEAN	.45 CMEAN	28.43 CDEV	1.29
CHROMIUM	T= 9.60	SIGNIFICANT	E MEAN - C MEAN	6.97 DEG	4	MEAN	.23 CMEAN	10.50 CDEV	.97
COPPER	T= 25.94	SIGNIFICANT	E MEAN - C MEAN	25.90 DEG	4	MEAN	.95 CMEAN	21.60 CDEV	1.44
NICKLE	T= 7.06	SIGNIFICANT	E MEAN - C MEAN	5.57 DEG	4	MEAN	.87 CMEAN	14.73 CDEV	1.05
LEAD	T= 1.93	NOT SIGNIFICANT	E MEAN - C MEAN	.75 DEG	4	MEAN	.06 CMEAN	41.80 CDEV	.69
ZINC	T= 4.47	SIGNIFICANT	E MEAN - C MEAN	.33 DEG	4	MEAN	.06 CMEAN	2.03 CDEV	.12
CADMIUM	T= 12.05	SIGNIFICANT	E MEAN - C MEAN	10.63 DEG	4	MEAN	1.53 CMEAN	17.63 CDEV	.06
CHROMIUM	T= 26.77	SIGNIFICANT	E MEAN - C MEAN	10.97 DEG	4	MEAN	.36 CMEAN	9.93 CDEV	.61
COPPER	T= 2.38	NOT SIGNIFICANT	E MEAN - C MEAN	3.83 DEG	4	MEAN	2.64 CMEAN	30.70 CDEV	.90
NICKLE	T= 11.57	SIGNIFICANT	E MEAN - C MEAN	23.80 DEG	4	MEAN	2.85 CMEAN	23.10 CDEV	2.14
LEAD	T= 6.46	SIGNIFICANT	E MEAN - C MEAN	18.67 DEG	4	MEAN	3.95 CMEAN	36.03 CDEV	3.07
ZINC	T= 11.57	SIGNIFICANT	E MEAN - C MEAN	23.80 DEG	4	MEAN	2.85 CMEAN	23.10 CDEV	2.14

EXPERIMENT NO=2

URCHIN SHELL

DAY NUMBER 1
 NO EXPERIMENT MEAN= 2.93 DEVIATION= .15 NUM= 3
 NO EXPERIMENT MEAN= 5.03 DEVIATION= .76 NUM= 3
 NO EXPERIMENT MEAN= 4.45 DEVIATION= .00 NUM= 3
 NO EXPERIMENT MEAN= 14.30 DEVIATION= 2.03 NUM= 3
 NO EXPERIMENT MEAN= 31.83 DEVIATION= 1.11 NUM= 3
 NO EXPERIMENT MEAN= 4.37 DEVIATION= .06 NUM= 3

CADMIUM T= 1.11 NOT SIGNIFICANT EMEAN-CMEAN= .13 DEG= 4 EMEAN= 2.90 EDEV= .20 CMEAN= 2.77 CDEV= .06
 CHROMIUM T= 1.06 NOT SIGNIFICANT EMEAN-CMEAN= .25 DEG= 4 EMEAN= 5.47 EDEV= .23 CMEAN= 5.23 CDEV= .31
 COPPER EMEAN=CMEAN
 NICKLE T= .62 NOT SIGNIFICANT EMEAN-CMEAN= -.30 DEG= 4 EMEAN= 4.45 EDEV= .25 CMEAN= 4.45 CDEV= .32
 LEAD T= 1.74 NOT SIGNIFICANT EMEAN-CMEAN= 2.13 DEG= 4 EMEAN= 14.53 EDEV= .78 CMEAN= 14.83 CDEV= .32
 ZINC T= 1.94 NOT SIGNIFICANT EMEAN-CMEAN= .47 DEG= 4 EMEAN= 30.57 EDEV= 1.03 CMEAN= 28.43 CDEV= 1.86

CADMIUM T= .44 NOT SIGNIFICANT EMEAN-CMEAN= .13 DEG= 4 EMEAN= 2.80 EDEV= .46 CMEAN= 2.67 CDEV= .25
 CHROMIUM T= .21 NOT SIGNIFICANT EMEAN-CMEAN= -.07 DEG= 4 EMEAN= 5.00 EDEV= .26 CMEAN= 5.07 CDEV= .49
 COPPER EMEAN=CMEAN
 NICKLE T= 1.37 NOT SIGNIFICANT EMEAN-CMEAN= -.53 DEG= 4 EMEAN= 4.45 EDEV= .26 CMEAN= 4.45 CDEV= .32
 LEAD T= 1.56 NOT SIGNIFICANT EMEAN-CMEAN= -1.50 DEG= 4 EMEAN= 13.37 EDEV= .65 CMEAN= 13.90 CDEV= .17
 ZINC T= 11.62 SIGNIFICANT EMEAN-CMEAN= 4.37 DEG= 4 EMEAN= 28.43 EDEV= 1.46 CMEAN= 29.93 CDEV= .81

CADMIUM T= .41 NOT SIGNIFICANT EMEAN-CMEAN= .10 DEG= 4 EMEAN= 2.13 EDEV= .40 CMEAN= 2.03 CDEV= .12
 CHROMIUM T= 1.31 NOT SIGNIFICANT EMEAN-CMEAN= .37 DEG= 4 EMEAN= 7.60 EDEV= .36 CMEAN= 7.23 CDEV= .32
 COPPER EMEAN=CMEAN
 NICKLE T= 1.75 NOT SIGNIFICANT EMEAN-CMEAN= -1.23 DEG= 4 EMEAN= 4.45 EDEV= .36 CMEAN= 4.45 CDEV= .32
 LEAD T= .67 NOT SIGNIFICANT EMEAN-CMEAN= 1.53 DEG= 4 EMEAN= 8.53 EDEV= .67 CMEAN= 9.77 CDEV= 1.03
 ZINC T= .43 NOT SIGNIFICANT EMEAN-CMEAN= -.13 DEG= 4 EMEAN= 48.30 EDEV= .89 CMEAN= 46.77 CDEV= 3.89

CADMIUM T= .25 NOT SIGNIFICANT EMEAN-CMEAN= -.03 DEG= 4 EMEAN= 2.67 EDEV= .21 CMEAN= 2.70 CDEV= .10
 CHROMIUM T= .73 NOT SIGNIFICANT EMEAN-CMEAN= -.57 DEG= 4 EMEAN= 5.23 EDEV= .61 CMEAN= 5.60 CDEV= .62
 COPPER EMEAN=CMEAN
 NICKLE T= .55 NOT SIGNIFICANT EMEAN-CMEAN= -.37 DEG= 4 EMEAN= 4.45 EDEV= .61 CMEAN= 4.45 CDEV= .32
 LEAD T= .10 NOT SIGNIFICANT EMEAN-CMEAN= .27 DEG= 4 EMEAN= 10.60 EDEV= 1.06 CMEAN= 10.97 CDEV= .46
 ZINC T= 1.17 NOT SIGNIFICANT EMEAN-CMEAN= -1.63 DEG= 4 EMEAN= 39.83 EDEV= .93 CMEAN= 39.57 CDEV= 4.50

CADMIUM T= .30 NOT SIGNIFICANT EMEAN-CMEAN= .03 DEG= 4 EMEAN= 2.77 EDEV= .12 CMEAN= 2.73 CDEV= .15
 CHROMIUM T= 2.75 SIGNIFICANT EMEAN-CMEAN= -1.30 DEG= 4 EMEAN= 8.13 EDEV= .50 CMEAN= 9.43 CDEV= .64
 COPPER EMEAN=CMEAN
 NICKLE T= 4.64 SIGNIFICANT EMEAN-CMEAN= -.53 DEG= 4 EMEAN= 4.45 EDEV= .50 CMEAN= 4.45 CDEV= .32
 LEAD T= .40 NOT SIGNIFICANT EMEAN-CMEAN= -.97 DEG= 4 EMEAN= 14.00 EDEV= .17 CMEAN= 14.53 CDEV= .12
 ZINC T= .98 NOT SIGNIFICANT EMEAN-CMEAN= 2.43 DEG= 4 EMEAN= 43.03 EDEV= 2.20 CMEAN= 44.00 CDEV= 3.54

CADMIUM T= 1.58 NOT SIGNIFICANT EMEAN-CMEAN= -.17 DEG= 4 EMEAN= 2.67 EDEV= .10 CMEAN= 2.67 CDEV= .15
 CHROMIUM T= 1.40 NOT SIGNIFICANT EMEAN-CMEAN= 1.00 DEG= 4 EMEAN= 6.80 EDEV= .79 CMEAN= 5.80 CDEV= .95
 COPPER EMEAN=CMEAN
 NICKLE T= 1.68 NOT SIGNIFICANT EMEAN-CMEAN= -1.63 DEG= 4 EMEAN= 4.45 EDEV= .79 CMEAN= 4.45 CDEV= .32
 LEAD T= 1.23 NOT SIGNIFICANT EMEAN-CMEAN= 2.97 DEG= 4 EMEAN= 15.07 EDEV= 1.36 CMEAN= 16.70 CDEV= 1.00
 ZINC T= 2.60 NOT SIGNIFICANT EMEAN-CMEAN= 3.03 DEG= 4 EMEAN= 40.00 EDEV= 1.41 CMEAN= 37.03 CDEV= 3.93

CADMIUM T= 1.68 NOT SIGNIFICANT EMEAN-CMEAN= -1.63 DEG= 4 EMEAN= 15.07 EDEV= 1.36 CMEAN= 16.70 CDEV= 1.00
 CHROMIUM T= 1.23 NOT SIGNIFICANT EMEAN-CMEAN= 2.97 DEG= 4 EMEAN= 40.00 EDEV= 1.41 CMEAN= 37.03 CDEV= 3.93
 COPPER EMEAN=CMEAN
 NICKLE T= 1.68 NOT SIGNIFICANT EMEAN-CMEAN= -1.63 DEG= 4 EMEAN= 15.07 EDEV= 1.36 CMEAN= 16.70 CDEV= 1.00
 LEAD T= 1.23 NOT SIGNIFICANT EMEAN-CMEAN= 2.97 DEG= 4 EMEAN= 40.00 EDEV= 1.41 CMEAN= 37.03 CDEV= 3.93
 ZINC T= 2.60 NOT SIGNIFICANT EMEAN-CMEAN= 3.03 DEG= 4 EMEAN= 14.43 EDEV= .68 CMEAN= 11.40 CDEV= 1.90

APPENDIX C

Experiment II, Water Data

The column headings are defined as follows:

1. E/C E is data from experimental tank
C " " " control "
2. METAL concentration ($\mu\text{g}/\ell$) shown are for the defined
metal, either Cd, Cr, Cu, Ni, Pb or Zn
3. MEAN PART values shown represent mean ($\mu\text{g}/\ell$) concentration
for particulate fraction
4. SD PART represents the standard deviation of the mean
particulate function
5. MEAN SOC values shown represent mean concentration ($\mu\text{g}/\ell$)
for the soluble organic fraction (Retained on
Amberlite resin)
6. SD SOC represents the standard deviation of the mean
soluble organic fraction
7. MEAN SIC values shown represent the mean concentration
($\mu\text{g}/\ell$) of the soluble inorganic fraction
(Retained on Chelex-100 R resin)
8. SD SIC represents the standard deviation of the soluble
inorganic fraction

E/C	METAL	MEAN PART	SD PART	MEAN SOC	SD SOC	MEAN SIC	SD SIC
E	Cd	0.1	0.1	0.0	0.00	0.6	0.2
C		0.1	0.1	0.0	0.04	0.6	0.3
E	Cr	3.3	3.1	0.3	0.3	1.0	0.9
C		4.3	4.1	0.4	0.5	0.7	0.6
E	Cu	1.8	1.2	0.5	0.4	2.1	1.1
C		2.4	2.0	0.5	0.3	1.8	0.50
E	Ni	4.4	3.9	0.4	0.3	5.6	3.1
C		4.6	3.9	0.2	0.4	4.2	1.2
E	Pb	0.0	N/A	0.0	0.0	3.3	1.9
C		0.0	N/A	0.0	0.0	2.5	1.7
E	Zn	1.6	0.78	0.6	0.4	21.7	22.0
C		2.6	1.8	0.4	0.2	14.3	13.7

APPENDIX D

Wet/Dry Ratios

Wet/dry ratios are shown for each sample and tissue type for Experiments I and II. These values may be multiplied by the metal concentration ($\mu\text{g/g}$ dry weight) values to obtain concentrations in $\mu\text{g/g}$ wet weight.

Mean Wet/Dry Ratio (\bar{x}) with n (number of samples) and Standard deviation(SD) for all organisms sampled in Experiment I and II

	N	\bar{x}	S.D.	N	\bar{x}	S.D.
Clam						
Gut	12	10.6	1.80	13	10.7	1.20
Shell	12	1.0	0.02	12	1.1	0.00
Sea cucumber						
Body	10	4.7	0.70	12	4.5	0.40
Gut	10	11.1	3.40	13	10.6	3.20
Muscle	9	9.6	0.90	Not determined, combined with gut		
Urchin						
Gut	10	15.7	3.60	12	10.7	2.30
Shell	9	2.0	0.10	13	2.0	0.20
Snail						
Gut	9	4.0	1.7	7	3.9	1.0
Shell	9	1.0	0.0	7	1.1	0.0
Oysters						
Gut	6	9.5	1.1	12	11.6	2.10
Shell	6	1.1	0.0	13	1.3	0.20
Thalassia						
Leaves	9	10.2	1.90	12	12.8	2.90
root/ Rhizomes	9	7.5	2.1	13	9.9	2.2
"Fouling organisms"	8	5.2	2.2	7	5.0	1.4
Sewage	2	14.8	7.10	7	8.7	4.1
Sediment	10	1.4	0.00	13	1.4	0.10
Mangroves						
Bottom of hypocotyl	7	3.3	0.60	7	3.4	0.60
Meristem above hypocotyl	7	3.4	0.60	7	4.0	0.40
Leaves	4	4.5	1.1	6	5.3	1.3
Roots	6	5.4	1.0	7	5.6	0.50



"This paper was prepared in connection with work under Contract No. E-(40-1)-1833 with the U.S. Energy Research Development Administration. ERDA retains a non-exclusive royalty-free license in and to any copyrights covering this paper, with the right to authorize others to reproduce all or any part of the copyrighted paper"