

**USDA-ARS**  
**U.S. Wheat and Barley Scab Initiative**  
**FY19 Final Performance Report**  
**Due date: July 24, 2020**

**Cover Page**

<b>Principle Investigator (PI):</b>	Damon Smith
<b>Institution:</b>	University of Wisconsin-Madison
<b>E-mail:</b>	damon.smith@wisc.edu
<b>Phone:</b>	608-286-9706
<b>Fiscal Year:</b>	2019
<b>USDA-ARS Agreement ID:</b>	59-0206-6-012
<b>USDA-ARS Agreement Title:</b>	IPM for FHB and DON in SRWW in Wisconsin
<b>FY19 USDA-ARS Award Amount:</b>	\$ 19,785
<b>Recipient Organization:</b>	University of Wisconsin - Madison Office of Research & Sponsored Programs 21 N. Park Street, Suite 6401 Madison, WI 53715-1218
<b>DUNS Number:</b>	161202122
<b>EIN:</b>	39-6006492
<b>Recipient Identifying Number or Account Number:</b>	AAB3147
<b>Project/Grant Reporting Period:</b>	6/6/19 - 6/5/20
<b>Reporting Period End Date:</b>	6/5/2020

**USWBSI Individual Project(s)**

<b>USWBSI Research Category*</b>	<b>Project Title</b>	<b>ARS Award Amount</b>
MGMT	Improving IPM for FHB and DON in SRWW in Wisconsin	\$ 19,785
<b>FY19 Total ARS Award Amount</b>		<b>\$ 19,785</b>



Principal Investigator

7/23/2020

Date

\* MGMT – FHB Management  
FST – Food Safety & Toxicology  
GDER – Gene Discovery & Engineering Resistance  
PBG – Pathogen Biology & Genetics  
EC-HQ – Executive Committee-Headquarters  
BAR-CP – Barley Coordinated Project  
DUR-CP – Durum Coordinated Project  
HWW-CP – Hard Winter Wheat Coordinated Project  
VDHR – Variety Development & Uniform Nurseries – Sub categories are below:  
    SPR – Spring Wheat Region  
    NWW – Northern Soft Winter Wheat Region  
    SWW – Southern Soft Red Winter Wheat Region

**Project 1:** *Improving IPM for FHB and DON in SRWW in Wisconsin*

**1. What are the major goals and objectives of the research project?**

**Overall Project Goal:** Develop integrated management strategies for FHB and mycotoxins specific to Wisconsin soft red winter wheat production.

**Objectives:**

- 1) Conduct the standard multi-state MGMT-CP Integrated management protocol involving new chemistries applied to various varieties;
- 2) Conduct a uniform fungicide trial in Wisconsin;
- 3) Validate action thresholds for spraying fungicide based on the FHB Prediction center, for Wisconsin's unique climate.

**2. What was accomplished under these goals or objectives?** (*For each major goal/objective, address items a-b) below.*)

a) What were the major activities?

The IM-CP standard protocols were followed and implemented in Wisconsin on soft red winter wheat (SRWW). This included conducting the integrated management (IM) protocol, treating resistant and susceptible varieties with various fungicides at different application timings. We also conducted the uniform fungicide trial (UFT) to bolster multi-state recommendations for efficacious fungicides. Finally, we conducted the coordinated scab prediction validation protocol using a susceptible variety in Wisconsin.

b) What were the significant results?

Results from the IM protocol revealed that the most significant reduction in FHB and DON is a result of planting a resistant variety (Harpoon). FHB could further be reduced by using fungicide. However, DON levels were below 1ppm for all treatments where a Harpoon was used. In the susceptible variety (Hopewell), the use of Miravis Ace® at anthesis resulted in levels of DON that were significantly lower than if the same product was applied at half-head emergence. Best reductions in DON were obtained when Miravis Ace was applied 5 days after anthesis. This latter result is consistent with findings using Prosaro® or Caramba®. Results from the uniform fungicide trials also indicate that application of Miravis Ace at half-head emergence is just too early. Reductions in DON levels were much better when this product was applied at anthesis, or 5-days after anthesis, with the last application timing giving us the best reductions. This has been consistent in Wisconsin now for several seasons. Prosaro and Caramba continue to perform well in Wisconsin for reducing FHB and DON, as long as these products are applied at anthesis or 5 days after anthesis.

FY19 Final Performance Report  
PI: Smith, Damon  
USDA-ARS Agreement #: 59-0206-6-012  
Reporting Period: 6/6/19 - 6/5/20

The scab prediction tool continues to fall short on accuracy in Wisconsin. We have experienced two years of heavy FHB in winter wheat. In 2019 the model never recommended a fungicide application on susceptible varieties in Wisconsin, with significant damage noted in the validation trials. More work needs to be done to refine the scab advisor tool for unique environments like Wisconsin.

c) List key outcomes or other achievements.

Key outcomes of this work have been improved recommendations for FHB management in Wisconsin. Prior to this work, we were recommending that farmers apply just the fungicides Prosaro and Caramba at Anthesis. Now we know that Miravis Ace is a viable option and can be applied at full head emergence or as late as 5 days after the start of anthesis. Combined with moderately resistant varieties, this strategy has proven to be an excellent recommendation for limiting DON accumulation in finished grain harvested in Wisconsin. Prosaro and Carmaba continue to be proven fungicide options and our foray into using these options in two-spray programs has also demonstrated excellent reductions in DON.

**3. Was this research impacted by the COVID-19 pandemic (i.e. university shutdowns, reduced or lack of support personnel, etc.)? If yes, please explain how this research was impacted or is continuing to be impacted.**

No

**4. What opportunities for training and professional development has the project provided?**

While this project did not directly train a graduate student, several graduate students were involved in assisting technicians in implementing the trials. These graduate students obtained experience in experimental design and disease management strategies in wheat.

**5. How have the results been disseminated to communities of interest?**

Results obtained were disseminated to stakeholders using cooperative extension outlets. The University of Wisconsin Field Crops Pathology program maintains a website(s) (<https://badgercropdoc.com>) for data distribution. All pertinent results from these trials were posted in online portals. In addition, data were delivered to growers via annual cooperative extension Pest Management Update Meetings and Winter Agronomy meetings. All data were also supplied to the IM-CP manager to be included in the multi-state analysis.

FY19 Final Performance Report  
PI: Smith, Damon  
USDA-ARS Agreement #: 59-0206-6-012  
Reporting Period: 6/6/19 - 6/5/20

## **Training of Next Generation Scientists**

**Instructions:** Please answer the following questions as it pertains to the FY19 award period (6/6/19 - 6/5/20). The term “support” below includes any level of benefit to the student, ranging from full stipend plus tuition to the situation where the student’s stipend was paid from other funds, but who learned how to rate scab in a misted nursery paid for by the USWBSI, and anything in between.

- 1. Did any graduate students in your research program supported by funding from your USWBSI grant earn their MS degree during the FY19 award period?**

No

**If yes, how many?**

- 2. Did any graduate students in your research program supported by funding from your USWBSI grant earn their Ph.D. degree during the FY19 award period?**

No

**If yes, how many?**

- 3. Have any post docs who worked for you during the FY19 award period and were supported by funding from your USWBSI grant taken faculty positions with universities?**

No

**If yes, how many?**

- 4. Have any post docs who worked for you during the FY19 award period and were supported by funding from your USWBSI grant gone on to take positions with private ag-related companies or federal agencies?**

No

**If yes, how many?**

FY19 Final Performance Report  
 PI: Smith, Damon  
 USDA-ARS Agreement #: 59-0206-6-012  
 Reporting Period: 6/6/19 - 6/5/20

### Release of Germplasm/Cultivars

**Instructions:** In the table below, list all germplasm and/or cultivars released with full or partial support through the USWBSI during the FY19 award period. All columns must be completed for each listed germplasm/cultivar. Use the key below the table for Grain Class abbreviations.

*NOTE: Leave blank if you have nothing to report or if your grant did NOT include any VDHR-related projects.*

Name of Germplasm/Cultivar	Grain Class	FHB Resistance (S, MS, MR, R, where R represents your most resistant check)	FHB Rating (0-9)	Year Released

Add rows if needed.

**NOTE:** List the associated release notice or publication under the appropriate sub-section in the ‘Publications’ section of the FPR.

**Abbreviations for Grain Classes**

- Barley - BAR
- Durum - DUR
- Hard Red Winter - HRW
- Hard White Winter - HWW
- Hard Red Spring - HRS
- Soft Red Winter - SRW
- Soft White Winter - SWW

FY19 Final Performance Report  
PI: Smith, Damon  
USDA-ARS Agreement #: 59-0206-6-012  
Reporting Period: 6/6/19 - 6/5/20

## **Publications, Conference Papers, and Presentations**

**Instructions:** Refer to the FY19-FPR\_Instructions for detailed more instructions for listing publications/presentations about your work that resulted from all of the projects included in the FY19 grant award. Only citations for publications published (submitted or accepted) or presentations presented during the **award period (6/6/19 - 6/5/20)** should be included. If you did not publish/submit or present anything, state ‘Nothing to Report’ directly above the Journal publications section.

**NOTE:** Directly below each citation, you **must** indicate the Status (i.e. published, submitted, etc.) and whether acknowledgement of Federal support was indicated in the publication/presentation. See example below for a poster presentation with an abstract:

De Wolf, E., D. Shah, P. Paul, L. Madden, S. Crawford, D. Hane, S. Canty, R. Dill-Macky, D. Van Sanford, K. Imhoff and D. Miller. 2019. “Impact of Prediction Tools for Fusarium Head Blight in the US, 2009-2019.” In: S. Canty, A. Hoffstetter, H. Campbell and R. Dill-Macky (Eds.), *Proceedings of the 2019 National Fusarium Head Blight Forum*, Milwaukee, WI; December 8-10. University of Kentucky, Lexington, KY. p. 12.

Status: Abstract Published and Poster Presented

Acknowledgement of Federal Support: YES (Abstract and Poster)

### **Journal publications.**

N/A

### **Books or other non-periodical, one-time publications.**

N/A

### **Other publications, conference papers and presentations.**

Paul, P.A., S.J. Ng, and 25 other co-authors. 2019. “Fusarium head blight management coordinated project: Integrated management trials 2018-2019. In S. Canty, A. Hoffstetter, H. Campbell and R. Dill-Mackey (Eds.), *Proceedings of the 2019 National Fusarium Head Blight Forum* (p. 20), Milwaukee, WI; December 8-10. University of Kentucky, Lexington, KY.

Status: Abstract Published and Poster Presented

Acknowledgement of Federal Support: YES (Abstract and Poster)

Paul, P.A., S.J. Ng, and 25 other co-authors. 2019. “Fusarium head blight management coordinated project: Uniform fungicide trials 2018-2019.” In S. Canty, A. Hoffstetter, H. Campbell and R. Dill-Mackey (Eds.), *Proceedings of the 2019 National Fusarium Head Blight Forum* (p. 25), Milwaukee, WI; December 8-10. University of Kentucky, Lexington, KY.

Status: Abstract Published and Poster Presented

Acknowledgement of Federal Support: YES (Abstract and Poster)

FY19 Final Performance Report  
PI: Smith, Damon  
USDA-ARS Agreement #: 59-0206-6-012  
Reporting Period: 6/6/19 - 6/5/20

Mueller, D. and Smith, D.L. 2019. Evaluation of foliar fungicides for control of Fusarium head blight of wheat in Wisconsin, 2018. *Plant Disease Management Reports* 13:CF060.

Status: Peer-reviewed research report

Acknowledgement of Federal Support: Not applicable

Conley, S., Roth, A, Gaska, J., Mueller, B., Smith, D. 2019. *Wisconsin Winter Wheat Performance Tests*, University of Wisconsin-Madison, Cooperative Extension (A3868).

Status: Extension report

Acknowledgement of Federal Support: Not applicable

Friskop, A., Wise, K., Bradley, C., Smith, D.L., Kleczewski, N., Darby, H., Mehl, H., and Collins, A. 2019. Optimizing fungicide use for Fusarium head blight (scab) and associated mycotoxins. *Crop Protection Network Fact Sheet: CPN-3001*.

Status: Extension fact sheet

Acknowledgement of Federal Support: Not applicable

Conley, S.P. and Smith, D.L. 2019. Top 8 recommendations for winter wheat establishment in 2019. *Wisconsin Crop Manager* 26(17):118-119.

Status: Extension newsletter article

Acknowledgement of Federal Support: Not applicable

Smith, D.L. and Conley, S.P. 2019. Don't let Fusarium head blight keep down – Prepare now to harvest those scabby wheat fields. *Wisconsin Crop Manager* 26(13):88-90.

Status: Extension newsletter article

Acknowledgement of Federal Support: Not applicable

Smith, D.L. and Mueller, B. 2019. Wisconsin Winter Wheat Disease, June 28, 2019. *Wisconsin Crop Manager* 26(13):83-85.

Status: Extension newsletter article

Acknowledgement of Federal Support: Not applicable

Smith, D.L. and Mueller, B. 2019. Wisconsin Winter Wheat Disease, June 4, 2019. *Wisconsin Crop Manager* 26(9):44.

Status: Extension newsletter article

Acknowledgement of Federal Support: Not applicable

Smith, D.L. and Mueller, B. 2019. Wisconsin Winter Wheat Disease, May 21, 2019. *Wisconsin Crop Manager* 26(7):31.

Status: Extension newsletter article

Acknowledgement of Federal Support: Not applicable

Smith, D.L. and Mueller, B. 2019. Wisconsin Winter Wheat Disease, Spring Update. *Wisconsin Crop Manager* 26(6):27.

Status: Extension newsletter article

Acknowledgement of Federal Support: Not applicable