# THE STATE CLIMATOLOGIST

VOLUME 9 NUMBER 3 JULY 1985
PUBLISHED QUARTERLY AT THE NATIONAL CLIMATIC DATA CENTER, ASHEVILLE, N.C.
IN COOPERATION WITH THE AMERICAN ASSOCIATION OF STATE CLIMATOLOGISTS

U.S. DEPARTMENT OF COMMERCE

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE

NATIONAL CLIMATIC DATA CENTER

#### NCDC BRIEFS

New Ice Atlas Publication. A limited first printing of Sea Ice Climatic Atlas: Volume I, Antarctic, has been completed by the National Climatic Data Center. The atlas contains data digitized from weekly ice analysis charts for the period 1973-1982. The data were composited over a semimonthly period centered on the first and fifteenth of each month, and are presented as shaded maps. The composite classifications are:

- 1. Maximum, Mean, and Minimum Ice Edges
- 2. Probability of Occurrence of Any Ice
- 3. Mean Ice Concentration
- 4. Mean Ice Concentration When Ice is Present
- 5. Maximum, Mean, and Minimum Extent of 5/10ths or More of Ice.

\* \* \* \* \* \* \* \* \*

Cooling Degree Days. NCDC has updated and reformatted the <u>Historical Climatology Series 5-2</u>, "State, Regional, and National Monthly and Seasonal Cooling Degree Days Weighted by Population (1980 Census), January 1931 -December 1984," with the inclusion of data for the calendar years 1983 and 1984. This publication contains population-weighted cooling degree day data by year based on state division averages. It also gives the long-term mean and standard deviations for the individual months and annual total, and a rank value which gives the relative standing of the annual degree day value in the long-term record. Also included are 30-year averages based on data for the 1951 - 80 period. The base temperature for the calculated values is 65 degrees Fahrenheit.

\* \* \* \* \* \* \* \* \*

NCDC has recently received several requests for the old (Form 1066) Annual Climatological Summary. The form (see sample on next page) was never printed as a regular publication, rather it was a computer printout as part of the quality control for the Climatological Data Annual. However, with the institution of the new CD processing system in 1982, computer printouts (of the Form 1066) were terminated. In light of the continuing demand for these forms, we have written the programs necessary to produce these forms on microfiche. The forms are done for both First Order and CO-OP stations and are organized on the microfiche in station alphabetical order by division by state. About half of the states require only one microfiche per year with the remainder of the states requiring two microfiche. There are a total of 79 fiche for all fifty states.

### ANNUAL CLIMATOLOGICAL SUMMARY

NATIONAL CLIMATIC DATA CENTER FEDERAL BUILDING ASHEVILLE, NORTH CAROLINA 28801

#### STATION IDENTIFICATION

26016779

RENO HSFO AP

ELEVATION 4404 FT. ABOVE SEA LEVEL

LAT. 39 30N LONG. 119 47H

-			• •		, M370			"	****					440				JEN EET		LA	. ,	9 30	4		17 4/	/ H
AC	TE				7.	Т	EMPE	RATU	RE	°F	)							PRECI	PITA	TIC	) NC	INC	HES	5)		
						DEPART.	HEATING	COOL ING					NUME	BER (	F DA	AYS		DEPART.	GREATEST		SNOH	, SLE	ET	NO.	OF D	AYS
YR.	mo.		HEAN AXIMUM	HEAH HINIMM	MEAN	FROM NORMAL	DEGREE DAYS	DEGREE	HIGHEST	DATE.	LONEST	DATE	MAX ≥ 90°	MAX	MIN 20°	MIN 2 0°	TOTAL		OBSERVED DAY	DATE	TOTAL FALL	MAX DEPTH		2.10	2.50	21.0
84	1	1	40.9	22.9	31.9	-,3	1019	0	. 58	25	1	17	0	4	31	٥	. 36	88	.15	16	6.7	6	16	2	0	0
1.8	4	3	59:0	29.5			100		71	E				1	28		.22	200				1.0	1 31		0	
	4	4	59.6	31.9			-	E.	78				0	0	16	- <del>=</del>	.24	-	-1		- 1		30	-	0	
8	4	5	76.1	42.7	59.4	4.8	183	10	94	29	29	6	2	0	2	0	.06	68	.06	119	5 .0	0 0		0	0	
	4	6	79.4						1 1	1 -			5	0	0	1	.34			1		0   0		'	0	
	4	7	92.4								47			0		1	.45							1	0	
	4	9	82.1											%		0	.02							6		
	4	10	60.1						80		22					1	.60						,,			
8	4	11	49.9	29.2	39.6	1	753		70	1	14	26	0	0	22	0					3.0	0 :	25	5 6	. 1	
	4	12	42.4	19.0	30.	7 -1.8	1056		51	11	. 7	20	0	3	31	0	.07	-1.14	.04	1 19	5 1.	3 1	16		0	
	~	<b>4</b> .	65.2	35.3	50.	9.9	5846	549	5 101	JUL	1	JAN	48	7	168	0	4.28	-3.21	.64	1 101	1 16.0	0 6	JAN	1 14	1	+

H HISSING DATA, APPEARS WITH MONTHLY DATA WEN LESS THAN 10 DAYS ARE MISSING, MO IT APPEARS ALONE IF 10 OR HORE DAYS ARE MISSING. IT APPEARS HITH AMOUNT DATA, HEN DERIVED FROM MONTHS WITH MISSING

T TRACE

<sup>.</sup> OCCURRED ON ONE OR HORE PREVIOUS DATES DURING THE MONTH.

V INCLUDES TOTAL FOR PREVIOUS MONTH.

B ADJUSTED MONTHLY OR ANNUAL VALUE TOTAL CONTAINS ESTIMATED VALUEIS) FOR MISSING DATA,

A AMOUNT PRECIPITATION MAY INCLUDE PRECIPITATION THAT OCCURRED DURING THE PREVIOUS MONTHS.

#### **NEWS FROM THE STATES**

#### NORTH CAROLINA

The North Carolina State Climatologist office has published a brochure entitled THE NORTH CAROLINA CLIMATE PROGRAM. The brochure briefly describes some of the climatic variables and extremes of North Carolin climate and how the data may be used by various clients.

#### COLORADO

The Colorado Climate Center (CCC) has produced a 42" X 52" color map of the mean annual rainfall for the State of Colorado. The isohyets are based on the 1951-80 period. The CCC has provided NCDC with a limited supply of these maps. Anyone wishing to have a copy may do so by writing Grant W. Goodge, NCDC, Federal Building, Asheville, NC 28801.

#### SUMMARY OF HOURLY OBSERVATIONS

The National Climatic Data Center's Statistical Climatology Branch is developing plans to publish a reissue of Climatography of the United States No. 82, "Summary of Hourly Observations." The summaries will be for the 1975-1984 period and will be generated from hourly, not three-hourly, data from the National Weather Service first-order observation sites. Recognizing that user requirements have changed in the 20 years since publication of the 1951-1960 summaries, we want to incorporate as many of these new requirements into the new summary as economically feasible. Our current plan is to print the high demand requirements in the summary in a condensed form with much more detailed summaries and statistics available on microfiche and/or magnetic tape.

Recognizing that we are not the final word on user requirements, we solicit your ideas on the needs. Please write, or call, Dr. W. J. Koss with your ideas by September 1, 1985; your ideas can help make this new summary a truly useful publication. It would be most helpful if you could send a sample format or an example from an existing summary. For your convenience, we have included several sample pages from the old summary. You can contact Dr. Koss at:

Dr. Walter James Koss
Chief, Statistical Climatology Branch
National Climatic Data Center
Federal Building
Asheville, NC 28801-2696
Telephone: (704) 259-0319

#### U. S. DEPARTMENT OF COMMERCE

LUTHER H. HODGES, Secretary
WEATHER BUREAU
F. W. REICHELDERFER, Chief

### CLIMATOGRAPHY OF THE UNITED STATES NO. 82 - 26

### DECENNIAL CENSUS OF UNITED STATES CLIMATE—

## SUMMARY OF HOURLY OBSERVATIONS

120th Meridian Time Zone

# RENO, NEVADA

Municipal Airport

1956 - 1960



Washington, D.C.: 1963

Reprinted September 1976

0

#### PREFACE AND EXPLANATION OF TABLES

This summary of surface weather data is one of a series prepared under the Decennial Census of United States Climate, 1960 program. Similar summaries are being published for most Weather Bureau stations. All data are based on monthly data published in Local Climatological Data Supplements for all or part of the period 1951 - 1960. Where the full 10-year period is not covered by the monthly data, summaries are based on the period 1956 - 1960.

This series supersedes the series entitled "Climatography of the United States No. 30-Summary of Hourly Observations", which was published in 1956. It differs from this earlier information in that a longer, more representative period is used for summarization

wherever possible. Comparability between stations is improved in the Decennial Census series by the use of identical 10-year and 5-year periods.

The tables in this pamphlet are similar to Tables A through E in the monthly Local Climatological Data Supplements except that Tables B, D, and E give percentage frequencies instead of total occurrences. In these tables all hourly observations are represented unless otherwise specified. The total number of observations used is indicated on each page under the month name. In the percentage tables "+" indicates more than 0 but less than 0.5 in Table E and 0.05 in Tables B and D. Values are not adjusted to make their sums exactly equal to column or row totals.

### STATION LOCATION

RENO, NEVADA MUNICIPAL AIRPORT

										Elevati		OVO (				
						See	level			,		Ground				
Location	Occupied from	Occupied to	Airline distance and direction from previous location	Latitude	Longitude	Ground	Actual barometer elevation (H <sub>a</sub> )	Wind instruments	Extreme thermometers	Psychrometer	Telepsychrometer	Tipping bucket rain gage	Weighing rain gage	8" rain gage	Hygrothermometer	Remarks
C A A BLDG, RENO MUNICIPAL AIRPORT	6/ 1/49	10/23/59	60 FT S	39°29.6'N	119*46.6'W	4397	4402	53	6	6		4	5a	3a		Name changed from United Airlines AP 12/1/53. (a) Shielded 10/25/57.
WEATHER BUREAU BUILDING MUNICIPAL AIRPORT	10/23/59	PRESENT	0.8 MI NNW	39°30.0'N	119*46.6'W	4404	4408	20	6	6	÷		5	4	4	Moved to new building, wind equip. installed in field location.  Hygrothermometer put in operation in field location 2/1/60.

#### LOCATION AND TOPOGRAPHY:

Reno Municipal Airport is located 2-1/4 miles south-southeast of the center of Reno, on the western side of the Truckee Meadows. To the west the Sierra Nevada Mountains rise to a height of 9000-11000 feet within 13 miles. To the east the Virginia Range rise to 6000 to 7000 feet within 4 miles. The valley is open to the north and south for considerable distance. The airport is near the valley floor, and terrain is generally flat to north, east and south, and slopes gradually upward to the west as rolling foot-hills.

#### SMOKE SOURCES:

Smoke generally is not a problem at the airport and seldom reduces visibility below 15 miles. Smoke over the city comes from several lumber mills along the Truckee River, and from a brick kiln just west of town. In the winter, inversions trap smoke throughout the lower portion of the valley, but seldom restrict visibility below 15 miles.

A

#### TEMPERATURE AND WIND SPEED-RELATIVE HUMIDITY OCCURRENCES:

WIND				0-4 A	A.P.H.					5-14 A	A.P.H.		· a-			15-24	M.P.H.				25 M	P.H.	AND	OVE	!	si
REL. HUMID		#	6	ξ.	\$	\$	ś	*	٤	\$	\$	٤	8	*	•	•	£	٤	8	8	Ę	ţ	£	1	8	AL 085
TEMP.		38	Ŕ	š	Ŕ	8	8	58	8	š	Ŕ	8	8	38	*	Ř	Ŕ	8	8	38	*	Š	2	8	8	TOTAL
69/ 64/ 59/ 54/ 49/ 44/ 39/	90 85 70 60 50 40	115 100 103 83 38 18	3 20 51 100	13 38 98 167 195	53 101	10 7 12 15 18 11 10 2	7 7 8	22 107 180 160 147 88 50 16	27 32 41	2 8 9 5 19 21 12	1 4 2 5 6 2	3 3 3 3	1	15 47 81 77 56 34 14	2 6 6 9 6 8 9 3	1 1 1		1		1 1 3 1	1	1			AND THE PROPERTY OF THE PROPER	54 204 383 388 397 372 337 336 377 389 285 153
TOTA		527	523	713	399	85	24	771	175	77	25	10	1	328	49	4		1		6	1	1				3720

 $\infty$ 

C

#### OCCURRENCES OF PRECIPITATION AMOUNTS:

						FREC	DUEN	ICY (	OF C	ccu	RRE	NCE	FOR	EAC	нн	OUR	OF	THE	DAY						
INTENSITIES				,	. M. H	OUR	ENDI	NG A	T							F	.M. H	OUR	ENDI	NG A	Т				90
	1	2	3	4	5	6	7		9	10	11	NOON	1	2 .	3	4	5	6	7		,	10	11	MID.	DAY
TRACE 01 M 02 TO 09 IN 10 TO 24 IN 25 TO 49 IN	1	1	4	3	2	3	2	2	1	1	1	2	1	1	1	1	1	1	1 1	1 2 1	1	4	2	2	
50 TO 99 IN 1 00 TO 199 IN 2 00 IN AND OVER TOTAL	3	5	4	5	3		2	2	2	1	1	3	2	2	2	1	3	5	3	4	2		2	a	1

PERCENTAGE FREQUENCIES OF CEILING-VISIBILITY:

			,		CEILING	G (FEET	)			
(MILES)	0	100-	300- 400	500- 900	1900-	2000- 2900	3000- 4900	5000 9500	9500	101
0 TO 1/8										
3/16 TO 3/8										
1/2 TO 3/4										
1 TO 21/2			10	+	. 1	• 1			• 2	• 4
3 TO 6					+	+	+		1.0	1.1
7 TO 15					.1		• 2	1.4	37.6	
20 TO 30								. 6		1.9
35 OR MORE			1			+		2.2	55.0	57.2
TOTAL				+	. 2	- 1	. 2	4.2	95.2	100

### PERCENTAGE FREQUENCIES OF WIND DIRECTION AND SPEED:

					но	UR	LY					HOU		ND	SPE	EED			AV
DIRECTION	0 3		4 . 7	1	8 -	12	13	- 18	19	- 24	25	. 31	32	- 38	39	46	47 OVER	TOTAL	SPEED
N	2.	1	2.	4	1	. 2	1	•1		.1		_						5.9	5.6
NNE	1.	8	1.	8		. 9		. 1										4.6	5 .:
NE	2.	6	3 .	2		. 9	1		1									6.7	4.6
ENE	1.	1		7		. 2		4										2.1	4.
E	1.			4		. 1			1									1.7	3.6
ESE	1.			6		. 2			-			+						1.9	4.
SE	2.		1.	5		. 2		. 1	1	+	-							4.7	3.9
SSE	1.	8		6		. 3		+										2.8	3.1
5	3.	4	1.	8		. 3		• 3		. 2		.1	1					6.2	5.4
SSW	3.	4	1.	9		. 6		. 6		. 2								6.7	5.
SW	3.	3	1.	9		. 6		. 4		. 1								6.2	5.0
WSW	1.	2		6		. 6		. 8		. 1								3.3	8.0
W	1.					. 2		. 6		. 3	4							4.6	10.
WNW	1.		1.	3	2	. 6	4	. 7	2	.7	1	. 1						13.0	13.
NW	1.	9	2 .	0	2	.0	1	.4		. 3								7.6	8 . :
NNW	1.	0		7	-	. 7	1	. 3		. 1								2.8	7 . 2
CALM	19.	5																19.5	
TOTAL	50.		1.	8	12	. 7	10	. 4	4	. 1		. 2						100	5.

#### PERCENTAGE FREQUENCIES OF SKY COVER, WIND, AND RELATIVE HUMIDITY:

	-	LOUD		w	IND	SPEI	D						
		LE O			(M. P			RE	LATIV	E H	UMID	IT	(%)
OF DAY	0- 3	4-7	8- 10	0- 3	4- 12	13-	25- & OVER	0- 29	30- 49	50- 69	70- 79	80- 89	90-
00	85	6	9	66	32	2		1	25	59	11	3	1
01	86	3	10	79	20	1		1	11	65	19	5	+
02	84	6	10	75	25			1	8	54	33	3	2
03	85	6	10	82	18			1	3	45	41	8	3
04	87	4	9	86	14				3	33	54	8	3
05	81	10	9	92	8	1			1	28	52	16	3
06	79	12	9	94	6	1			2	40	46	9	3
07	83	10	7	95	5	1			19	71	6	3	1
08	83	7	10	95	3	1		6	72	18	3	1	1
09	81	7	12	87	10	3		30	65	5	1		
10	81	8	10	65	34	2		61	36	2	1		
11	80	9	11	53	41	6		88	7	1			1
12	76	10	14	25	66		1	96	3	1	1		
13	75	12	14	19	65	16	1	96	3	1	1	1	
14	75	10	17	9	52	39		96	2	1		i	
15	72	10		9	43	47		96	2	1		1	
16	68	12	19	9	35	55	1	91	6	2	1	1	
17	68	14						88	10	2			
18	70	12	19	9	40	50	1	76	22	1	1	1	
19	72	12	16	8	59		1	63	31	5	1	1	
20	78	7	15	10	54	30	1	43	43	11	1	1	
21	82				46	17		21	57	19	i	1	1
22	85	4	12	50	43	2		6	42	46	4	2	+
23 AVG	79	8	12	51	35	15	+	44	20	21	11	3	1

#### TEMPERATURE AND WIND SPEED-RELATIVE HUMIDITY OCCURRENCES:

Think   The state   The stat	WIND				0-4 A	A.P.H.					5-14 /	M.P.H.					15-24	M.P.H.				25 M	P.H. /	ND C	OVER		s
99/ 95  9	HUMID.	-	i x	É	4	***	<b>10</b>	90.100%	20 C	<b>£</b>	****	70.75	74.0	FO 100%	3000	× 00	30.00	20.79		\$ 100°.	UNDER	30 40.°	% 96 OK	70 70*	-,66 0e		TOTAL OBS
	99/ 95 94/ 90 84/ 80 79/ 75 74/ 76 69/ 65 64/ 65 64/ 65 39/ 35 34/ 30 39/ 35 22/ 25 24/ 20 19/ 15 00/ 00 00/ 00 00/ 00 00/ 00	55	65 95 101 89 76 55 47 35 25 10 2	16 35 79 114 147 148 136 116 98 51 27 7	11 30 84 164 222 234 202 185 147 102 62 18	10 38 80 116 162 157 144 125 91 57 33 9	25 38 62 123 159 168 151 108 52 24	7 14 21 40 72 47 40 24 4	59 115 144 138 117 86 69 47 37 16 9 2	12 24 44 72 92 97 92 85 65 33 14	10 22 36 74 97 95 90 65 25 11 5	1 4 11 26 35 34 29 18 12 8 2	2 4 9 21 35 33 20 11 5 3 2	3 10 15 5 3 1 +	31 57 59 54 48 42 36 23 20 11 6	24 30 45 54 47 35 12 4	8 24 35 32 25 11 3 1	5 2 1	3 5 10 4 1	333++	ì	14 7 1 + +	+ + + 2 4 8 9 3 1 1 + +	ì	+ 1 3	1 2 3 3 4 4 4 5 6 6 8 8 9 8 8 1 8 7 7 5 3 2 2 1 1	124 33 37 47 57 59 89 89 73 38 22 10 31

In Tables A and C, occurrences are for the average year (5-year total divided by 5). Values are rounded to the nearest whole number, but not adjusted to make their sums exactly equal to column and row totals. "+" indicates more than 0 but less than 0.5.

9

#### OCCURRENCES OF PRECIPITATION AMOUNTS:

INTENSITIES					.M. H	OUR	ENDIP	IG AT								P	M. H	OUR	ENDI	NG A	T				- N
	1	2	3	4	5	6	7	•	9	10	11	NOON	1	2	3	4	5	6	7		•	10	11	MID	DA
TRACE	16	15	11	12	13	13	14	14	13	14	17	12	14	16	17	16	17	17	15	14	14	14	15	13	4
O1 1M	2	3	5	5	3	2	3	2	2	4	3	3	3	2	3	4	4	4	4	4	3	4	4	5	
02 TO 09 IN	5	4		5	5	5	4	4	5	3	2	4	4	4	3	6	5	5	6	6	6	5	3	3	1
10 TO 24 IN	+	1	1	1	+	+	+	1	+	+	1	+	+	1	1	1	1	1	1	+	+	+	+	1	1
25 TO 49 M	1																+	+		10					
50 TO 99 IN	1 1												i	- 1		1									
00 TO 199 IN	1 1												- 1			- 1	- 1								
OD IN AND OVER														1											
OTAL	23	23	21	22	22	20	21	20	20	20	22	19	21	23	25	26	27	27	26	24	23	23	22	22	9

### PERCENTAGE FREQUENCIES OF CEILING-VISIBILITY:

					CEILIN	G (FEET	)			
(MILES)	•	100-	200-	500- 900	1900-	2000-	2000- 4900	5000- 1900	9500	TOT.
0 TO 1/8	.2	+	+	+	+	-	+	+	+	• 3
3/16 TO 3/8		+	+	+	+	+		+	• 1	• 2
1/2 TO 3/4	+	+	+	- 1	. 1	+	+	+	- 1	. 2
1 TO 21/2		- 1	+	. 1	.2	+	+	+	- 1	.4
3 TO 6		+	+	+	.4	• 3	. 2	. 1	. 3	1.3
7 TO 15				+	.4	. 8	2.7	4.5	37.7	46.1
20 TO -30					+	. 1	. 6	1.0	2.0	3.7
35 OR MORE			i			. 1	. 9	4.3	42.6	47.9
TOTAL	• 2	- 1	+	. 2	1.1	1.2	4.3	10.0	82.9	100

### PERCENTAGE FREQUENCIES OF WIND DIRECTION AND SPEED:

				HOURL		RVATIC			SP	EED			AV
DIRECTION	0	3	4 . 7	8 - 12	13 - 18	19 - 24	25 - 31	32 - 30	39	- 46	47 OVER	TOTAL	SPEED
N	1	. 9	1.7	1.1	.4	• 1	+			-		5.3	6.5
NNE	1	.4	1.6	1.1	• 3	• 1	+					4.6	6.6
NE	2	.4	2.0	1.0	• 2	+	+					5.6	5.3
ENE	1	. 1	.7	.4	- 1	+						2.4	5.2
Ε	1	.2	. 7	. 3	.1	+				- 3		2 . 3	4.8
ESE	1	. 2	. 7	. 2	.1	+	+					2.2	4.6
SE	2	. 9	1.5	.5	• 2	.1	+	4		+		5.3	5.3
SSE	1	.5.	. 8	4	.4	.3	• 2	• 1		+		3.7	9.3
S	3	.3	1.6	8	.9	.6	• 3	. 1		+		7.5	8 . 2
SSW	2	. 8	1.7	. 6	.6	. 4	.1	- 1		+	+	6.3	7.4
SW	3	.5	1.8	7	.5	• 2	-1	4	4	+		6.8	5.6
WSW	1	.4	. 6	. 4	. 5	.1	+	4		+		3.1	7.3
W	1	.5	.7	.7	1.0	.2	+	4	-	+		4.2	8.8
WNW	1	. 8	1.3	1.7	2.9	1.4	• 2		1			9.3	11.8
NW	2	.1:	1.7	1.6	1.3	.3	+		1	- 3		7.0	8 . 2
NNW	1	.0	1.0	9	.6	. 1	+	4	-	-		3.6	8.0
CALM	20	.6							:	-		20.6	
TOTAL	51	. 72	0.2	12.6	10.0	4.0	1.0	3	S.	. 1		100	5.5

### PERCENTAGE FREQUENCIES OF SKY COVER, WIND, AND RELATIVE HUMIDITY:

E			Iu	سان		L	110	TATT	ווע	1.			
		LOUE	S - 10		IND (M. F		ED	RE	LATIN	/E H	UMID	HTY	(%)
OF DAY	0- 3	4-7	8- 10	0-	4- 12	13-	25- & OVER	0- 29	30- 49	50- 69	70- 79	80-	90- 100
00	65	11	24	54	30	6	1	1	13	42	22	17	5
01	65		23			5		1	8	39	26	22	6
02	65	11	23		25	5	1	1	5	33	29	24	7
03	67	9	24	71		4	1	1	4	27	31	29	8
04	65	10	25	72	22	5	1	1	4	24	32	31	9
05	63	11	26	75	20	5	1	1	. 3	21	33	34	9
06	59	12	30	76	19	4	1	+	4	29	27	31	9
07	56	12	32	78	16	5	1	1	15	36	18	23	7
30	55	12	33	78	15	6	1	3	34	29	14	14	6
09	56	9	34	71	20	7	1	13	41	24	11	8	3
10	55	11	34	59	31	8	2	27	37	23	8	3	1
11	53	13	35	48	38	12	2	43	32	19	4	2	1
12	52	12	36	36	45	16	3	51	29	16	2	2	1
13	50	13	38	31	46	20	2	56	28	12	2	2	1
14	47	14	39	26	44	28	2	59	27	10	2	1	+
15	46	14	40	24	41	32	3	59	27	9	2	2	+
16	46	13	41	23	39	36	2	57	26	12	2	2	1
17	48	14	38	21	42		2	48	24	19	4	3	1
18	50	14	36	24	43	31	1	39	27	21	7	4	1
19	53	13	34	28	46	25	1	28	32	23	10	6	1
20	57	12	31	36	46	17	1	20	32	27	11	8	2
21	59	13	28	46	42	12	1	12	32	29	14	10	3
22	63	10	27	55	36	8	1	6	29	34	16	12	3
23	64	11	25	61	32	6	*	2	21	39	18	16	4
AVG	57	12	31	52	33	14	1	22	22	25	14	13	4

#### CENTER SE PROGRAM

gist, from the Colorado Climate didates who were chosen for FY hal Climatic Data Center (NCDC), to both NCDC and the Colorado work through the NCDC quality in addition to his becoming more became aware of our limited ach state that might affect data ect result of this exchange that by of significant weather events ol of the co-op data. Several

rument shelter resulting in an

lower in the valley stations;

ne locally heavy rains at some

our station history files. It story file is becoming the best




#### NATIONAL CLIMATIC DATA STATE CLIMATOLOGIST EXCHAN

#### COLORADO

Mr. Nolan Doesken, Assistant State Climatol Center (CCC) was the second of nine total ca 1985. During his three week visit at the Natio Nolan worked on several tasks of related interest Climate Center. The first was to have Nolar control process for a month of Colorado data. familiar with NCDC's QC process, Nolan also knowledge of specific meteorological events in values from station to station. It was as a distance to the CCC is now providing NCDC with a brief summain Colorado that might affect our quality contexamples are:

- (1) <u>high winds</u> that might shake an ins erroneous minimum temperature reading;
  - (2) strong radiation, minimum temperatures
- (3) strong thunderstorms resulting in so

Nolan was also very helpful in his review of is through such cooperation that this station hand most accurate available.



#### SOUTH CAROLINA

Mr. John Purvis, State Climatologist from South Carolina, was our third participant in this year's Exchange Program. John also spent about three weeks here at NCDC, and with John's former position as Meteorologist-in-Charge at the Columbia NWSFO, was invaluable in the review of the South Carolina station history file. As we were to learn, many of the station history forms had been signed by John while he was in the National Weather Service. John did seem pleasantly surprised when he ran across a photograph of himself and four other weather service personnel that was taken several days after he began work in 1940.

While here at the NCDC, John investigated numerous other related subjects to South Carolina. The following are only a few of them: county climate narratives for the Federal Emergency Management Administration (FEMA), maps of first and last freeze dates, state temperature extremes, wind summaries (roses) for environmental impact studies, file structure and capacity of data on floppy disk, and a hands on demonstration of the NCDC/State Climatologist "VAX Dial Up" and data retrieval.




NCDC Director Dr. Kenneth Hadeen (left) and Mr. John Purvis (right).

#### **NEW JERSEY**

Professor A. Vaughn Havens was our fourth participant this year. The professor's week here overlapped the last week of Mr. Purvis' thus allowing visit, some interaction between the State Climatologists Based on themselves. feedback from last year's and this year's participants, it seems that such interaction is one of the added benefits of the Exchange Program.

Professor Havens' major task while here at the NCDC was to study frequency of aroughts in tne northeast portion of the United States. commuter nrogram for this study had been written at Cornell, but requires modification and testing by NCDC personnel before running on our Sperry 1100/62. Data used the program developed by Tom Karl of NCDC and was the Palmer Hydrologic Drought Index 1931-1984 (TD9640). The use of the program and should help data identifying and comparing past and present drought episodes in the northeast.



Professor Vaughn Havens viewing the CALCOMP Plotter.

The station history file for New Jersey also did not escape the scrutiny of Professor Havens, pariticularly those 12 stations that have been identified by NCDC's Bill Brower in his long-term station file. Professor Havens said that he recognized the names of many Cooperative Program Managers (CPMs) and observers. One station (Indian Mills, NJ) has had only two observers in 84 years of record.

#### NEVADA'S STATE CLIMATOLOGY PROGRAM

After the departure of the federally appointed State Climatologist, Clarence Sakamoto, in the early 1970's, Nevada's State Climatology program saw little progress for many years. There were several reasons for this, including an almost complete lack of funds and support in Nevada, and in more recent years the illness of Richard O. Gifford, Professor of Plant, Soil and Water Science at the University of Nevada Reno (UNR). He was appointed to the State Climatology position later in the 1970's, serving until his untimely death in early 1984. At that time John W. James, Associate Professor of Geography at UNR, was appointed to the position, inheriting a mass of climatic material in assorted a dearth of support

lace to put it, a dearth of support

ames inspecting satellite photos the NWS Nuclear Support Office hanks to Darrel Randerson and

Nicholas of Incline, who establishing the Office of l passing in June 1985. his bill and the State times. Others that served by the State Climatologist as Senator William Raggio

ive matters with higher eds, AB 413 contained no roblem, and to prevent a t's personal monies, along the University ear. This

With the active support of several persons, including the Geography Department Chairman, Christopher Exline, Dean of the College of Arts and Science, Paul Page, the University's President, Richard O. Davies, Meteorologist-in-Charge of the Reno National Weather Service Office, Nevada Area Manager, Glenn Trapp, a room was obtained for a State Climate Library the word was passed around concerning the importance of a good State Climatology Program. In addition, beginning in April 1984, the first Monthly Weather Summary for Nevada was mailed to over 100 persons in and out of the state. This report went to the news media as well, and helped improve the program's visibility.

and funding, and a lack of public visibility.



S. C. John J donated by Las Vegas, t Bob Titus.

Also, the fine effort of State Assemblyman David introduced AB 413 to this years' Nevada Legislature State Climatologist, was instrumental in the bill Governor Richard Bryan was very supportive of the Climatology Program, publically stating such several on Legislative Committees that listened to testimony and Assemblyman Nicholas were very cooperative, such of Reno.

Unfortunately, due to other pressing legislat priorities, and a lack of funds to support all ne provision for funding. To help alleviate this p continuation of funding out of the State Climatologis with small donations, in late June Governor Bryan recommended to f Nevada that some University funds be supplied this academic y



Cheryl Miskei, Univ. of Nevada Reno, Geography Dept. Secretary. Cheryl has been invaluable the last year in producing the Nevada Climate Summary. UCLA Graduate School is her next task.

funding would cover costs of a part-time librarian to take care of the new library and to help update the Nevada Cooperative Local Climatological Data Forms (LCD's), many of which have not been revised since 1968, and to make new summaries for stations without LCD's. The funds would also pay for the preparation, printing, and mailing of the Monthly Weather Summary, and give some limited travel funds to the State Climatologist.

Based on this request, University of Nevada Reno President Joseph Crowley, himself an ardent supporter of the Climatology Program, asked College of Arts and Science Dean Paul Page to arrange some interim financing for the State Climatology Program for the 1985-86 academic year. This, in spite of an already tightly allocated University budget.

Obviously, the Nevada State Climatology Program could not progress without all the support mentioned, and from others such as several of Nevada's newspapers, including the Battle Mountain Bugle, Humboldt Sun, Ely Daily Times, and the Las Vegas Review Journal. In addition, other groups such as the Reno and Las Vegas National Weather Service Offices, Sierra Pacific Power Company,

Conservation Service, als, have lent their operation, advice, and tude of members of the cic Data Center, Goodge, have made the actologist much easier, all of this is greatly

-86 year begins with a or the development of in Nevada. For our continue to access and limatological

elated material in the liam Phillips Memorial Map Library in Mackay UNR. As a part time we hope to update all and prepare ones for will also continue to



Cathy James had the nearly impossible task of organizing a mass of various materials into a State Climate Library. She did a great job. To bad we can't keep her.


and the U.S. Soil and many individ support. The covery helpful attinutional Clima especially Grant task of State Climand enjoyable. appreciated.

Thus, the 198 better outlook f State Climatology part, we plan to archive Nevada's information and r new designated Wi Climatological an Science Hall at librarian is able the State's LCD'new stations. We



Louis Loftin, a Senior Geography major, is the University of Nevada Reno weather observer and also aids the State Climatologist in the compilation of data for the Nevada Monthly Weather Summary.

Dr. Christopher Exline, Geography Department Chairman and Chairman of the UNR Faculty Senate, a staunch supporter of the State Climatology program, was instrumental in obtaining the State Climate Library space. Here he is viewing some of the 100 plus year old Nevada weather records.



publish the Monthly Weather Summary and distribute it to all those that express an interest. We hope that some funding is available this year to travel in Nevada in order to tell the public personally about the program and to solicit their ideas and needs. We will also continue to work closely with the National Weather Service Cooperative Program Managers for Nevada, including Bert Soileau in Reno, in the location and re-location and needs for weather stations in the State. As time allows, the State Climatologist plans to write a climatology of the state, county by county, and to update the 30 year-plus old Substation History for Nevada. We are also beginning a program to take photos of the site exposure of each weather station in Nevada, published and unpublished, as part of the Station History.

John W. James State Climatologist for Nevada