

**NOAA Technical Memorandum NWS WR-205**



---

**FORECAST GUIDELINES FOR FIRE WEATHER AND  
FORECASTERS -- HOW NIGHTTIME HUMIDITY AFFECTS  
WILDLAND FUELS**

David W. Goens

Weather Service Office  
Missoula, Montana  
February 1989

---

**U.S. DEPARTMENT OF  
COMMERCE**

National Oceanic and  
Atmospheric Administration

National Weather  
Service



NOAA TECHNICAL MEMORANDA  
National Weather Service, Western Region Subseries

The National Weather Service (NWS) Western Region (WR) Subseries provides an informal medium for the documentation and quick dissemination of results not appropriate, or not yet ready, for formal publication. The series is used to report on work in progress, to describe technical procedures and practices, or to relate progress to a limited audience. These Technical Memoranda will report on investigations devoted primarily to regional and local problems of interest mainly to personnel, and hence will not be widely distributed.

Papers 1 to 25 are in the former series, ESSA Technical Memoranda, Western Region Technical Memoranda (WRTM); papers 24 to 59 are in the former series, ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM). Beginning with 60, the papers are part of the series, NOAA Technical Memoranda NWS. Out-of-print memoranda are not listed.

Papers 2 to 22, except for 5 (revised edition), are available from the National Weather Service Western Region, Scientific Services Division, P.O. Box 11188, Federal Building, 125 South State Street, Salt Lake City, Utah 84147. Paper 5 (revised edition), and all others beginning with 25 are available from the National Technical Information Service, U.S. Department of Commerce, Sills Building, 5285 Port Royal Road, Springfield, Virginia 22161. Prices vary for all paper copies; microfiche are \$3.50. Order by accession number shown in parentheses at end of each entry.

ESSA Technical Memoranda (WRTM)

2 Climatological Precipitation Probabilities. Compiled by Lucianne Miller, December 1965.  
3 Western Region Pre- and Post-FP-3 Program, December 1, 1965, to February 20, 1966. Edward D. Diemer, March 1966.  
5 Station Descriptions of Local Effects on Synoptic Weather Patterns. Philip Williams, Jr., April 1966 (Revised November 1967, October 1969). (PB-17800)  
8 Interpreting the RAREP. Herbert P. Benner, May 1966 (Revised January 1967).  
11 Some Electrical Processes in the Atmosphere. J. Latham, June 1966.  
17 A Digitalized Summary of Radar Echoes within 100 Miles of Sacramento, California. J. A. Youngberg and L. B. Overaas, December 1966.  
21 An Objective Aid for Forecasting the End of East Winds in the Columbia Gorge, July through October. D. John Copararis, April 1967.  
22 Derivation of Radar Horizons in Mountainous Terrain. Roger G. Pappas, April 1967.

ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM)

25 Verification of Operation Probability of Precipitation Forecasts, April 1966-March 1967. W. W. Dickey, October 1967. (PB-176240)  
26 A Study of Winds in the Lake Mead Recreation Area. R. P. Augulis, January 1968. (PB-177830)  
28 Weather Extremes. R. J. Schmidli, April 1968 (Revised March 1986). (PB86 177672/AS)  
29 Small-Scale Analysis and Prediction. Philip Williams, Jr., May 1968. (PB178425)  
30 Numerical Weather Prediction and Synoptic Meteorology. CPT Thomas D. Murphy, USAF, May 1968. (AD 873365)  
31 Precipitation Detection Probabilities by Salt Lake ARTC Radars. Robert K. Belesky, July 1968. (PB 179084)  
32 Probability Forecasting--A Problem Analysis with Reference to the Portland Fire Weather District. Harold S. Ayer, July 1968. (PB 179289)  
36 Temperature Trends in Sacramento--Another Heat Island. Anthony D. Lentini, February 1969. (PB 183055)  
37 Disposal of Logging Residues Without Damage to Air Quality. Owen P. Cramer, March 1969. (PB 183057)  
39 Upper-Air Lows Over Northwestern United States. A.L. Jacobson, April 1969. PB 184296)  
40 The Man-Machine Mix in Applied Weather Forecasting in the 1970s. L.W. Snellman, August 1969. (PB 185068)  
43 Forecasting Maximum Temperatures at Helena, Montana. David E. Olsen, October 1969. (PB 185762)  
44 Estimated Return Periods for Short-Duration Precipitation in Arizona. Paul C. Kangieser, October 1969. (PB 187763)  
46 Applications of the Net Radiometer to Short-Range Fog and Stratus Forecasting at Eugene, Oregon. L. Yee and E. Bates, December 1969. (PB 190476)  
47 Statistical Analysis as a Flood Routing Tool. Robert J.C. Burnash, December 1969. (PB 198744)  
49 Tsunami. Richard P. Augulis, February 1970. (PB 190157)  
49 Predicting Precipitation Type. Robert J.C. Burnash and Floyd E. Hug, March 1970. (PB 190962)  
50 Statistical Report on Aeroallergens (Pollens and Molds) Fort Huachuca, Arizona, 1969. Wayne S. Johnson, April 1970. (PB 191743)  
51 Western Region Sea State and Surf Forecaster's Manual. Gordon C. Shields and Gerald B. Burdwell, July 1970. (PB 193102)  
52 Sacramento Weather Radar Climatology. R.G. Pappas and C. M. Veliquette, July 1970. (PB 193347)  
54 A Refinement of the Vorticity Field to Delineate Areas of Significant Precipitation. Barry E. Aronovitch, August 1970.  
55 Application of the SSARR Model to a Basin without Discharge Record. Vail Schermerhorn and Donald W. Kuehl, August 1970. (PB 194394)  
56 Areal Coverage of Precipitation in Northwestern Utah. Philip Williams, Jr., and Werner J. Heck, September 1970. (PB 194889)  
57 Preliminary Report on Agricultural Field Burning vs. Atmospheric Visibility in the Willamette Valley of Oregon. Earl M. Bates and David O. Chilcote, September 1970. (PB 194710)  
58 Air Pollution by Jet Aircraft at Seattle-Tacoma Airport. Wallace R. Donaldson, October 1970. (COM 71 00017)  
59 Application of PE Model Forecast Parameters to Local-Area Forecasting. Leonard W. Snellman, October 1970. (COM 71 00016)  
60 An Aid for Forecasting the Minimum Temperature at Medford, Oregon, Arthur W. Friz, October 1970. (COM 71 00120)  
63 700-mb Warm Air Advection as a Forecasting Tool for Montana and Northern Idaho. Norris E. Woerner, February 1971. (COM 71 00349)  
64 Wind and Weather Regimes at Great Falls, Montana. Warren B. Price, March 1971.  
65 Climate of Sacramento, California. Tony Martini, January 1968. (PB88 206370/AS)  
66 A Preliminary Report on Correlation of ARTCC Radar Echoes and Precipitation. Wilbur K. Hall, June 1971. (COM 71 00829)  
69 National Weather Service Support to Soaring Activities. Ellis Burton, August 1971. (COM 71 00956)  
71 Western Region Synoptic Analysis-Problems and Methods. Philip Williams, Jr., February 1972. (COM 72 10433)

74 Thunderstorms and Hail Days Probabilities in Nevada. Clarence M. Sakamoto, April 1972. (COM 72 10554)  
75 A Study of the Low Level Jet Stream of the San Joaquin Valley. Ronald A. Willis and Philip Williams, Jr., May 1972. (COM 72 10707)  
76 Monthly Climatological Charts of the Behavior of Fog and Low Stratus at Los Angeles International Airport. Donald M. Gales, July 1972. (COM 72 11140)  
77 A Study of Radar Echo Distribution in Arizona During July and August. John E. Hales, Jr., July 1972. (COM 72 11136)  
78 Forecasting Precipitation at Bakersfield, California, Using Pressure Gradient Vectors. Earl T. Riddiough, July 1972. (COM 72 11146)  
79 Climate of Stockton, California. Robert C. Nelson, July 1972. (COM 72 10920)  
80 Estimation of Number of Days Above or Below Selected Temperatures. Clarence M. Sakamoto, October 1972. (COM 72 10021)  
81 An Aid for Forecasting Summer Maximum Temperatures at Seattle, Washington. Edgar G. Johnson, November 1972. (COM 73 10150)  
82 Flash Flood Forecasting and Warning Program in the Western Region. Philip Williams, Jr., Chester L. Glenn, and Roland L. Raetz, December 1972, (Revised March 1978). (COM 73 10251)  
83 A comparison of Manual and Semiautomatic Methods of Digitizing Analog Wind Records. Glenn E. Rasch, March 1973. (COM 73 10669)  
86 Conditional Probabilities for Sequences of Wet Days at Phoenix, Arizona. Paul C. Kangieser, June 1973. (COM 73 11264)  
87 A Refinement of the Use of K-Values in Forecasting Thunderstorms in Washington and Oregon. Robert Y.G. Lee, June 1973. (COM 73 11276)  
89 Objective Forecast Precipitation Over the Western Region of the United States. Julia N. Paegle and Larry P. Kierulff, September 1973. (COM 73 11946/3AS)  
91 Arizona "Eddy" Tornadoes. Robert S. Ingram, October 1973. (COM 73 10465)  
92 Smoke Management in the Willamette Valley. Earl M. Bates, May 1974. (COM 74 11277/AS)  
93 An Operational Evaluation of 500-mb Type Regression Equations. Alexander E. MacDonald, June 1974. (COM 74 11407/AS)  
94 Conditional Probability of Visibility Less than One-Half Mile in Radiation Fog at Fresno, California. John D. Thomas, August 1974. (COM 74 11565/AS)  
95 Climate of Flagstaff, Arizona. Paul W. Sorenson, and updated by Reginald W. Preston, January 1987. (PB87 143160/AS)  
96 Map type Precipitation Probabilities for the Western Region. Glenn E. Rasch and Alexander E. MacDonald, February 1975. (COM 75 10428/AS)  
97 Eastern Pacific Cut-Off Low of April 21-28, 1974. William J. Alder and George R. Miller, January 1976. (PB 250 711/AS)  
98 Study on a Significant Precipitation Episode in Western United States. Ira S. Brenner, April 1976. (COM 75 10719/AS)  
99 A Study of Flash Flood Susceptibility-A Basin in Southern Arizona. Gerald Williams, August 1975. (COM 75 11360/AS)  
102 A Set of Rules for Forecasting Temperatures in Napa and Sonoma Counties. Wesley L. Tuft, October 1975. (PB 246 902/AS)  
103 Application of the National Weather Service Flash-Flood Program in the Western Region. Gerald Williams, January 1976. (PB 253 063/AS)  
104 Objective Aids for Forecasting Minimum Temperatures at Reno, Nevada, During the Summer Months. Christopher D. Hill, January 1976. (PB 252 866/AS)  
105 Forecasting the Mono Wind. Charles P. Ruscha, Jr., February 1976. (PB 254 650)  
106 Use of MOS Forecast Parameters in Temperature Forecasting. John C. Plankinton, Jr., March 1976. (PB 254 640)  
107 Map Types as Aids in Using MOS PoPs in Western United States. Ira S. Brenner, August 1976. (PB 259 594)  
108 Other Kinds of Wind Shear. Christopher D. Hill, August 1976. (PB 260 437/AS)  
109 Forecasting North Winds in the Upper Sacramento Valley and Adjoining Forests. Christopher E. Fontana, September 1976. (PB 273 677/AS)  
110 Cool Inflow as a Weakening Influence on Eastern Pacific Tropical Cyclones. William J. Denney, November 1976. (PB 264 655/AS)  
112 The MAN/MOS Program. Alexander E. MacDonald, February 1977. (PB 265 941/AS)  
113 Winter Season Minimum Temperature Formula for Bakersfield, California, Using Multiple Regression. Michael J. Oard, February 1977. (PB 273 694/AS)  
114 Tropical Cyclone Kathleen. James R. Fors, February 1977. (PB 273 676/AS)  
116 A Study of Wind Gusts on Lake Mead. Bradley Colman, April 1977. (PB 268 847)  
117 The Relative Frequency of Cumulonimbus Clouds at the Nevada Test Site as a Function of K-Value. R.F. Quiring, April 1977. (PB 272 831)  
118 Moisture Distribution Modification by Upward Vertical Motion. Ira S. Brenner, April 1977. (PB 268 740)  
119 Relative Frequency of Occurrence of Warm Season Echo Activity as a Function of Stability Indices Computed from the Yucca Flat, Nevada, Rawinsonde. Darryl Anderson, June 1977. (PB 271 290/AS)  
121 Climatological Prediction of Cumulonimbus Clouds in the Vicinity of the Yucca Flat Weather Station. R.F. Quiring, June 1977. (PB 271 704/AS)  
122 A Method for Transforming Temperature Distribution to Normality. Morris S. Webb, Jr., June 1977. (PB 271 742/AS)  
124 Statistical Guidance for Prediction of Eastern North Pacific Tropical Cyclone Motion - Part I. Charles J. Neumann and Preston W. Leftwich, August 1977. (PB 272 661)  
125 Statistical Guidance on the Prediction of Eastern North Pacific Tropical Cyclone Motion - Part II. Preston W. Leftwich and Charles J. Neumann, August 1977. (PB 273 155/AS)  
126 Climate of San Francisco. E. Jan Null, February 1978. Revised by George T. Perich, April 1988. (PB88 208624/AS)  
127 Development of a Probability Equation for Winter-Type Precipitation Patterns in Great Falls, Montana. Kenneth B. Mielke, February 1978. (PB 281 387/AS)  
128 Hand Calculator Program to Compute Parcel Thermal Dynamics. Dan Gudgel, April 1978. (PB 283 080/AS)  
129 Fire whirls. David W. Goens, May 1978. (PB 283 866/AS)  
130 Flash-Flood Procedure. Ralph C. Hatch and Gerald Williams, May 1978. (PB 286 014/AS)  
131 Automated Fire-Weather Forecasts. Mark A. Mollner and David E. Olsen, September 1978. (PB 289 916/AS)  
132 Estimates of the Effects of Terrain Blocking on the Los Angeles WSR-74C Weather Radar. R.G. Pappas, R.Y. Lee, B.W. Finke, October 1978. (PB 289767/AS)  
133 Spectral Techniques in Ocean Wave Forecasting. John A. Jannuzzi, October 1978. (PB291317/AS)  
134 Solar Radiation. John A. Jannuzzi, November 1978. (PB291195/AS)  
135 Application of a Spectrum Analyzer in Forecasting Ocean Swell in Southern California Coastal Waters. Lawrence P. Kierulff, January 1979. (PB292716/AS)  
136 Basic Hydrologic Principles. Thomas L. Dietrich, January 1979. (PB292247/AS)  
137 LPM 24-Hour Prediction of Eastern Pacific Cyclones Refined by Satellite Images. John R. Zimmerman and Charles P. Ruscha, Jr., January 1979. (PB294324/AS)  
138 A Simple Analysis/Diagnosis System for Real Time Evaluation of Vertical Motion. Scott Hildick and James R. Fors, February 1979. (PB294216/AS)  
139 Aids for Forecasting Minimum Temperature in the Wenatchee Frost District. Robert S. Robinson, April 1979. (PB298339/AS)

NOAA Technical Memorandum NWS WR-205

**FORECAST GUIDELINES FOR FIRE WEATHER FORECASTERS  
HOW NIGHTTIME HUMIDITY AFFECTS WILDLAND FUELS**

David W. Goens  
Weather Service Office  
Missoula, Montana  
February 1989



This publication has been reviewed  
and is approved for publication by  
Scientific Services Division,  
Western Region.

*Ken Mielke*  
Ken Mielke, Acting Chief  
Scientific Services Division  
Salt Lake City, Utah

## TABLE OF CONTENTS

	PAGE
Table of Contents	iii
List of Tables	iv
I. Introduction	1
II. Fuel Models	1
III. Fuel Moisture	2
IV. Relative Humidity Vs Fine Fuel Moisture	2
V. Nighttime Humidity Recovery	3
VI. Applications	4
VII. Conclusions	5
VIII. References	5

## LIST OF TABLES

		PAGE
Table 1	Dead Fuel Classes	1
Table 2	Descriptions of FBA Fuel Models	2
Table 3	One-hour Timelag Fuel Moisture (Percent)	3
Table 4	Ten-hour Timelag Fuel Moisture (Percent)	3
Table 5	Moisture of Extinction 12%	6
Table 6	Moisture of Extinction 15%	6
Table 7	Moisture of Extinction 20%	7
Table 8	Moisture of Extinction 25% or Greater	7

# FORECAST GUIDELINES FOR FIRE WEATHER FORECASTERS HOW NIGHTTIME HUMIDITY AFFECTS WILDLAND FUELS

## I. INTRODUCTION

The forecasting of meteorological elements for the Fire Weather Program presents the meteorologist with a special challenge. In order to make his/her forecast beneficial to the user, it must be presented in terms that are meaningful. When forecasting humidity, especially at night, the forecaster should be cognizant of the effects of humidity on the wildland fuel complex. Some fire weather offices have adopted an adjective rating system in order to describe to users the effects of humidity on wildland fuel. For example, a nighttime humidity recovery rating such as poor or good is often used. Unfortunately, such subjective ratings may have different meanings to different forecasters and wildland managers. Unless the forecaster understands the relationship between relative humidity and fuel moisture, he/she should use caution when assigning adjective ratings to forecast elements. This paper will outline how relative humidity, especially at night, affects different wild land fuels. In so doing, hopefully the field fire weather forecaster can make his/her forecast more useful to the wild land manager. More complete information on fuels and the effects of humidity on fuel moisture can be found in the National Wildfire Coordinating Group (NWCG) S-390 Fire Behavior Course.

The fuel component of the wildland fire environment has been modeled by fire scientists. Fuel models are comprised of woody and herbaceous elements of distinctive size classes. Some fuel models are composed of only dead fuels; others have a live component. This paper will focus on the relationship between dead fuels and short-term changes in relative humidity. In addition, fuel models are categorized broadly by major component groups, specifically: grass, shrub, timber, and slash. Unfortunately, there are two similar but distinct fuel model sets used by fire management and forestry officials. Forecasters must be familiar with both sets of fuel models used by wildland managers.

## II. FUEL MODELS

A. The first set of models is the one outlined by Deeming, et al. (1971) in the publication on the National Fire Danger Rating System (NFDRS). This set of twenty models is commonly referred to as the NFDRS model. Most fire weather forecasters deal with the NFDRS system routinely.

Normally, any fire weather district may be adequately described by two or three of these models. The forecaster must become familiar with which models are used in his/her particular district.

B. The second set of models is best described as the Fire Behavior Prediction System model as illustrated by Anderson (1982). These models are used by the prescribed fire manager and the fire behavior analyst in planning for prescribed burning and wildfire control. These models will be referred to as the FBA models. There are thirteen FBA fuel models. Forecasters will be exposed to these models when on an on site fire assignment, or when forecasting for a prescribed fire.

The NFDRS and FBA models are related but have some significant differences. Figure 1 illustrates how these two systems may be cross referenced.

On a day-to-day basis, managers are concerned with the threat of an initiating fire. Most initiating fires begin in the smaller size classes of fuels. For both NFDRS and FBA systems, the size classes of fuel are the same and are referred to in "Time Lag" categories. The time lag concept is poorly understood by most forecasters. It is defined in various publications, specifically Fosberg (1977). Briefly, it relates to the amount of time it takes for a specific size class of fuel to respond to a change in its environmental equilibrium moisture content. Whenever a fuel element experiences a change in its environmental equilibrium moisture content, the moisture content of the fuel will respond correspondingly but at a slower rate. If, for example, a fuel element had a moisture content of 16% and the environmental moisture content changed and stabilized at a level that would eventually produce a fuel moisture of 7%, then a fuel element in the 1-hour category would respond by two-thirds in one hour. So, after one hour, the fuel moisture would be 10%. It would take a 10-hour fuel ten hours to respond in a like manner. The time-lag classes for dead fuels are shown in Table 1.

<u>Time-lag Class</u>	<u>Fuel Diameter (inches)</u>
1-hour	0 to 1/4
10-hour	1/4+ to 1
100-hour	1+ to 3
1000-hour	3+ to 8

Table 1. Dead Fuel Classes

The 10-hour fuels are the ones that fire weather forecasters are most familiar with. It is the size class represented by the NFDRS fuel stick that is weighed daily for fire danger calculations. Forecasters directly or indirectly forecast this stick weight each day in the NFDRS trend forecast.

The 1-hour fuels and the 10-hour fuels are the ones most critical in an initiating fire. They are also the ones that are most responsive to diurnal changes in humidity and, specifically, to nighttime humidity recovery.

### III. FUEL MOISTURE

As previously discussed, fuels respond to changes in atmospheric moisture in a somewhat predictable manner. From here forward we will concern ourselves only with the 1-hour and 10-hour fuels, since their sensitivity to moisture changes are the most critical in the diurnal cycle.

The concept of "moisture of extinction" (Anderson, 1982) needs to be understood at this point. The moisture of extinction is simply defined as the fuel moisture level at which fire will no longer sustain itself. In other words, it is the point at which the fuel becomes too wet to burn. Table 2 shows the 13 FBA fuel models, along with a fuel complex description, and the moisture of extinction for each model. The values of the moisture of extinction take into account all size classes (if present) but are heavily weighted to the fine fuels (1/4" or less in diameter).

This concept now gives us a starting point to look at how changes in relative humidity (and corresponding changes in temperature) affect the wildland fuel complex. We will want to key on the moisture of extinction and how the fuels reach this moisture level.

### IV. RELATIVE HUMIDITY VS. FINE FUEL MOISTURE

Relative humidity tends to follow a definite diurnal cycle during the typical western fire season. Highest values are normally observed around sunrise with the minimum temperature, lowest values during the late afternoon with the maximum temperature. Forecasters must be able to predict the relative humidity (and the temperature) for any specific time. With this information, fire managers may then be able to derive a fuel moisture for calculations of either a NFDRS index, or for a prediction of the behavior of a wild fire or a prescribed fire.

Fosberg and Deeming (1971) derived tables for field use for calculating both 1-hour and 10-hour fuel moisture. These are shown here as Tables 3 and 4.

Table 2 - Descriptions of FBA Fuel Models

Fuel model	Typical fuel complex	Fuel loading				Fuel bed depth	Moisture of extinction dead fuels
		1 hour	10 hours	100 hours	Live		
		Tons/acre				Feet	Percent
<b>Grass and grass-dominated</b>							
1	Short grass (1 foot)	0.74	0.00	0.00	0.00	1.0	12
2	Timber (grass and understory)	2.00	1.00	.50	.50	1.0	15
3	Tall grass (2.5 feet)	3.01	.00	.00	.00	2.5	25
<b>Chaparral and shrub fields</b>							
4	Chaparral (6 feet)	5.01	4.01	2.00	5.01	6.0	20
5	Brush (2 feet)	1.00	.50	.00	2.00	2.0	20
6	Dormant brush, hardwood slash	1.50	2.50	2.00	.00	2.5	25
7	Southern rough	1.13	1.87	1.50	.37	2.5	40
<b>Timber litter</b>							
8	Closed timber litter	1.50	1.00	2.50	0.00	0.2	30
9	Hardwood litter	2.92	.41	.15	.00	.2	25
10	Timber (litter and understory)	3.01	2.00	5.01	2.00	1.0	25
<b>Slash</b>							
11	Light logging slash	1.50	4.51	5.51	0.00	1.0	15
12	Medium logging slash	4.01	14.03	16.53	.00	2.3	20
13	Heavy logging slash	7.01	23.04	28.05	.00	3.0	25



Table 3 - One-hour timelag fuel moisture (percent)

State of weather <sup>1/</sup>		Relative humidity (percent)																				
Code 0-1	Code 2-9	0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100
Temperature	Temperature	4	9	14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
SUNNY	10-29	1	2	2	3	4	5	5	6	7	8	8	8	9	9	10	11	12	12	13	13	14
	30-49	1	2	2	3	4	5	5	6	7	7	7	8	9	9	10	10	11	12	13	13	13
	50-69	1	2	2	3	4	5	5	6	6	7	7	8	8	9	9	10	11	12	12	12	13
	70-89	1	1	2	2	3	4	5	5	6	7	7	8	8	8	9	10	10	11	12	12	13
CLOUDY	90-109	1	1	2	2	3	4	4	5	6	7	7	8	8	8	9	10	10	11	12	12	13
	109+	1	1	2	2	3	4	4	5	6	7	7	8	8	8	9	10	10	11	12	12	13
	10-29	1	2	4	5	5	6	7	8	9	10	11	12	12	14	15	17	19	22	25	25+	25+
	30-49	1	2	3	4	5	6	7	8	9	9	11	11	12	13	14	16	18	21	24	25+	25+
CLOUDY	50-69	1	2	3	4	5	6	6	8	8	9	10	11	11	12	14	16	17	20	23	25+	25+
	70-89	1	2	3	4	4	5	6	7	8	9	10	10	11	12	13	15	17	20	23	25+	25+
	90-109	1	2	3	3	4	5	6	7	8	9	9	10	10	11	13	14	16	19	22	25	25+
	109+	1	2	2	3	4	5	6	6	8	8	9	9	10	10	11	12	14	16	19	21	24

Table 4 - Ten-hour timelag fuel moisture (percent)

State of weather		Relative humidity (percent)																				
Code 0-1	Code 2-9	0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100
Temperature	Temperature	4	9	14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
SUNNY	10-29	1	2	4	5	6	6	7	8	9	9	10	11	12	13	14	14	15	16	17	18	20
	30-49	1	2	3	5	6	6	7	8	9	9	10	11	12	12	13	14	15	16	17	18	20
	50-69	1	2	3	4	5	6	7	8	8	9	10	11	11	12	13	13	14	15	16	17	19
	70-89	1	1	3	4	5	5	6	7	8	8	9	10	11	12	12	13	14	14	16	16	18
CLOUDY	90-109	1	1	3	4	4	5	6	7	8	8	9	10	11	11	12	12	13	13	15	16	18
	109+	1	1	3	3	4	5	6	7	7	8	9	10	10	11	11	12	13	13	15	15	17
	10-29	1	2	5	6	7	8	9	10	11	12	13	14	15	17	18	20	23	25+	25+	25+	25+
	30-49	1	2	5	6	7	8	9	10	11	12	13	14	15	16	18	20	23	25	25+	25+	25+
CLOUDY	50-69	1	2	4	5	6	7	8	9	10	11	13	13	14	16	17	19	22	24	25+	25+	25+
	70-89	1	2	4	5	6	7	8	9	10	11	12	13	14	15	16	18	21	24	25+	25+	25+
	90-109	1	2	3	4	5	7	8	9	10	11	11	12	13	14	16	18	20	23	25+	25+	25+
	109+	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	17	20	22	25	25+	25+

These tables show fuel moisture values for both sunny and cloudy conditions. These tables show what the steady-state fuel moisture would be given the state of the sky (cloudy or sunny), the ambient temperature and relative humidity. For example, with sunny skies, temperature 75° and relative humidity 47%, the 1-hour fuel moisture would reach a steady-state fuel moisture value of 7%. The portion for cloudy skies may be used for nighttime conditions as well. It has been used in this manner for a number of years and taught at the I-590 Fire Behavior Analyst Course, National Advanced Resource Technology Center, Marana, Arizona. This is meant to be a field guide, and both experience and later research have proven the

tables to be quite accurate. They will provide valuable guidance for our purposes.

#### V. NIGHTTIME HUMIDITY RECOVERY

Some forecasters in Rocky Mountain timber types have developed somewhat intuitive procedures for assigning adjective ratings to the rate and amount of change in relative humidity during the nighttime period. At this time there are no hard rules for assigning ratings, but the following ratings are offered for illustration.

Humidity Recovery Ratings

<u>Rating</u>	<u>Definition</u>
<i>Poor</i>	Humidity slow to increase, values may stay below 40 percent.
<i>Fair</i>	Humidity increases slowly, values may reach of 40 to 60 percent.
<i>Good</i>	Humidity increases at a nearly "normal" rate, values may reach 60 to 75 percent.
<i>Excellent</i>	Humidity increases at a normal or better rate, values exceed 75 percent.

Given the ambient humidity recovery, we need to systematically evaluate the fuel situation and see how different humidity values affect the moisture content of specific fuel models. This will help us devise an adjective rating system that may be more universally applicable.

Since the moisture of extinction is heavily weighted to the fine dead fuel component, we will use this portion of the complex to assess the humidity recovery impacts. Let me suggest the following "Fuel Moisture Recovery" adjective rating for any fuel model:

Fuel Moisture Recovery

<u>Rating</u>	<u>Definition</u>
	<u>Humidity recovers to value that would produce:</u>
<i>Poor</i>	Less than 50% of Moisture of Extinction
<i>Fair</i>	51% to 70% of Moisture of Extinction
<i>Good</i>	71% to 95% of Moisture of Extinction
<i>Excellent</i>	Greater than 95% of Moisture of Extinction

VI. APPLICATIONS

Tables 5 through 8 have been extracted from the Field Reference Guide developed for students attending the I-590 Fire Behavior Analyst Course. These tables have been modified to graphically display the fuel models with adjective ratings keyed to values of fuel moisture (%).

On a daily basis, the forecaster deals with the NFDRS fuel models and needs to be aware of the models represented in his/her area of responsibility. This may be determined by checking the AFFIRMS catalog (Helfman, Straub, & Deeming, 1987), or simply calling the land managers. Once the fuel model is determined, locate the proper table and study how different maximum humidity/minimum temperature levels affect the fuels.

Example:

NFDRS Fuel Model G

Moisture of Extinction = 25%

Minimum Temperature forecast = 45 F

Maximum Humidity forecast = 70%

Humidity Recovery Rating = Good

Fuel Moisture Recovery = Fair

In contrast, if the Fuel Model had been "A" with the same forecast of temperature and humidity, the Fuel Moisture Recovery would have been classified as Excellent.

When making site-specific forecasts for either a wild fire or a prescribed fire, forecasters may be dealing with FBA fuel models. Also, they may be asked to make time-specific forecasts of meteorological elements. In these situations, forecasters may not wish to use adjective descriptors, but they may be helpful as additional information to land managers.

The use of the tables are the same in either case.

Example:

FBA Fuel Model 4

Moisture of Extinction 20%

Temperature Forecast at 2 AM = 65 F

Humidity Forecast at 2 AM = 47%

Humidity Recovery Rating = Fair

Fuel Moisture Recovery = Poor

By studying the tables it is easy to note that fuels are more responsive to humidity than to temperature. Therefore, even though we must have both temperature and humidity to make an assessment of fine fuel moisture, the greatest effort should be directed toward an accurate humidity forecast.

## VII. CONCLUSIONS

A good forecast is made up of a combination of meteorological elements, packaged in a manner that is meaningful to the users. Forecasters should use caution when forecasting other than pure meteorological elements. Humidity recovery may be interpreted differently by different fire management clients and, therefore, is not a pure meteorological element in the fire weather forecast.

A forecast product is always inherently better if the forecaster has an understanding of how his/her product impacts the user. This paper was presented to encourage fire weather forecasters to become familiar with one of the critical wildland fire parameters. By understanding the nighttime humidity-fuel moisture relationship, the forecaster can produce a more usable product by putting emphasis where emphasis is due.

The job of the forecaster is to forecast meteorological elements. The land manager is responsible for interpreting the impacts of the forecast.

Forecasters who choose to use the term "Humidity Recovery" along with an adjective rating should do so with caution. The adjective ratings used in this paper were for illustrative purposes only. Local research and coordination with client agencies should be completed before adopting any adjective rating system. If both an adjective rating and an actual numerical value are included in each nighttime humidity forecast, any confusion or false assumptions may be avoided.

## VIII. REFERENCES

Anderson, Hal E., 1982: Aids to Determining Fuel Models for Estimating Fire Behavior. USDA For. Serv. Gen. Tech. Rpt. INT-122, 22p. Intermt. For. and Range Exp. Stn., Ogden, Ut.

Deeming, John E., Robert E. Burgan, and Jack D. Cohen, 1977: The National Fire Danger Rating System-1978. USDA For. Serv. Gen. Tech. Rpt. INT-39, 63 p. Intermt. For. and Range Exp. Stn., Ogden, Ut.

Fosberg, Michael A., 1977: Forecasting 10-Hour Time-lag Fuel Moisture. USDA For. Serv. Research Paper RM-187, 10 p. Rocky Mtn. For. and Range Exp. Stn., Fort Collins, Co.

Fosberg, Michael A. and John E. Deeming, 1971: Derivation of the 1- and 10-Hour Timelag, Fuel, Moisture Calculations for Fire Danger Rating. USDA For. Serv. Research Note RM-207, 8p. Rocky Mtn. For. and Range Exp. Stn., Fort Collins, Co.

Helfman, Robert S., Robert J. Straub, and John E. Deeming, 1987: Users Guide to AFFIRMS: Time Share Computerized Processing for Fire Danger Rating. USDA For. Serv. General Tech. Rpt. INT-82. Intermt. For. and Range Exp. Stn., Ogden, Ut.

**NIGHT TIME**  
**2000-0759**

MOISTURE OF  
EXTINCTION 12%

RELATIVE HUMIDITY (PERCENT)																					
Dry Bulb Temperature (°F)	0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
10 - 29	4	9	14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
30 - 49	1	2	3	4	5	6	7	8	9	9	11	11	12	13	14	16	18	21	24	25+	25+
50 - 69	1	2	3	4	5	6	6	8	8	9	10	11	11	12	14	16	17	20	23	25+	25+
70 - 89	1	2	3	4	4	5	6	7	8	9	10	10	11	12	13	15	17	20	23	25+	25+
90 - 109	1	2	3	3	4	5	6	7	8	9	9	10	10	11	13	14	16	19	22	25	25+
109+	1	2	2	3	4	5	6	6	8	8	9	9	10	11	12	14	16	19	21	24	25+

FUEL MOISTURE RECOVERY      POOR      FAIR      GOOD      EXCELLENT

TABLE 5.

FUEL MODELS  
FBA 2, 11  
NFDRS C, T, K

**NIGHT TIME**  
**2000-0759**

MOISTURE OF  
EXTINCTION 15%

RELATIVE HUMIDITY (PERCENT)																					
Dry Bulb Temperature (°F)	0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100
	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓
10 - 29	4	9	14	19	24	29	34	39	44	49	54	59	64	69	74	79	84	89	94	99	
30 - 49	1	2	3	4	5	6	7	8	9	9	11	11	12	13	14	16	18	21	24	25+	25+
50 - 69	1	2	3	4	5	6	6	8	8	9	10	11	11	12	14	16	17	20	23	25+	25+
70 - 89	1	2	3	4	4	5	6	7	8	9	10	10	11	12	13	15	17	20	23	25+	25+
90 - 109	1	2	3	3	4	5	6	7	8	9	9	10	10	11	13	14	16	19	22	25	25+
109+	1	2	2	3	4	5	6	6	8	8	9	9	10	11	12	14	16	19	21	24	25+

FUEL MOISTURE RECOVERY      POOR      FAIR      GOOD      EXCELLENT

TABLE 6.



# PHYSICAL DESCRIPTION SIMILARITY CHART OF NFDRS AND FBA FUEL MODELS

NFDRS MODELS REALINED TO FUELS CONTROLLING SPREAD UNDER SEVERE BURNING CONDITIONS

NFDRS FUEL MODELS	FIRE BEHAVIOR FUEL MODELS												
	1	2	3	4	5	6	7	8	9	10	11	12	13
A W. ANNUALS	X												
L W. PERENNIAL	X												
S TUNDRA	X					3rd			2nd				
C OPEN PINE W/GRASS		X							2nd				
T SAGEBRUSH W/GRASS		X			3rd	2nd							
N SAWGRASS			X										
B MATURE BRUSH (6FT)				X									
O HIGH POCOSIN				X									
F INTER. BRUSH					2nd	X							
Q ALASKA BLACK SPRUCE						X	2nd						
D SOUTHERN ROUGH						2nd	X						
H SRT- NDL CLSD. NORMAL DEAD								X					
R HRWD. LITTER (SUMMER)								X					
U W. LONG- NDL PINE									X				
P SOUTH, LONG- NDL PINE									X				
E HRWD. LITTER (FALL)									X				
G SRT- NDL CLSD. HEAVY DEAD										X			
K LIGHT SLASH											X		
J MED. SLASH												X	
I HEAVY SLASH													X

GRASS

SHRUB

TIMBER

SLASH

GRASS

SHRUB  
FIGURE 1.

TIMBER

SLASH

- 140 Influence of Cloudiness on Summertime Temperatures in the Eastern Washington Fire Weather district. James Holcomb, April 1979. (PB298674/AS)
- 141 Comparison of LFM and MFM Precipitation Guidance for Nevada During Doreen. Christopher Hill, April 1979. (PB298613/AS)
- 142 The Usefulness of Data from Mountaintop Fire Lookout Stations in Determining Atmospheric Stability. Jonathan W. Corey, April 1979. (PB298899/AS)
- 143 The Depth of the Marine Layer at San Diego as Related to Subsequent Cool Season Precipitation Episodes in Arizona. Ira S. Brenner, May 1979. (PB298817/AS)
- 144 Arizona Cool Season Climatological Surface Wind and Pressure Gradient Study. Ira S. Brenner, May 1979. (PB298900/AS)
- 146 The BART Experiment. Morris S. Webb, October 1979. (PB80 155112)
- 147 Occurrence and Distribution of Flash Floods in the Western Region. Thomas L. Dietrich, December 1979. (PB80 160344)
- 149 Misinterpretations of Precipitation Probability Forecasts. Allan H. Murphy, Sarah Lichtenstein, Baruch Fischhoff, and Robert L. Winkler, February 1980. (PB80 174576)
- 150 Annual Data and Verification Tabulation - Eastern and Central North Pacific Tropical Storms and Hurricanes 1979. Emil B. Gunther and Staff, EPHC, April 1980. (PB80 220486)
- 151 NMC Model Performance in the Northeast Pacific. James E. Overland, P.M.E.L.-E.R.L., April 1980. (PB80 196033)
- 152 Climate of Salt Lake City, Utah. Wilbur E. Figgins, Third Revision January 1987. (PB87 157194/AS)
- 153 An Automatic Lightning Detection System in Northern California. James E. Rea and Chris E. Fontana, June 1980. (PB80 225592)
- 154 Regression Equation for the Peak Wind Gust 6 to 12 Hours in Advance at Great Falls During Strong Downslope Wind Storms. Michael J. Oard, July 1980. (PB91 108367)
- 155 A Raininess Index for the Arizona Monsoon. John H. Ten Harkel, July 1980. (PB81 106494)
- 156 The Effects of Terrain Distribution on Summer Thunderstorm Activity at Reno, Nevada. Christopher Dean Hill, July 1980. (PB81 102501)
- 157 An Operational Evaluation of the Scofield/Oliver Technique for Estimating Precipitation Rates from Satellite Imagery. Richard Ochoa, August 1980. (PB81 108227)
- 158 Hydrology Practicum. Thomas Dietrich, September 1980. (PB81 134033)
- 159 Tropical Cyclone Effects on California. Arnold Court, October 1980. (PB81 133779)
- 160 Eastern North Pacific Tropical Cyclone Occurrences During Intraseasonal Periods. Preston W. Leftwich and Gail M. Brown, February 1981. (PB81 205494)
- 161 Solar Radiation as a Sole Source of Energy for Photovoltaics in Las Vegas, Nevada, for July and December. Darryl Randerson, April 1981. (PB81 224503)
- 162 A Systems Approach to Real-Time Runoff Analysis with a Deterministic Rainfall-Runoff Model. Robert J.C. Burnash and R. Larry Ferral, April 1981. (PB81 224495)
- 163 A Comparison of Two Methods for Forecasting Thunderstorms at Luke Air Force Base, Arizona. LTC Keith R. Cooley, April 1981. (PB81 225393)
- 164 An Objective Aid for Forecasting Afternoon Relative Humidity Along the Washington Cascade East Slopes. Robert S. Robinson, April 1981. (PB81 23078)
- 165 Annual Data and Verification Tabulation, Eastern North Pacific Tropical Storms and Hurricanes 1980. Emil B. Gunther and Staff, May 1981. (PB82 230336)
- 166 Preliminary Estimates of Wind Power Potential at the Nevada Test Site. Howard G. Booth, June 1981. (PB82 127036)
- 167 ARAP User's Guide. Mark Mathewson, July 1981, Revised September 1981. (PB82 196783)
- 168 Forecasting the Onset of Coastal Gales Off Washington-Oregon. John R. Zimmerman and William D. Burton, August 1981. (PB82 127051)
- 169 A Statistical-Dynamical Model for Prediction of Tropical Cyclone Motion in the Eastern North Pacific Ocean. Preston W. Leftwich, Jr., October 1981. (PB82 195298)
- 170 An Enhanced Plotter for Surface Airways Observations. Andrew J. Spry and Jeffrey L. Anderson, October 1981. (PB82 153883)
- 171 Verification of 72-Hour 500-MB Map-Type Predictions. R.F. Quiring, November 1981. (PB82 158098)
- 172 Forecasting Heavy Snow at Wenatchee, Washington. James W. Holcomb, December 1981. (PB82 177783)
- 173 Central San Joaquin Valley Type Maps. Thomas R. Crossan, December 1981. (PB82 196064)
- 174 ARAP Test Results. Mark A. Mathewson, December 1981. (PB82 198103)
- 176 Approximations to the Peak Surface Wind Gusts from Desert Thunderstorms. Darryl Randerson, June 1982. (PB82 253089)
- 177 Climate of Phoenix, Arizona. Robert J. Schmidt, April 1969 (Revised December 1986). (PB87 142063/AS)
- 178 Annual Data and Verification Tabulation, Eastern North Pacific Tropical Storms and Hurricanes 1982. E.B. Gunther, June 1983. (PB85 106078)
- 179 Stratified Maximum Temperature Relationships Between Sixteen Zone Stations in Arizona and Respective Key Stations. Ira S. Brenner, June 1983. (PB83 249904)
- 180 Standard Hydrologic Exchange Format (SHEF) Version I. Phillip A. Pasteries, Vernon C. Bissel, David G. Bennett, August 1983. (PB85 106052)
- 181 Quantitative and Spatial Distribution of Winter Precipitation along Utah's Wasatch Front. Lawrence B. Dunn, August 1983. (PB85 106912)
- 182 500 Millibar Sign Frequency Teleconnection Charts - Winter. Lawrence B. Dunn, December 1983. (PB85 106276)
- 183 500 Millibar Sign Frequency Teleconnection Charts - Spring. Lawrence B. Dunn, January 1984. (PB85 111367)
- 184 Collection and Use of Lightning Strike Data in the Western U.S. During Summer 1983. Glenn Rasch and Mark Mathewson, February 1984. (PB85 110534)
- 185 500 Millibar Sign Frequency Teleconnection Charts - Summer. Lawrence B. Dunn, March 1984. (PB85 111359)
- 186 Annual Data and Verification Tabulation eastern North Pacific Tropical Storms and Hurricanes 1983. E.B. Gunther, March 1984. (PB85 109635)
- 187 500 Millibar Sign Frequency Teleconnection Charts - Fall. Lawrence B. Dunn, May 1984. (PB85 110930)
- 188 The Use and Interpretation of Isentropic Analyses. Jeffrey L. Anderson, October 1984. (PB85 132694)
- 189 Annual Data & Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1984. E.B. Gunther and R.L. Cross, April 1985. (PB85 187888/AS)
- 190 Great Salt Lake Effect Snowfall: Some Notes and An Example. David M. Carpenter, October 1985. (PB86 119153/AS)
- 191 Large Scale Patterns Associated with Major Freeze Episodes in the Agricultural Southwest. Ronald S. Hamilton and Glenn R. Lussky, December 1985. (PB86 144474AS)
- 192 NWR Voice Synthesis Project: Phase I. Glen W. Sampson, January 1986. (PB86 145604/AS)
- 193 The MCC - An Overview and Case Study on Its Impact in the Western United States. Glenn R. Lussky, March 1986. (PB86 170651/AS)
- 194 Annual Data and Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1985. E.B. Gunther and R.L. Cross, March 1986. (PB86 170941/AS)
- 195 Radid Interpretation Guidelines. Roger G. Pappas, March 1986. (PB86 177680/AS)
- 196 A Mesoscale Convective Complex Type Storm over the Desert Southwest. Darryl Randerson, April 1986. (PB86 190998/AS)
- 197 The Effects of Eastern North Pacific Tropical Cyclones on the Southwestern United States. Walter Smith, August 1986. (PB87 106258AS)
- 198 Preliminary Lightning Climatology Studies for Idaho. Christopher D. Hill, Carl J. Gorski, and Michael C. Conger, April 1987. (PB87 180196/AS)
- 199 Heavy Rains and Flooding in Montana: A Case for Slantwise Convection. Glenn R. Lussky, April 1987. (PB87 185229/AS)
- 200 Annual Data and Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1986. Roger L. Cross and Kenneth B. Mielke, September 1987. (PB88 110895/AS)
- 201 An Inexpensive Solution for the Mass Distribution of Satellite Images. Glen W. Sampson and George Clark, September 1987. (PB88 114038/AS)
- 202 Annual Data and Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1987. Roger L. Cross and Kenneth B. Mielke, September 1988. (PB88 101935/AS)
- 203 An Investigation of the 24 September 1986 "Cold Sector" Tornado Outbreak in Northern California. John P. Monteverdi and Scott A. Braun, October 1988. (PB89 121297/AS)
- 204 Preliminary Analysis of Cloud-To-Ground Lightning in the Vicinity of the Nevada Test Site. Carven Scott, November 1988. (PB89 128649/AS)

## NOAA SCIENTIFIC AND TECHNICAL PUBLICATIONS

*The National Oceanic and Atmospheric Administration* was established as part of the Department of Commerce on October 3, 1970. The mission responsibilities of NOAA are to assess the socioeconomic impact of natural and technological changes in the environment and to monitor and predict the state of the solid Earth, the oceans and their living resources, the atmosphere, and the space environment of the Earth.

The major components of NOAA regularly produce various types of scientific and technical information in the following kinds of publications.

**PROFESSIONAL PAPERS**--Important definitive research results, major techniques, and special investigations.

**CONTRACT AND GRANT REPORTS**--Reports prepared by contractors or grantees under NOAA sponsorship.

**ATLAS**--Presentation of analyzed data generally in the form of maps showing distribution of rainfall, chemical and physical conditions of oceans and atmosphere, distribution of fishes and marine mammals, ionospheric conditions, etc.

**TECHNICAL SERVICE PUBLICATIONS**--Reports containing data, observations, instructions, etc. A partial listing includes data serials; prediction and outlook periodicals; technical manuals, training papers, planning reports, and information serials; and miscellaneous technical publications.

**TECHNICAL REPORTS**--Journal quality with extensive details, mathematical developments, or data listings.

**TECHNICAL MEMORANDUMS**--Reports of preliminary, partial, or negative research or technology results, interim instructions, and the like.

Information on availability of NOAA publications can be obtained from:

NATIONAL TECHNICAL INFORMATION SERVICE

U. S. DEPARTMENT OF COMMERCE

5285 PORT ROYAL ROAD

SPRINGFIELD, VA 22161