

NOAA Technical Memorandum NWS WR-210



HYDROTOOLS

**Tom Egger
National Weather Service
Weather Service Forecast Office
Boise, Idaho**

January 1991

**U.S. DEPARTMENT OF
COMMERCE**

**National Oceanic and
Atmospheric Administration**

**National Weather
Service**



NOAA TECHNICAL MEMORANDA
National Weather Service, Western Region Subseries

The National Weather Service (NWS) Western Region (WR) Subseries provides an informal medium for the documentation and quick dissemination of results not appropriate, or not yet ready, for formal publication. This series is used to report on work in progress, to describe technical procedures and practices, or to relate progress to a limited audience. These Technical Memoranda will report on investigations devoted primarily to regional and local problems of interest mainly to personnel, and hence will not be widely distributed.

Papers 1 to 25 are in the former series, ESSA Technical Memoranda, Western Region Technical Memoranda (WRTM); papers 24 to 59 are in the former series, ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM). Beginning with 60, the papers are part of the series, NOAA Technical Memoranda NWS. Out-of-print memoranda are not listed.

Papers 2 to 22, except for 5 (revised edition), are available from the National Weather Service Western Region, Scientific Services Division, P.O. Box 11188, Federal Building, 125 South State Street, Salt Lake City, Utah 84147. Paper 5 (revised edition), and all others beginning with 25 are available from the National Technical Information Service, U.S. Department of Commerce, Sills Building, 5285 Port Royal Road, Springfield, Virginia 22161. Prices vary for all paper copies; microfiche are \$3.50. Order by accession number shown in parentheses at end of each entry.

ESSA Technical Memoranda (WRTM)

- 2 Climatological Precipitation Probabilities. Compiled by Lucianne Miller, December 1965.
- 3 Western Region Pre- and Post-FP-3 Program, December 1, 1965, to February 20, 1966. Edward D. Diemer, March 1966.
- 5 Station Descriptions of Local Effects on Synoptic Weather Patterns. Philip Williams, Jr., April 1966 (Revised November 1967, October 1969). (PB-17800)
- 8 Interpreting the RAREP. Herbert P. Benner, May 1966 (Revised January 1967).
- 11 Some Electrical Processes in the Atmosphere. J. Latham, June 1966.
- 17 A Digitalized Summary of Radar Echoes within 100 Miles of Sacramento, California. J. A. Youngberg and L. B. Overeas, December 1966.
- 21 An Objective Aid for Forecasting the End of East Winds in the Columbia Gorge, July through October. D. John Coparanis, April 1967.
- 22 Derivation of Radar Horizons in Mountainous Terrain. Roger G. Pappas, April 1967.

ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM)

- 25 Verification of Operation Probability of Precipitation Forecasts, April 1966-March 1967. W. W. Dickey, October 1967. (PB-176240)
- 26 A Study of Winds in the Lake Mead Recreation Area. R. P. Angulis, January 1968. (PB-177830)
- 28 Weather Extremes. R. J. Schmidl, April 1968 (Revised March 1986). (PB86 177672/AS)
- 29 Small-Scale Analysis and Prediction. Philip Williams, Jr., May 1968. (PB178425)
- 30 Numerical Weather Prediction and Synoptic Meteorology. CPT Thomas D. Murphy, USAF, May 1968. (AD 673365)
- 31 Precipitation Detection Probabilities by Salt Lake ARTC Radars. Robert K. Belsky, July 1968. (PB 179084)
- 32 Probability Forecasting—A Problem Analysis with Reference to the Portland Fire Weather District. Harold S. Ayer, July 1968. (PB 179289)
- 36 Temperature Trends in Sacramento—Another Heat Island. Anthony D. Lentini, February 1969. (PB 183065)
- 37 Disposal of Logging Residues Without Damage to Air Quality. Owen P. Cramer, March 1969. (PB 183067)
- 39 Upper-Air Lows Over Northwestern United States. A.L. Jacobson, April 1969. (PB 184296)
- 40 The Man-Machine Mix in Applied Weather Forecasting in the 1970s. L.W. Snellman, August 1969. (PB 185068)
- 43 Forecasting Maximum Temperatures at Helena, Montana. David E. Olsen, October 1969. (PB 185782)
- 44 Estimated Return Periods for Short-Duration Precipitation in Arizona. Paul C. Kangisser, October 1969. (PB 187763)
- 46 Applications of the Net Radiometer to Short-Range Fog and Stratus Forecasting at Eugene, Oregon. L. Yee and E. Bates, December 1969. (PB 190476)
- 47 Statistical Analysis as a Flood Routing Tool. Robert J.C. Burnash, December 1969. (PB 188744)
- 48 Tsunami. Richard P. Angulis, February 1970. (PB 190157)
- 49 Predicting Precipitation Type. Robert J.C. Burnash and Floyd E. Hug, March 1970. (PB 190962)
- 50 Statistical Report on Aeroallergens (Pollens and Molds) Fort Huachuca, Arizona, 1969. Wayne E. Johnson, April 1970. (PB 191743)
- 51 Western Region Sea State and Surf Forecaster's Manual. Gordon C. Shields and Gerald B. Burdwell, July 1970. (PB 193102)
- 52 Sacramento Weather Radar Climatology. R.G. Pappas and C. M. Veliquette, July 1970. (PB 193347)
- 54 A Refinement of the Vorticity Field to Delineate Areas of Significant Precipitation. Barry B. Aronovitch, August 1970.
- 55 Application of the SSARR Model to a Basin without Discharge Record. Vail Schermerhorn and Donald W. Kuehl, August 1970. (PB 194394)
- 56 Areal Coverage of Precipitation in Northwestern Utah. Philip Williams, Jr., and Werner J. Heck, September 1970. (PB 194389)
- 57 Preliminary Report on Agricultural Field Burning vs. Atmospheric Visibility in the Willamette Valley of Oregon. Earl M. Bates and David O. Chilcote, September 1970. (PB 194710)
- 58 Air Pollution by Jet Aircraft at Seattle-Tacoma Airport. Wallace R. Donaldson, October 1970. (COM 71 00017)
- 59 Application of PE Model Forecast Parameters to Local-Area Forecasting. Leonard W. Snellman, October 1970. (COM 71 00016)
- 60 An Aid for Forecasting the Minimum Temperature at Medford, Oregon. Arthur W. Fritz, October 1970. (COM 71 00120)
- 63 700-mb Warm Air Advection as a Forecasting Tool for Montana and Northern Idaho. Norris E. Woerner, February 1971. (COM 71 00349)
- 64 Wind and Weather Regimes at Great Falls, Montana. Warren B. Price, March 1971.
- 65 Climate of Sacramento, California. Tony Martini, April 1990. (Fifth Revision) (PB89 207781/AS)
- 66 A Preliminary Report on Correlation of ARTCC Radar Echoes and Precipitation. Wilbur K. Hall, June 1971. (COM 71 00629)
- 69 National Weather Service Support to Soaring Activities. Ellis Burton, August 1971. (COM 71 00956)
- 71 Western Region Synoptic Analysis-Problems and Methods. Philip Williams, Jr., February 1972. (COM 72 10453)
- 74 Thunderstorms and Hall Days Probabilities in Nevada. Clarence M. Sakamoto, April 1972. (COM 72 10554)

- 75 A Study of the Low Level Jet Stream of the San Joaquin Valley. Ronald A. Willis and Philip Williams, Jr., May 1972. (COM 72 10707)
- 76 Monthly Climatological Charts of the Behavior of Fog and Low Stratus at Los Angeles International Airport. Donald M. Gales, July 1972. (COM 72 11140)
- 77 A Study of Radar Echo Distribution in Arizona During July and August. John E. Hales, Jr., July 1972. (COM 72 11136)
- 78 Forecasting Precipitation at Bakersfield, California, Using Pressure Gradient Vectors. Earl T. Riddiough, July 1972. (COM 72 11146)
- 79 Climate of Stockton, California. Robert C. Nelson, July 1972. (COM 72 10920)
- 80 Estimation of Number of Days Above or Below Selected Temperatures. Clarence M. Sakamoto, October 1972. (COM 72 10021)
- 81 An Aid for Forecasting Summer Maximum Temperatures at Seattle, Washington. Edgar G. Johnson, November 1972. (COM 73 10150)
- 82 Flash Flood Forecasting and Warning Program in the Western Region. Philip Williams, Jr., Chester L. Glenn, and Roland L. Raetz, December 1972, (Revised March 1978). (COM 73 10251)
- 83 A Comparison of Manual and Semiautomatic Methods of Digitizing Analog Wind Records. Glenn E. Rasch, March 1973. (COM 73 10668)
- 86 Conditional Probabilities for Sequences of Wet Days at Phoenix, Arizona. Paul C. Kangisser, June 1973. (COM 73 11284)
- 87 Refinement of the Use of K-Values in Forecasting Thunderstorms in Washington and Oregon. Robert Y.G. Lee, June 1973. (COM 73 11276)
- 89 Objective Forecast Precipitation Over the Western Region of the United States. Julia N. Peagle and Larry P. Kierulff, September 1973. (COM 73 11946/3AS)
- 91 Arizona "Eddy" Tornadoes. Robert S. Ingram, October 1973. (COM 73 10465)
- 92 Smoke Management in the Willamette Valley. Earl M. Bates, May 1974. (COM 74 11377/AS)
- 93 An Operational Evaluation of 500-mb Type Regression Equations. Alexander E. MacDonald, June 1974. (COM 74 11467/AS)
- 94 Conditional Probability of Visibility Less than One-Half Mile in Radiation Fog at Fresno, California. John D. Thomas, August 1974. (COM 74 11555/AS)
- 95 Climate of Flagstaff, Arizona. Paul W. Sorenson, and updated by Reginald W. Preston, January 1987. (PB87 143160/AS)
- 96 Map Type Precipitation Probabilities for the Western Region. Glenn E. Rasch and Alexander E. MacDonald, February 1975. (COM 75 10428/AS)
- 97 Eastern Pacific Cut-Off Low of April 21-28, 1974. William J. Alder and George R. Miller, January 1976. (PB 250 711/AS)
- 98 Study on a Significant Precipitation Episode in Western United States. Ira S. Brenner, April 1976. (COM 75 10719/AS)
- 99 A Study of Flash Flood Susceptibility-A Basin in Southern Arizona. Gerald Williams, August 1976. (COM 75 11360/AS)
- 102 A Set of Rules for Forecasting Temperatures in Napa and Sonoma Counties. Wesley L. Tull, October 1975. (PB 248 902/AS)
- 103 Application of the National Weather Service Flash-Flood Program in the Western Region. Gerald Williams, January 1976. (PB 253 063/AS)
- 104 Objective Aids for Forecasting Minimum Temperatures at Reno, Nevada, During the Summer Months. Christopher D. Hill, January 1976. (PB 252 866/AS)
- 105 Forecasting the Mono Wind. Charles P. Ruscha, Jr., February 1976. (PB 254 850)
- 106 Use of MOS Forecast Parameters in Temperature Forecasting. John C. Plankinton, Jr., March 1976. (PB 254 649)
- 107 Map Types as Aids in Using MOS PoPs in Western United States. Ira S. Brenner, August 1976. (PB 259 594)
- 108 Other Kinds of Wind Shear. Christopher D. Hill, August 1976. (PB 260 437/AS)
- 109 Forecasting North Winds in the Upper Sacramento Valley and Adjoining Forests. Christopher E. Fontana, September 1976. (PB 273 877/AS)
- 110 Cool Inflow as a Weakening Influence on Eastern Pacific Tropical Cyclones. William J. Denney, November 1976. (PB 264 655/AS)
- 112 The MAN/MOS Program. Alexander E. MacDonald, February 1977. (PB 265 941/AS)
- 113 Winter Season Minimum Temperature Formula for Bakersfield, California, Using Multiple Regression. Michael J. Oard, February 1977. (PB 273 694/AS)
- 114 Tropical Cyclone Kathleen. James R. Fors, February 1977. (PB 273 676/AS)
- 116 A Study of Wind Gusts on Lake Mead. Bradley Colman, April 1977. (PB 268 847)
- 117 The Relative Frequency of Cumulonimbus Clouds at the Nevada Test Site as a Function of K-Value. R.F. Quiring, April 1977. (PB 272 851)
- 118 Moisture Distribution Modification by Upward Vertical Motion. Ira S. Brenner, April 1977. (PB 268 740)
- 119 Relative Frequency of Occurrence of Warm Season Echo Activity as a Function of Stability Indices Computed from the Yucca Flat, Nevada, Rawinsonde. Darryl Randerson, June 1977. (PB 271 290/AS)
- 121 Climatological Prediction of Cumulonimbus Clouds in the Vicinity of the Yucca Flat Weather Station. R.F. Quiring, June 1977. (PB 271 704/AS)
- 122 A Method for Transforming Temperature Distribution to Normality. Morris S. Webb, Jr., June 1977. (PB 271 742/AS)
- 124 Statistical Guidance for Prediction of Eastern North Pacific Tropical Cyclone Motion - Part I. Charles J. Neumann and Preston W. Leftwich, August 1977. (PB 272 661)
- 125 Statistical Guidance on the Prediction of Eastern North Pacific Tropical Cyclone Motion - Part II. Preston W. Leftwich and Charles J. Neumann, August 1977. (PB 273 155/AS)
- 126 Climate of San Francisco. E. Jan Null, February 1978. Revised by George T. Pericht, April 1988. (PB88 208624/AS)
- 127 Development of a Probability Equation for Winter-Type Precipitation Patterns in Great Falls, Montana. Kenneth E. Mialke, February 1978. (PB 281 387/AS)
- 128 Hand Calculator Program to Compute Parcel Thermal Dynamics. Dan Gudge, April 1978. (PB 283 080/AS)
- 129 Fire whirls. David W. Goens, May 1978. (PB 283 866/AS)
- 130 Flash-Flood Procedures. Ralph C. Hatch and Gerald Williams, May 1978. (PB 286 014/AS)
- 131 Automated Fire-Weather Forecasts. Mark A. Mollner and David E. Olsen, September 1978. (PB 289 916/AS)
- 132 Estimates of the Effects of Terrain Blocking on the Los Angeles WSR-74C Weather Radar. R.G. Pappas, R.Y. Lee, B.W. Finke, October 1978. (PB 289767/AS)
- 133 Spectral Techniques in Ocean Wave Forecasting. John A. Jannuzzi, October 1978. (PB291317/AS)
- 134 Solar Radiation. John A. Jannuzzi, November 1978. (PB291195/AS)
- 135 Application of a Spectrum Analyzer in Forecasting Ocean Swell in Southern California Coastal Waters. Lawrence P. Kierulff, January 1979. (PB292716/AS)
- 136 Basic Hydrologic Principles. Thomas L. Dietrich, January 1979. (PB292247/AS)
- 137 LFM 24-Hour Prediction of Eastern Pacific Cyclones Refined by Satellite Images. John R. Zimmerman and Charles P. Ruscha, Jr., January 1979. (PB294324/AS)
- 138 A Simple Analysis/Diagnosis System for Real Time Evaluation of Vertical Motion. Scott Haflick and James R. Fors, February 1979. (PB294216/AS)
- 139 Aids for Forecasting Minimum Temperature in the Wenatchee Frost District. Robert S. Robinson, April 1979. (PB296339/AS)
- 140 Influence of Cloudiness on Summertime Temperatures in the Eastern Washington Fire Weather district. James Holcomb, April 1979. (PB296674/AS)
- 141 Comparison of LFM and MFM Precipitation Guidance for Nevada During Doreen. Christopher Hill, April 1978. (PB296615/AS)

NOAA Technical Memorandum NWS WR-210

HYDROTOOLS


Tom Egger
National Weather Service
Weather Service Forecast Office
Boise, Idaho

January 1991

UNITED STATES
DEPARTMENT OF COMMERCE
Robert A. Mosbacher, Secretary

National Oceanic and
Atmospheric Administration
*John A. Knauss, Under Secretary
and Administrator*

National Weather Service
*Elbert W. Friday, Jr., Assistant
Administrator for Weather Services*



This publication has been reviewed
and is approved for publication by
Scientific Services Division,
Western Region



Kenneth B. Mielke, Chief
Scientific Services Division
Salt Lake City, Utah

TABLE OF CONTENTS

| | | |
|------------|--|----|
| I. | Introduction | 1 |
| II. | Environment, Setup, and Running HydroTools | 1 |
| | How to Use HydroTools | 2 |
| Sheet 1.1 | River Travel Time (Flow is Known) | 4 |
| Sheet 1.2 | River Travel Time (Flow is Computed) | 6 |
| Sheet 2 | Synthetic Unit Hydrograph | 8 |
| Sheet 3 | Discharge: Given Area, Runoff, and Time | 10 |
| Sheet 4 | Equivalent Rainfall | 12 |
| Sheet 5.1 | Penman Evaporation Formula | 14 |
| Sheet 5.2 | Estimating Solar Radiation | 16 |
| Sheet 6 | Streamflow (Chezy-Manning) | 17 |
| Sheet 7 | Reservoir Levels | 19 |
| Sheet 8 | Max Breach Outflow (Dam Break) | 20 |
| Sheet 9 | Make-a-Dam | 22 |
| Sheet 10.1 | Runoff vs. Per Capita Water Consumption | 23 |
| Sheet 10.2 | Where Is All My Water Going? | 24 |

HYDROTOOLS

I. INTRODUCTION

The Service Hydrologist is called upon to answer a variety of hydrologic questions. HydroTools was developed to take advantage of the quick computing and "what-if?" capabilities of a spreadsheet to answer those questions. Though HydroTools was developed for the QUATTRO spreadsheet environment, it will run under 1-2-3 as well.

The Table of Contents lists various sheets. Instead of presenting the material in the form of chapters or topics, sheets were chosen because HydroTools is one large spreadsheet that runs several small sheets. Integrating all the small spreadsheets into a single large spreadsheet puts a great deal of computing power instantly at your fingertips.

The future of the NWS will bring the hydrologist and meteorologist professions closer together. The hydro toolkit is a device designed to help foster the merger. These sheets are not expected to replace the powerful modelling tools found at a typical RFC. Answers in these sheets are to be interpreted as estimates only. Probably the biggest benefit obtained in using these sheets will be the development of a better understanding of hydrology. For instance, do you know how long it would take to float river x for 10 miles? Sheet 1.1 can give you a rough idea. How about building a dam from a mud slide or ice jam; got any idea on the size and capacity of the resulting pool? HydroTools will likely stimulate many questions. A greater interest in and appreciation for hydrology should probably result.

On a personal note, this programmer was delighted with the speed and flexibility of programming in QUATTRO. The entire spreadsheet could have been written in a high level programming language like C, Basic, or FORTRAN, but experience shows the same results would have taken 10 to 20 times as long. Now that I have become heavily involved in spreadsheeting and really enjoy it, I, for one, will find it very difficult to write long computer codes to accomplish tasks that can be done so quickly and with so much fun. I am sold on spreadsheets!

Most of the formula used in the sheets were taken from Linsley/Kohler/Paulhus HYDROLOGY FOR ENGINEERS. The author welcomes comments and suggestions.

II. ENVIRONMENT, SETUP, AND RUNNING HYTOOLS

HydroTools is driven by QUATTRO or 1-2-3 on an IBM compatible machine running DOS 2.1 or higher. Needs: 512K of RAM, one floppy drive and a hard drive, a monochrome or color monitor. Although it is possible to setup Quattro or 1-2-3 on a dual floppy system with no hard drive, operation of the program is seriously degraded. No instructions are provided for non-hard drive users.

The distribution floppy should contain the following files:

- HYTOOLS.WKQ - the QUATTRO spreadsheet version
- HYTOOLS.WK1 - the 1-2-3 spreadsheet version
- HYTOOLS.BAT - the QUATTRO/HYTOOLS start-up batch file
- HYTOOLS.DOC - the HydroTools User's Guide

For QUATTRO Users:

Setup is easy. Copy HYTOOLS.WKQ and HYTOOLS.BAT to your Quattro directory. If /QUAT is the Quattro directory, then follow this example:

Put the HYTOOLS floppy in the A: drive.
From the A: prompt,

COPY HYTOOLS.WKQ C:\QUAT
COPY HYTOOLS.BAT C:\QUAT

While in the \QUAT directory, type HYTOOLS. In a moment the HydroTools spreadsheet will appear on the screen. To set up the screen defaults for color or monochrome, activate one of the following macros:

ALT X - monochrome
ALT Y - color

Unless you run the spreadsheet on a different monitor, the ALT-X or ALT-Y macros will not have to be run again. Proceed to the "How to Use HydroTools" section.

For 1-2-3 Users:

Copy HYTOOLS.WK1 to your 1-2-3 data directory. Bring up the 1-2-3 program, then select HYTOOLS.WK1 from the filer menu. In a few moments the spreadsheet will be on line. No provisions have been made to alter screen defaults using 1-2-3. Check your 1-2-3 User Manual for further details. Proceed to the "How to Use HydroTools" section.

How To Use HydroTools

| | |
|---|---------------|
| ver. 3.7 | |
| HydroTools: Spreadsheet solutions to several hydrologic problems. Tom Egger / WSFO-Boise, Idaho / (208) 334-9860 | |
| Sheet 1-2.....River Travel Time | |
| Sheet 2.....Synthetic Unit Hydrograph (Snyder Model) | |
| Sheet 3.....Discharge, Given: area, precip., time | |
| Sheet 4.....Equiv. Rainfall, Given: area, discharge, time | |
| Sheet 5-2.....Evaporation (Penman) | |
| Sheet 6.....Streamflow (Chezy-Manning) | |
| Sheet 7.....Reservoir Fill/Empty times | |
| Sheet 8.....Max Breach Outflow (Dam Break) | |
| Sheet 9.....Make a Dam (ice jam - earth slide) | |
| Sheet 10-2.....Per Capita Water Consumption | |
| >input cell< | <output cell> |
| Home key for menu page...Page Up/Page Down keys to proper page (sheet). Arrow keys move to input cells. Do not use delete key in output cells. | |

If the above menu page is not what you now see, then hit the Home key on the number pad (make sure the Num Lock is not engaged). Anytime you get lost in the spreadsheet, just hit the Home key to return to the home page. On the home page you will find a list of sheets available in the tool kit, instructions on how to use the cursor keys, and reminder of input vs. output cell appearance.

Try moving the cursor with the cursor arrows. Notice the highlighted block moving around the screen. Notice a few sheets have a different numbering scheme: 1-2, 5-2.... Those sheets have side-pages as well. To get to a side-page just hold down Ctrl and the right arrow key on the number pad; to return: Ctrl left arrow. For now, let's just get used to moving around the sheets vertically.

Depress the Home key, then the Pg Dn key to page 1. Page down several times. Each page is a different sheet. Let's return to sheet 1 and begin doing some hydrology. Depress the Home key, then touch Pg Dn once.

A spreadsheet is interactive. You provide the data; the sheet does the computing. The only areas on the screen that can be changed or overwritten are the highlighted input cells enclosed in > < arrows. Move the cursor to the first input block on sheet 1.1. Turn to the Sheet 1 section of this manual.

To EXIT at any time: enter the following keystrokes /QY.

SHEET 1.1 RIVER TRAVEL TIME (flow is known)

Sheet 1.1 -----
RIVER TRAVEL TIME (Pollution travel estimates, Given: Q, Ad, Aw)

**Q=AV THEREFORE V=Q/A WHERE V=VELOCITY MILE/HR
 Q=CUBIC FEET/SEC**

INPUT:

| | | | | | |
|----|----|------|----|-----|-------------------|
| Q | => | 1200 | <= | cfs | A=AREA IN SQ. FT. |
| Ad | => | 3 | <= | ft | Ad= average depth |
| Aw | => | 200 | <= | ft | Aw= average width |

OUTPUT:

| | | | | | | | |
|--|-------------|---|----|-------|---|----|-------|
| | distance => | 4 | <= | miles | 6 | <= | hours |
|--|-------------|---|----|-------|---|----|-------|

| PCT ABOVE FLOOR | VELOCITY MI/HR | ARRIVAL TIME HOURS | DISTANCE TRAVELLED MILES |
|-----------------|----------------|--------------------|--------------------------|
| 100 | < 1.30 | 3.1 | 7.8 > |
| 66 | < 1.36 | 2.9 | 8.2 > |
| 50 | < 0.82 | 4.9 | 4.9 > |
| 25 | < 0.27 | 14.7 | 1.6 > |
| 00 | < 0.07 | 58.7 | 0.4 > |

PURPOSE:

To compute the amount of time to travel (float) a given stretch of river. Whether a chemical spill or someone that just wants to ride the river, knowing an estimate of the travel time is expected of a hydrologist. Your office may have thorough tables based on empirical studies. If it does not, Sheet 1.1 and 1.2 will provide useful estimates.

FORMULA USED:

$$Q = AV \text{ therefore } V = Q/A$$

where

Q is flow in cfs

V is velocity

A is area cross section

The cross section A was broken down into a rectangle with depth Ad and width Aw. A trapezoid would have been more accurate, an ellipse even more. But they would not have been fun! The flow can usually be obtained or estimated from a nearby gauge. The average depth and width can usually be supplied by an observer where the spill occurred.

APPLICATION:

Move the cursor to the Q input block Q => <= cfs. Using the number keys at the top of your keyboard (not the number pad keys), enter a flow in cfs, say 1350 cfs. Instantly the speed, arrival time, and distance travelled is computed. Changing the other input blocks will naturally result in different output values as well. For example, move the cursor to the distance block and enter 12 miles. Instantly the computed values change. The same thing occurs when the hours block is changed. Now enter the following values and see if we agree with Quattro:

Q = 1200 cfs
Ad = 3 ft
Aw = 200 ft

distance = 4 miles
hours = 6 hours

The computed velocity on the water surface is 1.30 mi/hr, the arrival time 4 miles downstream is 3.1 hours, and the distance travelled for 6 hours is 7.8 miles. Notice the other values for different levels above the stream floor. In particular, note the fastest water is below the surface at the .66 percent level above the floor. The slowest speed, of course, is along the bottom at the 0.00 level. The table allows for vertical position only - not horizontal.

If no flow is available, then let the computer figure it - hold down the Ctrl key and the right arrow. Another spreadsheet! Sheet 1.2 - for computing travel times when the flow is not known.

SHEET 1.2 RIVER TRAVEL TIME (flow is computed)

| Sheet 1.2 ----- | | | | | |
|---|----------------|--------------------|--------------------------|--|--|
| RIVER TRAVEL TIME (Pollution travel estimates, Given: Ad, Aw, slope, n) | | | | | |
| INPUT: | | | | | |
| | n:> | 0.050 <== | Manning coef. | | |
| | Ad => | 4 <= ft | Ad= average depth | | |
| | Aw => | 150 <= ft | Aw= average width | | |
| | slope:> | 0.001 <== | ft./ft. | | |
| | | | | | |
| OUTPUT: | | | | | |
| | distance => | 1 <= miles | 24 <= hours | | |
| | q= | < 1628 > cfs est. | | | |
| | | | | | |
| PCT ABOVE FLOOR | VELOCITY MI/HR | ARRIVAL TIME HOURS | DISTANCE TRAVELLED MILES | | |
| 100 | < 1.76 | 0.6 | 42.2 > | | |
| 66 | < 1.85 | 0.5 | 44.4 > | | |
| 50 | < 1.11 | 0.9 | 26.6 > | | |
| 25 | < 0.37 | 2.7 | 8.9 > | | |
| 0 | < 0.09 | 10.8 | 2.2 > | | |

PURPOSE:

Unlike Sheet 1.1, this sheet does not assume you know the flow in cfs. This version will compute the flow if the slope and Manning friction coefficient are known. An average Manning value would be .035; see Sheet 6 for further details on the Manning number. The slope of the stream can be derived from a good quad map.

FORMULA USED:

$$V = Q/A$$

where

Q is flow in cfs

V is velocity

A is area cross section

and

$$Q = (1.49/n) * (AR^{2/3}) * (S^{1/2})$$

where

n is the Manning Coef.

A is the cross sectional area

R is the hydraulic radius

S is the slope of the river

Note: the ^ convention means "to the power of".

APPLICATION:

Move the cursor to the INPUT box that you would like to change. Enter an appropriate value. Watch the OUTPUT values change instantly. Try a high friction value, then a low one. Observe the changes velocity, arrival times, and distances travelled.

Suppose you get a call that a chemical spill has occurred on the Windy River at City X. State officials would like some estimates of when the pollutants would arrive at City Y, 25 miles downstream. They would also like to know how far down river the pollutants would be in 48 hours.

enter:

| | |
|--------|-------------------------|
| .035 | Manning |
| 4 | Ad - average depth |
| 200 | Aw - average width |
| 7/5280 | slope (7 feet per mile) |
| 25 | distance in miles |
| 48 | hours elapsed time |

Notice the slope was entered "as is" 7/5280 - let the computer compute .0013. The tabled values below will give you some rough estimates of the velocity, travel time, and distance travelled. Remember to advise the officials these values are rough estimates based on average values.

To move to any other sheet, hit the Home key first, then Pg Dn to the appropriate sheet.

SHEET 2 SYNTHETIC UNIT HYDROGRAPH

| Sheet 2 ----- | | |
|---|-------------------|--------------|
| SYNTHETIC UNIT HYDROGRAPH - SNYDER MODEL | | |
| INPUT: | | |
| | Basin:> | Cottonwood |
| | Size (sq.miles):> | 20 < sq mile |
| Length of stream from outlet to divide:> | | 10 < miles |
| Length of main stream fm outlet to centroid:> | | 4 < miles |
| Slope & Storage -> Ct (1.8 <> 2.2):> | | 2.00 < |
| Flood Wave & Storage -> Cp (.56 <> .69):> | | 0.63 < |
| | Unit Time:> | 3 < hours |
| | Unit Rainfall:> | 2 < inches |
| OUTPUT: | | |
| Lag-to-Peak of Unitgraph:< | 6.5 > hours | tpR |
| Peak discharge:< | 122.6 > cfs/sq mi | qpR |
| Peak discharge at outlet:< | 2452.6 > cfs | QpR |

PURPOSE:

To provide rough estimates of peak flow in cfs and the time to the peak flow, given basin geometry, time, and rainfall.

FORMULA:

Snyder's model was chosen:

$$tp = Ct(LLc)^{.3}$$

$$qp = CpA/tp$$

where

- tp = lag time to peak discharge (lag is most frequently defined as time from the centroid of rainfall to the hydrograph peak)
- Ct = coefficient varying from 1.8 to 2.2 that compensates for slope and storage (steeper slopes get lower values)
- L = length of main stream from outlet to divide
- Lc = stream distance from outlet to a point opposite the basin centroid (center of area)
- qp = peak flow
- Cp = coefficient varying from .56 to .69 - handles flood wave and storage factors
- A = area of basin in square miles

NOTE: Snyder's methods are the results of extensive studies in the Appalachian Mountain region. The formulas have been tried elsewhere with mixed success.

APPLICATION:

You know a little about the basins in your service area - the length, width, and size of the basins. Suppose 3 inches of rain fell in 2 hours over the Basin X. Using Snyder's technique, give an estimate of the peak flow and time to peak discharge for the basin.

given:

| | |
|------------------------------|----------------|
| basin size | = 20 sq. miles |
| length of stream | = 10 miles |
| center of basin | = 4 miles |
| average slope & storage | = 2.0 |
| average flood wave & storage | = .63 |
| unit time | = 2 hours |
| unit rainfall | = 3 inches |

the computed answers:

| | |
|--------------------------|--------------|
| lag-to-peak of unitgraph | = 6.5 hours |
| peak discharge at outlet | = 2452.6 cfs |

Adjusting the input one way or the other will help to build a better understanding of unitgraphs and runoff vs. rainfall.

SHEET 3 DISCHARGE: Given area, runoff (inches) and time (days)

| | | | |
|---|-----------------|----------------------------|-----------------------|
| Sheet 3 | | | |
| DISCHARGE: Given area, rainfall (inches) and time (days). | | | |
| INPUT AREA SQ. MI. | ==> | 454 | < SQ. MI. |
| INPUT PRECIP. INCHES | ==> | 35 | < INCHES |
| INPUT TIME IN DAYS | ==> | 365 | < DAYS |
| OUTPUT: | Q (flow) | < 1,171 | > CFS |
| OUTPUT: | volume | < 36,915,648,000 | > TOTAL CF |
| OUTPUT: | volume | < 847,414 | > ACRE FEET |
| DISCHARGE: Given area, rainfall (inches) and time (hours). | | | |
| INPUT AREA SQ. MI. | ==> | 454 | < SQ. MI. |
| INPUT PRECIP. INCHES | ==> | 1 | < INCHES |
| INPUT TIME IN HOURS | ==> | 5 | < HOURS |
| OUTPUT: | Q (flow) | < 58,596 | > CFS |
| OUTPUT: | volume | < 1,054,732,255 | > TOTAL CF |
| OUTPUT: | volume | < 24,212 | > ACRE FEET |

PURPOSE:

How much flow and what volume of water results from a given rainfall in inches? Remember: rainfall and runoff are two different quantities. In some areas, very little runoff results from a given rainfall.

FORMULA:

$$Q = (Di \cdot 5280^2 \cdot A) / (86400 \cdot Td \cdot 12)$$

and

$$Q = (A \cdot Di \cdot 645.4) / Th$$

where

- Q = flow in cfs
- Di = inches of rainfall
- A = area in sq. miles
- Td = time in days
- Th = time in hours

APPLICATION:

During the past three days, 5 inches of rain has fallen over the Payette Basin (454 sq. miles).

Given the above information, answer the following questions:

1. What is the average discharge (flow) of the original 5 inches?
2. What volume in acre feet could end up in reservoirs, if all the rainfall was runoff?

enter:

454 = area of basin in sq. miles
5 = inches of rain
time = 5 days

computed answers:

flow 12,208 = cfs (entire basin, not just in river)
volume = cf
volume 121,059 = acre feet

Another What If?

Suppose half the basin had an average 3 inches of SWE (snow water equivalent) in snowpack. Very warm temperatures melted all the snow in 12 hours. What would be the most you could expect from a meltdown in local reservoirs (assume no evaporation or infiltration)?

Using the lower part of the sheet for time period hours,

enter:

454/2 = area of basin in sq. miles
3 = inches of snowmelt
12 = hours

computed answers:

flow 36,623 = cfs
volume xxx = cf
volume 36,318 = acre feet

SHEET 4 EQUIVALENT RAINFALL

| Sheet 4 ----- | | | |
|---|-----|-------|---------------------------------|
| EQUIVALENT RAINFALL: Given area, discharge (cfs), and time (days). | | | |
| INPUT AREA SQ. MI. | ==> | 454 < | SQ. MI. |
| INPUT DISCHARGE CFS | ==> | 183 < | CFS |
| INPUT TIME IN DAYS | ==> | 2 < | DAYS |
| OUTPUT: | Di | < | 0.03 > EQUIV RAINFALL IN INCHES |
| | | < | 31,622,400 > TOTAL CUBIC FEET |
| | | < | 726 > ACRE FEET |
| EQUIVALENT RAINFALL: Given area, discharge (cfs), and time (hours). | | | |
| INPUT AREA SQ. MI. | ==> | 20 < | SQ. MI. |
| INPUT DISCHARGE CFS | ==> | 163 < | CFS |
| INPUT TIME IN HOURS | ==> | 48 < | HOURS |
| OUTPUT: | Di | < | 0.61 > EQUIV RAINFALL IN INCHES |
| | | < | 28,166,400 > TOTAL CUBIC FEET |
| | | < | 647 > ACRE FEET |

PURPOSE:

To give an estimate of the equivalent rainfall from a given flow.

FORMULAS:

$$Di = (84400 * Td * Q * 12) / (A * 5280^2)$$

where

Di = equiv. rainfall (discharge) in inches
 Td = time in days
 Q = flow in cfs
 A = area of basin in sq. miles

and

$$Di = (86400 * Th / 24) * (Q * 12) / (A * 5280^2)$$

where

Th = time in hours

Note: for easier comprehension, the formulas have not been reduced.

APPLICATION:

Runoff from recent rains caused an average increase in flow of 200 cfs in the Payette River for 15 days. What is the equivalent rainfall for a 500 sq. mile basin? Remember, unless the ground was impervious and there was zero evaporation, we are really estimating runoff in inches.

enter:

500 = area of basin in sq. miles
200 = discharge in cfs
15 = days

computed answers:

0.22 = inches
259,200,000 = total cubic feet
5,950 = total acre feet

Ah, but the actual rainfall was 5 inches not 0.22 inches. Does that say something about antecedent soil conditions?

The same scenarios can be run on the bottom-half of Sheet 4 with a time period of hours.

SHEET 5.1 PENMAN EVAPORATION FORMULA

| Sheet 5.1 ----- | | | |
|--|-------|---------|--------------------------|
| PENMAN EVAPORATION FORMULA (English units) | | | |
| INPUT: | | | |
| DAILY MAX TMP | Tx => | 90 <= | deg F |
| DAILY MIN TMP | Tn => | 70 <= | deg F |
| AVG DEW PT | Td => | 45 <= | deg F |
| AVG WND SPD | => | 8 <= | mph |
| SOLAR RAD | Qs => | 440 <= | cal/cm ² /day |
| DAYS IN MONTH | => | 30 <= | |
| OUTPUT: | | | |
| AVG AIR TEMP | Ta => | 80 > | deg F |
| WIND MILE | Vp => | 192 > | est. miles per day |
| PAN | Ep < | 0.38 > | inches/day |
| EVAP. | < | 11.36 > | inches/month |
| SHALLOW LK | E1 < | 0.27 > | inches/day |
| EVAP. | < | 7.95 > | inches/month |

PURPOSE:

Compute evaporation for Class A pans and shallow lakes.

FORMULA: (as in Linsley/Kohler/Paulhus)

$$E = (\text{delta}/(\text{delta}+\text{gamma}))Q_n + (\text{gamma}/(\text{delta}+\text{gamma}))E_a$$

where

$$E_a = ((e_s - e_a)^{.88}) (.37 + .0041v_p)$$

where

$$Q_n = (2.81 \times 10^{-4})Q_s + (6.90 \times 10^{-8})Q_s(T_a)^{1.87} + (1.55 \times 10^{-7})Q_s^2 - (3.14 \times 10^{-11})Q_s^2(T_a - 45)^2 - .040$$

$$(e_s - e_a) = (.0041T_a + .676)^8 - (.0041T_d + .676)^8 \quad T_d \geq 16^\circ\text{F}$$

and

$$\text{delta} = (.00252T_a + .4149)^7 \quad T_a \geq -13^\circ\text{F}$$

$$\text{gamma} = .011 \text{ in Hg}/^\circ\text{F}$$

also .

$$\text{delta}/(\text{delta}+\text{gamma}) = [1 + .011/(\text{delta} + .4149)^7]^{-1}$$

$$\text{gamma}/(\text{delta}+\text{gamma}) = 1 - \text{delta}/(\text{delta}+\text{gamma})$$

v_p = wind movement miles per day

T_d = dew point °F

T_a = air temp. °F

Q_S = daily solar radiation in cal./sq cm

I bet you are wondering how all these equations fit into the few input and output cells indicated on Sheet 5.1. Well, they didn't.

I used a little of the side page. Development of this sheet was not as involved as it may appear. Transplanting textbook formulas is not hard, if you are careful.

APPLICATION:

Gathering all the input parameters should be easy except for average solar radiation. The following table may help.

| ESTIMATED SOLAR RADIATION (cal/cm ² /day) | | | | | | | |
|--|---------|-----|-----|----------|------------|-----|-----|
| Jun 22 | 300 | 430 | 525 | 500 | 450 | 400 | 325 |
| Dec 22 | 390 | 220 | 110 | 20 | 0 | 0 | 0 |
| | 0 | 15 | 30 | 45 | 60 | 75 | 90 |
| | Equator | | | Lat (°N) | North Pole | | |

Suppose the following conditions existed on June 22:

enter:

- 90 = max temp
- 52 = min temp
- 45 = average dew-point
- 8 = average wind speed mph
- 500 = solar radiation
- 30 = days in June

the computed evaporations should be:

- .34 = pan evap. inches/day
- 10.18 = pan evap. inches/month
- .24 = shallow lake evap. inches/day
- 7.13 = shallow lake evap. inches/month

If you prefer to let the spreadsheet interpolate a value of solar radiation between dates, then use Spread 5.2 - the side page.

SHEET 5.2 ESTIMATING SOLAR RADIATION

| | |
|---|---|
| Sheet 5.2 ----- | |
| Estimating solar radiation for a given latitude: | |
| INPUT: (use Ctrl D for date input) | |
| Rad. on 12/22 | > 50 < cal/cm ² /day (use table) r12 |
| Rad. on 06/22 | > 500 < cal/cm ² /day (use table) r6 |
| January 1 | > 01/01/90 < (should be 01/01 of current year) |
| Date to Compute | > 06/22/90 < |
| OUTPUT: | |
| Julian | < 173 > day |
| SINE | < 1.00 > |
| ESTIMATED SOLAR RAD | < 500 > cal/cm ² /day |

PURPOSE:

Compute the Julian day, then estimate solar radiation.

FORMULA:

| | |
|-----------------|---|
| Julian day | = today's date - January 1 (in Quattro) |
| Sine | = used to interpolate solar radiation on days other than 12/22 & 6/22 |
| | = $ABS(@SIN(@RAD(360-(Julnday+9)/365)*360)/2))$ |
| Solar Radiation | = $SINE*(r6-r12)+r12$ |

APPLICATION:

Find the ranges of solar radiation that apply to your latitude and enter for 12/22 and 06/22. If the January 1 date is not for this year, then change it to 1/1 of the current year (Ctrl D then 1/1). Using the Ctrl D entry mode for dates, enter the date to compute.

Example:

| | | |
|--------|------|-----------------------|
| | 50 | rad on 12/22 |
| | 500 | rad on 06/22 |
| Ctrl D | 1/1 | January 1 this year |
| Ctrl D | 3/15 | Compute for this date |

will compute the Julian day, sine of the day of the year, and estimated solar radiation for March 15.

SHEET 6 STREAMFLOW

| | | | |
|--------------------|------------------|--|--|
| Sheet 6 | | Chezy-Manning Formula | |
| STREAMFLOW: | | $q = (1.49/n)(AR^{2/3} * S^{1/2})$ | |
| INPUT: | | A= cross sec. area (sq ft) R= hydraulic radius (ft) S= energy slope (ft/ft) | |
| n:> | 0.035 <== | n values: | |
| av dpth:> | 1 <== | .018 smooth earth | |
| av wth:> | 50 <== | .020 firm gravel | |
| slope:> | 0.014 <== | .029 clean, strt, no pools, FS | |
| OUTPUT: | | .035 weeds, stones, FS | |
| A= | < 50 > sq ft | .039 winding, pools, clean, FS | |
| R= | < 0.962 > ft | .042 like .029 but LS | |
| wet prm:< | 52 > ft | .052 like .035 but LS | |
| q= | < 249 > cfs est. | .112 very sluggish & weedy | |
| | | NOTE: error of .001 n = 3% q | |

PURPOSE:

Compute streamflow in cfs, given slope, Manning friction coefficient, average depth, and average width of a river.

FORMULA:

The Chezy-Manning Formula

$$q = (1.49/n)(AR^{2/3})(S^{1/2})$$

where

q = flow in cfs
 n = Manning coefficient
 A = cross sectional area
 R = hydraulic radius
 S = slope
 wet prm = wetted perimeter
 FS = full stage
 LS = low stage

NOTES:

1. The wetted perimeter is that portion of the stream channel in contact with the water.
2. The hydraulic radius is the cross sectional area divide by the wetted perimeter.

SHEET 7 RESERVOIR LEVELS

| Sheet 7 ----- | | | |
|----------------------|------------------------|---------|-------|
| RESERVOIR LEVELS: | | | |
| INPUT: | | OUTPUT: | |
| Current Volume:> | 210,000 < ac ft | | |
| Capacity:> | 280,000 < ac ft | 75%> | full |
| inflow (cfs):> | 2 < cfs | | |
| outflow (cfs):> | 0 < cfs | | |
| project days:> | 0 < days | | |
| reservoir sfc area:> | 25 < sq miles | 16000 > | acres |
| daily evaporation:> | 0.20 < inches | | |
| OUTPUT: | | | |
| Daily increase: | < 4 > ac ft | | |
| Daily out (ac ft): | < 0 > ac ft | | |
| Daily loss to evap: | < 267 > ac ft | | |
| Net change: | < -263 > ac ft | | |
| Volume: | < 210,000 > ac ft in > | 0 days | |
| days to empty: | < 799 > days | | |
| days to fill: | < > days | | |

PURPOSE:

Tedious arithmetic makes keeping track of our reservoir levels a cumbersome task. Sheet 7 turns the process into fun. This sheet will project a fill or empty time based on inflow/outflow or evaporation as a function of surface area. Use your results from Sheet 5 for the shallow lake evaporation rate.

FORMULA:

daily increase/decrease = current volume * days *
net change (in acre feet)

daily loss to evap. = daily evap. * sfc area
(convert volume to acre ft)

APPLICATION:

White Peak Reservoir holds 280,000 acre feet of water and has a surface area of 25 sq. miles. It's current volume is 210,000 acre feet. With 1230 cfs coming in and 1812 cfs going out. What will be the volume in 15 days? How long will it take to empty?

Suppose nothing was going in or out. How long will take to evaporate the reservoir with a daily evap. rate of .25 inches?

Would it be better, with respect to evaporation, to have a deeper reservoir or a shallower one? Juggle the surface area and find out.

If the basin was 800 sq. miles, how many inches of runoff would you need to fill White Peak Reservoir? Use Sheet 3 to determine the answer.

SHEET 8 MAX BREACH OUTFLOW (DAM BREAK)

Sheet 8

MAX BREACH OUTFLOW DISCHARGE:

GIVEN:

$$Q_{bmax} = Q_0 + Br(C/(tf/60) + (C/h^2))^3$$

where

$$C = 23.4As/Br$$

INPUT:

| | | | | | |
|--------------------------|---|-----|---|----------------|---------|
| Reservoir surface area | > | 3 | < | As | acres |
| Dpth max pool abv brch | > | 5 | < | h | feet |
| Avg final breach width | > | 60 | < | Br | feet |
| Time of Failure | > | 15 | < | tf | minutes |
| Added flow spill/turbine | > | 150 | < | Q ₀ | cfs |

OUTPUT:

Q_{bmax} < 794 > cfs

PURPOSE:

A dam break, however remote, is always a possibility. Most large dams have Emergency Action Plans, so there is no need for max flow estimates. However, there are many dams that have no studies for max flow. Also, what about all the potential dams resulting from an earth slide or ice jam. Do you have a feel for the max flow that would result from a breach? Sheet 8 will give you estimates.

FORMULA:

The Broad-Crested Weir Equation:

$$Q_{bmax} = Q_0 + Br(C/(tf/60) + (C/h^2))^3$$

where

$$C = 23.4AS/Br$$

APPLICATION:

The person reporting a dam failure usually has the vital statistics of the dam that you need to run the model. Probably the toughest statistic to get would be the surface area. See Sheet 9 Make-a-Dam for surface area estimates.

Example:

A small power dam along the Boise River is getting ready to fail. Failure time is estimated on the scale of weeks. A site inspection revealed the following observations and possibilities:

| | |
|--|------------------------------|
| surface area of pool behind dam = 5 acres | (obsvd.) |
| maximum depth of pool above breach = 10 feet | (1 possibility) |
| average final breach width = 60 feet | (1 possibility) |
| failure time = 15 minutes | (5 minutes to several hours) |
| added flow through spillway = 150 cfs | (given) |

With the following list of inputs, a single estimated value will quickly appear in the output section of the sheet. Make a note of this input vs. out. Enter several other possibilities. It may never happen but at least you will have something.

SHEET 9 MAKE-A-DAM

| | | |
|--|---|---------------------|
| Sheet 9 | | |
| MAKE-A-DAM: (determine volume of resulting wedge-shaped reservoir from ice jam or earthslide across river.) | | |
| INPUT: | | |
| height of dam: | > | 10 <= feet |
| width of dam: | > | 1200 <= feet |
| slope of river: | > | 0.0114 <= ft/ft |
| flow into dam: | > | 450 <= cfs |
| OUTPUT: | | |
| length of pool: | < | 880 > = feet |
| length of pool: | < | 0.17 > = miles |
| volume of pool: | < | 5,280,000 > = cu ft |
| volume of pool: | < | 121 > = acre ft |
| pool sfc area: | < | 24 > = acres |
| full pool time: | < | 3.26 > = hours |
| | | .1 days |

PURPOSE:

Rivers can be dammed-up from a variety of causes; mud slides, log jams, and ice jams, to name a few. This sheet was designed to answer several questions regarding the pool that forms behind the dam; its volume, surface area, and length. Answers to all those questions are vital to flood and flash flood planning.

FORMULA:

A wedge-shaped reservoir is the design pool.

$$\begin{aligned}\text{length of pool} &= \text{height} * (1/\text{slope}) \\ \text{volume of pool (wedge)} &= .5 * \text{ht.} * \text{length} * \text{width} \\ \text{sfc area (acres)} &= \text{length} * \text{width}/43560\end{aligned}$$

APPLICATION:

A mud slide has caused a 30 feet dam across the Payette River. The dam is 600 feet wide. Slope from a quad map is 50 feet/mile. Current flow is 450 cfs. Estimate the length of the pool, volume, surface area, and time to fill.

enter:

| | |
|---------|------------------|
| 30 | = height in feet |
| 600 | = width of dam |
| 50/5280 | = slope |
| 450 | = flow into dam |

The answers could help you decide several things:

1. The area above the dam for a flood watch/warning.
2. Spill over and possible breach time.

SHEET 10.1 RUNOFF VS. PER CAPITA WATER CONSUMPTION

Sheet 10.1

RUNOFF vs. PER CAPITA WATER CONSUMPTION:

INPUT:

| | | | | |
|-------------------------------|---|------|----|----------------|
| annual runoff: | > | 1 | <= | inches |
| basin size: | > | 4000 | <= | sq. miles |
| per capita water consumption: | > | 150 | <= | gal/person/day |

OUTPUT:

| | | | | |
|----------------------------------|---|---------|----|--------------|
| millions of gallons/basin/year: | < | 9,293 | >= | mil. gallons |
| gallons/person/year: | < | 54,750 | >= | gallons |
| number of people basin supports: | < | 169,732 | >= | people |

PURPOSE:

Determine the number of people a basin can support given runoff in inches and per capita consumption.

FORMULA:

millions of gal/basin/year = runoff inches * 2323200 * sq. miles / 10⁶
gallons/person/year = per cap wtr consum. * 365
people basin supports = (mil. gals. / gal/pers/year) * 10⁶

APPLICATION:

A new city is being planned in a dry region. Runoff is only 1 inch/year. If every drop in the 400 sq. mile basin went into home use, how many people could the basin support?

annual runoff = 1 inch
basin size = 400 sq miles
per capita water consum. = 150 gals./person/day

What if the community was conservative and only used 125 gallons/person/day?

SHEET 10.2 WHERE IS ALL MY WATER GOING?

| Sheet 10.2 | | ----- | |
|------------------------------------|---|---------------------|-------------|
| WHERE IS ALL MY WATER GOING? | | | |
| INPUT: | | | CONSUMPTION |
| people in household: | > | 4 <= 5 or older | |
| no. weeks to water lawn: | > | 0 <= weeks | |
| water the lawn (nozzle wide open): | > | 0 <= hours/week | 0 |
| baths: | > | 1 <= no./wk/person | 20 |
| 3-minute showers: | > | 7 <= no./wk/person | 560 |
| toilet flushes: | > | 5 <= no./day/person | 100 |
| run dishwasher: | > | 1 <= no./day | 5 |
| wash dishes by hand: | > | 3 <= no. times/day | 33 |
| no. large laundry loads: | > | 8 <= no./week | 96 |
| wash car: | > | 1 <= no./week | 12.5 |
| misc./day: | > | 0 <= gal/day | 0 |
| misc./month: | > | 0 <= gal/month | 0 |
| OUTPUT: | | | |
| Water consumption: | < | 236 > | gal/day |
| | : | 1,655 > | gal/wk |
| | : | 7,091 > | gal/mon |
| | : | 84,143 > | gal/yr |
| | : | 84,143 > | gal/yr |
| | | | no watering |
| | | | no watering |
| | | | no watering |
| | | | no watering |
| | | | no watering |

PURPOSE:

Per capita water consumption described in 10.1 can be determined using a sheet similar to 10.2. The real purpose of "Where is all my water going?" was to give Quattro users a chance to experiment with spreadsheet development.

The answers above were based on a "typical" American home - the Egger house. Whenever you are brave enough, the basic values that go into each formula can be adjusted for your household.

FORMULA:

| | | |
|---------------------|----|----------------------------|
| water the lawn | => | 600 gal * hours per week |
| bath | => | 20 gal * number * persons |
| 3-minute showers | => | 5 gal * number * persons |
| toilet flushes | => | 5 gal * number * persons |
| dishwasher | => | 5 gal * number per day |
| hand dishwash | => | 11 gal * number per day |
| large laundry loads | => | 11 gal * number per week |
| car wash | => | 12.5 gal * number per week |

The consumption numbers appearing along the right margin of the sheet are the results of the above formula. The total water consumption formulas at the bottom of the sheet are summations of the above with appropriate multipliers for the respective time period.

APPLICATION:

The purpose of this sheet was to get your feet wet with spreadsheeting (Quattro users only). Instead of entering numbers and watching the results, let's adjust the formula to fit your home. By the way, I noticed an error in one of the formulas. While we are at it, let's fix it. Before we begin editing the spreadsheet, turn on the column and row headers and turn protection off. To make this easy, I developed a macro - ALT E.

Turn off protection, turn on cell labels, and prepare to edit.

ALT E

Move the cursor to cell O206 (column O and row 206), you are going to fix my mistake, then we'll go into edit/fix mode with the F2 function key.

F2

Notice the formula in the upper right hand corner of the screen. It should appear as +L207*20. This means, take the contents of cell L207 and multiply it by 20. To put another way, multiply the number of baths per week per person times 20 gallons. The error was neglecting to multiply by the number of people in the family (L204). You are in the edit mode. Type this now *L204.

*L204

The upper right should now appear as +L207*20*L204. Hit enter.

Enter

The formula has changed; so should the answers. Any of the formulas can be adjusted by moving through the locate, F2, edit, enter steps.

The formulas mentioned earlier have constants in them. I invite you to adjust the constants to suit your home. When you are all done, return HYTOOLS to its original configuration.

ALT X for monochrome screens

or

ALT Y for color screens

Remember, to EXIT HYTOOLS at any time enter the following keys /QY.

- 142 The Usefulness of Data from Mountaintop Fire Lookout Stations in Determining Atmospheric Stability. Jonathan W. Cory, April 1979. (PB296899/AS)
- 143 The Depth of the Marine Layer at San Diego as Related to Subsequent Cool Season Precipitation Episodes in Arizona. Ira S. Brunner, May 1979. (PB298817/AS)
- 144 Arizona Cool Season Climatological Surface Wind and Pressure Gradient Study. Ira S. Brunner, May 1979. (PB298900/AS)
- 146 The BART Experiment. Morris S. Webb, October 1979. (PB90 155112)
- 147 Occurrence and Distribution of Flash Floods in the Western Region. Thomas L. Dietrich, December 1979. (PB90 160344)
- 149 Misinterpretations of Precipitation Probability Forecasts. Allan H. Murphy, Sarah Lichtenstein, Baruch Fischhoff, and Robert L. Winkler, February 1980. (PB90 174576)
- 150 Annual Data and Verification Tabulation - Eastern and Central North Pacific Tropical Storms and Hurricanes 1979. Emil B. Gunther and Staff, EPHC, April 1980. (PB80 220496)
- 151 NMC Model Performance in the Northeast Pacific. James E. Overland, PMEL-ERL, April 1980. (PB80 196033)
- 152 Climate of Salt Lake City, Utah. Wilbur E. Figgins (Retired) and Alexander R. Smith, Fourth Revision, March 1980. (PB89 180624/AS)
- 153 An Automatic Lightning Detection System in Northern California. James E. Rea and Chris E. Fontana, June 1980. (PB80 225592)
- 154 Regression Equation for the Peak Wind Gust 6 to 12 Hours in Advance at Great Falls During Strong Downslope Wind Storms. Michael J. Card, July 1980. (PB91 108367)
- 155 A Raininess Index for the Arizona Monsoon. John H. Ten Harkel, July 1980. (PB81 106494)
- 156 The Effects of Terrain Distribution on Summer Thunderstorm Activity at Reno, Nevada. Christopher Dean Hill, July 1980. (PB81 102501)
- 157 An Operational Evaluation of the Scafield/Oliver Technique for Estimating Precipitation Rates from Satellite Imagery. Richard Ochoa, August 1980. (PB81 106227)
- 158 Hydrology Practicum. Thomas Dietrich, September 1980. (PB81 134033)
- 159 Tropical Cyclone Effects on California. Arnold Court, October 1980. (PB81 133779)
- 160 Eastern North Pacific Tropical Cyclone Occurrences During Intraseasonal Periods. Preston W. Leftwich and Gail M. Brown, February 1981. (PB81 205494)
- 161 Solar Radiation as a Sole Source of Energy for Photovoltaics in Las Vegas, Nevada, for July and December. Darryl Randerson, April 1981. (PB81 224503)
- 162 A Systems Approach to Real-Time Runoff Analysis with a Deterministic Rainfall-Runoff Model. Robert J.C. Burnash and R. Larry Ferral, April 1981. (PB81 224495)
- 163 A Comparison of Two Methods for Forecasting Thunderstorms at Luke Air Force Base, Arizona. LTC Keith R. Cooley, April 1981. (PB81 225393)
- 164 An Objective Aid for Forecasting Afternoon Relative Humidity Along the Washington Cascade East Slopes. Robert S. Robinson, April 1981. (PB81 23078)
- 165 Annual Data and Verification Tabulation, Eastern North Pacific Tropical Storms and Hurricanes 1980. Emil B. Gunther and Staff, May 1981. (PB82 230336)
- 166 Preliminary Estimates of Wind Power Potential at the Nevada Test Site. Howard G. Booth, June 1981. (PB82 127036)
- 167 ARAP User's Guide. Mark Mathewson, July 1981, Revised September 1981. (PB82 196783)
- 168 Forecasting the Onset of Coastal Gales Off Washington-Oregon. John R. Zimmerman and William D. Burton, August 1981. (PB82 127061)
- 169 A Statistical-Dynamical Model for Prediction of Tropical Cyclone Motion in the Eastern North Pacific Ocean. Preston W. Leftwich, Jr., October 1981. (PB82195296)
- 170 An Enhanced Plotter for Surface Airways Observations. Andrew J. Spry and Jeffrey L. Anderson, October 1981. (PB82 153883)
- 171 Verification of 72-Hour 500-MB Map-Type Predictions. R.F. Quiring, November 1981. (PB82 159098)
- 172 Forecasting Heavy Snow at Wenatchee, Washington. James W. Holcomb, December 1981. (PB82 177785)
- 173 Central San Joaquin Valley Type Maps. Thomas R. Croaman, December 1981. (PB82 196064)
- 174 ARAP Test Results. Mark A. Mathewson, December 1981. (PB82 198103)
- 176 Approximations to the Peak Surface Wind Gusts from Desert Thunderstorms. Darryl Randerson, June 1982. (PB82 253069)
- 177 Climate of Phoenix, Arizona. Robert J. Schmidt, April 1982 (Revised December 1986). (PB87 142063/AS)
- 178 Annual Data and Verification Tabulation, Eastern North Pacific Tropical Storms and Hurricanes 1982. E.B. Gunther, June 1983. (PB85 106076)
- 179 Stratified Maximum Temperature Relationships Between Sixteen Zone Stations in Arizona and Respective Key Stations. Ira S. Brunner, June 1983. (PB83 249904)
- 180 Standard Hydrologic Exchange Format (SHEF) Version I. Phillip A. Pasternak, Vernon C. Biesel, David G. Bennett, August 1983. (PB85 106082)
- 181 Quantitative and Spatial Distribution of Winter Precipitation along Utah's Wasatch Front. Lawrence B. Dunn, August 1983. (PB85 106912)
- 182 500 Millibar Sign Frequency Teleconnection Charts - Winter. Lawrence B. Dunn, December 1983. (PB85 106276)
- 183 500 Millibar Sign Frequency Teleconnection Charts - Spring. Lawrence B. Dunn, January 1984. (PB85 111367)
- 184 Collection and Use of Lightning Strike Data in the Western U.S. During Summer 1983. Glenn Raach and Mark Mathewson, February 1984. (PB85 110534)
- 185 500 Millibar Sign Frequency Teleconnection Charts - Summer. Lawrence B. Dunn, March 1984. (PB85 111359)
- 186 Annual Data and Verification Tabulation eastern North Pacific Tropical Storms and Hurricanes 1983. E.B. Gunther, March 1984. (PB85 109635)
- 187 500 Millibar Sign Frequency Teleconnection Charts - Fall. Lawrence B. Dunn, May 1984. (PB85 110930)
- 188 The Use and Interpretation of Isentropic Analyses. Jeffrey L. Anderson, October 1984. (PB85 132694)
- 189 Annual Data & Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1984. E.B. Gunther and R.L. Cross, April 1985. (PB85 187887/AS)
- 190 Great Salt Lake Effect Snowfall: Some Notes and An Example. David M. Carpenter, October 1985. (PB86 119153/AS)
- 191 Large Scale Patterns Associated with Major Freeze Episodes in the Agricultural Southwest. Ronald S. Hamilton and Glenn R. Lusky, December 1985. (PB86 144474/AS)
- 192 NWR Voice Synthesis Project: Phase I. Glen W. Sampson, January 1986. (PB86 145604/AS)
- 193 The MCC - An Overview and Case Study on Its Impact in the Western United States. Glenn R. Lusky, March 1986. (PB86 170651/AS)
- 194 Annual Data and Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1985. E.B. Gunther and R.L. Cross, March 1986. (PB86 170941/AS)
- 195 Rapid Interpretation Guidelines. Roger G. Pappas, March 1986. (PB86 177680/AS)
- 196 A Mesoscale Convective Complex Type Storm over the Desert Southwest. Darryl Randerson, April 1986. (PB86 190998/AS)
- 197 The Effects of Eastern North Pacific Tropical Cyclones on the Southwestern United States. Walter Smith, August 1986. (PB87 106258/AS)
- 198 Preliminary Lightning Climatology Studies for Idaho. Christopher D. Hill, Carl J. Gorski, and Michael C. Conger, April 1987. (PB87 180194/AS)
- 199 Heavy Rains and Flooding in Montana: A Case for Slantwise Convection. Glenn R. Lusky, April 1987. (PB87 185229/AS)
- 200 Annual Data and Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1986. Roger L. Cross and Kenneth B. Mielke, September 1987. (PB87 110905/AS)
- 201 An Inexpensive Solution for the Mass Distribution of Satellite Images. Glen W. Sampson and George Clark, September 1987. (PB88 114038/AS)
- 202 Annual Data and Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1987. Roger L. Cross and Kenneth B. Mielke, September 1988. (PB88 101936/AS)
- 203 An Investigation of the 24 September 1986 "Cold Sector" Tornado Outbreak in Northern California. John P. Monteverdi and Scott A. Braun, October 1988. (PB88 121287/AS)
- 204 Preliminary Analysis of Cloud-To-Ground Lightning in the Vicinity of the Nevada Test Site. Carven Scott, November 1988. (PB89 128649/AS)
- 205 Forecast Guidelines For Fire Weather and Forecasters - How Nighttime Humidity Affects Wildland Fuels. David W. Goens, February 1989. (PB89 162549/AS)
- 206 A Collection of Papers Related to Heavy Precipitation Forecasting. Western Region Headquarters, Scientific Services Division, August 1989. (PB89 230833/AS)
- 207 The Las Vegas McCarran International Airport Microburst of August 8, 1989. Carven Scott, June 1990. (PB90-240268)
- 208 Meteorological Factors Contributing to the Canyon Creek Fire Blowup, September 6 and 7, 1988. David W. Goens, June 1990. (PB90-245065)
- 209 Stratus Surge Prediction Along the Central California Coast. Peter Felch and Woodrow Whitlatch, December 1990. (PB91-129239)

NOAA SCIENTIFIC AND TECHNICAL PUBLICATIONS

The National Oceanic and Atmospheric Administration was established as part of the Department of Commerce on October 3, 1970. The mission responsibilities of NOAA are to assess the socioeconomic impact of natural and technological changes in the environment and to monitor and predict the state of the solid Earth, the oceans and their living resources, the atmosphere, and the space environment of the Earth.

The major components of NOAA regularly produce various types of scientific and technical information in the following kinds of publications.

PROFESSIONAL PAPERS--Important definitive research results, major techniques, and special investigations.


CONTRACT AND GRANT REPORTS--Reports prepared by contractors or grantees under NOAA sponsorship.

ATLAS--Presentation of analyzed data generally in the form of maps showing distribution of rainfall, chemical and physical conditions of oceans and atmosphere, distribution of fishes and marine mammals, ionospheric conditions, etc.

TECHNICAL SERVICE PUBLICATIONS--Reports containing data, observations, instructions, etc. A partial listing includes data serials; prediction and outlook periodicals; technical manuals, training papers, planning reports, and information serials; and miscellaneous technical publications.

TECHNICAL REPORTS--Journal quality with extensive details, mathematical developments, or data listings.

TECHNICAL MEMORANDUMS--Reports of preliminary, partial, or negative research or technology results, interim instructions, and the like.



Information on availability of NOAA publications can be obtained from:

NATIONAL TECHNICAL INFORMATION SERVICE

U. S. DEPARTMENT OF COMMERCE

5285 PORT ROYAL ROAD

SPRINGFIELD, VA 22161