

A UNITED STATES
DEPARTMENT OF
COMMERCE
PUBLICATION



NOAA Technical Memorandum NWSTM WR 60

U.S. DEPARTMENT OF COMMERCE

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

National Weather Service


An Aid in Forecasting the Minimum Temperature at Medford, Oregon

ARTHUR W. FRITZ

Western Region

SALT LAKE CITY,
UTAH

October 1970



WESTERN REGION TECHNICAL MEMORANDA

The Technical Memorandum series provide an informal medium for the documentation and quick dissemination of results not appropriate, or not yet ready, for formal publication in the standard journals. The series are used to report on work in progress, to describe technical procedures and practices, or to report to a limited audience. These Technical Memoranda will report on investigation devoted primarily to Regional and local problems of interest mainly to Western Region personnel, and hence will not be widely distributed.

These Memoranda are available from the Western Region Headquarters at the following address: National Weather Service Western Region Headquarters, Attention SSD, P. O. Box 11188, Federal Building, Salt Lake City, Utah 84111.

The Western Region subseries of NOAA Technical Memoranda, No. 5 (revised edition), No. 10 and all others beginning with No. 24, are available also from the National Technical Information Service, U. S. Department of Commerce, Sillis Building, Port Royal Road, Springfield, Va. 22151. Price: \$3.00 paper copy; \$0.65 microfiche. Order by accession number shown in parentheses at end of each entry.

Western Region Technical Memoranda:

- No. 1* Some Notes on Probability Forecasting. Edward D. Diemer. September 1965.
- No. 2 Climatological Precipitation Probabilities. Compiled by Lucianne Miller. December 1965.
- No. 3 Western Region Pre- and Post-FP-3 Program. Edward D. Diemer. March 1966.
- No. 4 Use of Meteorological Satellite Data. March 1966.
- No. 5** Station Description of Local Effects on Synoptic Weather Patterns. Philip Williams, Jr. October 1969 (Revised). (PB-178 000)
- No. 6 Improvement of Forecast Wording and Format. C. L. Glenn. May 1966.
- No. 7 Final Report on Precipitation Probability Test Programs. Edward D. Diemer. May 1966.
- No. 8* Interpreting the RAREP. Herbert P. Benner. May 1966. (Revised January 1967.)
- No. 9 A Collection of Papers Related to the 1966 NMC Primitive-Equation Model. June 1966.
- No. 10* Sonic Boom. Loran Crow (6th Weather Wing, USAF, Pamphlet). June 1966. (AD-479 366)
- No. 11 Some Electrical Processes in the Atmosphere. J. Latham. June 1966.
- No. 12* A Comparison of Fog Incidence at Missoula, Montana, with Surrounding Locations. Richard A. Dightman. August 1966.
- No. 13* A Collection of Technical Attachments on the 1966 NMC Primitive-Equation Model. Leonard W. Snellman. August 1966.
- No. 14 Application of Net Radiometer Measurements to Short-Range Fog and Stratus Forecasting at Los Angeles. Frederick Thomas. September 1966.
- No. 15 The Use of the Mean as an Estimate of "Normal" Precipitation in an Arid Region. Paul C. Kangleser. November 1966.
- No. 16 Some Notes on Acclimatization in Man. Edited by Leonard W. Snellman. November 1966.
- No. 17 A Digitalized Summary of Radar Echoes Within 100 Miles of Sacramento, California.
- No. 18 Limitations of Selected Meteorological Data. December 1966.
- No. 19* A Grid Method for Estimating Precipitation Amounts by Using the WSR-57 Radar. R. Granger. December 1966.
- No. 20* Transmitting Radar Echo Locations to Local Fire Control Agencies for Lightning Fire Detection. Robert R. Peterson. March 1967.
- No. 21 An Objective Aid for Forecasting the End of East Winds in the Columbia Gorge. D. John Coparans. April 1967.
- No. 22 Derivation of Radar Horizons in Mountainous Terrain. Roger C. Pappas. April 1967.
- No. 23 "K" Chart Application to Thunderstorm Forecasts Over the Western United States. Richard E. Hambidge. May 1967.
- No. 24 Historical and Climatological Study of Grinnell Glacier, Montana. Richard A. Dightman. July 1967. (PB-178 071)
- No. 25 Verification of Operational Probability of Precipitation Forecasts, April 1966-March 1967. W. W. Dickey. October 1967. (PB-176 240)
- No. 26 A Study of Winds in the Lake Mead Recreation Area. R. P. Augulis. January 1958. (PB-177 830)
- No. 27 Objective Minimum Temperature Forecasting for Helena, Montana. D. E. Olsen. Feb. 1968. (PB-177 827)
- No. 28** Weather Extremes. R. J. Schmidli. April 1968. (PB-178 928)
- No. 29 Small-Scale Analysis and Prediction. Philip Williams, Jr. May 1968. (PB-178 425)
- No. 30 Numerical Weather Prediction and Synoptic Meteorology. Capt. Thomas D. Murphy, U.S.A.F. May 1968. (AD-673 365)

* Out of Print

** Revised



A western Indian symbol for rain. It also symbolizes man's dependence on weather and environment in the West.

U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL WEATHER SERVICE

NOAA Technical Memorandum NWSTM WR-60

AN AID IN FORECASTING THE MINIMUM TEMPERATURE
AT MEDFORD, OREGON

Arthur W. Fritz
Weather Service Office
Medford, Oregon

WESTERN REGION
TECHNICAL MEMORANDUM NO. 60

SALT LAKE CITY, UTAH
OCTOBER 1970



TABLE OF CONTENTS

	<u>Page</u>
List of Figures and Table	iii
I. Introduction	1
II. Variables	1-2
III. Data and Development Procedures	2-4
IV. Results	4-5
V. Summary	5
VI. Acknowledgments	5
VII. References	5

LIST OF FIGURES AND TABLE

	<u>Page</u>	
Figure 1	Joint Relationship of 1400PST Dew Point Temperature (T) and Dew Point Spread (T-T) with Temperature Drop from 1400PST to Minimum (T-T) for Month of April and Clear Classification	6
Figure 2	Joint Relationship of 1400PST Dew Point Temperature (T) and Dew Point Spread (T-T) with Temperature Drop from 1400PST to Minimum (T-T) for Month of April and Cloudy Classification	7
Figure 3	Joint Relationship of 1400PST Dew Point Temperature (T) and Dew Point Spread (T-T) with Temperature Drop from 1400PST to Minimum (T-T) for Month of April and Precipitation Classification	8
Table I	Monthly Average Absolute Errors of "Forecasts" of Minimum Temperatures at Medford, Oregon	9

AN AID IN FORECASTING THE MINIMUM TEMPERATURE AT MEDFORD, OREGON

I. INTRODUCTION

This study stems from an attempt to put forecasting of minimum temperature at Medford, Oregon on a more systematic and objective basis. The study uses the same or similar parameters of most temperature forecast studies of this type. Its uniqueness lies in the use of the same parameters throughout the year, and the particular combination of variables used. Measures of temperature and moisture content of the air near the surface during the afternoon or evening to make a "first estimate" of the minimum temperature reached during the ensuing night have been used by many investigators. The reader is referred to [1] and the numerous references listed in that publication, for detailed discussion of the various measures of these parameters and rationale for their use. Empirical corrections to the first estimate based upon expected cloud cover, wind speed, precipitation, and air mass changes during the night have also been used in many past studies. Many of these studies were reviewed by the author before initiating this one.

II. VARIABLES

Four primary variables were chosen as the basis for the first estimate of the minimum temperature:

1. Medford 1400 PST Dry Bulb Temperature
2. Medford 1400 PST Dew Point Temperature
3. Length of Ensuing Night.
4. Cloudiness and Precipitation During Night.

The time of 1400 PST was chosen for the dry bulb and dew-point temperatures because it is around this time that a dry adiabatic lapse rate is normally established through a layer in the lower atmosphere determined by the time of year and overall lapse rate below about 500 mb. A term coined at the Medford weather station for this phenomenon of establishing an adiabatic lapse rate from the surface to the maximum height attainable on a particular day is "air mass heat out." The 1400 PST temperature is, therefore, considered to be most representative of the air mass temperature at "heat-out" time. The dew point at this time is considered a measure of the dryness of the air mass and thus an indication of the amount of radiational cooling possible during the ensuing night.

To account roughly for differences in length of night throughout the year, the data were stratified by month. The state of the sky during the night was also used as a stratification variable, with the nights being designated as:

1. Clear - (including scattered low clouds and high thin broken or overcast cirrus. Fog cases were also included in the "clear" classification since it normally forms as the air mass approaches its lowest temperature.)
2. Cloudy - middle or low cloudiness and dense cirrus or cirrostratus averaging broken to overcast.
3. Precipitation - a trace or more of precipitation during night, except when precipitation was classified as drizzle.

For the purpose of this classification, nighttime hours were considered to be between 1800 and 0800 PST the following morning.

III. DATA AND DEVELOPMENT PROCEDURES

Observations from the years 1943 through February 1967 inclusive were used for developmental data, with some exceptions. Graphs and empirical rules developed from these data have been tested on 31 months, March 1967 - September 1969 inclusive.

For each month of the year and for each of the cloudiness and precipitation classifications, graphs were constructed using the 1400 PST dew point (T_d) as ordinate and the difference between the 1400 PST temperature and dew point ($T - T_d$) as abscissa. In the body of the graph, at the points determined by the coordinates, the difference between the 1400 PST temperature and the minimum temperature the following morning ($T - T_m$) was plotted for each case. Isolines of $T - T_m$ were then drawn by eye for two-degree increments in such a manner that the value of each isoline is within ± 3 F degrees of the great majority of the plotted values in its immediate vicinity. Although three graphs for each month were constructed (one each for clear, cloudy, and precipitation classifications), only the set for April (Figures 1-3) is reproduced here. The general orientation of isolines is essentially the same for all months, the major differences being in range, magnitude and gradients, both with season and classification.

Although variables upon which graphs are based explain a goodly portion of the variance in the Medford minimum temperature, there are a number of factors affecting minimum readings from which empirical

corrections to the first estimate from the graphs have been derived:

1. Strong wind throughout the night. Medford is located near the center of a large mountain valley; and due to high mountains surrounding the valley, wind conditions during morning hours are usually calm. However, during the colder portions of the year, there are occasions when strong winds will blow throughout the night. The valley is so oriented that a cold low aloft situated to the southwest, west or just north of the station will produce strong south to southeast winds through the valley. A strong southeast to northwest surface pressure gradient over southwestern Oregon will also produce strong south to southeast winds in the valley. A convenient measure of such a pressure gradient is the pressure difference between Red Bluff, California (RBL) and North Bend, Oregon (OTH). A pressure difference of 8 mb or greater will normally result in strong winds. Strong winds from directions other than south to southeast are rare and are usually of relatively short duration.

If strong winds are expected to persist throughout the night, a positive correction should be added to the first estimate. In operational use this correction can be left to the judgment of the forecaster; but for an objective evaluation of the system, a correction of +10 F degrees was used.

2. Cold air advection behind a front. There are frequent occasions during the colder portions of the year when a cold front or cold-type occlusion will pass Medford during the period between forecast time and time of occurrence of minimum temperature. Such nights will almost always be classified as cloudy or precipitation, and the observed minimum temperature will usually be lower than indicated by the "cloudy" or "precipitation" graphs. It was found through experimentation that such cases "fit" isolines of the clear chart much better, even though skies might remain cloudy after the frontal passage. Hence the empirical rule: If a cold front or cold-type occlusion is expected to pass the station before midnight, use the estimate obtained from the clear graph as the forecast of the minimum temperature.

3. "Overrunning" or strong warm air advection aloft. There were a number of cases, again generally during the colder portions of the year, in the cloudy and precipitation classifications in which the observed minimum temperatures were significantly higher than indicated by the graphs. These

"abnormally" high minima were generally associated with "warm overrunning" as indicated by 1000-500 mb thickness advection and/or relatively strong temperature advection on the 700-mb chart. When such situations are anticipated, a positive correction of 3-5 F degrees should be made to the first estimate from the appropriate graph. Here, again, in operational use the correction can be left to the judgment of the forecaster; but for an objective evaluation, a correction of +5 F degrees was used for such cases.

To use the graphs operationally, the forecaster must select the graph for the proper month and the nighttime conditions implied by the afternoon forecast, i.e., clear, cloudy, precipitation, windy, etc. Enter the graph with the 1400 PST dew point temperature and the difference between the 1400 PST temperature and dew point. At the point determined by these coordinates, interpolate a value of $T-T_m$ from the family of curves. Subtract this value from the 1400 PST temperature to obtain the first estimate of the minimum temperature. When appropriate, apply corrections discussed above.

IV. RESULTS

This minimum temperature forecasting aid for Medford, Oregon, has been tested on 31 months from March 1967 to September 1969, inclusive. The character of the nighttime weather was determined by inspection of hourly observations between 1800 and 0800 PST the following morning. Surface and upper-air charts were examined to determine if any of the special conditions described above were present. Appropriate corrections to the first estimate from the graphs were made when they did exist; otherwise the temperature determined from the appropriate graph for the month and cloudiness classification was used as the forecast minimum.

This two-and-one-half year period was an excellent one for testing the aid since there were many extreme temperature changes, some of them very rapid. Best verification was obtained with clear sky conditions. Cloudy and precipitation cases showed larger errors due probably to greater variation in the depth of moisture aloft, and to air mass changes.

During the spring months a comparison was made with a fruit-frost type formula [2] which has been in use in the valley many years. The comparison showed the aid at least equal in accuracy to the fruit-frost formula with additional advantages from obtaining an objective low temperature forecast two hours earlier. In addition the system is applicable throughout the year.

In Table I are listed average absolute errors of "forecasts" made using the aid for each of the 31 months. Also listed are average errors of local forecasts of minimum temperature made at 1500 PST for the local verification program. The latter are verified by the 0400 PST minimum temperature. Note that average errors of the "aid" forecasts are smaller in 25 of the 31 months, and for many months are significantly smaller. The aid, of course, had the overwhelming advantage of "knowing" in advance what the character of the weather during the night would be.

V. SUMMARY

A semiobjective aid for forecasting nighttime minimum temperatures at Medford, Oregon, has been developed which is applicable the year around. The aid was based upon the 1400 PST observation of surface temperature and dew point and observed cloud and precipitation conditions during the ensuing night. Operational use of the aid in the afternoon forecast, therefore, requires a reasonably accurate estimate of cloudiness and/or precipitation conditions during the coming night. Empirical corrections for other factors affecting the minimum temperature, such as strong winds and cold front passages, are suggested. Obviously, the accuracy of the minimum temperature forecast is strongly dependent upon the accuracy of the general weather forecast, and large errors will be made when nighttime weather is wrongly classified. Systematic use of the aid, however, will assure a minimum temperature forecast consistent with the forecast of other weather elements. Having the estimate from the forecast aid as a base, the forecaster may be able to further improve upon it through other available guidance and consideration of factors not explicitly incorporated into the aid.

VI. ACKNOWLEDGMENTS

The helpful comments and suggestions offered by Mr. Joseph Lawrence, Meteorologist in Charge, Mr. Norman Peters, Fruit-Frost Forecaster, and all personnel of the Medford Weather Service Office are gratefully acknowledged and appreciated.

VII. REFERENCES

- [1] Dickey, Woodrow W., 1960 - Forecasting Maximum and Minimum Temperatures, Forecasting Guide No. 4, U. S. Department of Commerce, Weather Bureau, Washington, D. C.
- [2] Smith, J. W. and others, 1920: Predicting of Minimum Temperatures from Hygrometric Data. Monthly Weather Review Supplement No. 16.




FIGURE 1. JOINT RELATIONSHIP OF 1400PST DEW POINT TEMPERATURE (T_d) AND DEW POINT SPREAD ($T - T_d$) WITH TEMPERATURE DROP FROM 1400PST TO MINIMUM ($T - T_m$) FOR MONTH OF APRIL AND CLEAR CLASSIFICATION.

APRIL

Cloudy Classification

Circled cases are strong winds throughout the night




FIGURE 2. JOINT RELATIONSHIP OF 1400PST DEW POINT TEMPERATURE (T_d) AND DEW POINT SPREAD ($T - T_d$) WITH TEMPERATURE DROP FROM 1400PST TO MINIMUM ($T - T_m$) FOR MONTH OF APRIL AND CLOUDY CLASSIFICATION.




FIGURE 3. JOINT RELATIONSHIP OF 1400PST DEW POINT TEMPERATURE (T_d) AND DEW POINT SPREAD ($T - T_d$) WITH TEMPERATURE DROP FROM 1400PST TO MINIMUM ($T - T_m$) FOR MONTH OF APRIL AND PRECIPITATION CLASSIFICATION.

MONTH	1967		1968		1969	
	AID AVERAGE ERROR F°	LOCAL FORECAST AVG. ERROR F°	AID AVERAGE ERROR F°	LOCAL FORECAST AVG. ERROR F°	AID AVERAGE ERROR F°	LOCAL FORECAST AVG. ERROR F°
JAN			2.6	3.0	3.6	2.6
FEB			2.4	3.8	3.1	3.8
MAR	2.0	3.2	2.4	3.7	2.0	3.8
APR	2.3	4.3	1.8	3.4	3.0	3.8
MAY	1.8	3.3	2.9	3.8	2.5	3.5
JUN	2.7	3.1	2.9	3.9	3.6	2.8
JUL	2.2	3.0	2.6	3.2	1.9	2.1
AUG	1.7	2.2	2.1	2.7	1.9	3.0
SEPT	2.0	2.7	3.4	3.1	3.0	3.1
OCT	2.5	3.4	3.1	3.3		
NOV	2.8	2.6	4.2*	3.8		
DEC	2.6	2.8	3.0	2.9		

*18 Precipitation Nights

Table 1. Monthly average absolute errors of "forecasts" of minimum temperatures at Medford, Oregon, generated by application of the aid to daily observations, compared to monthly average errors of forecasts made by the Medford Weather Bureau Office.

Note: These two sets of forecasts are not strictly comparable since the aid forecasts were verified by the absolute minimum for the night, whereas the local forecasts were verified by the minimum occurring up to 1200Z (0400PST). The local forecasting skill for the 1200Z minimum is probably little different from the skill for the absolute minimum, however.

Western Region Technical Memoranda: (Continued)

- No. 31* Precipitation Detection Probabilities by Salt Lake ARTC Radars. Robert K. Belesky. July 1968. (PB-179 084)
- No. 32 Probability Forecasting in the Portland Fire Weather District. Harold S. Ayer. July 1968. (PB-179 289)
- No. 33 Objective Forecasting. Philip Williams, Jr. August 1968. (AD-680 425)
- No. 34 The WSR-57 Radar Program at Missoula, Montana. R. Granger. October 1968. (PB-180 292)
- No. 35** Joint ESSA/FAA ARTC Radar Weather Surveillance Program. Herbert P. Benner and DeVon B. Smith. December 1968. (AD-681 857)
- No. 36* Temperature Trends in Sacramento--Another Heat Island. Anthony D. Lentini. Feb. 1969. (PB-183 055)
- No. 37 Disposal of Logging Residues Without Damage to Air Quality. Owen P. Cramer. March 1969. (PB-183 057)
- No. 38 Climate of Phoenix, Arizona. R. J. Schmidli, P. C. Kangieser, and R. S. Ingram. April 1969. (PB-184 295)
- No. 39 Upper-Air Lows Over Northwestern United States. A. L. Jacobson. April 1969. (PB-184 296)
- No. 40 The Man-Machine Mix in Applied Weather Forecasting in the 1970s. L. W. Snellman. August 1969. (PB-185 068)
- No. 41 High Resolution Radiosonde Observations. W. W. Johnson. August 1969. (PB-185 673)
- No. 42 Analysis of the Southern California Santa Ana of January 15-17, 1966. Barry B. Aronovitch. August 1969. (PB-185 670)
- No. 43 Forecasting Maximum Temperatures at Helena, Montana. David E. Olsen. October 1969. (PB-185 762)
- No. 44 Estimated Return Periods for Short-Duration Precipitation in Arizona. Paul C. Kangieser. October 1969. (PB-187 763)
- No. 45/1 Precipitation Probabilities in the Western Region Associated with Winter 500-mb Map Types. Richard P. Augulis. December 1969. (PB-188 248)
- No. 45/2 Precipitation Probabilities in the Western Region Associated with Spring 500-mb Map Types. Richard P. Augulis. January 1970. (PB-189 434)
- No. 45/3 Precipitation Probabilities in the Western Region Associated with Summer 500-mb Map Types. Richard P. Augulis. January 1970. (PB-189 414)
- No. 45/4 Precipitation Probabilities in the Western Region Associated with Fall 500-mb Map Types. Richard P. Augulis. January 1970. (PB-189 435)
- No. 46 Applications of the Net Radiometer to Short-Range Fog and Stratus Forecasting at Eugene, Oregon. L. Yee and E. Bates. December 1969. (PB-190 476)
- No. 47 Statistical Analysis as a Flood Routing Tool. Robert J. C. Burnash. December 1969. (PB-188 744)
- No. 48 Tsunami. Richard P. Augulis. February 1970. (PB-190 157)
- No. 49 Predicting Precipitation Type. Robert J. C. Burnash and Floyd E. Hug. March 1970. (PB-190 962)
- No. 50 Statistical Report of Aeroallergens (Pollens and Molds) Fort Huachuca, Arizona 1969. Wayne S. Johnson. April 1970. (PB-191 743)
- No. 51 Western Region Sea State and Surf Forecaster's Manual. Gordon C. Shields and Gerald B. Burdwell. July 1970. (PB-193 102)
- No. 52 Sacramento Weather Radar Climatology. R. G. Pappas and C. M. Veliquette. July 1970. (PB-193 347)
- No. 53 Experimental Air Quality Forecasts in the Sacramento Valley. Norman S. Benes. August 1970. (PB-194 128)
- No. 54 A Refinement of the Vorticity Field to Delineate Areas of Significant Precipitation. Barry B. Aronovitch. August 1970.
- No. 55 Application of the SSARR Model to a Basin Without Discharge Record. Vail Schermerhorn and Donald W. Kuehl. August 1970. (PB-194 394)
- No. 56 Areal Coverage of Precipitation in Northwestern Utah. Philip Williams, Jr. and Werner J. Heck. September 1970. (PB-194 389)
- No. 57 Preliminary Report on Agricultural Field Burning vs. Atmospheric Visibility in the Willamette Valley of Oregon. Earl M. Bates and David O. Chilcote. September 1970. (PB-194 710)
- No. 58 Air Pollution by Jet Aircraft at Seattle-Tacoma Airport. Wallace R. Donaldson. October 1970.
- No. 59 Application of P.E. Model Forecast Parameters to Local-Area Forecasting. Leonard W. Snellman. October 1970.

NOAA - This is continuation of the ESSA Technical Memorandum Series.

* Out of Print

** Revised