

UNIVERSITY OF KENTUCKY

DEPARTMENT OF AGRONOMY

1973

RESULTS OF HERBICIDE EVALUATION TRIALS

NOT FOR PUBLICATION

C. E. Rieck, C. H. Slack, and J. W. Herron

TABLE OF CONTENTS

List of Herbicides	1, 2
1973 Precipitation Data	3, 4
Techniques	5
Corn Preemergence	6, 7, 8, 9
Corn Preplant Incorporated	10, 11, 12
No-Till Corn in Killed Bluegrass Sod	13
No-Till Corn in Stalkland	14
Corn - Bindweed	15
Nutsedge in Corn	16
Soybeans - Preemergence	17, 18, 19, 20
Soybeans - Preplant Incorporated & Overlay	21, 22, 23, 24
Soybeans in Stale Seedbed	25
Soybean Stubble	26
Soybeans - Postemergence	27
Comparison of Metribuzin	28
Comparison of Chlorbromuron and Linuron	29
Nutsedge in Soybeans	30
Burley Tobacco	31

LIST OF HERBICIDES USED IN WEED CONTROL STUDIES 1973

-820: N- <u>sec</u> -butyl-4- <u>tert</u> -butyl-2,6-dinitroaniline	Amchem
CG-92553: N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine	American
alachlor: (Lasso)-2-chloro-2',6'-diethyl-N-(methoxymethyl)acetamide	Monsanto
amilon: (Chloramben + linuron)	Amchem
atrazine: (AAtrex):2-chloro-4-(ethylamino)-6-isopropylamino-s-triazine	Ciba-Gei
balan: N-butyl-N-ethyl-s,a,a,-trifluoro-2,6-dinitro-p-toluidine	Eli Lilly
AS 3512: 3-isopropyl-1-H-2,1,3-benzothiadiazinone-(4)3H-one-2,2-dioxide	BASF
AS 3921: N-propyl-N(2-chloroethyl)-2,6-dinitro-4-trifluoromethyl-aniline	BASF
aladex: (SD-15418):2-(4-chloro-6-ethylamino-s-triazine-2-ylamino)-2-methyl propionitrile	Shell
aporal: 2,4-bis(isopropylamino)-6-methylthio-s-triazine	Ciba-Gei
ACA-10832: N-n-propyl-N-cyclopropylmethyl-4-trifluoromethyl-2,6-dinitroaniline	Ciba-Gei
Chloramben: 3-amino-2,5-dichlorobenzoic acid	Amchem
chloroproham: (CIPC):isopropyl N-chlorocarbamate	PPG
Crop Oil	Gulf
Dicamba: (Banvel): 3,6-dichloro-o-anisic acid	Velsicol
Dinitramine: (Cobex): N ³ ,N ³ -diethyl-2,4-dinitro-6-trifluoromethyl-m-phenylenediamine	U.S. Bor
Dinoseb: (Dow General): 2- <u>sec</u> butyl-4,6-dinitrophenol	Dow
Diphenamid: (Enide + Dymid)	Upjohn
Dyanap: 1-naphthylphthalamate + 6-dinitro-O-sec butylphenate	Eli Lilly
EL 119: (Surflan): 3,5-dinitro-N,N-dipropyl-sulfanilamide	Uniroyal
EL 179: (Paarlan): 4-isopropyl-2,6-dinitro-N,N-(dipropyl)aniline	Eli Lilly
EPTC: (Eptam): S-ethyl dipropylthiocarbamate	Stauffer
radicane: EPTC + N,N-diallyl-2,2-dichloroacetamide	Stauffer
4-22234: N-chloroacetyl-N-(2,6-diethylphenyl)-glycine ethyl ester	Hercules
linuron: (Lorox): 3-(3,4-dichlorophenyl)-1-methoxy-1-methylurea	Dupont
N-3785: 3,6-dichloropicolinic acid + 2,4-D	Dow
Maloran: 3-(4-bromo-3-chlorophenyl)-1-methoxy-1-methylurea	Ciba-Gei
MBR 8251: (Destun)1,1,1-trifluoro-4-(phenylsulfonyl)methanesulfonyl-o-toluidide	3 M
MC-4379: (Modown): Methyl-5-(2',4'-dichlorophenoxy)-2-nitrobenzoate	Mobil
MON-2139: (Glyphosate)N-phosphonomethylglycine	Monsanto
NIA-21844: 6- <u>tert</u> -butyl-3-isopropylisoxazolo-(5,4-d)pyrimidin-4(5H)-one	Niagara
NIA-23486: 6- <u>tert</u> -butyl-3-isopropylisoxazolo-(3,4-d)pyrimidin-4(5H)-one	Niagara
NIA-29615: one part NIA-23486 + three parts NIA-21844	Niagara
NIA-29616: one part NIA-23486 + four parts NIA-21844	Niagara
Nitralin: (Planavin): 4-(methylsulfonyl)-2,6-dinitro-N,N-dipropylaniline	Shell
Outfox: (Cyprazine): 2-chloro-4-cyclopropylamino-6-isopropylamino-1,3,5-triazine	Gulf
Paraquat: 1,1"-dimethyl-4,4'-bipyridinium ion	Chevron
Preforsan: (fluorodiphen): p-nitrophenyl s,a,a,-trifluoro-2-nitro-p-tolyl ether	Ciba-Gei
Prefix: Cyprazine + S-ethyl diethylthiocarbamate	Gulf
Premerge: (Dinoseb): 2- <u>sec</u> -butyl-4,6-dinitrophenol	Dow
R-24191: 1-(m-t butylacetamidophenyl)-3-methyl-3-methoxy urea	Stauffer
R-25823: Unknown	Stauffer
R-31401: Unknown	Stauffer
RH-512: Unknown	Rohm Haas
RH-915: Unknown	Rohm Haas
S-21634: Unknown	Gulf
S-6044: Unknown	Gulf
S-6797: Unknown	Gulf
S-6851: Unknown	Gulf
encor: (BAY 94337): 4-amino-6-(1,1-dimethylethyl)-3-(methylthio)-1,2,4-triazine-5-(4H)-one	Chemagro
imazine: (Princep): 2-chloro-4,6-bis(ethylamino)-s-triazine	Ciba-Gei
utan: S-ethyl diisobutylthiocarbamate	Stauffer

Benoran: (Chloroxuron): 3-p-(p-chlorophenoxy)phenyl)-1,1-dimethylurea	Ciba-Geigy
Sillam: S-propyl butylethylthiocarbamate	Stauffer
Trifluralin: (Treflan): S-(a,a,a-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine	Eli Lilly
2,4-D amine: 2,4-dichlorophenoxyacetic acid	Dow
vernolate: (Vernam): S-propyl dipropylthiocarbamate	Stauffer
677: Non-ionic surfactant	Chevron

Precipitation

Day	Campus Farm				Spindletop Farm			
	May	June	July	Aug.	May	June	July	Aug.
1				.36			.10	
2	.08		.72		.05			
3	1.28				.80			
4							.87	
5			.70			.91		
6		.74				.15		
7		.38			.04	.21		
8	.75				.46	T		
9	.04							
10			.05	.55	.81		.36	.18
11	.98		.21					
12								
13		.26		1.51		.21		.23
14		.14		.03				
15			.10			.12	.17	
16						T		
17	.26		.11		.22	.57		
18	T	.37						
19					T			
20	.78		.07		.14	.22		1.12
21		.14		.95		1.01	.27	
22			1.96		.01	.03	1.13	
23	2.18	.07			1.29			
24	.43		.09		.17		.58	T
25			1.10					

Day	Campus Farm				Spindletop Farm			
	May	June	July	Aug.	May	June	July	Aug.
26			.06				.22	
27	.15	.76	.26		1.49	2.48	.63	
28	.74	1.72			.12	.15		
29		T				.35		
30		.29			.63			
31	.66				.01		.20	T
Sums	8.33	4.87	5.43	3.40	6.24	6.41	4.53	1.53
Norms	3.85	4.72	3.98	3.21	3.85	4.72	3.98	3.21

Techniques Used in Herbicide Trials

5

- Design:** Trials were designed as randomized complete blocks with four replications of plots 2 rows wide by 40 to 50 feet long with border rows except in no-till corn and soybeans.
- Application:** Treatments were applied with a CO₂ sprayer. Herbicides were incorporated with a power driven rototiller.
- Rating:** Weed control was rated on a 0 to 10 scale where 0 equals no control and 10 equals perfect control and 7 is considered commercially acceptable. Crop injury was rated on a 0 to 10 scale also. A rating of 3 and above was considered not to be commercially acceptable.
- Cultivation:** Plots were not cultivated
- Organic Matter:**
- Campus Farm: 3.0 - 3.7%
- Maine Chance Farm: 2.0 - 2.5%

University of Kentucky - Agronomy Department - Lexington
Corn Preemergence - 1973

Trt. No.	Herbicide Formulation	Lb/A Active	Visual Evaluation - June 18, 1973					Morning Glory
			Grass	Broad-leaf	Crop Injury	Smart-weed	Nut-sedge	
1	AC-92553 3E *	1.5	70 f-h ¹	78 d-e	0 a	60 f-g	43 f-g	73 c-f
2	AC-92553 3E	2	75 d-g	80 d-e	0 a	78 b-f	48 d-g	68 d-f
3	AC-92553 3E + Atrazine 4L	1.5+1	85 c-g	95 a-c	0 a	95 a-c	58 c-g	93 a-c
4	AC-92553 3E + Bladex 80W	1.5+2	80 d-g	78 d-e	0 a	63 d-f	57 e-g	67 d-f
5	H-22234 4E	2.5	100 a	55 f	0 a	40 g	60 c-f	63 e-f
6	H-22234 4E + Atrazine 4L	2+1	98 a-b	100 a	0 a	90 a-c	83 b-c	93 c-f
7	Modown 2E	1	55 i	90 b-d	0 a	68 e-g	65 b-f	75 c-f
8	Modown 2E	1.5	45 h-i	83 d-e	0 a	80 c-f	40 f-g	73 c-f
9	Modown 2E	4	70 f-h	95 a-c	0 a	90 a-d	65 b-f	83 c-f
10	Modown 2E + Lasso 4E	1+2	93 a-d	83 d-e	0 a	90 a-c	73 b-e	68 c-f
11	Modown 2E + Lasso 4E	1.5+2	93 a-e	88 c-d	0 a	93 a-c	63 b-f	83 b-f
12	Modown 2E + Lasso 4E	4+4	100 a	100 a	0 a	93 a-c	87 b	93 a-c
13	NIA-29615 80W	1	75 e-g	80 d-e	0 a	95 a-c	75 b-d	83 b-f
14	NIA-29615 80W	2	88 a-e	83 d-e	0 a	95 a-b	73 b-e	75 c-f
15	NIA-29616 80W	1	68 g-h	68 e-f	0 a	90 a-c	30 g	58 f
16	NIA-29616 80W	2	83 b-g	83 d-e	5 a	83 b-f	50 d-g	80 b-f
17	Lasso 4E + Furloe 4E	2+2	98 a-b	78 d-e	0 a	78 c-f	80 b-c	68 d-f
18	R-31401 4E	2	83 d-g	95 a-c	0 a	93 a-c	70 b-f	83 b-f
19	R-31401 4E	4	90 a-e	100 a	0 a	90 a-e	70 b-f	90 a-e
20	Lasso 4E	2	95 a-d	68 e-f	0 a	63 f-g	63 b-f	75 c-f
21	Atrazine 4L	2	90 a-e	98 a-b	0 a	93 a-c	73 b-e	90 a-d
22	Simazine 4L	2	88 b-f	95 a-c	0 a	97 a	48 f-g	97 a-b
23	Bladex 80W	3	90 b-g	95 a-c	0 a	95 a-c	48 d-g	88 b-f
24	Fox 4	2	90 a-e	98 a-b	0 a	98 a	75 b-c	98 a-b
25	Lasso 4E + M-3785 2E	2+.125+.5	95 a-c	83 c-e	0 a	75 c-f	67 b-f	75 c-f
26	Lasso 4E + M-3785 2E	2+.25+1	100 a	90 c-d	5 a	90 a-e	80 b-c	88 b-f
27	CHECK - WEEDY	0	0 j	0 g	0 a	0 h	0 h	0 g
28	CHECK - CULTIVATED	0	100 a	100 a	0 a	100 a	100 a	100 a

¹ Mean values within a column are not significantly different at 5% level probability if followed by one or more of the same letters

Location - Campus Farm
Treated & Planted - May 15

* All treatments preemergence sprayed
Soil Type - Silt Loam

Variety - 3369-A
Fertilization - 300 lb/A 12-12
+ 100 lb/A of N

Trt. No.	Herbicide Formulation	Lb/A Active	Pig-weed	Visual Evaluation - June 18, 1973			
				Velvet-leaf	Lambs-quarter	Giant Foxtail	Spiny Sida
1	AC-92553 3E	1.5	73 e-f	73 e-f	73 d-e	83 c-f	75 c-g
2	AC-92553 3E	2	83 b-f	83 b-e	90 a-d	90 a-e	95 a-d
3	AC-92553 3E + Atrazine 4L	1.5+1	95 a-c	88 a-e	90 a-d	85 c-e	85 a-e
4	AC-92553 3E + Bladex 80W	1.5+2	75 c-f	75 c-f	75 c-e	80 c-e	78 d-g
5	H-22234 4E	2.5	65 f	60 f	60 e	93 a-e	60 f-g
6	H-22234 4E + Atrazine 4L	2+1	93 a-d	93 a-d	93 a-c	95 a-c	95 a-c
7	Modown 2E	1	85 b-f	83 b-e	85 b-d	60 f-g	80 b-f
8	Modown 2E	1.5	90 a-e	90 a-e	90 a-d	58 g	87 a-d
9	Modown 2E	4	90 a-e	90 a-e	90 a-d	90 a-e	97 a-c
10	Modown 2E + Lasso 4E	1+2	93 a-d	93 a-d	88 a-d	100 a	83 b-f
11	Modown 2E + Lasso 4E	1.5+2	93 a-e	93 a-e	93 a-c	95 a-c	95 a-d
12	Modown 2E + Lasso 4E	4+4	95 a-c	95 a-c	95 a-c	95 a-c	95 a-b
13	NIA-29615 80W	1	90 a-e	88 a-e	90 a-d	88 e-g	48 e-g
14	NIA-29615 80W	2	80 b-f	80 c-f	80 c-d	88 c-e	65 c-g
15	NIA-29615 80W	1	78 d-f	75 e-f	73 d-e	85 d-g	63 g
16	NIA-29615 80W	2	90 a-e	90 a-e	93 a-c	93 a-e	90 b-e
17	Lasso 4E + Purlon 4E	2+2	73 e-f	73 e-f	73 d-e	90 a-e	68 e-g
18	R-31401 4E	2	90 a-e	90 a-e	90 a-d	85 c-e	93 a-d
19	R-31401 4E	4	90 b-f	90 b-e	88 c-d	88 b-e	90 a-e
20	Lasso 4E	2	85 b-f	80 c-f	90 a-d	98 a-b	88 b-f
21	Atrazine 4L	2	90 a-e	90 a-e	90 a-d	88 b-e	90 a-d
22	Simazine 4L	2	97 a-b	97 a-c	97 a-c	95 a-c	93 a-b
23	Bladex 80W	3	93 a-d	90 a-e	93 a-c	95 a-c	95 a-c
24	Fox 4	2	98 a-b	98 a-b	98 a-b	93 a-c	93 c-b
25	Lasso 4E + M-3785 2E	2+.125+.5	88 a-e	78 d-f	85 b-d	95 a-d	83 b-f
26	Lasso 4E + M-3785 2E	2+.25+1	88 b-f	88 b-e	85 c-d	95 a-c	80 b-g
27	CHECK - WEEDY	0	0 g	0 g	0 f	0 h	0 h
28	CHECK - CULTIVATED	0	100 a	100 a	100 a	100 a	100 a

Visual Evaluation - July 20, 1973

Trt. No.	Herbicide Formulation	Lb/A Active	Grass	Broad-leaf	Crop Injury	Smart-weed	Morning Glory	Pig-weed
1	AC-92553 3E	1.5	50 e-f	60 g-h	0 a	50 g-h	65 f-i	65 f-g
2	AC-92553 3E	2	55 e-f	65 g-h	0 a	63 b-g	58 h-i	75 b-g
3	AC-92553 3E + Atrazine 4L	1.5+1	68 c-e	80 c-g	0 a	85 a-c	85 b-g	85 b-f
4	AC-92553 3E + Bladex 80W	1.5+2	58 d-f	48 h-i	0 a	50 e-h	60 g-i	65 e-g
5	H-22234 4E	2.5	80 b-c	35 i	0 a	43 h	53 i	58 a
6	H-22234 4E + Atrazine 4L	2+1	88 b	90 b-f	0 a	85 a-c	88 b-c	88 b
7	Modown 2E	1	23 g	90 b-f	0 a	63 d-g	73 d-i	80 b-f
8	Modown 2E	1.5	28 g	88 b-f	0 a	73 c-g	63 g-i	83 b-f
9	Modown 2E	4	48 f	88 b-f	0 a	83 b-d	73 d-i	58 c-g
10	Modown 2E + Lasso 4E	1+2	80 b-c	73 f-g	0 a	83 b-d	58 h-i	85 b-f
11	Modown 2E + Lasso 4E	1.5+2	65 b-c	88 b-f	0 a	90 a-c	75 c-i	80 b-f
12	Modown 2E + Lasso 4E	4+4	88 b	90 b-e	0 a	88 a-c	88 b-e	88 b-e
13	NIA-29615 80W	1	50 e-f	80 c-g	0 a	90 a-c	80 b-h	85 b-d
14	NIA-29615 80W	2	83 b-c	78 d-g	0 a	93 a-b	68 e-i	75 b-g
15	NIA-29615 80W	1	53 e-f	73 f-g	0 a	85 b-d	53 i	68 d-g
16	NIA-29615 80W	2	75 b-d	88 b-f	5 a	80 b-e	78 d-i	83 b-f
17	Lasso 4E + Furloe 4E	2+2	90 b	65 g-h	0 a	73 c-g	63 g-i	68 d-g
18	R-31401 4E	2	75 b-c	90 b-c	0 a	88 a-c	78 b-h	83 b-f
19	R-31401 4E	4	85 b-c	90 b-f	0 a	87 b-d	87 b-f	65 b-f
20	Lasso 4E	2	90 b	60 g-h	0 a	50 f-h	68 e-i	75 b-g
21	Atrazine 4L	2	90 b	93 b-d	0 a	88 a-c	88 b-d	85 b-c
22	Simazine 4L	2	88 b-c	95 a-b	0 a	93 a-c	93 b	93 b
23	Bladex 80W	3	78 b-c	90 b-e	0 a	90 a-c	83 b-g	83 b-f
24	Fox 4	2	78 b-c	88 b-f	0 a	93 a-b	90 b-c	90 b
25	Lasso 4E + M-3785 2E	2+.125+.5	88 b-c	60 g-h	0 a	73 b-g	65 f-i	80 b-f
26	Lasso 4E + M-3785 2E	2+.25+1	83 b-c	75 e-g	5 a	80 b-f	80 b-h	80 b-g
27	CHECK - WEEDY	0	0 h	0 j	0 a	0 i	0 j	0 h
28	CHECK - CULTIVATED	0	100 a	100 a	0 a	100 a	100 a	100 a

Visual Evaluation - July 20, 1973

Trt. No.	Herbicide Formulation	Lb/A Active	Velvet-leaf	Lamba-quarter	Giant Foxtail	Spiny Sida	Yield Bu/A	Corn plan 100/A at harvest
1	AC-92553 3E	1.5	65 f-g	65 d-e	75 c-d	68 c-h	77 a	21.6 a
2	AC-92553 3E	2	78 b-f	78 b-d	80 b-d	83 b-e	110 a	21.3 a
3	AC-92553 3E + Atrazine 4L	1.5+1	85 b-f	85 b-d	80 b-d	80 b-f	107 a	22.7 a
4	AC-92553 3E + Bladex 80W	1.5+2	65 f-g	65 d-e	73 c-d	65 d-h	87 e	22.4 a
5	H-22234 4E	2.5	50 g	45 e	85 b-d	50 h	83 a	23.0 a
6	H-22234 4E + Atrazine 4L	2+1	88 b-c	88 b	83 b-c	88 a-b	105 a	22.7 a
7	Modown 2E	1	78 b-f	80 b-d	35 f	70 b-g	77 a	21.3 a
8	Modown 2E	1.5	83 b-f	83 b-d	40 f	83 b-e	96 a	23.0 a
9	Modown 2E	4	77 c-f	77 b-d	65 d-a	77 b-g	74 a	20.6 a
10	Modown 2E + Lasso 4E	1+2	83 b-f	78 b-d	90 b-c	70 b-g	90 a	22.7 a
11	Modown 2E + Lasso 4E	1.5+2	83 b-f	80 b-d	88 b-d	78 b-g	83 a	21.7 a
12	Modown 2E + Lasso 4E	4+4	85 b-e	90 b	90 b-c	90 a-c	114 a	20.6 a
13	NIA-29615 80W	1	85 b-d	85 b-c	65 d-e	60 e-h	77 a	21.3 a
14	NIA-29615 80W	2	75 c-f	75 b-d	78 b-d	58 f-h	100 a	22.4 a
15	NIA-29615 80W	1	68 e-g	67 d-e	70 c-f	40 h	61 a	21.7 a
16	NIA-29615 80W	2	83 b-f	85 b-d	83 b-d	75 b-g	82 a	21.3 a
17	Lasso 4E + Purloc 4E	2+2	68 d-g	68 c-e	85 b-d	48 g-h	105 a	21.0 a
18	R-31401 4E	2	83 b-f	83 b-d	78 b-d	83 b-f	90 a	21.0 a
19	R-31401 4E	4	87 b-f	87 b-d	88 b-d	90 b-e	113 a	22.0 a
20	Lasso 4E	2	70 d-g	83 b-d	93 a-b	70 b-g	91 a	22.0 a
21	Atrazine 4L	2	88 b-c	87 b	90 b-c	83 a-d	118 a	21.0 a
22	Simazine 4L	2	93 b	93 b	93 a-b	93 a-b	122 a	22.4 a
23	Bladex 80W	3	83 b-f	83 b-d	85 b-d	83 b-f	103 a	23.0 a
24	Fox 4	2	90 b-c	90 b	85 b-d	90 a-c	107 a	22.0 a
25	Lasso 4E + M-3785 2E	2+.125+.5	70 d-g	80 b-d	88 b-c	73 d-h	101 a	23.0 a
26	Lasso 4E + M-3785 2E	2+.25+1	80 b-f	80 b-d	83 b-d	73 b-g	103 a	21.7 a
27	CHECK - WEEDY	0	0 h	0 f	0 g	0 i	54 a	21.7 a
28	CHECK - CULTIVATED	0	100 a	100 a	100 a	100 a	102 a	22.2 a

University of Kentucky - Agronomy Department - Lexington
Corn Preplant Incorporated - 1973

Trt. No.	Herbicide Formulation	Lb/A Active	Visual Evaluation - June 18, 1973								
			Grass	Broad-leaf	Crop Injury	Smart-weed	Nut-sedge	Pig-weed	Velvet-leaf	Lamba-quarter	Giant Foxtail
1	Modown 2E *	1.5	8 d ¹	100 a	0 a	88 c-e	20 g	88 a-d	90 c-e	90 c-f	15 d
2	do + Lasso 4E	1.5+2	95 a-b	100 a	0 a	100 a	50 b-e	98 a-b	98 a-b	98 a-b	98 a-b
3	R-31401 4E	2	90 c	95 a-c	0 a	95 a-c	70 c-f	95 a-c	95 a-d	95 a-c	88 c
4	do	4	93 b-c	98 a-b	0 a	98 a-b	83 b-d	98 a-b	98 a-b	98 a-b	90 b-c
5	do + Sutan A ⁺	1+3	98 a-b	100 a	0 a	100 a	70 c-f	95 a-c	95 a-c	100 a	100 a
6	Atrazine 4L + do	1+3	98 a-b	100 a	0 a	100 a	75 a-f	100 a	100 a	100 a	100 a
7	Sutan 6E	4	98 a-b	73 d-e	0 a	68 f-h	63 d-f	68 a-d	88 b-e	73 f-g	100 a
8	do	8	100 a	68 d-e	0 a	65 f-h	65 d-f	93 d-e	93 a-e	80 e-g	100 a
9	Sutan A ⁺	4	98 a-b	70 d-e	0 a	55 g-h	20 g	83 b-d	83 c-e	68 g	95 a-b
10	do	8	100 a	75 d-e	0 a	68 f-h	85 b-c	85 b-d	85 d-e	75 e-g	100 a
11	Sutan 6E + 29148	4+.167	98 a-b	60 e	0 a	50 h	60 e-f	83 b-d	83 c-e	70 f-g	100 a
12	do + do	8+.33	100 a	78 d	0 a	78 d-f	90 b	93 a-c	93 a-e	90 a-d	98 a-b
13	Eptam 6E	3	95 a-b	78 d	20 b	73 e-g	75 b-e	70 e	80 e	75 e-g	93 a-c
14	do	6	100 a	98 a-b	58 d	90 b-d	90 b	98 a-b	98 a-b	98 a-b	100 a
15	Eradicane 6E + .25	3+.25	100 a	65 d-e	0 a	70 f-h	70 c-f	60 c-d	85 b-e	80 e-g	100 a
16	do	6+.50	98 a-b	93 b-c	0 a	90 a-c	100 a	95 a-c	95 a-c	95 a-b	100 a
17	do + Atrazine 4L	3+1	100 a	100 a	0 a	98 a-b	95 a	98 a-b	98 a-b	98 a-b	98 a-b
18	Eptam 6E + 29148	3+.25	100 a	78 d	0 a	73 e-g	80 b-e	88 a-d	83 e	83 e-g	93 a-c
19	do + do	6+.50	98 a-b	93 b-c	0 a	88 c-d	70 c-f	95 a-c	95 a-d	95 a-c	95 a-c
20	Vernam 6E	3	100 a	70 d-e	10 a-b	70 f-h	65 d-f	85 b-d	85 d-e	85 d-g	100 a
21	do	6	100 a	93 b-c	63 c	90 b-d	60 f	98 a-b	98 a-b	95 a-b	100 a
22	do + 2578S	3+.125	95 a-b	88 c	0 a	88 c-d	75 b-e	88 a-d	88 b-e	88 b-e	98 a-b
23	do + do	6+.25	100 a	100 a	3 a	93 b-c	100 a	98 a-b	98 a-b	95 a-b	98 a-b
24	do + do + Atrazine 4L	3+.125+1	100 a-b	100 a	0 a	98 a-b	80 b-e	95 a-c	95 a-d	95 a-c	95 a-c
25	Prefox 4.75	4+.75	93 b-c	98 a-b	8 a-b	100 a	70 c-f	95 a-c	95 a-c	95 a-b	98 a-b
26	CHECK	0	100 a	100 a	0 a	100 a	100 a	100 a	100 a	100 a	100 a

¹ Mean values within a column are not significantly different at 5% level probability if followed by one or more of the same letters

Location - Campus Farm

Planted & Treated - May 18

Fertilization - 300 lbs/A 12-12-

Soil Type - Silt Loam

Variety - 3369-A

+ 100 lbs/A of

* All treatments preplant incorporated

Visual Evaluation - July 20, 1973

Trt. No.	Herbicide Formulation	Lb/A Active	Grass	Broad-leaf	Crop Injury	Smart-weed	Nut-sedge
1	Modown 2E	1.5	13 f	90 a-e	0 a	85 c-f	37 h
2	do + Lasso 4E	1.5+2	95 c-e	95 a-c	0 a	90 b-a	87 b-c
3	R-31401 4E	2	78 e	75 a-b	0 a	85 c-f	67 c-g
4	do	4	88 b-e	98 a-b	0 a	93 a-d	75 c-f
5	do + Sutan A ⁺	1+3	93 a-d	93 a-d	0 a	93 a-d	80 c-e
6	Atrazine 4L + do	1+3	95 a-c	95 a-c	0 a	100 a	83 c-d
7	Sutan 6E	4	95 a-c	40 j-k	0 a	55 k-l	60 e-h
8	do	8	98 a-b	43 i-k	0 a	45 j-l	60 e-h
9	Sutan A ⁺	4	100 a	40 j-k	0 a	33 l	45 g-b
10	do	8	98 a-b	43 i-k	0 a	38 i-l	67 c-g
11	Sutan 6E + 29148	4+.167	95 a-c	45 h-k	0 a	38 l	53 f-h
12	do + do	8+.33	100 a	53 g-k	0 a	65 f-k	75 c-f
13	Eptam 6E	3	88 b-e	60 f-k	20 b	50 h-l	65 c-g
14	do	6	100 a	73 d-j	58 c	73 e-h	65 c-g
15	Eradicane 6E + .25	3+.25	100 a	35 k	0 a	38 l	65 c-g
16	do	6+.50	98 a-b	68 d-i	0 a	68 f-j	95 a-b
17	do + Atrazine 4L	3+1	95 a-c	78 b-f	0 a	93 a-c	83 c-d
18	Eptam 6E + 29148	3+.25	98 a-b	70 d-j	0 a	55 g-l	67 c-g
19	do + do	6+.50	95 a-c	75 d-h	0 a	75 d-g	85 b-c
20	Verzam 6E	3	95 a-c	40 j-k	10 a-b	48 i-l	63 d-h
21	do	6	98 a-b	53 g-k	63 c	75 e-g	77 c-e
22	do + 25788	3+.125	90 a-d	65 a-k	0 a	70 e-l	67 c-g
23	do + do	6+.25	98 a-b	83 c-g	3 a	83 c-f	85 b-c
24	do + do + Atrazine 4L	3+.125+1	98 a-b	100 a	0 a	98 a-b	80 c-e
25	Prefox 4.75	4+.75	88 d-e	98 a-b	8 a-b	85 c-f	80 c-e
26	CHECK	0	100 a	100 a	0 a	100 a	100 a

Visual Evaluation - July 20, 1973

Trt. No.	Herbicide Formulation	Lb/A Active	Fig-weed	Velvet-leaf	Lamba-quarter	Giant Foxtail	Yield Bu/A	Corn plants 100/A at harvest
1	Modown 2E	1.5	85 c-g	85 c-g	85 c-f	10 e	61 h	20.6 c-h
2	do + Lasso 4E	1.5+2	98 b-a	90 b-e	90 b-e	90 b-d	130 e-c	22.0 e-f
3	R-31401 4E	2	95 d-g	83 d-g	83 d-f	88 c-d	118 a-h	21.7 a-h
4	do	4	98 b-d	93 b-d	93 e-d	93 e-d	109 a-h	23.7 a
5	do + Sutan A ⁺	1+3	95 b-e	90 b-e	95 a-c	95 a-c	135 a	20.6 e-h
6	Atrazine 4L + do	1+3	100 a-b	98 a-b	98 a-b	98 a-b	128 a-e	21.3 a-h
7	Sutan 6E	4	88 e-g	75 e-g	68 g-i	98 a-b	81 e-h	21.0 a-h
8	do	8	93 e-f	90 c-g	73 f-i	90 b-d	86 e-h	21.0 a-h
9	Sutan A ⁺	4	83 e-g	70 e-g	65 i	88 b-d	66 f-h	20.6 e-h
10	do	8	85 e-g	75 f-g	65 i	90 b-d	65 h-g	22.4 a-c
11	Sutan 6E + 29148	4+.167	83 e-g	75 e-g	70 f-i	93 a-d	73 d-h	21.7 e-g
12	do + do	6+.33	93 d-g	83 d-g	83 c-f	90 b-d	74 b-h	22.4 e-d
13	Eptam 6E	3	70 g	70 g	68 h-i	78 d	73 c-h	17.9 g-h
14	do	6	98 e-f	88 c-g	88 c-h	90 b-d	77 a-h	16.9 h
15	Eredicene 6E + .25	3+.25	80 e-g	75 f-g	73 e-f	85 c-d	72 e-h	20.0 e-h
16	do	6+.50	95 b-e	90 b-e	90 b-e	90 b-d	109 a-h	20.6 a-h
17	do + Atrazine 4L	3+1	98 a-c	95 a-c	95 a-c	95 a-c	128 a-d	21.3 a-h
18	Eptam 6E + 29148	3+.25	88 f-g	73 f-g	68 h-i	83 c-d	101 a-h	22.0 a-e
19	do + do	6+.50	95 e-f	85 c-g	85 c-g	85 b-d	126 a-g	20.6 d-h
20	Vernam 6E	3	85 e-g	75 f-g	75 e-f	93 a-d	99 a-h	21.7 a-h
21	do	6	98 b-e	90 b-e	95 b-a	95 a-c	92 a-h	10.9 f-h
22	do + 25788	3+.125	88 d-g	80 d-g	80 d-f	88 b-d	101 a-h	21.3 a-h
23	do + do	6+.25	98 b-f	88 b-f	88 b-f	93 a-c	112 a-h	21.7 a-h
24	do + do + Atrazine 4L	3+.125+1	95 a-c	95 a-c	95 a-c	95 a-c	132 a-b	21.3 a-h
25	Profox 4.75	4+.75	95 d-g	85 c-g	85 c-f	90 b-d	93 a-h	23.4 a-b
26	CHECK	0	100 a	100 a	100 a	100 a	126 a-f	20.6 b-h

University of Kentucky - Agronomy Department - Lexington
No-Till Corn in Killed Bluegrass Sod - 1973

Trt. No.	Herbicide Formulation	Lb/A Active	Visual Evaluation June 19, 1973			Visual Evaluation August 2, 1973			Yield Bu/A	Corn pla 100/A at harvest
			Grass	Broad-leaf	Sod Kill	Grass	Broad-Leaf	Sod Kill		
1	Atrazine 4L + Paraquat 2E + X-77 *	2+.25+.5%	100 a ¹	100 a	100 a	95 a-b	98 a-b	100 a	158 a	20.3 a
2	R- 2234 4E + Atrazine 4L + Paraquat 2E + X-77	2+1+.25+.5%	93 a-c	98 a-b	100 a	85 b-d	88 c-f	100 a	130 a	18.6 a
3	Lasso 4E + do + do + X-77	2+1+.25+.5%	90 a-d	98 a-b	100 a	88 a-d	98 a-c	100 a	146 a	21.3 a
4	do + Bladex 4L + do + do	2+2+.25+.5%	78 c-d	95 a-c	100 a	75 d	80 e-f	100 a	129 a	17.5 a
5	do + Simazine 4L + do + do	2+1+.25+.5%	93 a-c	98 a-b	100 a	88 b-d	93 b-f	100 a	132 a	17.2 a
6	Bladex 4L + Paraquat 2E + X-77	3+.25+.5%	88 a-d	98 a-b	100 a	83 c-d	88 d-f	100 a	147 a	18.9 a
7	R-31401 4E + do + do	3+.25+.5%	98 a-b	100 a	100 a	90 a-c	93 b-f	100 a	148 a	18.9 a
8	NIA-29615 80W + do + do	2+.25+.5%	83 b-d	98 a-b	100 a	75 d	90 c-f	100 a	143 a	19.3 a
9	NIA-29616 80W + do + do	2+.25+.5%	93 a-c	100 a	100 a	83 b-d	90 b-f	100 a	144 a	19.3 a
10	Atrazine 4L + R-24191 50W + X-77	2+1+.5%	98 a-b	100 a	100 a	83 b-d	93 b-f	100 a	154 a	20.3 a
11	Atrazine 4L + R-24191 50W + X-77	2+4+.5%	93 a-c	98 a-b	100 a	75 d	90 b-f	100 a	126 a	17.2 a
12	Bladex 80W + Roundup 3E	3+2	78 d	95 a-c	100 a	85 b-d	75 f	100 a	147 a	19.3 a
13	Atrazine 4L + do	2+2	100 a	100 a	100 a	85 b-d	93 b-f	100 a	133 a	18.2 a
14	Simazine 4L + do	2+2	100 a	100 a	100 a	95 a-b	98 a-d	100 a	145 a	18.6 a
15	Lasso 4E + Atrazine 4L + Roundup 3E	2+1+2	100 a	98 a-b	100 a	88 b-d	98 a-d	100 a	155 a	20.3 a
16	do + do + do	2+1.5+4	100 a	98 a-b	100 a	90 a-d	90 c-f	100 a	148 a	19.6 a
17	do + do + do	4+3+8	100 a	100 a	100 a	98 a	100 a	100 a	134 a	18.6 a
18	do + Bladex 4L + do	2+2+2	85 a-d	88 b-c	100 a	75 d	75 f	100 a	147 a	18.9 a
19	do + do + do	2+2+4	93 a-c	93 a-c	100 a	83 b-d	83 d-f	100 a	132 a	18.9 a
20	do + do + do	4+4+8	88 a-d	83 c	100 a	75 d	75 e-f	100 a	127 a	17.9 a
21	do + Simazine 4L + do	2+1+2	100 a	100 a	100 a	93 a-c	95 b-f	100 a	131 a	17.2 a
22	do + do + do	2+1.5+4	98 a-b	100 a	100 a	95 a-b	98 b-d	100 a	135 a	19.2 a
23	do + do + do	4+3+8	100 a	100 a	100 a	98 a	98 b-e	100 a	134 a	16.2 a

¹ Mean values within a column are not significantly different at 5% level probability if followed by one or more of the same letters

* All treatments preemergence
Treated - May 3

Location - Maine Chance Farm
Planted - May 14

Soil Type - Silt Loam Variety - 3369-
Fertilization - 200 lbs/A of N

University of Kentucky - Agronomy Department - Lexington
No-Till Corn in Stalkland - 1973

Trt. No.	Herbicide Formulation	Lb/A Active	Visual Evaluation June 19, 1973		Visual Evaluation August 2, 1973			Corn Plant 100/A at Harvest
			Grass	Broad- leaf	Grass	Broad- leaf	Yield Bu/A	
1	Atrazine 4L + Paraquat 2E + X-77 *	2+.25+.5%	73 d-f ¹	98 a	45 e-g	75 a-c	117 a	15.8 a
2	H- 2234 4E + Atrazine 4L + Paraquat 2E + X-77	2+1+.25+.5%	80 b-f	85 a-c	63 b-f	78 a-c	135 a	17.9 a
3	Lasso 4E + do + do + do	2+1+.25+.5%	65 e-f	88 a-c	48 e-g	70 a-c	128 a	16.5 a
4	do + Bladex 4L + do + do	2+2+.25+.5%	68 c-f	58 d-e	43 f-g	50 d-e	107 a	16.2 a
5	do + Simazine 4L + do + do	2+1+.25+.5%	80 b-f	88 a-c	70 b-e	75 a-c	121 a	16.2 a
6	Bladex 4L + Paraquat 2E + X-77	3+.25+.5%	65 a-f	73 c-e	33 g	33 e	104 a	14.4 a
7	R-31401 4E + do + do	3+.25+.5%	78 c-f	95 a-b	58 c-g	80 a-c	126 a	18.2 a
8	NIA-29615 80W + do + do	2+.25+.5%	85 a-d	88 a-c	63 b-f	58 b-e	121 a	14.8 a
9	NIA-29616 80W + do + do	2+.25+.5%	85 b-f	93 a-c	68 b-f	65 a-d	117 a	14.8 a
10	Atrazine 4L + R-24191 50W + X-77	2+1+.5%	85 b-e	98 a	70 b-e	78 a-e	122 a	15.8 a
11	do + do + do	2+4+.5%	78 b-f	83 a-c	58 c-g	68 a-d	121 a	16.9 a
12	Bladex 4L + Roundup 3E	3+2	73 d-f	48 e	65 b-f	40 d-e	86 a	13.1 a
13	Atrazine 4L + do	2+2	85 b-f	88 a-c	78 b-c	88 a-b	133 a	18.2 a
14	Simazine 4L + do	2+2	88 b-d	90 a-c	78 b-c	78 a-c	133 a	17.9 a
15	Lasso 4E + Atrazine 4L + Roundup 3E	2+1+2	83 b-f	98 a	68 b-f	85 a-b	120 a	17.2 a
16	do + do + do	2+1.5+4	93 a-d	93 a-b	70 b-e	73 a-c	138 a	17.5 a
17	do + do + do	4+3+8	95 a-b	98 a	83 a-b	88 a	127 a	15.1 a
18	do + Bladex 4L + do	2+2+2	60 f	60 d-e	45 e-g	50 c-e	106 a	16.5 a
19	do + do + do	2+2+4	60 f	60 d-e	55 c-g	53 c-e	105 a	15.1 a
20	do + do + do	4+4+8	78 c-f	80 b-d	50 d-g	40 d-e	105 a	13.4 a
21	do + Simazine 4L + do	2+1+2	83 b-f	90 a-c	60 c-g	78 a-c	119 a	15.5 a
22	do + do + do	2+1.5+4	90 a-c	95 a-b	75 b-d	75 a-c	131 a	16.5 a
23	do + do + do	4+3+8	100 a	93 a-b	93 a	85 a-b	134 a	18.2 a

¹ Mean values within a column are not significantly different at 5% level probability if followed by one or more of the same letters

* All treatments preemergence

Treated - May 3

Planted - May 14

Location - Maine Chance Farm

Fertilization - 200 lbs/A of N

Soil Type - Silt Loam

Variety - 3369-A

University of Kentucky - Agronomy Department - Lexington
Corn - Bindweed - 1973

Trt. No.	Herbicide Formulation	Lb/A Active	Visual Evaluation Bindweed
1	Banvel + Atrazine + Paraquat + X-77 *	.25+2+.25+.5%	55 b ¹
2	Banvel + Atrazine + Paraquat + X-77 *	.50+2+.25+.5%	73 a
3	Banvel **	.25	83 a
4	Banvel **	.50	78 a
5	Banvel **	.75	83 a
6	Banvel + 2,4-D amine ***	.25+.75	85 a
7	Banvel + 2,4-D amine ****	.25+.75	90 c
8	M-3785 *****	.12+.5	85 a
9	M-3785 ***	.12+.5	85 a
10	M-3785 ***	.25+1.0	78 a
11	2,4-D amine	.75	80 a
12	CHECK	0	0 c

¹ Mean values within a column are not significantly different at 5% level probability if followed by one or more of the same letters

* Pre	Location - Main Chance Farm
** Post 20" corn	Planted & Treated - May 22
*** Post directed 20" corn	Fertilization - 150 lb/A of N
**** Post directed soft dough	Soil Type - Silt Loam
***** Post 5" corn	Variety - Pioneer 3369-A
20" Stage - June 22	

University of Kentucky - Agronomy Department - Lexington
Nutsedge in Corn - 1973

Trt. No.	Herbicide Formulation	Rate Lb/A	Visual Evaluation - July 24	
			Nutsedge	
1	S-21634 ***	2	85	a ¹
2	do ***	3	85	a-b
3	Vernam + 25788 *	3+.125	80	a-c
4	do + do *	6+.25	88	a-b
5	Eptam + do *	3+.125	90	a
6	do + do *	6+.25	90	a
7	Sutan + do *	3+.125	43	b-c
8	do + do *	6+.25	73	a-c
9	Atrazine **	2	33	c
10	do **	4	93	a
11	do + Atrazine ****	1+1	68	a-c
12	do + do ****	2+2	73	a-c
13	CHECK	-	100	a

¹ Mean values within a column are not significantly different at 5% level probability if followed by one or more of the same letters

* PPI

Location - Campus Farm

** Pre

Planted & Treated - June 12

*** Post 6-9 leaf stage

Fertilization -

**** Pre + Post

Soil Type - Silt Loam

Variety - 3369-A

University of Kentucky - Agronomy Department - Lexington
Soybeans - Preemergence - 1973

Trt. No.	Herbicide Formulation	Lb/A Active	Visual Evaluation - June 19							
			Grass	Broad-leaf	Crop Injury	Cockle-bur	Jimson-weed	Morning Glory	Giant Foxtail	Velvet-leaf
1	Amiben 3E	3	93a-d ¹	68b-j	0a	55c-1	70b-i	70f-h	98a	78b-e
2	Amiben 3E + Sencor 50W	2+.38	90a-h	80b-e	0a	73b-f	80b-f	80b-g	97a	80b-d
3	Amilon	1.5+.5	93a-e	68b-j	0a	58c-1	60d-j	68g-i	93a	70c-f
4	Amiben 3E + Lorox 50W	3+.5	98ab	70b-j	0a	50d-1	55f-j	75d-h	93a	73b-f
5	Lorox 50W	.5	70f-h	35ik	0a	43f-1	50g-j	70f-h	93a	70c-f
6	Lasso 4E + Sencor 50W	2+.38	90ab	75b-g	0a	63b-k	73b-h	75d-h	93a	75b-f
7	Surflan 75W + Sencor 50W	1+.38	100a	80bc	0a	60b-k	73b-h	70f-h	93a	73d-f
8	Sencor 50W	.38	90a-e	75b-g	0a	65b-j	73b-h	75d-h	98a	73b-f
9	Preforan 3E	4.5	93a-d	73b-i	0a	70b-h	73b-h	73e-h	93a	58e-g
10	S-6797 3E	2	83b-h	45jk	0a	40h-1	48h-j	68g-i	93a	65d-f
11	S-6797 3E	4	93a-c	50g-k	0a	33kl	45ij	70f-h	90a	70c-f
12	S-6851 3E	3	83b-h	55e-j	0a	48e-1	58e-j	73e-h	95a	68d-f
13	S-6851 3E	6	95a-c	65c-j	0sb	48e-1	70b-i	73e-h	95a	70c-f
14	S-6044 3E	3	80c-h	45h-k	15bc	63b-j	67b-i	60h-i	93a	63d-f
15	S-6044 3E	6	100a	75b-g	5ab	75b-e	80b-f	80b-g	93a	73b-f
16	H-22234 4E	2	88a-g	30k	0a	30 l	38j	55i-i	90a	40g-g
17	H-22234 + Lorox 50W	2+.75	95a-c	70d-j	0a	55c-1	73b-h	78b-g	98a	77b-e
18	H-22234 + Lorox 50W	2+.38	95ab	83b-d	0a	78b-d	78b-f	78c-g	100a	80b-d
19	Destun 50WP	4	98ab	77b-f	20cd	75b-e	70b-i	83b-f	98a	80b-d
20	Destun 4S	6	98ab	88bc	43e	80bc	83b-h	80b-g	97a	80b-d
21	Destun 4S	4	100a	73b-h	15bc	78b-d	63c-i	73e-h	100a	73b-f
22	Destun 4S	6	100a	90b	48e	88b	85bc	88b-d	98a	88bc
23	Modown 2E	1	63h	53f-k	0a	38i-1	58e-j	73e-h	93a	60d-f
24	Modown 2E	1.5	73e-h	70b-j	0a	50c-1	78b-f	78b-g	90a	73b-f
25	Modown 2E	4	90a-f	80b-e	5ab	68b-h	83b-d	83b-f	95a	87bc
26	Modown 2E + Lasso 4E	1+2	93a-d	75b-g	0a	68b-h	85b	85bc	98a	85b
27	Modown 2E + Lasso 4E	1.5+2	93a-c	75b-g	0a	55c-1	68b-f	75d-h	93a	73b-f
28	Modown 2E + Lasso 4E	4+4	100a	83b-d	28d	73b-f	88b	85b-e	98a	90b
29	Modown 2E + Surflan 75W	1.5+1.5	95ab	73e-j	0a	58c-1	65b-i	75d-h	93a	75b-f
30	Lasso 4E + Furloc 4E	2+2	93a-e	48h-k	0a	38j-1	75b-g	75d-h	95a	73b-f

Trt. No.	Herbicide Formulation	Lb/A Active	Grass	Broad-leaf	Crop Injury	Cockle-bur	Jimson-weed	Morning Glory	Giant Foxtail	Velvet-leaf
31	RH-512 2E	.75	83b-h	68b-j	0a	65c-1	58f-j	73e-h	90a	73b-f
32	RH-915 2E	.5	93a-d	80b-e	0a	63b-k	83b-d	80b-g	93a	80d-f
33	Lorox 50W + Bladex 80W	.5+1	88a-g	78b-f	0a	70b-g	68b-i	75d-h	95a	73b-f
34	Lasso 4E + Bladex 80W	2+1	98ab	68b-j	0a	50c-1	78b-f	75d-h	93a	77b-e
35	R-25823 50W	2	75c-h	58d-j	0a	48e-1	60d-j	70f-h	90a	60d-f
36	R-25823 50W	4	80b-h	55e-j	0a	28 1	38h-j	70f-h	93a	55fg
37	Dyanap	1.5+3	70gh	68b-j	0a	70b-h	75b-g	75d-h	80a	70c-f
38	Dyanap (delayed)	1.5+3	93a-e	85bc	10ab	88b	88b	90b	93a	87bc
39	Dyanap + Lasso 4E	1.5+3+2	98ab	85bc	0a	68b-i	83b-e	80b-g	93a	75b-f
40	Preforan 3E + Maloran 50W	3+1.5	93a-e	70b-j	0a	53c-1	73b-h	75d-h	95a	73b-f
41	Preforan 3E + Sencor 50W	3+.33	100a	85bc	0a	68b-i	80b-f	83b-f	100a	80b-d
42	Lorox 50W	.75	78c-h	68b-j	0a	45c-1	57d-j	70f-h	90a	70c-f
43	Lasso 4E	2	95ab	50g-k	0a	43g-1	68b-i	73e-h	95a	77b-e
44	Maloran 50W	1.25	85b-h	70b-j	0a	63b-k	73b-h	78c-g	93a	75b-f
45	Solo	3+3	73d-h	48h-k	0a	55f-1	60d-j	75d-h	90a	65d-f
46	Lasso 4E + Lorox 50W	2+.75	98ab	73b-h	0a	65b-j	83b-d	78b-g	95a	78b-e
47	Lasso 4E + Maloran 50W	2+1.25	98ab	73b-h	0a	58c-1	75b-g	75d-h	98a	75b-f
48	CHECK	--	100a	100a	0a	100a	100a	100a	100a	100a

¹ Mean values within a column are not significantly different at 5% level probability if followed by one or more of the same letters

Location - Campus Farm

Treated & Planted - May 16

Soil Type - Silt Loam

Fertilization - 400 lb/A 12-12-12

Variety - Calland

Visual Evaluation - July 23

Trt. No.	Herbicide Formulation	Lb/A Active	Grass	Broad-leaf	Crop Injury	Cockle-bur	Jimson-weed	Morning Glory	Giant Foxtail	Velvet-leaf
1	Amiben 3E	3	88b-e	60b-f	0a	50b-h	63b-g	68b-g	90b-c	73b-c
2	Amiben 3E + Sencor 50W	2+.38	90b-d	60b-f	0a	63b-g	50b-h	50b-h	90b-d	67b-f
3	Amilon	1.5+.5	85b-e	30f-i	0a	38d-i	40g-h	50g-h	83c-d	60b-h
4	Amiben 3E + Lorox 50W	3+.5	85b-e	48b-i	0a	45b-i	48d-h	65b-g	90b-c	63b-g
5	Lorox 50W	.5	73d-e	48b-i	0a	33f-i	47c-h	50b-h	90b-c	63b-g
6	Lasso 4E + Sencor 50W	2+.38	80b-d	53b-h	0a	45b-i	63b-g	65b-g	88b-d	65b-g
7	Surflan 75W + Sencor 50W	1+.38	90b-c	53b-h	0a	40c-i	63b-g	48c-h	93b-c	67b-f
8	Sencor 50W	.38	80b-e	45b-i	0a	55b-g	75b-g	65b-g	95a-b	68b-e
9	Preforen 3E	4.5	88b-e	33e-i	0a	55b-g	63b-g	53e-h	90b-d	53e-i
10	S-6797 3E	2	80b-e	40c-i	0a	35e-i	43f-h	65b-g	88b-d	63b-g
11	S-6797 3E	4	88b-e	18i-i	0a	18 i	43f-h	65b-g	90b-d	68b-f
12	S-6851 3E	3	80b-e	48b-i	0a	48b-i	73b-g	70b-e	93b-c	68b-f
13	S-6851 3E	6	90b-d	33e-i	0a	33g-i	53b-h	60c-h	88b-d	60b-h
14	S-6044 3E	3	75b-e	38d-i	0a	57b-g	57b-g	40f-h	93b-c	57c-i
15	S-6044 3E	6	93a-b	50b-i	0a	58b-g	63b-g	68b-e	88b-d	70b-e
16	H-22234 4E	2	85b-e	33e-i	0a	18i-i	30 h	48h-h	85b-d	45 i
17	H-22234 + Lorox 50W	2+.75	85b-e	53b-h	0a	45b-i	63b-g	70b-e	95a-b	70b-e
18	H-22234 + Lorox 50W	2+.38	88b-e	58b-g	0a	58b-g	68b-f	73b-d	95a-b	70b-e
19	Destun 50WP	4	93a-b	68b-d	28 c	70b-c	68b-e	78 b	93b-c	73b-d
20	Destun 4S	6	90b-c	73b-c	40 d	70b-d	60b-g	50b-h	93b-c	70b-e
21	Destun 4S	4	93a-b	55b-h	0a-b	65b-f	60b-g	73b-d	95a-b	73b-d
22	Destun 4S	6	93a-b	75 b	50 d	75 b	73b-c	75b-d	95a-b	75 b
23	Modown 2E	1	65 e	30f-i	0a	18 i	45e-h	63b-h	88b-d	47g-i
24	Modown 2E	1.5	70d-e	63b-f	0a	45b-i	73b-d	73b-d	85b-d	70b-e
25	Modown 2E	4	75b-e	43b-i	0a	48b-i	70b-e	73b-d	95b-c	73b-d
26	Modown 2E + Lasso 4E	1+2	88b-e	53b-h	0a	50b-h	73 b	75b-c	90b-d	75 b
27	Modown 2E + Lasso 4E	1.5+2	85b-e	40c-i	0a	33f-i	68b-f	68b-g	88b-d	63b-g
28	Modown 2E + Lasso 4E	4+4	93a-b	35d-i	10 b	35e-i	63b-g	70b-e	93b-c	73b-d
29	Modown 2E + Surflan 75W	1.5+1.5	85b-e	35d-i	0a	40c-i	60b-g	65b-g	90b-d	68b-f
30	Lasso 4E + Furloe 4E	2+2	88b-e	33e-i	0a	33g-i	63b-g	63b-h	90b-d	58c-i

20 Trt. No.	Herbicide Formulation	Lb/A Active	Grass	Broad-leaf	Crop Injury	Cockle-bur	Jimson-weed	Morning Glory	Giant Foxtail	Velvet-leaf
31	RH-512 2E	.75	75b-e	53b-h	0a	40c-1	53b-h	65b-g	88b-d	65b-g
32	RH-915 2E	.5	83b-e	58b-g	0a	43c-1	70b-e	68b-g	90b-c	70b-e
33	Lorox 50W + Bladex 80W	.5+1	83b-e	48b-i	0a	63b-g	60b-g	68b-g	93b-c	68b-f
34	Lasso 4E + Bladex 80W	2+1	93a-b	55b-i	0a	45b-1	65b-g	70b-e	88b-d	63b-g
35	R-25823 50W	2	70d-e	33e-1	0a	38d-1	55b-g	65b-g	88b-d	73d-1
36	R-25823 50W	4	78b-e	23h-1	0a	23h-1	65g-h	58d-h	90b-d	45h-1
37	Dyanap	1.5+3	65 e	50b-1	0a	60b-g	60b-g	65b-g	75 d	55b-h
38	Dyanap (delayed)	1.5+3	83b-e	65b-e	0a	69b-e	68b-f	73b-d	90b-c	73b-d
39	Dyanap + Lasso 4E	1.5+3+2	90b-c	53b-h	0a	55b-g	68b-f	63b-h	85b-d	50f-1
40	Preforan 3E + Maloran 50W	3+1.5	80b-e	40c-1	0a	45b-1	68b-f	68b-g	90b-d	70b-e
41	Preforan 3E + Sencor 50W	3+.38	90b-d	45b-1	0a	53b-h	70b-e	70b-e	95a-b	73b-c
42	Lorox 50W	.75	78b-e	43b-1	0a	40c-1	45d-h	65b-g	85b-d	65b-f
43	Lasso 4E	2	90b-c	33e-1	0a	33g-1	55b-g	58d-h	93b-c	58c-1
44	Maloran 50W	1.25	78b-e	50b-1	0a	55b-g	65b-g	68b-f	93a-c	68b-f
45	Solo	3+3	73c-e	25g-1	0a	35f-1	50b-h	63b-h	90b-d	58c-1
46	Lasso 4E + Lorox 50W	2+.75	90b-d	60b-f	0a	63b-g	73b-d	70b-e	93b-c	73b-d
47	Lasso 4E + Maloran 50W	2+1.25	90b-d	33e-1	0a	38d-1	65b-g	65b-g	90b-d	65b-g
48	CHECK	---	100a	100a	0a	100a	100a	100a	100a	100a

University of Kentucky - Agronomy Department - Lexington
Soybeans - Preplant Incorporated & Overlay - 1973

Trt. No.	Herbicide Formulation	Lb/A Active	Grass	Visual Evaluation - June 19							
				Broad-leaf	Crop Injury	Smart-weed	Cockle-bur	Morning Glory	Jimson-weed	Velvet-leaf	Giant Foxta
1	BAS 3921 3E **	1	83b-f ¹	50h-k	0a	37g-k	40e-f	63b	78b-c	63b-e	88b-f
2	Amex 820 4E **	2	80b-f	40k	0a	38i-k	45c-f	57b-c	57b-c	57b-f	90a-e
3	Amex 820 4E + Sencor 50W **	1.5+3.8	88b-f	75b-g	0a	90a-f	70b	78b	78b	73b-d	93a-d
4	Treflan 4E + Sencor 50W **	.75+3.8	88b-f	68b-j	0a	80a-g	60b-e	70b	73b-c	68b-e	90a-e
5	Treflan 4E**+Sencor 50*	.75+3.8	93a-c	88b	5a-b	90a-e	73b	78b	78b	78b	93a-d
6	CGA-10832 4E **	1	85b-d	33k	0a	38k	30f	43c	37d	43f	85b-f
7	CGA-10832 4E **	1.5	85b-f	63d-j	0a	63d-j	55b-e	70b	65b-c	53c-f	88b-f
8	CGA-10832 4E**+ Maloran 50W**	1+1.25	88b-f	73b-h	8a-b	87a-f	53b-e	65b	65b-c	55b-f	93a-d
9	Modown 2E **	1.5	45h	58f-j	0a	78b-h	45c-f	75b	77b	70b-d	63g-h
10	Modown 2E + Lasso 4E **	1+2	88b-f	73b-h	0a	78a-g	58b-e	75b	73b-c	70b-d	90a-e
11	Modown 2E + Treflan 4E **	1.5+.75	83c-f	65c-j	0a	83a-g	55b-e	75b	73b-c	70b-d	88b-f
12	Treflan 4E**+ Modown 2E*	.75+1.5	88b-f	83b-d	0a	57b-h	63b-e	70b	70b-c	73b-d	93a-d
13	Treflan 4E**+ Furloe 4E*	.75+2	85b-f	65c-j	0a-c	78f-k	55b-e	70b	70b-c	50d-f	93a-d
14	Treflan 4E + Furloe 4E **	.75+2	83b-f	75b-g	25b-d	80b-h	55b-e	75b	70b-c	73b-d	88b-f
15	Treflan 4E + Furloe 124 4E **	.75+2	93a-c	60e-j	20a-c	90a-e	58b-e	73b	73b-c	63b-e	90b-f
16	Vernam 6E + Furloe 4E **	2.5+2	95a-b	83b-e	25b-c	95a-c	65b-e	75b	78b	78b	98a-b
17	Vernam 6E + Furloe 124 4E **	2.5+2	95a-b	75b-h	25b-c	93a-d	55b-e	75b	73b-c	73b-d	98a-b
18	Cobex 2E + Furloe 4E **	.5+2	80c-f	73b-h	58d-d	85a-g	68b-d	75b	70b-c	65b-e	85c-g
19	RH-512 2E **	.75	73d-g	55g-k	0a	47h-k	48b-e	70b	60b-c	53c-f	68f-h
20	RH-512 2E **	1.5	53g-h	63d-j	8a-b	63d-j	50b-e	75b-c	55c	45e-f	55h
21	RH-915 2E **	.5	65f-h	65c-j	10a-b	80a-g	55b-e	68b	66b-c	65b-e	75d-h
22	RH-915 2E **	1	88b-f	85b-c	25b-d	83a-g	68b-d	78b	78b	78b	93a-d
23	RH-915 2E + Treflan 4E **	.5+.5	85b-f	80b-f	5a-b	80b-h	68b-d	75b	75b	75b-c	83c-g
24	RH-512 2E + Treflan 4E **	1+.5	85b-f	80b-f	0a	97a-b	68b-d	78b	75b	70b-d	88a-c
25	Planavin 4S** + Bladex 80W*	1+1	90b-e	68b-j	10a-b	85a-f	60b-e	73b	70b-c	68b-e	88b-f
26	Treflan 4E** + Bladex 80W*	.75+1	90b-e	78b-g	0a	83a-g	70b-c	78b	75b	70b-d	88b-f
27	R-25823 50W **	2	68e-h	43j-k	0a	65c-i	50b-e	70b	68b-c	53b-f	73e-h
28	R-25823 50W **	4	80b-f	70b-i	0a	83a-g	55b-e	70b	70b-e	53c-f	85b-f
29	R-25823 50W + Vernam 6E **	2+2	95a-b	73b-h	0a	83a-g	58b-e	75b	75b	75b-c	90b-f
30	CHECK - WEEDY		0 i	0 i	0 a	0 i	0 g	0 d	0 e	0 g	0 i

Trt. No.	Herbicide Formulation	Lb/A Active	Grass	Broad-leaf	Crop Injury	Smart-weed	Cockle-bur	Morning Glory	Jimson-weed	Velvet-leaf	Giant Foxtail
31	Treflan 4E** + Dyanap*	.75+1.5+3	78c-f	73b-h	0a	70c-i	63b-e	73b	68b-c	65b-d	90a-e
32	Treflan 4E** + Dyanap***	.75+1.5+3	88b-f	58f-j	0a	80b-h	43d-f	73b	70b-c	58e-f	83c-g
33	Treflan 4E **	.75	85b-f	63d-j	20a-c	77a-g	63b-g	70b	70b-c	68b-e	90a-d
34	Vernam 6E **	2.5	93a-c	60e-j	5a-b	73c-h	47b-e	73b	70b-c	70b-d	93a-d
35	Lasso 4E **	2	95a-b	48i-k	0a	33j-k	50b-e	65b	65b-c	70b-d	98a-b
36	Planavin 4S **	1.5	83b-f	68b-j	0a	57e-k	60b-e	75b	73b-c	70b-d	85c-g
37	Treflan 4E**+Lorox 50W*	.75+.5	88b-f	73b-h	13a-c	83a-g	63b-e	75b	73b-c	73b-d	95a-c
38	Cobex 2E***+Sencor 50W*	.5+.38	93a-c	85b-d	33c-d	75b-h	70b-c	75b	73b-c	73b-d	93a-d
39	Cobex 2E **	.5	75c-g	65c-j	10a-b	78b-h	58b-e	73b	65b-c	68b-e	83c-g
40	CHECK	--	100a	100a	0a	100a	100a	100a	100a	100a	100a

¹ Mean values within a column are not significantly different at 5% level probability if followed by one or more of the same letters

* Preemergence

** Preplant

*** Delay

Location - Campus Farm

Planted & Treated - May 17

Soil Type - Silt Loam

Fertilization - 400 lb/A 12-12-12

Variety - Calland

Trt. No.	Herbicide Formulation	Lb/A Active	Grass	Broad-leaf	Visual Evaluation - July 24						
					Crop Injury	Smart-weed	Cockle-bur	Morning Glory	Jimson-weed	Velvet-leaf	Giant Foxtail
1	BAS 3921 3E **	1	83b-e	40c-h	0a	45g-i	35b-c	58b-d	55b-c	55b-g	78b-g
2	Amex 820 4E **	2	75b-d	15h	0a	30h-j	35b-c	50d	50b-c	48b-g	80b-e
3	Amex 820 4E + Sencor 50W **	1.5+.38	78b-d	65a-d	0a	88b-e	55b-c	70b-d	70b-c	63b-e	85b-d
4	Treflan 4E + Sencor 50W **	.75+.38	83b-c	43c-h	0a	70b-g	48b-c	70b-d	60b-c	58b-g	85b-d
5	Treflan 4E**+Sencor 50W*	.75+.38	85b-c	80a-b	5a	90a-c	73b	75b-c	75b	75b-c	85b-d
6	CGA-10832 4E **	1	80b-c	15h	0a	27i-j	23d	33e	28d	35g	83b-d
7	CGA-10832 4E **	1.5	78b-d	28e-h	0a	60d-g	48b-c	70b-d	58b-c	45c-g	85b-d
8	CGA-10832 4E**+Maloran 50W*	1+1.25	85b-c	45c-h	8a-b	63b-g	40b-c	65b-d	60b-c	45c-g	90a-d
9	Modown 2E **	1.5	43f	40c-h	0a	73b-g	38b-c	75b-c	70b-c	63b-e	58e-h
10	Modown 2E + Lasso 4E **	1+2	83b-c	30d-h	0a	68b-g	53b-c	73b-c	65b-c	65b-e	88b-d
11	Modown 2E + Treflan 4E **	1.5+.75	83b-c	30e-h	0a	70b-g	45b-c	75b-c	68b-c	65b-e	75b-g
12	Treflan 4E**+Modown 2E*	.75+1.5	83b-c	65a-d	0a	85b-d	58b-c	70b-d	70b-c	70b-d	85b-d
13	Treflan 4E**+Furloe 4E*	.75+2	85b-c	23g-h	0a	77b-g	40b-c	70b-d	63b-c	45c-g	85b-d
14	Treflan 4E + Furloe 4E **	.75+2	80b-c	50b-g	25c-d	80b-f	45b-c	75b-c	53b-c	63b-e	88b-d
15	Treflan 4E + Furloe 124 4E**	.75+2	83b-c	30e-h	20a-b	85b-f	50b-c	73b-c	60b-c	50b-g	85b-d
16	Vernam 6E + Furloe 4E **	2.5+2	88b	65b-f	25b-d	90a-c	63b	75b-c	93b	73b-c	93a-b
17	Vernam 6E + Furloe 124 4E **	2.5+2	90b	53b-g	25b-d	93a-b	48b-c	70b-d	65b-c	70b-d	93a-c
18	Cobex 2E + Furloe 4E **	.5+2	73b-e	38d-h	58e	85b-e	58b-c	75b-c	68b-c	55b-g	80b-g
19	RH-512 2E **	.75	68c-e	30e-h	0a	50f-h	33b-c	70b-d	50b-c	40d-g	58f-h
20	RH-512 2E **	1.5	50e-f	28e-h	8a-b	60d-g	45b-c	58e-d	53b-c	33f-h	45h
21	RH-915 2E **	.5	50e-f	30e-h	10a-b	70b-g	40b-c	63b-d	58b-c	58b-g	53g-h
22	RH-915 2E **	1	80b-c	73a-c	25c-d	80b-f	58b	78b	73b	75b	85b-d
23	RH-915 2E + Treflan 4E **	.5+.5	83b-c	43c-h	5a	73b-g	55b-c	75b-c	65b-c	65b-e	73c-g
24	RH-512 2E + Treflan 4E **	1+.5	78b-d	40c-h	0a	80b-f	58b-c	75b-c	55b-c	70b-f	83b-f
25	Planavin 4S**+Bladex 80W*	1+1	83b-c	33d-h	10a-b	78b-f	43b-c	70b-d	55b-c	53b-g	83b-f
26	Treflan 4E**+Bladex 80W*	.75+1	85b-c	48b-h	0a	73b-g	58b-c	73b-c	63b-c	60b-f	85b-d
27	R-25823 50W **	2	55d-f	25f-h	0a	55e-h	38b-c	70b-d	65b-c	45e-g	55g-h
28	R-25823 50W **	4	78b-c	43c-h	0a	77b-g	50b-c	70b-d	68b-c	50b-g	70d-h
29	R-25823 50W + Vernam 6E **	2+2	88b-c	50b-g	0a	78b-g	45b-c	73b-c	68b-c	60b-f	83b-f
30	CHECK - WEEDY	--	0 g	0 i	0a	0 k	0 e	0 f	0 e	0 h	0 i

University of Kentucky - Agronomy Department - Lexington
Soybean Stubble - 1973

Trt. No.	Herbicide Formulation	Lbs/A Active	Visual Evaluation						Yield Bu/A
			August 2, 1973			August 14, 1973			
			Grass	Broad-leaf	Crop Injury	Grass	Broad-Leaf	Crop Injury	
1	Sencor 50W + Paraquat 2E + X-77	.38+.25+.5%	98 a-b	100 a	8 a	78 b-g	90 a-b	0 a	19 c-e
2	Surflan 75W + Paraquat 2E + X-77	1.5+.25+.5%	45 d	80 c	0 a	48 h	70 c	0 a	11 f
3	Surflan 75W + Lorox 50W + Paraquat 2E + X-77	1.5+1.0+.25+.5%	93 a-b	98 a-b	0 a	85 a-c	88 b	0 a	17 e-f
4	Surflan 75W + Sencor 50W + Paraquat 2E + X-77	1.0+.33+.25+.5%	85 a-c	95 a-b	0 a	78 b-g	88 b	0 a	17 e-f
5	Surflan 75W + Roundup 3E	1.5+2.0	95 a-b	95 a-b	13 a	90 a-b	90 a-b	5 a	19 c-e
6	Maloran 50W + X-77	1.5+.5%	75 b-c	93 a-c	0 a	65 f-g	85 b	0 a	18 d-f
7	Maloran 50W + Paraquat 2E + X-77	1.5+.25+.5%	98 a-b	100 a	0 a	85 a-d	90 a-b	0 a	23 a-e
8	Maloran 50W + Lasso 4E + Paraquat 2E + X-77	1.5+2.0+.25+.5%	98 a-b	98 a-b	0 a	80 a-f	88 b	0 a	23 a-e
9	Maloran 50W + Roundup 3E	1.5+2.0	98 a-b	100 a	0 a	90 a-b	90 a-b	0 a	23 a-e
10	Caparol 80W + X-77	2.0+.5%	78 b-c	93 a-c	10 a	68 e-g	88 b	0 a	20 b-e
11	Caparol 80W + X-77	4.0+.5%	98 a-b	98 a-b	28 a	83 a-e	85 b	48 b	11 f
12	Caparol 80W + Paraquat 2E + X-77	2.0+.25+.5%	98 a-b	100 a	0 a	83 a-e	90 a-b	0 a	20 b-e
13	Caparol 80W + Paraquat 2E + X-77	4.0+.25+.5%	100 a	100 a	25 a	90 a-b	90 a-b	40 c	18 d-f
14	Modown 2E + Lasso 4E + Paraquat 2E + X-77	1.5+2.0+.25+.5%	65 c-d	88 b-c	0 a	65 g-h	90 a-b	0 a	18 d-f
15	Modown 2E + Lasso 4E + Roundup 3E	1.5+2.0+2.0	75 a-c	95 a-b	23 a	85 a-c	88 b	0 a-b	24 a-e
16	Lasso 4E + Sencor 50W + Paraquat 2E + X-77	2.0+.38+.25+.5%	95 a-b	95 a-b	0 a	85 a-d	88 b	0 a	24 a-e
17	Lasso 4E + Sencor 50W + Roundup 3E	2.0+.38+1.0	100 a	100 a	0 a	85 a-d	90 a-b	0 a	26 a-c
18	Lasso 4E + Sencor 50W + Roundup 3E	2.0+.38+2.0	98 a-b	98 a-b	0 a	88 a-c	90 a-b	0 a	23 a-e
19	Lasso 4E + Lorox 50W + Roundup 3E	2.0+1.0+1.0	100 a	100 a	0 a	90 a-b	90 a-b	0 a	28 a
20	Lasso 4E + Lorox 50W + Roundup 3E	2.0+1.0+2.0	80 a-c	80 b-c	8 a	83 a-e	90 a-b	0 a	19 c-e
21	Lasso 4E + Maloran 50W + Roundup 3E	2.0+1.5+2.0	95 a-b	98 a-b	0 a	88 a-c	90 a-b	7 a-b	26 a-c
22	Lasso 4E + Maloran 50W + Roundup 3E	2.0+1.5+4.0	95 a-b	98 a-b	0 a	90 a-b	90 a-b	0 a	24 a-e
23	Lasso 4E + Maloran 50W + Roundup 3E	4.0+3.0+8.0	98 a-b	98 a-b	0 a	90 a-b	90 a-b	0 a	23 a-e
24	Lasso 4E + Lorox 50W + Roundup 3E	2.0+1.0+4.0	88 a-b	98 a-b	0 a	85 a-d	90 a-b	0 a	22 a-e
25	Lasso 4E + Lorox 50W + Roundup 3E	4.0+2.0+8.0	98 a-b	100 a	0 a	90 a-b	90 a-b	0 a	24 a-e
26	Lasso 4E + Sencor 50W + Roundup 3E	2.0+.38+4.0	100 a	100 a	0 a	90 a-b	90 a-b	0 a	28 a
27	Lasso 4E + Sencor 50W + Roundup 3E	4.0+.75+8.0	98 a-b	98 a-b	0 a	83 a-e	90 a-b	0 a	24 a-e
28	RH-915 2E + Paraquat 2E + X-77	.5+.25+.5%	70 b-c	93 a-c	0 a	68 d-g	83 b	0 a	17 e-f
29	Bladex 80W + Roundup 3E	1.0+2.0	98 a-b	98 a-b	0 a	63 a-c	90 a-b	0 a-b	24 a-e
30	Bladex 80W + Paraquat 2E + X-77	1.0+.25+.5%	85 a-c	93 a-c	0 a	70 c-g	85 b	0 a	24 a-e
31	Roundup 3E	2.0	100 a	98 a-b	0 a	50 a	90 a	0 a	25 a-d
32	Lasso 4E + Lorox 50W + Paraquat 2E + X-77	2.0+1.0+.25+.5%	98 a-b	98 a-b	0 a	88 a-c	90 a-b	0 a	27 a-b
33	Lorox 50W + Paraquat 2E + X-77	1.0+.25+.5%	98 a-b	100 a	0 a	80 a-f	90 a-b	0 a	22 a-e

Location - Spindletop

Treated & Planted - July 2, 1973

Variety - Calland

Soil Type - Silt Loam

University of Kentucky - Department of Agronomy - Lexington
Soybeans - Postemergence - 1973

Trt. No.	Herbicide*	Stage (trifoliolate)	Lb/A Active	VISUAL EVALUATION July 2				VISUAL EVALUATION July 24			
				Grass	Broad- leaf	Cockle- bur	Velvet- leaf	Grass	Broad- leaf	Cockle- bur	Velvet- leaf
				1	Basagran	1	.5	55 ^{1/}	88 a-b	93 a-b	80 b-d
2	Basagran	1	1.0	53 c	90 a-b	98 a	85 a-b	48 c	86 a-b	90 a-b	80 b-c
3	Basagran	1	1.5	55 c	90 a-b	95 a-b	85 a-b	50 c	90 a-b	90 a-b	80 b-d
4	Basagran	3	.5	65 b-c	70 b-c	83 b-c	60 c-e	53 b-c	68 b-c	75 b-c	58 d-e
5	Basagran	3	1.0	65 b-c	98 a	100 a	90 a-b	58 b-c	95 a	98 a	85 a-c
6	Basagran	3	1.5	75 b	88 a-b	100 a	95 a-b	70 b	90 a-b	95 a-b	85 a-c
7	Basagran	5	.5	65 b-c	45 d-e	48 e-f	30 f	65 b-c	35 d-e	35 d-e	18 f-g
8	Basagran	5	1.0	60 b-c	43 d-e	68 c-d	40 d-f	48 b-c	35 d-e	58 c-d	30 e-g
9	Basagran	5	1.5	65 b-c	63 c-d	68 c-e	50 d-f	53 b-c	55 c-d	55 c-e	40 e-f
10	Basagran	1	.5 + .5	55 c	98 a	98 a	90 a-b	48 c	95 a	95 a	85 a-c
11	Basagran	1	1 + 1	60 b-c	100 a	100 a	98 a-b	50 b-c	95 a	98 a	90 a-c
12	Basagran	1	1.5 + 1.5	65 b-c	98 a	100 a	100 a	55 b-c	98 a	100a	100 a
13	Basagran	3	.5 + .5	63 b-c	85 a-b	100 a	65 b-c	55 b-c	85 a-b	98 a	50 e
14	Basagran	3	1 + 1	55 c	98 a	100 a	100 a	48 c	93 a	98 a	98 a-b
15	Basagran	3	1.5 + 1.5	60 b-c	98 a	100 a	100 a	50 b-c	98 a	98 a	98 a-b
16	Basagran	3	.5 + .25%**	70 b-c	88 a-b	100 a	83 a-b	58 b-c	85 a-b	95 a-b	75 c-d
17	Basagran	3	1.0 + .25%	75 b	100 a	100 a	100 a	65 b	100 a	100 a	100 a
18	Basagran	3	1.5 + .25%	65 b-c	98 a	100 a	75 a-b	53 b-c	95 a	100 a	98 a-b
19	Tenoran	1	1.5 + .25%	60 b-c	40 d-e	38 f	23 f	58 b-c	33 d-e	28 e	13 f-g
20	Tenoran	1	1.0 + .5%***	70 b-c	25 e	58 d-f	28 e-f	70 b-c	23 e	45 d-e	18 g
21	CHECK	-	-	100 a	100 a	100 a	100 a	100 a	100 a	100 a	100 a

^{1/}Mean values within a column are not significantly different at 5% level probability if followed by one or more of the same letters.

*Area treated solid with BAS 3921 at 1.0 lb/A, May 17.

**Citowett Plus

***Adjuvan T

Planted - May 17

Soil type - silt loam, Fertilization - 300 lbs/A 12-12-12

Treated at various stages of trifoliolate, June 8, June 15, June 22

Variety - Calland - Location - Campus Farm

University of Kentucky - Department of Agronomy - Lexington
 Comparison of Metribuzin - 1973

Trt No.	Herbicide Formulation	Method	Lb/A Active	VISUAL EVALUATION			VISUAL EVALUATION		
				June 20			August 2		
				Grass	Broad- leaf	Crop Injury	Grass	Broad- leaf	Crop Injury
1	Metribuzin	Pre	.38	70 <u>e</u> ^{1/}	63 c	0 a	68 e	58 d-e	0 a
2	Metribuzin	PPI	.38	78 d-e	75 b-c	0 a	70 d-e	65 d-e	0 a
3	Metribuzin + Treflan	Pre + PPI	.38 + .75	95 a-c	65 c	8 a-b	90 b-c	55 e	8 a-b
4	Metribuzin + Treflan	PPI	.38 + .75	95 a-c	83 b-c	13 a-b	93 a-c	68 d-e	13 a-b
5	Metribuzin	Pre	.50	83 d-e	88 a-b	0 a	78 c-e	75 b-e	0 a
6	Metribuzin	PPI	.50	88 c-e	93 a-b	0 a	83 b-e	80 b-e	0 a
7	Metribuzin + Treflan	Pre + PPI	.50 + .75	90 b-d	88 a-b	18 b-c	88 b-d	70 c-e	18 b-c
8	Metribuzin + Treflan	PPI	.50 + .75	95 a-c	93 a-b	15 a-c	88 b-e	70 c-e	15 a-c
9	Metribuzin	Pre	.75	98 a-b	90 a-b	0 a	93 a-c	83 b-d	0 a
10	Metribuzin	PPI	.75	100 a	90 a-b	33 c	95 a-b	75 b-e	33 c
11	Metribuzin + Treflan	Pre + PPI	.75 + .75	98 a-b	90 a-b	10 a-b	95 a-b	85 b-c	10 a-b
12	Metribuzin + Treflan	PPI	.75 + .75	95 a-c	98 a	10 a-b	88 b-d	90 a-b	10 a-b
13	Check	-	0	100 a	100 a	0 a	100 a	100 a	0 a

^{1/}Mean values within a column are not significantly different at 5% level probability if followed by one or more of the same letters.

Location - Campus Farm

Variety - Calland

Soil type - silt loam

Fertilization - 300 lb/A of 12-12-12

University of Kentucky - Agronomy Department - Lexington
Nutsedge in Soybean - 1973

Trt. No.	Herbicide Formulation	Lbs/A Active	Visual Evaluation - July 30	
			Nutsedge	
1	Bentazon ***	.75+.75	57	b ¹
2	do ***	1.5+1.5	67	b
3	S-21634 ***	2.0	83	b
4	do ***	3.0	97	a
5	Destun 50W **	4.0	77	b
6	Destun S **	4.0	80	b
7	Lasso 4E *	4.0	67	b
8	Vernam *	2.5	63	b
9	Linuron **	.75	23	c
10	Treflan *	.75	27	c
11	CHECK	0	0	d

¹ Mean values within a column are not significantly different at 5% level probability if followed by one or more of the same letters

* PPI

** Pre

*** Post

Location - Campus Farm

Planted & Treated - June 12

Fertilization - 300 lb/A of 12-12-12

Soil Type - Silt Loam

Variety - 3369-A

University of Kentucky - Agronomy Department - Lexington
Burley Tobacco - 1973

Trt. No.	Herbicide Formulation	Method	Lb/A Active	Visual Evaluation			
				August 2, 1973		August 14, 1973	
				Grass	Broadleaf	Grass	Broadleaf
1	Balan	PPI	1.5	85 b ¹	68 c-d	90 b	45 c-d
2	Balan 2.5G	PPI	1.5	80 b	65 c-d	90 b	40 d
3	Parlan	PPI	1.5	88 b	88 b	90 b	70 b-c
4	Tillam	PPI	4.0	85 b	58 d	90 b	43 d
5	Tillam + Devrinol	PPI	4.0+.5	83 b	80 b-c	80 c	55 b-d
6	Tillam + Devrinol	PPI	4.0+1.0	90 b	88 b	88 b-c	78 b
7	Enide	Pre-trans	6.0	90 b	88 b	88 b-c	63 b-d
8	Enide	Post-trans	6.0	90 b	88 b	90 b	58 b-d
9	CHECK		-	100 a	100 a	100 a	100 a

¹ Mean values within a column are not significantly different at 5% level probability if followed by one or more of the same letters

Location - Spindletop Farm

Set & Treated - June 14

Soil Type - Silt Loam

Variety - Ky 14

Fertilization - 150 lb/A of N