

Herbicide Evaluation Trials - 1985

C. H. Slack and W. W. Witt



University of Kentucky • College of Agriculture • Department of Agronomy • Lexington
(Not for Publication)

ACKNOWLEDGEMENTS

Special assistance in preparing this publication was provided by the following individuals:

James R. Martin, Extension Weed Control Specialist, who aided in conducting experiments at Princeton and farmer locations in western Kentucky.

Debbie Millikan, technician, who maintained and helped evaluate plots located at the West Kentucky Research and Education Center.

Randy Wells and **Mark Cole**, technicians, who aided greatly in plot establishment, field day, data collection and plot harvest, as well as the day-to-day operation of the project.

Gene L. Olson, technician, who provided assistance in plot establishment and field day preparation.

Jerry Flint, Anthony Mills, Tom Mueller, Gary Schmitz and Kip Sander, graduate research assistants, who made a significant contribution in conducting special projects.

Thanks to **Mr. John H. Byars, Ms. Jan Hilton and Mr. Daryl Holland** of the Agricultural Data Center for their assistance in developing computer programs for computerizing and summarizing the results of our tests.

A special thanks to **Ms. Betty J. Ham**, duplicating supervisor, and her group for the many hours of hard work involved in the quick printing of this report and to **Dr. Deborah B. Witham** for editing.

Also a special thanks to **Randy Wells** for long hours spent computerizing and summarizing data for this book.

CONTENTS

	<i>Page</i>
I. EXPERIMENTAL TECHNIQUES	1
II. ABBREVIATIONS USED IN REPORT HEADINGS	
A. Weed Species	2
B. Miscellaneous	2
C. Growth Stages.....	2
1. Corn	
2. Soybeans	
D. Application Times	3
III. CLIMATOLOGICAL DATA	
A. Spindletop	4
B. Princeton	10
IV. HERBICIDES IN REPORT	16
V. CORN WEED CONTROL-LEXINGTON	
A. Control of Grass and Broadleaf Species	
1. Preemergence (C5001)	18
2. Preplant Incorporated-First Evaluation (C5002)	22
3. Preplant Incorporated-Second Evaluation (C5002).....	24
4. Postemergence (C5003)	26
5. Postemergence II-First Evaluation (C5008)	30
6. Postemergence II-Second Evaluation (C5008).....	32
7. No-till Stalkland (C5004)	34
8. No-till Low Volume Carrier-First Evaluation (C5005).....	39
9. No-till Low Volume Carrier-Second Evaluation (C5005)	42
10. No-till Liquid Fertilizer vs. Water Carrier (C5007)	45
11. Early Preplant (C5031)	48
B. Specific Weed Species	
12. Johnsongrass (C5009)	49
VI. SOYBEAN WEED CONTROL-LEXINGTON	
A. Control of Grass and Broadleaf Species	
13. Preemergence-First Evaluation (S5011)	51
14. Preemergence-Second Evaluation (S5011).....	56
15. Preplant Incorporated-First Evaluation (S5013)	61
16. Preplant Incorporated-Second Evaluation (S5013)	65
17. Postemergence-First Evaluation (S5014)	69
18. Postemergence-Second Evaluation (S5014).....	74
19. Postemergence II-First Evaluation (S5027)	79

20. Postemergence II-Second Evaluation (S5027).....	84
21. Postemergence III (S5033).....	89
22. Postemergence IV (S5034).....	93
23. No-till Early Preplant (S5032)	95
24. Reduced Tillage-First Evaluation (S5030)	97
25. Reduced Tillage-Second Evaluation (S5030).....	99
26. No-till (S5016).....	101
27. Full Season No-till-First Evaluation (S5037)	108
28. Full Season No-till-Second Evaluation (S5037)	111
29. Full Season No-till II-First Evaluation (S5036)	114
30. Full Season No-till II-Second Evaluation (S5036)	117
 B. Specific Weed Species	
31. Eastern Black Nightshade-Pre and Postemergence (S5020).....	120
32. Eastern Black Nightshade-Preplant Incorporated (S5021).....	122
33. Full Season No-till Johnsongrass Control (S5045)	124
 VII. SOYBEAN WEED CONTROL-PRINCETON	
A. Control of Grass and Broadleaf Species	
34. No-till (S5115).....	126
 B. Specific Weed Species	
35. Soybean Preemergence and Preplant Incorporated (S5102).....	133
36. Postemergence Johnsongrass Control (S5103)	134
37. Influence of Additives with Roundup (S5120)	139
38. Cocklebur Control in Soybeans (S5112).....	143
39. Morningglory Control in Soybeans (S5116)	148
40. Shattercane Control (S5121)	152
 C. Other Crops	
41. Milo (M5131).....	155
42. Wild Garlic Control in Wheat (W5130).....	157
 VIII. BURLEY TOBACCO	
43. Soil and Postemergence Applied Herbicides (T5025)	158

I. EXPERIMENTAL TECHNIQUES

- DESIGN:** All treatments within an experiment were in a randomized complete block design with three or four replications per treatment. Each treated plot was two rows wide by twenty-five to forty feet in length depending on the experiment. An untreated row separated each plot except in the no-tillage studies.
- APPLICATION:** All treatments were applied with a hand-held boom sprayer pressurized by CO₂. Unless indicated otherwise, all treatments were applied at 25 GPA. Plots at the Lexington locations were incorporated with a power driven tiller, while at Princeton a tandem disk was used.
- EVALUATION:** Weed control was evaluated based on a 0 to 100 scale with 0 representing no control and 100 representing total control. Crop injury was also based on a 0 to 100 scale with 0 representing no injury and 100 representing crop death.
- CULTIVATION:** Plots were not cultivated except where indicated.
- SPECIFIC EXPERIMENTAL INFORMATION:** The following items are found at the end of each summary:
(A) location, (B) fertilization, (C) soil type, (D) pH, (E) organic matter, (F) treatment date(s), (G) hybrid or cultivar, (H) planting dates, (I) crop and/or weed growth stage for postemergence application.

II. ABBREVIATIONS

A. Weed Species

<u>ABB</u>	<u>Common Name</u>	<u>Scientific Name</u>
BLLE	Blue Lettuce	<i>Lactuca saligna</i>
BLNS	Eastern Black Nightshade	<i>Solanum pytcanthum</i>
COCB	Common Cocklebur	<i>Xanthium pensylvanicum</i>
COLQ	Common Lambsquarters	<i>Chenopodium album</i>
GIFT	Giant Foxtail	<i>Setaria faberii</i>
HHCL	Hophornbeam Copperleaf	<i>Acalypha ostryifolia</i>
ILMG	Ivyleaf Morningglory	<i>Ipomoea hederaceae</i>
JIWE	Jimsonweed	<i>Datura stramonium</i>
JOGR	Johnsongrass	<i>Sorghum halepense</i>
LAGC	Large Crabgrass	<i>Digitaria sanguinalis</i>
MRTL	Marestail	<i>Conyza canadensis</i>
PESW	Pennsylvania Smartweed	<i>Polygonum pensylvanicum</i>
PRLE	Prickly Lettuce	<i>Lactuca serriola</i>
PRSI	Prickly Sida	<i>Sida spinosa</i>
RRPW	Redroot Pigweed	<i>Amaranthus retroflexus</i>
TAMG	Tall Morningglory	<i>Ipomoea purpurea</i>
VELE	Velvetleaf	<i>Abutilon theophrasti</i>
WIGA	Wild Garlic	<i>Allium vineale</i>

B. Miscellaneous

BRLE	All Broadleaf Species
GRAS	All Grass Species
CRIN	Crop Injury

C. Crop Growth States at Application

1. CORN
SPK - Spiking stage; corn just emerging from soil
2. SOYBEAN
CRK - Emerging crop cracking the soil surface
V4 - Four nodes on the main stem with fully developed leaves beginning with the unifoliate
V5 - Five nodes on the main stem with fully developed leaves beginning with the unifoliate

II. ABBREVIATIONS

D. Herbicide Application Times with Reference to Crop or Weed

1. PPI —Preplant incorporated
2. PRE —Preemergence
3. SPI —Shallow preplant incorporated
4. EPP —Early preplant; 3-4 weeks before planting
5. POE —Postemergence
6. EP —Early postemergence; weeds less than 2"
7. MP —Mid-postemergence; weeds 2-4"
8. LMP —Late-mid-postemergence
9. LP —Late postemergence; weeds 4-6"
10. LLP —Late, late postemergence; weeds more than 18"
11. POD —Postemergence directed; to the base of the crop plant
12. POT —Post transplant; applied after transplanting
13. SEQ —Sequential application
14. 2LF —Two leaves formed
15. 3LF —Three leaves formed
16. 4LF —Four leaves formed
17. 5LF —Five leaves formed
18. 2"G —2" grass
19. 5"G —5" grass
20. 5DP —Five days prior to planting crop
21. +1D —Sequential treatment applied 1 day after first application
22. +4D —Sequential treatment applied 4 days after first application
23. -3D —Broadleaf material applied 3 days before grass material
24. -5D —Broadleaf material applied 5 days before grass material
25. +3W —Sequential treatment applied 3 weeks after first application
26. +4W —Sequential treatment applied 4 weeks after first application
27. +6W —Sequential treatment applied 6 weeks after first application
28. 10D —Sequential treatment applied 10 days after first application
29. 25D —Sequential treatment applied 25 days after first application
30. 30D —Sequential treatment applied 30 days after first application
31. 8J —6-10" Johnsongrass
32. 16J —12-20" Johnsongrass
33. 17J —15-20" Johnsongrass
34. 20J —15-24" Johnsongrass

TABLE III APRIL CLIMATOLOGICAL DATA, SPINDLETOP

	TEMP	PCPN	RH		SOILTEMP				EVAP	
			HI	LO	HI	LO	GRASS	BARE	HI	LO
4/ 1/85	54	47	--	68	50	55	49	54	44	.31
4/ 2/85	52	36	--	92	37	51	46	51	39	.16
4/ 3/85	67	52	--	56	32	52	47	57	42	.31
4/ 4/85	79	50	--	88	23	54	48	63	47	.42
4/ 5/85	72	65	TRACE	82	45	55	53	61	55	.19
4/ 6/85	51	45	.35	84	41	55	50	61	46	.31
4/ 7/85	52	40	.13	100	41	51	48	50	44	.06
4/ 8/85	47	35	.09	100	30	50	45	51	37	.18
4/ 9/85	44	25	TRACE	98	42	48	42	45	36	.09
4/10/85	55	25	TRACE	97	34	47	42	50	35	.13
4/11/85	69	46	.05	95	51	53	47	60	45	.08
4/12/85	73	44	--	98	37	56	49	62	45	.13
4/13/85	71	54	--	89	55	55	53	62	31	.16
4/14/85	75	54	--	94	53	58	53	67	52	.13
4/15/85	75	56	TRACE	98	55	58	55	67	55	.12
4/16/85	75	47	--	100	56	60	54	67	51	.11
4/17/85	72	44	--	78	43	60	55	70	50	.25
4/18/85	82	56	--	74	55	61	54	73	53	.29
4/19/85	82	62	--	89	50	64	58	77	58	.31
4/20/85	82	60	--	93	54	66	58	80	59	.23
4/21/85	87	60	--	100	43	66	59	78	60	.31
4/22/85	85	63	--	87	32	67	60	79	63	.34
4/23/85	78	66	--	70	51	67	62	74	63	.32
4/24/85	76	63	TRACE	90	46	64	61	72	63	.14
4/25/85	77	46	--	91	31	65	57	77	54	.24
4/26/85	82	52	--	77	22	67	57	77	59	.32
4/27/85	67	63	.17	84	80	67	62	70	64	.01
4/28/85	76	64	.01	84	47	66	62	70	63	.09
4/29/85	73	46	--	71	25	68	58	72	55	.31
4/30/85	80	60	--	66	40	69	59	75	56	.24

*****A '*' ABOVE AN AVERAGE VALUE MEANS THERE IS *****
***** ONE OR MORE OF MISSING DATA FOR THAT ITEM *****

AVERAGES	SUMMARY ACCUMULATIONS									
	FOR PERIOD			FOR PERIOD						
STATION	TEMP	PER	RH	SOILTEMP				PCPN EVAP		
	HI	LO	AVG	HI	LO	GRASS	BARE	HI	LO	
SPINDLETOP	70	51	61	86	43	59	53	66	51	.80 6.29
EXTREMES FOR PERIOD										
STATION	TEMP	PCPN	RH	SOILTEMP				EVAP		
	HI	LO		HI	LO	GRASS	BARE	HI	LO	
SPINDLETOP	87	25	.35	100	22	69	42	80	31	.42

TABLE III MAY CLIMATOLOGICAL DATA, SPINDLETOP

	TEMP	PCPN	RH		SOILTEMP				EVAP	
			HI	LO	HI	LO	GRASS	BARE	HI	LO
5/ 1/85	78	61	.41	85	50	68	64	73	64	.10
5/ 2/85	70	60	.36	85	66	64	61	65	61	.04
5/ 3/85	66	49	.10	82	44	66	58	65	55	.23
5/ 4/85	72	43	--	79	18	68	57	69	52	.17
5/ 5/85	76	55	--	71	41	68	60	68	56	.24
5/ 6/85	80	63	--	78	48	70	62	72	59	.41
5/ 7/85	74	60	--	67	32	71	64	74	60	.23
5/ 8/85	76	47	--	88	30	71	61	72	57	.22
5/ 9/85	80	49	--	80	23	73	61	79	57	.25
5/10/85	78	58	--	80	51	72	64	76	63	.19
5/11/85	82	58	--	85	40	73	69	79	63	.24
5/12/85	79	64	.28	85	54	74	67	79	66	.19
5/13/85	88	65	--	85	43	77	65	81	63	.21
5/14/85	78	63	.26	100	63	74	63	77	65	.16
5/15/85	78	64	.22	100	58	74	67	74	65	.35
5/16/85	75	60	.13	100	55	72	65	70	62	.13
5/17/85	61	51	.12	100	77	67	64	63	59	.15
5/18/85	70	43	.01	100	42	69	59	67	52	.26
5/19/85	79	51	--	94	41	73	61	74	56	.18
5/20/85	81	55	--	90	45	75	63	77	58	.25
5/21/85	81	62	.13	100	50	73	65	77	63	.16
5/22/85	58	53	.70	100	81	72	62	71	59	.09
5/23/85	58	54	.46	100	83	63	60	60	59	.04
5/24/85	72	54	.28	98	54	67	59	66	56	.15
5/25/85	81	47	--	100	36	72	60	73	55	.21
5/26/85	81	57	--	92	46	74	64	74	59	.22
5/27/85	85	65	.76	99	57	74	66	76	63	.25
5/28/85	70	64	.29	100	77	72	67	70	65	.13
5/29/85	76	54	--	100	55	74	64	76	61	.18
5/30/85	86	59	--	100	61	78	67	77	63	.25
5/31/85	80	73	--	97	84	75	70	75	68	.19

*****A '*' ABOVE AN AVERAGE VALUE MEANS THERE IS *****
***** ONE OR MORE OF MISSING DATA FOR THAT ITEM *****

AVERAGES	FOR PERIOD	SUMMARY ACCUMULATIONS	FOR PERIOD
----------	------------	--------------------------	------------

STATION	TEMP	PER	RH	SOILTEMP	PCPN	EVAP
	HI	LO	AVG	HI	LO	
SPINDLETOP	76	57	67	91	52	71 63 73 60 4.51 6.07

SPINDLETOP	EXTREMES FOR PERIOD			
	HI LO	HI LO	GRASS	BARE
			HI LO	HI LO
SPINDLETOP	88 43 .76 100 18	78 57 81 52	.41	

TABLE III JUNE CLIMATOLOGICAL DATA, SPINDLETOP

	TEMP	PCPN	RH		SOILTEMP				EVAP	
			HI	LO	HI	LO	GRASS	BARE	HI	LO
6/ 1/85	81	60	--	100	50	78	67	79	69	.26
6/ 2/85	81	63	.45	100	63	78	69	77	66	.19
6/ 3/85	85	63	.14	100	57	79	69	82	66	.15
6/ 4/85	80	65	.28	100	76	79	73	79	68	.18
6/ 5/85	80	69	.16	100	73	79	72	78	68	.11
6/ 6/85	75	64	.01	100	62	78	72	75	66	.15
6/ 7/85	80	65	.50	100	75	75	71	76	67	.11
6/ 8/85	83	64	--	100	62	80	71	81	67	.22
6/ 9/85	86	68	--	98	68	81	73	81	69	.32
6/10/85	84	61	1.93	100	57	81	70	81	67	.27
6/11/85	81	68	1.04	100	75	80	73	77	69	.12
6/12/85	66	51	.16	100	81	77	68	76	68	.13
6/13/85	68	45	--	100	44	73	64	70	52	.23
6/14/85	74	50	--	100	38	75	65	74	55	.20
6/15/85	79	61	--	82	54	74	68	72	62	.21
6/16/85	82	69	--	97	46	78	68	81	65	.33
6/17/85	80	67	.01	97	68	76	70	76	65	.10
6/18/85	78	64	--	100	50	77	72	79	65	.28
6/19/85	74	58	.03	98	59	78	68	77	63	.22
6/20/85	77	53	--	100	49	75	66	77	59	.22
6/21/85	82	57	--	92	57	75	67	81	62	.18
6/22/85	82	64	.01	100	72	75	69	82	66	.15
6/23/85	86	70	--	100	55	78	69	84	67	.29
6/24/85	83	67	.18	100	70	78	71	81	69	.11
6/25/85	88	64	--	100	50	82	71	87	67	.24
6/26/85	87	68	--	99	57	82	74	88	70	.28
6/27/85	82	60	--	99	41	82	72	89	68	.35
6/28/85	81	56	--	100	43	79	71	87	67	.25
6/29/85	84	57	--	100	40	80	71	87	67	.23
6/30/85	84	60	.08	100	45	80	71	88	68	.28

*****A '*' ABOVE AN AVERAGE VALUE MEANS THERE IS *****
***** ONE OR MORE OF MISSING DATA FOR THAT ITEM *****

AVERAGES	SUMMARY ACCUMULATIONS										FOR PERIOD	
	FOR PERIOD			ACCUMULATIONS								
STATION	TEMP			PER		RH		SOILTEMP		PCPN		EVAP
	HI	LO	AVG	HI	LO	HI	LO	GRASS	BARE	HI	LO	
SPINDLETOP	80	62	71	99	58	78	70	80	66	4.98	6.36	
	EXTREMES FOR PERIOD											
STATION	TEMP	PCPN	RH					SOILTEMP			EVAP	
	HI	LO		HI	LO			GRASS	BARE	HI	LO	
SPINDLETOP	88	45	1.93	100	38	82	64	89	52	.35		

TABLE III JULY CLIMATOLOGICAL DATA, SPINDLETOP

	TEMP	PCPN	RH	SOILTEMP				EVAP			
				HI	LO	HI	LO	GRASS	BARE	HI	LO
7/ 1/85	77	65	1.58								
7/ 2/85	78	61	.04								
7/ 3/85	84	62	.43								
7/ 4/85	84	62	.01								
7/ 5/85	84	62	--								
7/ 6/85	82	64	--								
7/ 7/85	85	59	--								
7/ 8/85	88	66	--								
7/ 9/85	90	74	.60								
7/10/85	88	74	.18								
7/11/85	85	63	--								
7/12/85	88	66	--								
7/13/85	90	68	--	100	57	86	75	90	72	.30	
7/14/85	93	70	--	92	57	84	76	93	72	.26	
7/15/85	92	69	.28	100	65	85	77	93	74	.21	
7/16/85	84	63	--	100	40	83	76	90	69	.26	
7/17/85	84	53	--	97	45	84	73	90	66	.28	
7/18/85	88	50	--	100	46	84	72	92	66	.26	
7/19/85	90	59	--	100	52	84	74	92	70	.21	
7/20/85	90	62	--	100	52	83	75	90	72	.21	
7/21/85	87	64	1.58	100	65	82	77	88	72	.16	
7/22/85	81	67	.18	100	73	77	74	79	69	.06	
7/23/85	81	64	--	100	52	79	74	82	68	.24	
7/24/85	87	60	--	95	61	79	73	83	66	.28	
7/25/85	85	65	--	100	68	80	75	84	69	.21	
7/26/85	77	71	.31	100	92	79	76	83	73	.07	
7/27/85	81	61	.04	100	51	80	72	82	66	.28	
7/28/85	86	58	--	99	56	79	72	85	65	.23	
7/29/85	88	69	--	100	61	81	75	85	71	.15	
7/30/85	87	70	1.29	100	65	81	77	85	73	.32	
7/31/85	84	70	.15	100	80	78	75	80	72	.07	

*****A '*' ABOVE AN AVERAGE VALUE MEANS THERE IS *****
***** ONE OR MORE OF MISSING DATA FOR THAT ITEM *****

AVERAGES	SUMMARY									
	ACCUMULATIONS					FOR PERIOD				
	STATION	TEMP	PER	RH	SOILTEMP				PCPN	EVAP
					GRASS	BARE	HI	LO		
					*	*	*	*	*	*
SPINDLETOP	85	64	75	99	60	81	75	87	70	6.67 4.06
EXTREMES FOR PERIOD										
STATION	TEMP	PCPN	RH	SOILTEMP				EVAP		
				HI	LO	GRASS	BARE	HI	LO	
SPINDLETOP	93	50	1.58	100	40	86	72	93	65	.32

TABLE III AUGUST CLIMATOLOGICAL DATA, SPINDLETOP

	TEMP	PCPN	RH	SOILTEMP				EVAP		
				HI	LO	HI	LO	GRASS	BARE	HI
8/ 1/85	75	67	.53	100	89	78	75	80	72	.18
8/ 2/85	77	57	--	92	59	78	72	79	63	.30
8/ 3/85	83	57	--	97	53	77	71	81	63	.16
8/ 4/85	83	62	--	98	62	77	73	81	68	.25
8/ 5/85	74	68	.04	99	74	77	74	77	69	.11
8/ 6/85	83	67	TRACE	100	72	75	72	78	68	.17
8/ 7/85	78	67	.03	100	81	76	73	77	69	.09
8/ 8/85	86	62	--	100	60	78	62	82	67	.17
8/ 9/85	86	64	--	100	60	79	74	85	71	.24
8/10/85	91	62	--	100	55	84	74	86	70	.22
8/11/85	89	68	--	93	52	81	76	86	74	.24
8/12/85	91	67	--	100	48	81	76	87	74	.23
8/13/85	91	73	--	96	54	82	77	87	76	.29
8/14/85	90	74	--	100	53	81	77	86	75	.23
8/15/85	82	70	.94	100	81	87	81	85	76	.28
8/16/85	75	69	.64	100	88	76	74	77	71	.09
8/17/85	85	68	.12	100	73	79	75	80	71	.15
8/18/85	87	64	--	100	59	80	75	83	70	.20
8/19/85	87	64	--	100	59	80	76	83	71	.30
8/20/85	69	62	.20	100	91	80	74	77	67	.04
8/21/85	79	59	--	100	49	76	72	79	65	.12
8/22/85	78	56	--	100	48	76	71	80	64	.23
8/23/85	81	61	--	99	52	77	72	82	67	.24
8/24/85	77	67	.63	100	78	77	73	81	69	.15
8/25/85	79	68	.30	100	66	75	73	78	69	.11
8/26/85	78	63	.05	100	62	74	72	78	67	.17
8/27/85	81	58	--	100	52	76	72	80	65	.18
8/28/85	83	57	--	100	50	75	71	81	65	.17
8/29/85	85	60	--	100	58	76	71	80	65	.17
8/30/85	81	65	.43	100	77	75	72	79	68	.13
8/31/85	80	59	--	100	61	75	71	80	66	.14

*****A '*' ABOVE AN AVERAGE VALUE MEANS THERE IS *****
***** ONE OR MORE OF MISSING DATA FOR THAT ITEM *****

STATION	SUMMARY ACCUMULATIONS									
	FOR PERIOD			SOILTEMP			FOR PERIOD			
	TEMP	PER	RH	GRASS	BARE		PCPN	EVAP		
	HI	LO	Avg	HI	LO	HI	LO	HI	LO	
SPINDLETOP	82	64	73	99	64	78	73	81	69	3.91 5.75
EXTREMES FOR PERIOD										
STATION	TEMP	PCPN	RH	HI	LO	SOILTEMP		EVAP		
	HI	LO		HI	LO	GRASS	BARE			
SPINDLETOP	91	56	.94	100	48	87	62	87	63	.30

TABLE III SEPTEMBER CLIMATOLOGICAL DATA, SPINDLETOP

	TEMP		PCPN	RH		SOILTEMP		EVAP	
	HI	LO		HI	LO	GRASS	BARE	HI	LO
9/ 1/85	86	57	--	100	53	75	70	81	65 .13
9/ 2/85	88	67	--	100	52	78	73	82	69 .29
9/ 3/85	87	67	--	100	58	78	73	83	70 .32
9/ 4/85	86	70	--	100	54	77	73	81	71 .34
9/ 5/85	86	73	.14	100	70	77	73	80	71 .10
9/ 6/85	88	73	--	100	65	78	74	82	71 .15
9/ 7/85	90	71	--	100	59	80	75	85	71 .25
9/ 8/85	91	71	--	100	58	81	75	85	73 .16
9/ 9/85	90	70	--	100	57	81	76	87	74 .31
9/10/85	84	72	.11	100	70	80	76	84	74 .12
9/11/85	74	65	--	100	64	79	73	80	69 .18
9/12/85	73	51	--	100	40	76	69	76	63 .22
9/13/85	67	46	--	100	40	73	66	76	59 .25
9/14/85	70	44	--	100	44	71	64	73	57 .14
9/15/85	75	44	--	100	40	70	63	75	58 .16
9/16/85	77	44	--	100	37	70	63	76	58 .18
9/17/85	82	52	--	100	41	71	64	77	61 .20
9/18/85	84	57	--	100	37	72	65	78	63 .28
9/19/85	84	52	--	100	35	72	65	80	63 .26
9/20/85	86	53	--	100	36	73	66	80	63 .17
9/21/85	85	53	--	100	37	73	64	81	64 .24
9/22/85	86	59	--	97	37	76	73	80	65 .24
9/23/85	78	62	.02	100	65			75	67 .14
9/24/85	74	48	.20	100	41	72	64	72	60 .19
9/25/85	78	42	--	100	34	69	64	71	55 .18
9/26/85	70	57	.57	100	56	66	65	71	62 .16
9/27/85	67	45	--	100	52	66	63	67	54 .18
9/28/85	70	41	--	100	44	64	61	66	52 .12
9/29/85	76	48	--	100	38	64	62	66	54 .18
9/30/85	80	58	--	91	61	65	63	68	58 .18

*****A '*' ABOVE AN AVERAGE VALUE MEANS THERE IS *****
***** ONE OR MORE OF MISSING DATA FOR THAT ITEM *****

AVERAGES	SUMMARY ACCUMULATIONS										FOR PERIOD	
	FOR PERIOD					ACCUMULATIONS						
	STATION	TEMP		PER	RH		SOILTEMP		PCPN			
		HI	LO		AVG	HI	LO	GRASS	BARE	HI	LO	
		*	*					HI	LO			
SPINDLETOP	SPINDLETOP	80	57	69	100	49	73	68	77	64	1.04 6.02	
EXTREMES FOR PERIOD												
STATION	TEMP		PCPN		RH		SOILTEMP		EVAP			
	HI	LO	HI	LO	HI	LO	GRASS	BARE	HI	LO		
SPINDLETOP	SPINDLETOP	91	41	.57	100	34	81	61	87	52	.34	

TABLE 111 APRIL CLIMATOLOGICAL DATA, PRINCETON

	TEMP	PCPN	RH		SOILTEMP		EVAP	
			HI	LO	HI	LO	GRASS	BARE
							HI	LO
4/ 1/85	63	34	--	100	42	58	51	
4/ 2/85	55	30	--	100	38	56	48	
4/ 3/85	73	45	--	100	44	58	50	
4/ 4/85	78	58	--	100	40	60	52	
4/ 5/85	72	48	.55	100	40	58	50	
4/ 6/85	56	48	--	100	60	58	51	
4/ 7/85	56	42	.10	100	52	58	51	
4/ 8/85	58	34	.02	100	48	58	51	
4/ 9/85	52	25	--	100	30	50	45	
4/10/85	64	30	--	82	36	55	48	
4/11/85	71	54	--	68	56	55	50	
4/12/85	70	55	--	100	48	57	54	
4/13/85	73	54	.27	100	62	60	55	
4/14/85	70	56	.90	100	76	60	57	
4/15/85	65	54	.04	100	48	60	57	
4/16/85	74	49	--	100	68	62	58	
4/17/85	81	50	--	100	42	65	60	
4/18/85	83	56	--	100	50	66	62	
4/19/85	82	60	--	100	56	72	64	
4/20/85	84	61	--	100	48	68	64	
4/21/85	84	59	--	100	48	67	62	
4/22/85	85	65	--	100	42	68	64	
4/23/85	84	65	--	100	68	69	65	
4/24/85	76	59	2.45	100	68	69	65	
4/25/85	76	58	--	100	40	70	64	
4/26/85	78	58	--	98	70	70	64	
4/27/85	76	62	1.28	100	99	71	65	
4/28/85	76	62	.03	100	86	68	62	
4/29/85	78	58	--	100	50	71	66	
4/30/85	79	50	--	100	66	71	66	

*****A '*' ABOVE AN AVERAGE VALUE MEANS THERE IS *****
***** ONE OR MORE OF MISSING DATA FOR THAT ITEM *****

AVERAGES	FOR PERIOD	SUMMARY ACCUMULATIONS								FOR PERIOD	
		STATION	TEMP	PER	RH	SOILTEMP		PCPN	EVAP		
			HI	LO	Avg	HI	LO	GRASS	BARE	HI	LO
PRINCETON			72	51	62	98	54	63	57		5.64
EXTREMES FOR PERIOD											
STATION	TEMP	PCPN	RH			SOILTEMP			EVAP		
	HI	LO		HI	LO	GRASS	BARE	HI	LO		
PRINCETON	85	25	2.45	100	30	72	45				

TABLE 111 MAY CLIMATOLOGICAL DATA, PRINCETON

	TEMP	PCPN	RH		SOILTEMP		EVAP	
			HI	LO	HI	LO	GRASS	BARE
							HI	LO
5/ 1/85	78	60	1.07	100	100	70	66	
5/ 2/85	70	53	.58	100	100	70	64	
5/ 3/85	67	48	.08	100	60	70	63	
5/ 4/85	73	46	--	100	52	72	62	
5/ 5/85	79	57	--	100	54	70	63	
5/ 6/85	80	64	--	100	64	69	63	
5/ 7/85	64	62	.08	100	100	68	62	
5/ 8/85	78	52	--	100	32	72	66	
5/ 9/85	79	48	--	96	44	72	64	
5/10/85	74	60	--	94	68	73	68	
5/11/85	77	60	--	94	56	71	67	
5/12/85	84	66	.14	96	58	72	68	
5/13/85	88	65	--	100	40	73	69	
5/14/85	88	70	.05	100	48	74	70	
5/15/85	78	59	--	96	50	74	70	
5/16/85	71	59	--	96	62	74	70	
5/17/85	68	58	.03	98	70	70	68	
5/18/85	72	58	--	96	32	70	66	
5/19/85	78	46	--	94	28	76	61	
5/20/85	80	54	--	94	68	74	68	
5/21/85	81	58	--	95	68	75	76	
5/22/85	80	56	2.70	100	100	75	74	
5/23/85	68	52	.66	100	39	74	70	
5/24/85	76	50	--	96	38	72	68	
5/25/85	80	49	--	96	32	73	68	
5/26/85	83	57	--	96	50	73	63	
5/27/85	84	68	--	100	54	73	63	
5/28/85	72	62	.35	100	60	74	70	
5/29/85	82	58	--	100	64	75	72	
5/30/85	85	68	--	100	72	76	74	
5/31/85	86	76	--	100	64	76	75	

*****A '*' ABOVE AN AVERAGE VALUE MEANS THERE IS *****
***** ONE OR MORE OF MISSING DATA FOR THAT ITEM *****

AVERAGES	FOR PERIOD	SUMMARY ACCUMULATIONS	FOR PERIOD
----------	------------	--------------------------	------------

STATION	TEMP	PER	RH	SOILTEMP		PCPN	EVAP	
	HI	LO	AVG	HI	LO	GRASS	BARE	
PRINCETON	78	58	68	98	59	73	67	5.74

STATION	TEMP	PCPN	RH	SOILTEMP		EVAP		
	HI	LO		HI	LO	GRASS	BARE	
PRINCETON	88	46	2.70	100	28	76	61	

TABLE III JUNE CLIMATOLOGICAL DATA, PRINCETON

	TEMP	PCPN	RH		SOILTEMP		EVAP	
			HI	LO	HI	LO	GRASS	BARE
							HI	LO
6/ 1/85	88	58	--	100	72	78	76	
6/ 2/85	88	64	.60	98	60	76	70	
6/ 3/85	87	65	.86	98	82	79	78	
6/ 4/85	88	65	.20	100	68	79	76	
6/ 5/85	81	70	.03	100	70	78	74	
6/ 6/85	80	68	.36	100	82	77	73	
6/ 7/85	83	66	.48	100	80	78	74	
6/ 8/85	82	65	--	98	64	78	74	
6/ 9/85	88	65	--	96	60	80	74	
6/10/85	87	66	--	100	64	82	74	
6/11/85	87	65	.25	100	64	82	75	
6/12/85	75	56	.62	100	50	80	73	
6/13/85	72	46	--	100	38	78	70	
6/14/85	78	62	--	100	42	77	70	
6/15/85	83	64	.08	100	52	78	70	
6/16/85	87	64	--	96	36	80	70	
6/17/85	87	66	.78	100	80	80	72	
6/18/85	79	56	.05	96	48	78	70	
6/19/85	80	63	TRACE	96	42	76	70	
6/20/85	80	63	TRACE	96	38	76	70	
6/21/85	84	62	--	98	62	76	70	
6/22/85	81	68	.05	96	46	76	71	
6/23/85	88	68	--	96	54	77	71	
6/24/85	92	72	--	100	42	78	73	
6/25/85	90	67	.74	96	62	79	74	
6/26/85	90	68	1.20	98	54	79	73	
6/27/85	87	68	.51	96	62	80	74	
6/28/85	85	65	.57	98	92	78	75	
6/29/85	80	66	.03	96	68	76	72	
6/30/85	82	60	1.47	98	46	80	74	

*****A '*' ABOVE AN AVERAGE VALUE MEANS THERE IS *****
***** ONE OR MORE OF MISSING DATA FOR THAT ITEM *****

AVERAGES	STATION	SUMMARY ACCUMULATIONS									FOR PERIOD
		TEMP	PER	RH	SOILTEMP		PCPN		EVAP		
		HI	LO	AVG	HI	LO	GRASS	BARE	HI	LO	
PRINCETON		84	64	74	98	59	78	73		8.88	
STATION		EXTREMES FOR PERIOD									EVAP
		TEMP	PCPN	RH	SOILTEMP		EVAP				
		HI	LO		HI	LO	GRASS	BARE	HI	LO	
PRINCETON		92	46	1.47	100	36	82	70			

TABLE III JULY CLIMATOLOGICAL DATA, PRINCETON

	7/	1/85	TEMP		PCPN	RH		SOILTEMP		EVAP	
			HI	LO		HI	LO	GRASS	BARE	HI	LO
	7/	2/85	83	59	.03	96	50	78	72		
	7/	3/85	86	67	--	96	52	76	73		
	7/	4/85	86	64	.83	96	56	78	73		
	7/	5/85	82	64	3.00	82	64	77	74		
	7/	6/85	84	61	.51	96	62	78	75		
	7/	7/85	86	60	--	96	44	80	75		
	7/	8/85	91	70	--	98	62	81	76		
	7/	9/85	92	74	--	96	52	81	78		
	7/	10/85	92	74	TRACE	96	64	82	76		
	7/	11/85	88	65	--	96	48	81	76		
	7/	12/85	93	67	--	96	46	82	78		
	7/	13/85	93	77	--	96	60	83	78		
	7/	14/85	92	74	--	96	52	84	75		
	7/	15/85	93	77	--	96	62	84	77		
	7/	16/85	90	70	--	96	42	84	78		
	7/	17/85	86	59	--	96	42	84	80		
	7/	18/85	88	62	--	96	44	84	80		
	7/	19/85	92	65	--	96	52	86	80		
	7/	20/85	93	72	--	96	56	84	76		
	7/	21/85	92	71	--	98	52	84	75		
	7/	22/85	88	69	.68	96	56	84	76		
	7/	23/85	88	69	--	96	50	84	78		
	7/	24/85	90	70	--	96	56	84	78		
	7/	25/85	89	66	TRACE	96	66	84	78		
	7/	26/85	86	71	.19	96	78	82	77		
	7/	27/85	84	64	--	96	42	83	78		
	7/	28/85	86	62	--	96	56	80	76		
	7/	29/85	87	71	--	96	64	80	77		
	7/	30/85	91	70	--	96	52	82	76		
	7/	31/85	91	73	--	96	58	83	79		

*****A '*' ABOVE AN AVERAGE VALUE MEANS THERE IS *****
***** ONE OR MORE OF MISSING DATA FOR THAT ITEM *****

AVERAGES	STATION	SUMMARY ACCUMULATIONS										FOR PERIOD
		TEMP	PER	RH	SOILTEMP		PCPN		EVAP			
		HI	LO	AVG	HI	LO	GRASS	BARE	HI	LO		
	PRINCETON	88	68	78	96	56	82	76			5.41	
EXTREMES FOR PERIOD												
STATION	STATION	TEMP	PCPN	RH	SOILTEMP		EVAP		EVAP			
		HI	LO		HI	LO	GRASS	BARE	HI	LO		
	PRINCETON	93	59	3.00	98	42	86	72				

TABLE III AUGUST CLIMATOLOGICAL DATA, PRINCETON

	TEMP	PCPN	RH		SOILTEMP		EVAP	
			HI	LO	HI	LO	GRASS	BARE
							HI	LO
8/ 1/85	90	70	.33	96	90	82	78	
8/ 2/85	82	60	--	96	48	82	78	
8/ 3/85	82	62	--	92	42	82	78	
8/ 4/85	85	61	--	96	56	79	74	
8/ 5/85	83	64	1.81	98	72	79	72	
8/ 6/85	85	68	--	96	60	76	71	
8/ 7/85	86	68	--	96	58	79	75	
8/ 8/85	89	67	--	96	48	80	76	
8/ 9/85	90	67	--	96	40	81	77	
8/10/85	88	64	--	94	68	81	78	
8/11/85	87	70	--	96	60	82	77	
8/12/85	93	68	--	98	68	82	78	
8/13/85	92	72	--	96	50	84	79	
8/14/85	91	74	--	94	48	84	80	
8/15/85	90	72	.79	96	88	82	78	
8/16/85	78	68	1.24	98	92	82	78	
8/17/85	90	67	--	96	56	82	78	
8/18/85	88	64	--	94	54	82	76	
8/19/85	89	66	.17	96	52	82	77	
8/20/85	75	62	1.08	98	82	78	76	
8/21/85	80	60	--	96	48	79	74	
8/22/85	80	60	--	96	48	80	78	
8/23/85	80	65	.41	98	82	79	75	
8/24/85	80	65	1.64	98	90	78	77	
8/25/85	78	64	.29	96	52	76	72	
8/26/85	81	58	--	98	42	76	73	
8/27/85	84	55	--	98	38	78	76	
8/28/85	86	58	--	96	46	80	76	
8/29/85	89	64	--	100	42	78	74	
8/30/85	90	68	--	100	58	80	76	
8/31/85	88	65	.21	100	52	80	76	

*****A '*' ABOVE AN AVERAGE VALUE MEANS THERE IS *****
***** ONE OR MORE OF MISSING DATA FOR THAT ITEM *****

AVERAGES	FOR PERIOD	SUMMARY ACCUMULATIONS								FOR PERIOD	
		STATION	TEMP	PER	RH	SOILTEMP		PCPN	EVAP		
			HI	LO	Avg	HI	LO	GRASS	BARE	HI	LO
PRINCETON			85	65	75	97	59	80	76	7.97	
EXTREMES FOR PERIOD											
STATION	TEMP	PCPN	RH			SOILTEMP			EVAP		
	HI	LO		HI	LO	GRASS	BARE	HI	LO		
PRINCETON	93	55	1.81	100	38	84	71				

TABLE III SEPTEMBER CLIMATOLOGICAL DATA, PRINCETON

	TEMP	PCPN	RH	SOILTEMP				EVAP
				HI	LO	GRASS	BARE	
				HI	LO	HI	LO	
9/ 1/85	88	62	--	98	42	80	75	
9/ 2/85	88	67	--	96	56	80	76	
9/ 3/85	87	72	--	96	60	80	76	
9/ 4/85	88	72	.02	96	68	82	77	
9/ 5/85	84	69	1.73	98	86	80	75	
9/ 6/85	89	72	--	98	68	81	76	
9/ 7/85	91	73	--	98	68	82	78	
9/ 8/85	92	72	--	98	68	82	79	
9/ 9/85	90	72	--	96	52	82	80	
9/10/85	89	72	--	98	60	82	80	
9/11/85	83	62	--	96	38	80	76	
9/12/85	76	58	--	98	50	78	74	
9/13/85	74	55	--	96	42	76	72	
9/14/85	74	48	--	98	52	77	69	
9/15/85	75	47	--	98	38	76	68	
9/16/85	78	47	--	98	40	73	67	
9/17/85	82	56	--	96	42	73	68	
9/18/85	84	59	--	96	38	72	68	
9/19/85	84	55	--	96	40	72	68	
9/20/85	83	53	--	98	36	74	70	
9/21/85	84	62	--	96	58	74	70	
9/22/85	85	54	--	98	42	73	68	
9/23/85	77	65	.24	100	78	74	70	
9/24/85	75	41	.72	96	62	70	68	
9/25/85	75	45	--	96	40	68	66	
9/26/85	72	48	.42	96	50	66	64	
9/27/85	68	40	--	96	62	64	62	
9/28/85	72	42	--	96	40	66	64	
9/29/85	74	44	--	96	38	64	62	
9/30/85	75	50	.76	96	60	68	64	

*****A '*' ABOVE AN AVERAGE VALUE MEANS THERE IS *****
***** ONE OR MORE OF MISSING DATA FOR THAT ITEM *****

AVERAGES	STATION	SUMMARY								ACCUMULATIONS
		FOR PERIOD				ACCUMULATIONS				
PRINCETON	81	TEMP	PER	RH	SOILTEMP				PCPN	EVAP
		HI	LO	Avg	HI	LO	GRASS	BARE	HI	LO
		58	70	97	52	75	71			3.89
STATION	PRINCETON	EXTREMES FOR PERIOD								EVAP
		TEMP	PCPN	RH	HI	LO	GRASS	BARE	HI	LO
		92	40	1.73	100	36	82	62		

CHEMICAL/COMMON	TRADE NAME	COMPANY
2,4-D AMINE	FORMULA 40,WEEDAR 64	VERTAC,UNION CARBIDE
2,4-DB	BUTYRAC 200	UNION CARBIDE
2,4-D ESTER	ESTERON 99	VERTAC
AC 499		AMERICAN CYANAMID
ACIFLUORFEN 1	BLAZER 2L	ROHM & HAAS
ACIFLUORFEN 2	TACKLE	RHONE POULENC
AFX 1309		UNION CARBIDE
ALACHLOR	LASSO 4E,4MT	MONSANTO
ALACHLOR + ATRAZINE	LASSO/ATRAZINE	MONSANTO
ALACHLOR + GLYPHOSATE	BRONCO (LASSO 2.5 + ROUNDUP 1.5)	MONSANTO
AMMONIUM SULFATE		
ATRAZINE	SHELL ATRAZINE,AATREX, AATREX NINE-0	SHELL,CIBA GEIGY
BAS 517		BASF
BENAZOLIN		NORAM
BENEFIN		ELANCO
BENTAZON	BALAN	BASF
BIFENOX	BASAGRAN	RHONE POULENC
BROMOXYNIL	MODOWN	UNION CARBIDE
BROMOXYNIL 2	BROMINAL ME4	RHONE POULENC
BUTYLATE + R25788	BUCTRIL	STAUFFER
BUTYLATE + R33865	SUTAN +	STAUFFER
CGA 172764	SUTAN PKG. MIX W/R33865	CIBA GEIGY
CGA 174104		CIBA GEIGY
CGA 24704		CIBA GEIGY
CHLORAMBEN	AMIBEN 10G,75DS	UNION CARBIDE
CHLORPROPHAM	FURLOE	PPG
CLOPROXYDIM	SELECTONE	CHEVRON
CN 6180		VELSICOL
CYANAZINE	BLADEX 4L	SHELL
CYCLOATE	RO-NEET	STAUFFER
CYCLOATE + R25788	RO-NEET + R25788	STAUFFER
CYCLOATE + R29148	RO-NEET + R29148	STAUFFER
CROP OIL CONCENTRATE	AMOCO,PEPTOIL,TORCH	
DICAMBA	BANVEL	VELSICOL
DIPHENAMID	ENIDE	NORAM
DOWCO 356	TANDEM	DOW
DOWCO 453	VERDICT	DOW
DPX F6025	CLASSIC	DUPONT
DPX F6025 + METRIBUZIN	CANOPY	DUPONT
DPX M6316		DUPONT
DPX 8259		DUPONT
DPX 9674		DUPONT
EL 107		ELANCO
EPTC + R25788	ERADICANE	STAUFFER
EPTC + R25788 + R33865	ERADICANE EXTRA	STAUFFER
ETHALFLURALIN	SONALAN	ELANCO
FMC 57020	COMMAND	FMC
FLUAZIFOP-BUTYL	FUSILADE,FUSILADE 2000	ICI
GLYPHOSATE	ROUNDUP	MONSANTO
HOE 581	WHIP	AMERICAN HOECHST
HOE 39866 (661)	HOE 661 (BASTA)	AMERICAN HOECHST

IMAZAQUIN	SCEPTER	AMERICIN CYANAMID
ISOPROPALIN	PAARLAN	ELANCO
LINURON	LOROX	DUPONT
LIQUID FERTILIZER		
METALACHLOR	DUAL	CIBA GEIGY
METALACHLOR + ATRAZINE	BICEP 4.5,6L	CIBA GEIGY
METHAZOLE		VELSICOL
METRIBUZIN 1	SENCOR 4L,75DF	MOBAY
METRIBUZIN 1 OR 2	METRIBUZIN	
METRIBUZIN 2	LEXONE 4L,75DF	DUPONT
MZH 2091		MOBAY
NANPA/DN	DYANAP 3E	UNIROYAL
NAPROPAMIDE	DEVRINOL	STAUFFER
NAPTALAM + 2,4-DB	RESCUE	UNIROYAL
ORYZALIN	SURFLAN	ELANCO
PARAQUAT	PARAQUAT PLUS	CHEVRON
PEBULATE	TILLAM	STAUFFER
PENDIMETHALIN	PROWL	AMERICAN CYANAMID
PPG 844	COBRA	PPG
PPG 1013		PPG
PPG 1259		PPG
PRODIAMINE		VELSICOL
PYRIDATE	RS/010	RIVERSIDE TERRA
R40224	RACER	STAUFFER
RE 39571		CHEVRON
RH-0265		ROHM & HAAS
SC 0051		STAUFFER
SC 0058		STAUFFER
SC 0224		STAUFFER
SC 0774		STAUFFER
SC 1084		STAUFFER
SC 5676		STAUFFER
SD 95481	CINCH	SHELL
SD 15418	BLADEX DF	SHELL
SETHOXYDIM	POAST	BASF
SIMAZINE	PRINCEP	CIBA GEIGY
SURFACTANT	X-77,TRITON AG 98	
TRIFLURALIN	TREFLAN	ELANCO
VERNOLATE + R33865	REWARD	STAUFFER
Y6202	ASSURE	DUPONT

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5001 CORN PREEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JUNE 6				JULY 6							
					GRAS	BRLE	CRIN	GIFT	VELE	JIWE	ILMG	CRIN	GIFT	VELE	JIWE	ILMG
1	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	98	82	0	98	92	92	82	0	82	38	25	28
2	ALACHLOR	4.00 MT	3.000 LB/AC	PRE	92	72	0	92	92	92	75	0	90	38	35	32
3A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	98	98	0	100	100	100	98	0	98	100	100	92
3B	ATRAZINE	4.00 L	1.500 LB/AC	PRE												
4A	ALACHLOR	4.00 MT	7.500 LB/AC	PRE	100	100	5	100	100	100	100	0	100	100	100	95
4B	ATRAZINE	4.00 L	1.500 LB/AC	PRE												
5A	ALACHLOR	4.00 E	2.500 LB/AC	PRE	100	100	0	100	100	100	100	0	100	100	100	95
5B	ATRAZINE	4.00 L	1.500 LB/AC	PRE												
6A	ALACHLOR	4.00 E	7.500 LB/AC	PRE	100	100	8	100	100	100	100	0	100	100	100	100
6B	ATRAZINE	4.00 L	1.500 LB/AC	PRE												
7A	ALACHLOR	4.00 MT	2.000 LB/AC	PRE	100	98	8	100	100	100	100	0	98	100	95	82
7B	CYANAZINE	4.00 L	2.000 LB/AC	PRE												
7C	ATRAZINE	4.00 L	1.000 LB/AC	PRE												
8	METOLACHLOR	8.00 E	2.500 LB/AC	PRE	95	78	0	95	85	82	75	0	82	40	32	30
9	METOLACHLOR	8.00 E	3.000 LB/AC	PRE	100	82	0	100	98	90	82	0	90	38	35	30
10A	METOLACHLOR	8.00 E	2.500 LB/AC	PRE	98	95	0	98	98	100	95	0	95	98	100	82
10B	ATRAZINE	4.00 L	.750 LB/AC	PRE												
11A	METOLACHLOR	8.00 E	2.500 LB/AC	PRE	100	100	0	100	100	100	100	0	100	100	100	92
11B	ATRAZINE	4.00 L	1.500 LB/AC	PRE												
12A	METOLACHLOR	8.00 E	7.500 LB/AC	PRE	100	98	2	100	100	100	98	0	100	95	100	95
12B	ATRAZINE	4.00 L	1.500 LB/AC	PRE												
13A	METOLACHLOR	8.00 E	2.500 LB/AC	PRE	98	92	0	100	95	95	92	0	100	95	88	88
13B	PPG 1259	.50 EC	.150 LB/AC	PRE												
14A	METOLACHLOR	8.00 E	2.500 LB/AC	PRE	98	90	0	98	95	98	92	0	95	90	98	88
14B	PPG 1013	.25 EC	.150 LB/AC	PRE												
15A	METOLACHLOR	8.00 E	2.500 LB/AC	PRE	98	85	0	98	92	92	85	0	98	68	65	62
15B	PPG-844	2.00 E	.150 LB/AC	PRE												
16A	METOLACHLOR	8.00 E	2.500 LB/AC	PRE	100	98	0	100	100	100	98	0	98	92	98	95
16B	ATRAZINE	4.00 L	.750 LB/AC	PRE												
16C	PPG 1259	.50 EC	.150 LB/AC	PRE												

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5001 CORN PREEMERGENCE

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5001 CORN PREEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JUNE 6						JULY 6						
					GRAS	BRLE	CRIN	GIFT	VELE	JIWE	ILMG	CRIN	GIFT	VELE	JIWE	ILMG	
33A	CGA 172764	2.09 EC	7.500	LB/AC PRE	100	100	0	100	100	100	100	0	100	100	100	98	
33B	ATRAZINE	4.00 L	1.500	LB/AC PRE													
34A	CGA 174104	2.09 EC	2.500	LB/AC PRE	100	100	0	100	100	100	100	0	98	100	100	90	
34B	ATRAZINE	4.00 L	1.500	LB/AC PRE													
35A	CGA 174104	2.09 EC	7.500	LB/AC PRE	100	100	0	100	100	100	100	0	100	100	100	95	
35B	ATRAZINE	4.00 L	1.500	LB/AC PRE													
36	SC 0051	.50 E	1.000	LB/AC PRE	72	98	0	80	100	100	98	0	32	92	95	88	
37	SC 0051	.50 E	1.500	LB/AC PRE	72	90	0	72	92	90	90	0	45	98	98	92	
38	SC 0051	.50 E	2.000	LB/AC PRE	82	95	0	82	100	100	95	0	52	100	100	90	
39A	SC 0051	.50 E	1.000	LB/AC PRE	92	100	2	92	100	100	100	0	82	100	98	90	
39B	ATRAZINE	4.00 L	1.500	LB/AC PRE													
20	40A	SC 0051	.50 E	1.500	LB/AC PRE	90	100	0	90	100	100	100	0	80	100	100	90
	40B	ATRAZINE	4.00 L	1.500	LB/AC PRE												
	41A	SC 0051	.50 E	1.500	LB/AC PRE	100	98	0	100	100	100	95	0	98	100	100	92
	41B	METOLACHLOR	8.00 E	1.500	LB/AC PRE												
	42	SC 5676	4.00 E	.750	LB/AC PRE	100	85	0	100	95	92	85	0	98	55	52	45
	43	SC 5676	4.00 E	1.500	LB/AC PRE	100	85	5	100	98	98	85	0	98	55	50	50
	44A	SC 5676	4.00 E	.750	LB/AC PRE	100	100	2	100	100	100	100	0	90	98	100	98
	44B	ATRAZINE	4.00 L	1.500	LB/AC PRE												
	45A	SC 5676	4.00 E	1.500	LB/AC PRE	100	98	0	100	100	100	100	0	88	98	88	95
	45B	ATRAZINE	4.00 L	1.500	LB/AC PRE												
46	SC 0774	1.00 E	.500	LB/AC PRE	90	75	2	90	95	82	82	0	88	92	62	62	
47	SC 0774	1.00 E	1.000	LB/AC PRE	95	88	0	95	92	88	85	0	88	88	58	52	
48	CHECK (CULTIVATED)	.00 CK	.000		100	100	0	100	100	100	100	0	100	100	100	100	
				LSD(05):	5	8	4	6	5	5	7	0	6	6	5	7	

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5001 CORN PREEMERGENCE

LOCATION: SPINDLETOP FARM SOIL TYPE: MAURY SILT LOAM
FERTILIZATION (LB/AC): 250 N, 60 P, 60 K PH: 6.6 O.M.: 3.3%
DATE PLANTED: MAY 6 DATE TREATED: PRE MAY 6
VARIETY: PIONEER 3369A

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5002 CORN PREPLANT INCORPORATED

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5002 CORN PREPLANT INCORPORATED

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JUNE				13		RRPW	
					GRAS	BRLE	CRIN	GIFT	VELE	COLQ		
16A	CYCLOATE/R 25788	6.00	EC	3.000	LB/AC	PPI	93	100	0	93	100	100
16B	ATRAZINE	4.00	L	1.500	LB/AC	PPI						
17A	CYCLOATE/R 29148	6.00	EC	3.000	LB/AC	PPI	97	100	0	97	100	100
17B	ATRAZINE	4.00	L	1.500	LB/AC	PPI						
18	CHECK (CULTIVATED)	.00	CK	.000			100	100	0	100	100	100
				LSD(05):			6	8	30	6	NS	11
											NS	NS

LOCATION: SPINDLETOP FARM

FERTILIZATION (LB/AC): 250 N, 60 P, 60 K

SOIL TYPE: MAURY SILT LOAM

DATE PLANTED: MAY 7 DATE TREATED: PPI MAY 7

VARIETY: PIONEER 3369A

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5011 CORN PREPLANT INCORPORATED

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JULY 8					
					CRIN	GIFT	VELE	COLQ	JIWE	RRPW
1A	ALACHLOR	4.00	MT	2.500 LB/AC PPI	0	100	97	40	77	100
1B	BUTYLATE + R-25788	6.70	E	4.000 LB/AC PPI						
2	METALACHLOR + ATRAZI	4.50	F	4.500 LB/AC PPI	0	93	100	97	100	97
3A	CYANAZINE + ATRAZINE	4.00	L	3.000 LB/AC PPI	0	100	100	100	100	100
3B	BUTYLATE + R-25788	6.70	E	4.000 LB/AC PPI						
4A	RE 39571	3.00	E	1.500 LB/AC PPI	57	60	100	100	100	100
4B	ATRAZINE	4.00	L	1.500 LB/AC PPI						
5A	RE 39571	3.00	E	2.000 LB/AC PPI	57	77	73	100	100	100
5B	ATRAZINE	4.00	L	1.500 LB/AC PPI						
6A	ALACHLOR PKG MIX WITH ATRAZINE	2.50	L	2.500 LB/AC PPI	0	83	100	100	100	100
6B		1.50		1.500 PPI						
7A	EPTC + R-25788	6.70	E	6.000 LB/AC PPI	0	97	100	100	100	100
7B	ATRAZINE	4.00	L	1.500 LB/AC PPI						
8A	EPTC+R25788+R33865	6.00	EC	6.000 LB/AC PPI	0	100	100	100	100	100
8B	ATRAZINE	4.00	L	1.500 LB/AC PPI						
9A	ERADICANE + R33865	6.00	E	6.000 LB/AC PPI	0	100	100	100	100	100
9B	ATRAZINE	4.00	L	1.500 LB/AC PPI						
10A	EPTC + R-25788	6.70	E	6.000 LB/AC PPI	0	100	97	100	100	100
10B	SC 0058	6.00	E	1.000 LB/AC PPI						
10C	ATRAZINE	4.00	L	1.500 LB/AC PPI						
11A	EPTC + R-25788	6.70	E	6.000 LB/AC PPI	0	100	100	100	100	100
11B	SC 0058	6.00	E	2.000 LB/AC PPI						
11C	ATRAZINE	4.00	L	1.500 LB/AC PPI						
12A	BUTYLATE + R-25788	6.70	E	6.000 LB/AC PPI	0	100	100	100	100	100
12B	ATRAZINE	4.00	L	1.500 LB/AC PPI						
13A	BUTYLATE+ + R 33865	6.00	E	6.000 LB/AC PPI	30	93	93	100	100	100
13B	ATRAZINE	4.00	L	1.500 LB/AC PPI						
14A	BUTYLATE + R-25788	6.70	E	6.000 LB/AC PPI	0	100	100	100	100	100
14B	SC 0058	6.00	E	1.000 LB/AC PPI						
14C	ATRAZINE	4.00	L	1.500 LB/AC PPI						
15A	BUTYLATE + R-25788	6.70	E	6.000 LB/AC PPI	0	100	100	100	100	100
15B	SC 0058	6.00	E	2.000 LB/AC PPI						
15C	ATRAZINE	4.00	L	1.500 LB/AC PPI						

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5011 CORN PREPLANT INCORPORATED

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JULY 8					
					CRIN	GIFT	VELE	COLQ	JIWE	RRPW
16A	CYCLOATE/R 25788	6.00	EC	3.000 LB/AC PPI	0	87	100	100	100	100
16B	ATRAZINE	4.00	L	1.500 LB/AC PPI						
17A	CYCLOATE/R 29148	6.00	EC	3.000 LB/AC PPI	0	90	100	100	100	100
17B	ATRAZINE	4.00	L	1.500 LB/AC PPI						
18	CHECK (CULTIVATED)	.00	CK	.000	0	100	100	100	100	100
				LSD(05):	29	13	11	5	8	NS

LOCATION: SPINDLETOP FARM

FERTILIZATION (LB/AC): 250 N, 60 P, 60 K SOIL TYPE: MAURY SILT LOAM

DATE PLANTED: MAY 7 DATE TREATED: PPI MAY 7 PH: 6.6 O.M.: 3.3%

VARIETY: PIONEER 3369A

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5003 CORN POSTEMERGENCE

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY 1985

TABLE C5003 CORN POSTEMERGENCE

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5003 CORN POSTEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	-4 WEEKS AFTER APPLICATION								-8 WEEKS AFTER APPLICATION			
					GRAS	BRLE	CRIN	GIFT	VELE	COLQ	JIWE	CRIN	GIFT	VELE	COLQ	JIWE
25A 25B 25C	DOWCO 356 ATRAZINE OIL CONCENTRATE	4.00 4.00 .00	E L AD	.750 1.500 1.000	LB/AC SPK LB/AC SPK QT/AC SPK	95 95 100	95 100 95	10 95 100	95 100 100	95 100 100	100 98 98	0 0 0	92 90 90	100 95 95	98 95 100	100 98 100
	DOWCO 356 ATRAZINE OIL CONCENTRATE	4.00 4.00 .00	E L AD	.750 1.500 1.000	LB/AC 2LF LB/AC 2LF QT/AC 2LF	95 95 100	95 100 100	5 95 100	95 100 100	95 100 100	98 98 98	0 0 0	90 90 90	95 95 95	98 95 98	100 100 100
	DOWCO 356 ATRAZINE CYANAZINE	4.00 4.00 80.00	E L WP	.500 .800 .800	LB/AC SPK LB/AC SPK LB/AC SPK	92 98 100	98 100 100	8 92 100	92 100 100	92 100 100	98 100 100	0 0 0	90 90 90	100 100 100	100 100 100	100 100 100
27A 27B 27C	DOWCO 356 ATRAZINE CYANAZINE	4.00 4.00 80.00	E L WP	.500 .800 .800	LB/AC 2LF LB/AC 2LF LB/AC 2LF	100 100 100	100 100 100	0 0 0	98 100 100	98 100 100	98 100 100	0 0 0	92 92 92	95 95 95	98 98 98	100 100 100
	DOWCO 356 ATRAZINE CYANAZINE OIL CONCENTRATE	4.00 4.00 80.00 .00	E L WP AD	.500 1.000 .400 .500	LB/AC SPK LB/AC SPK LB/AC SPK QT/AC SPK	95 98 98 98	95 98 98 98	0 0 0 0	95 98 98 98	95 98 98 98	95 98 98 98	0 0 0 0	85 85 85 85	82 82 82 82	75 75 75 75	92 92 92 92
	DOWCO 356 ATRAZINE CYANAZINE OIL CONCENTRATE	4.00 4.00 80.00 .00	E L WP AD	.500 1.000 .400 .500	LB/AC 2LF LB/AC 2LF LB/AC 2LF QT/AC 2LF	100 100 100 100	100 100 100 100	5 100 100 100	100 100 100 100	100 100 100 100	100 100 100 100	0 0 0 0	90 90 90 90	98 98 98 98	100 100 100 100	100 100 100 100
28	DOWCO 356 ATRAZINE CYANAZINE OIL CONCENTRATE	4.00 4.00 80.00 .00	E L WP AD	.500 1.000 .400 .500	LB/AC 5LF LB/AC 5LF LB/AC 5LF QT/AC 5LF	95 95 95 95	95 95 95 95	10 10 10 10	95 92 98 92	95 98 98 92	95 98 98 92	0 0 0 0	90 90 90 90	92 92 90 92	90 90 90 92	92 92 90 92
	DOWCO 356 ATRAZINE DOWCO 356 ATRAZINE OIL CONCENTRATE	4.00 4.00 4.00 4.00 .00	E L E L AD	.500 1.500 .500 1.500 1.000	LB/AC +7D LB/AC +7D LB/AC +7D LB/AC +7D QT/AC +7D	95 95 95 95 95	95 95 95 95 95	10 10 10 10 10	95 92 98 92 92	95 98 98 92 92	95 98 98 92 92	0 0 0 0 0	90 90 90 90 90	92 92 90 92 92	90 90 90 92 92	92 92 90 92 92
	BENTAZON ATRAZINE OIL CONCENTRATE	4.00 4.00 .00	E L AD	1.000 1.500 1.000	LB/AC EP LB/AC EP QT/AC EP	50 98 98	98 0 0	0 50 50	98 98 98	98 98 98	98 98 98	0 0 0	42 42 42	95 95 95	95 95 95	95 95 95
	BROMOXYNIL 2 ATRAZINE DOWCO 356	2.00 4.00 4.00	E L E	.250 .500 .500	LB/AC 4LF LB/AC 4LF LB/AC 4LF	75 100 100	100 0 0	0 75 75	100 100 100	100 100 100	100 100 100	0 0 0	72 72 72	100 100 100	100 100 100	100 100 100
	PYRIDATE ATRAZINE	45.00 4.00	WP L	.900 1.500	LB/AC EP LB/AC EP	80 98	98 0	0 80	98 98 98	100 100 100	100 100 100	2 2	75 75	90 90	92 92	95 95
	PYRIDATE CYANAZINE	45.00 80.00	WP WP	.900 1.500	LB/AC EP LB/AC EP	95 100	100 10	10 95	100 100 100	100 100 100	100 100 100	0 0	88 88	92 92	88 88	92 92

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5003 CORN POSTEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION						8 WEEKS AFTER APPLICATION					
					GRAS	BRLE	CRIN	GIFT	VELE	COLQ	JIWE	CRIN	GIFT	VELE	COLQ	JIWE
36	CHECK (CULTIVATED)	.00 CK	.000		100	100	0	100	100	100	100	0	100	100	100	100
		LSD(05):			12	7	11	12	6	NS	4	NS	10	8	8	6

LOCATION: SPINDLETOP FARM

FERTILIZATION (LB/AC): 250 N, 60 P, 60 K SOIL TYPE: MAURY SILT LOAM

DATE PLANTED: MAY 7 DATE TREATED: PRE MAY 7

VARIETY: PIONEER 3369A

PH: 6.5 O.M.: 3.8%

SPK MAY 13

2LF MAY 16

3LF MAY 20

4LF MAY 24

5LF MAY 28, +7D JUNE

EP MAY 30

LP JUNE 10

TREATMENTS 27-32 DIRECTED TO LOWER 6-10" OF 30" CORN

TREATMENTS 27-32 10 GPA

2LF = 2-3 LEAF STAGE OF CORN

3LF = 3-4 LEAF STAGE OF CORN

4LF = 4-5 LEAF STAGE OF CORN

5LF = 4-6 LEAF STAGE OF CORN

POD = POSTEMERGENCE DIRECTED

SPK = SPIKE STAGE OF CORN

+7D = SEQUENTIAL TREATMENT 7 DAYS AFTER INITIAL APPLICATION

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5008 CORN POSTEMERGENCE II

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5008 CORN POSTEMERGENCE II

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION				JIWE	PESW	ILMG	PRSI			
					GRAS	BRLE	CRIN	GIFT	VELE	COLQ					
12A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	88	90	0	88	92	98	98	100	98	92	
12B	BROMOXYNIL	4.00 E	.250	LB/AC EP											
12C	2,4 D AMINE	4.00 E	.250	LB/AC EP											
13A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	98	98	0	98	98	100	100	98	100	100	
13B	BROMOXYNIL	4.00 E	.250	LB/AC EP											
13C	ATRAZINE	4.00 L	1.000	LB/AC EP											
14A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	92	95	0	92	95	100	100	100	95	100	
14B	AFX-1309	4.00 F	.750	LB/AC EP											
15A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	100	100	0	100	100	100	100	100	100	100	
15B	AFX-1309	4.00 F	.250	LB/AC EP											
15C	ATRAZINE	4.00 L	1.000	LB/AC EP											
16A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	95	80	0	95	70	95	100	100	98	98	
16B	DICAMBA	4.00 S	.250	LB/AC MP											
31	17A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	90	90	0	90	90	100	98	100	95	98
	17B	DICAMBA	4.00 S	.500	LB/AC EP										
	18A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	98	100	0	98	100	100	100	100	100	100
	18B	CN 6180	3.20 F	1.600	LB/AC EP										
LSD(05):					6	8	0	6	8	8	NS	NS	10	6	

LOCATION: SPINDLETOP FARM

FERTILIZATION (LB/AC): 250 N, 60 P, 60 K SOIL TYPE: MAURY SILT LOAM
DATE PLANTED: MAY 7 DATE TREATED: PRE MAY 7 PH: 7.0 O.M.: 5.1%
VARIETY: PIONEER 3369A EP MAY 27
MP JUNE 4

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5014 CORN POSTEMERGENCE II

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	8 WEEKS AFTER APPLICATION					
					CRIN	GIFT	VELE	COLQ	JIWE	ILMG
1A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	88	82	88	98	82
1B	BENAZOLIN	4.00 F	.250	LB/AC MP						
1C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP						
2A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	85	95	95	98	78
2B	BENAZOLIN	4.00 F	.380	LB/AC MP						
2C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP						
3A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	92	80	72	100	90
3B	BENAZOLIN	4.00 F	.130	LB/AC MP						
3C	DICAMBA	4.00 S	.130	LB/AC MP						
4A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	88	92	98	95	90
4B	BENAZOLIN	4.00 F	.130	LB/AC MP						
4C	DICAMBA	4.00 S	.250	LB/AC MP						
5A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	80	92	98	100	90
5B	BENAZOLIN	4.00 F	.250	LB/AC MP						
5C	DICAMBA	4.00 S	.130	LB/AC MP						
6A	ALACHLOR	4.00 MT	5.000	LB/AC PRE	0	85	78	85	98	85
6B	DICAMBA	4.00 S	.130	LB/AC MP						
6C	2,4-D AMINE	4.00 E	.130	LB/AC MP						
7A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	95	98	100	100	98
7B	ATRAZINE	4.00 L	.250	LB/AC MP						
7C	BENAZOLIN	4.00 F	.130	LB/AC MP						
7D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP						
8A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	95	100	100	100	100
8B	ATRAZINE	4.00 L	.500	LB/AC MP						
8C	BENAZOLIN	4.00 F	.130	LB/AC MP						
8D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP						
9A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	85	98	100	95	95
9B	BROMOXYNIL	4.00 E	.500	LB/AC EP						
10A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	80	95	95	92	98
10B	BROMOXYNIL	4.00 F	.250	LB/AC EP						
10C	DICAMBA	4.00 S	.130	LB/AC EP						
11A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	85	92	98	98	92
11B	BROMOXYNIL	4.00 E	.250	LB/AC EP						
11C	2,4 D AMINE	4.00 E	.130	LB/AC EP						

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5014 CORN POSTEMERGENCE II

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	8 WEEKS AFTER				APPLICATION	
					CRIN	GIFT	VELE	COLQ	JIWE	ILMG
12A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	0	82	98	95
12B	BROMOXYNIL	4.00	E	.250	LB/AC	EP				
12C	2,4 D AMINE	4.00	E	.250	LB/AC	EP				
13A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	0	95	100	100
13B	BROMOXYNIL	4.00	E	.250	LB/AC	EP				
13C	ATRAZINE	4.00	L	1.000	LB/AC	EP				
14A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	0	90	100	100
14B	AFX-1309	4.00	F	.750	LB/AC	EP				
15A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	0	98	98	100
15B	AFX-1309	4.00	F	.250	LB/AC	EP				
15C	ATRAZINE	4.00	L	1.000	LB/AC	EP				
16A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	0	90	85	92
16B	DICAMBA	4.00	S	.250	LB/AC	MP				
17	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	0	88	98	100
	DICAMBA	4.00	S	.500	LB/AC	EP				
18A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	0	98	100	100
18B	CN 6180	3.20	F	1.600	LB/AC	EP				
LSD(05):					0	9	8	10	NS	10

LOCATION: SPINDELTOP FARM SOIL TYPE: MAURY SILT LOAM
FERTILIZATION (LB/AC): 250 N, 60 P, 60 K PH: 7.0 O.M.: 5.1%
DATE PLANTED: MAY 7 DATE TREATED: PRE MAY 7
VARIETY: PIONEER 3369A EP MAY 27
MP JUNE 4

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5004 NO-TILL CORN STALKLAND

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JUNE 14				JULY 9				
					GRAS	BRLE	CRIN	RRPW	CRIN	GIFT	LACG	RRPW	
1A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	88	98	2	98	0	68	88
1B	ATRAZINE	4.00	L	1.500	LB/AC	PRE							
1C	GLYPHOSATE	4.00	E	.500	LB/AC	PRE							
1D	BROMOXYNIL 2	2.00	E	.250	LB/AC	EP							
2A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	75	98	0	98	0	75	82
2B	ATRAZINE	4.00	L	1.500	LB/AC	PRE							
2C	GLYPHOSATE	4.00	E	.500	LB/AC	PRE							
2D	BROMOXYNIL 2	2.00	E	.380	LB/AC	EP							
3A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	90	100	5	100	0	85	92
3B	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE							
3C	X-77 (SURFACTANT)	.50	WA	.250	%	PRE							
3D	PYRIDATE	45.00	WP	.900	LB/AC	EP							
3E	ATRAZINE	4.00	L	1.500	LB/AC	EP							
4A	ALACHLOR	4.00	E	2.500	LB/AC	PRE	95	75	2	75	0	90	100
4B	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE							
4C	X-77 (SURFACTANT)	.50	WA	.250	%	PRE							
4D	PYRIDATE	45.00	WP	.900	LB/AC	EP							
4E	ATRAZINE	4.00	L	1.500	LB/AC	EP							
5A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	50	100	5	100	0	42	52
5B	GLYPHOSATE	4.00	E	1.000	LB/AC	PRE							
5C	DICAMBA	4.00	S	.250	LB/AC	MP							
6A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	62	50	0	50	0	68	82
6B	GLYPHOSATE	4.00	E	1.000	LB/AC	PRE							
6C	DICAMBA	4.00	S	.500	LB/AC	MP							
7A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	88	100	2	100	0	78	88
7B	ATRAZINE	4.00	L	1.500	LB/AC	PRE							
7C	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE							
7D	X-77 (SURFACTANT)	.50	WA	.250	%	PRE							
8A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	72	100	0	100	5	70	95
8B	ATRAZINE	4.00	L	2.000	LB/AC	PRE							
8C	GLYPHOSATE	4.00	E	.750	LB/AC	PRE							
8D	X-77 (SURFACTANT)	.50	WA	.500	%	PRE							
9A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	78	100	2	100	0	78	90
9B	ATRAZINE	4.00	L	2.000	LB/AC	PRE							
9C	GLYPHOSATE	4.00	E	1.000	LB/AC	PRE							
10A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	52	100	8	100	0	58	92
10B	ATRAZINE	4.00	L	2.000	LB/AC	PRE							
10C	SC 0224	4.00	LC	1.500	LB/AC	PRE							

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5004 NO-TILL CORN STALKLAND

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JUNE		14 RRPW	JULY		9 RRPW
					GRAS	BRLE		CRIN	GIFT	
11A	METOLACHLOR	8.00 E	2.500	LB/AC PRE	82	100	0	100	0	88
11B	ATRAZINE	4.00 L	1.500	LB/AC PRE						90
11C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE						
11D	X-77 (SURFACTANT)	.50 WA	.250	% PRE						
12A	METOLACHLOR	8.00 E	2.500	LB/AC PRE	88	95	2	95	0	82
12B	ATRAZINE	4.00 L	1.500	LB/AC PRE						85
12C	HOE 661	1.78 AS	.900	LB/AC PRE						
13A	METOLACHLOR	8.00 E	2.500	LB/AC PRE	82	80	0	80	0	75
13B	ATRAZINE	4.00 L	1.500	LB/AC PRE						72
13C	HOE 661	1.78 AS	1.000	LB/AC PRE						
14A	METOLACHLOR	8.00 E	2.500	LB/AC PRE	80	92	0	92	0	78
14B	ATRAZINE	4.00 L	1.500	LB/AC PRE						88
14C	HOE 661	1.78 AS	1.200	LB/AC PRE						
15A	METOLACHLOR	8.00 E	2.500	LB/AC PRE	88	98	0	98	0	82
15B	ATRAZINE	4.00 L	1.500	LB/AC PRE						98
15C	HOE 39866	1.78 AS	.500	LB/AC PRE						
16A	METOLACHLOR	8.00 E	2.500	LB/AC PRE	98	100	0	100	5	92
16B	ATRAZINE	4.00 L	1.500	LB/AC PRE						92
16C	HOE 39866	1.78 AS	.670	LB/AC PRE						100
17A	ATRAZINE	4.00 L	1.500	LB/AC PRE	75	90	8	90	2	65
17B	ALACHLOR + GLYPHOSAT	4.00 E	4.000	LB/AC PRE						58
17B	ALACHLOR + GLYPHOSAT	4.00 E	4.000	LB/AC PRE						72
18A	CYANAZINE	4.00 L	2.000	LB/AC PRE	92	100	5	100	0	92
18B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE						88
18C	X-77 (SURFACTANT)	.50 WA	.250	% PRE						100
18D	DOWCO 356	4.00 E	.500	LB/AC EP						
18E	ATRAZINE	4.00 L	1.500	LB/AC EP						
18F	OIL CONCENTRATE	.00 AD	1.000	QT/AC EP						
19A	CYANAZINE	4.00 L	2.000	LB/AC PRE	90	82	12	82	2	78
19B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE						80
19C	X-77 (SURFACTANT)	.50 WA	.250	% PRE						52
19D	DOWCO 356	4.00 E	.500	LB/AC EP						
19E	CYANAZINE	80.00 WP	1.600	LB/AC EP						
20A	SIMAZINE	4.00 L	1.000	LB/AC PRE	98	100	2	100	0	95
20B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE						100
20C	X-77 (SURFACTANT)	.50 WA	.250	% PRE						
20D	DOWCO 356	4.00 E	.500	LB/AC EP						
20E	ATRAZINE	4.00 L	1.500	LB/AC EP						
20F	OIL CONCENTRATE	.00 AD	1.000	QT/AC EP						

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5004 NO-TILL CORN STALKLAND

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JUNE		14	RRPW	JULY		RRPW
					GRAS	BRLE	CRIN		CRIN	GIFT	
21A	DOWCO 356	4.00 E	.500	LB/AC PRE	88	98	2	98	0	75	75
21B	ATRAZINE	4.00 L	2.000	LB/AC PRE							
21C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE							
21D	X-77 (SURFACTANT)	.50 WA	.250	% PRE							
22A	METALACHLOR + ATRAZI	4.50 F	3.600	LB/AC PRE	70	100	0	100	0	75	70
22B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE							
22C	X-77 (SURFACTANT)	.50 WA	.250	% PRE							
23A	METALACHLOR + ATRAZI	4.50 F	4.500	LB/AC PRE	82	98	5	98	0	78	78
23B	HOE 661	1.78 AS	.500	LB/AC PRE							
24A	METALACHLOR + ATRAZI	4.50 F	4.500	LB/AC PRE	88	100	0	100	0	78	80
24B	HOE 661	1.78 AS	.750	LB/AC PRE							
25A	METALACHLOR + ATRAZI	4.50 F	4.500	LB/AC PRE	90	100	0	100	0	85	82
25B	HOE 661	1.78 AS	1.000	LB/AC PRE							
26	GLYPHOSATE	4.00 E	1.000	LB/AC PRE							
	EPTC+R25788+R33865	6.00 EC	4.000	LB/AC PRE	95	100	0	100	2	88	95
27A	GLYPHOSATE	4.00 E	1.000	LB/AC PRE	100	100	0	100	0	92	95
27B	BUTYLATE + R-25788	6.70 E	4.000	LB/AC PRE							
28A	CYANAZINE + ATRAZINE	4.00 L	4.000	LB/AC PRE	85	72	0	72	0	80	75
28B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE							
28C	X-77 (SURFACTANT)	.50 WA	.250	% PRE							
29A	R-40244	2.00 L	.500	LB/AC PRE	88	72	8	72	0	82	85
29B	METOLACHLOR	8.00 E	2.500	LB/AC PRE							
29C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE							
29D	X-77 (SURFACTANT)	.50 WA	.250	% PRE							
30A	R-40244	2.00 L	.750	LB/AC PRE	88	78	10	78	0	80	85
30B	METOLACHLOR	8.00 E	2.500	LB/AC PRE							
30C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE							
30D	X-77 (SURFACTANT)	.50 WA	.250	% PRE							
31A	R-40244	2.00 L	1.000	LB/AC PRE	95	88	22	88	2	88	88
31B	METOLACHLOR	8.00 E	2.500	LB/AC PRE							
31C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE							
31D	X-77 (SURFACTANT)	.50 WA	.250	% PRE							
32A	PPG-844	2.00 E	.250	LB/AC PRE	55	58	2	58	2	68	65
32B	ALACHLOR	4.00 MT	2.000	LB/AC PRE							
32C	GLYPHOSATE	4.00 E	.500	LB/AC PRE							

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5004 NO-TILL CORN STALKLAND

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5004 NO-TILL CORN STALKLAND

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JUNE 14			CRIN	JULY 9			LAGC	RRPW	
					GRAS	BRLE	CRIN		CRIN	GIFT	LAGC			
45A	SC 5676	4.00	E	2.000	LB/AC	PRE	98	95	20	95	2	82	90	75
45B	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE								
45C	X-77 (SURFACTANT)	.50	WA	.250	%	PRE								
46A	SC 5676	4.00	E	3.000	LB/AC	PRE	92	90	20	90	5	78	75	62
46B	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE								
46C	X-77 (SURFACTANT)	.50	WA	.250	%	PRE								
47A	SC 5676	4.00	E	2.000	LB/AC	PRE	90	100	5	100	0	90	82	98
47B	ATRAZINE	4.00	L	1.500	LB/AC	PRE								
47C	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE								
47D	X-77 (SURFACTANT)	.50	WA	.250	%	PRE								
48A	SC 5676	4.00	E	3.000	LB/AC	PRE	80	90	0	90	0	75	70	82
48B	ATRAZINE	4.00	L	1.500	LB/AC	PRE								
48C	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE								
48D	X-77 (SURFACTANT)	.50	WA	.250	%	PRE								
		LSD(05):				25	30	11	30	NS	20	19	25	

LOCATION: SPINDLETOP FARM

FERTILIZATION (LB/AC): .250 N, 60 P, 60 K SOIL TYPE: MAURY SILT LOAM
DATE PLANTED: MAY 6 DATE TREATED: PRE MAY 6 PH: 6.7 O.M.: 4.4%
VARIETY: PIONEER 3369A EP MAY 30
MP JUNE 10TREATMENTS 15-16 RATE BURNDOWN 10-14 AND 21-28 DAT
TREATMENTS 26-27 ARE IMPREGNATED ON FERTILIZER

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5005 NO-TILL CORN LOW VOLUME CARRIER

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JUNE 15									
					GRAS	BRLE	CRIN	GIFT	LACG	VELE	RRPW	ILMG	PRSI	
1A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	95	95	0	98	95	95	100	100	100	
1B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP										
1C	ALACHLOR	4.00 MT	2.000	LB/AC PRE										
1D	ATRAZINE	4.00 L	2.000	LB/AC PRE										
2A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	98	100	0	100	98	100	100	100	100	
2B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP										
2C	ALACHLOR	4.00 MT	2.500	LB/AC PRE										
2D	ATRAZINE	4.00 L	1.500	LB/AC PRE										
3A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	92	98	0	100	92	95	100	100	100	
3B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP										
3C	ALACHLOR	4.00 MT	2.500	LB/AC PRE										
3D	ATRAZINE	4.00 L	2.000	LB/AC PRE										
4A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	100	98	0	100	100	100	100	98	100	
4B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP										
4C	ALACHLOR	4.00 MT	3.000	LB/AC PRE										
4D	ATRAZINE	4.00 L	2.000	LB/AC PRE										
5A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	98	100	0	98	100	100	100	100	100	
5B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP										
5C	ALACHLOR	4.00 MT	4.000	LB/AC PRE										
5D	ATRAZINE	4.00 L	2.000	LB/AC PRE										
6A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	90	92	0	98	90	98	95	98	100	
6B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP										
6C	ALACHLOR	4.00 E	2.500	LB/AC PRE										
6D	ATRAZINE	4.00 L	1.500	LB/AC PRE										
7A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	90	98	0	98	88	98	95	100	92	
7B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP										
7C	ALACHLOR PKG MIX	2.50 L	2.500	LB/AC PRE										
7D	WITH ATRAZINE	1.50	1.500	PRE										
8A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	100	98	0	100	100	100	100	98	100	
8B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP										
8C	ALACHLOR	4.00 MT	2.500	LB/AC PRE										
8D	SIMAZINE	4.00 L	1.000	LB/AC PRE										
8E	ATRAZINE	4.00 L	1.000	LB/AC PRE										
9A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	92	92	0	95	92	88	100	98	100	
9B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP										
9C	ALACHLOR	4.00 MT	3.000	LB/AC PRE										
9D	SIMAZINE	4.00 L	1.000	LB/AC PRE										
9E	ATRAZINE	4.00 L	1.000	LB/AC PRE										

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5005 NO-TILL CORN LOW VOLUME CARRIER

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JUNE 15				VELE	RRPW	ILMG	PRSI	
					GRAS	BRLE	CRIN	GIFT	LACG				
10A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	98	98	0	98	100	98	100	100
10B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP								
10C	METOLACHLOR	8.00 E	2.000	LB/AC	PRE								
10D	ATRAZINE	4.00 L	2.000	LB/AC	PRE								
11A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	100	95	0	100	100	90	100	100
11B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP								
11C	METOLACHLOR	8.00 E	2.500	LB/AC	PRE								
11D	ATRAZINE	4.00 L	2.000	LB/AC	PRE								
12A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	92	98	0	92	95	98	100	100
12B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP								
12C	SIMAZINE	4.00 L	1.500	LB/AC	PRE								
12D	ATRAZINE	4.00 L	1.500	LB/AC	PRE								
13A	ALACHLOR	4.00 MT	2.500	LB/AC	PRE	82	95	0	88	82	98	98	95
13B	ATRAZINE	4.00 L	2.000	LB/AC	PRE								
13C	GLYPHOSATE	4.00 E	.750	LB/AC	PRE								
13D	X-77 (SURFACTANT)	.50 WA	.500	%	PRE								
14A	ALACHLOR	4.00 MT	2.500	LB/AC	PRE	88	90	0	90	88	90	92	100
14B	ATRAZINE	4.00 L	1.500	LB/AC	PRE								
14C	GLYPHOSATE	4.00 E	1.500	LB/AC	PRE								
14D	X-77 (SURFACTANT)	.50 WA	.500	%	PRE								
15A	ALACHLOR	4.00 MT	2.500	LB/AC	PRE	90	88	0	92	88	90	95	100
15B	ATRAZINE	4.00 L	2.000	LB/AC	PRE								
15C	GLYPHOSATE	4.00 E	.500	LB/AC	PRE								
15D	X-77 (SURFACTANT)	.50 WA	.500	%	PRE								
16A	ALACHLOR	4.00 MT	3.000	LB/AC	PRE	92	95	0	98	90	100	92	100
16B	ATRAZINE	4.00 L	2.000	LB/AC	PRE								
16C	GLYPHOSATE	4.00 E	.500	LB/AC	PRE								
16D	X-77 (SURFACTANT)	.50 WA	.500	%	PRE								
17A	ALACHLOR	4.00 E	3.000	LB/AC	PRE	90	100	0	98	90	100	100	100
17B	ATRAZINE	4.00 L	2.000	LB/AC	PRE								
17C	GLYPHOSATE	4.00 E	.500	LB/AC	PRE								
17D	X-77 (SURFACTANT)	.50 WA	.500	%	PRE								
18A	ALACHLOR	4.00 MT	3.000	LB/AC	PRE	92	95	0	95	90	95	92	100
18B	ATRAZINE	4.00 L	2.000	LB/AC	PRE								
18C	GLYPHOSATE	4.00 E	.500	LB/AC	PRE								
18D	X-77 (SURFACTANT)	.50 WA	.500	%	PRE								
18E	AMMONIUM SULFATE	.00 WP	2.000	LB/AC	PRE								

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5005 NO-TILL CORN LOW VOLUME CARRIER

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JUNE 15								
					GRAS	BRLE	CRIN	GIFT	LAGC	VELE	RRPW	ILMG	PRSI
19A	ALACHLOR	4.00	MT	3.000	LB/AC	PRE							
19B	ATRAZINE	4.00	L	2.000	LB/AC	PRE	90	98	0	100	90	100	98
19C	PARAQUAT PLUS	2.00	E	.500	LB/AC	PRE							
19D	X-77 (SURFACTANT)	.50	WA	.500	%	PRE							98
20A	ALACHLOR	4.00	E	3.000	LB/AC	PRE	92	95	0	100	92	100	98
20B	ATRAZINE	4.00	L	2.000	LB/AC	PRE							100
20C	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE							
20D	X-77 (SURFACTANT)	.50	WA	.250	%	PRE							
21A	METOLACHLOR	8.00	E	2.500	LB/AC	PRE	92	95	0	98	92	100	98
21B	ATRAZINE	4.00	L	2.000	LB/AC	PRE							
21C	PARAQUAT PLUS	2.00	E	.500	LB/AC	PRE							
21D	X-77 (SURFACTANT)	.50	WA	.500	%	PRE							
22A	CYANAZINE	4.00	L	2.000	LB/AC	PRE	92	98	0	95	92	100	95
22B	ATRAZINE	4.00	L	1.500	LB/AC	PRE							100
22C	GLYPHOSATE	4.00	E	.500	LB/AC	PRE							
22D	X-77 (SURFACTANT)	.50	WA	.500	%	PRE							
23A	CYANAZINE	4.00	L	2.000	LB/AC	PRE	85	78	0	88	85	100	62
23B	ALACHLOR	4.00	MT	2.500	LB/AC	PRE							90
23C	GLYPHOSATE	4.00	E	.500	LB/AC	PRE							88
23D	X-77 (SURFACTANT)	.50	WA	.500	%	PRE							
LSD(05):					8	8	0	8	11	11	11	NS	NS

LOCATION: SPINDLETOP FARM

FERTILIZATION (LB/AC): 250 N, 60 P, 60 K SOIL TYPE: MAURY SILT LOAM
DATE PLANTED: MAY 13 PH: 6.7 O.M.: 4.4%

VARIETY: PIONEER 3369A DATE TREATED: 5DP MAY 6

TREATMENTS 1-12 ARE 10 GPA PRE MAY 13

TREATMENTS 13-23 ARE 25 GPA

5DP = 5 DAYS PRIOR TO PLANTING

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5012 NO-TILL CORN LOW VOLUME

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JULY 19					
					CRIN	GIFT	LACG	VELE	RRPW	PRSI
1A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	0	88	62	95	82	90
1B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP						
1C	ALACHLOR	4.00 MT	2.000	LB/AC PRE						
1D	ATRAZINE	4.00 L	2.000	LB/AC PRE						
2A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	0	82	80	100	92	95
2B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP						
2C	ALACHLOR	4.00 MT	2.500	LB/AC PRE						
2D	ATRAZINE	4.00 L	1.500	LB/AC PRE						
3A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	0	80	72	95	90	98
3B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP						
3C	ALACHLOR	4.00 MT	2.500	LB/AC PRE						
3D	ATRAZINE	4.00 L	2.000	LB/AC PRE						
4A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	0	80	90	95	92	88
4B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP						
4C	ALACHLOR	4.00 MT	3.000	LB/AC PRE						
4D	ATRAZINE	4.00 L	2.000	LB/AC PRE						
5A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	0	90	78	95	88	100
5B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP						
5C	ALACHLOR	4.00 MT	4.000	LB/AC PRE						
5D	ATRAZINE	4.00 L	2.000	LB/AC PRE						
6A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	0	72	60	92	70	88
6B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP						
6C	ALACHLOR	4.00 E	2.500	LB/AC PRE						
6D	ATRAZINE	4.00 L	1.500	LB/AC PRE						
7A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	0	78	70	90	72	78
7B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP						
7C	ALACHLOR PKG MIX WITH ATRAZINE	2.50 L	2.500	LB/AC PRE						
7D		1.50	1.500	PRE						
8A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	0	82	80	95	72	95
8B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP						
8C	ALACHLOR	4.00 MT	2.500	LB/AC PRE						
8D	SIMAZINE	4.00 L	1.000	LB/AC PRE						
8E	ATRAZINE	4.00 L	1.000	LB/AC PRE						
9A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	0	82	82	82	78	92
9B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP						
9C	ALACHLOR	4.00 MT	3.000	LB/AC PRE						
9D	SIMAZINE	4.00 L	1.000	LB/AC PRE						
9E	ATRAZINE	4.00 L	1.000	LB/AC PRE						

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5012 NO-TILL CORN LOW VOLUME

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JULY 19					
					CRIN	GIFT	LAGC	VELE	RRPW	PRSI
10A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	0	92	82	92	95	100
10B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP						
10C	METOLACHLOR	8.00 E	2.000	LB/AC PRE						
10D	ATRAZINE	4.00 L	2.000	LB/AC PRE						
11A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	0	90	80	80	85	92
11B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP						
11C	METOLACHLOR	8.00 E	2.500	LB/AC PRE						
11D	ATRAZINE	4.00 L	2.000	LB/AC PRE						
12A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	0	90	88	92	90	100
12B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP						
12C	SIMAZINE	4.00 L	1.500	LB/AC PRE						
12D	ATRAZINE	4.00 L	1.500	LB/AC PRE						
13A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	70	62	88	78	100
13B	ATRAZINE	4.00 L	2.000	LB/AC PRE						
13C	GLYPHOSATE	4.00 E	.750	LB/AC PRE						
13D	X-77 (SURFACTANT)	.50 WA	.500	% PRE						
14A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	80	68	88	62	85
14B	ATRAZINE	4.00 L	1.500	LB/AC PRE						
14C	GLYPHOSATE	4.00 E	1.500	LB/AC PRE						
14D	X-77 (SURFACTANT)	.50 WA	.500	% PRE						
15A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	82	72	80	58	90
15B	ATRAZINE	4.00 L	2.000	LB/AC PRE						
15C	GLYPHOSATE	4.00 E	.500	LB/AC PRE						
15D	X-77 (SURFACTANT)	.50 WA	.500	% PRE						
16A	ALACHLOR	4.00 MT	3.000	LB/AC PRE	0	90	52	100	60	80
16B	ATRAZINE	4.00 L	2.000	LB/AC PRE						
16C	GLYPHOSATE	4.00 E	.500	LB/AC PRE						
16D	X-77 (SURFACTANT)	.50 WA	.500	% PRE						
17A	ALACHLOR	4.00 E	3.000	LB/AC PRE	0	88	68	95	80	95
17B	ATRAZINE	4.00 L	2.000	LB/AC PRE						
17C	GLYPHOSATE	4.00 E	.500	LB/AC PRE						
17D	X-77 (SURFACTANT)	.50 WA	.500	% PRE						
18A	ALACHLOR	4.00 MT	3.000	LB/AC PRE	0	72	72	88	62	90
18B	ATRAZINE	4.00 L	2.000	LB/AC PRE						
18C	GLYPHOSATE	4.00 E	.500	LB/AC PRE						
18D	X-77 (SURFACTANT)	.50 WA	.500	% PRE						
18E	AMMONIUM SULFATE	.00 WP	2.000	LB/AC PRE						

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5012 NO-TILL CORN LOW VOLUME

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JULY 19						
					CRIN	GIFT	LAGG	VELE	RRPW	PRSI	
19A	ALACHLOR	4.00	MT	3.000	LB/AC	PRE	0	90	68	92	80
19B	ATRAZINE	4.00	L	2.000	LB/AC	PRE					
19C	PARAQUAT PLUS	2.00	E	.500	LB/AC	PRE					
19D	X-77 (SURFACTANT)	.50	WA	.500	%	PRE					
20A	ALACHLOR	4.00	E	3.000	LB/AC	PRE	0	80	70	100	72
20B	ATRAZINE	4.00	L	2.000	LB/AC	PRE					
20C	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE					
20D	X-77 (SURFACTANT)	.50	WA	.250	%	PRE					
21A	METOLACHLOR	8.00	E	2.500	LB/AC	PRE	0	80	72	95	78
21B	ATRAZINE	4.00	L	2.000	LB/AC	PRE					
21C	PARAQUAT PLUS	2.00	E	.500	LB/AC	PRE					
21D	X-77 (SURFACTANT)	.50	WA	.500	%	PRE					
22A	CYANAZINE	4.00	L	2.000	LB/AC	PRE	0	75	62	95	62
22B	ATRAZINE	4.00	L	1.500	LB/AC	PRE					
22C	GLYPHOSATE	4.00	E	.500	LB/AC	PRE					
22D	X-77 (SURFACTANT)	.50	WA	.500	%	PRE					
23A	CYANAZINE	4.00	L	2.000	LB/AC	PRE	0	78	78	90	22
23B	ALACHLOR	4.00	MT	2.500	LB/AC	PRE					
23C	GLYPHOSATE	4.00	E	.500	LB/AC	PRE					
23D	X-77 (SURFACTANT)	.50	WA	.500	%	PRE					
LSD(05):					0	10	11	15	12	13	

LOCATION: SPINDLETOP FARM

FERTILIZATION (LB/AC): 250 N, 60 P, 60 K SOIL TYPE: MAURY SILT LOAM
DATE PLANTED: MAY 13 DATE TREATED: 5DP MAY 6 PH: 6.7 O.M.: 4.4%

VARIETY: PIONEER 3369A

TREATMENTS 1-12 ARE 10 GPA

TREATMENTS 13-23 ARE 25 GPA

5DP = 5 DAYS PRIOR TO PLANTING

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5007 NO-TILL CORN LIQUID FERTILIZER VS WATER CARRIER

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5007 NO-TILL CORN LIQUID FERTILIZER VS WATER CARRIER

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	---4 WEEKS			AFTER CRIN	APPLICATION GIFT	RRPW	---8 WEEKS---		
					GRAS	BRLE	CRIN				CRIN	GIFT	RRPW
9A	CYANAZINE + ATRAZINE	4.00 L	4.000	LB/AC PRE	88	82	0	88	90	0	80	80	
9B	2,4-D ESTER	4.00 E	.500	LB/AC PRE									
9C	LIQUID FERTILIZER	.00 AD	99.900	QT/AC PRE									
10A	CYANAZINE + ATRAZINE	4.00 L	4.000	LB/AC PRE	98	100	5	98	100	0	85	75	
10B	2,4-D ESTER	4.00 E	.500	LB/AC PRE									
10C	OIL CONCENTRATE	.00 AD	1.000	QT/AC PRE									
11A	CYANAZINE + ATRAZINE	4.00 L	4.000	LB/AC PRE	90	82	0	90	82	0	85	68	
11B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE									
11C	X-77 (SURFACTANT)	.50 WA	.250	% PRE									
11D	LIQUID FERTILIZER	.00 AD	99.900	QT/AC PRE									
12A	CYANAZINE + ATRAZINE	4.00 L	.250	LB/AC PRE	100	95	10	100	95	0	92	75	
12B	X-77 (SURFACTANT)	.50 WA	.250	% PRE									
13A	DOWCO 356	4.00 E	.500	LB/AC PRE	85	65	10	85	65	0	78	40	
13B	CYANAZINE	4.00 L	2.000	LB/AC PRE									
13C	OIL CONCENTRATE	.00 AD	1.000	QT/AC PRE									
14A	DOWCO 356	4.00 E	.500	LB/AC PRE	92	100	8	92	100	0	80	88	
14B	ATRAZINE	4.00 L	2.000	LB/AC PRE									
14C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE									
14D	X-77 (SURFACTANT)	.50 WA	.250	% PRE									
15A	SIMAZINE	4.00 L	1.000	LB/AC PRE	100	100	12	100	100	0	82	90	
15B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE									
15C	X-77 (SURFACTANT)	.50 WA	.250	% PRE									
15D	DOWCO 356	4.00 E	.500	LB/AC 2LF									
15E	ATRAZINE	4.00 L	1.500	LB/AC 2LF									
15F	OIL CONCENTRATE	.00 AD	1.000	QT/AC 2LF									
16A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	78	98	5	78	98	0	58	70	
16B	ATRAZINE	4.00 L	1.500	LB/AC PRE									
16C	BROMOXYNIL 2	2.00 E	.250	LB/AC PRE									
17A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	85	95	10	85	95	0	60	70	
17B	ATRAZINE	4.00 L	1.500	LB/AC PRE									
17C	GLYPHOSATE	4.00 E	.500	LB/AC PRE									
18A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	98	92	5	98	100	0	80	88	
18B	ATRAZINE	4.00 L	1.500	LB/AC PRE									
18C	BROMOXYNIL 2	2.00 E	.250	LB/AC PRE									
18D	GLYPHOSATE	4.00 E	.500	LB/AC PRE									

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5007 NO-TILL CORN LIQUID FERTILIZER VS WATER CARRIER

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	---4 WEEKS		AFTER CRIN	APPLICATION GIFT	RRPW	---8 WEEKS ---		
					GRAS	BRLE				CRIN	GIFT	RRPW
19A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	98	98	10	98	98	0
19B	ATRAZINE	4.00	L	1.500	LB/AC	PRE						70
19C	BROMOXYNIL 2	2.00	E	.380	LB/AC	PRE						70
19D	GLYPHOSATE	4.00	E	.500	LB/AC	PRE						
LSD(05):					9	14	7	9	13	0	16	24

LOCATION: SPINDLETOP FARM

FERTILIZATION (LB/AC): 125 N, 60 P, 60 K SOIL TYPE: MAURY SILT LOAM

DATE PLANTED: MAY 7 PH: 5.8 O.M.: 4.5%

VARIETY: PIONEER 3369A DATE TREATED: PRE MAY 7

2LF = 2 LEAF STAGE OF CORN 2LF MAY 20

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5031 CORN EARLY PREPLANT

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS				APPLICATION RRPW	PRSI	8 WEEKS				
					GRAS	BRLE	CRIN	GIFT			CRIN	GIFT	72		
1A	CYANAZINE	4.00	L	2.000	LB/AC	EPP	72	28	0	72	28	95	15	72	15
1B	OIL CONCENTRATE	.00	AD	1.000	QT/AC	EPP									
2A	CYANAZINE	4.00	L	2.000	LB/AC	EPP	100	100	0	100	100	100	0	92	100
2B	OIL CONCENTRATE	.00	AD	1.000	QT/AC	EPP									
2C	ATRAZINE	4.00	L	2.000	LB/AC	2LF									
2D	OIL CONCENTRATE	.00	AD	1.000	QT/AC	2LF									
3A	CYANAZINE	4.00	L	2.000	LB/AC	EPP	100	100	0	100	100	100	0	90	100
3B	OIL CONCENTRATE	.00	AD	1.000	QT/AC	EPP									
3C	ALACHLOR	4.00	MT	2.500	LB/AC	PRE									
3D	ATRAZINE	4.00	L	1.500	LB/AC	PRE									
4A	CYANAZINE	4.00	L	2.000	LB/AC	EPP	100	100	0	100	100	100	10	85	100
4B	OIL CONCENTRATE	.00	AD	1.000	QT/AC	EPP									
4C	DOWCO 356	4.00	E	.500	LB/AC	2LF									
4D	ATRAZINE	4.00	L	1.500	LB/AC	2LF									
4E	OIL CONCENTRATE	.00	AD	1.000	QT/AC	2LF									
48	5A METOLACHLOR	8.00	E	1.650	LB/AC	EPP	78	18	0	78	30	32	18	68	22
	5B METOLACHLOR	8.00	E	.800	LB/AC	PRE									
		LSD(05):				10	7	0	10	16	18	10	10	9	

LOCATION: SPINDLETOP FARM
 FERTILIZATION (LB/AC): 250 N, 60 P, 60 K
 DATE PLANTED: MAY 7 7
 VARIETY: PIONEER 3369A

SOIL TYPE: MAURY SILT LOAM
 PH: 5.8 O.M.: 4.5%
 DATE TREATED: EPP APRIL 23
 PRE MAY 7
 2LF MAY 20

2LF = 2-3 LF GRASS

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5009 CORN JOHNSONGRASS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JUNE 7			--JULY 7 -				
					GRAS	BRLE	CRIN	JOGR	CRIN	JOGR		
1A	EPTC PKG MIX	6.00	EC	4.000	LB/AC	PPI	88	90	2	88	0	78
1B	ATRAZINE	4.00	L	1.500	LB/AC	PPI						
2A	EPTC PKG MIX	6.00	EC	4.000	LB/AC	PPI	75	95	2	80	0	45
2B	WITH R-33865	1.00		1.000								
2C	ATRAZINE	4.00	L	1.500	LB/AC	PPI						
3A	EPTC + R-25788	6.70	E	6.000	LB/AC	PPI	78	88	5	78	2	52
3B	SC 0058	6.00	E	1.000	LB/AC	PPI						
3C	ATRAZINE	4.00	L	1.500	LB/AC	PPI						
4A	EPTC + R-25788	6.70	E	6.000	LB/AC	PPI	92	98	10	92	8	80
4B	SC 0058	6.00	E	2.000	LB/AC	PPI						
4C	ATRAZINE	4.00	L	1.500	LB/AC	PPI						
5A	BUTYLATE + R-25788	6.70	E	4.000	LB/AC	PPI	85	95	0	85	0	78
5B	ATRAZINE	4.00	L	1.500	LB/AC	PPI						
6A	BUTYLATE + R-25788	6.70	E	6.000	LB/AC	PPI	85	92	0	85	0	82
6B	ATRAZINE	4.00	L	1.500	LB/AC	PPI						
7A	BUTYLATE+ + R 33865	6.00	E	4.000	LB/AC	PPI	82	85	2	82	2	85
7B	ATRAZINE	4.00	L	1.500	LB/AC	PPI						
8A	BUTYLATE + R-25788	6.70	E	6.000	LB/AC	PPI	88	90	0	88	2	82
8B	SC 0058	6.00	E	1.000	LB/AC	PPI						
8C	ATRAZINE	4.00	L	1.500	LB/AC	PPI						
9A	BUTYLATE + R-25788	6.70	E	6.000	LB/AC	PPI	85	92	10	85	8	88
9B	SC 0058	6.00	E	2.000	LB/AC	PPI						
9C	ATRAZINE	4.00	L	1.500	LB/AC	PPI						
10A	CYCLOATE/R 29148	6.00	EC	3.000	LB/AC	PPI	72	92	0	72	0	55
10B	ATRAZINE	4.00	L	1.500	LB/AC	PPI						
11A	CYCLOATE/R 29148	6.00	EC	4.000	LB/AC	PPI	88	98	2	88	2	68
11B	ATRAZINE	4.00	L	1.500	LB/AC	PPI						
12A	CYCLOATE/R 29148	6.00	EC	5.000	LB/AC	PPI	90	95	0	90	0	82
12B	ATRAZINE	4.00	L	1.500	LB/AC	PPI						

LSD(05):

8 7 6 9 5 9

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE C5009 CORN JOHNSONGRASS

LOCATION: SPINDLETOP FARM
FERTILIZATION (LB/AC): 250 N, 60 P, 60 K SOIL TYPE: MAURY SILT LOAM
DATE PLANTED: MAY 7 DATE TREATED: PPI MAY 7 O.M.: 3.5%
VARIETY: PIONEER 3369A

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5011 SOYBEAN PREEMERGENCE

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5011 SOYBEAN PREEMERGENCE

52

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH			JUNE		23				
					GRAS	BRLE	CRIN	GIFT	JIWE	PESW	ILMG	TAMG	
16A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	98	95	0	98	98	100	98
16B	DPX 8259	60.00	WP	1.250	LB/AC	PRE							
17	METOLACHLOR	8.00	E	2.500	LB/AC	PRE	100	72	0	100	88	98	78
18A	METOLACHLOR	8.00	E	2.000	LB/AC	PRE	100	82	0	100	98	100	82
18B	METRIBUZIN 1	4.00	F	.500	LB/AC	PRE							
19A	METOLACHLOR	8.00	E	2.500	LB/AC	PRE	98	82	0	98	98	100	88
19B	METRIBUZIN 1	4.00	F	.500	LB/AC	PRE							
20A	METOLACHLOR	8.00	E	1.500	LB/AC	PRE	98	80	0	98	100	100	88
20B	METRIBUZIN 1	4.00	F	.380	LB/AC	PRE							
20C	LINURON	4.00	L	.750	LB/AC	PRE							
21A	METOLACHLOR	8.00	E	2.500	LB/AC	PRE	100	90	0	100	98	100	98
21B	METRIBUZIN 1	4.00	F	.500	LB/AC	PRE							
21C	MZH 2091	4.00	EC	.500	LB/AC	PRE							
22A	METOLACHLOR	8.00	E	2.500	LB/AC	PRE	100	82	0	100	98	95	82
22B	PPG-844	2.00	E	.300	LB/AC	PRE							
23A	METOLACHLOR	8.00	E	2.500	LB/AC	PRE	98	85	0	98	100	100	92
23B	PPG 1013	.25	EC	.150	LB/AC	PRE							
24A	METOLACHLOR	8.00	E	2.500	LB/AC	PRE	100	90	0	100	100	100	88
24B	PPG 1013	.25	EC	.200	LB/AC	PRE							
25A	IMAZAQUIN	1.50	AS	.125	LB/AC	PRE	98	95	2	98	100	100	98
25B	ALACHLOR	4.00	MT	2.500	LB/AC	PRE							
26A	IMAZAQUIN	1.50	AS	.188	LB/AC	PRE	92	98	2	92	98	100	100
26B	ALACHLOR	4.00	MT	2.000	LB/AC	PRE							
27A	IMAZAQUIN	1.50	AS	.188	LB/AC	PRE	98	98	10	98	100	100	98
27B	ALACHLOR	4.00	MT	2.500	LB/AC	PRE							
28A	IMAZAQUIN	1.50	AS	.250	LB/AC	PRE	100	90	8	100	100	100	100
28B	ALACHLOR	4.00	MT	2.500	LB/AC	PRE							
29A	IMAZAQUIN	1.50	AS	.125	LB/AC	PRE	100	85	0	100	100	100	92
29B	FMC 57020	6.00	EC	1.000	LB/AC	PRE							
30A	IMAZAQUIN	1.50	AS	.188	LB/AC	PRE	100	95	0	100	100	100	100
30B	FMC 57020	6.00	EC	.750	LB/AC	PRE							

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5011 SOYBEAN PREEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JUNE 23							
					GRAS	BRLE	CRIN	GIFT	JIWE	PESW	ILMG	TAMG
31A	IMAZAQUIN	1.50 AS	.063	LB/AC PRE	98	92	0	98	100	100	95	90
31B	LINURON	4.00 L	1.000	LB/AC PRE								
31C	ALACHLOR	4.00 MT	2.500	LB/AC PRE								
32A	IMAZAQUIN	1.50 AS	.125	LB/AC PRE	98	90	0	98	100	100	92	90
32B	LINURON	4.00 L	1.000	LB/AC PRE								
32C	ALACHLOR	4.00 MT	2.500	LB/AC PRE								
33A	IMAZAQUIN	1.50 AS	.188	LB/AC PRE	90	92	5	90	100	100	98	92
33B	CHLORAMBEN	75.00 DS	2.250	LB/AC PRE								
34	FMC 57020	6.00 EC	1.000	LB/AC PRE	100	72	0	100	100	100	75	68
35A	FMC 57020	6.00 EC	1.000	LB/AC PRE	100	95	0	100	100	100	100	95
35B	DPX F6025 + METRIBUZ	75.00 DF	.380	LB/AC PRE								
36A	FMC 57020	6.00 EC	1.000	LB/AC PRE	95	92	5	95	100	100	98	95
36B	DPX F6025 + METRIBUZ	75.00 DF	.500	LB/AC PRE								
37A	FMC 57020	6.00 EC	1.000	LB/AC PRE	100	90	0	100	100	100	95	90
37B	DPX F6025	25.00 DF	.060	LB/AC PRE								
38A	FMC 57020	6.00 EC	1.000	LB/AC PRE	100	85	0	100	100	100	85	78
38B	METRIBUZIN	75.00 DF	.380	LB/AC PRE								
39A	FMC 57020	6.00 EC	1.000	LB/AC PRE	100	78	0	100	98	100	80	72
39B	LINURON	4.00 L	.500	LB/AC PRE								
40A	FMC 57020	6.00 EC	1.000	LB/AC PRE	100	80	18	100	100	100	90	78
40B	METRIBUZIN 2	75.00 DF	.500	LB/AC PRE								
41A	FMC 57020	6.00 EC	1.000	LB/AC PRE	100	75	0	100	100	100	85	68
41B	CHLORAMBEN	75.00 DS	2.250	LB/AC PRE								
42A	ORYZALIN	4.00 AS	.560	LB/AC PRE	92	85	0	92	95	98	88	80
42B	ALACHLOR	4.00 MT	2.000	LB/AC PRE								
43A	ORYZALIN	4.00 AS	.560	LB/AC PRE	100	78	2	100	92	100	88	70
43B	ALACHLOR	4.00 MT	2.000	LB/AC PRE								
43C	METRIBUZIN	75.00 DF	.250	LB/AC PRE								
44	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	85	72	0	85	100	100	78	58
45A	METRIBUZIN 1	4.00 F	.250	LB/AC PRE	95	75	0	95	100	100	82	62
45B	FMC 57020	6.00 EC	.750	LB/AC PRE								

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5011 SOYBEAN PREEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH			JUNE		23			
					GRAS	BRLE	CRIN	GIFT	JIWE	PESW	ILMG	TAMG
46A	METRIBUZIN 1	4.00 F	.340	LB/AC PRE	100	82	0	100	100	100	85	78
46B	FMC 57020	6.00 EC	.750	LB/AC PRE								
47A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	100	80	2	100	100	100	80	75
47B	FMC 57020	6.00 EC	.750	LB/AC PRE								
48A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	92	90	0	92	95	100	95	88
48B	MZH 2091	4.00 EC	.500	LB/AC PRE								
49	BIFENOX	4.00 L	2.000	LB/AC PRE	82	90	58	82	98	100	98	88
50A	BIFENOX	4.00 L	2.000	LB/AC PRE	88	80	42	88	85	75	82	80
50B	METOLACHLOR	8.00 E	2.500	LB/AC PRE								
51	SD 95481	7.00 EC	1.400	LB/AC PRE	98	65	2	98	60	98	72	70
52A	SD 95481	7.00 EC	1.200	LB/AC PRE	95	95	12	95	98	100	98	92
52B	IMAZAQUIN	1.50 AS	.190	LB/AC PRE								
53A	SD 95481	7.00 EC	1.200	LB/AC PRE	100	95	5	100	98	100	98	95
53B	DPX F6025	25.00 DF	.060	LB/AC PRE								
54A	SD 95481	7.00 EC	1.200	LB/AC PRE	98	82	5	98	98	100	88	78
54B	LINURON	4.00 L	1.000	LB/AC PRE								
55A	SD 95481	7.00 EC	1.200	LB/AC PRE	98	75	0	98	92	100	80	48
55B	METRIBUZIN 2	75.00 DF	.500	LB/AC PRE								
56	METHAZOLE	75.00 WP	2.000	LB/AC PRE	75	78	2	75	98	98	85	75
57	METHAZOLE	75.00 WP	4.000	LB/AC PRE	80	75	12	80	100	100	72	70
58A	METHAZOLE	75.00 WP	1.000	LB/AC PRE	95	70	0	95	100	100	80	65
58B	ALACHLOR	4.00 MT	2.500	LB/AC PRE								
59A	METHAZOLE	75.00 WP	1.500	LB/AC PRE	98	80	0	98	100	100	88	72
59B	ALACHLOR	4.00 MT	2.500	LB/AC PRE								
60A	METHAZOLE	75.00 WP	2.000	LB/AC PRE	98	80	18	98	98	100	85	78
60B	ALACHLOR	4.00 MT	2.500	LB/AC PRE								
61A	METHAZOLE	75.00 WP	4.000	LB/AC PRE	98	90	75	98	100	100	98	88
61B	ALACHLOR	4.00 MT	2.500	LB/AC PRE								
62A	RE 39571	3.00 E	1.500	LB/AC PRE	95	75	0	95	98	100	82	65
62B	METRIBUZIN 1	4.00 F	.500	LB/AC PRE								

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5011 SOYBEAN PREEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JUNE 23				PESW	ILMG	TAMG
					GRAS	BRLE	CRIN	GIFT			
63A	RE 39571	3.00 E	2.000	LB/AC PRE	100	70	0	100	98	100	80
63B	METRIBUZIN 1	4.00 F	.500	LB/AC PRE							68
64A	RE 39571	3.00 E	3.000	LB/AC PRE	100	72	2	100	98	100	75
64B	METRIBUZIN 1	4.00 F	.500	LB/AC PRE							60
65	SC 5676	4.00 E	.750	LB/AC PRE	90	80	0	90	100	95	78
66	SC 5676	4.00 E	1.500	LB/AC PRE	100	80	8	100	98	100	82
67A	SC 5676	4.00 E	.750	LB/AC PRE	92	75	2	95	98	98	80
67B	METRIBUZIN 1	4.00 F	.380	LB/AC PRE							68
68	AC 499	1.95 AS	.032	LB/AC PRE	75	82	0	75	85	100	90
69	AC 499	1.95 AS	.063	LB/AC PRE	92	90	0	92	98	100	100
70	AC 499	1.95 AS	.093	LB/AC PRE	92	98	5	92	100	100	98
71	AC 499	1.95 AS	.125	LB/AC PRE	92	100	2	92	100	100	100
72A	CGA 24704	2.50 EC	1.500	LB/AC PRE	100	78	0	100	100	100	78
72B	METRIBUZIN 1	4.00 F	.500	LB/AC PRE							78
73A	CGA 24704	2.50 EC	1.800	LB/AC PRE	100	80	0	100	100	100	80
73B	METRIBUZIN 1	4.00 F	.380	LB/AC PRE							78
74	CHECK (CULTIVATED)	.00 CK	.000		100	100	0	100	100	100	100
		LSD(05):			7	10	10	7	9	NS	13

LOCATION: SPINDLETOP FARM

FERTILIZATION (LB/AC): 60 N, 60 P, 60 K

DATE PLANTED: MAY 16

VARIETY: WILLIAMS

SOIL TYPE: MAURY SILT LOAM

PH: 6.5 O.M.: 3.4%

DATE TREATED: PRE MAY 16

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5051 SOYBEAN PREEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JULY 19					
					CRIN	GIFT	JIWE	PESW	ILMG	TAMG
1	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	90	75	92	65	58
2A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	95	100	98	78	70
2B	LINURON	4.00 L	1.000	LB/AC PRE						
3A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	88	98	100	82	75
3B	LINURON	4.00 L	1.500	LB/AC PRE						
4A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	88	95	100	70	78
4B	METRIBUZIN 1	4.00 F	.500	LB/AC PRE						
5A	ALACHLOR	4.00 MT	1.500	LB/AC PRE	0	90	100	100	70	62
5B	METRIBUZIN 1	4.00 F	.380	LB/AC PRE						
5C	LINURON	4.00 L	.750	LB/AC PRE						
6A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	90	95	100	68	68
6B	METRIBUZIN 2	75.00 DF	.500	LB/AC PRE						
5C	7A ALACHLOR	4.00 MT	2.500	LB/AC PRE	5	95	95	100	58	55
	7B METRIBUZIN 2	75.00 DF	.750	LB/AC PRE						
8A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	2	85	100	100	92	90
8B	DPX F6025 + METRIBUZ	75.00 DF	.250	LB/AC PRE						
9A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	90	92	100	95	98
9B	DPX F6025 + METRIBUZ	75.00 DF	.380	LB/AC PRE						
10A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	90	98	100	90	88
10B	DPX F6025 + METRIBUZ	75.00 DF	.500	LB/AC PRE						
11A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	2	90	98	100	100	90
11B	DPX F6025 + METRIBUZ	75.00 DF	.630	LB/AC PRE						
12A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	2	90	100	100	98	98
12B	DPX F6025 + METRIBUZ	75.00 DF	.750	LB/AC PRE						
13A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	92	88	98	68	68
13B	CHLORAMBEN	75.00 DS	2.250	LB/AC PRE						
14A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	88	95	100	92	88
14B	DPX 8259	60.00 WP	.750	LB/AC PRE						
15A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	2	85	100	100	95	90
15B	DPX 8259	60.00 WP	1.000	LB/AC PRE						

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5051 SOYBEAN PREEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JULY 19					
					CRIN	GIFT	JIWE	PESW	ILMG	TAMG
16A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE				
16B	DPX 8259	60.00	WP	1.250	LB/AC	PRE	5	92	98	100
17	METOLACHLOR	8.00	E	2.500	LB/AC	PRE	0	100	85	95
18A	METOLACHLOR	8.00	E	2.000	LB/AC	PRE	0	98	95	100
18B	METRIBUZIN 1	4.00	F	.500	LB/AC	PRE			70	70
19A	METOLACHLOR	8.00	E	2.500	LB/AC	PRE	0	95	98	100
19B	METRIBUZIN 1	4.00	F	.500	LB/AC	PRE			75	70
20A	METOLACHLOR	8.00	E	1.500	LB/AC	PRE	0	98	98	100
20B	METRIBUZIN 1	4.00	F	.380	LB/AC	PRE			60	60
20C	LINURON	4.00	L	.750	LB/AC	PRE				
21A	METOLACHLOR	8.00	E	2.500	LB/AC	PRE	0	98	98	100
21B	METRIBUZIN 1	4.00	F	.500	LB/AC	PRE			88	82
21C	MZH 2091	4.00	EC	.500	LB/AC	PRE				
22A	METOLACHLOR	8.00	E	2.500	LB/AC	PRE	0	100	95	100
22B	PPG-844	2.00	E	.300	LB/AC	PRE			72	70
23A	METOLACHLOR	8.00	E	2.500	LB/AC	PRE	2	95	100	100
23B	PPG 1013	.25	EC	.150	LB/AC	PRE			82	70
24A	METOLACHLOR	8.00	E	2.500	LB/AC	PRE	2	95	98	100
24B	PPG 1013	.25	EC	.200	LB/AC	PRE			85	75
25A	IMAZAQUIN	1.50	AS	.125	LB/AC	PRE	2	95	100	100
25B	ALACHLOR	4.00	MT	2.500	LB/AC	PRE			90	88
26A	IMAZAQUIN	1.50	AS	.188	LB/AC	PRE	2	88	100	100
26B	ALACHLOR	4.00	MT	2.000	LB/AC	PRE			92	95
27A	IMAZAQUIN	1.50	AS	.188	LB/AC	PRE	5	95	100	100
27B	ALACHLOR	4.00	MT	2.500	LB/AC	PRE			90	92
28A	IMAZAQUIN	1.50	AS	.250	LB/AC	PRE	5	90	98	100
28B	ALACHLOR	4.00	MT	2.500	LB/AC	PRE			90	82
29A	IMAZAQUIN	1.50	AS	.125	LB/AC	PRE	2	98	100	100
29B	FMC 57020	6.00	EC	1.000	LB/AC	PRE			88	90
30A	IMAZAQUIN	1.50	AS	.188	LB/AC	PRE	2	100	100	100
30B	FMC 57020	6.00	EC	.750	LB/AC	PRE			90	92

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5051 SOYBEAN PREEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JULY 19					
					CRIN	GIFT	JIWE	PESW	ILMG	TAMG
31A	IMAZAQUIN	1.50 AS	.063	LB/AC PRE	2	92	98	100	88	92
31B	LINURON	4.00 L	1.000	LB/AC PRE						
31C	ALACHLOR	4.00 MT	2.500	LB/AC PRE						
32A	IMAZAQUIN	1.50 AS	.125	LB/AC PRE	0	92	100	100	90	95
32B	LINURON	4.00 L	1.000	LB/AC PRE						
32C	ALACHLOR	4.00 MT	2.500	LB/AC PRE						
33A	IMAZAQUIN	1.50 AS	.188	LB/AC PRE	10	88	100	98	90	85
33B	CHLORAMBEN	75.00 DS	2.250	LB/AC PRE						
34	FMC 57020	6.00 EC	1.000	LB/AC PRE	0	100	100	100	62	58
35A	FMC 57020	6.00 EC	1.000	LB/AC PRE	0	100	100	100	92	92
35B	DPX F6025 + METRIBUZ	75.00 DF	.380	LB/AC PRE						
36A	FMC 57020	6.00 EC	1.000	LB/AC PRE	2	95	100	100	100	90
36B	DPX F6025 + METRIBUZ	75.00 DF	.500	LB/AC PRE						
37A	FMC 57020	6.00 EC	1.000	LB/AC PRE	0	100	100	100	98	88
37B	DPX F6025	25.00 DF	.060	LB/AC PRE						
38A	FMC 57020	6.00 EC	1.000	LB/AC PRE	0	98	100	100	78	78
38B	METRIBUZIN	75.00 DF	.380	LB/AC PRE						
39A	FMC 57020	6.00 EC	1.000	LB/AC PRE	0	98	100	100	75	68
39B	LINURON	4.00 L	.500	LB/AC PRE						
40A	FMC 57020	6.00 EC	1.000	LB/AC PRE	10	100	100	100	70	65
40B	METRIBUZIN 2	75.00 DF	.500	LB/AC PRE						
41A	FMC 57020	6.00 EC	1.000	LB/AC PRE	0	100	100	100	75	65
41B	CHLORAMBEN	75.00 DS	2.250	LB/AC PRE						
42A	ORYZALIN	4.00 AS	.560	LB/AC PRE	0	90	82	98	82	72
42B	ALACHLOR	4.00 MT	2.000	LB/AC PRE						
43A	ORYZALIN	4.00 AS	.560	LB/AC PRE	0	92	100	100	70	60
43B	ALACHLOR	4.00 MT	2.000	LB/AC PRE						
43C	METRIBUZIN	75.00 DF	.250	LB/AC PRE						
44	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	0	75	98	100	58	55
45A	METRIBUZIN 1	4.00 F	.250	LB/AC PRE	0	85	98	100	72	62
45B	FMC 57020	6.00 EC	.750	LB/AC PRE						

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5051 SOYBEAN PREEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JULY 19					
					CRIN	GIFT	JIWE	PESW	ILMG	TAMG
46A	METRIBUZIN 1	4.00 F	.340	LB/AC PRE	0	100	100	100	78	72
46B	FMC 57020	6.00 EC	.750	LB/AC PRE						
47A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	0	98	100	100	65	68
47B	FMC 57020	6.00 EC	.750	LB/AC PRE						
48A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	0	78	90	100	90	82
48B	MZH 2091	4.00 EC	.500	LB/AC PRE						
49	BIFENOX	4.00 L	2.000	LB/AC PRE	32	52	98	100	80	78
50A	BIFENOX	4.00 L	2.000	LB/AC PRE	28	78	75	85	80	75
50B	METOLACHLOR	8.00 E	2.500	LB/AC PRE						
51	SD 95481	7.00 EC	1.400	LB/AC PRE	0	85	45	98	62	62
52A	SD 95481	7.00 EC	1.200	LB/AC PRE	10	92	98	100	92	92
52B	IMAZAQUIN	1.50 AS	.190	LB/AC PRE						
53A	SD 95481	7.00 EC	1.200	LB/AC PRE	5	98	100	100	92	90
53B	DPX F6025	25.00 DF	.060	LB/AC PRE						
54A	SD 95481	7.00 EC	1.200	LB/AC PRE	5	88	88	100	78	70
54B	LINURON	4.00 L	1.000	LB/AC PRE						
55A	SD 95481	7.00 EC	1.200	LB/AC PRE	0	95	90	100	68	60
55B	METRIBUZIN 2	75.00 DF	.500	LB/AC PRE						
56	METHAZOLE	75.00 WP	2.000	LB/AC PRE	2	65	98	98	68	65
57	METHAZOLE	75.00 WP	4.000	LB/AC PRE	12	60	100	100	68	65
58A	METHAZOLE	75.00 WP	1.000	LB/AC PRE	0	90	100	100	65	58
58B	ALACHLOR	4.00 MT	2.500	LB/AC PRE						
59A	METHAZOLE	75.00 WP	1.500	LB/AC PRE	0	92	100	100	75	72
59B	ALACHLOR	4.00 MT	2.500	LB/AC PRE						
60A	METHAZOLE	75.00 WP	2.000	LB/AC PRE	2	95	95	100	68	72
60B	ALACHLOR	4.00 MT	2.500	LB/AC PRE						
61A	METHAZOLE	75.00 WP	4.000	LB/AC PRE	68	90	95	100	92	85
61B	ALACHLOR	4.00 MT	2.500	LB/AC PRE						
62A	RE 39571	3.00 E	1.500	LB/AC PRE	0	92	88	100	68	68
62B	METRIBUZIN 1	4.00 F	.500	LB/AC PRE						

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5051 SOYBEAN PREEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JULY 19					
					CRIN	GIFT	JIWE	PESW	ILMG	TAMG
63A	RE 39571	3.00 E	2.000	LB/AC PRE	0	98	98	100	70	60
63B	METRIBUZIN 1	4.00 F	.500	LB/AC PRE						
64A	RE 39571	3.00 E	3.000	LB/AC PRE	5	98	95	100	62	62
64B	METRIBUZIN 1	4.00 F	.500	LB/AC PRE						
65	SC 5676	4.00 E	.750	LB/AC PRE	0	85	92	95	78	65
66	SC 5676	4.00 E	1.500	LB/AC PRE	5	98	92	100	80	82
67A	SC 5676	4.00 E	.750	LB/AC PRE	0	85	100	100	78	68
67B	METRIBUZIN 1	4.00 F	.380	LB/AC PRE						
68	AC 499	1.95 AS	.032	LB/AC PRE	0	72	80	100	80	82
69	AC 499	1.95 AS	.063	LB/AC PRE	0	85	98	100	95	88
70	AC 499	1.95 AS	.093	LB/AC PRE	2	85	100	100	92	92
71	AC 499	1.95 AS	.125	LB/AC PRE	8	88	100	100	95	92
72A	CGA 24704	2.50 EC	1.500	LB/AC PRE	0	95	100	100	72	65
72B	METRIBUZIN 1	4.00 F	.500	LB/AC PRE						
73A	CGA 24704	2.50 EC	1.800	LB/AC PRE	0	98	98	100	78	75
73B	METRIBUZIN 1	4.00 F	.380	LB/AC PRE						
74	CHECK (CULTIVATED)	.00 CK	.000		0	100	100	100	100	100
		LSD(05):			6	10	13	NS	15	14

LOCATION: SPINDLETOP FARM
FERTILIZATION (LB/AC): 60 N, 60 P, 60 K DATE TREATED: PRE MAY 16
DATE PLANTED: MAY 16 VARIETY: WILLIAMS
SOIL TYPE: MAURY SILT LOAM PH: 6.5 O.M.: 3.4%

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5013 SOYBEAN PREPLANT INCORPORATED

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS		AFTER COLQ	APPLICATION	BLNS	ILMG	TAMG	
					GRAS	BRLE						
1A	ALACHLOR	4.00 MT	2.500	LB/AC PPI	80	82	0	80	100	100	90	
1B	METRIBUZIN 2	75.00 DF	.500	LB/AC PPI							70	
2A	ALACHLOR	4.00 MT	2.500	LB/AC PPI	95	100	10	95	100	100	95	
2B	DPX F6025 + METRIBUZ	75.00 DF	.500	LB/AC PPI							100	
3A	ALACHLOR	4.00 MT	2.500	LB/AC PPI	88	85	0	88	100	100	75	
3B	METRIBUZIN 1	4.00 F	.265	LB/AC PPI							70	
3C	METRIBUZIN 1	4.00 F	.265	LB/AC PRE								
4A	METOLACHLOR	8.00 E	2.500	LB/AC PPI	100	88	2	100	100	98	100	
4B	METRIBUZIN 1	4.00 F	.500	LB/AC PPI							88	
5A	METOLACHLOR	8.00 E	2.500	LB/AC PPI	100	85	5	100	100	98	100	
5B	METRIBUZIN 1	4.00 F	.265	LB/AC PPI							72	
5C	METRIBUZIN 1	4.00 F	.265	LB/AC PRE							78	
19	6A	METOLACHLOR	8.00 E	2.500	LB/AC PPI	100	85	5	100	100	100	75
	6B	METRIBUZIN 1	4.00 F	.380	LB/AC PPI							75
	6C	METRIBUZIN 1	4.00 F	.380	LB/AC PRE							
7A	METOLACHLOR	8.00 E	2.500	LB/AC PPI	98	88	5	98	98	100	90	
7B	BENTAZON	4.00 E	1.000	LB/AC EP							78	
7C	OIL CONCENTRATE	.00 AD	1.000	QT/AC EP								
8A	TRIFLURALIN	4.00 E	.750	LB/AC PPI	85	92	22	85	92	95	100	
8B	PPG-844	2.00 E	.150	LB/AC EP							85	
9A	TRIFLURALIN	4.00 E	.750	LB/AC PPI	88	70	15	88	58	90	98	
9B	PPG-844	2.00 E	.150	LB/AC LP							92	
10A	TRIFLURALIN	4.00 E	.750	LB/AC PPI	92	98	30	92	95	98	98	
10B	PPG-844	2.00 E	.200	LB/AC EP							90	
11A	TRIFLURALIN	4.00 E	.750	LB/AC PPI	80	55	20	80	32	98	98	
11B	PPG-844	2.00 E	.200	LB/AC LP							95	
12A	TRIFLURALIN	4.00 E	.750	LB/AC PPI	88	90	20	88	92	95	100	
12B	PPG 1013	.25 EC	.020	LB/AC EP							98	
13A	TRIFLURALIN	4.00 E	.750	LB/AC PPI	80	72	15	80	62	95	88	
13B	PPG 1013	.25 EC	.020	LB/AC MP							92	
13C	BENTAZON	4.00 E	.500	LB/AC MP								
13D	OIL CONCENTRATE	.00 AD	.500	QT/AC MP							88	

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5013 SOYBEAN PREPLANT INCORPORATED

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5013 SOYBEAN PREPLANT INCORPORATED

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5013 SOYBEAN PREPLANT INCORPORATED

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION				BLNS	ILMG	TAMG		
					GRAS	BRLE	CRIN	GIFT					
43A	RE 39571	3.00 E	1.500	LB/AC PPI	88	62	0	88	100	95	60	82	70
43B	METRIBUZIN 1	4.00 F	.500	LB/AC PPI									
44A	RE 39571	3.00 E	2.000	LB/AC PPI	98	88	2	98	100	98	85	85	72
44B	METRIBUZIN 1	4.00 F	.500	LB/AC PPI									
45A	RE 39571	3.00 E	3.000	LB/AC PPI	98	78	0	98	100	92	72	75	58
45B	METRIBUZIN 1	4.00 F	.500	LB/AC PPI									
46	AC 499	1.95 AS	.032	LB/AC PPI	58	88	2	58	82	95	100	95	98
47	AC 499	1.95 AS	.063	LB/AC PPI	60	98	2	60	100	100	100	88	100
48	AC 499	1.95 AS	.093	LB/AC PPI	82	92	8	82	92	95	100	92	95
49	AC 499	1.95 AS	.125	LB/AC PPI	100	100	18	100	100	100	100	100	98
50	CHECK (CULTIVATED)	.00 CK	.000		100	100	0	100	100	100	100	100	100
		LSD(05):			11	16	9	11	14	12	16	11	13

LOCATION: SPINDLETOP FARM

FERTILIZATION (LB/AC): 60 N, 60 P, 60 K

DATE PLANTED: MAY 16

VARIETY: WILLIAMS

SOIL TYPE: MAURY SILT LOAM

PH: 6.5 O.M.: 3.4%

DATE TREATED: PPI MAY 16

PRE MAY 16

EP JUNE 6

MP JUNE 24

LP JUNE 25

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5052 SOYBEAN PREPLANT INCORPORATED

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	-----8 WEEKS AFTER APPLICATION-----						
					CRIN	GIFT	COLQ	JIVE	BLNS	ILMG	TAMG
1A	ALACHLOR	4.00	MT	2.500 LB/AC PPI	0	80	98	95	98	82	70
1B	METRIBUZIN 2	75.00	DF	.500 LB/AC PPI							
2A	ALACHLOR	4.00	MT	2.500 LB/AC PPI	8	95	100	100	98	95	92
2B	DPX F6025 + METRIBUZ	75.00	DF	.500 LB/AC PPI							
3A	ALACHLOR	4.00	MT	2.500 LB/AC PPI	0	90	100	95	100	72	75
3B	METRIBUZIN 1	4.00	F	.265 LB/AC PPI							
3C	METRIBUZIN 1	4.00	F	.265 LB/AC PRE							
4A	METOLACHLOR	8.00	E	2.500 LB/AC PPI	2	100	100	98	100	82	80
4B	METRIBUZIN 1	4.00	F	.500 LB/AC PPI							
5A	METOLACHLOR	8.00	E	2.500 LB/AC PPI	0	100	98	95	100	75	65
5B	METRIBUZIN 1	4.00	F	.265 LB/AC PPI							
5C	METRIBUZIN 1	4.00	F	.265 LB/AC PRE							
6A	METOLACHLOR	8.00	E	2.500 LB/AC PPI	0	100	100	100	100	70	75
6B	METRIBUZIN 1	4.00	F	.380 LB/AC PPI							
6C	METRIBUZIN 1	4.00	F	.380 LB/AC PRE							
7A	METOLACHLOR	8.00	E	2.500 LB/AC PPI	0	98	98	100	100	80	75
7B	BENTAZON	4.00	E	1.000 LB/AC EP							
7C	OIL CONCENTRATE	.00	AD	1.000 QT/AC EP							
8A	TRIFLURALIN	4.00	E	.750 LB/AC PPI	5	82	100	95	100	90	82
8B	PPG-844	2.00	E	.150 LB/AC EP							
9A	TRIFLURALIN	4.00	E	.750 LB/AC PPI	0	92	78	90	95	95	90
9B	PPG-844	2.00	E	.150 LB/AC LP							
10A	TRIFLURALIN	4.00	E	.750 LB/AC PPI	10	92	100	92	100	88	85
10B	PPG-844	2.00	E	.200 LB/AC EP							
11A	TRIFLURALIN	4.00	E	.750 LB/AC PPI	0	85	82	100	100	95	92
11B	PPG-844	2.00	E	.200 LB/AC LP							
12A	TRIFLURALIN	4.00	E	.750 LB/AC PPI	10	85	95	92	100	92	85
12B	PPG 1013	.25	EC	.020 LB/AC EP							
13A	TRIFLURALIN	4.00	E	.750 LB/AC PPI	0	80	92	100	88	92	85
13B	PPG 1013	.25	EC	.020 LB/AC MP							
13C	BENTAZON	4.00	E	.500 LB/AC MP							
13D	OIL CONCENTRATE	.00	AD	.500 QT/AC MP							

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5052 SOYBEAN PREPLANT INCORPORATED

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	8 WEEKS AFTER APPLICATION						
					CRIN	GIFT	COLQ	JIWE	BLNS	ILMG	TAMG
14A	TRIFLURALIN	4.00 E	.750	LB/AC PPI	0	72	95	100	98	98	88
14B	PPG 1013	.25 EC	.020	LB/AC MP							
14C	BENAZOLIN	4.00 F	.250	LB/AC MP							
15	TRIFLURALIN	4.00 E	1.000	LB/AC PPI	0	92	75	48	88	90	92
16A	TRIFLURALIN	4.00 E	1.000	LB/AC PPI	0	98	100	92	68	98	90
16B	METRIBUZIN 1	4.00 F	.500	LB/AC PPI							
17A	TRIFLURALIN	4.00 E	1.000	LB/AC PPI	2	98	98	92	70	95	92
17B	METRIBUZIN 1	4.00 F	.380	LB/AC PPI							
17C	METRIBUZIN 1	4.00 F	.380	LB/AC PRE							
18A	TRIFLURALIN	4.00 E	1.000	LB/AC PPI	2	95	98	92	95	90	98
18B	METRIBUZIN 1	4.00 F	.380	LB/AC PPI							
18C	IMAZAQUIN	1.50 AS	.100	LB/AC PPI							
19A	TRIFLURALIN	4.00 E	1.000	LB/AC PPI	0	95	100	95	60	98	92
19B	METRIBUZIN 1	4.00 F	.500	LB/AC PPI							
19C	MZH 2091	4.00 EC	.500	LB/AC PPI							
20A	TRIFLURALIN	4.00 E	1.000	LB/AC PPI	8	100	100	90	100	90	82
20B	METOLACHLOR	8.00 E	2.500	LB/AC PPI							
20C	METRIBUZIN 1	4.00 F	.380	LB/AC PPI							
21A	TRIFLURALIN	4.00 E	1.000	LB/AC PPI	0	100	98	92	100	95	90
21B	METOLACHLOR	8.00 E	2.500	LB/AC PPI							
21C	METRIBUZIN 1	4.00 F	.500	LB/AC PPI							
22A	TRIFLURALIN	4.00 E	1.000	LB/AC PPI	0	90	98	82	88	100	90
22B	EL 107	80.00 WP	.040	LB/AC PPI							
23A	TRIFLURALIN	4.00 E	1.000	LB/AC PPI	5	88	100	85	95	95	88
23B	EL 107	80.00 WP	.060	LB/AC PPI							
24	METRIBUZIN 1	4.00 F	.500	LB/AC PPI	0	38	95	60	35	65	65
25A	METRIBUZIN 1	4.00 F	.250	LB/AC PPI	0	100	100	100	95	72	72
25B	FMC 57020	6.00 EC	.750	LB/AC PPI							
26A	METRIBUZIN 1	4.00 F	.340	LB/AC PPI	0	98	100	98	82	72	72
26B	FMC 57020	6.00 EC	.750	LB/AC PPI							
27A	IMAZAQUIN	1.50 AS	.250	LB/AC PPI	19	99	100	100	100	96	99
27B	PENDIMETHALIN	4.00 E	.750	LB/AC PPI							

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5052 SOYBEAN PREPLANT INCORPORATED

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	8 WEEKS AFTER APPLICATION						
					CRIN	GIFT	COLQ	JIWE	BLNS	ILMG	TAMG
28A	METRIBUZIN 1	4.00 F	.500	LB/AC PPI	15	65	100	90	32	92	82
28B	MZH 2091	4.00 EC	.500	LB/AC PPI							
29A	PENDIMETHALIN	4.00 E	1.000	LB/AC PPI	10	98	98	100	95	88	98
29B	IMAZAQUIN	1.50 AS	.125	LB/AC PPI							
30A	IMAZAQUIN	1.50 AS	.188	LB/AC PPI	12	90	100	100	100	98	100
30B	PENDIMETHALIN	4.00 E	.750	LB/AC PPI							
31A	PENDIMETHALIN	4.00 E	1.000	LB/AC PPI	12	98	100	100	100	92	98
31B	IMAZAQUIN	1.50 AS	.188	LB/AC PPI							
32A	IMAZAQUIN	1.50 AS	.250	LB/AC PPI							
32B	PENDIMETHALIN	4.00 E	.750	LB/AC PPI							
33A	IMAZAQUIN	1.50 AS	.188	LB/AC PPI	12	95	100	100	100	100	100
33B	TRIFLURALIN	4.00 E	.750	LB/AC PPI							
67	34A IMAZAQUIN	1.50 AS	.250	LB/AC PPI							
	34B TRIFLURALIN	4.00 E	.750	LB/AC PPI	12	100	100	100	100	100	100
35A	IMAZAQUIN	1.50 AS	.125	LB/AC PPI	0	100	100	98	100	92	95
35B	FMC 57020	6.00 EC	1.000	LB/AC PPI							
36A	IMAZAQUIN	1.50 AS	.188	LB/AC PPI	8	100	100	98	100	95	98
36B	FMC 57020	6.00 EC	.750	LB/AC PPI							
37	ETHALFLURALIN	3.00 E	.940	LB/AC PPI	0	88	75	48	92	92	98
38A	ETHALFLURALIN	3.00 E	.940	LB/AC PPI							
38B	METRIBUZIN 1	4.00 F	.265	LB/AC PPI	5	95	100	95	80	90	80
38C	METRIBUZIN 1	4.00 F	.265	LB/AC PRE							
39A	ETHALFLURALIN	3.00 E	.940	LB/AC PPI	2	82	92	85	90	95	88
39B	EL 107	80.00 WP	.040	LB/AC PPI							
40A	ETHALFLURALIN	3.00 E	.940	LB/AC PPI							
40B	EL 107	80.00 WP	.040	LB/AC PPI	0	98	100	75	85	98	85
40C	METRIBUZIN	75.00 DF	.250	LB/AC PPI							
41A	PENDIMETHALIN	4.00 E	1.000	LB/AC PPI	0	95	100	95	75	90	98
41B	METRIBUZIN 1	4.00 F	.500	LB/AC PPI							
42A	METHAZOLE	75.00 WP	2.000	LB/AC PPI	2	72	100	88	100	85	70
42B	ALACHLOR	4.00 MT	2.500	LB/AC PPI							

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5052 SOYBEAN PREPLANT INCORPORATED

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	8 WEEKS AFTER APPLICATION						
					CRIN	GIFT	COLQ	JIWE	BLNS	ILMG	TAMG
43A	RE 39571	3.00 E	1.500	LB/AC PPI	0	90	100	82	48	72	70
43B	METRIBUZIN 1	4.00 F	.500	LB/AC PPI							
44A	RE 39571	3.00 E	2.000	LB/AC PPI	0	90	100	98	68	72	72
44B	METRIBUZIN 1	4.00 F	.500	LB/AC PPI							
45A	RE 39571	3.00 E	3.000	LB/AC PPI	0	100	100	90	70	72	58
45B	METRIBUZIN 1	4.00 F	.500	LB/AC PPI							
46	AC 499	1.95 AS	.032	LB/AC PPI	0	62	95	92	100	90	98
47	AC 499	1.95 AS	.063	LB/AC PPI	0	75	100	100	100	90	95
48	AC 499	1.95 AS	.093	LB/AC PPI	5	82	98	95	100	90	95
49	AC 499	1.95 AS	.125	LB/AC PPI	5	95	100	100	100	95	100
50	CHECK (CULTIVATED)	.00 CK	.000		0	100	100	100	100	100	100
		LSD(05):			6	11	9	15	20	11	14

६८

LOCATION: SPINDELTOP FARM SOIL TYPE: MAURY SILT LOAM
FERTILIZATION (LB/AC): 60 N, 60 P, 60 K PH: 6.5 O.M.: 3.4%
DATE PLANTED: MAY 16 DATE TREATED: PPI MAY 16
VARIETY: WILLIAMS PRE MAY 16
EP JUNE 6
MP JUNE 24
LP JUNE 25

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5014 SOYBEAN POSTEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION								
					GRAS	BRLE	CRIN	GIFT	COLQ	J1WE	PESW	ILMG	
1A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	98	92	8	98	98	100	92
1B	IMAZAQUIN	1.50	AS	.125	LB/AC	MP							
1C	2,4-DB	2.00	E	.030	LB/AC	MP							
2A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	95	98	8	95	100	100	98
2B	IMAZAQUIN	1.50	AS	.125	LB/AC	MP							
2C	ACIFLUORFEN	2.00	L	.250	LB/AC	MP							
3A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	95	95	5	95	98	100	100
3B	IMAZAQUIN	1.50	AS	.125	LB/AC	MP							
3C	ACIFLUORFEN	2.00	L	.380	LB/AC	MP							
4A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	90	88	0	90	100	100	88
4B	IMAZAQUIN	1.50	AS	.125	LB/AC	MP							
4C	BENTAZON	4.00	E	.750	LB/AC	MP							
5A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	92	92	5	92	100	100	92
5B	IMAZAQUIN	1.50	AS	.125	LB/AC	MP							
5C	BENTAZON	4.00	E	1.000	LB/AC	MP							
6A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	98	98	5	98	100	100	98
6B	DPX F6025 + METRIBUZ	75.00	DF	.500	LB/AC	PRE							
6C	DPX F6025	25.00	DF	.008	LB/AC	MP							
6D	X-77 (SURFACTANT)	.50	WA	.250	%	MP							
7A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	95	100	12	95	100	100	100
7B	DPX F6025 + METRIBUZ	75.00	DF	.500	LB/AC	PRE							
7C	DPX F6025	25.00	DF	.016	LB/AC	MP							
7D	X-77 (SURFACTANT)	.50	WA	.250	%	MP							
8A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	100	98	8	98	100	100	95
8B	METRIBUZIN 2	4.00	L	.500	LB/AC	PRE							
8C	DPX F6025	25.00	DF	.008	LB/AC	MP							
8D	X-77 (SURFACTANT)	.50	WA	.250	%	MP							
9A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	95	90	25	95	100	100	90
9B	METRIBUZIN 2	4.00	L	.500	LB/AC	PRE							
9C	DPX F6025	25.00	DF	.016	LB/AC	MP							
9D	X-77 (SURFACTANT)	.50	WA	.250	%	MP							
10A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	90	88	5	90	92	100	90
10B	DPX F6025	25.00	DF	.008	LB/AC	MP							
10C	X-77 (SURFACTANT)	.50	WA	.250	%	MP							
11A	ALACHLOR	4.00	MT	2.500	LB/AC	PRE	95	88	8	95	90	100	92
11B	DPX F6025	25.00	DF	.012	LB/AC	MP							
11C	X-77 (SURFACTANT)	.50	WA	.250	%	MP							

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5014 SOYBEAN POSTEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION							
					GRAS	BRLE	CRIN	GIFT	COLQ	JIVE	PESW	ILMG
12A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	95	95	8	95	98	95	100	100
12B	ACIFLUORFEN 2	2.00 L	.500	LB/AC EP								
13A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	98	98	2	98	98	100	100	100
13B	ACIFLUORFEN 2	2.00 L	.500	LB/AC EP								
13C	X-77 (SURFACTANT)	.50 WA	.250 %	EP								
14A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	98	100	5	98	100	100	100	100
14B	ACIFLUORFEN 2	2.00 L	.750	LB/AC EP								
15A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	92	95	0	92	98	100	100	95
15B	ACIFLUORFEN 2	2.00 L	.250	LB/AC EP								
15C	BENTAZON	4.00 E	.500	LB/AC EP								
15D	X-77 (SURFACTANT)	.50 WA	.250 %	EP								
16A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	98	92	10	98	95	100	100	95
16B	ACIFLUORFEN 2	2.00 L	.380	LB/AC EP								
16C	BENTAZON	4.00 E	.500	LB/AC EP								
16D	X-77 (SURFACTANT)	.50 WA	.250 %	EP								
17A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	98	95	8	98	98	100	100	100
17B	ACIFLUORFEN	2.00 L	.500	LB/AC MP								
17C	TRITON AG 98 SURFACT	.00 WA	.130 %	MP								
18A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	90	90	8	90	95	100	100	98
18B	ACIFLUORFEN	2.00 L	.500	LB/AC MP								
18C	OIL CONCENTRATE	.00 AD	.500	QT/AC MP								
19A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	98	95	10	98	100	100	98	100
19B	ACIFLUORFEN	2.00 L	.500	LB/AC MP								
19C	2,4-DB	2.00 E	.030	LB/AC MP								
19D	TRITON AG 98 SURFACT	.00 WA	.130 %	MP								
20A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	98	98	10	98	100	100	100	100
20B	ACIFLUORFEN	2.00 L	.500	LB/AC MP								
20C	2,4-DB	2.00 E	.030	LB/AC MP								
20D	OIL CONCENTRATE	.00 AD	.500	QT/AC MP								
21A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	95	95	10	95	98	100	100	98
21B	ACIFLUORFEN	2.00 L	.250	LB/AC MP								
21C	BENTAZON	4.00 E	.500	LB/AC MP								
21D	TRITON AG 98 SURFACT	.00 WA	.130 %	MP								
22A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	98	100	10	98	100	100	100	100
22B	ACIFLUORFEN	2.00 L	.380	LB/AC MP								
22C	BENTAZON	4.00 E	.500	LB/AC MP								
22D	TRITON AG 98 SURFACT	.00 WA	.130 %	MP								

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5014 SOYBEAN POSTEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION							
					GRAS	BRLE	CRIN	GIFT	COLQ	JIWE	PESW	ILMG
23A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	90	92	8	90	95	98	100	92
23B	ACIFLUORFEN	2.00 L	.250	LB/AC MP								
23C	BENTAZON	4.00 E	.500	LB/AC MP								
23D	OIL CONCENTRATE	.00 AD	.500	QT/AC MP								
24A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	95	98	10	98	98	100	100	100
24B	ACIFLUORFEN	2.00 L	.380	LB/AC MP								
24C	BENTAZON	4.00 E	.500	LB/AC MP								
24D	OIL CONCENTRATE	.00 AD	.500	QT/AC MP								
25A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	98	98	2	98	98	100	100	98
25B	ACIFLUORFEN	2.00 L	.250	LB/AC MP								
25C	BENTAZON	4.00 E	.500	LB/AC MP								
25D	10 34 0	.00 AD	1.000	QT/AC MP								
26A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	98	100	0	98	100	100	100	100
26B	ACIFLUORFEN	2.00 L	.380	LB/AC MP								
26C	BENTAZON	4.00 E	.500	LB/AC MP								
26D	10 34 0	.00 AD	1.000	QT/AC MP								
27A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	98	92	0	98	98	100	100	95
27B	ACIFLUORFEN	2.00 L	.250	LB/AC MP								
27C	IMAZAQUIN	1.50 AS	.060	LB/AC MP								
27D	TRITON AG 98 SURFACT	.00 WA	.130	% MP								
28A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	95	98	8	95	98	100	100	100
28B	ACIFLUORFEN	2.00 L	.250	LB/AC MP								
28C	IMAZAQUIN	1.50 AS	.120	LB/AC MP								
28D	TRITON AG 98 SURFACT	.00 WA	.130	% MP								
29A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	95	95	5	95	98	100	100	100
29B	ACIFLUORFEN	2.00 L	.500	LB/AC MP								
29C	IMAZAQUIN	1.50 AS	.060	LB/AC MP								
29D	TRITON AG 98 SURFACT	.00 WA	.130	% MP								
30A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	98	100	5	98	100	100	100	100
30B	ACIFLUORFEN	2.00 L	.500	LB/AC MP								
30C	IMAZAQUIN	1.50 AS	.120	LB/AC MP								
30D	TRITON AG 98 SURFACT	.00 WA	.130	% MP								
31A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	90	92	0	90	95	98	98	98
31B	ACIFLUORFEN	2.00 L	.250	LB/AC MP								
31C	DPX F6025	25.00 DF	.004	LB/AC MP								
31D	TRITON AG 98 SURFACT	.00 WA	.130	% MP								

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5014 SOYBEAN POSTEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION							
					GRAS	BRLE	CRIN	GIFT	COLQ	JIVE	PESW	ILMG
32A	ALACHLOR	4.00	MT	2.500 LB/AC PRE	100	95	2	98	98	100	100	98
32B	ACIFLUORFEN	2.00	L	.250 LB/AC MP								
32C	DPX F6025	25.00	DF	.008 LB/AC MP								
32D	TRITON AG 98 SURFACT	.00	WA	.130 % MP								
33A	ALACHLOR	4.00	MT	2.500 LB/AC PRE	98	98	5	98	100	100	100	100
33B	ACIFLUORFEN	2.00	L	.500 LB/AC MP								
33C	DPX F6025	25.00	DF	.004 LB/AC MP								
33D	TRITON AG 98 SURFACT	.00	WA	.130 % MP								
34A	ALACHLOR	4.00	MT	2.500 LB/AC PRE	95	98	0	95	100	100	100	98
34B	ACIFLUORFEN	2.00	L	.500 LB/AC MP								
34C	DPX F6025	25.00	DF	.008 LB/AC MP								
34D	TRITON AG 98 SURFACT	.00	WA	.130 % MP								
35A	ALACHLOR	4.00	MT	2.500 LB/AC PRE	95	85	8	95	95	98	95	95
35B	RH-0265	2.00	E	.120 LB/AC MP								
35C	2,4-DB	2.00	E	.030 LB/AC MP								
36A	ALACHLOR	4.00	MT	2.500 LB/AC PRE	92	95	20	92	95	100	95	100
36B	RH-0265	2.00	E	.120 LB/AC LP								
36C	2,4-DB	2.00	E	.030 LB/AC LP								
37A	ALACHLOR	4.00	MT	2.500 LB/AC PRE	100	95	2	100	100	100	95	98
37B	RH-0265	2.00	E	.180 LB/AC MP								
37C	2,4-DB	2.00	E	.030 LB/AC MP								
38A	ALACHLOR	4.00	MT	2.500 LB/AC PRE	90	98	20	90	98	100	100	98
38B	RH-0265	2.00	E	.180 LB/AC LP								
38C	2,4-DB	2.00	E	.030 LB/AC LP								
39A	FMC 57020	6.00	EC	1.000 LB/AC PRE	100	90	5	100	100	100	100	90
39B	BENTAZON	4.00	E	.500 LB/AC MP								
39C	OIL CONCENTRATE	.00	AD	1.000 QT/AC MP								
40A	FMC 57020	6.00	EC	1.000 LB/AC PRE	100	92	0	100	100	100	100	92
40B	ACIFLUORFEN	2.00	L	.250 LB/AC MP								
40C	TRITON AG 98 SURFACT	.00	WA	.130 % MP								
41A	FMC 57020	6.00	EC	1.000 LB/AC PRE	100	98	2	100	100	100	100	98
41B	ACIFLUORFEN	2.00	L	.500 LB/AC MP								
41C	2,4-DB	2.00	E	.030 LB/AC MP								
41D	TRITON AG 98 SURFACT	.00	WA	.130 % MP								
42A	FMC 57020	6.00	EC	1.000 LB/AC PRE	100	92	2	100	100	100	100	92
42B	DPX F6025	25.00	DF	.008 LB/AC MP								
42C	X-77 (SURFACTANT)	.50	WA	.250 % MP								

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5014 SOYBEAN POSTEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH			4 WEEKS AFTER		APPLICATION		PESW	ILMG		
					GRAS	BRLE	CRIN	GIFT	COLQ	JIWE				
43A	SD 95481	7.00	EC	1.400 LB/AC	PRE	98	95	8	98	95	100	98	100	
43B	ACIFLUORFEN	2.00	L	.500 LB/AC	MP									
43C	TRITON AG 98 SURFACT	.00	WA	.130 %	MP									
44A	SD 95481	7.00	EC	1.400 LB/AC	PRE	98	90	10	98	98	100	100	90	
44B	BENTAZON	4.00	E	1.000 LB/AC	MP									
44C	OIL CONCENTRATE	.00	AD	1.000 QT/AC	MP									
45A	SD 95481	7.00	EC	1.400 LB/AC	PRE	100	98	12	100	100	100	100	100	
45B	ACIFLUORFEN	2.00	L	.380 LB/AC	MP									
45C	BENTAZON	4.00	E	.500 LB/AC	MP									
45D	OIL CONCENTRATE	.00	AD	.500 QT/AC	MP									
46A	SD 95481	7.00	EC	1.400 LB/AC	PRE	100	98	15	100	98	100	100	100	
46B	ACIFLUORFEN	2.00	L	.500 LB/AC	MP									
46C	2,4-DB	2.00	E	.030 LB/AC	MP									
46D	OIL CONCENTRATE	.00	AD	.500 QT/AC	MP									
73	47A	SD 95481	7.00	EC	1.400 LB/AC	PRE	92	90	10	92	100	100	100	90
	47B	BENTAZON	4.00	E	.750 LB/AC	MP								
	47C	2,4-DB	2.00	E	.030 LB/AC	MP								
	47D	OIL CONCENTRATE	.00	AD	1.000 QT/AC	MP								
	48	CHECK (CULTIVATED)	.00	CK	.000		100	100	0	100	100	100	100	
					LSD(05):		6	8	12	6	NS	NS	NS	6

LOCATION: SPINDLETOP FARM

FERTILIZATION (LB/AC): 60 N, 60 P, 60 K SOIL TYPE: MAURY SILT LOAM
 DATE PLANTED: MAY 16 DATE TREATED: PRE MAY 17
 VARIETY: WILLIAMS PH: 6.5 O.M.: 3.4%
 EP JUNE 6
 MP JUNE 10
 LP JUNE 24

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5053 SOYBEAN POSTEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	8 WEEKS AFTER APPLICATION					
					CRIN	GIFT	COLQ	JIVE	PESW	ILMG
1A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	98	80	95	100	80
1B	IMAZAQUIN	1.50 AS	.125	LB/AC MP						
1C	2,4-DB	2.00 E	.030	LB/AC MP						
2A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	2	92	98	98	100	88
2B	IMAZAQUIN	1.50 AS	.125	LB/AC MP						
2C	ACIFLUORFEN	2.00 L	.250	LB/AC MP						
3A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	5	100	92	98	98	90
3B	IMAZAQUIN	1.50 AS	.125	LB/AC MP						
3C	ACIFLUORFEN	2.00 L	.380	LB/AC MP						
4A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	92	95	100	98	70
4B	IMAZAQUIN	1.50 AS	.125	LB/AC MP						
4C	BENTAZON	4.00 E	.750	LB/AC MP						
5A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	90	98	100	98	85
5B	IMAZAQUIN	1.50 AS	.125	LB/AC MP						
5C	BENTAZON	4.00 E	1.000	LB/AC MP						
6A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	2	98	95	100	100	88
6B	DPX F6025 + METRIBUZ	75.00 DF	.500	LB/AC PRE						
6C	DPX F6025	25.00 DF	.008	LB/AC MP						
6D	X-77 (SURFACTANT)	.50 WA	.250	% MP						
7A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	10	90	98	100	100	90
7B	DPX F6025 + METRIBUZ	75.00 DF	.500	LB/AC PRE						
7C	DPX F6025	25.00 DF	.016	LB/AC MP						
7D	X-77 (SURFACTANT)	.50 WA	.250	% MP						
8A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	2	100	92	100	100	88
8B	METRIBUZIN 2	4.00 L	.500	LB/AC PRE						
8C	DPX F6025	25.00 DF	.008	LB/AC MP						
8D	X-77 (SURFACTANT)	.50 WA	.250	% MP						
9A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	90	88	98	100	82
9B	METRIBUZIN 2	4.00 L	.500	LB/AC PRE						
9C	DPX F6025	25.00 DF	.016	LB/AC MP						
9D	X-77 (SURFACTANT)	.50 WA	.250	% MP						
10A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	2	85	88	98	98	75
10B	DPX F6025	25.00 DF	.008	LB/AC MP						
10C	X-77 (SURFACTANT)	.50 WA	.250	% MP						
11A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	2	90	78	88	78	78
11B	DPX F6025	25.00 DF	.012	LB/AC MP						
11C	X-77 (SURFACTANT)	.50 WA	.250	% MP						

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5053 SOYBEAN POSTEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	8 WEEKS AFTER APPLICATION						
					CRIN	GIFT	COLQ	JIWE	PESW	ILMG	
12A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	0	95	82	90	95	85	
12B	ACIFLUORFEN 2	2.00 L	.500 LB/AC	EP							
13A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	2	90	90	100	100	85	
13B	ACIFLUORFEN 2	2.00 L	.500 LB/AC	EP							
13C	X-77 (SURFACTANT)	.50 WA	.250 %	EP							
14A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	0	92	98	100	100	95	
14B	ACIFLUORFEN 2	2.00 L	.750 LB/AC	EP							
15A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	2	82	82	90	98	80	
15B	ACIFLUORFEN 2	2.00 L	.250 LB/AC	EP							
15C	BENTAZON	4.00 E	.500 LB/AC	EP							
15D	X-77 (SURFACTANT)	.50 WA	.250 %	EP							
G1	16A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	2	92	85	98	100	85
	16B	ACIFLUORFEN 2	2.00 L	.380 LB/AC	EP						
	16C	BENTAZON	4.00 E	.500 LB/AC	EP						
	16D	X-77 (SURFACTANT)	.50 WA	.250 %	EP						
17A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	2	90	80	88	98	88	
17B	ACIFLUORFEN	2.00 L	.500 LB/AC	MP							
17C	TRITON AG 98 SURFACT	.00 WA	.130 %	MP							
18A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	0	82	88	100	100	90	
18B	ACIFLUORFEN	2.00 L	.500 LB/AC	MP							
18C	OIL CONCENTRATE	.00 AD	.500 QT/AC	MP							
19A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	5	90	88	88	98	88	
19B	ACIFLUORFEN	2.00 L	.500 LB/AC	MP							
19C	2,4-DB	2.00 E	.030 LB/AC	MP							
19D	TRITON AG 98 SURFACT	.00 WA	.130 %	MP							
20A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	5	98	88	100	90	78	
20B	ACIFLUORFEN	2.00 L	.500 LB/AC	MP							
20C	2,4-DB	2.00 E	.030 LB/AC	MP							
20D	OIL CONCENTRATE	.00 AD	.500 QT/AC	MP							
21A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	2	98	88	85	100	85	
21B	ACIFLUORFEN	2.00 L	.250 LB/AC	MP							
21C	BENTAZON	4.00 E	.500 LB/AC	MP							
21D	TRITON AG 98 SURFACT	.00 WA	.130 %	MP							
22A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	5	88	90	100	100	80	
22B	ACIFLUORFEN	2.00 L	.380 LB/AC	MP							
22C	BENTAZON	4.00 E	.500 LB/AC	MP							
22D	TRITON AG 98 SURFACT	.00 WA	.130 %	MP							

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5053 SOYBEAN POSTEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	-----8 WEEKS AFTER APPLICATION ---					
					CRIN	GIFT	COLQ	JIWE	PESW	ILMG
23A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	5	80	90	92	100	80
23B	ACIFLUORFEN	2.00 L	.250 LB/AC	MP						
23C	BENTAZON	4.00 E	.500 LB/AC	MP						
23D	OIL CONCENTRATE	.00 AD	.500 QT/AC	MP						
24A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	0	98	80	100	100	80
24B	ACIFLUORFEN	2.00 L	.380 LB/AC	MP						
24C	BENTAZON	4.00 E	.500 LB/AC	MP						
24D	OIL CONCENTRATE	.00 AD	.500 QT/AC	MP						
25A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	0	98	82	100	100	80
25B	ACIFLUORFEN	2.00 L	.250 LB/AC	MP						
25C	BENTAZON	4.00 E	.500 LB/AC	MP						
25D	10 34 0	.00 AD	1.000 QT/AC	MP						
26A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	0	98	100	100	100	92
26B	ACIFLUORFEN	2.00 L	.380 LB/AC	MP						
26C	BENTAZON	4.00 E	.500 LB/AC	MP						
26D	10 34 0	.00 AD	1.000 QT/AC	MP						
27A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	0	98	82	100	100	68
27B	ACIFLUORFEN	2.00 L	.250 LB/AC	MP						
27C	IMAZAQUIN	1.50 AS	.060 LB/AC	MP						
27D	TRITON AG 98 SURFACT	.00 WA	.130 %	MP						
28A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	8	98	98	100	100	88
28B	ACIFLUORFEN	2.00 L	.250 LB/AC	MP						
28C	IMAZAQUIN	1.50 AS	.120 LB/AC	MP						
28D	TRITON AG 98 SURFACT	.00 WA	.130 %	MP						
29A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	2	92	82	100	100	80
29B	ACIFLUORFEN	2.00 L	.500 LB/AC	MP						
29C	IMAZAQUIN	1.50 AS	.060 LB/AC	MP						
29D	TRITON AG 98 SURFACT	.00 WA	.130 %	MP						
30A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	0	95	100	100	100	90
30B	ACIFLUORFEN	2.00 L	.500 LB/AC	MP						
30C	IMAZAQUIN	1.50 AS	.120 LB/AC	MP						
30D	TRITON AG 98 SURFACT	.00 WA	.130 %	MP						
31A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE	0	95	90	100	85	80
31B	ACIFLUORFEN	2.00 L	.250 LB/AC	MP						
31C	DPX F6025	25.00 DF	.004 LB/AC	MP						
31D	TRITON AG 98 SURFACT	.00 WA	.130 %	MP						

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5053 SOYBEAN POSTEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	8 WEEKS AFTER APPLICATION						
					CRIN	GIFT	COLQ	JWIE	PESW	ILMG	
32A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	0	90	85	100	100	82
32B	ACIFLUORFEN	2.00	L	.250 LB/AC	MP						
32C	DPX F6025	25.00	DF	.008 LB/AC	MP						
32D	TRITON AG 98 SURFACT	.00	WA	.130 %	MP						
33A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	0	90	85	100	100	88
33B	ACIFLUORFEN	2.00	L	.500 LB/AC	MP						
33C	DPX F6025	25.00	DF	.004 LB/AC	MP						
33D	TRITON AG 98 SURFACT	.00	WA	.130 %	MP						
34A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	0	90	100	100	100	82
34B	ACIFLUORFEN	2.00	L	.500 LB/AC	MP						
34C	DPX F6025	25.00	DF	.008 LB/AC	MP						
34D	TRITON AG 98 SURFACT	.00	WA	.130 %	MP						
35A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	5	98	78	100	80	72
35B	RH-0265	2.00	E	.120 LB/AC	MP						
35C	2,4-DB	2.00	E	.030 LB/AC	MP						
36A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	0	92	80	100	88	95
36B	RH-0265	2.00	E	.120 LB/AC	LP						
36C	2,4-DB	2.00	E	.030 LB/AC	LP						
37A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	0	85	90	100	100	88
37B	RH-0265	2.00	E	.180 LB/AC	MP						
37C	2,4-DB	2.00	E	.030 LB/AC	MP						
38A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	8	82	90	100	100	88
38B	RH-0265	2.00	E	.180 LB/AC	LP						
38C	2,4-DB	2.00	E	.030 LB/AC	LP						
39A	FMC 57020	6.00	EC	1.000 LB/AC	PRE	0	92	88	100	100	88
39B	BENTAZON	4.00	E	.500 LB/AC	MP						
39C	OIL CONCENTRATE	.00	AD	1.000 QT/AC	MP						
40A	FMC 57020	6.00	EC	1.000 LB/AC	PRE	0	98	100	100	100	88
40B	ACIFLUORFEN	2.00	L	.250 LB/AC	MP						
40C	TRITON AG 98 SURFACT	.00	WA	.130 %	MP						
41A	FMC 57020	6.00	EC	1.000 LB/AC	PRE	0	92	88	100	100	80
41B	ACIFLUORFEN	2.00	L	.500 LB/AC	MP						
41C	2,4-DB	2.00	E	.030 LB/AC	MP						
41D	TRITON AG 98 SURFACT	.00	WA	.130 %	MP						
42A	FMC 57020	6.00	EC	1.000 LB/AC	PRE	0	95	92	100	100	90
42B	DPX F6025	25.00	DF	.008 LB/AC	MP						
42C	X-77 (SURFACTANT)	.50	WA	.250 %	MP						

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5053 SOYBEAN POSTEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	8 WEEKS AFTER APPLICATION						
					CRIN	GIFT	COLQ	JIVE	PESW	ILMG	
43A	SD 95481	7.00	EC	1.400	LB/AC	PRE	5	98	100	100	95
43B	ACIFLUORFEN	2.00	L	.500	LB/AC	MP					
43C	TRITON AG 98 SURFACT	.00	WA	.130	%	MP					
44A	SD 95481	7.00	EC	1.400	LB/AC	PRE	0	92	85	100	100
44B	BENTAZON	4.00	E	1.000	LB/AC	MP					
44C	OIL CONCENTRATE	.00	AD	1.000	QT/AC	MP					
45A	SD 95481	7.00	EC	1.400	LB/AC	PRE	8	92	95	100	98
45B	ACIFLUORFEN	2.00	L	.380	LB/AC	MP					
45C	BENTAZON	4.00	E	.500	LB/AC	MP					
45D	OIL CONCENTRATE	.00	AD	.500	QT/AC	MP					
46A	SD 95481	7.00	EC	1.400	LB/AC	PRE	0	92	88	100	100
46B	ACIFLUORFEN	2.00	L	.500	LB/AC	MP					
46C	2,4-DB	2.00	E	.030	LB/AC	MP					
46D	OIL CONCENTRATE	.00	AD	.500	QT/AC	MP					
78	47A SD 95481	7.00	EC	1.400	LB/AC	PRE	0	92	88	100	80
	47B BENTAZON	4.00	E	.750	LB/AC	MP					
	47C 2,4-DB	2.00	E	.030	LB/AC	MP					
	47D OIL CONCENTRATE	.00	AD	1.000	QT/AC	MP					
48	CHECK (CULTIVATED)	.00	CK	.000			0	100	100	100	100

LSD(05): 5 6 6 3 3 7

LOCATION: SPINDLETOP FARM
 FERTILIZATION (LB/AC): 60 N, 60 P, 60 K
 DATE PLANTED: MAY 16
 VARIETY: WILLIAMS

SOIL TYPE: MAURY SILT LOAM
 PH: 6.5 O.M.: 3.4%
 DATE TREATED: PRE MAY 17
 EP JUNE 6
 MP JUNE 10
 LP JUNE 24

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5027 SOYBEAN POSTEMERGENCE II

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION									
					GRAS	BRLE	CRIN	GIFT	COLQ	JIVE	BLNS	RRPW	ILMG	TAMG
1	HOE 33171	1.00 EC	.100	LB/AC MP	93	10	0	93	20	27	83	53	87	67
2	HOE 33171	1.00 EC	.150	LB/AC MP	97	10	0	97	10	43	63	47	90	87
3A	HOE 33171	1.00 EC	.100	LB/AC MP	97	20	0	97	27	30	90	57	83	87
3B	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP										
4A	HOE 33171	1.00 EC	.150	LB/AC 25D	97	47	0	97	97	100	73	50	93	97
4B	BENTAZON	4.00 E	1.000	LB/AC 25D										
4C	OIL CONCENTRATE	.00 AD	1.000	QT/AC 25D										
5A	HOE 33171	1.00 EC	.200	LB/AC 25D	93	100	3	93	97	100	100	100	100	97
5B	BENTAZON	4.00 E	.500	LB/AC 25D										
5C	ACIFLUORFEN	2.00 L	.250	LB/AC 25D										
5D	OIL CONCENTRATE	.00 AD	.500	QT/AC 25D										
6A	DOWCO 453	2.00 E	.090	LB/AC EP	63	87	3	63	83	93	97	97	100	93
6B	ACIFLUORFEN	2.00 L	.500	LB/AC EP										
6C	OIL CONCENTRATE	.00 AD	.500	QT/AC EP										
7A	DOWCO 453	2.00 E	.090	LB/AC MP	100	93	3	100	93	100	100	100	100	90
7B	ACIFLUORFEN	2.00 L	.500	LB/AC MP										
7C	OIL CONCENTRATE	.00 AD	.500	QT/AC MP										
8A	DOWCO 453	2.00 E	.130	LB/AC EP	90	100	13	90	100	100	100	100	100	93
8B	ACIFLUORFEN	2.00 L	.500	LB/AC EP										
8C	OIL CONCENTRATE	.00 AD	.500	QT/AC EP										
9A	DOWCO 453	2.00 E	.130	LB/AC MP	97	93	3	97	90	100	100	100	100	100
9B	ACIFLUORFEN	2.00 L	.500	LB/AC MP										
9C	OIL CONCENTRATE	.00 AD	.500	QT/AC MP										
10A	DOWCO 453	2.00 E	.130	LB/AC EP	93	60	0	93	87	97	67	67	90	83
10B	BENTAZON	4.00 E	.750	LB/AC EP										
10C	OIL CONCENTRATE	.00 AD	1.000	QT/AC EP										
11A	DOWCO 453	2.00 E	.130	LB/AC MP	97	53	0	97	93	100	47	80	90	73
11B	BENTAZON	4.00 E	.750	LB/AC MP										
11C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP										
12A	DOWCO 453	2.00 E	.090	LB/AC EP	93	100	0	93	100	100	100	100	100	97
12B	BENTAZON	4.00 E	.500	LB/AC EP										
12C	ACIFLUORFEN	2.00 L	.500	LB/AC EP										
12D	OIL CONCENTRATE	.00 AD	.500	QT/AC EP										

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5027 SOYBEAN POSTEMERGENCE II

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION				BLNS	RRPW	ILMG	TAMG		
					GRAS	BRLE	CRIN	GIFT	COLQ	JIWE				
13A	DOWCO 453	2.00 E	.090	LB/AC MP	100	100	3	100	97	100	100	100	97	
13B	BENTAZON	4.00 E	.500	LB/AC MP										
13C	ACIFLUORFEN	2.00 L	.500	LB/AC MP										
13D	OIL CONCENTRATE	.00 AD	.500	QT/AC MP										
14A	DOWCO 453	2.00 E	.130	LB/AC EP	87	97	7	87	97	97	100	100	97	
14B	BENTAZON	4.00 E	.500	LB/AC EP										
14C	ACIFLUORFEN	2.00 L	.500	LB/AC EP										
14D	OIL CONCENTRATE	.00 AD	.500	QT/AC EP										
15A	DOWCO 453	2.00 E	.130	LB/AC MP	100	100	3	100	97	100	100	100	97	
15B	BENTAZON	4.00 E	.500	LB/AC MP										
15C	ACIFLUORFEN	2.00 L	.500	LB/AC MP										
15D	OIL CONCENTRATE	.00 AD	.500	QT/AC MP										
16A	DOWCO 453	2.00 E	.130	LB/AC EP	90	57	10	90	90	100	37	87	100	93
16B	BENTAZON	4.00 E	.750	LB/AC EP										
16C	2,4-DB	2.00 E	.030	LB/AC EP										
16D	OIL CONCENTRATE	.00 AD	1.000	QT/AC EP										
17A	DOWCO 453	2.00 E	.130	LB/AC MP	93	57	10	93	90	100	57	60	100	100
17B	BENTAZON	4.00 E	.750	LB/AC MP										
17C	2,4-DB	2.00 E	.030	LB/AC MP										
17D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP										
18A	DOWCO 453	2.00 E	.090	LB/AC EP	100	97	3	100	97	100	100	100	100	100
18B	OIL CONCENTRATE	.00 AD	.500	QT/AC EP										
18C	ACIFLUORFEN	2.00 L	.500	LB/AC +4D										
18D	OIL CONCENTRATE	.00 AD	.500	QT/AC +4D										
19A	DOWCO 453	2.00 E	.090	LB/AC MP	100	93	3	100	83	100	100	100	100	90
19B	OIL CONCENTRATE	.00 AD	.500	QT/AC MP										
19C	ACIFLUORFEN	2.00 L	.500	LB/AC +4D										
19D	OIL CONCENTRATE	.00 AD	.500	QT/AC +4D										
20A	DOWCO 453	2.00 E	.090	LB/AC EP	67	83	0	67	100	100	77	100	93	87
20B	OIL CONCENTRATE	.00 AD	1.000	QT/AC EP										
20C	BENTAZON	4.00 E	.750	LB/AC +4D										
20D	OIL CONCENTRATE	.00 AD	1.000	QT/AC +4D										
21A	DOWCO 453	2.00 E	.090	LB/AC MP	100	50	0	100	80	100	23	93	97	97
21B	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP										
21C	BENTAZON	4.00 E	.750	LB/AC +4D										
21D	OIL CONCENTRATE	.00 AD	1.000	QT/AC +4D										

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5027 SOYBEAN POSTEMERGENCE II

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION									
					GRAS	BRLE	CRIN	GIFT	COLQ	JIWE	BLNS	RRPW	ILMG	TAMG
22A	Y 6202	.80 L	.060	LB/AC MP	83	50	3	83	47	100	80	100	100	97
22B	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP										
22C	DPX F6025	25.00 DF	.008	LB/AC +1D										
22D	X-77 (SURFACTANT)	.50 WA	.250 %	+1D										
23A	Y 6202	.80 L	.090	LB/AC MP	90	40	0	90	27	100	67	100	97	83
23B	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP										
23C	DPX F6025	25.00 DF	.008	LB/AC +1D										
23D	X-77 (SURFACTANT)	.50 WA	.250 %	+1D										
24A	Y 6202	.80 L	.120	LB/AC MP	83	53	0	83	43	100	70	100	97	80
24B	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP										
24C	DPX F6025	25.00 DF	.008	LB/AC +1D										
24D	X-77 (SURFACTANT)	.50 WA	.250 %	+1D										
25A	DPX F6025	25.00 DF	.008	LB/AC -3D	83	70	0	83	50	100	87	100	100	97
25B	X-77 (SURFACTANT)	.50 WA	.250 %	-3D										
25C	Y 6202	.80 L	.060	LB/AC MP										
25D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP										
26A	DPX F6025	25.00 DF	.008	LB/AC -3D	80	63	0	80	50	100	90	100	100	80
26B	X-77 (SURFACTANT)	.50 WA	.250 %	-3D										
26C	Y 6202	.80 L	.090	LB/AC MP										
26D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP										
27A	DPX F6025	25.00 DF	.008	LB/AC -3D	87	60	0	87	40	100	80	100	97	90
27B	X-77 (SURFACTANT)	.50 WA	.250 %	-3D										
27C	Y 6202	.80 L	.120	LB/AC MP										
27D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP										
28A	FLUAZIFOP-BUVTL	1.00 E	.125	LB/AC MP	90	83	27	90	97	100	67	90	97	90
28B	BENTAZON	4.00 E	1.000	LB/AC MP										
28C	2,4-DB	2.00 E	.030	LB/AC MP										
28D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP										
29A	FLUAZIFOP-BUVTL	1.00 E	.156	LB/AC MP	83	43	23	83	90	100	27	67	97	100
29B	BENTAZON	4.00 E	1.000	LB/AC MP										
29C	2,4-DB	2.00 E	.030	LB/AC MP										
29D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP										
30A	FLUAZIFOP-BUVTL	1.00 E	.188	LB/AC MP	100	77	27	100	97	97	70	83	100	97
30B	BENTAZON	4.00 E	1.000	LB/AC MP										
30C	2,4-DB	2.00 E	.030	LB/AC MP										
30D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP										

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5027 SOYBEAN POSTEMERGENCE II

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION									
					GRAS	BRLE	CRIN	GIFT	COLQ	JWIE	BLNS	RRPW	ILMG	TAMG
31A	BAS 517	1.67 E	.050	LB/AC LP	83	53	0	83	97	100	53	80	97	87
31B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP										
31C	BENTAZON	4.00 E	.750	LB/AC -5D										
31D	OIL CONCENTRATE	.00 AD	1.000	QT/AC -5D										
32A	BAS 517	1.67 E	.075	LB/AC LP	93	53	0	93	93	100	47	63	93	80
32B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP										
32C	BENTAZON	4.00 E	.750	LB/AC -5D										
32D	OIL CONCENTRATE	.00 AD	1.000	QT/AC -5D										
33A	BAS 517	1.67 E	.100	LB/AC LP	93	73	0	93	100	100	70	83	90	83
33B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP										
33C	BENTAZON	4.00 E	.750	LB/AC -5D										
33D	OIL CONCENTRATE	.00 AD	1.000	QT/AC -5D										
34A	BAS 517	1.67 E	.150	LB/AC LP	97	63	0	97	97	100	63	77	97	80
34B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP										
34C	BENTAZON	4.00 E	.750	LB/AC -5D										
34D	OIL CONCENTRATE	.00 AD	1.000	QT/AC -5D										
35A	SC 1084	4.00 E	.125	LB/AC LP	23	77	0	23	100	100	67	93	90	87
35B	BENTAZON	4.00 E	1.000	LB/AC LP										
35C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP										
36A	SC 1084	4.00 E	.125	LB/AC LP	63	47	0	63	67	100	73	53	87	77
36B	BENTAZON	4.00 E	1.000	LB/AC SEQ										
36C	OIL CONCENTRATE	.00 AD	1.000	QT/AC SEQ										
37A	SC 1084	4.00 E	.250	LB/AC LP	37	37	0	37	83	100	20	97	87	93
37B	BENTAZON	4.00 E	1.000	LB/AC LP										
37C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP										
38A	SC 1084	4.00 E	.250	LB/AC LP	87	40	0	87	60	100	60	57	83	83
38B	BENTAZON	4.00 E	1.000	LB/AC SEQ										
38C	OIL CONCENTRATE	.00 AD	1.000	QT/AC SEQ										
39A	SC 1084	4.00 E	.380	LB/AC LP	67	57	0	67	87	100	43	87	97	87
39B	BENTAZON	4.00 E	1.000	LB/AC LP										
39C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP										
40A	SC 1084	4.00 E	.380	LB/AC LP	90	50	0	90	67	100	47	17	90	87
40B	BENTAZON	4.00 E	1.000	LB/AC SEQ										
40C	OIL CONCENTRATE	.00 AD	1.000	QT/AC SEQ										

LSD(05):

22 26 6 22 20 6 30 27 11 16

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5027 SOYBEAN POSTEMERGENCE II

LOCATION: SPINDELOP FARM SOIL TYPE: MAURY SILT LOAM
FERTILIZATION (LB/AC): 60 N, 60 P, 60 K PH: 6.5 O.M.: 3.4%
DATE PLANTED: MAY 16 DATE TREATED: EP, -3D JUNE 6
VARIETY: WILLIAMS MP, +4D JUNE 10
25D, +5D JUNE 10
+1D JUNE 11
+4D JUNE 14
LP JUNE 15
SEQ JUNE 24

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5054 SOYBEAN POSTEMERGENCE II

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH			8 WEEKS AFTER		APPLICATION			
					CRIN	GIFT	COLQ	JIVE	BLNS	RRPW	ILMG	TAMG
1	HOE 33171	1.00 EC	.100	LB/AC MP	0	100	17	27	73	53	80	57
2	HOE 33171	1.00 EC	.150	LB/AC MP	0	100	10	40	63	50	80	77
3A 3B	HOE 33171 OIL CONCENTRATE	1.00 EC	.100	LB/AC MP	0	100	27	33	83	53	83	77
		.00 AD	1.000	QT/AC MP								
4A	HOE 33171	1.00 EC	.150	LB/AC 25D	0	100	97	100	73	40	90	93
4B	BENTAZON	4.00 E	1.000	LB/AC 25D								
4C	OIL CONCENTRATE	.00 AD	1.000	QT/AC 25D								
5A	HOE 33171	1.00 EC	.200	LB/AC 25D	0	93	93	100	100	100	97	93
5B	BENTAZON	4.00 E	.500	LB/AC 25D								
5C	ACIFLUORFEN	2.00 L	.250	LB/AC 25D								
5D	OIL CONCENTRATE	.00 AD	.500	QT/AC 25D								
6A	DOWCO 453	2.00 E	.090	LB/AC EP	0	93	100	100	100	100	100	93
6B	ACIFLUORFEN	2.00 L	.500	LB/AC EP								
6C	OIL CONCENTRATE	.00 AD	.500	QT/AC EP								
7A	DOWCO 453	2.00 E	.090	LB/AC MP	0	100	93	100	100	100	97	90
7B	ACIFLUORFEN	2.00 L	.500	LB/AC MP								
7C	OIL CONCENTRATE	.00 AD	.500	QT/AC MP								
8A	DOWCO 453	2.00 E	.130	LB/AC EP	0	90	100	100	100	100	100	93
8B	ACIFLUORFEN	2.00 L	.500	LB/AC EP								
8C	OIL CONCENTRATE	.00 AD	.500	QT/AC EP								
9A	DOWCO 453	2.00 E	.130	LB/AC MP	0	100	90	100	100	100	100	100
9B	ACIFLUORFEN	2.00 L	.500	LB/AC MP								
9C	OIL CONCENTRATE	.00 AD	.500	QT/AC MP								
10A	DOWCO 453	2.00 E	.130	LB/AC EP	0	100	83	97	73	60	87	77
10B	BENTAZON	4.00 E	.750	LB/AC EP								
10C	OIL CONCENTRATE	.00 AD	1.000	QT/AC EP								
11A	DOWCO 453	2.00 E	.130	LB/AC MP	0	100	97	100	47	73	87	73
11B	BENTAZON	4.00 E	.750	LB/AC MP								
11C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP								
12A	DOWCO 453	2.00 E	.090	LB/AC EP	0	90	100	100	100	100	100	97
12B	BENTAZON	4.00 E	.500	LB/AC EP								
12C	ACIFLUORFEN	2.00 L	.500	LB/AC EP								
12D	OIL CONCENTRATE	.00 AD	.500	QT/AC EP								

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5054 SOYBEAN POSTEMERGENCE II

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	8 WEEKS AFTER APPLICATION							
					CRIN	GIFT	COLQ	JIWE	BLNS	RRPW	ILMG	TAMG
13A	DOWCO 453	2.00 E	.090	LB/AC MP	0	97	97	100	100	100	97	93
13B	BENTAZON	4.00 E	.500	LB/AC MP								
13C	ACIFLUORFEN	2.00 L	.500	LB/AC MP								
13D	OIL CONCENTRATE	.00 AD	.500	QT/AC MP								
14A	DOWCO 453	2.00 E	.130	LB/AC EP	3	90	100	100	100	100	100	97
14B	BENTAZON	4.00 E	.500	LB/AC EP								
14C	ACIFLUORFEN	2.00 L	.500	LB/AC EP								
14D	OIL CONCENTRATE	.00 AD	.500	QT/AC EP								
15A	DOWCO 453	2.00 E	.130	LB/AC MP	0	100	100	100	100	100	97	100
15B	BENTAZON	4.00 E	.500	LB/AC MP								
15C	ACIFLUORFEN	2.00 L	.500	LB/AC MP								
15D	OIL CONCENTRATE	.00 AD	.500	QT/AC MP								
16A	DOWCO 453	2.00 E	.130	LB/AC EP	7	93	90	100	37	87	100	93
16B	BENTAZON	4.00 E	.750	LB/AC EP								
16C	2,4-DB	2.00 E	.030	LB/AC EP								
16D	OIL CONCENTRATE	.00 AD	1.000	QT/AC EP								
17A	DOWCO 453	2.00 E	.130	LB/AC MP	0	100	93	100	47	53	100	97
17B	BENTAZON	4.00 E	.750	LB/AC MP								
17C	2,4-DB	2.00 E	.030	LB/AC MP								
17D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP								
18A	DOWCO 453	2.00 E	.090	LB/AC EP	0	100	100	100	100	100	100	100
18B	OIL CONCENTRATE	.00 AD	.500	QT/AC EP								
18C	ACIFLUORFEN	2.00 L	.500	LB/AC +4D								
18D	OIL CONCENTRATE	.00 AD	.500	QT/AC +4D								
19A	DOWCO 453	2.00 E	.090	LB/AC MP	0	100	87	100	100	100	100	87
19B	OIL CONCENTRATE	.00 AD	.500	QT/AC MP								
19C	ACIFLUORFEN	2.00 L	.500	LB/AC +4D								
19D	OIL CONCENTRATE	.00 AD	.500	QT/AC +4D								
20A	DOWCO 453	2.00 E	.090	LB/AC EP	0	100	100	100	70	100	80	70
20B	OIL CONCENTRATE	.00 AD	1.000	QT/AC EP								
20C	BENTAZON	4.00 E	.750	LB/AC +4D								
20D	OIL CONCENTRATE	.00 AD	1.000	QT/AC +4D								
21A	DOWCO 453	2.00 E	.090	LB/AC MP	0	100	90	100	17	97	93	97
21B	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP								
21C	BENTAZON	4.00 E	.750	LB/AC +4D								
21D	OIL CONCENTRATE	.00 AD	1.000	QT/AC +4D								

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5054 SOYBEAN POSTEMERGENCE II

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	8 WEEKS AFTER APPLICATION							
					CRIN	GIFT	COLQ	JIWE	BLNS	RRPW	ILMG	TAMG
22A	Y 6202	.80 L	.060	LB/AC MP	0	93	47	100	77	100	100	93
22B	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP								
22C	DPX F6025	25.00 DF	.008	LB/AC +1D								
22D	X-77 (SURFACTANT)	.50 WA	.250 %	+1D								
23A	Y 6202	.80 L	.090	LB/AC MP	0	100	27	100	60	100	93	83
23B	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP								
23C	DPX F6025	25.00 DF	.008	LB/AC +1D								
23D	X-77 (SURFACTANT)	.50 WA	.250 %	+1D								
24A	Y 6202	.80 L	.120	LB/AC MP	0	93	40	97	70	100	90	77
24B	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP								
24C	DPX F6025	25.00 DF	.008	LB/AC +1D								
24D	X-77 (SURFACTANT)	.50 WA	.250 %	+1D								
25A	DPX F6025	25.00 DF	.008	LB/AC -3D	0	93	47	100	80	100	100	97
25B	X-77 (SURFACTANT)	.50 WA	.250 %	-3D								
25C	Y 6202	.80 L	.060	LB/AC MP								
25D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP								
26A	DPX F6025	25.00 DF	.008	LB/AC -3D	0	93	47	100	93	100	97	83
26B	X-77 (SURFACTANT)	.50 WA	.250 %	-3D								
26C	Y 6202	.80 L	.090	LB/AC MP								
26D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP								
27A	DPX F6025	25.00 DF	.008	LB/AC -3D	0	93	40	100	80	100	100	93
27B	X-77 (SURFACTANT)	.50 WA	.250 %	-3D								
27C	Y 6202	.80 L	.120	LB/AC MP								
27D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP								
28A	FLUAZIFOP-BUVTL	1.00 E	.125	LB/AC MP	3	90	97	100	67	87	97	90
28B	BENTAZON	4.00 E	1.000	LB/AC MP								
28C	2,4-DB	2.00 E	.030	LB/AC MP								
28D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP								
29A	FLUAZIFOP-BUVTL	1.00 E	.156	LB/AC MP	3	97	93	100	27	60	100	100
29B	BENTAZON	4.00 E	1.000	LB/AC MP								
29C	2,4-DB	2.00 E	.030	LB/AC MP								
29D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP								
30A	FLUAZIFOP-BUVTL	1.00 E	.188	LB/AC MP	3	100	100	97	73	73	100	97
30B	BENTAZON	4.00 E	1.000	LB/AC MP								
30C	2,4-DB	2.00 E	.030	LB/AC MP								
30D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP								

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5054 SOYBEAN POSTEMERGENCE II

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	8 WEEKS AFTER APPLICATION							
					CRIN	GIFT	COLQ	JWIE	BLNS	RRPW	ILMG	TAMG
31A	BAS 517	1.67 E	.050	LB/AC LP	0	100	100	100	53	77	93	87
31B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP								
31C	BENTAZON	4.00 E	.750	LB/AC -5D								
31D	OIL CONCENTRATE	.00 AD	1.000	QT/AC -5D								
32A	BAS 517	1.67 E	.075	LB/AC LP	0	100	97	100	43	60	87	80
32B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP								
32C	BENTAZON	4.00 E	.750	LB/AC -5D								
32D	OIL CONCENTRATE	.00 AD	1.000	QT/AC -5D								
33A	BAS 517	1.67 E	.100	LB/AC LP	0	100	100	100	63	83	87	83
33B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP								
33C	BENTAZON	4.00 E	.750	LB/AC -5D								
33D	OIL CONCENTRATE	.00 AD	1.000	QT/AC -5D								
34A	BAS 517	1.67 E	.150	LB/AC LP	0	100	97	100	60	73	93	77
34B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP								
34C	BENTAZON	4.00 E	.750	LB/AC -5D								
34D	OIL CONCENTRATE	.00 AD	1.000	QT/AC -5D								
35A	SC 1084	4.00 E	.125	LB/AC LP	0	40	100	100	80	97	90	90
35B	BENTAZON	4.00 E	1.000	LB/AC LP								
35C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP								
36A	SC 1084	4.00 E	.125	LB/AC LP	0	80	80	100	80	67	90	77
36B	BENTAZON	4.00 E	1.000	LB/AC SEQ								
36C	OIL CONCENTRATE	.00 AD	1.000	QT/AC SEQ								
37A	SC 1084	4.00 E	.250	LB/AC LP	0	60	100	100	20	100	87	90
37B	BENTAZON	4.00 E	1.000	LB/AC LP								
37C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP								
38A	SC 1084	4.00 E	.250	LB/AC LP	0	97	63	100	60	63	83	80
38B	BENTAZON	4.00 E	1.000	LB/AC SEQ								
38C	OIL CONCENTRATE	.00 AD	1.000	QT/AC SEQ								
39A	SC 1084	4.00 E	.380	LB/AC LP	0	80	93	100	37	87	93	87
39B	BENTAZON	4.00 E	1.000	LB/AC LP								
39C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP								
40A	SC 1084	4.00 E	.380	LB/AC LP	0	100	77	100	47	17	90	83
40B	BENTAZON	4.00 E	1.000	LB/AC SEQ								
40C	OIL CONCENTRATE	.00 AD	1.000	QT/AC SEQ								

LSD(05):

NS

12

18

5

33

33

12

16

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5054 SOYBEAN POSTEMERGENCE II

LOCATION: SPINDLETOP FARM SOIL TYPE: MAURY SILT LOAM
FERTILIZATION (LB/AC): 60 N, 60 P, 60 K PH: 6.5 O.M.: 3.4%
DATE PLANTED: MAY 16 DATE TREATED: EP, -3D JUNE 6
VARIETY: WILLIAMS MP, +4D JUNE 10
25D, +5D JUNE 10
+1D JUNE 11
+4D JUNE 14
LP JUNE 15
SEQ JUNE 24

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5033 SOYBEAN POSTEMERGENCE III

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5033 SOYBEAN POSTEMERGENCE III

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION						--8 WEEKS AFTER APPLICATION				
					GRAS	BRLE	CRIN	GIFT	JIFE	PESW	TAMG	CRIN	GIFT	JIFE	PESW
12A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	60	70	0	60	87	100	47	0	73	87	57
12B	HOE 33171	1.00 EC	.150	LB/AC 25D											
13A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	93	63	0	93	80	100	50	0	97	87	60
13B	CLOPROXYDIM	4.00 E	.250	LB/AC MP											
13C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP											
14A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	97	67	0	97	93	100	67	3	100	93	60
14B	DOWCO 453	2.00 E	.030	LB/AC 2"G											
14C	OIL CONCENTRATE	.00 AD	1.000	QT/AC 2"G											
15A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	93	70	0	93	100	100	60	0	97	100	63
15B	DOWCO 453	2.00 E	.060	LB/AC 2"G											
15C	OIL CONCENTRATE	.00 AD	1.000	QT/AC 2"G											
16A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	97	63	0	97	97	100	50	0	97	100	57
16B	DOWCO 453	2.00 E	.090	LB/AC 2"G											
16C	OIL CONCENTRATE	.00 AD	1.000	QT/AC 2"G											
17A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	97	67	7	97	87	100	40	7	97	80	63
17B	DOWCO 453	2.00 E	.130	LB/AC 2"G											
17C	OIL CONCENTRATE	.00 AD	1.000	QT/AC 2"G											
18A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	97	67	0	97	97	100	50	3	100	93	60
18B	DOWCO 453	2.00 E	.130	LB/AC MP											
18C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP											
19A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	97	63	0	97	93	97	50	0	100	97	60
19B	FLUAZIFOP-BUVTL	1.00 E	.094	LB/AC LP											
19C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP											
20A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	93	63	0	93	97	100	60	3	97	93	57
20B	FLUAZIFOP-BUVTL	1.00 E	.125	LB/AC 2"G											
20C	OIL CONCENTRATE	.00 AD	1.000	QT/AC 2"G											
21A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	97	57	0	97	100	100	33	3	100	100	53
21B	FLUAZIFOP-BUVTL	1.00 E	.125	LB/AC LP											
21C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP											
22A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	97	60	0	97	93	100	53	3	100	93	63
22B	FLUAZIFOP-BUVTL	1.00 E	.156	LB/AC LP											
22C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP											
23A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	100	60	0	100	100	100	43	7	100	100	53
23B	FLUAZIFOP-BUVTL	1.00 E	.188	LB/AC LP											
23C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP											

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5033 SOYBEAN POSTEMERGENCE III

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5033 SOYBEAN POSTEMERGENCE III

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION						--8 WEEKS AFTER APPLICATION				
					GRAS	BRLE	CRIN	GIFT	JIVE	PESW	TAMG	CRIN	GIFT	JIVE	TAMG
36A	IMAZAQUIN	1.50 AS	.188	LB/AC MP	77	80	3	77	100	100	80	3	97	97	80
36B	BENTAZON	4.00 E	1.000	LB/AC MP											
37A	DPX F6025	25.00 DF	.060	LB/AC PRE	97	87	0	97	100	100	87	0	97	100	90
37B	DOWCO 453	2.00 E	.130	LB/AC MP											
37C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP											
38A	BENTAZON	4.00 E	1.000	LB/AC MP	97	87	10	97	100	100	87	0	97	100	87
38B	2,4-DB	2.00 E	.030	LB/AC MP											
38C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP											
38D	FLUAZIFOP-BUYTL	1.00 E	.156	LB/AC LP											
38E	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP											
39A	BENTAZON	4.00 E	1.000	LB/AC MP	97	93	10	97	100	100	93	0	97	100	87
39B	2,4-DB	2.00 E	.030	LB/AC MP											
39C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP											
39D	FLUAZIFOP-BUYTL	1.00 E	.188	LB/AC LP											
39E	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP											
40	CHECK (CULTIVATED)	.00 CK	.000		100	100	0	100	100	100	100	0	100	100	100
			LSD(05):		10	16	5	10	NS	NS	27	NS	10	NS	20

LOCATION: SPINDLETOP FARM

FERTILIZATION (LB/AC): 60 N, 60 P, 60 K SOIL TYPE: MAURY SILT LOAM
DATE PLANTED: MAY 16 DATE TREATED: PRE MAY 17
VARIETY: WILLIAMS PH: 6.5 O.M.: 3.4%CRK MAY 24
EP JUNE 6
2"G JUNE 10
MP JUNE 10
25D JUNE 10
LP JUNE 15
V5 JUNE 25

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5034 SOYBEAN POSTEMERGENCE IV

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION						8 WEEKS AFTER APPLICATION					
					GRAS	BRLE	CRIN	GIFT	COLQ	JIWE	BLNS	CRIN	GIFT	COLQ	JIWE	BLNS
1A	BENTAZON	4.00 E	.750	LB/AC MP	62	60	0	62	95	82	22	2	62	85	85	10
1B	SETHOXYDIM	1.53 EC	.200	LB/AC MP												
1C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP												
2A	BENTAZON	4.00 E	.750	LB/AC MP	90	68	2	90	92	88	40	5	82	85	82	20
2B	FLUAZIFOP-BUVTL	1.00 E	.156	LB/AC MP												
2C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP												
3A	BENTAZON	4.00 E	.750	LB/AC MP	95	72	0	95	92	85	45	5	88	85	78	62
3B	DOWCO 453	2.00 E	.130	LB/AC MP												
3C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP												
4A	BENTAZON	4.00 E	.750	LB/AC MP	70	68	0	70	92	75	35	5	65	85	88	10
4B	Y 6202	.80 L	.060	LB/AC MP												
4C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP												
5A	BENTAZON	4.00 E	.750	LB/AC MP	78	60	5	78	82	78	40	2	68	88	75	20
5B	SC 1084	4.00 E	.250	LB/AC MP												
5C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP												
6A	BENTAZON	4.00 E	.750	LB/AC MP	88	68	2	88	92	75	35	2	75	85	85	15
6B	HOE 33171	1.00 EC	.150	LB/AC MP												
6C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP												
7A	BENTAZON	4.00 E	.750	LB/AC MP	78	65	2	78	90	88	48	5	70	80	80	30
7B	CLOPROXYDIM	4.00 E	.250	LB/AC MP												
7C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP												
8A	BENTAZON	4.00 E	.750	LB/AC MP	78	88	10	78	90	85	98	5	70	85	85	85
8B	ACIFLUORFEN	2.00 L	.250	LB/AC MP												
8C	SETHOXYDIM	1.53 EC	.200	LB/AC MP												
8D	OIL CONCENTRATE	.00 AD	.500	QT/AC MP												
9A	BENTAZON	4.00 E	.750	LB/AC MP	88	88	8	88	90	88	100	5	75	90	82	88
9B	ACIFLUORFEN	2.00 L	.250	LB/AC MP												
9C	FLUAZIFOP-BUVTL	1.00 E	.156	LB/AC MP												
9D	OIL CONCENTRATE	.00 AD	.500	QT/AC MP												
10A	BENTAZON	4.00 E	.750	LB/AC MP	88	88	12	88	88	90	98	5	82	85	85	85
10B	ACIFLUORFEN	2.00 L	.250	LB/AC MP												
10C	DOWCO 453	2.00 E	.130	LB/AC MP												
10D	OIL CONCENTRATE	.00 AD	.500	QT/AC MP												
11A	BENTAZON	4.00 E	.750	LB/AC MP	68	85	10	68	90	85	98	2	60	82	80	82
11B	ACIFLUORFEN	2.00 L	.250	LB/AC MP												
11C	Y 6202	.80 L	.060	LB/AC MP												
11D	OIL CONCENTRATE	.00 AD	.500	QT/AC MP												

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5034 SOYBEAN POSTEMERGENCE IV

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION						--8 WEEKS AFTER APPLICATION				
					GRAS	BRLE	CRIN	GIFT	COLQ	JIWE	BLNS	CRIN	GIFT	COLQ	JIWE
12A	BENTAZON	4.00 E	.750	LB/AC MP	85	88	10	85	90	88	100	5	65	82	88
12B	ACIFLUORFEN	2.00 L	.250	LB/AC MP											
12C	SC 1084	4.00 E	.250	LB/AC MP											
12D	OIL CONCENTRATE	.00 AD	.500	QT/AC MP											
13A	BENTAZON	4.00 E	.750	LB/AC MP	88	90	12	88	90	92	98	2	70	80	90
13B	ACIFLUORFEN	2.00 L	.250	LB/AC MP											
13C	HOE 33171	1.00 EC	.150	LB/AC MP											
13D	OIL CONCENTRATE	.00 AD	.500	QT/AC MP											
14A	BENTAZON	4.00 E	.750	LB/AC MP	88	88	5	88	85	88	100	5	80	85	85
14B	ACIFLUORFEN	2.00 L	.250	LB/AC MP											
14C	CLOPROXYDIM	4.00 E	.250	LB/AC MP											
14D	OIL CONCENTRATE	.00 AD	.500	QT/AC MP											
15A	BENTAZON	4.00 E	.750	LB/AC MP	40	92	2	40	90	95	98	5	48	90	90
15B	IMAZAQUIN	1.50 AS	.125	LB/AC MP											
15C	SETHOXYDIM	1.53 EC	.200	LB/AC MP											
15D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP											
16	CHECK (CULTIVATED)	.00 CK	.000		100	100	0	100	100	100	100	0	100	100	100
		LSD(05):			12	12	5	12	9	12	16	5	15	10	11

LOCATION: SPINDLETOP FARM
 FERTILIZATION (LB/AC): 60 N, 60 P, 60 K
 DATE PLANTED: MAY 20
 VARIETY: WILLIAMS

SOIL TYPE: MAURY SILT LOAM
 PH: 6.5 O.M.: 3.5%
 DATE TREATED: MP JUNE 8

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5032 NO-TILL EARLY PREPLANT SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	---4		AFTER CRIN	APPLICATIO GIFT	PRLE	-----8		WEEKS --- PRLE
					GRAS	WEEKS BRLE				GIFT	PRLE	
1	ORYZALIN	4.00 AS	1.500	LB/AC EPP	95	72	0	95	72	0	95	55
2A	ORYZALIN	4.00 AS	1.500	LB/AC EPP	95	72	0	95	72	0	95	58
2B	EL 107	80.00 WP	.040	LB/AC EPP								
3A	ORYZALIN	4.00 AS	1.500	LB/AC EPP	98	70	0	98	70	0	90	50
3B	EL 107	80.00 WP	.060	LB/AC EPP								
4A	ORYZALIN	4.00 AS	1.500	LB/AC EPP	90	80	0	90	80	0	90	72
4B	2,4-D AMINE	4.00 E	.750	LB/AC EPP								
5A	ORYZALIN	4.00 AS	1.500	LB/AC EPP	95	78	0	95	78	0	95	80
5B	EL 107	80.00 WP	.040	LB/AC EPP								
5C	2,4 D AMINE	4.00 E	.750	LB/AC EPP								
6A	ORYZALIN	4.00 AS	1.500	LB/AC EPP	98	85	0	98	85	0	95	78
6B	EL 107	80.00 WP	.060	LB/AC EPP								
6C	2,4 D AMINE	4.00 E	.750	LB/AC EPP								
7A	ORYZALIN	4.00 AS	1.000	LB/AC EPP	100	88	0	100	88	0	100	85
7B	METRIBUZIN 1	4.00 F	.500	LB/AC EPP								
7C	METRIBUZIN 1	4.00 F	.380	LB/AC PRE								
8A	ORYZALIN	4.00 AS	1.000	LB/AC EPP	100	72	0	100	72	0	100	60
8B	METRIBUZIN 1	4.00 F	.500	LB/AC EPP								
8C	ORYZALIN	4.00 AS	.500	LB/AC PRE								
8D	METRIBUZIN 1	4.00 F	.380	LB/AC PRE								
9A	ALACHLOR	4.00 MT	2.500	LB/AC EPP	100	75	0	100	75	0	100	72
9B	METRIBUZIN 1	4.00 F	.500	LB/AC EPP								
9C	ALACHLOR	4.00 MT	1.250	LB/AC PRE								
9D	METRIBUZIN 1	4.00 F	.380	LB/AC PRE								
10A	METOLACHLOR	8.00 E	1.750	LB/AC EPP	100	75	0	100	75	0	100	52
10B	METRIBUZIN 1	4.00 F	.500	LB/AC EPP								
10C	METOLACHLOR	8.00 E	.750	LB/AC PRE								
10D	METRIBUZIN 1	4.00 F	.380	LB/AC PRE								
LSD(05):					NS	8	0	NS	8	NS	8	0

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5032 NO-TILL EARLY PREPLANT SOYBEANS

LOCATION: SPINDELTOP FARM SOIL TYPE: MAURY SILT LOAM
FERTILIZATION (LB/AC): 60 N, 60 P, 60 K PH: 6.5 O.M.: 2.5%
DATE PLANTED: MAY 20 DATE TREATED: EPP APRIL 23
VARIETY: WILLIAMS EPP MAY 13
PRE MAY 20

TREATMENTS 7-10 EPP = 14 DAYS PRIOR TO PLANTING
TREATMENTS 7-10 - ROUNDUP IF NECESSARY

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5030 REDUCED TILLAGE SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION							
					GRAS	BRLE	CRIN	GIFT	VELE	BLNS	ILMG	PRSI
1A	METOLACHLOR	8.00 E	1.650	LB/AC EPP	100	18	0	100	92	100	58	80
1B	METOLACHLOR	8.00 E	.900	LB/AC PRE								
2A	CYANAZINE	4.00 L	2.500	LB/AC EPP	100	55	0	100	92	92	85	88
2B	OIL CONCENTRATE	.00 AD	1.000	QT/AC EPP								
2C	DOWCO 453	2.00 E	.130	LB/AC MP								
2D	BENTAZON	4.00 E	1.000	LB/AC MP								
2E	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP								
3A	CYANAZINE	4.00 L	2.500	LB/AC EPP	98	90	2	98	98	100	100	92
3B	OIL CONCENTRATE	.00 AD	1.000	QT/AC EPP								
3C	DOWCO 453	2.00 E	.130	LB/AC MP								
3D	BENTAZON	4.00 E	.500	LB/AC MP								
3E	ACIFLUORFEN	2.00 L	.500	LB/AC MP								
3F	OIL CONCENTRATE	.00 AD	.500	QT/AC MP								
4A	IMAZAQUIN	1.50 AS	.250	LB/AC PRE	100	85	2	100	98	92	95	100
4B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE								
4C	X-77 (SURFACTANT)	.50 WA	.250	% PRE								
4D	DOWCO 453	2.00 E	.130	LB/AC MP								
4E	BENTAZON	4.00 E	.500	LB/AC MP								
4F	ACIFLUORFEN	2.00 L	.500	LB/AC MP								
4G	OIL CONCENTRATE	.00 AD	.500	QT/AC MP								
5A	ETHALFLURALIN	3.00 E	.940	LB/AC PPI	98	75	0	98	85	78	92	95
5B	METRIBUZIN 1	4.00 F	.500	LB/AC PPI								
6A	ETHALFLURALIN	3.00 E	.940	LB/AC PPI	98	80	0	98	88	88	90	88
6B	METRIBUZIN 1	4.00 F	.500	LB/AC PPI								
7A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	95	78	0	95	82	98	88	98
7B	LINURON	4.00 L	1.000	LB/AC PRE								
7C	GLYPHOSATE	4.00 E	1.000	LB/AC PRE								
8A	DOWCO 453	2.00 E	.130	LB/AC PRE	98	70	0	98	88	100	85	92
8B	LINURON	4.00 L	1.000	LB/AC PRE								
8C	OIL CONCENTRATE	.00 AD	1.000	QT/AC PRE								
9A	DOWCO 453	2.00 E	.250	LB/AC PRE	98	62	0	98	82	98	75	85
9B	LINURON	4.00 L	1.000	LB/AC PRE								
9C	OIL CONCENTRATE	.00 AD	1.000	QT/AC PRE								

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5030 REDUCED TILLAGE SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION							
					GRAS	BRLE	CRIN	GIFT	VELE	BLNS	ILMG	PRSI
10A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	100	75	0	100	92	85	82	92
10B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE								
10C	X-77 (SURFACTANT)	.50 WA	.250	% PRE								
10D	DOWCO 453	2.00 E	.130	LB/AC MP								
10E	BENTAZON	4.00 E	1.000	LB/AC MP								
10F	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP								
LSD(05):					5	16	NS	5	NS	12	7	8

LOCATION: SPINDLETOP FARM

FERTILIZATION (LB/AC): 60 N, 60 P, 60 K SOIL TYPE: MAURY SILT LOAM

DATE PLANTED: MAY 20 DATE TREATED: EPP APRIL 23 PH: 6.4 O.M.: 2.5%

VARIETY: WILLIAMS

PPI MAY 20

PRE MAY 20

MP JUNE 24

TREATMENT 5 = PREPLANT INCORPORATED 14 DAYS BEFORE PLANTING

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5055 REDUCED TILLAGE SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	-----8 WEEKS AFTER APPLICATION -----					
					CRIN	GIFT	VELE	BLNS	ILMG	PRSI
1A	METOLACHLOR	8.00 E	1.650	LB/AC EPP	0	98	88	88	45	75
1B	METOLACHLOR	8.00 E	.900	LB/AC PRE						
2A	CYANAZINE	4.00 L	2.500	LB/AC EPP	0	98	88	78	72	72
2B	OIL CONCENTRATE	.00 AD	1.000	QT/AC EPP						
2C	DOWCO 453	2.00 E	.130	LB/AC MP						
2D	BENTAZON	4.00 E	1.000	LB/AC MP						
2E	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP						
3A	CYANAZINE	4.00 L	2.500	LB/AC EPP	0	95	90	80	85	78
3B	OIL CONCENTRATE	.00 AD	1.000	QT/AC EPP						
3C	DOWCO 453	2.00 E	.130	LB/AC MP						
3D	BENTAZON	4.00 E	.500	LB/AC MP						
3E	ACIFLUORFEN	2.00 L	.500	LB/AC MP						
3F	OIL CONCENTRATE	.00 AD	.500	QT/AC MP						
4A	IMAZAQUIN	1.50 AS	.250	LB/AC PRE	0	100	92	82	82	78
4B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE						
4C	X-77 (SURFACTANT)	.50 WA	.250	% PRE						
4D	DOWCO 453	2.00 E	.130	LB/AC MP						
4E	BENTAZON	4.00 E	.500	LB/AC MP						
4F	ACIFLUORFEN	2.00 L	.500	LB/AC MP						
4G	OIL CONCENTRATE	.00 AD	.500	QT/AC MP						
5A	ETHALFLURALIN	3.00 E	.940	LB/AC PPI	0	98	80	65	78	80
5B	METRIBUZIN 1	4.00 F	.500	LB/AC PPI						
6A	ETHALFLURALIN	3.00 E	.940	LB/AC PPI	0	95	82	75	75	85
6B	METRIBUZIN 1	4.00 F	.500	LB/AC PPI						
7A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	92	78	82	78	80
7B	LINURON	4.00 L	1.000	LB/AC PRE						
7C	GLYPHOSATE	4.00 E	1.000	LB/AC PRE						
8A	DOWCO 453	2.00 E	.130	LB/AC PRE	0	95	85	82	82	75
8B	LINURON	4.00 L	1.000	LB/AC PRE						
8C	OIL CONCENTRATE	.00 AD	1.000	QT/AC PRE						
9A	DOWCO 453	2.00 E	.250	LB/AC PRE	0	95	80	88	68	65
9B	LINURON	4.00 L	1.000	LB/AC PRE						
9C	OIL CONCENTRATE	.00 AD	1.000	QT/AC PRE						

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5055 REDUCED TILLAGE SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	8 WEEKS AFTER APPLICATION					
					CRIN	GIFT	VELE	BLNS	ILMG	PRSI
10A	METRIBUZIN 1	4.00 F	.500	LB/AC PRE	0	98	82	75	80	75
10B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE						
10C	X-77 (SURFACTANT)	.50 WA	.250	% PRE						
10D	DOWCO 453	2.00 E	.130	LB/AC MP						
10E	BENTAZON	4.00 E	1.000	LB/AC MP						
10F	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP						

LSD(05): 0 6 13 14 14 13

LOCATION: SPINDLETOP FARM

SOIL TYPE: MAURY SILT LOAM

FERTILIZATION (LB/AC): 60 N, 60 P, 60 K PH: 6.4 O.M.: 2.5%

DATE PLANTED: MAY 20 DATE TREATED: EPP APRIL 23

VARIETY: WILLIAMS

PPI MAY 20

PRE MAY 20

MP

TREATMENT 5 = PREPLANT INCORPORATED 14 DAYS BEFORE PLANTING

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5016 NO-TILL SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION					--8 WEEKS AFTER APPLICATION				
					GRAS	BRLE	CRIN	GIFT	COLQ	PESW	CRIN	GIFT	COLQ	PESW
1A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	65	40	0	65	32	75	8	42	28	50
	IMAZAQUIN	1.50 AS	.125	LB/AC PRE										
	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE										
	X-77 (SURFACTANT)	.50 WA	.250 %	PRE										
2A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	85	32	0	85	30	75	5	70	10	62
	IMAZAQUIN	1.50 AS	.188	LB/AC PRE										
	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE										
	X-77 (SURFACTANT)	.50 WA	.250 %	PRE										
3A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	55	35	0	58	20	75	12	32	22	62
	IMAZAQUIN	1.50 AS	.250	LB/AC PRE										
	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE										
	X-77 (SURFACTANT)	.50 WA	.250 %	PRE										
4A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	72	25	0	78	15	20	10	40	30	18
	PPG-844	2.00 E	.250	LB/AC PRE										
	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE										
	X-77 (SURFACTANT)	.50 WA	.250 %	PRE										
5A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	70	20	0	70	15	32	8	30	20	32
	PPG-844	2.00 E	.500	LB/AC PRE										
	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE										
	X-77 (SURFACTANT)	.50 WA	.250 %	PRE										
6A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	88	50	0	90	48	82	2	60	22	58
	PPG-844	2.00 E	.250	LB/AC PRE										
	GLYPHOSATE	4.00 E	.500	LB/AC PRE										
7A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	90	25	0	90	45	40	12	35	20	50
	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE										
	X-77 (SURFACTANT)	.50 WA	.250 %	PRE										
	PPG-844	2.00 E	.200	LB/AC EP										
8A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	92	10	0	92	15	20	22	45	22	20
	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE										
	X-77 (SURFACTANT)	.50 WA	.250 %	PRE										
	PPG-844	2.00 E	.400	LB/AC EP										
9A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	85	12	0	85	15	18	18	45	80	28
	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE										
	X-77 (SURFACTANT)	.50 WA	.250 %	PRE										
	PPG-844	2.00 E	.200	LB/AC EP										
	BENAZOLIN	4.00 F	.250	LB/AC EP										

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5016 NO-TILL SOYBEANS

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5016 NO-TILL SOYBEANS

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5016 NO-TILL SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION				--8 WEEKS AFTER APPLICATION				
					GRAS	BRLE	CRIN	GIFT	COLQ	PESW	CRIN	GIFT	
30A	FMC 57020	6.00	EC	1.000	LB/AC	PRE	98	70	0	98	75	78	5
30B	PPG-844	2.00	E	.250	LB/AC	PRE							45
30C	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE							48
30D	X-77 (SURFACTANT)	.50	WA	.250	%	PRE							
31A	FMC 57020	6.00	EC	1.000	LB/AC	PRE	92	60	0	90	72	88	5
31B	CHLORAMBEN	75.00	DS	2.250	LB/AC	PRE							55
31C	GLYPHOSATE	4.00	E	1.000	LB/AC	PRE							55
32A	FMC 57020	6.00	EC	1.000	LB/AC	PRE	92	92	0	92	92	98	0
32B	IMAZAQUIN	1.50	AS	.188	LB/AC	PRE							78
32C	HOE 39866	1.78	AS	.500	LB/AC	PRE							72
33A	FMC 57020	6.00	EC	1.000	LB/AC	PRE	100	90	0	100	90	98	0
33B	IMAZAQUIN	1.50	AS	.188	LB/AC	PRE							90
33C	HOE 39866	1.78	AS	.750	LB/AC	PRE							80
34A	SD 95481	7.00	EC	1.200	LB/AC	PRE	80	10	0	85	10	20	22
34B	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE							62
34C	X-77 (SURFACTANT)	.50	WA	.250	%	PRE							25
35A	SD 95481	7.00	EC	1.400	LB/AC	PRE	62	12	0	62	12	28	18
35B	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE							20
35C	X-77 (SURFACTANT)	.50	WA	.250	%	PRE							22
36A	SD 95481	7.00	EC	1.200	LB/AC	PRE	98	80	0	98	90	85	2
36B	GLYPHOSATE	4.00	E	1.000	LB/AC	PRE							90
37A	SD 95481	7.00	EC	1.400	LB/AC	PRE	100	82	0	100	92	82	5
37B	GLYPHOSATE	4.00	E	1.000	LB/AC	PRE							58
38A	SD 95481	7.00	EC	1.200	LB/AC	PRE	98	90	0	98	85	95	0
38B	METRIBUZIN	75.00	DF	.500	LB/AC	PRE							92
38C	GLYPHOSATE	4.00	E	1.000	LB/AC	PRE							58
39A	SD 95481	7.00	EC	1.400	LB/AC	PRE	85	78	0	88	72	92	2
39B	METRIBUZIN	75.00	DF	.500	LB/AC	PRE							78
39C	GLYPHOSATE	4.00	E	1.000	LB/AC	PRE							85
40A	SD 95481	7.00	EC	1.200	LB/AC	PRE	100	90	0	100	98	88	0
40B	LINURON	4.00	L	1.000	LB/AC	PRE							85
40C	GLYPHOSATE	4.00	E	1.000	LB/AC	PRE							82
41A	SD 95481	7.00	EC	1.400	LB/AC	PRE	98	88	0	98	100	88	2
41B	LINURON	4.00	L	1.000	LB/AC	PRE							80
41C	GLYPHOSATE	4.00	E	1.000	LB/AC	PRE							92
													65

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5016 NO-TILL SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION					--8 WEEKS AFTER APPLICATION				
					GRAS	BRLE	CRIN	GIFT	COLQ	PESW	CRIN	GIFT	COLQ	PESW
42A	SD 95481	7.00	EC	1.200	LB/AC	PRE	100	88	0	100	88	85	5	92
42B	GLYPHOSATE	4.00	E	1.000	LB/AC	PRE								
42C	BENTAZON	4.00	E	1.000	LB/AC	MP								
42D	OIL CONCENTRATE	.00	AD	1.000	QT/AC	MP								
43A	SD 95481	7.00	EC	1.400	LB/AC	PRE	98	78	0	98	90	75	0	88
43B	GLYPHOSATE	4.00	E	1.000	LB/AC	PRE								
43C	BENTAZON	4.00	E	1.000	LB/AC	MP								
43D	OIL CONCENTRATE	.00	AD	1.000	QT/AC	MP								
44A	SETHOXYDIM	1.53	EC	.100	LB/AC	PRE	85	45	0	85	95	30	15	82
44B	2,4-D AMINE	4.00	E	.500	LB/AC	PRE								
44C	OIL CONCENTRATE	.00	AD	1.000	QT/AC	PRE								
44D	SETHOXYDIM	1.53	EC	.200	LB/AC	MP								
44E	BENTAZON	4.00	E	.750	LB/AC	MP								
44F	OIL CONCENTRATE	.00	AD	1.000	QT/AC	MP								
45A	SETHOXYDIM	1.53	EC	.100	LB/AC	PRE	48	62	0	45	100	62	18	48
45B	2,4-D AMINE	4.00	E	.500	LB/AC	PRE								
45C	CHLORPROPHAM	4.00	E	.500	LB/AC	PRE								
45D	OIL CONCENTRATE	.00	AD	1.000	QT/AC	PRE								
45E	SETHOXYDIM	1.53	EC	.200	LB/AC	MP								
45F	BENTAZON	4.00	E	.750	LB/AC	MP								
45G	OIL CONCENTRATE	.00	AD	1.000	QT/AC	MP								
46A	SETHOXYDIM	1.53	EC	.100	LB/AC	PRE	40	82	0	40	98	82	2	78
46B	2,4-D AMINE	4.00	E	.500	LB/AC	PRE								
46C	METRIBUZIN	75.00	DF	.250	LB/AC	PRE								
46D	OIL CONCENTRATE	.00	AD	1.000	QT/AC	PRE								
46E	SETHOXYDIM	1.53	EC	.200	LB/AC	MP								
46F	BENTAZON	4.00	E	.750	LB/AC	MP								
46G	OIL CONCENTRATE	.00	AD	1.000	QT/AC	MP								
47A	SETHOXYDIM	1.53	EC	.100	LB/AC	PRE	38	65	0	38	85	55	12	78
47B	2,4-D AMINE	4.00	E	.500	LB/AC	PRE								
47C	LINURON	4.00	L	.500	LB/AC	PRE								
47D	OIL CONCENTRATE	.00	AD	1.000	QT/AC	PRE								
47E	SETHOXYDIM	1.53	EC	.200	LB/AC	MP								
47F	BENTAZON	4.00	E	.750	LB/AC	MP								
47G	OIL CONCENTRATE	.00	AD	1.000	QT/AC	MP								
48A	GLYPHOSATE	4.00	E	1.000	LB/AC	PRE	80	62	0	80	70	58	5	72
48B	AC 499	1.95	AS	.063	LB/AC	MP								
49A	GLYPHOSATE	4.00	E	1.000	LB/AC	PRE	95	88	0	95	85	90	2	92
49B	AC 499	1.95	AS	.093	LB/AC	MP								

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5016 NO-TILL SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION					8 WEEKS AFTER APPLICATION				
					GRAS	BRLE	CRIN	GIFT	COLQ	PESW	CRIN	GIFT	COLQ	PESW
50A	GLYPHOSATE	4.00 E	1.000	LB/AC PRE	85	65	0	85	68	70	10	92	50	92
50B	AC 499	1.95 AS	.125	LB/AC MP										
51A	METHAZOLE	75.00 WP	2.000	LB/AC PRE	58	62	0	50	92	55	0	10	88	18
51B	ALACHLOR	4.00 MT	2.500	LB/AC PRE										
52A	METHAZOLE	75.00 WP	4.000	LB/AC PRE	82	68	0	80	92	48	0	18	80	10
52B	ALACHLOR	4.00 MT	2.500	LB/AC PRE										
53A	METHAZOLE	75.00 WP	2.000	LB/AC PRE	92	80	0	92	92	60	0	68	90	10
53B	ALACHLOR	4.00 MT	2.500	LB/AC PRE										
53C	PARAOQUAT PLUS	2.00 E	.250	LB/AC PRE										
53D	X-77 (SURFACTANT)	.50 WA	.250 %	PRE										
54A	METHAZOLE	75.00 WP	4.000	LB/AC PRE	82	90	0	88	100	75	5	65	80	58
54B	ALACHLOR	4.00 MT	2.500	LB/AC PRE										
54C	PARAOQUAT PLUS	2.00 E	.250	LB/AC PRE										
54D	X-77 (SURFACTANT)	.50 WA	.250 %	PRE										
55A	AC 499	1.95 AS	.063	LB/AC PRE	68	40	0	70	32	70	8	50	32	40
55B	PARAOQUAT PLUS	2.00 E	.250	LB/AC PRE										
55C	X-77 (SURFACTANT)	.50 WA	.250 %	PRE										
56A	AC 499	1.95 AS	.093	LB/AC PRE	92	12	0	92	10	65	8	75	15	40
56B	PARAOQUAT PLUS	2.00 E	.250	LB/AC PRE										
56C	X-77 (SURFACTANT)	.50 WA	.250 %	PRE										
57A	AC 499	1.95 AS	.125	LB/AC PRE	95	15	0	95	10	55	12	70	15	50
57B	PARAOQUAT PLUS	2.00 E	.250	LB/AC PRE										
57C	X-77 (SURFACTANT)	.50 WA	.250 %	PRE										
58A	HOE 39866	1.78 AS	.750	LB/AC PRE	78	85	0	75	82	92	0	90	70	95
58B	HOE 33171	1.00 EC	.200	LB/AC 30D										
58C	BENTAZON	4.00 E	.500	LB/AC 30D										
58D	ACIFLUORFEN	2.00 L	.250	LB/AC 30D										
58E	OIL CONCENTRATE	.00 AD	.500	QT/AC 30D										
59A	RE 39571	3.00 E	1.500	LB/AC PRE	85	50	0	85	45	50	2	58	15	30
59B	METRIBUZIN 1	4.00 F	.500	LB/AC PRE										
59C	PARAOQUAT PLUS	2.00 E	.250	LB/AC PRE										
59D	X-77 (SURFACTANT)	.50 WA	.250 %	PRE										
60A	RE 39571	3.00 E	2.000	LB/AC PRE	92	48	0	92	45	90	2	90	25	50
60B	METRIBUZIN 1	4.00 F	.500	LB/AC PRE										
60C	PARAOQUAT PLUS	2.00 E	.250	LB/AC PRE										
60D	X-77 (SURFACTANT)	.50 WA	.250 %	PRE										

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5016 NO-TILL SOYBEANS

LOCATION: SPINDELTOP FARM SOIL TYPE: MAURY SILT LOAM
FERTILIZATION (LB/AC): 60 N, 60 P, 60 K PH: 6.5 O.M.: 3.5%
DATE PLANTED: JUNE 26 DATE TREATED: PRE JUNE 26
VARIETY: WILLIAMS EP JULY 24
MP JULY 24
30D JULY 24

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5037 FULL SEASON NO-TILL SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JUNE 22											
					GRAS	BRLE	CRIN	GIFT	LACG	SMCG	COLQ	BLNS	ILMG	PRSI	PRLE	BLLE
1A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	92	70	0	98	95	100	75	58	60	65	80	90
1B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP												
1C	ALACHLOR	4.00 MT	2.000	LB/AC PRE												
1D	METRIBUZIN	75.00 DF	.500	LB/AC PRE												
2A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	88	65	0	95	92	92	72	58	62	65	80	88
2B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP												
2C	ALACHLOR	4.00 MT	2.500	LB/AC PRE												
2D	METRIBUZIN	75.00 DF	.500	LB/AC PRE												
3A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	90	78	0	98	98	90	85	72	55	68	82	90
3B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP												
3C	ALACHLOR	4.00 MT	3.000	LB/AC PRE												
3D	METRIBUZIN	75.00 DF	.500	LB/AC PRE												
4A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	75	70	0	95	98	78	80	68	60	68	78	88
4B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP												
4C	ALACHLOR	4.00 E	2.500	LB/AC PRE												
4D	METRIBUZIN	75.00 DF	.500	LB/AC PRE												
5A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	88	68	0	92	92	88	75	62	72	60	78	88
5B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP												
5C	ALACHLOR	4.00 E	3.000	LB/AC PRE												
5D	METRIBUZIN	75.00 DF	.500	LB/AC PRE												
6A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	92	68	0	98	98	95	70	48	58	70	75	78
6B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP												
6C	METOLACHLOR	8.00 E	2.000	LB/AC PRE												
6D	METRIBUZIN	75.00 DF	.500	LB/AC PRE												
7A	GLYPHOSATE	4.00 E	.500	LB/AC 5DP	90	65	0	100	100	90	78	62	58	48	80	85
7B	X-77 (SURFACTANT)	.50 WA	.500	% 5DP												
7C	METOLACHLOR	8.00 E	2.500	LB/AC PRE												
7D	METRIBUZIN	75.00 DF	.500	LB/AC PRE												
8A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	90	30	0	95	98	88	95	90	72	85	35	62
8B	METRIBUZIN	75.00 DF	.500	LB/AC PRE												
8C	GLYPHOSATE	4.00 E	.500	LB/AC PRE												
8D	X-77 (SURFACTANT)	.50 WA	.500	% PRE												
9A	ALACHLOR	4.00 E	2.500	LB/AC PRE	92	50	0	95	95	98	82	75	60	70	65	60
9B	METRIBUZIN	75.00 DF	.500	LB/AC PRE												
9C	GLYPHOSATE	4.00 E	.500	LB/AC PRE												
9D	X-77 (SURFACTANT)	.50 WA	.500	% PRE												

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5037 FULL SEASON NO-TILL SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JUNE 22													
					GRAS	BRLE	CRIN	GIFT	LACG	SMCG	COLQ	BLNS	ILMG	PRSI	PRLE	BLLE		
10A	ALACHLOR	4.00	MT	.500	LB/AC	PRE	85	45	8	88	95	90	82	68	72	70	62	78
10B	METRIBUZIN	75.00	DF	.500	LB/AC	PRE												
10C	ALACHLOR + GLYPHOSAT	4.00	E	3.000	LB/AC	PRE												
10D	X-77 (SURFACTANT)	.50	WA	.500	%	PRE												
10E	AMMONIUM SULFATE	.00	WP	2.000	LB/AC	PRE												
11A	IMAZAQUIN	1.50	AS	.063	LB/AC	PRE	100	30	10	100	100	100	100	95	92	90	30	62
11B	ORYZALIN	4.00	AS	1.000	LB/AC	PRE												
11C	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE												
11D	X-77 (SURFACTANT)	.50	WA	.250	%	PRE												
12A	IMAZAQUIN	1.50	AS	.125	LB/AC	PRE	98	48	5	100	98	100	98	92	85	90	48	80
12B	ORYZALIN	4.00	AS	1.000	LB/AC	PRE												
12C	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE												
12D	X-77 (SURFACTANT)	.50	WA	.250	%	PRE												
13A	IMAZAQUIN	1.50	AS	.188	LB/AC	PRE	92	30	10	95	98	92	95	98	92	98	42	85
13B	ORYZALIN	4.00	AS	1.000	LB/AC	PRE												
13C	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE												
13D	X-77 (SURFACTANT)	.50	WA	.250	%	PRE												
14A	DPX F6025 + METRIBUZ	75.00	DF	.500	LB/AC	PRE	95	58	5	100	100	95	100	65	95	88	62	80
14B	GLYPHOSATE	4.00	E	.500	LB/AC	PRE												
14C	X-77 (SURFACTANT)	.50	WA	.500	%	PRE												
15A	SD 95481	7.00	EC	.800	LB/AC	PRE	90	58	2	95	90	95	75	52	50	65	68	75
15B	METRIBUZIN	75.00	DF	.500	LB/AC	PRE												
15C	GLYPHOSATE	4.00	E	.500	LB/AC	PRE												
15D	X-77 (SURFACTANT)	.50	WA	.500	%	PRE												
16A	DPX F6025	25.00	DF	.100	LB/AC	PRE	92	75	8	100	100	90	100	68	92	88	75	92
16B	METRIBUZIN	75.00	DF	.400	LB/AC	PRE												
16C	GLYPHOSATE	4.00	E	.500	LB/AC	PRE												
16D	X-77 (SURFACTANT)	.50	WA	.500	%	PRE												
17A	AC 499	1.95	AS	.090	LB/AC	PRE	70	60	0	100	95	68	100	92	72	85	58	62
17B	GLYPHOSATE	4.00	E	.500	LB/AC	PRE												
17C	X-77 (SURFACTANT)	.50	WA	.500	%	PRE												
18A	AC 499	1.95	AS	.063	LB/AC	PRE	80	40	0	100	100	78	100	98	88	90	25	52
18B	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE												
18C	X-77 (SURFACTANT)	.50	WA	.250	%	PRE												
19A	AC 499	1.95	AS	.093	LB/AC	PRE	85	25	0	100	100	80	100	95	78	92	28	58
19B	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE												
19C	X-77 (SURFACTANT)	.50	WA	.250	%	PRE												

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5037 FULL SEASON NO-TILL SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JUNE 22											
					GRAS	BRLE	CRIN	GIFT	LACG	SMCG	COLQ	BLNS	ILMG	PRSI	PRLE	BLLE
20A	AC 499	1.95 AS	.125	LB/AC PRE	80	38	2	98	100	78	100	100	90	90	38	50
20B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE												
20C	X-77 (SURFACTANT)	.50 WA	.250	% PRE												

LSD(05): 16 22 6 7 10 19 15 15 22 11 14 21

LOCATION: SPINDLETOP FARM

FERTILIZATION (LB/AC): 60 N, 60 P, 60 K SOIL TYPE: MAURY SILT LOAM

DATE PLANTED: MAY 20

PH: 6.5 O.M.: 3.0%

DATE TREATED: 5DP MAY 13

VARIETY: WILLIAMS

PRE MAY 20

TREATMENTS 1-7 ARE 10 GPA

TREATMENTS 8-20 ARE 25 GPA

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5057 FULL SEASON NO-TILL SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JULY 22											
					CRIN	GIFT	LACG	SMCG	COLQ	BLNS	ILMG	PRSI	PRLE			
1A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	0	88	88	95	65	58	42	65	68	80	92
1B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP											
1C	ALACHLOR	4.00 MT	2.000	LB/AC	PRE											
1D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
2A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	0	88	90	82	68	52	52	50	70	80	92
2B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP											
2C	ALACHLOR	4.00 MT	2.500	LB/AC	PRE											
2D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
3A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	0	85	82	78	70	52	45	58	72	88	95
3B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP											
3C	ALACHLOR	4.00 MT	3.000	LB/AC	PRE											
3D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
4A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	0	80	85	58	70	55	50	55	65	85	104
4B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP											
4C	ALACHLOR	4.00 E	2.500	LB/AC	PRE											
4D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
5A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	0	88	85	72	72	58	48	58	72	82	95
5B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP											
5C	ALACHLOR	4.00 E	3.000	LB/AC	PRE											
5D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
6A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	0	80	85	78	75	48	35	65	65	78	92
6B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP											
6C	METOLACHLOR	8.00 E	2.000	LB/AC	PRE											
6D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
7A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	0	82	92	88	75	62	40	55	65	80	98
7B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP											
7C	METOLACHLOR	8.00 E	2.500	LB/AC	PRE											
7D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
8A	ALACHLOR	4.00 MT	2.500	LB/AC	PRE	0	82	95	80	100	88	70	82	32	72	75
8B	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
8C	GLYPHOSATE	4.00 E	.500	LB/AC	PRE											
8D	X-77 (SURFACTANT)	.50 WA	.500	%	PRE											
9A	ALACHLOR	4.00 E	2.500	LB/AC	PRE	0	88	92	90	78	72	55	70	52	65	82
9B	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
9C	GLYPHOSATE	4.00 E	.500	LB/AC	PRE											
9D	X-77 (SURFACTANT)	.50 WA	.500	%	PRE											

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5057 FULL SEASON NO-TILL SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JULY 22										
					CRIN	GIFT	LACG	SMCG	COLQ	BLNS	ILMG	PRSI	PRLE	BLLE	MRTL
10	ALACHLOR	4.00	MT	.500	LB/AC	PRE									
	METRIBUZIN	75.00	DF	.500	LB/AC	PRE	0	88	85	82	88	75	55	62	88
	ALACHLOR + GLYPHOSAT	4.00	E	3.000	LB/AC	PRE									
	X-77 (SURFACTANT)	.50	WA	.500	%	PRE									
	AMMONIUM SULFATE	.00	WP	2.000	LB/AC	PRE									
11	IMAZAQUIN	1.50	AS	.063	LB/AC	PRE									
	ORYZALIN	4.00	AS	1.000	LB/AC	PRE	10	95	98	92	100	78	90	85	45
	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE									
	X-77 (SURFACTANT)	.50	WA	.250	%	PRE									
12	IMAZAQUIN	1.50	AS	.125	LB/AC	PRE									
	ORYZALIN	4.00	AS	1.000	LB/AC	PRE	8	98	98	98	100	98	82	85	42
	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE									
	X-77 (SURFACTANT)	.50	WA	.250	%	PRE									
13	IMAZAQUIN	1.50	AS	.188	LB/AC	PRE									
	ORYZALIN	4.00	AS	1.000	LB/AC	PRE	12	98	98	90	100	98	82	90	32
	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE									
	X-77 (SURFACTANT)	.50	WA	.250	%	PRE									
14	DPX F6025 + METRIBUZ	75.00	DF	.500	LB/AC	PRE									
	GLYPHOSATE	4.00	E	.500	LB/AC	PRE	8	95	95	80	100	45	85	72	90
	X-77 (SURFACTANT)	.50	WA	.500	%	PRE									
15	SD 95481	7.00	EC	.800	LB/AC	PRE									
	METRIBUZIN	75.00	DF	.500	LB/AC	PRE	0	88	85	78	55	58	48	55	92
	GLYPHOSATE	4.00	E	.500	LB/AC	PRE									
	X-77 (SURFACTANT)	.50	WA	.500	%	PRE									
16	DPX F6025	25.00	DF	.100	LB/AC	PRE									
	METRIBUZIN	75.00	DF	.400	LB/AC	PRE	12	95	88	65	100	35	72	72	78
	GLYPHOSATE	4.00	E	.500	LB/AC	PRE									
	X-77 (SURFACTANT)	.50	WA	.500	%	PRE									
17	AC 499	1.95	AS	.090	LB/AC	PRE									
	GLYPHOSATE	4.00	E	.500	LB/AC	PRE	2	100	92	55	92	92	72	80	68
	X-77 (SURFACTANT)	.50	WA	.500	%	PRE									
18	AC 499	1.95	AS	.063	LB/AC	PRE									
	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE	0	98	95	75	100	98	85	85	52
	X-77 (SURFACTANT)	.50	WA	.250	%	PRE									
19	AC 499	1.95	AS	.093	LB/AC	PRE									
	PARAQUAT PLUS	2.00	E	.250	LB/AC	PRE	0	98	98	78	100	85	68	85	50
	X-77 (SURFACTANT)	.50	WA	.250	%	PRE									

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5057 FULL SEASON NO-TILL SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	CRIN	GIFT	LAGG	SMCG	COLQ	JULY 22	BLNS	ILMG	PRSI	PRLE	BLLE	MRTL
20A	AC 499	1.95 AS	.125	LB/AC PRE	2	98	98	75	100	98	80	88	38	50	40	
20B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE												
20C	X-77 (SURFACTANT)	.50 WA	.250	% PRE												
LSD(05):																
5 12 11 19 15 19 22 13 16 21 19																

LOCATION: SPINDLETOP FARM

FERTILIZATION (LB/AC): 60 N, 60 P, 60 K SOIL TYPE: MAURY SILT LOAM

DATE PLANTED: MAY 20

DATE TREATED: 5DP MAY 13

PH: 6.5 O.M.: 3.0%

VARIETY: WILLIAMS

PRE MAY 20

TREATMENTS 1-7 ARE 10 GPA

TREATMENTS 8-20 ARE 25 GPA

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5036 FULL SEASON NO-TILL SOYBEANS II

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JULY 9				ILMG	PRSI	HHCL	MRTL	PRLE			
					GRAS	BRLE	CRIN	GIFT								
1A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	90	80	2	98	90	75	72	85	100	95	
1B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP											
1C	ALACHLOR	4.00 MT	2.000	LB/AC	PRE											
1D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
2A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	98	78	0	98	100	90	50	90	85	100	98
2B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP											
2C	ALACHLOR	4.00 MT	2.500	LB/AC	PRE											
2D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
3A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	98	88	0	98	100	100	58	85	90	100	100
3B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP											
3C	ALACHLOR	4.00 MT	3.000	LB/AC	PRE											
3D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
4A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	92	80	2	98	92	72	70	82	75	100	100
4B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP											
4C	ALACHLOR	4.00 E	2.500	LB/AC	PRE											
4D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
5A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	88	72	2	85	95	80	45	72	68	100	92
5B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP											
5C	ALACHLOR	4.00 E	3.000	LB/AC	PRE											
5D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
6A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	95	78	0	100	95	82	58	88	72	100	100
6B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP											
6C	METOLACHLOR	8.00 E	2.000	LB/AC	PRE											
6D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
7A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	98	70	0	98	98	50	45	70	85	100	95
7B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP											
7C	METOLACHLOR	8.00 E	2.500	LB/AC	PRE											
7D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
8A	ALACHLOR	4.00 MT	2.500	LB/AC	PRE	90	68	0	90	90	90	40	88	92	82	78
8B	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
8C	GLYPHOSATE	4.00 E	.500	LB/AC	PRE											
8D	X-77 (SURFACTANT)	.50 WA	.500	%	PRE											
9A	ALACHLOR	4.00 E	2.500	LB/AC	PRE	88	65	0	90	85	72	52	82	70	78	55
9B	METRIBUZIN	75.00 DF	.500	LB/AC	PRE											
9C	GLYPHOSATE	4.00 E	.500	LB/AC	PRE											
9D	X-77 (SURFACTANT)	.50 WA	.500	%	PRE											

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5036 FULL SEASON NO-TILL SOYBEANS II

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5036 FULL SEASON NO-TILL SOYBEANS II

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH					JULY 9						
					GRAS	BRLE	CRIN	GIFT	LACG	RRPW	ILMG	PRSI	HHCL	MRTL	PRLE
20A	AC 499	1.95 AS	.125	LB/AC PRE	92	68	8	88	100	100	72	85	95	40	45
20B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE											
20C	X-77 (SURFACTANT)	.50 WA	.250	% PRE											
			LSD(05):		NS	10	8	NS	16	24	21	21	21	16	23

LOCATION: SPINDLETOP FARM
FERTILIZATION (LB/AC): 60 N, 60 P, 60 K
DATE PLANTED: JUNE 6
VARIETY: WILLIAMS
TREATMENTS 1-7 ARE 10 GPA
TREATMENTS 8-20 ARE 25 GPA

SOIL TYPE: MAURY SILT LOAM
PH: 6.5 O.M.: 3.5%
DATE TREATED: 5DP MAY 29
PRE JUNE 6

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5056 FULL SEASON NO-TILL SOYBEANS II

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	AUGUST				5 HHCL	PRLE	MRTL
					CRIN	GIFT	RRPW	ILMG			
1A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP						
1B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP						
1C	ALACHLOR	4.00 MT	2.000	LB/AC	PRE						
1D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE						
2A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP						
2B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP						
2C	ALACHLOR	4.00 MT	2.500	LB/AC	PRE						
2D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE						
3A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP						
3B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP						
3C	ALACHLOR	4.00 MT	3.000	LB/AC	PRE						
3D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE						
4A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP						
4B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP						
4C	ALACHLOR	4.00 E	2.500	LB/AC	PRE						
4D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE						
5A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP						
5B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP						
5C	ALACHLOR	4.00 E	3.000	LB/AC	PRE						
5D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE						
6A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP						
6B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP						
6C	METOLACHLOR	8.00 E	2.000	LB/AC	PRE						
6D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE						
7A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP						
7B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP						
7C	METOLACHLOR	8.00 E	2.500	LB/AC	PRE						
7D	METRIBUZIN	75.00 DF	.500	LB/AC	PRE						
8A	ALACHLOR	4.00 MT	2.500	LB/AC	PRE						
8B	METRIBUZIN	75.00 DF	.500	LB/AC	PRE						
8C	GLYPHOSATE	4.00 E	.500	LB/AC	PRE						
8D	X-77 (SURFACTANT)	.50 WA	.500	%	PRE						
9A	ALACHLOR	4.00 E	2.500	LB/AC	PRE						
9B	METRIBUZIN	75.00 DF	.500	LB/AC	PRE						
9C	GLYPHOSATE	4.00 E	.500	LB/AC	PRE						
9D	X-77 (SURFACTANT)	.50 WA	.500	%	PRE						

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5056 FULL SEASON NO-TILL SOYBEANS II

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	AUGUST 5						
					CRIN	GIFT	RRPW	ILMG	HHCL	PRLE	MRTL
10A	ALACHLOR	4.00 MT	.500	LB/AC PRE	2	98	90	40	52	95	98
10B	METRIBUZIN	75.00 DF	.500	LB/AC PRE							
10C	ALACHLOR + GLYPHOSAT	4.00 E	3.000	LB/AC PRE							
10D	X-77 (SURFACTANT)	.50 WA	.500	% PRE							
10E	AMMONIUM SULFATE	.00 WP	2.000	LB/AC PRE							
11A	IMAZAQUIN	1.50 AS	.063	LB/AC PRE	12	92	100	58	72	28	22
11B	ORYZALIN	4.00 AS	1.000	LB/AC PRE							
11C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE							
11D	X-77 (SURFACTANT)	.50 WA	.250	% PRE							
12A	IMAZAQUIN	1.50 AS	.125	LB/AC PRE	10	98	100	65	55	22	30
12B	ORYZALIN	4.00 AS	1.000	LB/AC PRE							
12C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE							
12D	X-77 (SURFACTANT)	.50 WA	.250	% PRE							
13A	IMAZAQUIN	1.50 AS	.188	LB/AC PRE	18	100	100	58	75	18	15
13B	ORYZALIN	4.00 AS	1.000	LB/AC PRE							
13C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE							
13D	X-77 (SURFACTANT)	.50 WA	.250	% PRE							
14A	DPX F6025 + METRIBUZ	75.00 DF	.500	LB/AC PRE	12	98	100	80	92	78	80
14B	GLYPHOSATE	4.00 E	.500	LB/AC PRE							
14C	X-77 (SURFACTANT)	.50 WA	.500	% PRE							
15A	SD 95481	7.00 EC	.800	LB/AC PRE	0	90	65	40	68	38	68
15B	METRIBUZIN	75.00 DF	.500	LB/AC PRE							
15C	GLYPHOSATE	4.00 E	.500	LB/AC PRE							
15D	X-77 (SURFACTANT)	.50 WA	.500	% PRE							
16A	DPX F6025	25.00 DF	.100	LB/AC PRE	15	95	100	88	100	58	80
16B	METRIBUZIN	75.00 DF	.400	LB/AC PRE							
16C	GLYPHOSATE	4.00 E	.500	LB/AC PRE							
16D	X-77 (SURFACTANT)	.50 WA	.500	% PRE							
17A	AC 499	1.95 AS	.090	LB/AC PRE	0	98	100	65	42	55	75
17B	GLYPHOSATE	4.00 E	.500	LB/AC PRE							
17C	X-77 (SURFACTANT)	.50 WA	.500	% PRE							
18A	AC 499	1.95 AS	.063	LB/AC PRE	0	95	100	70	55	30	20
18B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE							
18C	X-77 (SURFACTANT)	.50 WA	.250	% PRE							
19A	AC 499	1.95 AS	.093	LB/AC PRE	0	98	100	82	58	45	20
19B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE							
19C	X-77 (SURFACTANT)	.50 WA	.250	% PRE							

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5056 FULL SEASON NO-TILL SOYBEANS II

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	AUGUST 5				
					CRIN	GIFT	RRPW	ILMG	HHCL
20A	AC 499	1.95 AS	.125	LB/AC PRE	8	95	100	68	70
20B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE					20
20C	X-77 (SURFACTANT)	.50 WA	.250	% PRE					18
		LSD(05):			7	NS	29	26	28
							27		22

LOCATION: SPINDLETOP FARM

FERTILIZATION (LB/AC): 60 N, 60 P, 60 K SOIL TYPE: MAURY SILT LOAM

DATE PLANTED: JUNE 6

PH: 6.5 O.M.: 3.5%

DATE TREATED: SDP MAY 29

VARIETY: WILLIAMS

PRE JUNE 6

TREATMENTS 1-7 ARE 10 GPA

TREATMENTS 8-20 ARE 25 GPA

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5020 SOYBEAN BLACKNIGHTSHADE PREEMERGENCE & POSTEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	---4 GRAS	WEEKS BRLE	AFTER CRIN	APPLICATIO COLQ	BLNS	---8 CRIN	WEEK BLNS
1	ALACHLOR	4.00 MT	2.500	LB/AC PRE	97	90	3	100	100	0	67
2	ALACHLOR	4.00 MT	3.000	LB/AC PRE	100	90	0	100	100	0	77
3	ALACHLOR	4.00 MT	4.000	LB/AC PRE	100	90	0	100	100	0	83
4A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	100	97	7	100	100	0	97
4B	LINURON	4.00 L	1.000	LB/AC PRE							
5A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	100	90	10	100	100	10	93
5B	ACIFLUORFEN	2.00 L	.500	LB/AC MP							
5C	TRITON AG 98 SURFACT	.00 WA	.130 %	MP							
6A	ALACHLOR	4.00 MT	2.000	LB/AC PRE	100	97	13	100	100	3	83
6B	IMAZAQUIN	1.50 AS	.125	LB/AC PRE							
7A	ALACHLOR	4.00 MT	2.000	LB/AC PRE	100	100	13	100	100	0	90
7B	IMAZAQUIN	1.50 AS	.188	LB/AC PRE							
8	METOLACHLOR	8.00 E	2.500	LB/AC PRE	100	90	0	93	100	0	73
9	METOLACHLOR	8.00 E	3.000	LB/AC PRE	100	90	0	97	100	0	80
10	METOLACHLOR	8.00 E	4.000	LB/AC PRE	100	93	0	100	100	0	87
11	FMC 57020	6.00 EC	1.000	LB/AC PRE	97	93	0	100	100	0	57
12A	FMC 57020	6.00 EC	1.000	LB/AC PRE	100	97	0	97	100	0	93
12B	LINURON	4.00 L	.500	LB/AC PRE							
13A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	93	87	0	90	100	7	97
13B	DPX F6025	25.00 DF	.016	LB/AC MP							
13C	X-77 (SURFACTANT)	.50 WA	.250 %	MP							
14A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	100	90	0	97	100	7	100
14B	AC 499	1.95 AS	.032	LB/AC LP							
15	AC 499	1.95 AS	.063	LB/AC EP	90	80	0	80	90	7	67
16	AC 499	1.95 AS	.093	LB/AC EP	90	80	0	83	93	3	80
17	AC 499	1.95 AS	.125	LB/AC EP	90	80	0	83	97	10	73
18	AC 499	1.95 AS	.093	LB/AC PRE	100	93	7	100	100	10	57

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5020 SOYBEAN BLACKNIGHTSHADE PREEMERGENCE & POSTEMERGENCE

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	---4 GRAS	WEEKS BRLE	AFTER CRIN	APPLICATIO COLQ	BLNS	---8 CRIN	WEEK BLNS
19	AC 499	1.95 AS	.125	LB/AC PRE	100	100	10	100	100	10	70
20	CHECK (CULTIVATED)	.00 CK	.000		100	100	0	100	100	0	100
		LSD(05):			4	6	5	5	3	5	10

LOCATION: SPINDLETOP FARM
 FERTILIZATION (LB/AC): 60 N, 60 P, 60 K
 DATE PLANTED: MAY 14
 VARIETY: WILLIAMS

SOIL TYPE: MAURY SILT LOAM
 PH: 6.7 O.M.: 3.4%
 DATE TREATED: PRE MAY 14
 EP JUNE 13

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5021 SOYBEAN BLACKNIGHTSHADE PREPLANT INCORPORATED

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	JUNE 14				JULY 1		
					GRAS	BRLE	CRIN	COLQ	BLNS	CRIN	BLNS
122	1 ALACHLOR	4.00 MT	2.500 LB/AC	PPI	83	83	0	83	90	3	67
	2 ALACHLOR	4.00 MT	3.000 LB/AC	PPI	90	83	0	90	93	0	73
	3 ALACHLOR	4.00 MT	4.000 LB/AC	PPI	93	87	0	97	100	0	77
	4 ALACHLOR	4.00 E	2.500 LB/AC	PPI	87	90	0	90	97	0	63
	5 ALACHLOR	4.00 E	3.000 LB/AC	PPI	93	90	0	93	100	0	73
	6 ALACHLOR	4.00 E	4.000 LB/AC	PPI	90	90	0	93	100	0	80
	7 METOLACHLOR	8.00 E	2.500 LB/AC	PPI	100	87	0	87	87	0	70
	8 METOLACHLOR	8.00 E	3.000 LB/AC	PPI	97	90	0	93	97	0	77
	9 METOLACHLOR	8.00 E	4.000 LB/AC	PPI	97	90	10	93	97	10	80
	10 ETHALFLURALIN	3.00 E	.940 LB/AC	PPI	93	90	7	90	100	3	80
	11A ETHALFLURALIN	3.00 E	.940 LB/AC	PPI	90	90	3	97	93	0	87
	11B EL 107	80.00 WP	.044 LB/AC	PPI							
	12A ETHALFLURALIN	3.00 E	.940 LB/AC	PPI	97	87	7	97	100	7	97
	12B EL 107	80.00 WP	.066 LB/AC	PPI							
	13A PENDIMETHALIN	4.00 E	1.000 LB/AC	PPI	100	100	10	100	100	10	100
	13B IMAZQUIN	1.50 AS	.125 LB/AC	PPI							
	14A PENDIMETHALIN	4.00 E	1.000 LB/AC	PPI	100	100	10	100	100	10	100
	14B IMAZQUIN	1.50 AS	.188 LB/AC	PPI							
	15 PRODIAMINE	4.00 F	.670 LB/AC	PPI	93	90	0	100	100	0	93
	16 AC 499	1.95 AS	.063 LB/AC	PPI	97	93	7	100	100	10	93
	17 AC 499	1.95 AS	.125 LB/AC	PPI	100	100	7	100	100	10	93
	18 CHECK (CULTIVATED)	.00 CK	.000		100	100	0	100	100	0	100
LSD(05):					6	6	5	7	7	6	7

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5021 SOYBEAN BLACKNIGHTSHADE PREPLANT INCORPORATED

LOCATION: SPINDLETOP FARM
FERTILIZATION (LB/AC): 60 N, 60 P, 60 K SOIL TYPE: MAURY SILT LOAM
DATE PLANTED: MAY 14 DATE TREATED: PPI MAY 14
VARIETY: WILLIAMS

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5045 FULL SEASON NO-TILL SOYBEAN JOHNSONGRASS CONTROL

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER			APPLICAT CRIN	---8 CRIN	WEEK JOGR
					GRAS	BRLE	CRIN			
1	ORYZALIN	4.00 AS	1.000	LB/AC PRE	75	80	0	65	0	52
2A	ORYZALIN	4.00 AS	1.000	LB/AC PRE	92	92	0	92	0	82
2B	FLUAZIFOP-BUYTL	1.00 E	.125	LB/AC POE						
3	ORYZALIN	4.00 AS	1.500	LB/AC PRE	80	88	0	75	0	58
4A	ORYZALIN	4.00 AS	1.500	LB/AC PRE	98	90	0	95	0	82
4B	FLUAZIFOP-BUYTL	1.00 E	.125	LB/AC POE						
5	ALACHLOR	4.00 MT	2.000	LB/AC PRE	80	72	0	58	0	40
6A	ALACHLOR	4.00 MT	2.000	LB/AC PRE	88	90	0	88	0	68
6B	FLUAZIFOP-BUYTL	1.00 E	.125	LB/AC POE						
7	ALACHLOR	4.00 MT	2.500	LB/AC PRE	80	70	0	62	0	45
8A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	95	92	0	95	0	78
8B	FLUAZIFOP-BUYTL	1.00 E	.125	LB/AC POE						
9	PENDIMETHALIN	4.00 E	1.000	LB/AC PRE	80	72	0	70	0	62
10A	PENDIMETHALIN	4.00 E	1.000	LB/AC PRE	95	90	0	95	0	88
10B	FLUAZIFOP-BUYTL	1.00 E	.125	LB/AC POE						
11	PENDIMETHALIN	4.00 E	1.500	LB/AC PRE	88	80	0	78	0	65
12A	PENDIMETHALIN	4.00 E	1.500	LB/AC PRE	98	95	0	98	0	88
12B	FLUAZIFOP-BUYTL	1.00 E	.125	LB/AC POE						
13	AC 499	1.95 AS	.063	LB/AC PRE	90	82	0	88	0	70
14A	AC 499	1.95 AS	.063	LB/AC PRE	100	95	0	98	0	90
14B	FLUAZIFOP-BUYTL	1.00 E	.125	LB/AC POE						
15	AC 499	1.95 AS	.125	LB/AC PRE	90	80	8	88	0	78
16A	AC 499	1.95 AS	.125	LB/AC PRE	98	95	8	98	0	90
16B	FLUAZIFOP-BUYTL	1.00 E	.125	LB/AC POE						
17	IMAZAQUIN	1.50 AS	.188	LB/AC PRE	85	80	0	80	0	62
18A	IMAZAQUIN	1.50 AS	.188	LB/AC PRE	100	95	0	100	0	85
18B	FLUAZIFOP-BUYTL	1.00 E	.125	LB/AC POE						

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5045 FULL SEASON NO-TILL SOYBEAN JOHNSONGRASS CONTROL

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS GRAS	AFTER BRLE	APPLICAT CRIN	--8 CRIN	WEEK JOGR
19	IMAZAQUIN	1.50 AS	.250	LB/AC PRE	90	80	10	90	0 70
20A	IMAZAQUIN	1.50 AS	.250	LB/AC PRE	100	95	8	100	0 85
20B	FLUAZIFOP-BUVTL	1.00 E	.125	LB/AC POE					
21	FLUAZIFOP-BUVTL	1.00 E	.125	LB/AC POE	100	95	0	100	0 82
22	CHECK (UNCULTIVATED)	.00 CK	.000		0	0	0	0	0
23	CHECK (CULTIVATED)	.00 CK	.000		100	100	0	100	0 100
		LSD(05):			5	5	2	6	0 6

LOCATION: SPINDLETOP FARM
 FERTILIZATION (LB/AC): 250 N, 60 P, 60 K
 DATE PLANTED: MAY 21
 VARIETY: WILLIAMS

SOIL TYPE: MAURY SILT LOAM
 PH: 6.7 O.M.: 3.5%
 DATE TREATED: PRE MAY 21
 POE JUNE 11

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5115 NO-TILL SOYBEANS

<u>TRT NO.</u>	<u>HERBICIDE TREATMENT</u>	<u>FORMULA</u>	<u>RATE</u>	<u>APPL METH</u>	<u>--4 CRIN</u>	<u>WEEK GRAS</u>	<u>--8 CRIN</u>	<u>WEEK GRAS</u>
1A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	80	0	63
1B	IMAZAQUIN	1.50 AS	.125	LB/AC PRE				
1C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
1D	X-77 (SURFACTANT)	.50 WA	.250	% PRE				
2A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	87	0	67
2B	IMAZAQUIN	1.50 AS	.188	LB/AC PRE				
2C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
2D	X-77 (SURFACTANT)	.50 WA	.250	% PRE				
3A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	83	0	63
3B	IMAZAQUIN	1.50 AS	.250	LB/AC PRE				
3C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
3D	X-77 (SURFACTANT)	.50 WA	.250	% PRE				
4A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	77	0	63
4B	PPG-844	2.00 E	.250	LB/AC PRE				
4C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
4D	X-77 (SURFACTANT)	.50 WA	.250	% PRE				
5A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	90	0	70
5B	PPG-844	2.00 E	.500	LB/AC PRE				
5C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
5D	X-77 (SURFACTANT)	.50 WA	.250	% PRE				
6A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	83	0	60
6B	PPG-844	2.00 E	.250	LB/AC PRE				
6C	GLYPHOSATE	4.00 E	.500	LB/AC PRE				
7A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	7	83	7	63
7B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
7C	X-77 (SURFACTANT)	.50 WA	.250	% PRE				
7D	PPG-844	2.00 E	.200	LB/AC EP				
8A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	3	87	7	70
8B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
8C	X-77 (SURFACTANT)	.50 WA	.250	% PRE				
8D	PPG-844	2.00 E	.400	LB/AC EP				
9A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	87	7	63
9B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
9C	X-77 (SURFACTANT)	.50 WA	.250	% PRE				
9D	PPG-844	2.00 E	.200	LB/AC EP				
9E	BENAZOLIN	4.00 F	.250	LB/AC EP				

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5115 NO-TILL SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	---4 WEEK		---8 WEEK	
					CRIN	GRAS	CRIN	GRAS
10A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	0	77	7 70
10B	PARAQUAT PLUS	2.00	E	.250 LB/AC	PRE			
10C	X-77 (SURFACTANT)	.50	WA	.250 %	PRE			
10D	PPG-844	2.00	E	.200 LB/AC	EP			
10E	BENTAZON	4.00	E	.750 LB/AC	EP			
10F	OIL CONCENTRATE	.00	AD	.500 QT/AC	EP			
11A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	0	87	0 67
11B	PPG 1013	.25	EC	.200 LB/AC	PRE			
11C	PARAQUAT PLUS	2.00	E	.250 LB/AC	PRE			
11D	X-77 (SURFACTANT)	.50	WA	.250 %	PRE			
12A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	0	87	0 70
12B	PPG 1013	.25	EC	.200 LB/AC	PRE			
12C	GLYPHOSATE	4.00	E	.500 LB/AC	PRE			
13A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	3	80	3 67
13B	PARAQUAT PLUS	2.00	E	.250 LB/AC	PRE			
13C	X-77 (SURFACTANT)	.50	WA	.250 %	PRE			
13D	PPG 1013	.25	EC	.020 LB/AC	EP			
14A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	3	87	7 73
14B	PARAQUAT PLUS	2.00	E	.250 LB/AC	PRE			
14C	X-77 (SURFACTANT)	.50	WA	.250 %	PRE			
14D	PPG 1013	.25	EC	.020 LB/AC	EP			
14E	BENTAZON	4.00	E	.750 LB/AC	EP			
14F	OIL CONCENTRATE	.00	AD	.500 QT/AC	EP			
15A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	0	77	0 70
15B	CHLORAMBEN	75.00	DS	2.250 LB/AC	PRE			
15C	GLYPHOSATE	4.00	E	1.000 LB/AC	PRE			
16A	METOLACHLOR	8.00	E	2.500 LB/AC	PRE	0	83	0 67
16B	HOE 661	1.78	AS	.900 LB/AC	PRE			
17A	METOLACHLOR	8.00	E	2.500 LB/AC	PRE	0	93	0 70
17B	HOE 661	1.78	AS	1.000 LB/AC	PRE			
18A	METOLACHLOR	8.00	E	2.500 LB/AC	PRE	0	87	0 63
18B	HOE 661	1.78	AS	1.200 LB/AC	PRE			
19A	IMAZAQUIN	1.50	AS	.063 LB/AC	PRE	0	87	0 67
19B	ORYZALIN	4.00	AS	1.000 LB/AC	PRE			
19C	PARAQUAT PLUS	2.00	E	.250 LB/AC	PRE			
19D	X-77 (SURFACTANT)	.50	WA	.250 %	PRE			

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5115 NO-TILL SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	---4 CRIN	WEEK GRAS	---8 CRIN	WEEK GRAS
20A	IMAZAQUIN	1.50 AS	.125	LB/AC PRE	0	80	0	57
20B	ORYZALIN	4.00 AS	1.000	LB/AC PRE				
20C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
20D	X-77 (SURFACTANT)	.50 WA	.250 %	PRE				
21A	IMAZAQUIN	1.50 AS	.188	LB/AC PRE	0	83	0	63
21B	ORYZALIN	4.00 AS	1.000	LB/AC PRE				
21C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
21D	X-77 (SURFACTANT)	.50 WA	.250 %	PRE				
22A	LINURON	4.00 L	.750	LB/AC PRE	0	77	0	63
22B	CHLORAMBEN	75.00 DS	1.800	LB/AC PRE				
22C	GLYPHOSATE	4.00 E	1.000	LB/AC PRE				
23A	LINURON	4.00 L	1.000	LB/AC PRE	0	97	0	83
23B	HOE 39866	1.78 AS	.750	LB/AC PRE				
23C	HOE 33171	1.00 EC	.150	LB/AC 30D				
128	24A LINURON	4.00 L	1.000	LB/AC PRE	0	97	0	73
	24B HOE 39866	1.78 AS	1.000	LB/AC PRE				
	24C HOE 33171	1.00 EC	.150	LB/AC 30D				
25A	LINURON	4.00 L	1.000	LB/AC PRE	0	97	0	80
25B	HOE 39866	1.78 AS	1.500	LB/AC PRE				
25C	HOE 33171	1.00 EC	15.000	LB/AC 30D				
26A	FMC 57020	6.00 EC	1.000	LB/AC PRE	0	87	0	63
26B	METRIBUZIN	75.00 DF	.380	LB/AC PRE				
26C	GLYPHOSATE	4.00 E	.750	LB/AC PRE				
26D	X-77 (SURFACTANT)	.50 WA	.500 %	PRE				
27A	FMC 57020	6.00 EC	1.250	LB/AC PRE	0	93	0	77
27B	METRIBUZIN	75.00 DF	.380	LB/AC PRE				
27C	GLYPHOSATE	4.00 E	.750	LB/AC PRE				
27D	X-77 (SURFACTANT)	.50 WA	.500 %	PRE				
28A	FMC 57020	6.00 EC	1.000	LB/AC PRE	0	90	0	63
28B	LINURON	4.00 L	.500	LB/AC PRE				
28C	GLYPHOSATE	4.00 E	.750	LB/AC PRE				
28D	X-77 (SURFACTANT)	.50 WA	.500 %	PRE				
29A	FMC 57020	6.00 EC	1.250	LB/AC PRE	0	93	0	73
29B	LINURON	4.00 L	.500	LB/AC PRE				
29C	GLYPHOSATE	4.00 E	.750	LB/AC PRE				
29D	X-77 (SURFACTANT)	.50 WA	.500 %	PRE				

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5115 NO-TILL SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	---4 WEEK CRIN GRAS	---8 WEEK CRIN GRAS
42A	SD 95481	7.00 EC	1.200	LB/AC PRE	0 87	0 87
42B	GLYPHOSATE	4.00 E	1.000	LB/AC PRE		
42C	BENTAZON	4.00 E	1.000	LB/AC MP		
42D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP		
43A	SD 95481	7.00 EC	1.400	LB/AC PRE	0 100	0 83
43B	GLYPHOSATE	4.00 E	1.000	LB/AC PRE		
43C	BENTAZON	4.00 E	1.000	LB/AC MP		
43D	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP		
44A	SETHOXYDIM	1.53 EC	.100	LB/AC PRE	0 70	0 60
44B	2,4-D AMINE	4.00 E	.500	LB/AC PRE		
44C	OIL CONCENTRATE	.00 AD	1.000	QT/AC PRE		
44D	SETHOXYDIM	1.53 EC	.200	LB/AC MP		
44E	BENTAZON	4.00 E	.750	LB/AC MP		
44F	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP		
45A	SETHOXYDIM	1.53 EC	.100	LB/AC PRE	0 77	0 70
45B	2,4-D AMINE	4.00 E	.500	LB/AC PRE		
45C	CHLORPROPAM	4.00 E	.500	LB/AC PRE		
45D	OIL CONCENTRATE	.00 AD	1.000	QT/AC PRE		
45E	SETHOXYDIM	1.53 EC	.200	LB/AC MP		
45F	BENTAZON	4.00 E	.750	LB/AC MP		
45G	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP		
46A	SETHOXYDIM	1.53 EC	.100	LB/AC PRE	0 80	0 67
46B	2,4-D AMINE	4.00 E	.500	LB/AC PRE		
46C	METRIBUZIN	75.00 DF	.250	LB/AC PRE		
46D	OIL CONCENTRATE	.00 AD	1.000	QT/AC PRE		
46E	SETHOXYDIM	1.53 EC	.200	LB/AC MP		
46F	BENTAZON	4.00 E	.750	LB/AC MP		
46G	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP		
47A	SETHOXYDIM	1.53 EC	.100	LB/AC PRE	0 70	0 60
47B	2,4-D AMINE	4.00 E	.500	LB/AC PRE		
47C	LINURON	4.00 L	.500	LB/AC PRE		
47D	OIL CONCENTRATE	.00 AD	1.000	QT/AC PRE		
47E	SETHOXYDIM	1.53 EC	.200	LB/AC MP		
47F	BENTAZON	4.00 E	.750	LB/AC MP		
47G	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP		
48A	GLYPHOSATE	4.00 E	1.000	LB/AC PRE	0 87	0 87
48B	AC 499	1.95 AS	.063	LB/AC MP		
49A	GLYPHOSATE	4.00 E	1.000	LB/AC PRE	0 87	0 80
49B	AC 499	1.95 AS	.093	LB/AC MP		

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5115 NO-TILL SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	---4 CRIN	WEEK GRAS	---8 CRIN	WEEK GRAS
50A	GLYPHOSATE	4.00 E	1.000	LB/AC PRE	0	93	0	90
50B	AC 499	1.95 AS	.125	LB/AC MP				
51A	METHAZOLE	75.00 WP	2.000	LB/AC PRE	0	73	0	53
51B	ALACHLOR	4.00 MT	2.500	LB/AC PRE				
52A	METHAZOLE	75.00 WP	4.000	LB/AC PRE	3	87	0	70
52B	ALACHLOR	4.00 MT	2.500	LB/AC PRE				
53A	METHAZOLE	75.00 WP	2.000	LB/AC PRE	0	97	0	90
53B	ALACHLOR	4.00 MT	2.500	LB/AC PRE				
53C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
53D	X-77 (SURFACTANT)	.50 WA	.250 %	PRE				
54A	METHAZOLE	75.00 WP	4.000	LB/AC PRE	0	97	0	90
54B	ALACHLOR	4.00 MT	2.500	LB/AC PRE				
54C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
54D	X-77 (SURFACTANT)	.50 WA	.250 %	PRE				
55A	AC 499	1.95 AS	.063	LB/AC PRE	0	83	0	70
55B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
55C	X-77 (SURFACTANT)	.50 WA	.250 %	PRE				
56A	AC 499	1.95 AS	.093	LB/AC PRE	0	77	0	67
56B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
56C	X-77 (SURFACTANT)	.50 WA	.250 %	PRE				
57A	AC 499	1.95 AS	.125	LB/AC PRE	0	90	0	70
57B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
57C	X-77 (SURFACTANT)	.50 WA	.250 %	PRE				
58A	HOE 39866	1.78 AS	.750	LB/AC PRE				
58B	HOE 33171	1.00 EC	.200	LB/AC 30D	7	90	10	70
58C	BENTAZON	4.00 E	.500	LB/AC 30D				
58D	ACIFLUORFEN	2.00 L	.250	LB/AC 30D				
58E	OIL CONCENTRATE	.00 AD	.500 QT/AC 30D					
59A	RE 39571	3.00 E	1.500	LB/AC PRE	0	90	0	73
59B	METRIBUZIN 1	4.00 F	.500	LB/AC PRE				
59C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
59D	X-77 (SURFACTANT)	.50 WA	.250 %	PRE				
60A	RE 39571	3.00 E	2.000	LB/AC PRE	0	90	0	73
60B	METRIBUZIN 1	4.00 F	.500	LB/AC PRE				
60C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
60D	X-77 (SURFACTANT)	.50 WA	.250 %	PRE				

131

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5115 NO-TILL SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	---4 WEEK		---8 WEEK	
					CRIN	GRAS	CRIN	GRAS
61A	RE 39571	3.00 E	3.000	LB/AC PRE	0	93	0	80
61B	METRIBUZIN 1	4.00 F	.500	LB/AC PRE				
61C	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
61D	X-77 (SURFACTANT)	.50 WA	.250	% PRE				
62A	SC 5676	4.00 E	1.500	LB/AC PRE	0	80	0	63
62B	PARAQUAT PLUS	2.00 E	.250	LB/AC PRE				
62C	X-77 (SURFACTANT)	.50 WA	.250	% PRE				

LSD(05): 3 12 3 15

LOCATION: PRINCETON
 FERTILIZATION (LB/AC): 0 N, 0 P, 0 K
 DATE PLANTED: JUNE 26
 VARIETY: WILLIAMS

SOIL TYPE: CRIDER SILT LOAM
 PH: 6.0 O.M.: 1.0%
 DATE TREATED: PRE JUNE 26
 EP JULY 22
 MP JULY 26
 30D JULY 26

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5102 SOYBEAN PREEMERGENCE & PREPLANT INCORPORATED

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	---JUNE 1		---JULY 3	
					CRIN	JOGR	CRIN	JOGR
1	TRIFLURALIN	4.00 E	1.500 LB/AC	PPI	0	60	0	63
2	PENDIMETHALIN	4.00 E	3.000 LB/AC	PPI	0	67	0	60
3A	IMAQUIN	1.50 AS	.188 LB/AC	PPI	0	63	0	77
3B	PENDIMETHALIN	4.00 E	1.500 LB/AC	PPI				
4A	IMAQUIN	1.50 AS	.250 LB/AC	PPI	0	67	0	80
4B	PENDIMETHALIN	4.00 E	1.500 LB/AC	PPI				
5	AC 499	1.95 AS	.093 LB/AC	PPI	0	67	0	73
6	AC 499	1.95 AS	.125 LB/AC	PPI	0	70	0	80
7	AC 499	1.95 AS	.093 LB/AC	PRE	0	57	0	63
8	AC 499	1.95 AS	.125 LB/AC	PRE	0	60	0	60
9	AC 499	1.95 AS	.188 LB/AC	PRE	0	73	0	77
10A	AC 499	1.95 AS	.093 LB/AC	PPI	0	63	0	77
10B	PENDIMETHALIN	4.00 E	1.500 LB/AC	PPI				
11A	AC 499	1.95 AS	.125 LB/AC	PPI	0	67	0	67
11B	PENDIMETHALIN	4.00 E	1.500 LB/AC	PPI				
12A	AC 499	1.95 AS	.125 LB/AC	PPI	0	73	0	73
12B	ALACHLOR	4.00 MT	2.500 LB/AC	PPI				
13	CHECK (CULTIVATED)	.00 CK	.000		0	100	0	100
14	CHECK (CULTIVATED)	.00 CK	.000					

LSD(05): 0 11 0 15

LOCATION: PRINCETON
 FERTILIZATION (LB/AC): 0 N, 60 P, 60 K DATE TREATED: CRIDER SILT LOAM
 DATE PLANTED: MAY 9 PH: 6.5 O.M.: 1.5%
 VARIETY: ESSEX PRE MAY 9

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5103 POSTEMERGENCE JOHNSONGRASS CONTROL

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WK JOGR	8 WK JOGR
1A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	97	93
1B	DOWCO 453	2.00 E	.060	LB/AC 16J		
1C	OIL CONCENTRATE	.00 AD	1.000	QT/AC 16J		
2A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	97	100
2B	DOWCO 453	2.00 E	.130	LB/AC 16J		
2C	OIL CONCENTRATE	.00 AD	1.000	QT/AC 16J		
3A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	93	97
3B	DOWCO 453	2.00 E	.150	LB/AC 16J		
3C	OIL CONCENTRATE	.00 AD	1.000	QT/AC 16J		
4A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	100	100
4B	DOWCO 453	2.00 E	.190	LB/AC 16J		
4C	OIL CONCENTRATE	.00 AD	1.000	QT/AC 16J		
5A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	90	93
5B	FLUAZIFOP-BUVTL	1.00 E	.094	LB/AC LP		
5C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
6A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	97	100
6B	FLUAZIFOP-BUVTL	1.00 E	.125	LB/AC LP		
6C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
7A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	97	97
7B	FLUAZIFOP-BUVTL	1.00 E	.125	LB/AC 16J		
7C	OIL CONCENTRATE	.00 AD	1.000	QT/AC 16J		
8A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	97	100
8B	FLUAZIFOP-BUVTL	1.00 E	.156	LB/AC LP		
8C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
9A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	100	97
9B	FLUAZIFOP-BUVTL	1.00 E	.188	LB/AC LP		
9C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
10A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	93	93
10B	FLUAZIFOP-BUVTL	1.00 E	.250	LB/AC LP		
10C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
11A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	87	83
11B	HOE 33171	1.00 EC	.100	LB/AC LP		
12A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	87	80
12B	CLOPROXYDIM	4.00 E	.250	LB/AC LP		
12C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5103 POSTEMERGENCE JOHNSONGRASS CONTROL

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WK JOGR	8 WK JOGR
13A	BENTAZON	4.00 E	.750	LB/AC MP		
13B	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP		
13C	DOWCO 453	2.00 E	.130	LB/AC +4D		
13D	OIL CONCENTRATE	.00 AD	1.000	QT/AC +4D		
14A	BENTAZON	4.00 E	.750	LB/AC MP	97	97
14B	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP		
14C	DOWCO 453	2.00 E	.190	LB/AC +4D		
14D	OIL CONCENTRATE	.00 AD	1.000	QT/AC +4D		
15A	BENTAZON	4.00 E	.750	LB/AC MP	90	90
15B	2,4-DB	2.00 E	.030	LB/AC MP		
15C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP		
15D	FLUAZIFOP-BUYTL	1.00 E	.094	LB/AC LP		
15E	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
16A	BENTAZON	4.00 E	.750	LB/AC MP	90	97
16B	2,4-DB	2.00 E	.030	LB/AC MP		
16C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP		
16D	FLUAZIFOP-BUYTL	1.00 E	.125	LB/AC LP		
16E	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
17A	BENTAZON	4.00 E	.750	LB/AC MP	93	93
17B	2,4-DB	2.00 E	.030	LB/AC MP		
17C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP		
17D	FLUAZIFOP-BUYTL	1.00 E	.156	LB/AC LP		
17E	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
18A	BENTAZON	4.00 E	.750	LB/AC MP	100	100
18B	2,4-DB	2.00 E	.030	LB/AC MP		
18C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP		
18D	FLUAZIFOP-BUYTL	1.00 E	.188	LB/AC LP		
18E	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
19A	ACIFLUORFEN	2.00 L	.500	LB/AC MP	97	93
19B	OIL CONCENTRATE	.00 AD	.500	QT/AC MP		
19C	DOWCO 453	2.00 E	.130	LB/AC +4D		
19D	OIL CONCENTRATE	.00 AD	1.000	QT/AC +4D		
20A	ACIFLUORFEN	2.00 L	.500	LB/AC MP	100	100
20B	OIL CONCENTRATE	.00 AD	.500	QT/AC MP		
20C	DOWCO 453	2.00 E	.190	LB/AC +4D		
20D	OIL CONCENTRATE	.00 AD	1.000	QT/AC +4D		
21A	Y 6202	.80 L	.060	LB/AC 20J	87	87
21B	OIL CONCENTRATE	.00 AD	1.000	QT/AC 20J		

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5103 POSTEMERGENCE JOHNSONGRASS CONTROL

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WK JOGR	8 WK JOGR
22A	Y 6202	.80 L	.090	LB/AC 20J		
22B	OIL CONCENTRATE	.00 AD	1.000	QT/AC 20J	87	93
23A	Y 6202	.80 L	.120	LB/AC 20J		
23B	OIL CONCENTRATE	.00 AD	1.000	QT/AC 20J	97	97
24A	Y 6202	.80 L	.030	LB/AC 17J		
24B	OIL CONCENTRATE	.00 AD	1.000	QT/AC 17J	90	97
24C	Y 6202	.80 L	.030	LB/AC 8J		
24D	OIL CONCENTRATE	.00 AD	1.000	QT/AC 8J		
25A	Y 6202	.80 L	.050	LB/AC 17J		
25B	OIL CONCENTRATE	.00 AD	1.000	QT/AC 17J	90	97
25C	Y 6202	.80 L	.050	LB/AC 8J		
25D	OIL CONCENTRATE	.00 AD	1.000	QT/AC 8J		
26A	Y 6202	.80 L	.060	LB/AC 17J		
26B	OIL CONCENTRATE	.00 AD	1.000	QT/AC 17J	100	100
26C	Y 6202	.80 L	.060	LB/AC 8J		
26D	OIL CONCENTRATE	.00 AD	1.000	QT/AC 8J		
27A	Y 6202	.80 L	.090	LB/AC 17J		
27B	OIL CONCENTRATE	.00 AD	1.000	QT/AC 17J	90	90
27C	DPX F6025	25.00 DF	.008	LB/AC +1D		
27D	X-77 (SURFACTANT)	.50 WA	.250 %	+1D		
28A	Y 6202	.80 L	.120	LB/AC 17J		
28B	OIL CONCENTRATE	.00 AD	1.000	QT/AC 17J	93	93
28C	DPX F6025	25.00 DF	.008	LB/AC +1D		
28D	X-77 (SURFACTANT)	.50 WA	.250 %	+1D		
29A	Y 6202	.80 L	.150	LB/AC 17J		
29B	OIL CONCENTRATE	.00 AD	1.000	QT/AC 17J	97	90
29C	DPX F6025	25.00 DF	.008	LB/AC +1D		
29D	X-77 (SURFACTANT)	.50 WA	.250 %	+1D		
30A	DPX F6025	25.00 DF	.008	LB/AC -3D		
30B	X-77 (SURFACTANT)	.50 WA	.250 %	-3D	80	73
30C	Y 6202	.80 L	.090	LB/AC 20J		
30D	OIL CONCENTRATE	.00 AD	1.000	QT/AC 20J		
31A	DPX F6025	25.00 DF	.008	LB/AC -3D		
31B	X-77 (SURFACTANT)	.50 WA	.250 %	-3D	83	80
31C	Y 6202	.80 L	.120	LB/AC 20J		
31D	OIL CONCENTRATE	.00 AD	1.000	QT/AC 20J		

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5103 POSTEMERGENCE JOHNSONGRASS CONTROL

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WK JOGR	8 WK JOGR
32A	DPX F6025	25.00 DF	.008	LB/AC -3D	83	77
32B	X-77 (SURFACTANT)	.50 WA	.250 %	-3D		
32C	Y 6202	.80 L	.150	LB/AC 20J		
32D	OIL CONCENTRATE	.00 AD	1.000	QT/AC 20J		
33A	HOE 33171	1.00 EC	.150	LB/AC LP	97	90
33B	BENTAZON	4.00 E	1.000	LB/AC LP		
33C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
34A	AC 499	1.95 AS	.093	LB/AC LLP	77	87
34B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LLP		
35A	AC 499	1.95 AS	.125	LB/AC LLP	87	97
35B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LLP		
36A	BAS 517	1.67 E	.100	LB/AC LP	90	93
36B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
137	37A	BAS 517	1.67 E	.200 LB/AC LP	100	97
	37B	OIL CONCENTRATE	.00 AD	1.000 QT/AC LP		
38A	BAS 517	1.67 E	.300	LB/AC LP	93	100
38B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
39A	BAS 517	1.67 E	.400	LB/AC LP	93	100
39B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
40A	BAS 517	1.67 E	.100	LB/AC SEQ	87	100
40B	OIL CONCENTRATE	.00 AD	1.000	QT/AC SEQ		
40C	BAS 517	1.67 E	.100	LB/AC SEQ		
40D	OIL CONCENTRATE	.00 AD	1.000	QT/AC SEQ		
41A	BAS 517	1.67 E	.200	LB/AC SEQ	93	100
41B	OIL CONCENTRATE	.00 AD	1.000	QT/AC SEQ		
41C	BAS 517	1.67 E	.100	LB/AC SEQ		
41D	OIL CONCENTRATE	.00 AD	1.000	QT/AC SEQ		
42A	BAS 517	1.67 E	.200	LB/AC SEQ	87	100
42B	OIL CONCENTRATE	.00 AD	1.000	QT/AC SEQ		
42C	BAS 517	1.67 E	.200	LB/AC SEQ		
42D	OIL CONCENTRATE	.00 AD	1.000	QT/AC SEQ		
43A	SC 1084	4.00 E	.250	LB/AC LP	93	90
43B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5103 POSTEMERGENCE JOHNSONGRASS CONTROL

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WK JOGR	8 WK JOGR
44A	SC 1084	4.00 E	.380	LB/AC LP	90	97
44B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
45A	SC 1084	4.00 E	.250	LB/AC LP	90	93
45B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
45C	SC 1084	4.00 E	.250	LB/AC 14D		
45D	OIL CONCENTRATE	.00 AD	1.000	QT/AC 14D		
46A	SC 1084	4.00 E	.250	LB/AC LP	93	90
46B	BENTAZON	4.00 E	.750	LB/AC LP		
46C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
47A	SC 1084	4.00 E	.250	LB/AC LP	90	90
47B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
47C	BENTAZON	4.00 E	.750	LB/AC SEQ		
47D	OIL CONCENTRATE	.00 AD	1.000	QT/AC SEQ		
48A	SC 1084	4.00 E	.380	LB/AC LP	97	87
48B	BENTAZON	4.00 E	.750	LB/AC LP		
48C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
49A	SC 1084	4.00 E	.380	LB/AC LP	100	97
49B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
49C	BENTAZON	4.00 E	.750	LB/AC SEQ		
49D	OIL CONCENTRATE	.00 AD	1.000	QT/AC SEQ		
50	CHECK (CULTIVATED)	.00 CK	.000		100	100

LSD(05): 10 8

LOCATION: PRINCETON
 FERTILIZATION (LB/AC): 0 N, 60 P, 60 K SOIL TYPE: CRIDER SILT LOAM
 DATE PLANTED: MAY 9 PH: 6.5 O.M.: 1.5%
 VARIETY: ESSEX DATE TREATED: MP JUNE 7; LP, +4D JUNE 11
 +1D, SEQ, 16" JUNE 12
 17" JUNE 13
 -3D, 20", +1D, 17" JUNE 14
 20", LLP JUNE 17
 SEQ, 15", 25" JUNE 17
 14D, LP JUNE 25
 8", 17", SEQ JULY 9

16J = 12-20" JOHNSONGRASS

17J = 15-20" JOHNSONGRASS

20J = 15-24" JOHNSONGRASS

8J = SEQUENTIAL TRT. TO 6-10" JOHNSONGRASS

LLP = JOHNSONGRASS > 12"

TREATMENTS 14,15 = 12" JOHNSONGRASS

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5120 INFLUENCE OF ADDITIVES WITH ROUNDUP ON JOHNSONGRASS CONTROL

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	---PRIOR GRAS	TO BRLE	PLANTING - RHJG	SEJG	---JULY 2 CRIN	JOGR	--AUG CRIN	22 - JOGR	
1A	GLYPHOSATE	4.00	E	.250 LB/AC	5DP	70	67	53	87	0	73	0	100
1B	ALACHLOR	4.00	MT	2.500 LB/AC	PRE								
1C	FLUAZIFOP BUTYL	4.00	E	.250 LB/AC	POE								
2A	GLYPHOSATE	4.00	E	.500 LB/AC	5DP	90	47	90	97	0	77	3	100
2B	ALACHLOR	4.00	MT	2.500 LB/AC	PRE								
2C	FLUAZIFOP BUTYL	4.00	E	.250 LB/AC	POE								
3A	GLYPHOSATE	4.00	E	1.000 LB/AC	5DP	100	90	100	100	0	73	0	100
3B	ALACHLOR	4.00	MT	2.500 LB/AC	PRE								
3C	FLUAZIFOP BUTYL	4.00	E	.250 LB/AC	POE								
4A	GLYPHOSATE	4.00	E	.500 LB/AC	5DP	93	90	93	100	0	70	0	43
4B	X-77 (SURFACTANT)	.50	WA	.500 %	5DP								
4C	AMMONIUM SULFATE	.00	WP	2.000 LB/AC	5DP								
4D	GLYPHOSATE	4.00	E	.250 LB/AC	POD								
5A	GLYPHOSATE	4.00	E	.250 LB/AC	5DP	60	60	60	73	0	77	0	100
5B	X-77 (SURFACTANT)	.50	WA	.500 %	5DP								
5C	ALACHLOR	4.00	MT	2.500 LB/AC	PRE								
5D	FLUAZIFOP BUTYL	4.00	E	.250 LB/AC	POE								
6A	GLYPHOSATE	4.00	E	.500 LB/AC	5DP	87	83	87	93	0	77	0	100
6B	X-77 (SURFACTANT)	.50	WA	.500 %	5DP								
6C	ALACHLOR	4.00	MT	2.500 LB/AC	PRE								
6D	FLUAZIFOP BUTYL	4.00	E	.250 LB/AC	POE								
7A	GLYPHOSATE	4.00	E	1.000 LB/AC	5DP	97	97	97	100	0	90	0	100
7B	X-77 (SURFACTANT)	.50	WA	.500 %	5DP								
7C	ALACHLOR	4.00	MT	2.500 LB/AC	PRE								
7D	FLUAZIFOP BUTYL	4.00	E	.250 LB/AC	POE								
8A	GLYPHOSATE	4.00	E	.250 LB/AC	5DP	73	70	73	83	0	73	0	100
8B	X-77 (SURFACTANT)	.50	WA	.500 %	5DP								
8C	AMMONIUM SULFATE	.00	WP	2.000 LB/AC	5DP								
8D	ALACHLOR	4.00	MT	2.500 LB/AC	PRE								
8E	FLUAZIFOP BUTYL	4.00	E	.250 LB/AC	POE								
9A	GLYPHOSATE	4.00	E	.500 LB/AC	5DP	80	60	80	100	0	80	0	100
9B	X-77 (SURFACTANT)	.50	WA	.500 %	5DP								
9C	AMMONIUM SULFATE	.00	WP	2.000 LB/AC	5DP								
9D	ALACHLOR	4.00	MT	2.500 LB/AC	PRE								
9E	FLUAZIFOP BUTYL	4.00	E	.250 LB/AC	POE								
10A	GLYPHOSATE	4.00	E	1.000 LB/AC	5DP	100	67	100	100	0	87	0	97
10B	X-77 (SURFACTANT)	.50	WA	.500 %	5DP								
10C	AMMONIUM SULFATE	.00	WP	2.000 LB/AC	5DP								
10D	ALACHLOR	4.00	MT	2.500 LB/AC	PRE								
10E	FLUAZIFOP BUTYL	4.00	E	.250 LB/AC	POE								

139

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5120 INFLUENCE OF ADDITIVES WITH ROUNDUP ON JOHNSONGRASS CONTROL

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	---PRIOR TO GRAS BRLE		PLANTING - RHJG SEJG	---JULY 2 CRIN JOGR		--AUG 22 - CRIN JOGR	
					87	57		0	80	0	100
11A	GLYPHOSATE	4.00	E	.500 LB/AC	5DP						
11B	X-77 (SURFACTANT)	.50	WA	.500 %	5DP						
11C	AMMONIUM SULFATE	.00	WP	5.000 LB/AC	5DP						
11D	ALACHLOR	4.00	MT	2.500 LB/AC	PRE						
11E	FLUAZIFOP BUTYL	4.00	E	.250 LB/AC	POE						
12A	GLYPHOSATE	4.00	E	.500 LB/AC	5DP	90	80	90	97	0	70
12B	X-77 (SURFACTANT)	.50	WA	.500 %	5DP					0	73
12C	AMMONIUM SULFATE	.00	WP	2.000 LB/AC	5DP						
12D	ALACHLOR	4.00	MT	2.500 LB/AC	PRE						
12E	GLYPHOSATE	4.00	E	.250 LB/AC	POD						
13A	GLYPHOSATE	4.00	E	.500 LB/AC	5DP	93	70	93	100	0	80
13B	X-77 (SURFACTANT)	.50	WA	.500 %	5DP					0	93
13C	AMMONIUM SULFATE	.00	WP	2.000 LB/AC	5DP						
13D	ALACHLOR	4.00	MT	2.500 LB/AC	PRE						
13E	GLYPHOSATE	4.00	E	.500 LB/AC	POD						
14O	GLYPHOSATE	4.00	E	.500 LB/AC	5DP	90	37	87	100	0	73
	X-77 (SURFACTANT)	.50	WA	.500 %	5DP					7	87
	AMMONIUM SULFATE	.00	WP	2.000 LB/AC	5DP						
	ALACHLOR	4.00	MT	2.500 LB/AC	PRE						
	GLYPHOSATE	4.00	E	.250 LB/AC	POD						
	AMMONIUM SULFATE	.00	WP	2.000 LB/AC	POD						
15A	GLYPHOSATE	4.00	E	.500 LB/AC	5DP	100	97	100	100	0	90
15B	X-77 (SURFACTANT)	.50	WA	.500 %	5DP					13	93
15C	AMMONIUM SULFATE	.00	WP	2.000 LB/AC	5DP						
15D	ALACHLOR	4.00	MT	2.500 LB/AC	PRE						
15E	GLYPHOSATE	4.00	E	.500 LB/AC	POD						
15F	AMMONIUM SULFATE	.00	WP	2.000 LB/AC	POD						
16A	GLYPHOSATE	4.00	E	.250 LB/AC	5DP	57	70	57	67	0	77
16B	X-77 (SURFACTANT)	.50	WA	.500 %	5DP					0	100
16C	EDTA	.00	WP	2.000 LB/AC	5DP						
16D	ALACHLOR	4.00	MT	2.500 LB/AC	PRE						
16E	FLUAZIFOP BUTYL	4.00	E	.250 LB/AC	POE						
17A	GLYPHOSATE	4.00	E	.500 LB/AC	5DP	80	47	80	90	0	80
17B	X-77 (SURFACTANT)	.50	WA	.500 %	5DP					0	100
17C	EDTA	.00	WP	2.000 LB/AC	5DP						
17D	ALACHLOR	4.00	MT	2.500 LB/AC	PRE						
17E	FLUAZIFOP BUTYL	4.00	E	.250 LB/AC	POE						
18A	GLYPHOSATE	4.00	E	1.000 LB/AC	5DP	93	67	93	97	0	83
18B	X-77 (SURFACTANT)	.50	WA	.500 %	5DP					0	100
18C	EDTA	.00	WP	2.000 LB/AC	5DP						
18D	ALACHLOR	4.00	MT	2.500 LB/AC	PRE						
18E	FLUAZIFOP BUTYL	4.00	E	.250 LB/AC	POE						

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5120 INFLUENCE OF ADDITIVES WITH ROUNDUP ON JOHNSONGRASS CONTROL

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	--PRIOR TO GRAS BRLE		PLANTING - RHJG SEJG	--JULY 2 CRIN JOGR		--AUG 22 - CRIN JOGR		
					90	77		0	80	0	100	
19A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP							
19B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP							
19C	EGTA	.00 WP	2.000	LB/AC	5DP							
19D	ALACHLOR	4.00 MT	2.500	LB/AC	PRE							
19E	FLUAZIFOP BUTYL	4.00 E	.250	LB/AC	POE							
20A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	90	67	90	100	0	73	
20B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP					0	100	
20C	AMMONIUM SULFATE	.00 WP	2.000	LB/AC	5DP							
20D	ALACHLOR	4.00 MT	2.500	LB/AC	SPI							
20E	FLUAZIFOP BUTYL	4.00 E	.250	LB/AC	POE							
21A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	90	90	90	100	0	90	
21B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP					10	100	
21C	AMMONIUM SULFATE	.00 WP	2.000	LB/AC	5DP							
21D	METOLACHLOR	8.00 E	2.500	LB/AC	SPI							
21E	FLUAZIFOP BUTYL	4.00 E	.250	LB/AC	POE							
141	22A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	77	63	77	90	0	83
	22B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP					0	100
	22C	AMMONIUM SULFATE	.00 WP	2.000	LB/AC	5DP						
	22D	TRIFLURALIN	4.00 E	.750	LB/AC	PPI						
	22E	FLUAZIFOP BUTYL	4.00 E	.250	LB/AC	POE						
23A	GLYPHOSATE	4.00 E	.500	LB/AC	5DP	83	80	83	93	0	90	
23B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP					0	100	
23C	AMMONIUM SULFATE	.00 WP	2.000	LB/AC	5DP							
23D	TRIFLURALIN	4.00 E	1.500	LB/AC	PPI							
23E	GLYPHOSATE	4.00 E	.250	LB/AC	POD							
24A	GLYPHOSATE	4.00 E	.250	LB/AC	5DP	73	73	73	90	0	83	
24B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP					0	80	
24C	AMMONIUM SULFATE	.00 WP	2.000	LB/AC	5DP							
24D	TRIFLURALIN	4.00 E	.750	LB/AC	PPI							
24E	GLYPHOSATE	4.00 E	.250	LB/AC	POD							
25A	ALACHLOR	4.00 MT	2.500	LB/AC	PRE	0	0	0	0	60	7	
25B	FLUAZIFOP BUTYL	4.00 E	.250	LB/AC	POE					100		
26	TRIFLURALIN	4.00 E	1.500	LB/AC	PPI	0	0	0	0	70	0	
27A	TRIFLURALIN	4.00 E	.750	LB/AC	PPI	0	0	0	0	73	0	
27B	GLYPHOSATE	4.00 E	.250	LB/AC	POD					30		
28A	GLYPHOSATE	4.00 E	.250	LB/AC	5DP	70	73	70	90	0	80	
28B	X-77 (SURFACTANT)	.50 WA	.500	%	5DP					3	100	
28C	DEIONIZED WATER	.00 AD	40.000	QT/AC	5DP							
28D	ALACHLOR	4.00 MT	2.500	LB/AC	PRE							
28E	FLUAZIFOP BUTYL	4.00 E	.250	LB/AC	POE							

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5120 INFLUENCE OF ADDITIVES WITH ROUNDUP ON JOHNSONGRASS CONTROL

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	---PRIOR TO		PLANTING - RHJG	---JULY 2 CRIN JOGR		--AUG CRIN	22 - JOGR
					GRAS	BRLE		SEJG	CRIN		
29A	GLYPHOSATE	4.00	E .500	LB/AC 5DP	90	87	90	100	0 80	0	100
29B	X-77 (SURFACTANT)	.50	WA .500	% 5DP							
29C	DEIONIZED WATER	.00	AD 40.000	QT/AC 5DP							
29D	ALACHLOR	4.00	MT 2.500	LB/AC PRE							
29E	FLUAZIFOP BUTYL	4.00	E .250	LB/AC POE							
30A	GLYPHOSATE	4.00	E 1.000	LB/AC 5DP	100	97	100	100	0 90	3	100
30B	X-77 (SURFACTANT)	.50	WA .500	% 5DP							
30C	DEIONIZED WATER	.00	AD 40.000	QT/AC 5DP							
30D	ALACHLOR	4.00	MT 2.500	LB/AC PRE							
30E	FLUAZIFOP BUTYL	4.00	E .250	LB/AC POE							
LSD(05):					17	43	19	11	0 0	11	6

LOCATION: PRINCETON
FERTILIZATION (LB/AC): 0 N, 60 P, 60 K
DATE PLANTED: JUNE 15
VARIETY: WILLIAMS

SOIL TYPE: CRIDER SILT LOAM
DATE TREATED: 5DP MAY 30
PH: 6.5 O.M.: 1.5%
PRE JUNE 15
PPI JUNE 15
POE JULY 18
POD JULY 18

5DP AND ROUNDUP POD TREATMENTS ARE 10 GPA
TREATMENTS 27-30 HAVE DEIONIZED WATER AS CARRIER
RHJG = RHIZOME JOHNSONGRASS
SEJG = SEEDLING JOHNSONGRASS

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5112 COCKLEBUR CONTROL IN SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WK COCB	8 WK COCB
1A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE		
1B	METRIBUZIN 2	75.00 DF	.380 LB/AC	PRE	57	57
2A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE		
2B	DPX F6025 + METRIBUZ	75.00 DF	.380 LB/AC	PRE	97	97
3A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE		
3B	DPX F6025	25.00 DF	.008 LB/AC	MP		
3C	X-77 (SURFACTANT)	.50 WA	.250 %	MP		
4A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE		
4B	DPX F6025	25.00 DF	.012 LB/AC	MP		
4C	X-77 (SURFACTANT)	.50 WA	.250 %	MP		
5A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE		
5B	METRIBUZIN 2	75.00 DF	.380 LB/AC	PRE	97	97
5C	DPX F6025	25.00 DF	.008 LB/AC	MP		
5D	X-77 (SURFACTANT)	.50 WA	.250 %	MP		
6A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE		
6B	METRIBUZIN 2	75.00 DF	.380 LB/AC	PRE	100	100
6C	DPX F6025	25.00 DF	.012 LB/AC	MP		
6D	X-77 (SURFACTANT)	.50 WA	.250 %	MP		
7A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE		
7B	DPX F6025 + METRIBUZ	75.00 DF	.380 LB/AC	PRE	97	100
7C	DPX F6025	25.00 DF	.008 LB/AC	MP		
7D	X-77 (SURFACTANT)	.50 WA	.250 %	MP		
8A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE		
8B	DPX F6025 + METRIBUZ	75.00 DF	.380 LB/AC	PRE	100	100
8C	DPX F6025	25.00 DF	.012 LB/AC	MP		
8D	X-77 (SURFACTANT)	.50 WA	.250 %	MP		
9A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE		
9B	METRIBUZIN 1	4.00 F	.250 LB/AC	PRE	77	80
9C	LINURON	4.00 L	.750 LB/AC	PRE		
10A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE		
10B	ACIFLUORFEN	2.00 L	.500 LB/AC	MP	97	93
10C	OIL CONCENTRATE	.00 AD	.500 QT/AC	MP		
11A	ALACHLOR	4.00 MT	2.500 LB/AC	PRE		
11B	ACIFLUORFEN	2.00 L	.250 LB/AC	MP	100	100
11C	IMAZAQUIN	1.50 AS	.060 LB/AC	MP		
11D	TRITON AG 98 SURFACT	.00 WA	.130 %	MP		

143

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5112 COCKLEBUR CONTROL IN SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WK COCB	8 WK COCB
12A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	
12B	ACIFLUORFEN	2.00	L	.250 LB/AC	MP	
12C	IMAZAQUIN	1.50	AS	.120 LB/AC	MP	
12D	TRITON AG 98 SURFACT	.00	WA	.130 %	MP	
13A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	100
13B	ACIFLUORFEN	2.00	L	.500 LB/AC	MP	100
13C	IMAZAQUIN	1.50	AS	.060 LB/AC	MP	
13D	TRITON AG 98 SURFACT	.00	WA	.130 %	MP	
14A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	
14B	ACIFLUORFEN	2.00	L	.500 LB/AC	MP	
14C	IMAZAQUIN	1.50	AS	.120 LB/AC	MP	
14D	TRITON AG 98 SURFACT	.00	WA	.130 %	MP	
15A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	
15B	ACIFLUORFEN	2.00	L	.250 LB/AC	MP	
15C	DPX F6025	25.00	DF	.004 LB/AC	MP	
15D	TRITON AG 98 SURFACT	.00	WA	.130 %	MP	
16A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	93
16B	ACIFLUORFEN	2.00	L	.250 LB/AC	MP	93
16C	DPX F6025	25.00	DF	.008 LB/AC	MP	
16D	TRITON AG 98 SURFACT	.00	WA	.130 %	MP	
17A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	
17B	ACIFLUORFEN	2.00	L	.500 LB/AC	MP	
17C	DPX F6025	25.00	DF	.004 LB/AC	MP	
17D	TRITON AG 98 SURFACT	.00	WA	.130 %	MP	
18A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	100
18B	NANPA/DN	3.00	E	2.250 LB/AC	MP	100
19A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	
19B	NANPA/DN	3.00	E	1.500 LB/AC	MP	
19C	2,4-DB	2.00	E	.030 LB/AC	MP	
20A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	
20B	NANPA/DN	3.00	E	2.250 LB/AC	LP	
20C	2,4-DB	2.00	E	.030 LB/AC	LP	
21A	ALACHLOR	4.00	MT	2.500 LB/AC	PRE	90
21B	UBI 1484	2.00	L	1.500 LB/AC	LP	100
21C	X-77 (SURFACTANT)	.50	WA	.250 %	LP	

144

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5112 COCKLEBUR CONTROL IN SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WK COCB	8 WK COCB
22A	METOLACHLOR	8.00 E	2.500	LB/AC PRE	83	83
22B	NANPA/DN	3.00 E	1.500	LB/AC MP		
23A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	83	80
23B	RH-0265	2.00 E	.120	LB/AC MP		
23C	2,4-DB	2.00 E	.030	LB/AC MP		
24A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	100	100
24B	RH-0265	2.00 E	.120	LB/AC LP		
24C	2,4-DB	2.00 E	.030	LB/AC LP		
25A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	87	90
25B	RH-0265	2.00 E	.180	LB/AC MP		
25C	2,4-DB	2.00 E	.030	LB/AC MP		
26A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	100	97
26B	RH-0265	2.00 E	.180	LB/AC LP		
26C	2,4-DB	2.00 E	.030	LB/AC LP		
27A	METOLACHLOR	8.00 E	2.500	LB/AC PRE	77	77
27B	METRIBUZIN 1	4.00 F	.380	LB/AC PRE		
28A	METOLACHLOR	8.00 E	1.500	LB/AC PRE	80	83
28B	METRIBUZIN 1	4.00 F	.250	LB/AC PRE		
28C	LINURON	4.00 L	.750	LB/AC PRE		
29A	METOLACHLOR	8.00 E	2.500	LB/AC PRE	63	67
29B	METRIBUZIN 1	4.00 F	.380	LB/AC PRE		
29C	MZH 2091	4.00 EC	.380	LB/AC PRE		
30A	METOLACHLOR	8.00 E	2.500	LB/AC PRE	93	93
30B	ACIFLUORFEN	2.00 L	.500	LB/AC MP		
30C	TRITON AG 98 SURFACT	.00 WA	.130 %	MP		
31A	METOLACHLOR	8.00 E	2.500	LB/AC PRE	93	87
31B	ACIFLUORFEN	2.00 L	.500	LB/AC MP		
31C	2,4-DB	2.00 E	.030	LB/AC MP		
31D	TRITON AG 98 SURFACT	.00 WA	.120 %	MP		
32A	TRIFLURALIN	4.00 E	.750	LB/AC PPI	77	73
32B	METRIBUZIN 1	4.00 F	.380	LB/AC PPI		
33A	TRIFLURALIN	4.00 E	.750	LB/AC PPI	77	70
33B	METRIBUZIN 1	4.00 F	.380	LB/AC PPI		
33C	MZH 2091	4.00 EC	.380	LB/AC PPI		

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5112 COCKLEBUR CONTROL IN SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WK COCB	8 WK COCB
34	METRIBUZIN 1	4.00 F	.380	LB/AC PPI	73	80
35	METRIBUZIN 1	75.00 DF	.380	LB/AC PRE	57	60
36A	METRIBUZIN 1	4.00 F	.380	LB/AC PPI	73	77
36B	MZH 2091	4.00 EC	.380	LB/AC PPI		
37A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	77	73
37B	MZH 2091	4.00 EC	.380	LB/AC PRE		
38	IMAZAQUIN	1.50 AS	.063	LB/AC PPI	85	90
39	IMAZAQUIN	1.50 AS	.063	LB/AC PRE	87	80
40	IMAZAQUIN	1.50 AS	.063	LB/AC LP	97	93
41	IMAZAQUIN	1.50 AS	.125	LB/AC PPI	83	83
42	IMAZAQUIN	1.50 AS	.125	LB/AC PRE	70	67
43	IMAZAQUIN	1.50 AS	.125	LB/AC LP	100	100
44	IMAZAQUIN	1.50 AS	.188	LB/AC PPI	93	93
45	IMAZAQUIN	1.50 AS	.188	LB/AC PRE	83	87
46	IMAZAQUIN	1.50 AS	.188	LB/AC LP	90	100
47	FMC 57020	6.00 EC	1.000	LB/AC PRE	93	93
48A	FMC 57020	6.00 EC	1.000	LB/AC PRE	93	97
48B	METRIBUZIN	75.00 DF	.250	LB/AC PRE		
49A	FMC 57020	6.00 EC	1.000	LB/AC PRE	97	100
49B	ACIFLUORFEN	2.00 L	.500	LB/AC MP		
49C	TRITON AG 98 SURFACT	.00 WA	.120	% MP		
50A	FMC 57020	6.00 EC	1.000	LB/AC PRE	93	93
50B	ACIFLUORFEN	2.00 L	.500	LB/AC MP		
50C	2,4-DB	2.00 E	.030	LB/AC MP		
50D	TRITON AG 98 SURFACT	.00 WA	.130	% MP		
51	AC 499	1.95 AS	.032	LB/AC PPI	80	73
52	AC 499	1.95 AS	.032	LB/AC PRE	67	70

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5112 COCKLEBUR CONTROL IN SOYBEANS

<u>TRT NO.</u>	<u>HERBICIDE TREATMENT</u>	<u>FORMULA</u>	<u>RATE</u>	<u>APPL METH</u>	<u>4 WK COCB</u>	<u>8 WK COCB</u>
53	AC 499	1.95 AS	.032	LB/AC LP	87	90
54	AC 499	1.95 AS	.063	LB/AC PPI	87	83
55	AC 499	1.95 AS	.063	LB/AC PRE	63	70
56	AC 499	1.95 AS	.063	LB/AC LP	90	97
57	AC 499	1.95 AS	.093	LB/AC PPI	77	87
58	AC 499	1.95 AS	.093	LB/AC PRE	67	77
59	AC 499	1.95 AS	.093	LB/AC LP	90	83
60	AC 499	1.95 AS	.125	LB/AC PPI	90	93
61	AC 499	1.95 AS	.125	LB/AC PRE	87	77
62	AC 499	1.95 AS	.125	LB/AC LP	90	97
63	CHECK (CULTIVATED)	.00 CK	.000		100	98
64	CHECK (CULTIVATED)	.00 CK	.000		***** NO DATA FOUND *****	
		LSD(05):		16	17	

LOCATION: PRINCETON
 FERTILIZATION (LB/AC): 0 N, 60 P, 60 K
 DATE PLANTED: MAY 9
 VARIETY: WILLIAMS

SOIL TYPE: CRIDER SILT LOAM
 PH: 6.8 O.M.: 1.3%
 DATE TREATED: PPI MAY 9
 PRE MAY 9
 MP MAY 31
 LP JUNE 10

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5116 MORNINGGLORY CONTROL IN SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WK ILMG	8 WK ILMG
1A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	70	70
1B	METRIBUZIN 2	75.00 DF	.380	LB/AC PRE		
2A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	83	83
2B	DPX F6025 + METRIBUZ	75.00 DF	.380	LB/AC PRE		
3A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	87	83
3B	DPX F6025	25.00 DF	.008	LB/AC MP		
3C	X-77 (SURFACTANT)	.50 WA	.250 %	MP		
4A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	93	93
4B	DPX F6025	25.00 DF	.016	LB/AC MP		
4C	X-77 (SURFACTANT)	.50 WA	.250 %	MP		
5A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	93	87
5B	METRIBUZIN 2	75.00 DF	.380	LB/AC PRE		
5C	DPX F6025	25.00 DF	.008	LB/AC MP		
5D	X-77 (SURFACTANT)	.50 WA	.250 %	MP		
6A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	93	87
6B	METRIBUZIN 2	75.00 DF	.380	LB/AC PRE		
6C	DPX F6025	25.00 DF	.012	LB/AC MP		
6D	X-77 (SURFACTANT)	.50 WA	.250 %	MP		
7A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	97	93
7B	DPX F6025 + METRIBUZ	75.00 DF	.380	LB/AC PRE		
7C	DPX F6025	25.00 DF	.008	LB/AC MP		
7D	X-77 (SURFACTANT)	.50 WA	.250 %	MP		
8A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	100	100
8B	DPX F6025 + METRIBUZ	75.00 DF	.380	LB/AC PRE		
8C	DPX F6025	25.00 DF	.012	LB/AC MP		
8D	X-77 (SURFACTANT)	.50 WA	.250 %	MP		
9A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	63	77
9B	METRIBUZIN 1	4.00 F	.250	LB/AC PRE		
9C	LINURON	4.00 L	.750	LB/AC PRE		
10A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	70	80
10B	NANPA/DN	3.00 E	2.250	LB/AC MP		
11A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	83	93
11B	NANPA/DN	3.00 E	1.500	LB/AC MP		
11C	2,4-DB	2.00 E	.030	LB/AC MP		

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5116 MORNINGGLORY CONTROL IN SOYBEANS

<u>TRT NO.</u>	<u>HERBICIDE TREATMENT</u>	<u>FORMULA</u>	<u>RATE</u>	<u>APPL METH</u>	<u>4 WK ILMG</u>	<u>8 WK ILMG</u>
12A	ALACHLOR	4.00	MT	2.500 LB/AC PRE	77	90
12B	NANPA/DN	3.00	E	2.250 LB/AC LP		
12C	2,4-DB	2.00	E	.030 LB/AC LP		
13A	ALACHLOR	4.00	MT	2.500 LB/AC PRE	83	77
13B	UBI 1484	2.00	L	1.500 LB/AC LP		
13C	X-77 (SURFACTANT)	.50	WA	.250 % LP		
14A	ALACHLOR	4.00	MT	2.500 LB/AC PRE	67	80
14B	AC 499	1.95	AS	.032 LB/AC LP		
15A	ALACHLOR	4.00	MT	2.500 LB/AC PRE	60	80
15B	AC 499	1.95	AS	.063 LB/AC LP		
16A	ALACHLOR	4.00	MT	2.500 LB/AC PRE	73	87
16B	AC 499	1.95	AS	.093 LB/AC LP		
17A	ALACHLOR	4.00	MT	2.500 LB/AC PRE	70	90
17B	AC 499	1.95	AS	.125 LB/AC LP		
18A	ALACHLOR	4.00	MT	2.000 LB/AC PRE	80	87
18B	PPG 1013	.25	EC	.020 LB/AC EP		
19A	ALACHLOR	4.00	MT	2.000 LB/AC PRE	100	97
19B	PPG 1013	.25	EC	.020 LB/AC MP		
19C	BENTAZON	4.00	E	.500 LB/AC MP		
19D	OIL CONCENTRATE	.00	AD	1.000 QT/AC MP		
20A	ALACHLOR	4.00	MT	2.000 LB/AC PRE	97	87
20B	PPG 1013	.25	EC	.020 LB/AC MP		
20C	BENAZOLIN	4.00	F	.250 LB/AC MP		
21A	METOLACHLOR	8.00	E	2.500 LB/AC PRE	57	67
21B	METRIBUZIN 1	4.00	F	.500 LB/AC PRE		
22A	METOLACHLOR	8.00	E	1.500 LB/AC PRE	63	77
22B	METRIBUZIN 1	4.00	F	.250 LB/AC PRE		
22C	LINURON	4.00	L	.750 LB/AC PRE		
23A	METOLACHLOR	8.00	E	2.500 LB/AC PRE	77	83
23B	METRIBUZIN 1	4.00	F	.380 LB/AC PRE		
23C	MZH 2091	4.00	EC	.500 LB/AC PRE		
24	METRIBUZIN 1	4.00	F	.380 LB/AC PRE	50	73

149

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5116 MORNINGGLORY CONTROL IN SOYBEANS

<u>TRT NO.</u>	<u>HERBICIDE TREATMENT</u>	<u>FORMULA</u>	<u>RATE</u>	<u>APPL METH</u>	<u>4 WK ILMG</u>	<u>8 WK ILMG</u>
25A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	77	77
25B	MZH 2091	4.00 EC	.500	LB/AC PRE		
26A	IMAZAQUIN	1.50 AS	.125	LB/AC PPI	83	87
26B	PENDIMETHALIN	4.00 E	1.000	LB/AC PPI		
27A	IMAZAQUIN	1.50 AS	.188	LB/AC PPI	83	83
27B	PENDIMETHALIN	4.00 E	1.000	LB/AC PPI		
28A	IMAZAQUIN	1.50 AS	.125	LB/AC PRE	73	80
28B	ALACHLOR	4.00 MT	1.000	LB/AC PRE		
29A	IMAZAQUIN	1.50 AS	.188	LB/AC PRE	83	87
29B	ALACHLOR	4.00 MT	1.000	LB/AC PRE		
30A	IMAZAQUIN	1.50 AS	.125	LB/AC MP	80	100
30B	2,4-DB	2.00 E	.030	LB/AC MP		
150	31A IMAZAQUIN	1.50 AS	.188	LB/AC MP	90	90
	31B 2,4-DB	2.00 E	.030	LB/AC MP		
32A	IMAZAQUIN	1.50 AS	.125	LB/AC MP	77	83
32B	ACIFLUORFEN	2.00 L	.250	LB/AC MP		
33A	IMAZAQUIN	1.50 AS	.188	LB/AC MP	77	87
33B	ACIFLUORFEN	2.00 L	.250	LB/AC MP		
34A	FMC 57020	6.00 EC	1.000	LB/AC PRE	63	77
34B	BENTAZON	4.00 E	.750	LB/AC MP		
34C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP		
35A	FMC 57020	6.00 EC	1.000	LB/AC PRE	80	90
35B	ACIFLUORFEN	2.00 L	.250	LB/AC MP		
35C	TRITON AG 98 SURFACT	.00 WA	.250	% MP		
36A	FMC 57020	6.00 EC	1.000	LB/AC PRE	83	87
36B	DPX F6025	25.00 DF	.004	LB/AC MP		
36C	X-77 (SURFACTANT)	.50 WA	.250	% MP		
37A	AC 499	1.95 AS	.032	LB/AC PPI	80	90
37B	PENDIMETHALIN	4.00 E	1.000	LB/AC PPI		
38A	AC 499	1.95 AS	.063	LB/AC PPI	80	80
38B	PENDIMETHALIN	4.00 E	1.000	LB/AC PPI		

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5116 MORNINGGLORY CONTROL IN SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WK ILMG	8 WK ILMG
39A	AC 499	1.95 AS	.093	LB/AC PPI	80	87
39B	PENDIMETHALIN	4.00 E	1.000	LB/AC PPI		
40A	AC 499	1.95 AS	.125	LB/AC PPI	87	90
40B	PENDIMETHALIN	4.00 E	1.000	LB/AC PPI		
41A	AC 499	1.95 AS	.032	LB/AC PRE	73	90
41B	ALACHLOR	4.00 MT	2.500	LB/AC PRE		
42A	AC 499	1.95 AS	.063	LB/AC PRE	70	90
42B	ALACHLOR	4.00 MT	2.500	LB/AC PRE		
43A	AC 499	1.95 AS	.093	LB/AC PRE	70	77
43B	ALACHLOR	4.00 MT	2.500	LB/AC PRE		
44A	AC 499	1.95 AS	.125	LB/AC PRE	77	87
44B	ALACHLOR	4.00 MT	2.500	LB/AC PRE		
45	CHECK (CULTIVATED)	.00 CK	.000		100	100
			LSD(05):		11	15

LOCATION: PRINCETON
 FERTILIZATION (LB/AC): 0 N, 60 P, 60 K
 DATE PLANTED: MAY 9
 VARIETY: ESSEX

SOIL TYPE: CRIDER SILT LOAM
 PH: 6.8 O.M.: 1.5%
 DATE TREATED: PPI MAY 9
 PRE MAY 9
 EP MAY 24
 MP JUNE 7
 LP JUNE 10

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5121 SHATTERCANE CONTROL IN SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WK SHCA	8 WK SHCA
1A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	100	95
1B	FLUAZIFOP-BUYTL	1.00 E	.094	LB/AC LP		
1C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
2A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	100	100
2B	FLUAZIFOP-BUYTL	1.00 E	.125	LB/AC LP		
2C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
3A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	100	95
3B	FLUAZIFOP-BUYTL	1.00 E	.156	LB/AC LP		
3C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
4A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	100	98
4B	FLUAZIFOP-BUYTL	1.00 E	.188	LB/AC LP		
4C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
5A	METRIBUZIN 1	4.00 F	.380	LB/AC PRE	100	100
5B	FLUAZIFOP BUTYL	4.00 E	.125	LB/AC LP		
5C	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
6A	IMAZAQUIN	1.50 AS	.125	LB/AC PPI	92	82
6B	PENDIMETHALIN	4.00 E	1.500	LB/AC PPI		
7A	IMAZAQUIN	1.50 AS	.188	LB/AC PPI	88	82
7B	PENDIMETHALIN	4.00 E	1.500	LB/AC PPI		
8A	IMAZAQUIN	1.50 AS	.250	LB/AC PPI	95	90
8B	PENDIMETHALIN	4.00 E	1.500	LB/AC PPI		
9A	IMAZAQUIN	1.50 AS	.125	LB/AC PRE	88	80
9B	METOLACHLOR	8.00 E	2.000	LB/AC PRE		
10A	IMAZAQUIN	1.50 AS	.188	LB/AC PRE	92	85
10B	METOLACHLOR	8.00 E	2.000	LB/AC PRE		
11A	BENTAZON	4.00 E	.750	LB/AC MP		
11B	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP	98	88
11C	FLUAZIFOP-BUYTL	1.00 E	.094	LB/AC LP		
11D	2,4-DB	2.00 E	.030	LB/AC LP		
11E	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
12A	BENTAZON	4.00 E	.750	LB/AC MP	100	100
12B	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP		
12C	FLUAZIFOP-BUYTL	1.00 E	.125	LB/AC LP		
12D	2,4-DB	2.00 E	.030	LB/AC LP		
12E	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5121 SHATTERCANE CONTROL IN SOYBEANS

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WK SHCA	8 WK SHCA
13A	BENTAZON	4.00 E	.750	LB/AC MP	100	98
13B	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP		
13C	FLUAZIFOP-BUFTL	1.00 E	.156	LB/AC LP		
13D	2,4-DB	2.00 E	.030	LB/AC LP		
13E	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
14A	BENTAZON	4.00 E	.750	LB/AC MP	98	100
14B	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP		
14C	FLUAZIFOP-BUFTL	1.00 E	.188	LB/AC LP		
14D	2,4-DB	2.00 E	.030	LB/AC LP		
14E	OIL CONCENTRATE	.00 AD	1.000	QT/AC LP		
15	AC 499	1.95 AS	.093	LB/AC PPI	78	70
16	AC 499	1.95 AS	.093	LB/AC PRE	78	70
17	AC 499	1.95 AS	.125	LB/AC PPI	82	78
153	18A ACIFLUORFEN 2	2.00 L	.500	LB/AC MP	92	92
	18B HOE 33171	1.00 EC	.200	LB/AC MP		
	18C OIL CON. (ATPLUS)	.00 AD	.500	QT/AC MP		
19	AC 499	1.95 AS	.188	LB/AC PPI	88	80
20	AC 499	1.95 AS	.188	LB/AC PRE	92	80
21A	AC 499	1.95 AS	.093	LB/AC PPI	90	82
21B	PENDIMETHALIN	4.00 E	1.500	LB/AC PPI		
22A	AC 499	1.95 AS	.125	LB/AC PPI	88	80
22B	PENDIMETHALIN	4.00 E	1.500	LB/AC PPI		
23A	AC 499	1.95 AS	.125	LB/AC PRE	88	82
23B	ALACHLOR	4.00 MT	2.500	LB/AC PRE		
24A	AC 499	1.95 AS	.093	LB/AC LLP	80	95
24B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LLP		
25A	AC 499	1.95 AS	.125	LB/AC LLP	92	98
25B	OIL CONCENTRATE	.00 AD	1.000	QT/AC LLP		
26	CHECK (CULTIVATED)	.00 CK	.000		100	100

LSD(05): 9 12

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5121 SHATTERCANE CONTROL IN SOYBEANS

LOCATION: PRINCETON
FERTILIZATION (LB/AC): 0 N, 0 P, 0 K SOIL TYPE:
DATE PLANTED: MAY 30 DATE TREATED: PPI MAY 30
VARIETY: ESSEX PRE MAY 30
 MP JUNE 21
 LP JULY 2
 O.M.: 1.0%

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE M5131 MILO

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	---4 WEEK		---8 WEEK	
					CRIN	GRAS	CRIN	GRAS
1	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	93	0	87
2A	ALACHLOR	4.00 MT	2.500	LB/AC PRE	0	93	0	93
2B	ATRAZINE	4.00 L	1.200	LB/AC PRE				
3	METOLACHLOR	8.00 E	2.000	LB/AC PRE	0	90	0	87
4A	METOLACHLOR	8.00 E	1.500	LB/AC PRE	0	90	0	93
4B	ATRAZINE	4.00 L	1.200	LB/AC PRE				
5A	PENDIMETHALIN	4.00 E	1.000	LB/AC PRE	0	90	0	90
5B	ATRAZINE	4.00 L	1.000	LB/AC PRE				
6A	PENDIMETHALIN	4.00 E	1.000	LB/AC 3LF	0	83	0	80
6B	ATRAZINE	4.00 L	1.000	LB/AC 3LF				
7A	PENDIMETHALIN	4.00 E	2.000	LB/AC PRE	10	100	0	97
7B	ATRAZINE	4.00 L	2.000	LB/AC PRE				
8A	PENDIMETHALIN	4.00 E	2.000	LB/AC 3LF	0	90	0	83
8B	ATRAZINE	4.00 L	2.000	LB/AC 3LF				
9A	BENTAZON	4.00 E	.750	LB/AC MP	0	70	10	67
9B	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP				
10A	BENTAZON	4.00 E	1.000	LB/AC MP	0	70	10	67
10B	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP				
11A	BENTAZON	4.00 E	.500	LB/AC MP	3	70	10	63
11B	ATRAZINE	4.00 L	.500	LB/AC MP				
11C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP				
12A	BENTAZON	4.00 E	.750	LB/AC MP	0	70	7	70
12B	ATRAZINE	4.00 L	.750	LB/AC MP				
12C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP				
13	CHECK (CULTIVATED)	.00 CK	.000		0	57	10	63
		LSD(05):			3	8	3	8

155

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE M5131 MILO

LOCATION: PRINCETON
FERTILIZATION (LB/AC): 250 N, 60 P, 60 K SOIL TYPE: CRIDER SILT LOAM
DATE PLANTED: MAY 31 PH: 6.5 O.M.: 1.5%
VARIETY: MILO DATE TREATED: PRE MAY 31
TREATMENTS 5-8 ARE 20 GPA 3LF JUNE 11
MP JUNE 21

TREATMENTS 5-8 ARE 20 GPA

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE W5130 WILD GARLIC CONTROL

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	-- JUNE 9 -	
					CRIN	WIGA
1A	DPX M6316	75.00 DF	.015	LB/AC POE	0	67
1B	X-77 (SURFACTANT)	.50 WA	.250	% POE		
2A	DPX M6316	75.00 DF	.020	LB/AC POE	0	77
2B	X-77 (SURFACTANT)	.50 WA	.250	% POE		
3A	DPX M6316	75.00 DF	.030	LB/AC POE	0	77
3B	X-77 (SURFACTANT)	.50 WA	.250	% POE		
4A	DPX M6316	75.00 DF	.045	LB/AC POE	0	77
4B	X-77 (SURFACTANT)	.50 WA	.250	% POE		
5A	DPX R9674	75.00 DF	.012	LB/AC POE	0	80
5B	X-77 (SURFACTANT)	.50 WA	.250	% POE		
6A	DPX R9674	75.00 DF	.020	LB/AC POE	0	77
6B	X-77 (SURFACTANT)	.50 WA	.250	% POE		
7A	DPX R9674	75.00 DF	.045	LB/AC POE	0	83
7B	X-77 (SURFACTANT)	.50 WA	.250	% POE		
LSD(05):					0	NS

LOCATION: PRINCETON
 FERTILIZATION (LB/AC): 0 N, 60 P, 60 K SOIL TYPE: CRIDER SILT LOAM
 DATE PLANTED: JUNE 26 PH: 6.5 O.M.: 1.5%
 VARIETY: WILLIAMS DATE TREATED: POE MAY 9
 FOLLOW WHEAT WITH DOUBLE CROP SOYBEANS

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5025 BURLEY TOBACCO

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION						
					GRAS	BRLE	CRIN	GIFT	COLQ	BLNS	RRPW
1	PEBULATE	6.00 E	4.000	LB/AC PPI	80	50	0	77	20	20	73
2	BENEFIN	1.50 E	1.500	LB/AC PPI	57	57	0	57	57	40	70
3	ISOPROPALIN	6.00 E	1.500	LB/AC PPI	70	63	0	73	67	30	73
4	NAPROPAMIDE	50.00 WP	1.000	LB/AC PPI	33	47	0	30	50	20	70
5	DIPHENAMID	90.00 W	4.000	LB/AC PPI	70	57	0	73	37	30	73
6	DIPHENAMID	90.00 W	4.000	LB/AC POT	30	7	0	27	3	27	13
7	DIPHENAMID	90.00 W	6.000	LB/AC PPI	63	37	0	67	40	17	67
8	DIPHENAMID	90.00 W	6.000	LB/AC PRE	47	23	0	47	30	27	20
9	DIPHENAMID	90.00 W	6.000	LB/AC POT	57	50	0	60	30	43	63
10A	DIPHENAMID	90.00 W	4.000	LB/AC PPI	70	47	0	70	43	27	67
10B	SETHOXYDIM	1.53 EC	.250	LB/AC MP							
10C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP							
11A	DIPHENAMID	90.00 W	6.000	LB/AC PPI	83	43	0	87	47	30	73
11B	SETHOXYDIM	1.53 EC	.250	LB/AC MP							
11C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP							
12A	DIPHENAMID	90.00 W	4.000	LB/AC PPI	90	43	0	90	37	47	50
12B	FLUAZIFOP-BUFTL	1.00 E	.200	LB/AC MP							
12C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP							
13A	DIPHENAMID	90.00 W	6.000	LB/AC PPI	77	50	0	77	37	43	73
13B	FLUAZIFOP-BUFTL	1.00 E	.200	LB/AC MP							
13C	OIL CONCENTRATE	.00 AD	1.000	QT/AC MP							
14	PENDIMETHALIN	4.00 E	1.000	LB/AC PPI	73	63	0	77	53	57	70
15	PENDIMETHALIN	4.00 E	1.500	LB/AC PPI	87	73	0	87	77	77	73
16	PENDIMETHALIN	4.00 E	3.000	LB/AC PPI	100	87	3	100	93	90	97
17	PENDIMETHALIN	4.00 E	4.000	LB/AC PPI	97	87	7	97	100	83	100
18	FMC 57020	6.00 EC	.750	LB/AC PPI	87	67	0	90	87	80	47
19	FMC 57020	6.00 EC	.750	LB/AC PRE	83	63	3	80	83	53	37

DEPARTMENT OF AGRONOMY, UNIVERSITY OF KENTUCKY, 1985

TABLE S5025 BURLEY TOBACCO

159

TRT NO.	HERBICIDE TREATMENT	FORMULA	RATE	APPL METH	4 WEEKS AFTER APPLICATION				BLNS	RRPW	
					GRAS	BRLE	CRIN	GIFT			
20	FMC 57020	6.00 EC	.750 LB/AC	POT	90	63	0	90	87	63	47
21	FMC 57020	6.00 EC	1.000 LB/AC	PPI	97	70	0	97	90	83	87
22	FMC 57020	6.00 EC	1.000 LB/AC	PRE	97	60	0	97	90	53	53
23	FMC 57020	6.00 EC	1.000 LB/AC	POT	90	63	0	90	80	57	53
24	SD 95481	7.00 EC	1.400 LB/AC	PRE	67	47	0	63	77	37	40
25	SD 95481	7.00 EC	1.400 LB/AC	POT	77	47	0	80	73	33	37
26	CHLORAMBEN	75.00 DS	2.250 LB/AC	PRE	17	13	0	17	27	33	7
27	CHLORAMBEN	75.00 DS	2.250 LB/AC	POT	23	33	0	23	13	60	20
28	CHLORAMBEN	75.00 DS	2.250 LB/AC	10D	30	37	0	27	17	37	47
29	CHLORAMBEN	10.00 G	2.250 LB/AC	10D	23	13	0	23	13	30	10
30	CHECK (CULTIVATED)	.00 CK	.000		100	100	0	100	100	100	100
		LSD(05):			20	17	3	19	19	20	22

LOCATION: SPINDLETOP FARM
FERTILIZATION (LB/AC): 250 N, 60 P, 60 K SOIL TYPE: MAURY SILT LOAM
DATE PLANTED: JUNE 14 DATE TREATED: PPI JUNE 14 PH: 6.5 O.M.: 3.5%
VARIETY: BURLEY PRE JUNE 14
10D JUNE 25
MP JULY 12