

## AUSTRALIAN ORCHIDACEAE: CURRENT GENERA AND SPECIES LIST (13/6/2008)

This is a list of the currently accepted scientific names for Australian orchids. The list includes exotic orchids (marked with an \*) that have become naturalised in parts of Australia. The also includes exotic species misinterpreted as occurring in Australia (marked with \*\*).

*Abaxianthus* M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 485 (2002). Type species: *Desmotrichum convexum* Blume.

*Abaxianthus convexa* (Blume) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 485 (2002).

*Acianthella* D.L.Jones et M.A.Clem., *Orchadian* 14(7): 331 (Mar. 2004). Type species: *Microstylis amplexicaulis* F.M.Bailey.

*Acianthella amplexicaulis* (F.M.Bailey) D.L.Jones et M.A.Clem., *Orchadian* 14(7): 331 (Mar. 2004).

*Acianthella sublestus* (Dockrill) D.L.Jones et M.A.Clem., *Orchadian* 14(7): 331 (Mar. 2004).

*Acianthus* R.Br., *Prod.* 321 (1810). Type species: *Acianthus exsertus* R.Br., *fide* (Hallé 1977).

*Acianthus apprimus* D.L.Jones, *Austral. Orch. Res.* 2: 5, t., f. 2 (1991).

*Acianthus borealis* D.L.Jones, *Austral. Orch. Res.* 2: 5-6, t., f. 3 (1991).

*Acianthus collinus* D.L.Jones, *Austral. Orch. Res.* 2: 6-7, t., f. 4 (1991).

*Acianthus exiguus* D.L.Jones, *Austral. Orch. Res.* 2: 7, t., f. 5 (1991).

*Acianthus exsertus* R.Br., *Prod.* 321 (1810).

*Acianthus fornicatus* R.Br., *Prod.* 321 (1810).

*Acianthus ledwardii* Rupp, *Queensland Naturalist* 10: 113, t. (1938).

*Acianthus pusillus* D.L.Jones, *Austral. Orch. Res.* 2: 7-8, t., f. 5 (1991).

*Acriopsis* Reinw. ex Blume, *Bijdr.* 6: t. 2; 8: 376 (1825). Type species: *Acriopsis javanica* Reinw. ex Blume.

*Acriopsis emarginata* D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 3-4, f.1.1 (21 Dec. 2006).

*Adelopetalum* Fitzg., *J. Bot.* 29: 152 (May 1891). Type species: *Adelopetalum bracteatum* Fitzg.

*Adelopetalum argyropus* (Endl.) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

*Adelopetalum boonjee* (B.Gray et D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

*Adelopetalum bracteatum* Fitzg., *J. Bot.* 29: 152 (1891).

*Adelopetalum elisae* (F.Muell.) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

*Adelopetalum exiguum* (F.Muell.) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

*Adelopetalum lageniforme* (F.M.Bailey) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

*Adelopetalum lilianiae* (Rendle) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

*Adelopetalum newportii* (F.M.Bailey) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

*Adenochilus* Hook.f., *Fl. nov.-zel.* 1: 246, t. 56 (1853). Type species: *Adenochilus gracilis* Hook.f.

*Adenochilus nortonii* Fitzg., *Austral. orch.* 1(2): [t. 2] (1876).

*Anoectochilus* Blume, *Bijdr.* 8: 411, t. 15 (1825)(nom. et orth. cons.). Type species: *Anoectochilus setaceus* (Blume)Lindl., (*Anecochilus* Blume, *nom. illeg.*)(type cons.).

*Anoectochilus yatesiae* F.M.Bailey, *Queensland Agric. J.* 19: 148 (1907).

*Anzybas* D.L.Jones et M.A.Clem., *Orchadian* 13(10): 443 (2002). Type species: *Corysanthes unquiculata* R.Br.

*Anzybas abditus* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 443 (2002).

*Anzybas fordhamii* (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 443 (2002).

*Anzybas montanus* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 443 (2002).

*Anzybas unquiculatus* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 443 (2002).

*Aphyllorchis* Blume, *Tab. Pl. Jav. Orch.* t. 77 (1825). Type species: *Aphyllorchis pallida* Blume.

*Aphyllorchis anomala* Dockrill, *Orchadian* 1: 116, f. (1965).

*Aphyllorchis queenslandica* Dockrill, Orchadian 1: 115, f. (1965).

*Aporopsis* (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 485 (2002). Type species: *Dendrobium macfarlanei* F.Muell.

*Aporopsis macfarlanei* (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 485 (2002).

*Apostasia* Blume, Bijdr. 6: f. 39; 8: 423 (20 Sept.-7 Dec 1825). Type species: *Apostasia odorata* Blume.  
*Apostasia stylidioides* (F.Muell.) Rchb.f., Flora 55: 278 (1872).

*Appendicula* Blume, Bijdr. 297 (20 Sept.-7 Dec 1825). Type species: *Appendicula alba* Blume, fide (Hallé 1977).

*Appendicula australiensis* (F.M.Bailey) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 1: 336 (1911) (as 'australis').

*Arachnorchis* D.L.Jones et M.A.Clem., Orchadian 13(9): 392 (Oct. 2001). Type species: *Caladenia patersonii* R.Br.

*Arachnorchis actensis* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Orchadian 13(9): 392 (Oct. 2001).

*Arachnorchis aestiva* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 392 (Oct. 2001).

*Arachnorchis amnicola* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 392 (Oct. 2001).

*Arachnorchis amoena* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 392 (Oct. 2001).

*Arachnorchis ampla* D.L.Jones, Austral. Orchid. Res. 5: 50-51, t. (21 Dec. 2006).

*Arachnorchis ancylosa* D.L.Jones, Austral. Orchid. Res. 5: 51-52, t. (21 Dec. 2006).

*Arachnorchis anthracina* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 392 (Oct. 2001).

*Arachnorchis applanata* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *applanata*, Orchadian 13(10): 451 (2002).

*Arachnorchis applanata* subsp. *erubescens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 451 (2002).

*Arachnorchis arenaria* (Fitzg.) D.L.Jones et M.A.Clem., Orchadian 13(9): 392, t. (Oct. 2001).

*Arachnorchis arenicola* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 451 (2002).

*Arachnorchis argocalla* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 392 (Oct. 2001).

*Arachnorchis armata* D.L.Jones, Austral. Orchid. Res. 5: 52 (21 Dec. 2006).

*Arachnorchis arrecta* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 451 (2002).

*Arachnorchis atroclavia* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

*Arachnorchis atrovespa* D.L.Jones, Orchadian 15(12): 546 (June 2008).

*Arachnorchis attingens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *atingens*, Orchadian 13(10): 451 (2002).

*Arachnorchis attingens* subsp. *gracillima* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 451 (2002).

*Arachnorchis audasii* (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

*Arachnorchis australis* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

*Arachnorchis behrii* (Schldl.) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

*Arachnorchis brachyscapa* (G.W.Carr.) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

*Arachnorchis branwhitei* D.L.Jones, Austral. Orchid. Res. 5: 46-47, f.3.1 (21 Dec. 2006).

*Arachnorchis brownii* (Hopper) D.L.Jones et M.A.Clem., Orchadian 13(10): 451 (2002).

*Arachnorchis brumalis* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

*Arachnorchis bryceana* (R.S.Rogers) D.L.Jones et M.A.Clem. subsp. *bryceana*, Orchadian 13(9): 393 (Oct. 2001).

*Arachnorchis bryceana* subsp. *cracens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 451 (2002).

*Arachnorchis busselliana* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 451 (2002).

*Arachnorchis cadyi* D.L.Jones, Austral. Orchid. Res. 5: 52-53 (21 Dec. 2006).

*Arachnorchis calcicola* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

*Arachnorchis callitrophila* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

- Arachnorchis cardiochila* (Tate) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis caudata* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis christineae* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).
- Arachnorchis citrina* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).
- Arachnorchis clavescens* D.L.Jones, *Austral. Orchid. Res.* 5: 47-48, f.3.1, t. (21 Dec. 2006).
- Arachnorchis clavigera* (A.Cunn. ex Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis clavula* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis colorata* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis concinna* (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis concolor* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis conferta* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis corynephora* (A.S.George) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis crebra* (A.S.George) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis cremna* D.L.Jones, *Austral. Orchid. Res.* 5: 53-54 (21 Dec. 2006).
- Arachnorchis cretacea* D.L.Jones, *Austral. Orchid. Res.* 5: 58-59, t. (21 Dec. 2006).
- Arachnorchis cruciformis* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis cruscula* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).
- Arachnorchis decora* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).
- Arachnorchis dienema* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis dilatata* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis discoidea* (Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis douglasiorum* D.L.Jones, *Austral. Orchid. Res.* 5: 53-54, t. (21 Dec. 2006).
- Arachnorchis drummondii* (Benth.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis echidnachila* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis ensata* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis ensigera* D.L.Jones, *Austral. Orchid. Res.* 5: 59-60 (21 Dec. 2006).
- Arachnorchis excelsa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis exstans* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis falcata* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis ferruginea* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis fitzgeraldii* (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis flavovirens* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis flindersica* D.L.Jones, *Austral. Orchid. Res.* 5: 60-61, t. (21 Dec. 2006).
- Arachnorchis formosa* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis fragrantissima* (D.L.Jones et G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis fuliginosa* D.L.Jones, *Austral. Orchid. Res.* 5: 61-62 (21 Dec. 2006).
- Arachnorchis fulva* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis gardneri* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis georgei* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis gladiolata* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis graminifolia* (A.S.George) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis grampiana* D.L.Jones, *Austral. Orchid. Res.* 5: 62, t. (21 Dec. 2006).
- Arachnorchis graniticola* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).
- Arachnorchis granitora* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis harringtoniae* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis hastata* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis heberleana* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis helvina* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis hirta* (Lindl.) D.L.Jones et M.A.Clem. subsp. *hirta*, *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis hirta* subsp. *rosea* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis hoffmanii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis huegelii* (Rchb.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis infundibularis* (A.S.George) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).

- Arachnorchis insularis* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis integra* (E.Coleman) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis interjacens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis intuta* D.L.Jones, *Orchadian* 14(12): 561-562, t. (2002).
- Arachnorchis leptochila* (Fitzg.) D.L.Jones et M.A.Clem. subsp. *dentata* D.L.Jones, *Austral. Orchid. Res.* 5: 62-63, f.3.2 (21 Dec. 2006).
- Arachnorchis leptochila* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis leptoclavia* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis lindleyana* (Rchb.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis lobata* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis lodgeana* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* (Lindl.) D.L.Jones et M.A.Clem. subsp. *longicauda*, *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis longicauda* subsp. *albella* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* subsp. *australora* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* subsp. *borealis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* subsp. *calcigena* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* subsp. *clivicola* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* subsp. *crassa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis longicauda* subsp. *eminens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis longicauda* subsp. *merrittii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis longicauda* subsp. *redacta* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis longicauda* subsp. *rigidula* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis longiclavata* (E.Coleman) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis longifimbriata* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis lorea* (Hopper et A.P.Br.) (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis lowanensis* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis macroclavia* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis macrostylis* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis magniclavata* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis magnifica* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis montana* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis necrophylla* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis nivalis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis oenochila* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis orestes* D.L.Jones, *Austral. Orchid. Res.* 5: 48-49, t. (21 Dec. 2006).
- Arachnorchis orientalis* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis osmera* D.L.Jones, *Austral. Orchid. Res.* 5: 56-57, t. (21 Dec. 2006).
- Arachnorchis ovata* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis pallida* (Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis paludosa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis parva* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis patersonii* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis pectinata* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).

- Arachnorchis peisleyi* D.L.Jones, Austral. Orchid. Res. 5: 57, t. (21 Dec. 2006).
- Arachnorchis phaeoclavia* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis pholcoidea* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *pholcoidea*, Orchadian 13(10): 453 (2002).
- Arachnorchis pholcoidea* subsp. *angustaensis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 453 (2002).
- Arachnorchis pilotensis* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis plicata* (Fitzg.) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis procera* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 453 (2002).
- Arachnorchis pumila* (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis radiata* (Nicholls) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis reticulata* (Fitzg.) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis rhomboidiformis* (E.Coleman) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis richardsiorum* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis rigens* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis rigida* (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis rileyi* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis robinsonii* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis rosella* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis saggicola* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis saxatilis* D.L.Jones, Austral. Orchid. Res. 5: 63-64, t. (21 Dec. 2006).
- Arachnorchis septuosa* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis serotina* (Hopper & A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(3): 126 (2003).
- Arachnorchis speciosa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 453 (2002).
- Arachnorchis splendens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 453 (2002).
- Arachnorchis starteorum* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 453 (2002).
- Arachnorchis stellata* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis stricta* (R.J.Bates) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis strigosa* D.L.Jones, Austral. Orchid. Res. 5: 57-58 (21 Dec. 2006).
- Arachnorchis subtilis* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis tensa* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis tentaculata* (Schldl.) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis tessellata* (Fitzg.) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis thinicola* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 453 (2002).
- Arachnorchis thysanochila* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis toxochila* (Tate) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis uliginosa* (A.S.George) D.L.Jones et M.A.Clem. subsp. *uliginosa*, Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis uliginosa* subsp. *candicans* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 453 (2002).
- Arachnorchis uliginosa* subsp. *patulens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 454 (2002).
- Arachnorchis valida* (Nicholls) D.L.Jones et M.A.Clem., Orchadian 14(3): 126 (2003).
- Arachnorchis venusta* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis verrucosa* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis versicolor* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis villosissima* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis viridescens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 454 (2002).
- Arachnorchis whiteheadii* D.L.Jones, Austral. Orchid. Res. 5: 64-65 (21 Dec. 2006).
- Arachnorchis williansiae* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 454 (2002).
- Arachnorchis winfieldii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 454 (2002).
- Arachnorchis woolcockiorum* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis xanthochila* (D.Beardsell et C.Beardsell) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis zephyra* D.L.Jones, Austral. Orchid. Res. 5: 65, t. (21 Dec. 2006).

*Arachnorchis* ×*aestantha* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).  
*Arachnorchis* ×*cala* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).  
*Arachnorchis* ×*coactescens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).  
*Arachnorchis* ×*exserta* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).  
*Arachnorchis* ×*hypata* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).  
*Arachnorchis* ×*suffusa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).  
*Arachnorchis* ×*variabilis* (Nicholls) J.Jeanes, *Muelleria* 16: 81 (2002).

*Arthrochilus* F.Muell., *Fragm.* 1: 42 (1858). Type species: *Arthrochilus irritabilis* F.Muell.

*Arthrochilus apectus* D.L.Jones, *Orchadian* 14(8): Sci. Suppl. i-ii (June 2004).  
*Arthrochilus aquilus* D.L.Jones, *Orchadian* 14(8): Sci. Suppl. ii-iii (June 2004).  
*Arthrochilus corinnae* D.L.Jones, *Orchadian* 14(8): Sci. Suppl. iii-iv (June 2004).  
*Arthrochilus irritabilis* F.Muell., *Fragm.* 1: 43 (1858).  
*Arthrochilus latipes* D.L.Jones, *Austral. Orch. Res.* 2: 8-9, f. 7 (1991).  
*Arthrochilus oreophilus* D.L.Jones, *Austral. Orch. Res.* 2: 9-10, f. 8 (1991).  
*Arthrochilus prolixus* D.L.Jones, *Austral. Orch. Res.* 2: 10, f. 9 (1991).  
*Arthrochilus rosulatus* D.L.Jones, *Austral. Orch. Res.* 2: 10-11, f. 10 (1991).  
*Arthrochilus sabulosus* D.L.Jones, *Austral. Orch. Res.* 2: 11-12, f. 11 (1991).  
*Arthrochilus stenophyllus* D.L.Jones, *Austral. Orch. Res.* 2: 12-13, f. 12 (1991).

\**Arundina* Blume, *Bijdr.* 6: t. 2; 8: 401 (1825). Type species: *Arundina speciosa* Blume.

\**Arundina graminifolia* (D.Don) Hochr., *Bull. New York Bot. Gard.* 6: 270 (1910).

*Australorchis* Brieger, *Schlechter Orchideen* (ed. 3), 1: 741 (1981). Type species: *Dendrobium monophyllum* F.Muell.

*Australorchis carrii* (Rupp et C.T.White) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 485 (2002).  
*Australorchis eungellensis* D.L.Jones et M.A.Clem., *Orchadian* 13(11): 485 (2002).  
*Australorchis monophylla* (F.Muell.) Brieger, *Schlechter Orchideen* (ed. 3), 1(11–12): 741 (1981).  
*Australorchis schneiderae* (F.M.Bailey) Brieger, *Schlechter Orchideen* (ed. 3), 1(11–12): 741 (1981).

*Blepharochilum* M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 499 (2002). Type species: *Bulbophyllum purpurascens* F.M.Bailey, *nom. illeg., non* Teijsm. et Binnend. (1862).

*Blepharochilum macphersonii* M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 499 (2002).  
*Blepharochilum sladeanum* M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 499 (2002).

*Brachypeza* Garay, *Bot. Mus. Leafl. Harv. Uni.* 23 (4): 164 (1972). Type species: *Saccolabium archytas* Ridl.

*Brachypeza archytas* (Ridl.) Garay, *Bot. Mus. Leafl. Harv. Uni.* 23(4): 164 (1972).

*Bromheadia* Lindl. in Edwards's, *Bot. Reg.* 27: Misc. 89 (1841). Type species: *Bromheadia palustris* Lindl. (*Grammatophyllum finlaysonianum* Lindl. = *Bromheadia findlaysoniana* (Lindl.) Miq.).

*Bromheadia pulchra* Schltr., *Repert. Spec. Nov. Regni Veg. Beih.* 1: 367 (1912).

*Bryobium* Lindl., *Nat. Syst.* (ed. 2), 446 (July? 1836), *nom. nud.*; in Edwards's, *Bot. Reg.* 24 (Misc.): 79 (Oct. 1838). Type species: *Bryobium pubescens* Lindl.

*Bryobium eriaeoides* (F.M.Bailey) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 501 (2002).  
*Bryobium intermedium* (Dockrill) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 88 (2006).  
*Bryobium irukandjianum* (St.Cloud) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 501 (2002).  
*Bryobium queenslandicum* (T.E.Hunt) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 501 (2002).  
*Bryobium retusum* (Blume) Y.P.Ng et P.J.Cribb, *Orchid Rev.* 113(1265): 272 (2005).

*Bunochilus* D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 67 (2002). Type species: *Pterostylis longifolia* R.Br.

*Bunochilus barringtonensis* D.L.Jones, *Austral. Orchid. Res.* 5: 121, f.4.3, t. (21 Dec. 2006).

*Bunochilus chlorogrammus* (D.L.Jones et M. A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).

*Bunochilus chocolatinus* D.L.Jones, Austral. Orchid. Res. 5: 122-123, f.4.4, t. (21 Dec. 2006).

*Bunochilus crassus* D.L.Jones, Austral. Orchid. Res. 5: 127, f. 4.5 (21 Dec. 2006).

*Bunochilus diminutus* D.L.Jones, Austral. Orchid. Res. 5: 120-121, f. 4.3 (21 Dec. 2006).

*Bunochilus flavovirens* D.L.Jones, Austral. Orchid. Res. 5: 132, f. 4.6 (21 Dec. 2006).

*Bunochilus lineatus* D.L.Jones, Austral. Orchid. Res. 5: 121-122, f. 4.3 (21 Dec. 2006).

*Bunochilus littoralis* D.L.Jones, Austral. Orchid. Res. 5: 133, f. 4.6 (21 Dec. 2006).

*Bunochilus loganii* D.L.Jones, Austral. Orchid. Res. 5: 119-120, f. 4.3 (21 Dec. 2006).

*Bunochilus longifolius* (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).

*Bunochilus macilentus* D.L.Jones, Austral. Orchid. Res. 5: 117-118, f.4.2, t. (21 Dec. 2006).

*Bunochilus macrosepalus* D.L.Jones, Austral. Orchid. Res. 5: 125-126, f.4.4, 4.7, t. (21 Dec. 2006).

*Bunochilus majus* D.L.Jones, Austral. Orchid. Res. 5: 115-116, f. 4.2, 4.7 (21 Dec. 2006).

*Bunochilus melagrammus* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).

*Bunochilus montanus* D.L.Jones, Austral. Orchid. Res. 5: 118-119, f. 4.3 (21 Dec. 2006).

*Bunochilus parvus* D.L.Jones, Austral. Orchid. Res. 5: 123, f. 4.4 (21 Dec. 2006).

*Bunochilus prasinus* D.L.Jones, Austral. Orchid. Res. 5: 133-134, f. 4.6 (21 Dec. 2006).

*Bunochilus smaragdinus* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).

*Bunochilus stenochilus* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).

*Bunochilus stenosepalus* D.L.Jones, Austral. Orchid. Res. 5: 130, f.4.6, 4.7, t. (21 Dec. 2006).

*Bunochilus tenuis* D.L.Jones, Austral. Orchid. Res. 5: 127-128, f.4.5, t. (21 Dec. 2006).

*Bunochilus tunstallii* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).

*Bunochilus umbrinus* D.L.Jones, Austral. Orchid. Res. 5: 126-127, f. 4.5 (21 Dec. 2006).

*Bunochilus viriosus* D.L.Jones, Austral. Orchid. Res. 5: 129-130, f.4.5, t. (21 Dec. 2006).

*Bunochilus vitreus* D.L.Jones, Austral. Orchid. Res. 5: 116-117, f.4.2, t. (21 Dec. 2006).

*Bunochilus williamsonii* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).

*Burnettia* Lindl., Gen. sp. orchid. pl. 517 (1840).Type species: *Burnettia cuneata* Lindl.

*Burnettia cuneata* Lindl., Gen. sp. orchid. pl. 518 (1840).

*Cadetia* Gaud. in Freycinet, Voy. Uranie 422, t. 33 (1826).Type species: *Cadetia umbellatum* Gaud.

*Cadetia clausa* D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 4, f.1.4 (21 Dec. 2006).

*Cadetia collinsii* Lavarack, Austrobaileya 1(4): 381-2, f. 23a (1981).

*Cadetia maideniana* (Schltr.) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 1: 424 (1912).

*Cadetia taylori* (F.Muell.) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 1: 424 (1912).

*Caladenia* R.Br., Prod. 323 (1810).Type species: *Caladenia flava* R.Br., *fide* Pfitzer (1889), see Jones *et al.* (2001), *non Caladenia catenata* (Sm.) Druce (N.Hallé 1977), *nec Caladenia carnea* R.Br. (Clements 1989).

*Caladenia flava* R.Br. subsp. *flava*, Prod. 324 (1810).

*Caladenia flava* subsp. *maculata* Hopper et A.P.Br., Nuytsia 14(1/2): 176-177, f. 30M-P, 33B (24 Sept. 2001).

*Caladenia flava* subsp. *sylvestris* Hopper et A.P.Br., Nuytsia 14(1/2): 177-178, f. 38A-D, 33B (24 Sept. 2001).

*Caladenia latifolia* R.Br., Prod. 324 (1810).

*Caladenia marginata* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. li (1840).

*Caladenia nana* Endl. in Lehm., Pl. Preiss. 2: 7 (1846).

*Caladenia petrensis* A.P.Br., Nuytsia 17: 74-77, f. 1A, 2 (Dec. 2007).

*Caladenia reptans* Lindl. subsp. *reptans* in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. lii (1840).

*Caladenia reptans* subsp. *impensa* Hopper et A.P.Br., Nuytsia 14(1/2): 185-186, f. 33D (24 Sept. 2001).

*Caladenia saxicola* A.P.Br., Nuytsia 17: 77-78, f. 1B, 2 (Dec. 2007).

*Caladenia unita* Fitzg., Gard. Chron. (new ser.), 17: 461 (1882).

*Caladenia xeludens* Hopper et A.P.Br., Nuytsia 14(1/2): 288, f. 72B, 71D (24 Sept. 2001).

*Caladenia xenigma* Hopper et A.P.Br., Nuytsia 14(1/2): 288, 290, f. 73A (24 Sept. 2001).  
*Caladenia xerminae* Hopper et A.P.Br., Nuytsia 14(1/2): 291, f. 71D, 73C (24 Sept. 2001).  
*Caladenia xidiastes* Hopper et A.P.Br., Nuytsia 14(1/2): 295-296, f. 74C (24 Sept. 2001).  
*Caladenia xspectabilis* Hopper et A.P.Br., Nuytsia 14(1/2): 299-300, f. 77C (24 Sept. 2001).  
*Caladenia xtriangularis* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 10 (1927).

*Calanthe* R.Br. ex Ker.-Gawl. in Edwards's, Bot. Reg. 7: sub t. 573 (1 Oct. 1821), *nom. cons.* Type species: *Calanthe veratrifolia* Ker.-Gawl. (1823), *nom. illeg.* (*Limodorum veratrifolium* Willd., *nom. illeg.*, *Orchis triplicata* Willemet) = *Calanthe triplicata* (Willemet) Ames, *fide* Taxon 31: 543 (1982).  
*Calanthe australasica* D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 8 (21 Dec. 2006).

*Caleana* R.Br., Prod. 329 (1810). Type species: *Caleana major* R.Br.  
*Caleana major* R.Br., Prod. 329 (1810).

*Calochilus* R.Br., Prod. 320 (1810). Type species: *Calochilus paludosus* R.Br., *fide* Clements (1989).

*Calochilus ammobius* D.L.Jones et B.Gray, Orchadian 14(2): 85-86, f.1, t. (Jan. 2003).  
*Calochilus caeruleus* L.O.Williams, Bot. Mus. Leaf., Harv. Uni. 12(5): 151-2, t. 22 (1946).  
*Calochilus caesius* D.L.Jones, Orchadian 14(8): Sci. Suppl. iv-v (June 2004).  
*Calochilus campestris* R.Br., Prod. 320 (1810).  
*Calochilus cleistanthus* D.L.Jones, Orchadian 14(8): Sci. Suppl. v (June 2004).  
*Calochilus gracillimus* Rupp, Victorian Naturalist 60: 28 (1943).  
*Calochilus grandiflorus* (Benth.) Domin, Bibl. Bot., Stuttgart Heft. 85: 551 (1915).  
*Calochilus herbaceus* Lindl., Gen. sp. orchid. pl. 459 (1840).  
*Calochilus holtzei* F.Muell., Bot. Centralbl. 50: 127 (1892).  
*Calochilus imperiosus* D.L.Jones, Orchadian 14(8): Sci. Suppl. v-vi (June 2004).  
*Calochilus metallicus* D.L.Jones, Orchadian 14(8): Sci. Suppl. vi-vii (June 2004).  
*Calochilus montanus* D.L.Jones, Austral. Orchid. Res. 5: 66, f.3.3, t. (21 Dec. 2006).  
*Calochilus paludosus* R.Br., Prod. 320 (1810).  
*Calochilus platyphilus* D.L.Jones, Orchadian 15(12): 547, t. (June 2008).  
*Calochilus praeltus* D.L.Jones, Austral. Orchid. Res. 5: 66, f.3.4 (21 Dec. 2006).  
*Calochilus pruinosis* D.L.Jones, Austral. Orchid. Res. 5: 67-68 (21 Dec. 2006).  
*Calochilus pzednus* D.L.Jones et Lavarack, Proc. Roy. Soc. Queensl. 100: 101-103, f.1 (1989).  
*Calochilus pulchellus* D.L.Jones, Austral. Orchid. Res. 5: 68-69 (21 Dec. 2006).  
*Calochilus richiae* Nicholls, Victorian Naturalist 45: 233, t. 9 (1929).  
*Calochilus robertsonii* Benth., Fl. Austral. 6: 315 (1873).  
*Calochilus russeus* D.L.Jones, Orchadian 14(8): Sci. Suppl. vii-viii (June 2004).  
*Calochilus sandrae* D.L.Jones, Austral. Orchid. Res. 5: 69-70, f.3.5 (21 Dec. 2006).  
*Calochilus saprophyticus* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 54: 41 (1930).  
*Calochilus stramenicola* D.L.Jones, Austral. Orchid. Res. 5: 70-71, t. (21 Dec. 2006).  
*Calochilus therophilus* D.L.Jones, Austral. Orchid. Res. 5: 71-72, f.3.6 (21 Dec. 2006).  
*Calochilus uliginosus* D.L.Jones, Austral. Orchid. Res. 5: 72-73 (21 Dec. 2006).

*Carparomorchis* M.A.Clem. et D.L.Jones, Orchadian 13(11): 499 (2002). Type species: *Bulbophyllum macranthum* Lindl.

*Carparomorchis baileyi* (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 498 (2002).

*Cepobaculum* M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002). Type species: *Dendrobium canaliculatum* R.Br.

*Cepobaculum canaliculatum* (R.Br.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).  
*Cepobaculum carronii* (Lavarack et P.J.Cribb) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).  
*Cepobaculum foelschei* (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).  
*Cepobaculum johannis* (Rchb.f.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).  
*Cepobaculum semifusum* (Rchb.f.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).  
*Cepobaculum tattonianum* (Bateman ex Rchb.f.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).  
*Cepobaculum trilamellatum* (J.J.Sm.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).



*Ceraia* Lour., Fl. Cochinch. 2: 518 (1790) (as '*Ceraja*'). Type species: *Ceraia simplicissima* Lour.  
*Ceraia saaronica* (J.König) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).

*Ceratobium* (Lindl.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002). Type species: *Dendrobium antennatum* Lindl.  
*Ceratobium dalbertisii* (Rchb.f.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).

*Cestichis* Thouars ex Pfitzer, Entwurf Natürl. Anordn. Orchid. 56 (1887). Type species: *Malaxis caespitosa* Thouars, *vide* Jones and Clements (2005).

*Cestichis angustilabris* (F.Muell.) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).  
*Cestichis bracteata* (T.E.Hunt) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).  
*Cestichis coelogynoides* (F.Muell.) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).  
*Cestichis condylobulbon* (Rchb.f.) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).  
*Cestichis fleckeri* (Nicholls) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).  
*Cestichis nugentiae* (F.M.Bailey) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).  
*Cestichis reflexa* (R.Br.) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).  
*Cestichis swenssonii* (F.M.Bailey) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).

*Cheirostylis* Blume, Bijdr. 6: 413, t. 1, f. 16 (1825). Type species: *Cheirostylis montana* Blume.  
*Cheirostylis notialis* D.L.Jones, Muellera 10: 75-83, f.3 (1997).  
*Cheirostylis ovata* (Bailey) Schltr., Bot. Jahrb. Syst. 45: 394 (1911).

*Chiloglottis* R.Br., Prod. 322-323 (1810). Type species: *Chiloglottis diphylla* R.Br.  
*Chiloglottis anaticeps* D.L.Jones, Austral. Orch. Res. 2: 37, f. 44 (1991).  
*Chiloglottis diphylla* R.Br., Prod. 323 (1810).  
*Chiloglottis longiclavata* D.L.Jones, Austral. Orch. Res. 2: 38-39, f. 46 (1991).  
*Chiloglottis palachila* D.L.Jones, Austral. Orch. Res. 2: 39, f. 47 (1991).  
*Chiloglottis reflexa* (Labill.) Druce, Rep. Bot. Exch. Cl. Brit. Isles Suppl. 2: 614 (1917).  
*Chiloglottis seminuda* D.L.Jones, Austral. Orch. Res. 2: 41, f. 50 (1991).  
*Chiloglottis sphaerula* D.L.Jones, Austral. Orchid. Res. 5: 73-74, f.3.7 (21 Dec. 2006).  
*Chiloglottis sphyrnoides* D.L.Jones, Austral. Orch. Res. 2: 41-42, f. 51 (1991).  
*Chiloglottis sylvestris* D.L.Jones et M.A.Clem., Proc. Roy. Soc. Queensland 98: 123-4, f. 1 (1987).  
*Chiloglottis trilabra* Fitzg., J. Bot. 21: 204 (1883).

*Chiloschista* Lindl. in Edwards's, Bot. Reg. 18: sub t. 1522 (1832). Type species: *Epidendrum usneoides* D.Don.  
*Chiloschista phyllorhiza* (F.Muell.) Schltr., Bot. Jahrb. Syst. 56: 492 (1921).

*Chiloterus* D.L.Jones et M.A.Clem., Orchadian 14(8); Suppl. xiii (2004). Type species: *Prasophyllum cucullatum* Rchb.f.  
*Chiloterus cucullatus* (Rchb.f.) D.L.Jones et M.A.Clem., Orchadian 14(8); Suppl. xiii (2004).  
*Chiloterus gibbosus* (R.Br.) D.L.Jones et M.A.Clem., Orchadian 14(8); Suppl. xiii (2004).

*Cirrhopetalum* Lindl. in Edwards's, Bot. Reg. 10: sub t. 832 (1824), *nom.*; Gen. sp. orchid. pl. 45, 58 (May 1830), *nom. cons.* Type species: *Bulbophyllum longiflorum* Thouars (= *Cirrhopetalum thouarsii* Lindl., *nom. illeg.*).  
*Cirrhopetalum clavigerum* Fitzg., J. Bot. 21: 204 (1883).  
*Cirrhopetalum gracillimum* Rolfe, Kew Bull. 34 (1895).

*Coelandria* Fitzg., Austral. Orch. 1(7): [t. 2] (1882). Type species: *Coelandria smillieae* (F.Muell.) Fitzg.  
*Coelandria smillieae* (F.Muell.) Fitzg., Austral. Orch. 1(7): t. 2 (1882).

*Conostalix* (Kraenzl.) Brieger, Schlechter Orchideen (ed. 3), 1(11-12): 659 (July 1981). Type species: *Dendrobium calcaratum* Lindl. (1840), *non* A.Rich (1834[22]).

*Conostalix paludicola* (Schltr.) Rauschert, Feddes Repert. 94(7–8): 444 (1983).

*Cooktownia* D.L.Jones, *Austrobaileya* 5(1): 71-78 (1997). Type: *Cooktownia roberstii* D.L.Jones.

*Cooktownia roberstii* D.L.Jones, *Austrobaileya* 5(1): 74-77 (1997).

*Corunastylis* Fitzg., *Austral. orch.* 2(3): [t. 1] (1888). Type species: *Corunastylis apostasioides* Fitzg.

*Corunastylis acuminata* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

*Corunastylis alticola* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

*Corunastylis anthracina* D.L.Jones, *Austral. Orchid. Res.* 5: 74, f. 3.8 (21 Dec. 2006).

*Corunastylis apostasioides* Fitzg., *Austral. orch.* 2(3): [t. 1] (1888).

*Corunastylis archeri* (Hook.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

*Corunastylis arrecta* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

*Corunastylis bishopii* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

*Corunastylis brachystachya* (Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

*Corunastylis ciliata* (Ewart et B. Rees) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

*Corunastylis citriodora* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

*Corunastylis clivicola* D.L.Jones, *Orchadian* 15(7): 322-323, f. 1 (2007).

*Corunastylis conferta* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

*Corunastylis cornuta* D.L.Jones, *Orchadian* 15(12): 547, 550, t. (June 2008).

*Corunastylis cranei* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

*Corunastylis densa* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 37 (2005).

*Corunastylis despectans* (Hook.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

*Corunastylis ectopa* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

*Corunastylis eriochila* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

*Corunastylis filiformis* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

*Corunastylis fimbriata* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

*Corunastylis firthii* (L.Cady) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis formosa* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis insignis* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis laminata* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 14(8): Sci. Suppl. xiii (June 2004).

*Corunastylis littoralis* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis morina* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis morrisii* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis nigricans* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis nuda* (Hook.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis nudiscapa* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis oligantha* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis ostrina* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 502 (2002).

*Corunastylis parvicalla* (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis pedersonii* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis plumosa* (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis psammophila* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis pumila* (Hook.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis rhyolitica* (D.L.Jones et M.A. Clem) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis rufa* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis ruppianii* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis sagittifera* (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis sigmoidea* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis simulans* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

*Corunastylis superba* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).

*Corunastylis systema* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).

*Corunastylis tasmanica* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).

*Corunastylis tecta* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).

*Corunastylis tepperi* (F.Muell. ex Tepper) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).

*Corunastylis trifida* (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 14(8): Sci. Suppl. xiii (June 2004).

*Corunastylis turfosa* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).  
*Corunastylis valida* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).  
*Corunastylis vernalis* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).  
*Corunastylis woollsii* (F.Muell.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).

*Corybas* Salisb., *Parad. Lond. t. 83* (1807). Type species: *Corybas aconitiflorus* Salisb.

*Corybas abellianus* Dockrill *North Queensland Naturalist* 24(112): 1-2, f. (1955).  
*Corybas aconitiflorus* Salisb., *Parad. Lond. t. 83* (1807).  
*Corybas barbarae* D.L.Jones, *Austrobaileya* 2(5): 548-50, f. 1D, E & F (1988).  
*Corybas cerasinus* D.L.Jones et B.Gray, *Orchadian* 13(8): 341-342, f. (2001).  
*Corybas dowlingii* D.L.Jones, *Orchadian* 14(9): 419-420, f.1 (2004).  
*Corybas undulatus* (A.Cunn.) Rupp, *Proc. Linn. Soc. New South Wales* 53: 551 (1928).

*Corymborkis* Thouars, *Nouv. Bull. Sci. Soc. Philom. Paris* 1: 518 (1809). Type species: *Corymborkis corymbis* Thouars.

*Corymborkis veratrifolia* (Reinw.) Blume., *Orchid. Arch. Ind.* 125, t. 42, f. E; t. 43, f. 1 (1858).

*Corysanthes* R.Br., *Prod.* 328 (1810). Type species: *Corysanthes fimbriata* R.Br.

*Corysanthes dentata* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 447 (2002).  
*Corysanthes despectans* (D.L.Jones et R.C. Nash) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 447 (2002).  
*Corysanthes diemenica* Lindl., *Gen. sp. orchid. pl.* 393 (1840).  
*Corysanthes dilatata* Rupp et Nicholls, *Proc. Linn. Soc. New South Wales* 53(1): 87-88, t. 12 (1928).  
*Corysanthes expansa* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 447 (2002).  
*Corysanthes fimbriata* R.Br., *Prod.* 328 (1810).  
*Corysanthes grumula* D.L.Jones, *Orchadian* 15(12): 550, t. (June 2008).  
*Corysanthes hispida* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 447 (2002).  
*Corysanthes incurva* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 447 (2002).  
*Corysanthes limpida* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 447 (2002).  
*Corysanthes pruinosa* A.Cunn. in *Lhotsky, New South Wales Mag.* 1: 41 (1833).  
*Corysanthes recurva* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 447 (2002).  
*Corysanthes xmiscella* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 447 (2002).

*Crangonorchis* D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 71 (2002). Type species: *Pterostylis pedoglossa* Fitzg.

*Crangonorchis depauperata* (F.M.Bailey) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 71 (2002).  
*Crangonorchis pedoglossa* (Fitzg.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 71 (2002).

*Crepidium* Blume, *Bijdr.* 8: 387, f. (1825). Type species: *Crepidium rhedii* Blume.

*Crepidium acuminatum* (D.Don) Szlach., *Fragm. Flor. Geobot., Supp.* 3: 123 (1995).  
*Crepidium fimbriatum* (Lavarack) Szlach., *Fragm. Flor. Geobot., Supp.* 3: 126 (1995).  
*Crepidium flavovirens* D.L.Jones et M.A.Clem., *Novon*, 7(4): 376 (1998).  
*Crepidium fontinale* D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 8-9, f.1.8, t. (21 Dec. 2006).  
*Crepidium lawleri* (Lavarack et B.Gray) Szlach., *Fragm. Flor. Geobot., Supp.* 3: 128 (1995).  
*Crepidium marsupichilum* (Upton) Szlach., *Fragm. Flor. Geobot., Supp.* 3: 129 (1995).

*Cryptostylis* R.Br., *Prod.* 317 (1810). Type species: *Cryptostylis erecta* R.Br., *fide* N.Hallé (1977).

*Cryptostylis erecta* R.Br., *Prod.* 317 (1810).  
*Cryptostylis hunteriana* Nicholls, *Victorian Naturalist* 54: 182, t. 18 (1938).  
*Cryptostylis leptochila* Benth., *Fl. Austral.* 6: 334 (1873).  
*Cryptostylis ovata* R.Br., *Prod.* 317 (1810).  
*Cryptostylis subulata* (Labill.) Rchb.f., *Beitr. Syst. Pflanzenk.* 15 (1871).

*Cyanicula* Hopper et A.P.Br., *Lindleyana* 15(2): 120 (2000). Type species: *Caladenia gemmata* Lindl.

*Cyanicula amplexans* (A.S.George) Hopper et A.P.Br., *Lindleyana* 15(2): 120 (2000).  
*Cyanicula aperta* Hopper et A.P.Br., *Austral. Syst. Bot.* 17: 229, f. 13 (2004).

*Cyanicula ashbyae* Hopper et A.P.Br. in N.Hoffman et A.P.Br., Lindleyana 15(2): 120-121 (2000).  
*Cyanicula caerulea* (R.Br.)Hopper et A.P.Br., Lindleyana 15(2): 121 (2000).  
*Cyanicula fragrans* Hopper et A.P.Br., Lindleyana 15(2): 121-123 (2000).  
*Cyanicula gemmata* (Lindl.) Hopper et A.P.Br., Lindleyana 15(2): 123 (2000).  
*Cyanicula gertrudiae* (Ostenf.) Hopper et A.P. Br., Lindleyana 15(2): 123 (2000).  
*Cyanicula ixioides* (Lindl.) Hopper et A.P.Br. subsp. *ixioides*, Lindleyana 15(2): 123 (2000).  
*Cyanicula ixioides* subsp. *candida* Hopper et A.P.Br., Austral. Syst. Bot. 17: 225 (2004).  
*Cyanicula nikulinskyae* Hopper et A.P.Br., Lindleyana 15(2): 123-124 (2000).  
*Cyanicula sericea* (Lindl.) Hopper et A.P. Br., Lindleyana 15(2): 124 (2000).

*Cymbidium* Sw., Nov. Act. Soc. Sci. Upsal. 6: 70 (1799).Type species: *Cymbidium aloifolium* (L.) Sw.  
*Cymbidium canaliculatum* R.Br., Prod. 331 (1810).  
*Cymbidium madidum* Lindl. in Edwards's, Bot. Reg. 26: Misc. 34, [no. 6, pp 9-10] (1839).  
*Cymbidium suave* R.Br., Prod. 331 (1810).

*Cyrtostylis* R.Br., Prod. 322 (1810).Type species: *Cyrtostylis reniformis* R.Br.  
*Cyrtostylis huegelii* Endl. in Lehm., Pl. Preiss. 2: 6 (1846).  
*Cyrtostylis reniformis* R.Br., Prod. 322 (1810).  
*Cyrtostylis robusta* D.L.Jones et M.A.Clem., Lindleyana 2(3): 157-60, f. 11-15 (1987).  
*Cyrtostylis tenuissima* (Nicholls et Goadby) D.L.Jones et M.A.Clem., Lindleyana 2(3): 157 (1987).

*Davejonesia* M.A.Clem., Orchadian 13(11): 487 (2002).Type species: *Bulbophyllum lichenastrum* F.Muell.  
*Davejonesia aurantiacopurpurea* (Nicholls) M.A.Clem., Orchadian 13(11): 487 (2002).  
*Davejonesia lichenastrum* (F.Muell.) M.A.Clem., Orchadian 13(11): 487 (2002).  
*Davejonesia prenticei* (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 487 (2002).

*Demorchis* D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xiii (2004).Type species: *Gastrodia queenslandica* Dockrill.  
*Demorchis queenslandica* (Dockrill) D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xiii (June 2004).

*Dendrobium* Sw., Nov. Act. Soc. Sci. Upsal. 6: 82 (1799)(nom. cons.).Type species: *Dendrobium moniliforme* Sw. (type cons.), *fide* Holttum et al. (1979).  
*Dendrobium stuartii* F.M. Bailey, Proc. Roy. Soc. Queensland 1: 12 (1884).

*Dichopus* Blume, Mus. Bot. 2: 176 (1856).Type species: *Dichopus insignis* Blume  
*Dichopus insignis* Blume, Mus. Bot. 2: 176 (1855).

*Didymoplexis* Griffith, Calcutta J. Nat. Hist. 4: 383, t. 17 (1843).Type species: *Didymoplexis pallens* Griffith.  
*Didymoplexis pallens* Griffith, Calcutta J. Nat. Hist. 4: 383, t. 17 (1843).

*Dienia* Lindl., Bot. Reg. 10: sub t. 825 (1 Sept. 1824).Type species: *Dienia congesta* Lindl.  
*Dienia montana* (Blume) M.A.Clem. et D.L.Jones, Lasianthera 1(1): 41 (1996).

*Diplocaulobium* (Rchb.f.)Kraenzl., Pflanzenreich Orch.-Mon.-Dendr. 45: 331 (1910).Type species: *Dendrobium nitidissimum* Rchb.f.  
*Diplocaulobium glabrum* (J.J.Sm.) Kraenzl.in Engl., Pflanzenreich Orch.-Mon.-Dendr. 45: 339 (1910).  
\*\**Diplocaulobium stelliferum* (J.J.Sm.) A.D.Hawkes, Lloydia 20: 130 (1957).

*Diplodium* Sw., Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesamnten Naturk 4: 84 (July 1810).Type species: *Disperis alata* Labill.  
*Diplodium abruptum* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).  
*Diplodium aestivum* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).

- Diplodium alatum* (Labill.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).  
*Diplodium alveatum* (Garnet) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).  
*Diplodium angustum* (A.S.George) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).  
*Diplodium aquilonium* (D.L.Jones et B.Gray) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).  
*Diplodium asperum* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).  
*Diplodium atrans* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).  
*Diplodium bryophilum* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).  
*Diplodium coccinum* (Fitzg.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium decurvum* (R.S.Rogers) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium dolichochoilum* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium elegans* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium erythroconchum* (M.A.Clem. et D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium fischii* (Nicholls) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium grandiflorum* (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium hamiltonii* (Nicholls) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium hians* (D.L.Jones) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium laxum* (Blackmore) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium longicurvum* (Rupp) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium longipetalum* (Rupp) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium metcalfei* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium obtusum* (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium pulchellum* (Messmer) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium reflexum* (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium revolutum* (R.Br.) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium robustum* (R.S.Rogers) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium rogersii* (E.Coleman) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium russellii* (T.E.Hunt) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium scabrum* (Lindl.) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium scoliosum* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium striatum* (Fitzg.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).  
*Diplodium tenuissimum* (Nicholls) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 72 (2002).  
*Diplodium torquatum* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 72 (2002).  
*Diplodium truncatum* (Fitzg.) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 74 (2002).

*Dipodium* R.Br., Prod. 330 (1810).Type species: *Dendrobium punctatum* Sm.

*Dipodium atropurpureum* D.L.Jones, Austral. Orch. Res. 2: 49, f. 61 (1991).

*Dipodium campanulatum* D.L.Jones, Austral. Orch. Res. 2: 49-50, f. 62 (1991).

*Dipodium elegantulum* D.L.Jones, Austral. Orch. Res. 2: 50-51, f. 63 (1991).

*Dipodium ensifolium* F.Muell., Fragm. 5: 42 (1865).

*Dipodium hamiltonianum* F.M.Bailey, Proc. Linn. Soc. New South Wales 6: 140-3 (1881).

*Dipodium pandanum* F.M.Bailey, Queensland Agric. J. 6: 287, t. 187, 188 (1900).

*Dipodium pardalinum* D.L.Jones, Muellera 9: 105-109, f.1-2 (1996).

*Dipodium punctatum* (Sm.) R.Br., Prod. 331 (1810).

*Dipodium roseum* D.L.Jones et M.A.Clem., Austral. Orch. Res. 2: 51, f. 64 (1991).

*Dipodium stenochilum* O.Schwarz, Repert. Spec. Nov. Regni Veg. 24(659): 80-81 (1927)

*Dipodium variegatum* M.A.Clem.et D.L.Jones, Proc. Roy. Soc. Queensland 98: 128, f. 5 (1987).

\**Disa* P.Bergius, Descript. Pl. Cap. 348 (1767).Type species: *Disa uniflora* P.Bergius.

\**Disa bracteata* Sw., Kongl. Vetensk. Acad. Nya Handl. 21: 211 (1800).

*Diteilis* Raf., Herb. Raf. 73 (1833).Type species: *Diteilis nepalensis* Raf., *nom. illeg.* (*Cymbidium bituberculatum* Hook.).

*Diteilis collinsii* (B.Gray) M.A.Clem. et D.L.Jones, Orchadian 14(8): Sci. Suppl. xiii-xiv (June 2004).

*Diteilis petricola* D.L.Jones et B.Gray, Austral. Orchid. Res. 5: 73-74, f.3.21, 3.22, t. (21 Dec. 2006).  
*Diteilis simmondsii* (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 14(8): Sci. Suppl. xiv (June 2004).

*Diuris* Sm., Trans. Linn. Soc. London 4: 222 (1798). Type species: *Diuris aurea* Sm.

*Diuris abbreviata* Benth., Fl. Austral. 6: 329 (1873).

*Diuris aequalis* F.Muell. ex Fitzg., Austral. orch. 1(2): [t. 6] (1876).

*Diuris alba* R.Br., Prod. 326 (1810).

*Diuris amplissima* D.L.Jones, Austral. Orch. Res. 2: 53-54, f. 65 (1991).

*Diuris arenaria* D.L.Jones, Orchadian 12(12): 567-568, f. 1, t. (1999).

*Diuris aurea* Smith, Exotic Bot. 1: 15, t. 9 (1805).

*Diuris basaltica* D.L.Jones, Austral. Orchid. Res. 5: 75-76, f.3.9 (21 Dec. 2006).

*Diuris behrii* Schldl., Linnaea 20: 572 (1849).

*Diuris bracteata* Fitzg., Austral. orch. 2(4): [t. 2] (1889).

*Diuris brevifolia* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 46: 148 (1922)

*Diuris brumalis* D.L.Jones, Austral. Orch. Res. 2: 53, f. 66 (1991).

*Diuris byronensis* D.L.Jones, Orchadian 14(3): 132-133, f. 1, t. (2003).

*Diuris callitrophila* D.L.Jones, Orchadian 14(3): 133-135 (2003).

*Diuris carinata* Lindl., Gen. sp. orchid. pl. 510 (Sep. 1840).

*Diuris chrysantha* D.L.Jones et M.A.Clem., Proc. Roy. Soc. Queensland 98: 130-2, f. 7 (1987).

*Diuris chryseopsis* D.L.Jones, Austral. Orch. Res. 3: 74-75, f.4.1 (1998).

*Diuris concinna* D.L.Jones, Austral. Orch. Res. 2: 53-54, f. 67 (1991).

*Diuris conspicillata* D.L.Jones, Austral. Orch. Res. 2: 54 -55, f. 68 (1991).

*Diuris corymbosa* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. li (1840).

*Diuris cuneilabris* Rupp, Proc. Linn. Soc. New South Wales 73: 134, f. 1 (1948).

*Diuris curta* D.L.Jones, Austral. Orchid. Res. 5: 76-77, f. 3.9 (21 Dec. 2006).

*Diuris daltonii* (C.Walter) D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xiv (June 2004).

*Diuris dendrobioides* Fitzg., Austral. orch. 1(7): [t. 3] (1882).

*Diuris disposita* D.L.Jones, Austral. Orch. Res. 2: 55, f. 69 (1991).

*Diuris drummondii* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. li (1840).

*Diuris eborensis* D.L.Jones, Austral. Orchid. Res. 5: 77-78, f.3.10, t. (21 Dec. 2006).

*Diuris emarginata* R.Br., Prod. 316 (1810).

*Diuris exitela* D.L.Jones, Austral. Orch. Res. 2: 55-56, f. 70 (1991).

*Diuris filifolia* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. li (1840).

*Diuris flavescens* D.L.Jones, Austral. Orch. Res. 2: 56, f. 71 (1991).

*Diuris fragrantissima* D.L.Jones et M.A.Clem., Austral. Orch. Res. 1: 68 (1989).

*Diuris fucosa* D.L.Jones, Austral. Orchid. Res. 5: 78, f.3.11, t. (21 Dec. 2006).

*Diuris goonoensis* Rupp, Victorian Naturalist 72: 110 (1955).

*Diuris gregaria* D.L.Jones, Austral. Orchid. Res. 5: 79-80, f.3.12 (21 Dec. 2006).

*Diuris heberlei* D.L.Jones, Austral. Orch. Res. 2: 56-57, f. 72 (1991).

*Diuris immaculata* D.L.Jones, Austral. Orchid. Res. 5: 80-81 (21 Dec. 2006).

*Diuris laevis* Fitzg., Gard. Chron. (new ser.), 17: 495 (1882).

*Diuris lanceolata* Lindl., Gen. sp. orchid. pl. 508 (1840).

*Diuris laxiflora* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. li (1840).D.

*Diuris longifolia* R.Br., Prod. 316 (1810).

*Diuris luteola* D.L.Jones et B.Gray, Austral. Orch. Res. 2: 57-58, f. 73 (1991).

*Diuris maculata* Sm., Exotic Bot. 1: 57, t. 30 (1804-05).

*Diuris magnifica* D.L.Jones, Austral. Orch. Res. 2: 58, f. 74 (1991).

*Diuris micrantha* D.L.Jones, Austral. Orch. Res. 2: 58-59, f. 75 (1991).

*Diuris minor* (Benth.) D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xiv (June 2004).

*Diuris monticola* D.L.Jones, Austral. Orch. Res. 3: 76-77, f.4.3 (1998).

*Diuris nigromontana* D.L.Jones, Orchadian 15(12): 550-551, t. (June 2008).

*Diuris ochroma* D.L.Jones, Muelleria 8(2): 182-184, f. 2 d-f (1994).

*Diuris oporina* D.L.Jones, Austral. Orch. Res. 2: 59-60, f. 77 (1991).

*Diuris orientis* D.L.Jones, Austral. Orch. Res. 3: 77-78, f.4.4 (1998).

*Diuris palustris* Lindl., Gen. sp. orchid. pl. 507 (1840).

- Diuris pardina* Lindl., Gen. sp. orchid. pl. 507 (1840).  
*Diuris parvipetala* (Dockrill) D.L.Jones et M.A.Clem., Proc. Roy. Soc. Queensland 98: 132 (1987).  
*Diuris pauciflora* R.Br., Prod. 316 (1810).  
*Diuris pedunculata* R.Br., Prod. 316 (1810).  
*Diuris picta* J.Drummond in Hooker's, J. Bot. 5: 347 (1853).  
*Diuris platichila* Fitzg., Austral. orch. 2(4): [t. 3] (1891).  
*Diuris porrifolia* Lindl. in Edwards's, Bot. Reg. 1-23: Swan. Riv. Append. li (1840).  
*Diuris praecox* D.L.Jones, Austral. Orch. Res. 2: 60, f. 78 (1991).  
*Diuris protena* D.L.Jones, Austral. Orchid. Res. 5: 81-82 (21 Dec. 2006).  
*Diuris pulchella* D.L.Jones, Austral. Orch. Res. 2: 61, f. 79 (1991).  
*Diuris punctata* Sm. var. *punctata* Exotic Bot. 1: 13, t. 8 (1804).  
*Diuris punctata* Sm. var. *sulfurea* Rupp, Proc. Linn. Soc. New South Wales 69: 73 (1944).  
*Diuris purdiei* Diels, J. Proc. Mueller Bot. Soc. Western Australia\_ 1(11): 79 (1903).  
*Diuris recurva* D.L.Jones, Austral. Orch. Res. 2: 61-62, f. 80 (1991).  
*Diuris secundiflora* Fitzg., Austral. orch. 1(4): [t. 9] (1878).  
*Diuris semilunulata* Messmer in Rupp, Orch. New South Wales 139-140 (1943).  
*Diuris setacea* R.Br., Prod. 316 (1810).  
*Diuris subalpina* D.L.Jones, Orchadian 15(12): 551, t. (June 2008).  
*Diuris sulphurea* R.Br., Prod. 316 (1810).  
*Diuris tricolor* Fitzg., J. Bot. 23: 137 (1885).  
*Diuris unica* D.L.Jones, Austral. Orchid. Res. 5: 82, f.3.13, t. (21 Dec. 2006).  
*Diuris venosa* Rupp, Proc. Linn. Soc. New South Wales 51: 313, f. 1-6 (1926).  
*Diuris x fastidiosa* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 6-7 (1927).  
*Diuris xnebulosa* D.L.Jones, Austral. Orch. Res. 2: 59, f. 76 (1991).  
*Diuris xpalachila* R.S. Rogers, Trans. & Proc. Roy. Soc. South Australia 31: 209-210 (1907).  
*Diuris xpolymorpha* Messmer in Rupp, Orchids New South Wales, Suppl. 142 (1943).

*Dockrillia* Brieger, Schlechter Orchideen (ed. 3), 1: 745 (1981). Type species: *Dendrobium linguiforme* Sw., fide Brieger (1981).

- Dockrillia banksii* D.L.Jones et M.A.Clem., Austral. Orch. Rev. 70(5): 17-21, f., t. (Oct. 2005).  
*Dockrillia bowmanii* (Benth.) M.A.Clem. et D.L.Jones, Lasianthera 1(1): 17 (1996).  
*Dockrillia brevicauda* (D.L.Jones et M.A.Clem.) M.A.Clem. et D.L.Jones, Lasianthera 1(1): 17 (1996).  
*Dockrillia calamiformis* (Loddiges) M.A.Clem. et D.L.Jones, Lasianthera 1(1): 17 (1996).  
*Dockrillia cucumerina* (MacLeay ex Lindl.) Brieger, Schlechter Orchideen (ed. 3), 1: 745 (1981).  
*Dockrillia dolichophylla* (D.L.Jones et M.A.Clem.) M.A.Clem. et D.L.Jones, Lasianthera 1(1): 17 (1996).  
*Dockrillia fairfaxii* (F.Muell. et Fitzg.) Rauschert, Feddes Repert. 94(7-8): 446 (1983).  
*Dockrillia linguiformis* (Sw.) Brieger, Schlechter Orchideen (ed. 3), 1: 745 (1981).  
*Dockrillia mortii* (F.Muell.) Rauschert, Feddes Repert. 94(7-8): 446 (1983).  
*Dockrillia nugionii* (F.M. Bailey) M.A.Clem. et D.L.Jones, Lasianthera 1(1): 18 (1996).  
*Dockrillia pugioniformis* (A.Cunn.) Rauschert, Feddes Repert. 94(7-8): 446 (1983).  
*Dockrillia racemosa* (Nicholls) Rauschert, Feddes Repert. 94(7-8): 446 (1983).  
*Dockrillia rigida* (R.Br.) Rauschert, Feddes Repert. 94(7-8): 447 (1983).  
*Dockrillia schoenina* (Lindl.) M.A.Clem. et D.L.Jones, Lasianthera 1(1): 18 (1996).  
*Dockrillia striolata* (Rchb.f.) Rauschert subsp. *striolata*, Feddes Repert. 94 (7-8): 447 (1983).  
*Dockrillia striolata* subsp. *chrysantha* D.L.Jones, Austral. Orch. Res. 3: 9, t. (1998).  
*Dockrillia sulphurea* D.L.Jones et M.A.Clem., Austral. Orchid Rev. 71(3): 15-16, f., t. (2006).  
*Dockrillia teretifolia* (R.Br.) Brieger, Schlechter Orchideen (ed. 3), 1: 745 (1981).  
*Dockrillia wassellii* (S.T.Blake) Brieger, Schlechter Orchideen (ed. 3), 1: 745 (1981).  
*Dockrillia xfoederata* (St. Cloud) Rauschert, Feddes Repert. 94(7-8): 446 (1983).  
*Dockrillia xgrimesii* (C.T.White et Summerh.) Rauschert, Feddes Repert. 94(7-8): 446 (1983).

*Drakaea* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. lv (1840). Type species: *Drakaea elastica* Lindl.

- Drakaea elastica* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. lvi (1840).  
*Drakaea glyptodon* Fitzg., Gard. Chron. (new ser.), 17: 494 (1882).

*Drakaea livida* J.Drum. in Hooker's, London J. Bot. 1: 628 (1842).

*Drakaea thynniphila* A.S.George, Nuytsia 5(1): 60, f. 3, F-K (1984).

*Drakonorchis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 403 (2001). Type species: *Caladenia barbarossa* Rchb.f.

*Drakonorchis barbarella* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 456 (2002).

*Drakonorchis barbarossa* (Rchb.f.) D.L.Jones et M.A.Clem., Orchadian 13(9): 404 (2001).

*Drakonorchis drakeoides* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 456 (2002).

*Drakonorchis mesocera* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 456 (2002).

*Drymoanthus* Nicholls, Victorian Naturalist 59: 173-5, f. (1943). Type species: *Drymoanthus minutus* Nicholls.

*Drymoanthus minutus* Nicholls, Victorian Naturalist 59: 175, f. (1943).

*Durabaculum* M.A.Clem. et D.L.Jones, Orchadian 13(11): 487 (2002). Type species: *Dendrobium undulatum* R.Br., *vide* Clements and Jones (2002).

*Durabaculum fuscum* (Fitzg.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 487 (2002).

*Durabaculum mirbelianum* (Gaud.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 488 (2002).

*Durabaculum nindii* (W.Hill) M.A.Clem. et D.L.Jones, Orchadian 13(11): 488 (2002).

*Durabaculum undulatum* M.A.Clem. et D.L.Jones var. *undulatum*, Orchadian 13(11): 489 (2002).

*Durabaculum undulatum* var. *broomfieldii* (Fitzg.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 489 (2002).

*Eletheroglossum* (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 489 (2002). Type species: *Dendrobium eletheroglossum* Schltr.

*Eletheroglossum fellowsii* (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 489 (2002).

*Elythranthera* (Endl.) A.S.George, West Australian Naturalist 9: 6 (1963). Type species: *Glossodia brunonis* Endl.

*Elythranthera brunonis* (Endl.) A.S.George, West Australian Naturalist 9: 7 (1963).

*Elythranthera emarginata* (Lindl.) A.S.George, West Australian Naturalist 9: 7 (1963).

*Elythranthera ×intermedia* (Fitzg.) M.A.Clem., Austral. Orch. Res. 1: 73 (1989).

*Empusa* Lindl. in Edwards's, Bot. Reg. 10: sub t. 825 (1 Sept. 1824). Type species: *Empusa paradoxa* Lindl.

*Empusa habenarina* (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 14(8): Sci. Suppl. xiv (June 2004).

*Ephippium* Blume, Bijdr. 308 (20 Sept.-7 Dec. 1825). Type species: *Ephippium ciliatum* Blume, *vide* Ridl (1893).

*Ephippium masdevalliaceum* (Kraenzl.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 499 (2002).

*Epiblema* R.Br., Prod. 315 (1810). Type species: *Epiblema grandiflorum* R.Br.

*Epiblema grandiflorum* R. Br., Prod. 315 (1810).

\**Epidendrum* L., Sp. Pl. (ed. 2), 1347 (July-Aug. 1763), *nom. cons.* Type species: *Epidendrum nocturnum* Jacq. (typ. cons.)

\**Epidendrum ×obrienianum* Rolfe, Gard. Chron. (ser. 3), 3: 770, f. 103 (1888).

*Epipogium* Gmelin ex Borkhausen, Tent. Disp. Pl. German. 139 (1792) (*Epipogium*, *Epipogom* orth. var.). Type species: *Satyrium epipogium* L. (*Epipogium aphyllum* Sw.).

*Epipogium roseum* (D. Don) Lindl., J. Proc. Linn. Soc., Bot. 1: 177 (1857).

*Eremorchis* D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 74 (2002). Type species: *Pterostylis allantoidea* R.S.Rogers.

*Eremorchis allantoidea* (R.S.Rogers) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 74 (2002).



*Ericksonella* Hopper et A.P.Br., Austral. Syst. Bot. 17: 208 (2004). Type species: *Caladenia saccharata* Rchb.f.

*Ericksonella saccharata* (Rchb.f.) Hopper et A.P.Br., Austral. Syst. Bot. 17: 208 (2004).

*Eriochilus* R.Br., Prod. 323 (1810). Type species: *Eriochilus autumnalis* R.Br., *nom. inval.*

*Eriochilus cucullatus* (Labill.) Rchb.f., Beitr. Syst. Pflanzenk. 27 (1871).

*Eriochilus dilatatus* Lindl. subsp. *brevifolius* (Benth.) Hopper et A.P.Br., Nuytsia 16(1): 38, 40, f. 2B (2006).

*Eriochilus dilatatus* Lindl. subsp. *dilatatus* in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liii (1840).

*Eriochilus dilatatus* Lindl. subsp. *magnus* Hopper et A.P.Br., Nuytsia 16(1): 40, f. 2C (2006).

*Eriochilus dilatatus* Lindl. subsp. *multiflorus* (Lindl.) Hopper et A.P.Br., Nuytsia 16(1): 41-42, f. 2D, 3 (2006).

*Eriochilus dilatatus* Lindl. subsp. *orientalis* Hopper et A.P.Br., Nuytsia 16(1): 42, 44, f. 4A (2006).

*Eriochilus dilatatus* Lindl. subsp. *undulatus* Hopper et A.P.Br., Nuytsia 16

(1): 44-45, f. 4B (2006).

*Eriochilus helonomos* Hopper et A.P.Br., Nuytsia 16(1): 42, 44, f. 4C (2006).

*Eriochilus magenteus* D.L.Jones, Orchadian 15(12): 551, 554, t. (June 2008).

*Eriochilus petricola* D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. viii-ix (June 2004).

*Eriochilus pulchellus* Hopper et A.P.Br., Nuytsia 16(1): 48-49, f. 4D (2006).

*Eriochilus scaber* Lindl. subsp. *orbifolia* Hopper et A.P.Br., Nuytsia 16(1): 53-54, f. 6B (2006).

*Eriochilus scaber* Lindl. subsp. *scaber* in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liii (1840).

*Eriochilus tenuis* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liii (1840).

*Eriochilus valens* Hopper et A.P.Br., Nuytsia 16(1): 59, f. 6D, 8 (2006).

*Erythrorchis* Blume in Rumphia 1: 200 (1837). Type species: *Cyrtosia altissima* Blume.

*Erythrorchis cassythoides* (A.Cunn. ex Lindl.) Garay, Bot. Mus. Leafl. 30(4): 234 (1986).

*Eucosia* Blume, Bijdr. 415 (20 Sept.-7 Dec. 1825). Type species: *Eucosia carnea* Blume.

*Eucosia umbrosa* D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. ix (June 2004).

*Eulophia* R.Br. ex Lindl. in Edwards's, Bot. Reg. 8: t. 686 (1823) (*nom. cons.*). Type species: *Eulophia guineensis* Lindl. (type cons.).

*Eulophia fitzalanii* Benth., Fl. Austral. 6: 300 (1873).

\**Eulophia graminea* Lindl., Wall. Cat. n. 7372 (1829), *nom nud.*; Gen. sp. orch. pl. 182 (1833).

*Eulophia pelorica* D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. ix (June 2004).

*Eulophia venosa* (F.Muell.) Benth., Fl. Austral. 6: 300 (1873).

*Eulophia zollingeri* (Rchb.f.) J.J.Sm., Flore Buitenzorg 6: 228 (1905).

*Flickingeria* A.Hawkes, Orchid Weekly 2: 451 (6 Jan. 1961). Type species: *Desmotrichum angulatum* Blume, *fide* Hawkes (1961)

*Flickingeria clemensii* D.L.Jones, Orchadian 14(8): Sci. Suppl. ix-x (June 2004).

*Flickingeria nativitatis* (Ridley) J.J.Wood, Orchadian 7(6): 145 (1982).

*Fruticicola* (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 499 (2002). Type species: *Bulbophyllum fruticicola* Schltr.

*Fruticicola radicans* (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 13(11): 499 (2002).

*Gastrodia* R.Br., Prod. 330 (1810). Type species: *Gastrodia sesamoides* R.Br.

*Gastrodia crebriflora* D.L.Jones, Austral. Orch. Res. 2: 62-63, f. 81 (1991).

*Gastrodia entomogama* D.L.Jones, Austral. Orch. Res. 2: 63, t. , f. 82 (1991).

*Gastrodia lacista* D.L.Jones, Austral. Orch. Res. 2: 64, f. 83 (1991).

*Gastrodia procera* G.W.Carr, Indig. Fl. Fauna Assoc. Misc. Paper 1: 22 (1991).

*Gastrodia sesamoides* R.Br., Prod. 319 (1810).

*Gastrodia surcula* D.L.Jones, Orchadian 15(12): 554, t. (June 2008).

*Gastrodia urceolata* D.L.Jones, Austral. Orch. Res. 2: 64-65, f. 84 (1991).

*Gastrodia vescula* D.L.Jones, Austral. Orch. Res. 2: 65, f. 85 (1991).

*Genoplesium* R.Br., Prod. 319 (1810). Type species: *Genoplesium baueri* R.Br.

*Genoplesium baueri* R.Br., Prod. 310 (1810).

*Geodorum* Jackson, Bot. Repos. 10: t. 626 (1811). Type species: *Geodorum citrinum* Jackson.

*Geodorum densiflorum* (Lam.) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 259 (1919).

*Glossodia* R.Br., Prod. 325-326 (1810). Type species: *Glossodia major* R.Br., *vide* Clements (1989).

*Glossodia major* R.Br., Prod. 326 (1810).

*Glossodia minor* R.Br., Prod. 326 (1810).

*Grastidium* Blume, Bijdr. 333, 433 (20 Sept.-7 Dec. 1825). Type species: *Grastidium salaccense* Blume *vide* Brieger (1981).

*Grastidium baileyi* (F.v.Muell.) Rauschert, Feddes Repert. 94(7-8): 447 (1983).

*Grastidium cancrivides* (T.E.Hunt) Rauschert, Feddes Repert. 94(7-8): 448 (1983).

*Grastidium luteocilium* (Rupp) Rauschert, Feddes Repert. 94(7-8): 450 (1983).

*Grastidium tozerense* (Lavarack) M.A.Clem. et D.L.Jones, Lasianthera, 1(1): 18 (1996).

*Habenaria* Willd., Sp. pl. 4(1): 5, 44 (1805). Type species: (*Orchis habenaria* L.) *Habenaria macroceratitis* Willd.

*Habenaria chlorosepala* D.L.Jones, Orchadian 12(10): 461-464, f., t. (1998).

*Habenaria elongata* R. Br., Prod. 313 (1810).

*Habenaria euryloba* D.L.Jones, Orchadian 13(11): 516-517, f.1 (2002).

*Habenaria exilis* D.L.Jones, Orchadian 12(10): 464-465, f., t. (1998).

*Habenaria ferdinandi* Schltr., Repert. Spec. Nov. Regni Veg. Beih. 10: 249 (1912).g.

*Habenaria fuscina* D.L.Jones, Orchadian 13(11): 517-518, f.2 (2002).

*Habenaria halata* D.L.Jones, Orchadian 13(11): 518-519, f.3 (2002).

*Habenaria harroldii* D.L.Jones, Orchadian 12(9): 414-417, f., t. (1998).

*Habenaria hymenophylla* Schltr., Repert. Spec. Nov. Regni Veg. Beih. 9: 212 (1911).

*Habenaria macraithii* Lavarack, Orchadian 7(12): 278-9 (1984).

*Habenaria ochroleuca* R. Br., Prod. 313 (1810).

*Habenaria praecox* Lavarack et Dockrill., Austrobaileya 5(2): 331-335, f.1 (1999).

*Habenaria propinquier* Rchb.f., Beitr. Syst. Pflanzenk. 53 (1871).

*Habenaria rumphii* (Brogn.) Lindl., Gen. sp. orchid. pl. 320 (1835).

*Habenaria triplonema* Schltr., Repert. Spec. Nov. Regni Veg. Beih. 9: 435 (1911).

*Habenaria vatia* D.L.Jones, Orchadian 14(8): Sci. Suppl. xv (June 2004).

*Habenaria xanthantha* F.Muell., Fragm. 7: 16 (1869).

*Hetaeria* Blume, Fl. Javae 1: Praef. vii (1828), (nom. cons.). Type species: *Hetaeria oblongifolia* (Blume) Blume, *vide* Adams (1987).

*Hetaeria oblongifolia* (Blume) Blume, Coll. Orch. Arch. Ind. 102, t. 32 (1858).

*Hydrochis* D.L.Jones et M.A.Clem., Orchadian 13: 462 (2002). Type species: *Microtis orbicularis* R.S.Rogers.

*Hydrochis cupularis* D.L.Jones et G.Brockman, Orchadian 14(11): 518-519, f. 1, t. (2005).

*Hydrochis orbicularis* (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(10): 462 (2002).

*Hymeneria* (Lindl.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 501 (2002). Type species: *Eria obesa* Lindl., *vide* Clements and Jones (2002).

*Hymeneria fitzalanii* (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 501 (2002).

*Hymenochilus* D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002). Type species: *Pterostylis mutica* R.Br.

*Hymenochilus bicolor* (M.A.Clem. et D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002).

*Hymenochilus clivicola* D.L.Jones, Orchadian 15(11): 492-493, f. 1 (2008).

*Hymenochilus crassicaulis* D.L.Jones et M.A.Clem., Orchadian 15(11): 493-495, f. 2 (2008).

*Hymenochilus cycnocephalus* (Fitzg.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002).

*Hymenochilus muticus* (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002).

*Hymenochilus pratensis* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002).

*Hymenochilus rubenachii* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002).

*Hymenochilus wapstrarum* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 77 (2002).

*Hymenochilus ziegeleri* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 77 (2002).

*Jonesiopsis* Szlach ex D.L.Jones et M.A.Clem., Orchadian 14(4): 179 (June 2003). Type species: *Caladenia multiclavia* Rchb.f.

*Jonesiopsis abbreviata* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).

*Jonesiopsis bicalliata* (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).

*Jonesiopsis brevisura* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 179 (2003).

*Jonesiopsis caesarea* (Domin) D.L.Jones et M.A.Clem. subsp. *caesarea*, Orchadian 14(4): 180 (2003).

*Jonesiopsis caesarea* subsp. *maritima* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).

*Jonesiopsis caesarea* subsp. *transiens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

*Jonesiopsis cairnsiana* (F.Muell.) D.L.Jones et M.A.Clem., Orchadian 14(4): 179-180 (2003).

*Jonesiopsis capillata* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

*Jonesiopsis chapmanii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

*Jonesiopsis cristata* (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).

*Jonesiopsis denticulata* (Lindl.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

*Jonesiopsis dimidia* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

*Jonesiopsis dorrienii* (Domin) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

*Jonesiopsis douthiae* (O.Sarg.) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).

*Jonesiopsis dundasiae* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

*Jonesiopsis elegans* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

*Jonesiopsis erythrochila* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

*Jonesiopsis evanescens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

*Jonesiopsis exilis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *exilis*, Orchadian 14(4): 181 (2003).

*Jonesiopsis exilis* subsp. *vanleuwenii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

*Jonesiopsis filamentosa* (R.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

*Jonesiopsis filifera* (Lindl.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

*Jonesiopsis flaccida* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

*Jonesiopsis footeana* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

*Jonesiopsis fuscolutescens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

*Jonesiopsis hiemalis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

*Jonesiopsis horistes* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

*Jonesiopsis incensa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

*Jonesiopsis incrassata* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).

*Jonesiopsis luteola* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

*Jonesiopsis melanema* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

*Jonesiopsis meridionalis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

*Jonesiopsis microchila* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

*Jonesiopsis multiclavia* (Rchb.f.) Szlach., Polish Bot. J. 46(1): 14 (2001) (as '*Jonesyella multiclavia*').

*Jonesiopsis nobilis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

*Jonesiopsis occidentalis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

*Jonesiopsis pachychila* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).

*Jonesiopsis paradoxa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

- Jonesiopsis pendens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *pendens*, Orchadian 14(4): 182 (2003).
- Jonesiopsis pendens* subsp. *talbotii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).
- Jonesiopsis polychroma* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).
- Jonesiopsis postea* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).
- Jonesiopsis pulchra* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).
- Jonesiopsis radialis* (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).
- Jonesiopsis remota* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *remota*, Orchadian 14(4): 182 (2003).
- Jonesiopsis remota* subsp. *parva* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 183 (2003).
- Jonesiopsis roei* (Benth.) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).
- Jonesiopsis sanguinea* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 14(4): 183 (2003).
- Jonesiopsis sigmoidea* (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).
- Jonesiopsis ultima* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 183 (2003).
- Jonesiopsis voigtii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).
- Jonesiopsis vulgata* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 183 (2003).
- Jonesiopsis wanosa* (A.S.George) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).
- Jonesiopsis xantha* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 183 (2003).
- Jonesiopsis ×ericksoniae* (Nicholls) D.L.Jones et M.A.Clem., Orchadian 15(1): 36 (2005).
- Jonesiopsis ×exoleta* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 15(1): 36 (2005).
- Jonesiopsis ×lavandulacea* (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 15(1): 36 (2005).
- Jonesiopsis ×resupina* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 15(1): 36 (2005).
- Jonesiopsis ×tryphera* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 15(1): 36 (2005).
- Kauorchis* D.L.Jones et M.A.Clem., Orchadian 13(11): 499 (2002) (as “*Karorchis*”). Type species: *Bulbophyllum evasum* T.E.Hunt et Rupp.
- Kaurorchis evasa* (T.E.Hunt et Rupp) M.A.Clem. et D.L.Jones, Orchadian 13(11): 499 (2002).
- Leioanthum* M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002). Type species: *Dendrobium bifalce* Lindl.
- Leioanthum bifalce* (Lindl.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002).
- Leporella* A.S.George, Nuytsia 1(2): 18 (1971). Type species: *Leptoceras fimbriata* Lindl.
- Leporella fimbriata* (Lindl.) A.S.George, Nuytsia 1(2): 183 (1971).
- Leptoceras* (R.Br.) Lindl. in Edwards’s, Bot. Reg. 1-23: Swan Riv. Append. liii (1 Jan. 1840). Type species: *Caladenia menziesii* R.Br., *fide* George (1971).
- Leptoceras menziesii* (R.Br.) Lindl., Gen. sp. orchid. pl. 416 (Mar. 1840).
- Linguella* D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 77 (2002). Type species: *Pterostylis nana* R.Br.
- Linguella clavigera* (Fitzg.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 77 (2002).
- Linguella dilatata* (A.S.George) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 78 (2002).
- Linguella nana* (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 77 (2002).
- Linguella pyramidalis* (Lindl.) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 78 (2002).
- Linguella timothyi* D.L.Jones, Austral. Orchid. Res. 5: 82-83 (21 Dec. 2006).
- Luisia* Gaud. in Freycinet, Voy. Uranie 426, t. 37 (1826). Type species: *Luisia teretifolia* Gaud.
- Luisia atacta* D.L.Jones, Austral. Orchid. Res. 5: 84, f.3.15 (21 Dec. 2006).
- Luisia corrugata* D.L.Jones, Austral. Orchid. Res. 5: 84-85, f.3.16 (21 Dec. 2006).
- Lyperanthus* R.Br., Prod. 325 (1810). Type species: *Lyperanthus suaveolens* R.Br., *fide* Clements (1989).
- Lyperanthus serratus* Lindl., Gen. sp. orchid. pl. 393 (1840).
- Lyperanthus suaveolens* R.Br., Prod. 325 (1810).

- Mecopodium* D.L.Jones et M.A.Clem., *Orchadian* 14(8): Sci. Suppl. xiv (2004). Type species: *Prasophyllum parvifolium* Lindl.  
*Mecopodium parvifolium* (Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 14(8): Sci. Suppl. xiv (June 2004).  
*Mecopodium striatum* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(8): Sci. Suppl. xiv (June 2004).
- Micropera* Lindl. in Edwards's, *Bot. Reg.* 18: t. 1522 (1832). Type species: *Aerides pallida* Roxb.  
*Micropera fasciculata* (Lindl.) Garay, *Bot. Mus. Leafl.* 23 (4): 186 (1972).
- Microtatorchis* Schltr. in K.Schum. et Laut., *Nachtr. Fl. Deutsch. Schutzgeb. Südsee* 224 (Nov. 1905).  
 Lectotype species: *Microtatorchis perpusilla* Schltr. vid A.A.Bullock, *ING card* 015211 (30 Mar. 1958).  
*Microtatorchis clementsii* D.L.Jones et B.Gray, *Orchadian* 15(5): 201-202, f. (2006).
- Microtidium* D.L.Jones et M.A.Clem., *Orchadian* 13(10): 463 (30 Jan. 2002). Type species: *Microtis atrata* Lindl.  
*Microtidium atratum* (Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 463 (30 Jan. 2002).
- Microtis* R.Br., *Prod.* 320 (1810). Type species: *Microtis rara* R.Br., *fide* Garay and H.R.Sweet (1974).  
*Microtis alba* R.Br., *Prod.* 321 (1810).  
*Microtis angusii* D.L.Jones, *Orchadian* 12(1): 10-11, f. (1996).  
*Microtis arenaria* Lindl., *Gen. sp. orchid. pl.* 396 (1840).  
*Microtis brownii* Rchb.f., *Beitr. Syst. Pflanzenk.* 24 (1871).  
*Microtis densiflora* (Benth.) M.A.Clem., *Austral. Orch. Res.* 1: 94 (1989).  
*Microtis eremaea* R.J.Bates, *J. Adelaide Bot. Gard.* 17: 119-120, f. 1A-E (1996).  
*Microtis eremicola* (R.J.Bates) D.L.Jones et M.A.Clem., *Orchadian* 14(8): Sci. Suppl. xiv (June 2004).  
*Microtis familiaris* R.J.Bates, *J. Adel. Bot. Gard.* 13: 50-51, f. 1 (1990).  
*Microtis frutetorum* Schldl., *Linnaea* 20: 568 (1847).  
*Microtis globula* R. Bates, *J. Adelaide Bot. Gard.* 7 (1): 60-62, f. 3, 6C (1984).  
*Microtis graniticola* R.J.Bates, *J. Adelaide Bot. Gard.* 17: 120, 122-123, f. 1F-I (1996).  
*Microtis media* R.Br., *Prod.* 321 (1810).  
*Microtis oblonga* R.S. Rogers, *Trans. & Proc. Roy. Soc. South Australia* 47: 339 (1923).  
*Microtis parviflora* R.Br., *Prod.* 320 (1810).  
*Microtis pulchella* R.Br., *Prod.* 321 (1810).  
*Microtis quadrata* (R.J.Bates) D.L.Jones et M.A.Clem., *Orchadian* 14(8): Sci. Suppl. xiv (June 2004).  
*Microtis rara* R.Br., *Prod.* 321 (1810).  
*Microtis unifolia* (G.Forst.) Rchb.f., *Beitr. Syst. Pfl.* 62 (1871).
- Mobilabium* Rupp, *North Queensland Naturalist* 13(78): 2-4, f. (1946). Type species: *Mobilabium hamatum* Rupp.  
*Mobilabium hamatum* Rupp, *North Queensland Naturalist* 13(78): 2 (1946).
- Monanthos* (Schltr.) Brieger, *Schlechter Orchideen* (ed. 3), 1: 660 (1981) (*sic* '*Monanthus*'). Type species: *Dendrobium bilobum* Lindl.  
*Monanthos malbrownii* (Dockrill) Rauschert, *Feddes Repert.* 94(7-8): 455 (1983)
- Myrmechila* D.L.Jones et M.A.Clem., *Orchadian* 15(1): 36-37 (2005). Type species: *Chiloglottis formicifera* Fitzg.  
*Myrmechila formicifera* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 37 (2005).  
*Myrmechila platyptera* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 37 (2005).  
*Myrmechila trapeziformis* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 88 (2006).  
*Myrmechila trullata* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 37 (2005).  
*Myrmechila truncata* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 37 (2005).
- Nemacianthus* D.L.Jones et M.A.Clem., *Orchadian* 13(10): 440-441 (2002). Type species: *Acianthus caudatus* R.Br.

*Nemacianthus caudatus* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 441 (2002).

*Nematoceras* Hook.f., *Fl. Nov. zel.* 1: 249 (1853). Type species: *Nematoceras macranthum* Hook.f. ('*macrantha*'), *fide* Jones and Clements (2002).

*Nematoceras acuminatum* (M.A.Clem. et Hatch) Molloy, D.L.Jones et M.A.Clem., *Orchadian* 13(10): 449 (2002).

*Nematoceras dienemum* (D.L.Jones) D.L.Jones, M.A.Clem. et Molloy, *Orchadian* 13(10): 449 (2002).

*Nematoceras sulcatum* M.A.Clem. et D.L.Jones, *Telopea* 11(4): 406-408, f. 1 (July 2007).

*Nervilia* Commerson ex Gaud. in Freycinet, *Voy. Uranie* 421, t. 35 (1829)(*nom. cons.*). Type species: *Nervilia aragoana* Gaud.

*Nervilia aragoana* Gaud. in Freycinet, *Voy. Uranie* 422, t. 35 (1829).

*Nervilia crocififormis* (Zoll. et Mor.) Seidenf., *Dansk Bot. Arkiv* 32(2): 151 (1978).

*Nervilia dallachyana* (Benth.) Schltr., *Bot. Jahrb. Syst.* 39: 48 (1907).

*Nervilia holochila* (F.Muell.) Schltr., *Bot. Jahrb. Syst.* 39: 48 (1907).

*Nervilia peltata* B.Gray et D.L.Jones, *Austrobaileya* 4(2): 195-198, f.1 (1994).

*Nervilia uniflora* (F.Muell.) Schltr., *Bot. Jahrb. Syst.* 39: 48 (1907).

*Oberonia* Lindl., *Gen. sp. orchid. pl.* 15 (1830). Type species: *Oberonia iridifolia* Lindl., *nom. illeg.* (*Malaxis ensiformis* Sm., *Oberonia ensiformis* (Sm.) Lindl.) (type cons.).

*Oberonia attenuata* Dockrill, *North Queensland Naturalist* 29(126): 4, f. (1960).

*Oberonia carnosa* Lavarack, *Austrobaileya* 1: 72-74, f. 6 (1977).

*Oberonia complanata* (A.Cunn.) M.A.Clem. et D.L.Jones, *Austral. Orch. Res.* 1: 98-99 (1989).

*Oberonia crateriformis* D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 9-10, f.1.9, 1.10, t.1.a,b (21 Dec. 2006).

*Oberonia flavescens* D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 10-11, f.1.12, t.1.f (21 Dec. 2006).

*Oberonia palmicola* F.Muell., *Fragm.* 2: 24 (1860).

*Oberonia rimachila* D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 11, f.1.13, 1.14, t. 1c,d (21 Dec. 2006).

*Oberonia titania* Lindl., *Fol. Orchid.: Oberonia* 1(8) (1859).

*Octarrhena* Thwait, *Enum. Pl. Zeyl.* 305 (1861). Type species: *Octarrhena parvula* Thwait.

*Octarrhena pusilla* (F.M. Bailey) M.A.Clem. et D.L.Jones, *Phytologia* 73(2): 118 (7 Oct. 1992).

*Oligochaetochilus* Szlach., *Polish Bot. J.* 46(1): 23 (2001). Type species: *Pterostylis rufa* R.Br.

*Oligochaetochilus aciculiformis* (Nicholls) Szlach., *Polish Bot. J.* 46(1): 23 (2001).

*Oligochaetochilus arenicola* (M.A.Clem. et J. Stewart) Szlach., *Polish Bot. J.* 46(1): 23 (2001).

*Oligochaetochilus basalticus* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 81 (2002).

*Oligochaetochilus bisetus* (Blackmore et Clemesha) Szlach., *Polish Bot. J.* 46(1): 23 (2001).

*Oligochaetochilus boormanii* (Rupp) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

*Oligochaetochilus calceolus* (M.A.Clem.) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

*Oligochaetochilus chaetophorus* (M.A.Clem. et D.L.Jones) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

*Oligochaetochilus cheraphilus* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 80 (2002).

*Oligochaetochilus ciliatus* (M.A.Clem. et D.L.Jones) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

*Oligochaetochilus cobarensis* (M.A.Clem.) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

*Oligochaetochilus commutatus* (D.L.Jones) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

*Oligochaetochilus despectans* (Nicholls) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

*Oligochaetochilus excelsus* (M.A.Clem.) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

*Oligochaetochilus frenchii* D.L.Jones, *Orchadian* 14(10): 444-446, f. (Dec. 2004).

*Oligochaetochilus gibbosus* (R.Br.) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

*Oligochaetochilus hamatus* (Blackmore et Clemesha) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

*Oligochaetochilus insectifer* (M.A.Clem.) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

*Oligochaetochilus leptochilus* (M.A.Clem. et D.L.Jones) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

- Oligochaetochilus linguus* (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 24 (2001).
- Oligochaetochilus macrocalymmus* (M.A.Clem. et D.L.Jones) Szlach., Polish Bot. J. 46(1): 24 (2001).
- Oligochaetochilus maximus* (M.A.Clem. et D. L.Jones) Szlach., Polish Bot. J. 46(1): 24 (2001).
- Oligochaetochilus mirabilis* D.L.Jones, Orchadian 15(9): 394-395, f. 1 (2007).
- Oligochaetochilus mitchellii* (Lindl.) Szlach., Polish Bot. J. 46(1): 24 (2001).
- Oligochaetochilus ovatus* (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 24 (2001).
- Oligochaetochilus petrosus* (D.L.Jones et M. A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 80 (2002).
- Oligochaetochilus pictus* (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 24 (2001).
- Oligochaetochilus planulatus* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 80 (2002).
- Oligochaetochilus praetermissus* (M.A.Clem. et D.L.Jones) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oligochaetochilus psammophilus* D.L.Jones, Orchadian 15(9): 396-397, f. 2 (2007).
- Oligochaetochilus pusillus* (R.S.Rogers) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oligochaetochilus roensis* (M.A.Clem. et D.L.Jones) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oligochaetochilus rufus* (R.Br.) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oligochaetochilus saxicola* (D.L.Jones et M. A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 81 (2002).
- Oligochaetochilus setifer* (M.A.Clem., Matthias et D.L.Jones) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oligochaetochilus spathulatus* (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oligochaetochilus squamatus* (R.Br.) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oligochaetochilus validus* (Nicholls) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 81 (2002).
- Oligochaetochilus woollsii* (Fitzg) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oligochaetochilus xerophilus* (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oncophyllum* D.L.Jones et M.A.Clem., Orchadian 13(9): 420-421 (Sept. 2001). Type species: *Bulbophyllum minutissimum* F.Muell.
- Oncophyllum globuliforme* (Nicholls) D.L.Jones et M.A.Clem., Orchadian 13(9): 421 (2001).
- Oncophyllum minutissimum* (F.Muell.) D.L.Jones et M.A.Clem., Orchadian 13(9): 421 (2001).
- Orthoceras* R.Br., Prod. 316-317 (1810). Type species: *Orthoceras strictum* R.Br.
- Orthoceras strictum* R.Br., Prod. 317 (1810).
- Oxysepala* Wight, Icon. 5(1): 17 (1851). Type species: *Oxysepala ovalifolia* Wight.
- Oxysepala gadgarrensis* (Rupp) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).
- Oxysepala grandimesensis* (B.Gray et D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).
- Oxysepala lamingtonensis* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).
- Oxysepala lewisensis* (B.Gray et D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(11): 498 (2002).
- Oxysepala schilleriana* (Rehb.f.) D.L.Jones et M.A.Clem. var. *schilleriana*, Orchadian 13(11): 500 (2002).
- Oxysepala schilleriana* var. *maritima* D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 11-12, f.1.15, t. (21 Dec. 2006).
- Oxysepala shepherdii* (F.Muell.) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).
- Oxysepala wadsworthii* (Dockrill) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).
- Oxysepala windsorensis* (B.Gray et D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).
- Pachystoma* Blume, Bijdr. 6: t. 3, f. 29; 8: 376 (1825). Type species: *Pachystoma pubescens* Blume.
- Pachystoma pubescens* Blume, Bijdr. 6: t. 3, f. 29; 8: 376 (1825).
- Papillilabium* Dockrill, Austral. Sarcanth. 31, t. 7 (1967). Type species: *Cleisostoma beckleri* F.Muell.
- Papillilabium beckleri* (F.Muell. ex Benth.) Dockrill, Austral. Sarcanth. 31, t. 7 (1967).
- Papulipetalum* (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002). Type species: *Bulbophyllum papulipetalum* Schltr., fide Clements and Jones (2002).
- Papulipetalum nematopodum* (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).

*Paracaleana* Blaxell, Contr. New South Wales Natl. Herb. 4: 281(1972). Type species: *Caleana minor* R.Br. = *Sullivania*

*Paracaleana alcockii* Hopper & A.P.Br., Aust. Syst. Bot.19(3): 222-223, f.2, 6, 7 (2006).

*Paracaleana brockmanii* Hopper & A.P.Br., Aust. Syst. Bot.19(3): 222-223, f.2, 8, 9 (2006).

*Paracaleana dixonii* Hopper et A.P.Br., Aust. Syst. Bot.19(3): 228-229, f.2, 12, 13 (2006).

*Paracaleana gracilicordata* Hopper et A.P.Br., Aust. Syst. Bot.19(3): 229-230, f.2, 14, 15 (2006).

*Paracaleana granitica* Hopper et A.P.Br., Aust. Syst. Bot.19(3): 230-232, f.2, 16, 17 (2006).

*Paracaleana hortiorum* Hopper et A.P.Br., Aust. Syst. Bot.19(3): 232-234, f.2, 18, 19 (2006).

*Paracaleana lyonsii* Hopper et A.P.Br., Aust. Syst. Bot.19(3): 219-221, f. 4, 5 (2006).

*Paracaleana parvula* Hopper et A.P.Br., Aust. Syst. Bot.19(3): 237-238, f.2, 23, 24 (2006).

*Paracaleana terminalis* Hopper et A.P.Br., Aust. Syst. Bot.19(3): 239-240, f.2, 25, 26 (2006).

*Paracaleana triens* Hopper et A.P.Br., Aust. Syst. Bot.19(3): 240-242, f.2, 27, 28 (2006).

*Peristeranthus* T.E.Hunt, Queensland Naturalist 15: 17 (1954).Type species: *Saccolabium hillii* F.Muell.

*Peristeranthus hillii* (F.Muell.) T.E. Hunt, Queensland Naturalist 15: 17 (1954).

*Peristylus* Blume, Bijdr, 6: t. 1, f. 30; 8: 404 (1825)(*nom. cons.*).Type species: *Peristylus grandis* Blume (*type cons.*).

*Peristylus banfieldii* (F.M.Bailey) Lavarack, Austrobaileya 1(4): 38 (1981).

*Peristylus candidus* J.J.Sm., Orchid. Java 6: 36 (1905).

*Peristylus chlorandrellus* D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. x-xi (June 2004).

*Petalochilus* R.S.Rogers, J. Bot. 62: 65 (1924).Type: *Petalochilus calyciformis* R.S.Rogers, *fide* Jones et Clements (2001).

*Petalochilus alatus* (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

*Petalochilus atrochilus* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

*Petalochilus attenuatus* (W.Brinley) (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

*Petalochilus aurantiacus* (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

*Petalochilus campbellii* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

*Petalochilus carneus* (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

*Petalochilus catenatus* (Sm.) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

*Petalochilus chamaephyllus* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

*Petalochilus cleistanthus* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

*Petalochilus coactilis* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

*Petalochilus curtisepalus* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

*Petalochilus fuscatus* (Rchb.f.) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

*Petalochilus gracillimus* (Rupp) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

*Petalochilus hillmanii* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

*Petalochilus maritimus* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

*Petalochilus mentiens* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

*Petalochilus ornatus* (Nicholls) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

*Petalochilus pictus* (Nicholls) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

*Petalochilus porphyreus* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 15(1): 36 (2005).

*Petalochilus prolatus* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

*Petalochilus pusillus* (W.M. Curtis) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

*Petalochilus quadrifarius* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

*Petalochilus sylvicola* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

*Petalochilus tonellii* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

*Petalochilus vulgaris* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 411 (2001).

*Petalochilus xantholeucus* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 411 (2001).

*Petrorchis* D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 83 (2002).Type species: *Pterostylis bicornis* D.L.Jones et M.A.Clem.

*Petrorchis bicornis* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 83 (2002).



- Phaius* Lour., Fl. Cochinch. 517, 529 (1790). Type species: *Phaius grandiflorus* Lour.  
*Phaius amboinensis* Blume, Mus. Bot. 2: 180 (1856)  
*Phaius australis* F.Muell., Fragm. 1: 42 (1858).  
*Phaius bernaysii* Rowland ex Rchb.f., Gard. Chron. (new ser.), 30: 361, t. 1244 (1873).  
*Phaius pictus* T.E.Hunt, Victorian Naturalist 69: 27 (1952).  
\*\**Phaius tankervilleae* (Banks ex L'Herit.) Blume, Mus. Bot. 2: 177 (1852).  
\*\**Phaius wallichii* Lindl. in N.Wallich, Pl. Asiat. Rar. 2: 46 (1831).
- Phalaenopsis* Blume, Bijdr. 7: 294 (1825). Type species: *Epidendrum amabilis* L.  
*Phalaenopsis rosenstromii* F.M.Bailey, Queensland Agric. J. 17: 231 (1906).
- Pharochilum* D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 83 (2002). Type species: *Pterostylis daintreana* Benth.  
*Pharochilum daintreanum* (Benth.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 84 (2002).
- Pheladenia* D.L.Jones et M.A.Clem., Orchadian 13(9): 411 (Oct. 2001). Type species: *Caladenia deformis* R.Br.  
*Pheladenia deformis* (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 411 (2001).
- Pholidota* Lindl. ex Hook., Exot. Fl. 2, t. 138 (1825). Type species: *Pholidota imbricata* Hook.  
*Pholidota imbricata* Hook., Exot. Fl. 2, t. 138 (1825).
- Phoringopsis* D.L.Jones et M.A.Clem., Orchadian 13(10): 457 (Feb. 2002). Type species: *Arthrochilus byrnesii* Blaxell.  
*Phoringopsis byrnesii* (Blaxell) D.L.Jones et M.A.Clem., Orchadian 13(10): 457 (2002).  
*Phoringopsis dockrillii* (Lavarack) D.L.Jones et M.A.Clem., Orchadian 13(10): 457 (2002).  
*Phoringopsis lavarackiana* D.L.Jones, Orchadian 14(8): Sci. Suppl. xi (June 2004).
- Phreatia* Lindl., Gen. sp. orchid. pl. 63 (1830). Type species: *Phreatia elegans* Lindl.  
*Phreatia paleata* Rchb.f., Linnaea 41: 653 (1877).
- Pinalia* Lindl., Orch. Scel. 14, 21, 23 (1826). Type species: *Pinalia alba* Buch.-Ham., *ined.* = *Octomeria spicata* D.Don, *fide* Lindl. (1826).  
*Pinalia kingii* (F.Muell.) Kuntze, Rev. Gen. Pl. 679 (1891).
- Plectorrhiza* Dockrill, Austral. Sarcanth. 27 (1967). Type species: *Cleisostoma tridentata* Lindl.  
*Plectorrhiza brevilabris* (F.Muell.) Dockrill, Austral. Sarcanth. 28, t. 12 (1967).  
*Plectorrhiza erecta* (Fitzg.) Dockrill, Austral. Sarcanth. 28, t. 13 (1967).  
*Plectorrhiza tridentata* (Lindl.) Dockrill, Austral. Sarcanth. 27, t. 14 (1967).
- Plexaure* Endl., Prodr. Fl. Norfolk. 30. (post 12 May 1833). Type species: *Plexaure limenophylax* Endl.  
*Plexaure crassiuscula* (Nicholls) M.A.Clem. et D.L.Jones, Orchadian 14(8): Sci. Suppl. xiv (June 2004).  
*Plexaure limenophylax* Endl., Prod. Fl. Norf. 30 (1833).  
*Plexaure listeri* (Rolfe) M.A.Clem. et D.L.Jones, Orchadian 14(8): Sci. Suppl. xiv (June 2004).
- Plumatichilos* Szlach., Polish Bot. J. 46(1): 22 (2001). Type species: *Pterostylis barbata* Lindl.  
*Plumatichilos barbatum* (Lindl.) Szlach., Polish Bot. J. 46(1): 23 (2001).  
*Plumatichilos plumosum* (Cady) Szlach., Polish Bot. J. 46(1): 23 (2001).  
*Plumatichilos tasmanicum* (D.L.Jones) Szlach., Polish Bot. J. 46(1): 23 (2001).  
*Plumatichilos turfosum* (Endl.) Szlach., Polish Bot. J. 46(1): 23 (2001).
- Pomatocalpa* Breda, Kuhl et Hasselt in Breda, Gen. sp. Orchid. Ascelp. (29), t. [15] (1829). Type species: *Pomatocalpa spicatum* Breda.  
*Pomatocalpa macphersonii* (F.Muell.) T.E.Hunt, Queensland Naturalist 16: 27 (1958).

*Pomatocalpa marsupiale* (Kraenzl.) J.J.Sm., Natuurk. tijdschr. Ned.-Indie 72: 105 (1912).

*Praecoxanthus* Hopper et A.P.Br., Lindleyana 15(2): 124 (2000). Type species: *Caladenia aphylla* Benth.  
*Praecoxanthus aphyllus* (Benth.) Hopper et A.P.Br., Lindleyana 15(2): 124 (2000).

*Prasophyllum* R.Br., Prod. 317 (1810). Type species: *Prasophyllum australe* R.Br., fide N.Hallé (1977).

*Prasophyllum affine* Lindl., Gen. sp. orchid. pl. 516 (1830).

*Prasophyllum alpestre* D.L.Jones, Austral. Orch. Res. 3: 98-99, f.6.1 (1998).

*Prasophyllum alpinum* R.Br., Prod. 318 (1810).

*Prasophyllum amoenum* D.L.Jones, Austral. Orch. Res. 3: 99-100, f.6.2 (1998).

*Prasophyllum anticum* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 143-144, f.5.1, t. (21 Dec. 2006).

*Prasophyllum apoxychilum* D.L.Jones, Austral. Orch. Res. 3: 100-101, f.6.3 (1998).

*Prasophyllum appendiculatum* Nicholls, Victorian Naturalist 66: 212, f. F-J (1950).

*Prasophyllum atratum* D.L.Jones, Austral. Orchid. Res. 5: 144-145, f.5.2, t. (21 Dec. 2006).

*Prasophyllum australe* R.Br., Prod. 318 (1810).

*Prasophyllum bagoensis* D.L.Jones, Orchadian 13(4): 150-151, f. 1 (2000).

*Prasophyllum barnettii* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 145-146, f.5.3, t. (21 Dec. 2006).

*Prasophyllum beatrix* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 146, f.5.4, t. (21 Dec. 2006).

*Prasophyllum brevilibre* (Lindl.) Hook.f., Fl. Tasman. 2: 11, t. 110, f. A. (1858).

*Prasophyllum brownii* Rchb.f., Beitr. Syst. Pflanzenk. 16 (1871).

*Prasophyllum calcicola* R.J. Bates, J. Adel. Bot. Gard. 11: 179, fig. 1 (20 Jul. 1989).

*Prasophyllum campestre* R.J. Bates et D.L.Jones, Austral. Orch. Res. 2: 75-76, f. 101 (1991).

*Prasophyllum canaliculatum* D.L.Jones, Orchadian 12(3): 125-127, t., f. (1997).

*Prasophyllum candidum* R.J. Bates et D.L.Jones, Austral. Orch. Res. 2: 76-77, f. 102 (1991).

*Prasophyllum caricetum* D.L.Jones, Orchadian 13(4): 151-155, f. 2 (2000).

*Prasophyllum castaneum* D.L.Jones, Austral. Orch. Res. 3: 102-103, f.6.4 (1998).

*Prasophyllum catenenum* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 146-147, f. 5.5 (21 Dec. 2006).

*Prasophyllum caudiculum* D.L.Jones, Orchadian 13(4): 155-156, f. 3 (2000).

*Prasophyllum colemaniae* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 47: 337 (1923).

*Prasophyllum collinum* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 147-148, f. 5.6 (21 Dec. 2006).

*Prasophyllum concinnum* Nicholls, Victorian Naturalist 64: 232, f. A-E (1948).

*Prasophyllum constrictum* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 33: 213-4, t. 13 B, f. 1-5 (1909).

*Prasophyllum correctum* D.L.Jones, Novon 4(2): 106-108 (1994).

*Prasophyllum crebriflorum* D.L.Jones, Muelleria 18: 103-104, f. 3 (2004).

*Prasophyllum cyphochilum* Benth., Fl. Austral. 5: 340 (1873).

*Prasophyllum diversiflorum* Nicholls, Victorian Naturalist 59: 8, 12, f. A-L (1942).

*Prasophyllum dossenum* R.J. Bates et D.L.Jones, Austral. Orch. Res. 2: 77-78, f. 104 (1991).

*Prasophyllum drummondii* Rchb.f., Beitr. Syst. Pflanzenk. 69 (1871).

*Prasophyllum elatum* R.Br., Prod. 318 (1810).

*Prasophyllum erythrocommum* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 148-149, f.5.7, t. (21 Dec. 2006).

*Prasophyllum exilis* D.L.Jones et R.J. Bates, Austral. Orch. Res. 2: 78, f. 105 (1991).

*Prasophyllum favonium* D.L.Jones, Austral. Orch. Res. 3: 104-105, f.6.5 (1998).

*Prasophyllum fecundum* R.J. Bates, J. Adelaide Bot. Gard. 11: 189, f. 1 (20 July 1989).

*Prasophyllum fimbria* Rchb.f., Beitr. Syst. Pflanzenk. 60 (1871). rald s.n. (holo NSW).

*Prasophyllum fitzgeraldii* R.S.Rogers et Maiden, Trans. & Proc. Roy. Soc. South Australia 33: 216, IX, t. 9A, F. 1-8 (1909).

*Prasophyllum flavum* R.Br., Prod. 318 (1810).

*Prasophyllum fosteri* D.L.Jones, Orchadian 13(4): 156-157, f. 4 (2000).

*Prasophyllum frenchii* F.Muell., Victorian Naturalist 6: 126 (1889).

*Prasophyllum fuscum* R.Br., Prod. 318 (1810).

*Prasophyllum giganteum* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liv\_ (1840).

*Prasophyllum gilgai* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 149-150, t. (21 Dec. 2006).

- Prasophyllum goldsackii* J. Weber et R. Bates, J. Adelaide Bot. Gard. 1: 167, f.1 (1978).  
*Prasophyllum gracile* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liv (1840).  
*Prasophyllum gracillimum* Nicholls, Victorian Naturalist 64: 175, f. G-I (1948).  
*Prasophyllum helophilum* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 150-151, f.5.9 (21 Dec. 2006).  
*Prasophyllum hians* Rchb.f., Beitr. Syst. Pflanzenk. 59, in obs. 61 (1871).  
*Prasophyllum hygrophilum* D.L.Jones et D.Rouse, Orchadian 14(6): 282-284, f. 1 (2003).  
*Prasophyllum incompositum* D.L.Jones, Austral. Orch. Res. 2: 78-79, f. 106 (1991).  
*Prasophyllum incorrectum* D.L.Jones, Muelleria 18: 103-1045, f. 3 (2004).  
*Prasophyllum incurvum* D.L.Jones, Austral. Orch. Res. 3: 106-107, f.6.6 (1998).  
*Prasophyllum innubum* D.L.Jones, Orchadian 15(8): 372-373, f.1,a-d (2007).  
*Prasophyllum keltonii* D.L.Jones, Orchadian 15(8): 372-373, f.1,e-h (2007).  
*Prasophyllum lanceolatum* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 44: 325 (1920).  
*Prasophyllum limnetes* D.L.Jones, Austral. Orchid. Res. 5: 151-152 (21 Dec. 2006).  
*Prasophyllum lindleyanum* Rchb.f., Beitr. Syst. Plf. 3: 58 (1871).  
*Prasophyllum litorale* R.J.Bates, J. Adelaide Bot. Gard. 13: 59 (1990).  
*Prasophyllum maccanui* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 152-153, f.5.9, t. (21 Dec. 2006).  
*Prasophyllum macrostachyum* R.Br., Prod. 318 (1810).  
*Prasophyllum macrotys* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liv (1840).  
*Prasophyllum milfordense* D.L.Jones, Austral. Orch. Res. 3: 107-108, f. 6.7 (1998).  
*Prasophyllum minus* D.L.Jones, Orchadian 14(8): 372-373, f.1, t. (2004).  
*Prasophyllum montanum* R.J. Bates et D.L.Jones, Austral. Orch. Res. 2: 79-80, f. 107 (1991).  
*Prasophyllum morganii* Nicholls, Victorian Naturalist 46: 179, t. 7 (1930).  
*Prasophyllum murfetii* D.L.Jones, Orchadian 13(4): 160-161, f. 5 (2000).  
*Prasophyllum niphopedium* D.L.Jones, Orchadian 13(4): 161-162, f. 6 (2000).  
*Prasophyllum occidentale* R.S. Rogers, Trans. & Proc. Roy. Soc. South Australia 32: 11 (1908); emend Trans. & Proc. Roy. Soc. South Australia 33: 214, Pl. B X II, f. 1-9 (1909).  
*Prasophyllum occultans* R.J.Bates, J. Adelaide Bot. Gard. 11: 192, f. 2. (20 July 1989).  
*Prasophyllum odoratissimum* D.L.Jones, Orchadian 12(2): 53-55, f. (1996).  
*Prasophyllum odoratum* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 33: 209, t. 9b, f. 1-9 (1909).  
*Prasophyllum olidum* D.L.Jones, Austral. Orch. Res. 3: 108-109, f. 6.8 (1998).  
*Prasophyllum ovale* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liv\_(1840).  
*Prasophyllum pallens* D.L.Jones, Orchadian 13(4): 162-167, f. 7 (2000).  
*Prasophyllum pallidum* Nicholls, Proc. Roy. Soc. Victoria (new ser.) 46: 33, f. P-U (1933).  
*Prasophyllum parviflorum* Nicholls, Victorian Naturalist 57: 191, f. A-I (1941).  
*Prasophyllum patens* R.Br., Prod. 318 (1810).  
*Prasophyllum paulinae* D.L.Jones et M.A.Clem., Nuytsia 10(3): 414-16, f. 3 (1996).  
*Prasophyllum perangustum* D.L.Jones, Austral. Orch. Res. 3: 109-110, f. 6.9 (1998).  
*Prasophyllum petilum* D.L.Jones et R.J. Bates, Austral. Orch. Res. 2: 80, f. 108 (1991).  
*Prasophyllum plumiforme* Fitzg., Gard. Chron. (new ser.) 17: 495 (1882).  
*Prasophyllum praecox* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 153, f.5.10, t. (21 Dec. 2006).  
*Prasophyllum pruinatum* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 33: 211-2, t. 11B, f. 1-8 (1909).  
*Prasophyllum pulchellum* D.L.Jones, Austral. Orch. Res. 3: 110-111, f. 6.10 (1998).  
*Prasophyllum pyriforme* E.Coleman, Victorian Naturalist 49: 195, t. 14 (1932).  
*Prasophyllum readii* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 154-155, f.5.11, t. (21 Dec. 2006).  
*Prasophyllum regium* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 42: 27 (1918).  
*Prasophyllum retroflexum* D.L.Jones, Orchadian 13(4): 167-169, f. 8 (2000).  
*Prasophyllum robustum* (Nicholls) M.A.Clem. et D.L.Jones, Austral. Orchid Res. 1: 117 (1989).  
*Prasophyllum rogersii* Rupp, Proc. Linn. Soc. New South Wales 53: 340 (1928).  
*Prasophyllum rostratum* Lindl., Gen. sp. orchid. pl. 516 (1840).  
*Prasophyllum rotundiflorum* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 33: 210 (1909).  
*Prasophyllum sargentii* (Nicholls) A.S.George, Nuytsia, 1(2): 189 (1971).

- Prasophyllum secutum* D.L.Jones, Austral. Orch. Res. 3: 113-114, f. 6.11 (1998).  
*Prasophyllum solstitium* D.L.Jones, Orchadian 13(4): 169-170, f. 9 (2000).  
*Prasophyllum sphacelatum* D.L.Jones, Muelleria. 9: 59-61, f. 4 (1996).  
*Prasophyllum spicatum* R.J. Bates et D.L.Jones, Austral. Orch. Res. 2: 80-81, f. 109 (1991).  
*Prasophyllum stellatum* D.L.Jones, Austral. Orch. Res. 3: 115-116, f. 6.13 (1998).  
*Prasophyllum suaveolens* D.L.Jones et R.J.Bates, Muelleria 8(2): 184-185, f. 2 g-j (1994).  
*Prasophyllum subbisectum* Nicholls, Victorian Naturalist 53: 72, f. A-H (1936).  
*Prasophyllum suttonii* R.S.Rogers et B. Rees, Proc. Roy. Soc. Victoria (new ser.) 25: 112, t. 6, f. A-C (1912).  
*Prasophyllum sylvestre* R.J. Bates et D.L.Jones, Austral. Orch. Res. 2: 81-82, f. 110 (1991).  
*Prasophyllum tadgellianum* R.S.Rogers, Trans. & Proc. Soc. South Australia 47: 338-9 (1923).  
*Prasophyllum taphanix* D.L.Jones, Orchadian 14(8): 373-374, f.2, t. (2004).  
*Prasophyllum triangulare* Fitzg., Gard. Chron. (new ser.) 17: 495 (1882).  
*Prasophyllum truncatum* Lindl., Gen. sp. orchid. pl. 513 (1840).  
*Prasophyllum tunbridgense* D.L.Jones, Austral. Orch. Res. 3: 117-118, f. 6.15 (1998).  
*Prasophyllum validum* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 7 (1927).  
*Prasophyllum venustum* D.L.Jones et D.T.Rouse, Orchadian 15(12): 559, 561, t. (June 2008).  
*Prasophyllum viretrum* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 155-156, f.5.12, t. (21 Dec. 2006).  
*Prasophyllum viriosum* D.L.Jones et D.T.Rouse, Orchadian 15(12): 561, t. (June 2008).  
*Prasophyllum wallum* R.J.Bates et D.L.Jones, Austral. Orch. Res. 2: 82, f. 111 (1991).  
*Prasophyllum wilkinsoniorum* D.L.Jones, Orchadian 13(4): 170-172, f. 10 (2000).
- Pseudovanilla* Garay, Bot. Mus. Leafl. 30(4): 214 (1986). Type species: *Ledgeria foliata* F.Muell.  
*Pseudovanilla foliata* (F.Muell.) Garay, Bot. Mus. Leafl. 30(4): 235 (1986).
- Pterostylis* R.Br., Prod. 326 (1810)(*nom. cons.*). Type species: *Pterostylis curta* R.Br. (type cons.).  
*Pterostylis acuminata* R.Br., Prod. 326-327 (1810).  
*Pterostylis alpina* R.S.Rogers, Proc. Roy. Soc. Victoria (new ser.) 28: 108-109, t. 9 (1915).  
*Pterostylis anatona* D.L.Jones, Orchadian 12 (6): 245-246, fig. (1997).  
*Pterostylis aneba* D.L.Jones, Austral. Orchid. Res. 5: 85-86, f.3.17, t. (21 Dec. 2006).  
*Pterostylis baptistii* Fitzg., Austral. orch. 1(1): [t. 2] (1875).  
*Pterostylis crassichila* D.L.Jones, Austral. Orchid. Res. 5: 86 (21 Dec. 2006).  
*Pterostylis cucullata* R.Br. subsp. *cucullata*, Prod. 327 (1810).  
*Pterostylis cucullata* subsp. *sylvicola* D.L.Jones, Austral. Orchid. Res. 5: 86-87, f.3.18 (21 Dec. 2006).  
*Pterostylis curta* R.Br., Prod. 326 (1810).  
*Pterostylis dubia* R.Br., Prod. 328 (1810).  
*Pterostylis erecta* T.E.Hunt, Proc. Roy. Soc. Queensland 69: 89, fig. (1958).  
*Pterostylis falcata* R.S.Rogers, Proc. Roy. Soc. Victoria (new ser.) 28(1): 106-107, t. 9 (1915).  
*Pterostylis foliata* Hook.f., Fl. nov.-zel. 1: 249 (1853).  
*Pterostylis furcata* Lindl., Gen. sp. orchid. pl. 390 (1840).  
*Pterostylis hildae* Nicholls, Queensland Naturalist 10: 39-40, t. 3 (1937).  
*Pterostylis hispidula* Fitzg., Austral. orch. 1(6): [t. 5] (1880).  
*Pterostylis lustra* D.L.Jones, Austral. Orchid. Res. 5: 87, f.3.19 (21 Dec. 2006).  
*Pterostylis monticola* D.L.Jones, Muelleria 8(2): 189-190, fig. 3h-k (1994).  
*Pterostylis nutans* R.Br., Prod. 327 (1810).  
*Pterostylis oblonga* D.L.Jones, Austral. Orchid. Res. 5: 87-88 (21 Dec. 2006).  
*Pterostylis oreophila* Clemesha, Orchadian 4 (11): 110, fig. (1974).  
*Pterostylis pedunculata* R.Br., Prod. 327 (1810).  
*Pterostylis procera* D.L.Jones et M.A.Clem., Austral. Orch. Res. 1: 125, fig. 3A-C (1989).  
*Pterostylis riparia* D.L.Jones, Austral. Orchid. Res. 5: 88, t. (21 Dec. 2006).  
*Pterostylis scabrida* Lindl., Gen. sp. orchid. pl. 389 (1840).  
*Pterostylis stricta* Clemesha et B.Gray, Orchadian 4 (2): 18-22, fig. (1972).  
*Pterostylis subtilis* D.L.Jones, Austral. Orchid. Res. 5: 88, f.3.20 (21 Dec. 2006).  
*Pterostylis ×aenigma* D.L.Jones et M.A.Clem., Muelleria 8(1): 73-75, fig. 1a-e (1993).

*Pterostylis xingens* (Rupp) D.L.Jones, Orchadian 5: 54 (1976).

*Pyrorchis* D.L.Jones et M.A.Clem. Phytologia 77(6): 499 (1994). Type species: *Lyperanthus nigricans* R.Br.

*Pyrorchis forrestii* (F.Muell.) D.L.Jones et M.A.Clem. Phytologia 77(6): 499 (1994).

*Pyrorchis nigricans* (R. Br.) D.L.Jones et M.A.Clem. Phytologia 77(6): 499 (1994).

*Ranorchis* D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 86 (2002). Type species: *Pterostylis sargentii* C.R.P.Andrews.

*Ranorchis sargentii* (C.R.P.Andrews) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 86 (2002).

*Rhinerrhiza* Rupp, Victorian Naturalist 67: 206 (1951). Type species: *Sarcochilus divitiflora* Benth.

*Rhinerrhiza divitiflora* (F.Muell. ex Benth.) Rupp, Victorian Naturalist 67: 206 (1951).

*Rhinerrhizopsis* Ormerod, Oasis, Suppl. 1: 2 (2001). Type species: *Thrixspermum moorei* Rchb.f.

*Rhinerrhizopsis matutina* D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 11-12, f. 1.15 (21 Dec. 2006).

*Rhipidorchis* D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xiv-xv (2004). Type species: *Oberonia micrantha* A.Rich.

*Rhipidorchis micrantha* (A.Rich.) D.L.Jones et M.A.Clem., Orchadian 14(8: Scientific Suppl.): xv (June 2004).

*Rhizanthella* R.S.Rogers, J. Roy. Soc. West Australia 15: 1 (1928). Type species: *Rhizanthella gardneri* R.S.Rogers.

*Rhizanthella gardneri* R.S.Rogers, J. Roy. Soc. West Australia 15: 1 (1928).

*Rhizanthella omissa* D.L.Jones et M.A.Clem., Orchadian 15(3): 131-133, f. (2006).

*Rhizanthella slateri* (Rupp) M.A.Clem. et P.J.Cribb, Kew Mag. 1(2): 84-91 (1984).

*Rhomboda* Lindl., J. Linn. Soc., Bot. 1: 181 (21 Mar. 1857). Type species: *Rhomboda longifolia* Lindl.

*Rhomboda polygonoides* (F.Muell.) Ormerod, Orchadian 11(7): 333 (1995).

*Rimacola* Rupp, Victorian Naturalist 58: 188 (1942). Type species: *Lyperanthus ellipticus* R.Br.

*Rimacola elliptica* (R.Br.) Rupp, Victorian Naturalist 58: 188 (1942).

*Robiquetia* Gaud. in Freycinet, Voy. Monde Bot. 426 (1829). Type species: *Robiquetia ascendens* Gaud.

*Robiquetia gracilistipes* (Schltr.) J.J.Sm., Natuurk. Tijdschr. Nederl. Ind. 72: 43 (1912).

*Robiquetia wassellii* Dockrill, Austral. Sarcanth. 7, t. 19 (1967).

*Saccolabiopsis* J.J.Sm., Bull. Jard. Bot. Buitzenorg 26: 93 (1918). Type species: *Saccolabiopsis bahuizenii* J.J.Sm.

*Saccolabiopsis armitii* (F.Muell.) Dockrill, Austral. Sarcanth. 30, t. 20 (1967).

*Saccolabiopsis rectifolia* (Dockrill) Garay, Bot. Mus. Leafl. 23(4): 198 (1972).

*Salacistis* Rchb.f., Xenia Orchid. 1: 214 (21 Nov.1856). Type species: *Salacistis novembrilis* Rchb.f.

*Salacistis ochroleuca* (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 14(8): Sci. Suppl. xv (June 2004).

*Sarcanthopsis* Garay, Bot. Mus. Leafl. 23(4): 198-199 (30 June 1972). Type species: *Sarcanthus nagarensis* Rchb.f.

*Sarcanthopsis waroqueana* (Rolfe) Garay, Bot. Mus. Leafl. 23: 199 (30 June 1972).

*Sarcocadetia* (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002). Type species: *Dendrobium funiforme* Blume.

*Sarcocadetia wariana* (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002).

*Sarcochilus* R.Br., Prod. 332 (1810). Type species: *Sarcochilus falcatus* R.Br.

*Sarcochilus aequalis* D.L.Jones et M.A.Clem., Phytologia 71(4): 322-325, f. 1 (1991).  
*Sarcochilus argochilus* D.L.Jones et M.A.Clem., Austral. Orch. Rev. 71(2): 21-23, t. (2006).  
*Sarcochilus australis* (Lindl.) Rchb.f. in Walp., Ann. bot. syst. 6: 501 (1861).  
*Sarcochilus borealis* (Nicholls) M.A.Clem. et D.L.Jones, Austral. Orch. Res. 1: 131 (1989).  
*Sarcochilus ceciliae* F.Muell., Fragm. 5: 42, t. 42 (1865).  
*Sarcochilus dilatatus* F.Muell., Fragm. 1: 191 (1859).  
*Sarcochilus eriochilus* Fitzg., J. Bot. 29: 153 (1891).  
*Sarcochilus falcatus* R.Br., Prod. 332 (1810).  
*Sarcochilus fitzgeraldii* F.Muell., Fragm. 7: 115 (1870).  
*Sarcochilus hartmannii* F.Muell., Fragm. 8: 248 (1874).  
*Sarcochilus hillii* (F.Muell.) F.Muell., Fragm. 2: 94 (1860).  
*Sarcochilus hirticalcar* (Dockrill) M.A.Clem. et B.J.Wallace, Austral. Orch. Res. 1: 133 (1989).  
*Sarcochilus minutiflos* F.M. Bailey, Compr. cat. Queensland pl. 845, f. 974 (1913).  
*Sarcochilus parviflorus* Lindl. in Edwards', Bot. Reg. 24: Misc. 34 (1838).  
*Sarcochilus roseus* (Clemesha) Clemesha, Orchadian 3: 35-6 (1969).  
*Sarcochilus serrulatus* D.L.Jones, Victorian Naturalist 89: 344, f. 1 (1972).  
*Sarcochilus spathulatus* R.S. Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 1 (1927).  
*Sarcochilus weinthalii* F.M. Bailey, Queensland Agric. J. 13: 346 (1903).

*Schistotylus* Dockrill, Austral. Sarcanth. 30, t. 43 (1967). Type species: *Cleisostoma gemmatum* Rupp.  
*Schistotylus purpuratus* (Rupp) Dockrill, Austral. Sarcanth. 30, t. 43 (1967).

*Schoenorchis* Blume, Bijdr. 6: t. 3, f. 23; 8: 361 (1825). Type species: *Schoenorchis juncifolia* Blume.  
*Schoenorchis micrantha* Reinwardt ex Blume, Bijdr. 1(8): 362 (1825).  
*Schoenorchis sarcophylla* Schltr., Repert. Spec. Nov. Regni Veg. Beih. 1: 1022 (1914).

*Serpenticaulis* M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002). Type species: *Bulbophyllum bowkettiae* F.M.Bailey.  
*Serpenticaulis bowkettiae* (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).  
*Serpenticaulis johnsonii* (T.E.Hunt) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).  
*Serpenticaulis kirkwoodiae* (T.E.Hunt) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).  
*Serpenticaulis whitei* (T.E.Hunt et Rupp) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).  
*Serpenticaulis wolfei* (B.Gray et D.L.Jones) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).

*Simpliglottis* Szlach., Polish Bot. J. 46(1): 13 (2001). Type species: *Chiloglottis valida* D.L.Jones.  
*Simpliglottis chlorantha* (D.L.Jones) Szlach., Polish Bot. J. 46(1): 13 (2001).  
*Simpliglottis cornuta* (Hook.f.) Szlach., Polish Bot. J. 46(1): 13 (2001).  
*Simpliglottis grammata* (G.W.Carr) J.Jeanes, Muellera 16: 82 (2002).  
*Simpliglottis gunnii* (Lindl.) Szlach., Polish Bot. J. 46(1): 13 (2001).  
*Simpliglottis jeanesii* (D.L.Jones) J.Jeanes, Muellera 16: 82 (2002).  
*Simpliglottis pluricallata* (D.L.Jones) Szlach., Polish Bot. J. 46(1): 13 (2001).  
*Simpliglottis triceratops* (D.L.Jones) J.Jeanes, Muellera 16: 82 (2002).  
*Simpliglottis turfosa* (D.L.Jones) Szlach., Polish Bot. J. 46(1): 13 (2001).  
*Simpliglottis valida* (D.L.Jones) Szlach., Polish Bot. J. 46(1): 13 (2001).

*Spathoglottis* Blume, Bijdr. 6: t. 2, f. 76, 8: 400 (1825). Type species: *Spathoglottis plicata* Blume.  
*Spathoglottis paulinae* F.Muell., Fragm. 6: 95 (1867).  
*Spathoglottis plicata* Blume, Bijdr. 401, t. 76 (1825).

*Speculantha* D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 86 (2002). Type species: *Pterostylis parviflora* R.Br.  
*Speculantha aphylla* (Lindl.) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 87 (2002).  
*Speculantha atriola* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 87 (2002).  
*Speculantha multiflora* D.L.Jones, Orchadian 15(12): 554, t. (June 2008).

*Speculantha nigricans* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 87 (2002).

*Speculantha parviflora* (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 87 (2002).

*Speculantha rubescens* D.L.Jones, Orchadian 15(12): 554-555, t. (June 2008).

*Speculantha uliginosa* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 87 (2002).

*Speculantha vernalis* D.L.Jones, Orchadian 15(6): 277-279, f. , t. (2006).

*Spiculaea* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. lvi (1840).Type species: *Spiculaea ciliata* Lindl.

*Spiculaea ciliata* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. lvi (1840).

*Spilorchis* D.L.Jones et M.A.Clem., Orchadian 15(1): 37 (2005).Type species: *Bulbophyllum weinthalii* R.S.Rogers

*Spilorchis weinthalii* (R.S.Rogers) D.L.Jones et M.A.Clem. subsp. *weinthalii*, Orchadian 15(1): 37 (2005).

*Spilorchis weinthalii* subsp. *striata* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 15(1): 37 (2005).

*Spiranthes* Rich., Orchideis Eur. Annot. 20, 28, 36 (1817); Mem. Mus. Hist. Nat. Paris 4: 42, 50, 58 (1818)(nom. cons.).Type species: *Spiranthes autumnalis* Rich., *nom. illeg.* (*Ophrys spiralis* L., *S. spiralis* (L.)K. Koch) (type cons.).

*Spiranthes alticola* D.L.Jones, Orchadian 15(12): 555, t. (June 2008).

*Spiranthes australis* (R.Br.) Lindl. in Edwards', Bot. Reg. 10: sub t. 823 (1824).

*Stannorchis* D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 87 (2002).Type species: *Pterostylis recurva* Benth.

*Stannorchis recurva* (Benth.) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 89 (2002).

*Stegostyla* D.L.Jones et M.A.Clem., Orchadian 13(9): 411 (2001).Type species: *Caladenia gracilis* R.Br.

*Stegostyla alpina* (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(9): 411 (2001).

*Stegostyla angustata* (Lindl.) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

*Stegostyla atrata* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

*Stegostyla clarkiae* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

*Stegostyla congesta* (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

*Stegostyla craccens* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

*Stegostyla cucullata* (Fitzg.) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

*Stegostyla dimorpha* (Fitzg.) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

*Stegostyla gracilis* (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

*Stegostyla hildae* (Pescott et Nicholls) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

*Stegostyla iridescens* (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

*Stegostyla moschata* D.L.Jones, Orchadian 15(12): 555, 558, t. (June 2008).

*Stegostyla praecox* (Nicholls) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

*Stegostyla testacea* (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

*Stegostyla transitoria* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

*Stegostyla ustulata* D.L.Jones, Orchadian 15(7): 323-324, f.2 (2007).

*Stilbophyllum* D.L.Jones et M.A.Clem., Orchadian 13(11): 490 (2002)(sic '*Stelbophyllum*').Type species: *Bulbophyllum toressae* F.M.Bailey.

*Stilbophyllum toressae* (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 13(11): 485 (2002).

*Sullivania* F.Muell., J. Proc. Roy. Soc. New South Wales 15: 229 (1882).Type species: *Caleya sullivanii* F.Muell., *fide* Jones and Clements (2005).

*Sullivania disjuncta* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 15(1): 36 (2005).

*Sullivania minor* (R. Br.) D.L.Jones et M.A.Clem., Orchadian 15(1): 36 (2005).

*Sullivania nigrita* (J.Drummond ex Lindl.) D.L.Jones et M.A.Clem., Orchadian 15(1): 36 (2005).

*Taeniophyllum* Blume, Bijdr. 6: t. 3, f. 70: 8: 355, t. 70 (1825). Type species: *Taeniophyllum obtusum* Blume.

*Taeniophyllum confertum* B.Gray et D.L.Jones, Orchadian 8(2): 42-43, f. (1984).

*Taeniophyllum cymbiforme* T.E.Hunt, North Queensland Naturalist 14(82): 20-21, f. (1947).

*Taeniophyllum hasseltii* Rchb.f., Xenia Orch. 2: 68 (1863).

*Taeniophyllum lobatum* Dockrill, Victorian Naturalist 73: 45, f. (1956).

*Taeniophyllum malianum* Schltr., Repert. Spec. Nov. Regni Veg. Beih. 1: 1022 (1914).

*Taeniophyllum muelleri* Benth., Fl. Austral. 6: 291 (1873).

*Taeniophyllum wilkianum* T.E.Hunt, North Queensland Naturalist 14(80): 3, f. (1946).

*Tainia* Blume, Bijdr. 6: t. 5, f. 48; 7: 354 (1825). Type species: *Tainia speciosa* Blume.

*Tainia trinervis* (Blume) Rchb.f., Bonplandia 5: 54 (1857).

*Taurantha* D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 85 (2002). Type species: *Pterostylis ophioglossa* R.Br.

*Taurantha collina* (Rupp) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 89 (2002).

*Taurantha concinna* (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 89 (2002).

*Taurantha ophioglossa* (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 89 (2002).

*Taurantha taurus* (M.A.Clem. et D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 89 (2002).

*Taurantha ×conoglossa* (Upton) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 91 (2002).

*Tetrabaculum* M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002). Type species: *Dendrobium tetragonum* A.Cunn.

*Tetrabaculum cacatua* (M.A.Clem. et D.L.Jones) M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002).

*Tetrabaculum capitisyork* (M.A.Clem. et D.L.Jones) M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002).

*Tetrabaculum melaleucaphilum* (M.A.Clem. et D.L.Jones) M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002).

*Tetrabaculum tetragonum* (A.Cunn.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002).

*Thelasis* Blume, Bijdr. 6: t. 2, f. 75; 8: 385, t. 75 (1825). Type species: *Thelasis carinata* Blume.

*Thelasis capitata* Blume, Bijdr. 8: 386 (1825).

*Thelasis carinata* Blume, Bijdr. 8: 385 (1825).

*Thelychiton* Endl., Prod. Fl. Norf. 32 (1833). Type species: *Thelychiton macropus* Endl., *vide* Clements (1989).

*Thelychiton adae* (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

*Thelychiton biconvexus* D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 36, t. (21 Dec. 2006).

*Thelychiton brachypus* Endl., Prodr. Fl. Norf. 33 (1833).

*Thelychiton capricornicus* (Clemesha) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

*Thelychiton carnarvonensis* (P.B.Adams) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

*Thelychiton coriaceus* D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 37-38, t. (21 Dec. 2006).

*Thelychiton curvicaulis* (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

*Thelychiton epiphyticus* D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 39 (21 Dec. 2006).

*Thelychiton falcorostrus* (Fitzg.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

*Thelychiton finniganensis* (D.L.Jones) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

*Thelychiton fleckeri* (Rupp et C.T.White) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

*Thelychiton gracilicaulis* (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

*Thelychiton howeanus* (Maiden) M.A.Clem. et D.L.Jones, Orchadian 15(1): 41 (2005).

*Thelychiton jonesii* (Rendle) M.A.Clem. et D.L.Jones subsp. *jonesii*, Orchadian 13(11): 491 (2002).

*Thelychiton jonesii* subsp. *bancroftianus* (Rchb.f.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

*Thelychiton jonesii* subsp. *blackburnii* (Nicholls) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

*Thelychiton kingianus* (Bidw. ex Lindl.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

*Thelychiton macropus* Endl., Prodr. Fl. Norf. 33 (1833).



- Thelychiton moorei* (F.Muell.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton nitidus* (F.M.Bailey) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton pedunculatus* (Clemesha) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton pulcherrimus* (Rupp) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
- Thelychiton rex* (M.A.Clem. et D.L.Jones) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
- Thelychiton rupicola* D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 40-41 (21 Dec. 2006).
- Thelychiton speciosus* (Sm.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
- Thelychiton spectabilis* D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 37-38, t. (21 Dec. 2006).
- Thelychiton tarberi* (M.A.Clem. et D.L.Jones) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
- Thelychiton* ×*delicatus* (F.M. Bailey) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton* ×*gracillimus* (Rupp) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton* ×*kestevenii* (Rupp) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton* ×*ruppiousus* (Clemesha) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
- Thelychiton* ×*suffusus* (Cady) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
- Thelymitra* J.R.Forst. et G.Forst., *Char. gen. pl.* 97, t. 49 (1776). Type species: *Thelymitra longifolia* J.R.Forst. et G.Forst.
- Thelymitra aggericola* D.L.Jones, *Orchadian* 12(11): 517-518, f., t. (1999).
- Thelymitra albiflora* J.Jeanes, *Muelleria* 19: 38-40, f. 2g-i, t. 1, 16 (2004).
- Thelymitra angustifolia* R.Br., *Prod.* 314 (1810).
- Thelymitra antennifera* (Lindl.) Hook.f., *Fl. Tasman.* 2: 4 (1858).
- Thelymitra apiculata* (A.S.George) M.A.Clem. et D.L.Jones, *Austral. Orch. Res.* 1: 137 (1989).
- Thelymitra arenaria* Lindl., *Gen. sp. orchid. pl.* 519-20 (1840).
- Thelymitra aristata* Lindl., *Gen. sp. orchid. pl.* 521 (1840).
- Thelymitra atronitida* J.Jeanes, *Muelleria* 14: 91-94, f. 1a-d, 2, 3 (2000).
- Thelymitra azurea* R.S.Rogers, *Trans. & Proc. Roy. Soc. South Australia* 4: 342, t. 17 (1917).
- Thelymitra basaltica* J.Jeanes, *Muelleria* 19: 35-36, f. 2a-c, t. 1, f. 13 (2004).
- Thelymitra batesii* J.Jeanes, *Muelleria* 19: 64-66, f. 4 a-c, 31, t. 3. (2004).
- Thelymitra benthamiana* Rchb.f., *Beitr. Syst. Pflanzenk.* 55 (1871).
- Thelymitra bracteata* J.Z.Weber ex J.Jeanes, *Muelleria* 19: 43-44, f. 3d-f, t. 2, f. 19 (2004).
- Thelymitra brevifolia* J.Jeanes, *Muelleria* 19: 30-32, 35, f. 1g-i, t. 1, f. 14 (2004).
- Thelymitra campanulata* Lindl. in Edwards's, *Bot. Reg.* 1-23: Swan Riv. Append. lix (1840).
- Thelymitra canaliculata* R.Br., *Prod.* 314 (1810).
- Thelymitra carnea* R.Br., *Prod.* 314 (1810).
- Thelymitra circumsepta* Fitzg., *Austral. orch.* 1(4): [t. 1] (1878).
- Thelymitra cornicina* Rchb.f., *Beitr. Syst. Pflanzenk.* 54 (1871).
- Thelymitra crinita* Lindl. in Edwards's, *Bot. Reg.* 1-23: Swan Riv. Append. xlv (1840).
- Thelymitra cucullata* Rupp, *Austral. Orchid Rev.* 11: 71 (1946).
- Thelymitra cyanapicata* J.Jeanes, *Muelleria* 19: 40-41, 43, f. 3a-c, t. 2, f. 18 (2004).
- Thelymitra cyanea* (Lindl.) Benth., *Fl. Austral.* 6: 323 (1873).
- Thelymitra dedmaniarum* R.S.Rogers, *Trans. & Proc. Roy. Soc. South Australia* 62: 13 (1938) [*sic* "dedmanae"].
- Thelymitra epipactoides* F.Muell., *Fragm.* 5: 174 (1866).
- Thelymitra erosa* D.L.Jones et M.A.Clem., *Austral. Orchid Res.* 3: 184-186, f. 8.1, a-c (1998).
- Thelymitra exigua* J.Jeanes, *Muelleria* 19: 28-30, f. 1d-f, t. 1, f. 10 (2004).
- Thelymitra flexuosa* Endl., *Nov. stirp. dec.* 3: 23 (1839).
- Thelymitra fragrans* D.L.Jones et M.A.Clem., *Austrobaileya* 2(5): 550-52, f. 2 C & D (1988).
- Thelymitra frenchii* J.Jeanes, *Muelleria* 19: 66-67, f. 4d-f, 33, t. 3 (2004).
- Thelymitra fuscolutea* R.Br., *Prod.* 315 (1810).
- Thelymitra graminea* Lindl. in Edwards's, *Bot. Reg.* 1-23: Swan Riv. Append. xlix (1840).
- Thelymitra grandiflora* Fitzg., *Gard. Chron. (new ser.)* 17: 495 (1882).
- Thelymitra granitora* D.L.Jones et M.A.Clem., *Orchadian* 12(7): 326-327, f., t. (1998).
- Thelymitra gregaria* D.L.Jones et M.A.Clem., *Orchadian* 12(7): 327, 330, f., t. (1998).
- Thelymitra hiemalis* D.L.Jones et M.A.Clem., *Orchadian* 12(7): 330-331 (1998).
- Thelymitra holmesii* Nicholls, *Victorian Naturalist* 49: 263, f. (1933).

- Thelymitra imbricata* D.L.Jones et M.A.Clem. Austral. Orchid Res. 3: 186-187 (1998).  
*Thelymitra improcera* D.L.Jones et M.A.Clem., Austral. Orchid Res. 3: 187-188 (1998).  
*Thelymitra inflata* J.Jeanes, Muelleria 19: 71-73, f.7g-I, 37, t. 4. (2004).  
*Thelymitra ixiooides* Sw., Ksvenska Vet. Akad. Handl. 21: 253, t. III, f. L (1800).  
*Thelymitra jonesii* J.Jeanes, Muelleria 15: 81-83, f.1g-i, 5 (2001).  
*Thelymitra juncifolia* Lindl., Gen. sp. orchid. pl. 522 (1840).  
*Thelymitra latiloba* J.Jeanes, Muelleria 15: 83-85, f.2a-c, 6 (2001).  
*Thelymitra longiloba* D.L.Jones et M.A.Clem., Austral. Orchid Res. 3: 191-192, f. 8.1, d-g (1998).  
*Thelymitra lucida* J.Jeanes, Muelleria 19: 70-71, f. 7d-f, 36, t.4 (2004).  
*Thelymitra luteocilium* Fitzg., Gard. Chron. (new ser.), 17: 495 (1882).  
*Thelymitra macrophylla* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. ixl (1840).  
*Thelymitra malvina* M.A.Clem., D.L.Jones et Molloy, Austral. Orchid Res. 1: 141 (1989).  
*Thelymitra matthewsii* Cheeseman, Trans. & Proc. New Zealand Inst. 43: 177 (1911).  
*Thelymitra media* R.Br., Prod. 314 (1810).  
*Thelymitra megalyptra* Fitzg., Austral. orch. 1(5): [t. 2] (1879).  
*Thelymitra mucida* Fitzg., Gard. Chron. (new ser.), 17: 495 (1882).  
*Thelymitra nuda* R.Br., Prod. 314 (1810).  
*Thelymitra occidentalis* J.Jeanes, Muelleria 15: 85-88, f.2d-f, 7 (2001).  
*Thelymitra pallidiflora* J.Jeanes, Muelleria 19: 44-46, f. 3g-i, t. 2, f. 21 (2004).  
*Thelymitra pauciflora* R.Br., Prod. 314 (1810).  
*Thelymitra peniculata* J.Jeanes, Muelleria 19: 50-52, f. 5d-f, t. 2, f. 25 (2004).  
*Thelymitra planicola* J.Jeanes, Muelleria 14: 94-96, f.1e-h,4,5 (2000).  
*Thelymitra polychroma* D.L.Jones et M.A.Clem., Austral. Orchid Res. 3: 193-194, f. 8.1, h-j (1998).  
*Thelymitra psammophila* C.R.P.Andrews, J. Western Australia Nat. Hist. Soc. 2 (2): 57-8 (1905).  
*Thelymitra purpurata* Rupp, Proc. Linn. Soc. New South Wales 70: 288, f. 1 (1946).  
*Thelymitra reflexa* J.Jeanes, Muelleria 21: 89-90, f.1,2 (2005).  
*Thelymitra rubra* Fitzg., Gard. Chron. (new ser.), 17: 495 (1882).  
*Thelymitra sargentii* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 54: 41 (1930).  
*Thelymitra silena* D.L.Jones, Orchadian 12(11): 518-519, f., t. (1999).  
*Thelymitra simulata* D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 195-196, f. 8.2, a-c. (1998).  
*Thelymitra spadicea* D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 196-197 (1998).  
*Thelymitra sparsa* D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 197-198, f. 8.2, g-i. (1998).  
*Thelymitra spiralis* (Lindl.) F.Muell. var. *spiralis*, Fragm. 5: 98 (1865).  
*Thelymitra spiralis* var. *pulchella* Nicholls, Victorian Naturalist 66: 56 (1949).  
*Thelymitra stellata* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. xlix (1840).  
*Thelymitra tigrina* R.Br., Prod. 315 (1810).  
*Thelymitra variegata* (Lindl.) F.Muell., Fragm. 5: 98 (1865).  
*Thelymitra venosa* R.Br., Prod. 314 (1810).  
*Thelymitra versicolor* Lindl., Gen. sp. orchid. pl. 520 (1840).  
*Thelymitra villosa* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append xlix (1840).  
*Thelymitra viridis* J.Jeanes, Muelleria 19: 36, 38, f. 2d-f, t. 1, f.14 (2004).  
*Thelymitra vulgaris* J.Jeanes, Muelleria 19: 58, 61-62, f.2d-f, 42 (2004).  
*Thelymitra xanthotricha* J.Jeanes, Muelleria 19: 75-77, f. 8d-f, 41, t. 4 (2004).  
*Thelymitra* ×*chasmogama* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 4 (1927).  
*Thelymitra* ×*irregularis* Nicholls, Victorian Naturalist 63: 126, f. A-C (1946).  
*Thelymitra* ×*mackibbinii* F.Muell., Chem. & Druggist Aust., Suppl. 42: 44 (1881).  
*Thelymitra* ×*macmillanii* F.Muell., Fragm. 5: 93 (1865).  
*Thelymitra* ×*merraniae* Nicholls, Victorian Naturalist 46: 139 (1929).  
*Thelymitra* ×*truncata* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 41: 343, t. 17 (1917).
- Thrixspermum* Lour., Fl. Cochinch. 2: 519 (1790). Type species: *Thrixspermum centipeda* Lour.  
*Thrixspermum carinatifolium* (Ridley) Schltr., Orchis 5: 56 (1911).  
*Thrixspermum congestum* (F.M.Bailey) Dockrill, Austral. Sarcanth. 27, t. 35 (1967).  
*Thrixspermum platystachys* (F.M.Bailey) Schltr., Orchis 5: 55 (1911).

*Thynninorchis* D.L.Jones et M.A.Clem., *Orchadian* 13(10): 457 (Feb. 2002). Type species: *Drakaea huntiana* F.Muell.

*Thynninorchis huntiana* (F.Muell.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 457 (2002).

*Thynninorchis nothofagicola* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 457 (2002).

*Townsonia* Cheesem., *Manual New Zealand Fl.* 691 (1906). Type species: *Townsonia deflexa* Cheesem.

*Townsonia viridis* (Hook.f.) Schltr., *Repert. Sepe. Nov. Regni Veg.* 9: 250 (1911).

*Trachoma* Garay, *Bot. Mus. Leafl.* 23: 207 (1972). Type species: *Dendrocolla rhopalorrhachis* Rehb.f.

*Trachoma speciosum* D.L.Jones, B.Gray, M.A.Clem. et J.J. Wood, *Austral. Orchid Res.*, 1: 145 (1989).

*Trachoma stellatum* M.A.Clem., D.L.Jones, B.Gray et J.J. Wood, *Austral. Orchid Res.*, 1: 146 (1989).

*Trachoma subluteum* (Rupp) Garay, *Bot. Mus. Leafl Harvard Univ.*, 23(4): 208 (1972).

*Trachyrhizum* (Schltr.) Brieger, *Schlechter Orchideen* (ed. 3), 1: 687 (1981). Type species: *Dendrobium chalmersii* F.Muell., *vide* Brieger (1981).

*Trachyrhizum agrostophyllum* (F.Muell.) Rauschert, *Feddes Repert.* 94(7–8): 468 (1983).

*Trichoglottis* Blume, *Bijdr.* 6: t. 3, f. 8, 8: 359 (1825). Type species: *Trichoglottis retusa* Blume.

*Trichoglottis australiensis* Dockrill, *Orchadian* 2: 106, f. (1967).

*Tropidia* Lindl. in Edwards's, *Bot. Reg.* 19: sub t. 1618 (1833). Type species: *Tropidia curculigoides* Lindl.

*Tropidia territorialis* D.L.Jones et M.A.Clem., *Orchadian* 14(8): Sci. Suppl. xi-xii (June 2004).

*Tropidia viridifusca* Kraenzl., *Vierteljahrsschr. Naturf. Ges. Zurich* 74: 71 (1929).

*Tropilis* Rafin., *Fl. Tell.* 2: 95 (1837). Type species: *Dendrobium aemulum* R.Br.

*Tropilis aemula* (R.Br.) Rafin., *Fl. Tell.* 2: 95 (1837).

*Tropilis angusta* D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 14, t. (21 Dec. 2006).

*Tropilis callitrophilis* (B.Gray et D.L.Jones) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).

*Tropilis crassa* D.L.Jones, B.Gray et M.A.Clem., *Austral. Orchid. Res.* 5: 14-15, t. (21 Dec. 2006).

*Tropilis eburnea* D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 15, t. (21 Dec. 2006).

*Tropilis eungellensis* D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 15-16, t. (21 Dec. 2006).

*Tropilis radiata* D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 16, t. (21 Dec. 2006).

*Urochilus* D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 91 (2002). Type species: *Pterostylis vittata* Lindl.

*Urochilus concavus* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 91 (2002).

*Urochilus sanguineus* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 91 (2002).

*Urochilus vittatus* (Lindl.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 91 (2002).

*Vanda* W.Jones ex R.Br. in Edwards's, *Bot. Reg.* 6: t. 506 (1820). Type species: *Vanda roxburghii* R.Br.

*Vanda hindsii* Lindl., *London J. Bot.* 2: 237 (1843).

\**Vanilla* P.Miller, *Gard. Dict. Abr.* (ed. 4), 2, without page number (28 Jan. 1754). Lectotype species: *Epidendrum vanilla* L. (= *Vanilla mexicana* P.Miller), *vide* Mansfeld (1959).

\**Vanilla planifolia* Andrews, *Bot. Repos.* 8: t. 538 (Nov 1808).

*Vappodes* M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002). Type species: *Dendrobium bigibbum* Lindl.

*Vappodes bigibba* (Lindl.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).

*Vappodes dicupha* (F.Muell.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).

*Vappodes lithocola* (D.L.Jones et M.A.Clem.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).

*Vappodes phalaenopsis* (Fitzg.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).

*Vrydagzynea* Blume, Collect. Orchidees 71 (1858); Fl. Javae Nova Ser. 59 (1858). Type species: *Hetaeria albida* Blume, *fide* Averyanov (1990).

*Vrydagzynea grayi* D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xii (2004).

×*Chilosimpliglottis* J.Jeanes, Muellera 16: 81 (2002).

×*Chilosimpliglottis pescottiana* (R.S.Rogers) J.Jeanes, Muellera 16: 81 (2002).

×*Cyanthera* N.Hoffman et A.P.Br., Orchids South-West Austral. (ed. 2), 156 (1992).

×*Cyanthera glossodioides* N.Hoffman et A.P.Br., Orchids South-West Austral. (ed. 2), 156 (1992), *nom. inval.*

×*Drakodenia* N.Hoffman et A.P.Br., Hopper et A.P.Br., Orchids South-West Austral. (ed. 2), 192 (1992).

×*Drakodenia enigma* N.Hoffman et A.P.Br., Orchids South-West Austral. (ed. 2), 193 (1992), *nom. inval.*

×*Drakodenia ornata* N.Hoffman et A.P.Br., Hopper et A.P.Br., Orchids South-West Austral. (ed. 2), 194 (1992).

×*Glossadenia* J.Kuvulak, The Australian Native Orchid Hybrid Guide (ed. 1), 7 (1986).

×*Glossadenia tutulata* (R.S.Rogers) J.Kuvulak, The Australian Native Orchid Hybrid Guide (ed. 1), 7 (1986).

×*Taurodium* D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 91 (2002).

×*Taurodium furcillatum* (Rupp) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 74 (2002).

×*Taurodium toveyanum* (Ewart et Sharman) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 74 (2002).

×*Vappacalum* M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002).

×*Vappacalum lavarackianum* (M.A.Clem.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002).

×*Vappacalum superbiens* (Rchb.f.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002).

×*Vappaculum vinicolor* (St.Cloud) M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002).

*Zeuxine* Lindl., Coll. Bot. App. no. 18 (1825); Orch. Scelet. 9 (1826)[*sic* 'Zeuxina'], *orth. cons.* Type species: *Pterygodium sulcatum* Roxb.

*Zeuxine exilis* Ridley, J. Straits Branch Roy. As. Soc. 45: 236 (1906).

*Zeuxine oblonga* R.S.Rogers et C.T.White, Proc. Roy. Soc. Queensland 32: 120-2, f 2 (1921).