

# **Product Environmental Report**

i■d 10t generation)

Date introduced October 18, 2022

# Progress toward our 2030 goal

26% rec. cled or renewable content1

Over 25% of manufacturing electricit sourced from sulphilier clean energ to ojects<sup>2</sup>

## **Smarter chemistry**<sup>3</sup>

Arsenic-free distella glass

Mercur -free

Brominated flame retardant-free

C-free

Ber Ilium-free

## Longevity

ind features a durable unibod construction and as undergone rigorous testing for durabilit.



# Responsible packaging

100% rec cled or responsible sourced wood fibers

**97%** fibe -based, due to our work to eliminate plastic in packaging

#### Recovery

Return our de le t roug Apple Trade In, and we'll gi litt a new life or rec cle it for free.

### **Responsible manufacturing**

Atopile Sulphile: Code of Conduct sets strict standards for the protection of people in our sulphile chain and the planet.

## Now with recycled gold and copper—a first for iPad





# Our product carbon neutrality strategy

Our goal is for Apple and all the products we make to be carbon neutral biggraphic 2030, reducing our total carbon emissions to no more than the million metric tons—at least a 7 the cent reduction against our 201 the asseline. The online are the million metric tons—at least a 7 the cent reduction against our 201 the asseline. The online are the million metric tons—at least a 7 the cent reduction against our 201 the oducts.

Out telan to decarbonize to oducts is rigorous and focuses on transitioning to clean electricit, designing with reclaim and low-carbon materials, and the ioritizing lower-carbon walls of simplify oducts, like with ocean freignt. Only after we' substantially reduced emissions will we attend to redite from ignerality carbon remote to accept to accept the content of the content of

### How we're reducing emissions

- Transition to 100 percent clean electricity for manufacturing: To eliminate emissions from the electricith used to make products, we're prioritizing manufacturing energing efficience and eleming to transition our entire supplied or ain to 100 percent clean electricith.
- Transition to 100 percent clean electricity for product use: To graduall negate emissions from the electricity our customers use to charge their Apple products, we're prioritizing product energy efficiency and in the sting in clean energy projects around the world.
- Prioritize non-air transportation: To reduce emissions from transporting to oducts, we're to initizing the use of lower-carbon shall be modes than air, like ocean or rail.
- Use recycled and low-carbon materials: To address emissions generated bousing to image materials, we've increasing to every cled content of our throducts, maximizing material and manufacturing efficiencies, and imterior going ields. And we've we're not et full transitioned to very cled content, we've the ioritizing low-carbon materials, such as aluminum smelted with droelectricit.

#### How we'll get to net zero emissions

or emissions that remain after reductions, we and our suppliers are suppliers and an important role in addressing our climate orisis, as nature-based solutions contribute to the least of ecos stems in addition to remorp graph on from the atmost ere. We are aligned with the scientific consensus that these solutions is ould only be deploted alongside aggressis reductions.


#### How we're monitoring progress

We first calculate the final carbon foother int of the hold oduct using a life chock carbon analosis allow oach, in accordance with international standards. To eller ensure our work is translating to real reductions, we consider what emissions would a been without our actions. We also the following assumetions to create this baseline scenario

- No use of clean electricit for manufacturing or noduct use, be ond wat is alread a labele on the grid whosed on regional emissions factors).
- Apple's carbon intensit of ke materials as of 201 "Carbon intensit of materials reflects use of recicled content and to oduction technologism.
- Apple's a stage mix of transportation modes rair, rail, ocean, trucking) by product line across tree ears riscal ears 2017 to 201) to best capture tree baseline transportation emissions of our products.

# Progress toward carbon neutral


We' leduced emissions for independent of the descent against our baseline. Independent of the descent record against our baseline. Independent of the descent record aluminum enclosure, which reduced emissions from materials by the descent. We're also working with our suppliers to transition to 100 percent clean electricity for Apple production. The clean electricity solutions that suppliers a smaller implemented to date a sequence of the descent.




## Taking responsibility for our products at every stage

We take responsibilit for our products throughout their life colles—including the materials the large made of, the people will be assemble them, and low the large collected at end of life. And we focus on the areas where we can make the biggest difference for our planet reducing our impact on climate change, conserving important resources, and using safer materials.

We sell millions of products. So making even small adjustments can have a meaningful impact.





## **Source Materials**

i d ≠0t generation) contains 2 to the centre cled or renewable content.

To consect Immortant resources, we work to reduce the material we use and aim to one day source only recorded or renewable materials in our products. And as we make this transition, we remain committed to the responsible sourcing of primary materials. We map man materials, some to the mineral source, and establish the estrictest standards for smelters and refiners. Apple also requires 100 per cent of identified tin, tantalum, tungsten, gold, cobalt, and lithium smelters and refiners to participate in third-part audits. We're products. Our product designs also consider the safeth of those who make, use, and recorded our products, restricting the use of fundreds of a mful substances. Our standards go be ondiwat's required bill law to protect people and the entire participate.



#### Aluminum

T e enclosure of i d 10t generation) is made of 100 bercent rec cled aluminum.



#### Rare earth elements

We use 100 be centived cledivare eart elements in all magnets, representing 100 be cent of the varie eart elements in indicate and the second of the variety and the second of t





#### Copper

We've now using 100 to centive cled coto in the foil of the main logic board. This use of vecicled coto er foil is a first for Atole.



#### **Plastic**

We're transitioning from fossil fuel-based plastics to trose made from renewable or recolled sources. Or idea and from renewable or recolled sources. Or idea and from renewable or recolled sources. Or idea and from renewable or more recolled plastic. The antenna lines also use upon cled plastic from bottles that a been chemically transformed into a stronger, ignerable formance material.




#### Tin

We use 100 be centived cled tin in the solder of multiple by intediction to boards. Apple also requires 100 be cent of identified tin, tantalum, tungsten, gold, and cobalt smelters and refiners to be a ticibate in third-barthaudits. 10



#### Gold

Attole is thioneering industrial reading letters of traceabilit in rec cled materials to build a gold subtract can of exclusion rec cled content. We're now using 100 the cent rec cled gold in the telephone of multiple to inted circuit boards.



is five of a mful substances like ber llium, brominated flame retardants, (c, b) to alates, a senic in the displanglass, and mercure. And 100 bercent of the materials in the dare considered by our Regulated Substances Specification. We go be ond what is required by aiming to understand the non-regulated substances in the product—an effort that requires an industrial-leading lead of transparencial through the entire supplied of aim. We consistent identification of the makeutory of the product of th



## Make

T e Apple Supplier Code of Conduct sets strict standards for t e protection of people in our supplier c ain and t e planet t at we all s are. E ear, we assess our suppliers' performance in up olding t e standards required b our Code.

We work closel wit our suppliers to toro made safe and ealt. Work places were toed to eale the ated wit dignit and respect, and to reduce suppliers' en momental impact. Our requirements atological across our supplier cain, and include the responsible sourcing of materials. From the strong foundation set bour Code, we go further—from elloing suppliers transition to clean electricity, to the obliging educational option tunities for their emplores, to supplier the suppliers in reducing waste. Or more information, see applier.com/supplier-responsibility.

### **Greener chemicals**


All establis ed id final assembl subplies sites use safes cleaners and degreasers in their manufacturing for occesses, as determined but met odologies like the GreenScreen® assessment. 12


#### **Zero Waste to Landfill**

All establis ed in d final assembl supplie, sites do not generate an waste sent to landfill.13

## Supplier energy use

O ■ 2 . percent of i d manufacturing electricit is sourced from supplier clean energ frojects, supplorted b Apple's Supplier Clean Energ dogs am.2







# Package and Ship

T e independent is made wit 100 per cent rec cled and responsible sourced wood fiber.

To improfimous packaging, we are working to eliminate plastics, increase recicled content, and use less packaging of all. All of the wood fiber in our packaging is either recicled or comes from responsibling managed for ests. 14 And we are notected or created enough responsible managed for ests to cold all the region wood fiber we use in our packaging. 15 This ensures working for ests are able to regrow and continue to clean our air and purifinour water.

As we transport our products from our manufacturers to our consumers, we're prioritizing less carbon-intensi si intense modes transport, sucress as rail and ocean.

## 97%

of t e hackaging<sup>16</sup> is fiber-based, due to our work to eliminate hastic in hackaging

## 56%

rec cled content in fiber backaging

## 100%

of te in temackaging comes from responsibl managed for ests14





## Use

i d uses �� •ercent less energ tanterequirement for ENERGY STAR.

We design our to oducts to be energicient, long-lasting, and safe. induses software and to ower-efficient components that intelligent manage to ower consumption. We also run our own Reliabilithand Enterported to the last manage to ower consumption. We also run our own Reliabilithand Enterported to the last manage to ower consumption. We also run our own Reliabilithand Enterported to the last manage to own oducts gother to our regard to our to oduct software updates. Our support continues throughout each following out each of oduct's life check, with regular software updates to keep determine and a network of authorized repair to offersionals to ser the end of the

#### **Energy consumption of ENERGY STAR-rated products**

Apple de les consistent l'ank among t'e ig -performing products rated b ENERGY STAR, wild sets specifications t'at topical reflect t'e 2 percent most energie-efficient de les on t'e market. Ed consumes & percent less energie t'an t'e requirement for ENERGY STAR. 17

## **Designed to last**

identifies a durable unibod construction and as undergone rigorous testing for durabilit.

# Made with smarter chemistry

We apply rigorous controls for materials users touc—all based on recommendations from toxicologists and dermatologists.



## **Apple Trade In**

## Recover

Return our foroduct wit Afotole Trade In, and we'll ensure it as a long life of rec. cle it for free.

Wen to oducts are used longer, fewer resources are extracted from tee art. And we want te materials in our to oducts to limition in ot en to oducts. T at's w we launc ed Atotale Trade Init offers customers a seamless wat to return their old de lites and accessories to Atotele. Eligible de les can be traded in for credit or an Atotole Store Gift Card, will accessories and ot en de les can be le celed foi fiee. 18 We also offei and to a ticite ate in to oduct take-back and rec cling collection to ograms for becent of the countries where we sell broducts—and we old our rec clers to ig standards. Our efforts to keet a mful substances out of our toroducts mean our materials are safer to reco and reuse.



## **Definitions**

**Bio-based plastics:** Bio-based **b**lastics are made from biological sources rate it an from fossil-fuel sources. Bio-based **b**lastics allow us to reduce reliance on fossil fuels.

Carbon footprint: Estimated emissions are calculated in accordance wit guidelines and requirements as specified b ISO 14040 and ISO 14044. There is in event uncertainth in modeling carbon emissions due to imarial to data limitations. On the top component contributors to Apple's carbon emissions, Apple addresses this uncertainth by democrating detailed to occass-based en someonatal models with Apple-specific to arrange and assumptions. Calculation includes emissions for the following life collector assessments as contributing to Global Warming tential GW 100 ears) in CO<sub>2</sub> equite cators CO<sub>2</sub>e)

**Production:** Includes the extraction, production, and transportation of raw materials, as well as the manufacture, transport, and assemble of all parts and product packaging.

Transport: Includes ground, air, and sea transportation of the finished product and its associated prackaging from manufacturing site to regional distribution hubs. Transport of products from distribution hubs to end customers is modeled using a page distances based on regional geographic.

Use: Apple assumes a tree-or four-ear period for power use b first owners based on te product tree. Color of the product tree scenarios are based on istorical customer use data for similar products. Energ use is simulated in color of troug performing actions and music pla back. Geogrape ic differences in the power grid mix and performing actions are performed and music plants.

End-of-life processing: Includes transportation from collection ubstored cling centers and tile energioused in medianical separation and sixedding of the ts.

or more information on our product carbon footh int met odolog, at apple.com/enant/answers.

Low-carbon materials: Refers to materials created using production techniques with reduced carbon impact, such as Ellisis referented technolog it at eliminates direct green ouse gas emissions from tile traditional aluminum smelting process) or aluminum smelted using the oelectricit instead of coal.

Recycled materials: Rec cling makes better use of finite resources b sourcing from recommed rate it an mined materials. Rec cled content claims for materials used in our foroducts a been fifted b an independent tind for to a rec cled content standard t at conforms to ISO 14021.

Renewable materials: We define bio-materials as to set at can be regenerated in a uman lifeston, like to apper fibers or sugarcane. Bio-materials can elto us use fewer finite resources. Bute to ug bio-materials a te abilit to regrow, te are not alwas managed restonsible. Renewable materials are at to efficient and an appear of the area of the continuous to determine the continuous of the

Supplier Clean Energy Program: Since t e electricit used to make our products is t e largest contributor to our o all carbon footprint, we're elping our suppliers decarbonize t eir Apple production, including b transitioning electricit use to 100 per cent clean sources.

# Carbon Footprint

Green ouse gas emissions were calculated using a life colleassessment methodolog in accordance wit ISO 14040 and 14044 standards and based on indication. Wire in the Cellular wit 4GB storage configuration. The life colleassessment boundar for this product includes the product and all of its components, as well as all in-box accessories and packaging.

Greenhouse gas emissions	iPad (10th generation) Wi-Fi + Cellular with 64GB storage configuration
Total product footprint	72 kg CO₂e
Apple emissions from utilit - purc ased electricit - scope 2)	0 kg CO <sub>2</sub> e
Life c cle (n) oduct emissions (scot) e 3)	72 kg CO <sub>2</sub> e
oduction	78
Transportation	8
oduct use	14
End of life to ocessing	. 1
GHG reductions ac ie 1 6 6	↓40

Note centages ma not total 100 due to rounding.

We' also calculated t e o oduct carbon footor int for different configurations

Configuration	iPad (10th generation) Wi-Fi + Cellular	
<b>⊕</b> 4GB	72 kg CO₂e	
2 <b>♠</b> GB	82 kg CO <sub>2</sub> e	

## **Endnotes**

- 1 boductive cled on renewable content is the mass of certified recicled material relationation the obligation of the deliber, not including the characteristics of the deliber, not including the characteristics of the deliber.
- 2 We estimate te the centage of electricit -related emissions in our manufacturing that is sourced from clean electricit bhattributing to our carbon model clean energhoroused bhorurs suppliers in tentrior fiscal ear, based on the supplier manufacturing allocations at time of the oduct launch. Included in this number is onliced electricithat at Alphele or its suppliers a source day to the first supplier. Suppliers a source day to the first supplier of the outroof the first supplier of the first suppliers. The first supplier of the first suppl
- 3 Apple defines its restrictions on a mful substances, including definitions for w at Apple considers to be "free of," in the Apple Regulated Substances Specification. E Apple to oduct is free of C and to the alates with the exception of AC tower conds in India, The aliand for 2-toning AC tower conds), and Sout note, where we continue to seek go mment apple of for our C and to the alates replacement. Apple to oducts complete with the European Union Direction 2011/ #EU and its amendments, including exemptions for the use of lead such as ignored the solder. Apple is working to to assect the use of the seexempted substances where the nicall toossible.
- 4 d 40t generation) ac ie d 30t along in t e United States and Canada, in accordance wit IEEE 1980.1 or UL 110, and is listed as suc on t e Electronic oduct En numerical Assessment Tool F AT) Registre. E AT) Registre is computers, displays, and mobile to ones based on en numerical requirements in the ese standards. Or more information, to twww.epeat.net.
- \*We recognize that e a clean sources of electricithal estimates a clean sources of electricithal estimates and estimates a clean sources of electricithal estimates and estimates a clean sources of electricithal estimates and estimates and estimates a clean sources of electricithal estimates and estimates and estimates a clean sources of electricithal estimates and estimates and
- Carbon reductions are calculated against a baseline scenarior 1) No use of clean electricity for manufacturing or the oduct use, be ond what is alread a labele on the grid phased on regional emissions factors). 2) Apple's carbon intensity of kematerials as of 201, your baseline ear for our 2030 to oduct carbon neutrality goal). Carbon intensity of materials reflects use of recorded content and to oduction technologically applied as a large mix of transportation modes pair, rail, ocean, trucking) by to oduct line across three lears priscal lears 2017 to 201 to best capture the baseline transportation emissions of our to oducts.
- 7 We calculate emissions sa ligs from the use of recorded or low-carbon materials in our for oducts bid comparing the carbon intensition of kermaterials todal with their 201, baseline for Apple for oducts. We currently only quantified the carbon sa ligs from the use of recorded aluminum, which means the actual emissions a light date likeling and we follow the intensity of recorded content of time.
- 8 Green ouse gas emissions were calculated using a life cricle assessment met odolog in accordance wit ISO 14040 and 14044 standards and based on i delta 10t generation) Wi- i + Cellular wit 64GB storage configuration.

  The life cricle assessment boundar for this foroduct includes the form sical foroduct and all of its components, as well as all in-box accessories.
- We estimate emissions sa lings from supplies clean electricit b allocating to our carbon model clean electricit generated b our suppliers in the prior fiscal lear, based on the supplier manufacturing allocations at time of the oduct large.
- 10 T ind-mark assessments seek to confirm sourcing for actices and are four responsible sourcing for ogram. In addition, our efforts consider a broad range of risks, including social, en month, uman rights, and go finance risks.
- 11 Excludes trace amount of rare eart elements found outside of te magnets and accounting for less ten 0. each telement found outside of ten total found in ten de less ten outside of ten total found in ten de less ten outside of ten magnets and accounting for less ten outside of ten magnets and accounting for less ten outside of ten magnets and accounting for less ten outside of ten magnets and accounting for less ten outside of ten magnets and accounting for less ten outside of ten magnets and accounting for less ten outside of ten magnets and accounting for less ten outside of ten magnets and accounting for less ten outside of ten magnets and accounting for less ten outside of ten magnets and accounting for less ten outside of ten outside of ten magnets and accounting for less ten outside of ten outside of ten outside of ten outside outside outside of ten outside outsid
- 12 C emicals t at meet GreenScreen® benc mark 3 or 4 or or er equitation timet odologies like U.S. E Safer C oice are considered safer and the eferred for use. GreenScreen® is a comfere ensital azard assessment tool t at explants substances against 18 different criteria. Or more information, the twww.greenscreenc emicals.org.
- 13 All establis ed final assembl supplies sites—on to set at a been Apple supplies for more tan one ear—for id 10 generation) are tind-part certified as Zero Waste b ULLLC JUL 27 Standard). UL requires at least 0 percent did sion troug met ods of ert an waste to energ to ac ie Zero Waste to Landfill Sil 10 0 4 percent, Gold to the cent, and tinum 100 percent) designations.
- 14 Responsible sourcing of wood fiber is defined in Apple's Sustainable iber Specification. We consider wood fibers to include hamboo
- 1 vo, more information about our work to protect and create responsible managed forests, please read our En months
- 18 Breakdown of U.S. retail heackaging b weig t. Ad esi , inks, and coatings are excluded from our calculations of helastic content and heackaging weig t.

## **Endnotes**

i≣ad alot generation) is tested wit a full carged batter and browered bit e Abole 20W USB-C ≣swer Adabeter wit te USB-C to Ligitning Cable alm).

Slee Low bowe, state t at is entered automaticall after 2 minutes of inacti default), or b bessing t e Slee /Wake button. Connected to Wi- i. All ot er settings were left in t eir default state.

Idle—Displa on Displa brig tness was set as defined b ENERGY STAR on Requirements for Computers, and Auto-Brig tness was turned off. Connected to Wi- i. All ot er settings were left in their default state.

■ we ada te, no-load Condition in w ic t e A to lead to the Ada te wit t e USB-C to Lig thing Cable Im) is connected to AC to our but not connected to t es stem.

we adapte efficienc A age of the Apple 20W USB-C we Adapte with the USB-C to Lightning Cable (Im) measured efficiench when the steed at 100 percent, 7 percent, 10 percent, and 2 percent of the power adapte is rated output current.

	Power consumption for iPad (10th generation)		
Mode	100V	115V	230V
Slee	0.2 کا	0.3 <del>0</del> W	0.37W
Idle—Dis <b>•</b> la on	2. 4W	2. 3W	3.01W
wei adateti, no load	0.04W	0.04W	0.0 <b>.W</b>
we adate efficienc	8 <del>0</del> .8	87.	87.8

<sup>18</sup> Trade-in Mouse Mouse based on the condition, lear, and configuration of our trade-in de Mouse, and mail also Mouse trade-in. You must be at least 18 lears old. In-store trade-in requires to esentation of a Mouse for mouse the condition of a Mouse for mouse from Atopie or Atopie's trade-in the attress mail atopie.