

## Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending July 21, 2012 (29th week)\*


Disease	Current week	Cum 2012	5-year weekly average <sup>†</sup>	Total cases reported for previous years					States reporting cases during current week (No.)
				2011	2010	2009	2008	2007	
Anthrax	—	—	—	1	—	1	—	1	
Arboviral diseases <sup>§, ¶</sup> :									
California serogroup virus disease	—	8	5	134	75	55	62	55	
Eastern equine encephalitis virus disease	—	1	0	4	10	4	4	4	
Powassan virus disease	—	2	0	16	8	6	2	7	
St. Louis encephalitis virus disease	—	—	0	6	10	12	13	9	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Babesiosis	1	112	30	1,128	NN	NN	NN	NN	NY (1)
Botulism, total	—	69	2	153	112	118	145	144	
foodborne	—	7	0	24	7	10	17	32	
infant	—	55	2	97	80	83	109	85	
other (wound and unspecified)	—	7	0	32	25	25	19	27	
Brucellosis	2	63	3	79	115	115	80	131	FL (2)
Chancroid	—	12	0	8	24	28	25	23	
Cholera	—	1	1	41	13	10	5	7	
Cyclosporiasis <sup>§</sup>	9	49	6	151	179	141	139	93	MA (1), MO (1), MD (1), FL (1), TX (5)
Diphtheria	—	—	—	—	—	—	—	—	
<i>Haemophilus influenzae</i> ,** invasive disease (age <5 yrs):									
serotype b	—	9	0	14	23	35	30	22	
nonsertotype b	—	92	3	145	200	236	244	199	
unknown serotype	—	131	3	226	223	178	163	180	
Hansen disease <sup>§</sup>	—	20	1	82	98	103	80	101	
Hantavirus pulmonary syndrome <sup>§</sup>	—	10	1	23	20	20	18	32	
Hemolytic uremic syndrome, postdiarrheal <sup>§</sup>	5	70	7	290	266	242	330	292	OH (4), MO (1)
Influenza-associated pediatric mortality <sup>§, ††</sup>	1	34	1	118	61	358	90	77	PA (1)
Listeriosis	9	274	19	870	821	851	759	808	NY (1), OH (3), CA (5)
Measles <sup>§§</sup>	—	43	2	222	63	71	140	43	
Meningococcal disease, invasive <sup>¶¶</sup> :									
A, C, Y, and W-135	1	78	4	257	280	301	330	325	OH (1)
serogroup B	—	48	3	159	135	174	188	167	
other serogroup	—	7	0	20	12	23	38	35	
unknown serogroup	5	190	7	323	406	482	616	550	NY (1), OH (2), MN (1), FL (1)
Novel influenza A virus infections <sup>***</sup>	—	1	0	8	4	43,774	2	4	
Plague	—	—	0	3	2	8	3	7	
Poliomyelitis, paralytic	—	—	—	—	—	1	—	—	
Polio virus Infection, nonparalytic <sup>§</sup>	—	—	—	—	—	—	—	—	
Psittacosis <sup>§</sup>	—	2	0	2	4	9	8	12	
Q fever, total <sup>§</sup>	2	60	2	134	131	113	120	171	
acute	2	48	1	110	106	93	106	—	TX (1), CA (1)
chronic	—	12	0	24	25	20	14	—	
Rabies, human	—	—	0	3	2	4	2	1	
Rubella <sup>†††</sup>	—	4	0	4	5	3	16	12	
Rubella, congenital syndrome	—	2	—	—	—	2	—	—	
SARS-CoV <sup>§</sup>	—	—	—	—	—	—	—	—	
Smallpox <sup>§</sup>	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome <sup>§</sup>	2	76	2	168	142	161	157	132	OH (1), NC (1)
Syphilis, congenital (age <1 yr) <sup>§§§</sup>	—	74	8	358	377	423	431	430	
Tetanus	—	20	0	36	26	18	19	28	
Toxic-shock syndrome (staphylococcal) <sup>§</sup>	2	28	1	78	82	74	71	92	OH (1), CA (1)
Trichinellosis	—	6	0	15	7	13	39	5	
Tularemia	1	60	6	166	124	93	123	137	WA (1)
Typhoid fever	—	138	8	390	467	397	449	434	
Vancomycin-intermediate <i>Staphylococcus aureus</i> <sup>§</sup>	1	42	1	82	91	78	63	37	FL (1)
Vancomycin-resistant <i>Staphylococcus aureus</i> <sup>§</sup>	—	1	—	—	2	1	—	2	
Vibriosis (noncholera <i>Vibrio</i> species infections) <sup>§</sup>	13	289	24	832	846	789	588	549	MD (3), FL (4), NV (1), WA (5)
Viral hemorrhagic fever <sup>¶¶¶</sup>	—	—	—	—	1	NN	NN	NN	
Yellow fever	—	—	—	—	—	—	—	—	

See Table 1 footnotes on next page.

**TABLE I. (Continued) Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending July 21, 2012 (29th week)\***

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts.  
 \* Case counts for reporting year 2011 and 2012 are provisional and subject to change. For further information on interpretation of these data, see [http://www.cdc.gov/osels/ph\\_surveillance/nndss/phs/files/ProvisionalNationa%20NotifiableDiseasesSurveillanceData20100927.pdf](http://www.cdc.gov/osels/ph_surveillance/nndss/phs/files/ProvisionalNationa%20NotifiableDiseasesSurveillanceData20100927.pdf).  
 † Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. Additional information is available at [http://www.cdc.gov/osels/ph\\_surveillance/nndss/phs/files/5yearweeklyaverage.pdf](http://www.cdc.gov/osels/ph_surveillance/nndss/phs/files/5yearweeklyaverage.pdf).  
 ‡ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, TB data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at [http://www.cdc.gov/osels/ph\\_surveillance/nndss/phs/infdis.htm](http://www.cdc.gov/osels/ph_surveillance/nndss/phs/infdis.htm).  
 ¶ Includes both neuroinvasive and nonneuroinvasive. Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.  
 \*\* Data for *H. influenzae* (all ages, all serotypes) are available in Table II.  
 †† Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since October 2, 2011, 34 influenza-associated pediatric deaths occurring during the 2011-12 influenza season have been reported.  
 ‡‡ No measles cases were reported for the current week.  
 ¶¶ Data for meningococcal disease (all serogroups) are available in Table II.  
 \*\*\* CDC discontinued reporting of individual confirmed and probable cases of 2009 pandemic influenza A (H1N1) virus infections on July 24, 2009. During 2009, four cases of human infection with novel influenza A viruses, different from the 2009 pandemic influenza A (H1N1) strain, were reported to CDC. The four cases of novel influenza A virus infection reported to CDC during 2010, the eight cases reported during 2011, and the one case reported in 2012 are different from the 2009 pandemic influenza A (H1N1) virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).  
 ††† No rubella cases were reported for the current week.  
 §§§ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.  
 ¶¶¶ There were no cases of viral hemorrhagic fever reported during the current week. See Table II for dengue hemorrhagic fever.

**FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals July 21, 2012, with historical data**



\* Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

**Notifiable Disease Data Team and 122 Cities Mortality Data Team**

Enrique Nieves

Deborah A. Adams      Willie J. Anderson  
 Lenee Blanton          Rosaline Dhara  
 Diana Harris Onweh      Alan W. Schley  
 Pearl C. Sharp            Michael S. Wodajo



Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending July 21, 2012, and July 23, 2011 (29th week)\*

Reporting area	Dengue Virus Infection									
	Dengue Fever <sup>†</sup>					Dengue Hemorrhagic Fever <sup>§</sup>				
	Current week	Previous 52 weeks		Cum 2012	Cum 2011	Current week	Previous 52 weeks		Cum 2012	Cum 2011
	Med	Max				Med	Max			
<b>United States</b>	—	1	17	35	81	—	0	1	—	1
<b>New England</b>	—	0	1	2	2	—	0	0	—	—
Connecticut	—	0	0	1	1	—	0	0	—	—
Maine	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	0	—	—	—	0	0	—	—
New Hampshire	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	0	0	—	—	—	0	0	—	—
Vermont	—	0	1	1	1	—	0	0	—	—
<b>Mid. Atlantic</b>	—	0	6	5	27	—	0	0	—	—
New Jersey	—	0	0	—	—	—	0	0	—	—
New York (Upstate)	—	0	2	—	1	—	0	0	—	—
New York City	—	0	4	—	16	—	0	0	—	—
Pennsylvania	—	0	2	5	10	—	0	0	—	—
<b>E.N. Central</b>	—	0	2	6	6	—	0	1	—	—
Illinois	—	0	1	—	1	—	0	1	—	—
Indiana	—	0	1	1	1	—	0	0	—	—
Michigan	—	0	2	—	2	—	0	0	—	—
Ohio	—	0	1	1	—	—	0	0	—	—
Wisconsin	—	0	1	4	2	—	0	0	—	—
<b>W.N. Central</b>	—	0	2	1	5	—	0	0	—	—
Iowa	—	0	1	1	2	—	0	0	—	—
Kansas	—	0	1	—	—	—	0	0	—	—
Minnesota	—	0	1	—	3	—	0	0	—	—
Missouri	—	0	0	—	—	—	0	0	—	—
Nebraska	—	0	0	—	—	—	0	0	—	—
North Dakota	—	0	1	—	—	—	0	0	—	—
South Dakota	—	0	0	—	—	—	0	0	—	—
<b>S. Atlantic</b>	—	0	9	16	18	—	0	0	—	1
Delaware	—	0	2	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	—	0	7	13	11	—	0	0	—	—
Georgia	—	0	1	—	2	—	0	0	—	—
Maryland	—	0	2	3	2	—	0	0	—	—
North Carolina	—	0	1	—	1	—	0	0	—	—
South Carolina	—	0	1	—	1	—	0	0	—	—
Virginia	—	0	1	—	1	—	0	0	—	1
West Virginia	—	0	0	—	—	—	0	0	—	—
<b>E.S. Central</b>	—	0	3	2	—	—	0	0	—	—
Alabama	—	0	1	1	—	—	0	0	—	—
Kentucky	—	0	1	—	—	—	0	0	—	—
Mississippi	—	0	0	1	—	—	0	0	—	—
Tennessee	—	0	2	—	—	—	0	0	—	—
<b>W.S. Central</b>	—	0	2	—	2	—	0	0	—	—
Arkansas	—	0	0	—	—	—	0	0	—	—
Louisiana	—	0	1	—	1	—	0	0	—	—
Oklahoma	—	0	0	—	—	—	0	0	—	—
Texas	—	0	1	—	1	—	0	0	—	—
<b>Mountain</b>	—	0	1	—	3	—	0	0	—	—
Arizona	—	0	1	—	1	—	0	0	—	—
Colorado	—	0	0	—	—	—	0	0	—	—
Idaho	—	0	0	—	—	—	0	0	—	—
Montana	—	0	0	—	—	—	0	0	—	—
Nevada	—	0	1	—	—	—	0	0	—	—
New Mexico	—	0	1	—	1	—	0	0	—	—
Utah	—	0	0	—	1	—	0	0	—	—
Wyoming	—	0	0	—	—	—	0	0	—	—
<b>Pacific</b>	—	0	1	3	18	—	0	0	—	—
Alaska	—	0	0	—	—	—	0	0	—	—
California	—	0	0	—	5	—	0	0	—	—
Hawaii	—	0	1	1	8	—	0	0	—	—
Oregon	—	0	0	—	—	—	0	0	—	—
Washington	—	0	1	2	5	—	0	0	—	—
<b>Territories</b>										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	7	84	—	321	—	0	3	—	1
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2011 and 2012 are provisional and subject to change. For further information on interpretation of these data, see [http://www.cdc.gov/osels/ph\\_surveillance/nndss/phs/files/ProvisionalNationa%20NotifiableDiseasesSurveillanceData20100927.pdf](http://www.cdc.gov/osels/ph_surveillance/nndss/phs/files/ProvisionalNationa%20NotifiableDiseasesSurveillanceData20100927.pdf). Data for TB are displayed in Table IV, which appears quarterly.

<sup>†</sup> Dengue Fever includes cases that meet criteria for Dengue Fever with hemorrhage, other clinical and unknown case classifications.

<sup>§</sup> DHF includes cases that meet criteria for dengue shock syndrome (DSS), a more severe form of DHF.















Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending July 21, 2012, and July 23, 2011 (29th week)\*

Reporting area	Shigellosis					Spotted Fever Rickettsiosis (including RMSF) <sup>†</sup>									
	Current week	Previous 52 weeks		Cum 2012	Cum 2011	Confirmed					Probable				
		Med	Max			Current week	Med	Max	Cum 2012	Cum 2011	Current week	Med	Max	Cum 2012	Cum 2011
<b>United States</b>	228	256	426	6,374	6,154	2	3	19	88	105	33	54	350	1,659	758
<b>New England</b>	1	3	22	70	128	—	0	1	1	1	—	0	1	5	5
Connecticut	—	0	4	14	24	—	0	0	—	—	—	0	0	—	—
Maine	1	0	8	3	18	—	0	0	—	—	—	0	1	2	—
Massachusetts	—	3	20	51	77	—	0	0	—	—	—	0	1	—	3
New Hampshire	—	0	1	1	1	—	0	1	—	1	—	0	0	—	1
Rhode Island	—	0	2	—	5	—	0	0	—	—	—	0	1	3	1
Vermont	—	0	1	1	3	—	0	1	1	—	—	0	0	—	—
<b>Mid. Atlantic</b>	39	43	89	1,302	377	—	0	2	16	2	1	2	11	36	64
New Jersey	—	18	48	589	75	—	0	1	—	1	—	0	8	—	55
New York (Upstate)	38	9	41	316	111	—	0	1	4	1	1	0	3	6	2
New York City	1	13	28	331	136	—	0	0	—	—	—	0	2	9	2
Pennsylvania	—	2	11	66	55	—	0	2	12	—	—	1	3	21	5
<b>E.N. Central</b>	68	18	42	585	471	—	0	2	5	8	1	2	12	103	57
Illinois	—	3	16	75	118	—	0	1	2	—	—	1	10	67	31
Indiana	—	1	6	26	41	—	0	1	3	3	—	0	4	25	16
Michigan	—	4	11	88	87	—	0	0	—	—	—	0	1	1	—
Ohio	68	8	25	396	183	—	0	2	—	3	1	0	2	10	8
Wisconsin	—	0	4	—	42	—	0	0	—	2	—	0	2	—	2
<b>W.N. Central</b>	9	7	15	184	226	—	0	7	19	9	—	6	34	325	151
Iowa	—	0	3	13	9	—	0	0	—	—	—	0	1	5	4
Kansas	—	2	9	72	34	—	0	0	—	—	—	0	0	—	—
Minnesota	—	0	6	—	42	—	0	0	—	—	—	0	2	—	5
Missouri	4	1	7	53	132	—	0	6	18	5	—	5	34	318	140
Nebraska	5	0	7	43	5	—	0	1	—	4	—	0	1	2	2
North Dakota	—	0	2	2	—	—	0	1	1	—	—	0	0	—	—
South Dakota	—	0	1	1	4	—	0	1	—	—	—	0	0	—	—
<b>S. Atlantic</b>	29	70	135	1,603	2,064	1	1	12	31	64	13	11	77	361	172
Delaware	—	0	2	4	1	—	0	0	—	—	—	0	2	15	13
District of Columbia	—	0	6	14	12	—	0	0	—	1	—	0	1	1	—
Florida	21	46	66	1,087	1,473	1	0	1	2	2	2	0	4	17	3
Georgia	—	13	24	247	309	—	1	9	20	48	—	0	0	—	—
Maryland	4	3	15	130	48	—	0	1	—	2	—	0	3	15	9
North Carolina	3	2	9	65	140	—	0	3	—	4	—	0	49	81	65
South Carolina	—	1	54	17	30	—	0	2	6	5	—	0	2	6	13
Virginia	1	1	7	38	47	—	0	1	3	2	11	5	29	226	67
West Virginia	—	0	1	1	4	—	0	0	—	—	—	0	1	—	2
<b>E.S. Central</b>	6	21	52	595	447	—	0	2	1	5	11	7	52	422	160
Alabama	1	6	22	174	109	—	0	1	1	—	1	2	8	60	31
Kentucky	5	4	21	186	157	—	0	1	—	—	—	0	3	15	—
Mississippi	—	5	24	139	82	—	0	0	—	1	—	0	2	3	9
Tennessee	—	4	11	96	99	—	0	2	—	4	10	5	47	344	120
<b>W.S. Central</b>	50	59	189	1,324	1,518	—	0	6	3	3	7	12	292	367	116
Arkansas	—	2	7	33	52	—	0	3	2	2	7	9	63	285	101
Louisiana	—	7	22	95	247	—	0	0	—	—	—	0	2	3	2
Oklahoma	22	6	55	269	45	—	0	5	1	1	—	0	260	49	5
Texas	28	41	122	927	1,174	—	0	1	—	—	—	1	13	30	8
<b>Mountain</b>	7	10	41	236	402	—	0	3	7	13	—	1	6	34	30
Arizona	—	7	28	159	133	—	0	3	7	12	—	0	5	22	20
Colorado	—	1	8	25	40	—	0	0	—	—	—	0	1	2	1
Idaho	2	0	2	7	13	—	0	0	—	—	—	0	2	3	1
Montana	1	0	5	7	107	—	0	0	—	—	—	0	1	1	1
Nevada	4	0	5	13	11	—	0	0	—	—	—	0	1	—	—
New Mexico	—	1	7	16	67	—	0	0	—	—	—	0	1	1	—
Utah	—	0	3	9	30	—	0	0	—	1	—	0	1	3	3
Wyoming	—	0	1	—	1	—	0	0	—	—	—	0	2	2	4
<b>Pacific</b>	19	18	45	475	521	1	0	2	5	—	—	0	3	6	3
Alaska	—	0	2	6	3	N	0	0	N	N	N	0	0	N	N
California	11	13	42	364	412	1	0	2	5	—	—	0	2	5	3
Hawaii	1	0	3	11	33	N	0	0	N	N	N	0	0	N	N
Oregon	—	1	6	39	27	—	0	0	—	—	—	0	1	1	—
Washington	7	1	10	55	46	—	0	1	—	—	—	0	3	—	—
<b>Territories</b>															
American Samoa	—	0	3	3	1	N	0	0	N	N	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	3	—	7	N	0	0	N	N	N	0	0	N	N
Puerto Rico	—	0	1	—	3	N	0	0	N	N	N	0	0	N	N
U.S. Virgin Islands	—	0	0	—	—	N	0	0	N	N	N	0	0	N	N

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2011 and 2012 are provisional and subject to change. For further information on interpretation of these data, see [http://www.cdc.gov/osels/ph\\_surveillance/nndss/phs/files/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf](http://www.cdc.gov/osels/ph_surveillance/nndss/phs/files/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf). Data for TB are displayed in Table IV, which appears quarterly.

<sup>†</sup> Illnesses with similar clinical presentation that result from Spotted fever group rickettsia infections are reported as Spotted fever rickettsioses. Rocky Mountain spotted fever (RMSF) caused by *Rickettsia rickettsii*, is the most common and well-known spotted fever.

## Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending July 21, 2012, and July 23, 2011 (29th week)\*

Reporting area	Streptococcus pneumoniae, <sup>†</sup> invasive disease														
	All ages					Age <5					Syphilis, primary and secondary				
	Current week	Previous 52 weeks		Cum 2012	Cum 2011	Current week	Previous 52 weeks		Cum 2012	Cum 2011	Current week	Previous 52 weeks		Cum 2012	Cum 2011
		Med	Max				Med	Max				Med	Max		
<b>United States</b>	88	273	803	7,877	10,650	11	21	58	533	718	84	271	323	6,890	7,517
<b>New England</b>	—	11	27	351	536	—	1	4	27	31	2	7	23	229	217
Connecticut	—	6	13	162	234	—	0	2	8	6	—	0	13	19	30
Maine	—	2	7	69	85	—	0	1	1	3	—	0	2	7	10
Massachusetts	—	1	4	24	21	—	0	3	13	10	2	5	13	156	137
New Hampshire	—	1	6	45	73	—	0	1	4	5	—	0	2	15	12
Rhode Island	—	0	5	19	71	—	0	1	1	2	—	0	6	29	23
Vermont	—	1	4	32	52	—	0	1	—	5	—	0	2	3	5
<b>Mid. Atlantic</b>	16	43	157	1,249	1,652	3	2	11	57	84	11	32	47	767	940
New Jersey	—	9	26	247	449	—	0	2	11	31	—	4	8	79	135
New York (Upstate)	12	18	108	582	732	3	1	10	33	31	4	4	12	116	94
New York City	4	13	24	420	471	—	0	3	13	22	—	16	22	329	514
Pennsylvania	N	0	0	N	N	N	0	0	N	N	7	8	17	243	197
<b>E.N. Central</b>	42	61	101	1,705	2,101	6	3	10	110	119	8	30	62	699	1,053
Illinois	N	0	0	N	N	—	0	0	—	—	6	13	54	282	472
Indiana	1	12	33	348	510	—	1	2	16	24	1	3	10	103	102
Michigan	2	13	25	321	457	—	1	3	22	25	—	4	13	106	181
Ohio	38	23	46	762	818	5	1	6	53	56	—	7	15	173	260
Wisconsin	1	9	27	274	316	1	0	2	19	14	1	1	5	35	38
<b>W.N. Central</b>	2	12	58	301	406	—	1	3	21	30	—	4	13	59	179
Iowa	N	0	0	N	N	N	0	0	N	N	—	0	3	21	12
Kansas	N	0	0	N	N	N	0	0	N	N	—	0	4	7	12
Minnesota	—	8	26	193	314	—	1	3	13	26	—	2	8	26	78
Missouri	N	0	0	N	N	—	0	0	—	—	—	0	8	—	71
Nebraska	2	2	8	93	74	—	0	2	7	4	—	0	2	3	6
North Dakota	—	0	38	15	18	—	0	2	1	—	—	0	1	2	—
South Dakota	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
<b>S. Atlantic</b>	16	60	193	1,811	2,549	2	4	21	126	180	19	68	98	1,749	1,846
Delaware	—	1	5	21	33	—	0	0	—	—	—	0	6	23	12
District of Columbia	—	1	5	30	28	—	0	1	1	4	2	3	9	105	110
Florida	12	20	48	608	901	1	2	8	47	80	2	26	36	692	665
Georgia	—	17	48	460	755	—	1	6	36	43	5	12	59	321	334
Maryland	—	8	22	211	373	—	1	5	18	25	—	7	15	182	246
North Carolina	N	0	0	N	N	N	0	0	N	N	10	6	21	187	240
South Carolina	1	6	16	230	313	—	0	3	12	20	—	4	11	120	117
Virginia	N	0	0	N	N	—	0	0	—	—	—	3	13	116	120
West Virginia	3	5	83	251	146	1	0	8	12	8	—	0	2	3	2
<b>E.S. Central</b>	5	19	50	571	758	—	2	5	34	52	2	15	32	380	421
Alabama	—	0	0	—	—	—	0	0	—	—	—	3	8	75	129
Kentucky	—	4	9	122	147	—	0	1	4	13	1	2	9	69	61
Mississippi	—	0	0	—	—	—	0	0	—	—	1	3	21	101	75
Tennessee	5	15	47	449	611	—	1	4	30	39	—	5	14	135	156
<b>W.S. Central</b>	7	30	188	944	1,263	—	3	12	80	114	30	41	54	1,167	981
Arkansas	3	4	14	106	145	—	0	3	10	11	4	3	15	104	109
Louisiana	—	3	18	111	145	—	0	2	7	13	—	7	16	152	233
Oklahoma	N	0	0	N	N	—	0	0	—	—	—	1	7	28	32
Texas	4	22	156	727	973	—	2	11	63	90	26	27	43	883	607
<b>Mountain</b>	—	27	48	874	1,285	—	2	6	66	102	3	10	21	258	343
Arizona	—	11	27	436	561	—	1	3	33	42	1	4	11	94	141
Colorado	—	8	17	221	347	—	0	3	14	25	—	2	6	54	68
Idaho	N	0	0	N	N	—	0	0	—	—	—	0	3	13	3
Montana	—	0	0	—	—	N	0	0	N	N	—	0	1	—	5
Nevada	—	0	0	—	—	—	0	0	—	—	2	2	7	53	78
New Mexico	—	5	14	164	222	—	0	4	12	15	—	1	5	37	40
Utah	—	2	9	36	136	—	0	2	6	20	—	0	2	7	8
Wyoming	—	0	3	17	19	—	0	1	1	—	—	0	0	—	—
<b>Pacific</b>	—	2	8	71	100	—	0	2	12	6	9	58	78	1,582	1,537
Alaska	—	1	8	69	99	—	0	2	12	6	—	0	2	5	1
California	N	0	0	N	N	N	0	0	N	N	6	49	70	1,340	1,289
Hawaii	—	0	1	2	1	—	0	1	—	—	—	0	3	6	8
Oregon	N	0	0	N	N	N	0	0	N	N	1	2	12	108	47
Washington	N	0	0	N	N	N	0	0	N	N	2	4	12	123	192
<b>Territories</b>															
American Samoa	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—	7	5	15	146	136
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2011 and 2012 are provisional and subject to change. For further information on interpretation of these data, see [http://www.cdc.gov/osels/ph\\_surveillance/rndds/phs/files/ProvisionalNationa%20NotifiableDiseasesSurveillanceData20100927.pdf](http://www.cdc.gov/osels/ph_surveillance/rndds/phs/files/ProvisionalNationa%20NotifiableDiseasesSurveillanceData20100927.pdf). Data for TB are displayed in Table IV, which appears quarterly.† Includes drug resistant and susceptible cases of invasive *Streptococcus pneumoniae* disease among children <5 years and among all ages. Case definition: Isolation of *S. pneumoniae* from a normally sterile body site (e.g., blood or cerebrospinal fluid).

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending July 21, 2012, and July 23, 2011 (29th week)\*

Reporting area	Varicella (chickenpox)					West Nile virus disease†									
	Current week	Previous 52 weeks		Cum 2012	Cum 2011	Neuroinvasive					Nonneuroinvasive‡				
		Med	Max			Current week	Previous 52 weeks	Cum 2012	Cum 2011	Current week	Previous 52 weeks	Cum 2012	Cum 2011		
<b>United States</b>	71	287	401	7,332	8,225	—	0	63	65	49	—	0	33	48	29
<b>New England</b>	3	27	49	806	770	—	0	3	—	—	—	0	1	—	—
Connecticut	—	6	12	151	152	—	0	2	—	—	—	0	1	—	—
Maine	1	4	22	148	135	—	0	0	—	—	—	0	0	—	—
Massachusetts	2	11	21	360	290	—	0	2	—	—	—	0	1	—	—
New Hampshire	—	0	10	—	94	—	0	0	—	—	—	0	0	—	—
Rhode Island	—	1	9	54	29	—	0	1	—	—	—	0	0	—	—
Vermont	—	2	13	93	70	—	0	1	—	—	—	0	0	—	—
<b>Mid. Atlantic</b>	9	34	89	1,165	957	—	0	11	—	1	—	0	6	—	1
New Jersey	—	10	55	683	300	—	0	1	—	—	—	0	2	—	1
New York (Upstate)	N	0	0	N	N	—	0	5	—	—	—	0	4	—	—
New York City	—	0	0	—	—	—	0	4	—	—	—	0	1	—	—
Pennsylvania	9	18	35	482	657	—	0	2	—	1	—	0	1	—	—
<b>E.N. Central</b>	26	71	128	1,726	1,970	—	0	13	—	1	—	0	7	—	1
Illinois	1	18	38	497	447	—	0	6	—	1	—	0	5	—	1
Indiana	5	7	21	229	106	—	0	2	—	—	—	0	1	—	—
Michigan	2	20	45	495	583	—	0	7	—	—	—	0	2	—	—
Ohio	18	19	47	504	572	—	0	3	—	—	—	0	3	—	—
Wisconsin	—	0	12	1	262	—	0	1	—	—	—	0	1	—	—
<b>W.N. Central</b>	2	12	35	254	386	—	0	9	3	1	—	0	7	4	2
Iowa	N	0	0	N	N	—	0	2	—	—	—	0	2	—	—
Kansas	—	6	21	85	193	—	0	1	1	—	—	0	0	2	—
Minnesota	—	0	1	—	—	—	0	1	1	—	—	0	1	—	—
Missouri	2	5	18	129	126	—	0	2	1	1	—	0	2	—	—
Nebraska	—	0	3	10	14	—	0	4	—	—	—	0	3	1	—
North Dakota	—	0	29	17	24	—	0	1	—	—	—	0	1	—	2
South Dakota	—	1	6	13	29	—	0	0	—	—	—	0	1	1	—
<b>S. Atlantic</b>	13	32	56	799	1,143	—	0	12	—	12	—	0	6	—	1
Delaware	—	0	2	3	5	—	0	1	—	—	—	0	0	—	—
District of Columbia	—	0	4	9	12	—	0	3	—	—	—	0	3	—	—
Florida	7	16	50	565	523	—	0	4	—	9	—	0	2	—	—
Georgia	—	0	4	18	7	—	0	4	—	1	—	0	1	—	1
Maryland	N	0	0	N	N	—	0	5	—	—	—	0	3	—	—
North Carolina	N	0	0	N	N	—	0	1	—	1	—	0	0	—	—
South Carolina	—	0	2	5	12	—	0	0	—	—	—	0	0	—	—
Virginia	6	8	24	170	305	—	0	2	—	1	—	0	1	—	—
West Virginia	—	2	14	29	279	—	0	1	—	—	—	0	0	—	—
<b>E.S. Central</b>	—	5	14	118	177	—	0	11	8	7	—	0	5	4	6
Alabama	—	4	14	111	168	—	0	2	—	—	—	0	0	—	—
Kentucky	N	0	0	N	N	—	0	2	1	—	—	0	1	—	—
Mississippi	—	0	3	7	9	—	0	5	7	7	—	0	4	4	6
Tennessee	N	0	0	N	N	—	0	3	—	—	—	0	1	—	—
<b>W.S. Central</b>	16	53	213	1,560	1,700	—	0	4	47	7	—	0	3	37	4
Arkansas	—	4	28	110	189	—	0	1	1	—	—	0	0	—	—
Louisiana	—	1	6	29	51	—	0	1	3	1	—	0	2	3	2
Oklahoma	N	0	0	N	N	—	0	1	5	—	—	0	0	1	—
Texas	16	47	204	1,421	1,460	—	0	3	38	6	—	0	3	33	2
<b>Mountain</b>	1	30	61	823	1,037	—	0	11	3	14	—	0	5	—	10
Arizona	—	10	26	265	412	—	0	7	3	14	—	0	4	—	6
Colorado	—	9	32	254	231	—	0	2	—	—	—	0	2	—	2
Idaho	N	0	0	N	N	—	0	1	—	—	—	0	1	—	1
Montana	1	2	7	68	119	—	0	1	—	—	—	0	0	—	—
Nevada	N	0	0	N	N	—	0	4	—	—	—	0	2	—	—
New Mexico	—	1	8	60	34	—	0	1	—	—	—	0	0	—	—
Utah	—	5	20	164	234	—	0	1	—	—	—	0	1	—	—
Wyoming	—	0	2	12	7	—	0	1	—	—	—	0	1	—	1
<b>Pacific</b>	1	3	9	81	85	—	0	18	4	6	—	0	8	3	4
Alaska	—	1	4	42	30	—	0	0	—	—	—	0	0	—	—
California	—	0	4	12	25	—	0	18	4	6	—	0	8	3	4
Hawaii	1	1	4	27	30	—	0	0	—	—	—	0	0	—	—
Oregon	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
Washington	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
<b>Territories</b>															
American Samoa	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	3	5	—	39	—	0	0	—	—	—	0	0	—	—
Puerto Rico	3	4	14	63	259	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	1	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2011 and 2012 are provisional and subject to change. For further information on interpretation of these data, see [http://www.cdc.gov/osels/ph\\_surveillance/ndnds/phs/files/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf](http://www.cdc.gov/osels/ph_surveillance/ndnds/phs/files/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf). Data for TB are displayed in Table IV, which appears quarterly.

† Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for California serogroup, eastern equine, Powassan, St. Louis, and western equine diseases are available in Table I.

‡ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table, except starting in 2007 for the domestic arboviral diseases and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at [http://www.cdc.gov/osels/ph\\_surveillance/ndnds/phs/infdis.htm](http://www.cdc.gov/osels/ph_surveillance/ndnds/phs/infdis.htm).

