

## Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of infrequently reported notifiable diseases (&lt;1,000 cases reported during the preceding year) — United States, week ending January 12, 2013 (2nd week)\*


Disease	Current week	Cum 2013	5-year weekly average <sup>†</sup>	Total cases reported for previous years					States reporting cases during current week (No.)
				2012	2011	2010	2009	2008	
Anthrax	—	—	—	—	1	—	1	—	
Arboviral diseases <sup>§, ¶</sup> :									
California serogroup virus disease	—	—	—	73	137	75	55	62	
Eastern equine encephalitis virus disease	—	—	—	13	4	10	4	4	
Powassan virus disease	—	—	0	7	16	8	6	2	
St. Louis encephalitis virus disease	—	—	—	5	6	10	12	13	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Babesiosis	—	1	2	667	1,128	NN	NN	NN	
Botulism, total	1	2	2	128	153	112	118	145	
foodborne	—	—	0	19	24	7	10	17	
infant	—	1	2	87	97	80	83	109	
other (wound and unspecified)	1	1	0	22	32	25	25	19	CA (1)
Brucellosis	—	—	2	118	79	115	115	80	
Chancroid	—	1	1	24	8	24	28	25	
Cholera	—	—	1	4	40	13	10	5	
Cyclosporiasis <sup>§</sup>	—	—	3	115	151	179	141	139	
Diphtheria	—	—	—	—	—	—	—	—	
<i>Haemophilus influenzae</i> ,** invasive disease (age <5 yrs):									
serotype b	—	—	1	24	14	23	35	30	
nonsensory b	—	—	5	160	145	200	236	244	
unknown serotype	2	5	5	232	226	223	178	163	NY (1), FL (1)
Hansen disease <sup>§</sup>	—	1	2	57	82	98	103	80	
Hantavirus pulmonary syndrome <sup>§</sup>	—	—	0	25	23	20	20	18	
Hemolytic uremic syndrome, postdiarrheal <sup>§</sup>	1	4	3	194	290	266	242	330	OR (1)
Influenza-associated pediatric mortality <sup>§, ††</sup>	9	11	2	52	118	61	358	90	MA (1), NY (2), OH (1), MN (1), NE (1), TX (2), MI (1)
Listeriosis	2	9	15	672	870	821	851	759	FL (2)
Measles <sup>§§</sup>	—	—	1	54	220	63	71	140	
Meningococcal disease, invasive <sup>¶¶</sup> :									
A, C, Y, and W-135	—	1	5	122	257	280	301	330	
serogroup B	—	1	3	78	159	135	174	188	
other serogroup	—	—	0	16	20	12	23	38	
unknown serogroup	3	5	10	296	323	406	482	616	VA (1), FL (2)
Novel influenza A virus infections <sup>***</sup>	—	—	11	313	14	4	43,774	2	
Plague	—	—	0	3	3	2	8	3	
Poliomyelitis, paralytic	—	—	0	—	—	—	1	—	
Polio virus Infection, nonparalytic <sup>§</sup>	—	—	—	—	—	—	—	—	
Psittacosis <sup>§</sup>	—	—	0	2	2	4	9	8	
Q fever, total <sup>§</sup>	1	1	3	115	134	131	113	120	
acute	—	—	3	98	110	106	93	106	
chronic	1	1	1	17	24	25	20	14	PA (1)
Rabies, human	—	—	0	1	6	2	4	2	
Rubella <sup>†††</sup>	—	—	0	9	4	5	3	16	
Rubella, congenital syndrome	—	—	—	2	—	—	2	—	
SARS-CoV <sup>§</sup>	—	—	—	—	—	—	—	—	
Smallpox <sup>§</sup>	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome <sup>§</sup>	2	5	4	115	168	142	161	157	ME (1), OH (1)
Syphilis, congenital (age <1 yr) <sup>§§§</sup>	—	—	7	209	360	377	423	431	
Tetanus	1	1	0	36	36	26	18	19	FL (1)
Toxic-shock syndrome (staphylococcal) <sup>§</sup>	1	1	1	60	78	82	74	71	OH (1)
Trichinellosis	1	1	0	15	15	7	13	39	FL (1)
Tularemia	—	—	1	156	166	124	93	123	
Typhoid fever	—	—	9	289	390	467	397	449	
Vancomycin-intermediate <i>Staphylococcus aureus</i> <sup>§</sup>	—	—	1	81	82	91	78	63	
Vancomycin-resistant <i>Staphylococcus aureus</i> <sup>§</sup>	—	—	0	1	—	2	1	—	
Vibriosis (noncholera <i>Vibrio</i> species infections) <sup>§</sup>	—	5	9	963	832	846	789	588	
Viral hemorrhagic fever <sup>¶¶¶</sup>	—	—	0	—	—	1	NN	NN	
Yellow fever	—	—	—	—	—	—	—	—	

See Table 1 footnotes on next page.

**TABLE I. (Continued) Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending January 12, 2013 (2nd week)\***

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts.  
 \* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.  
 † Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. The total sum of incident cases is then divided by 25 weeks. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.  
 ‡ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, TB data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at [http://www.cdc.gov/nndss/document/SRCA\\_FINAL\\_REPORT\\_2006-2010.xlsx](http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2010.xlsx).  
 § Includes both neuroinvasive and nonneuroinvasive. Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.  
 \*\* Data for *H. influenzae* (all ages, all serotypes) are available in Table II.  
 †† Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since September 30, 2012, 29 influenza-associated pediatric deaths occurring during the 2012-13 influenza season have been reported.  
 ‡‡ No measles cases were reported for the current week.  
 ¶¶ Data for meningococcal disease (all serogroups) are available in Table II.  
 \*\*\* CDC discontinued reporting of individual confirmed and probable cases of 2009 pandemic influenza A (H1N1) virus infections on July 24, 2009. During 2009, four cases of human infection with novel influenza A viruses, different from the 2009 pandemic influenza A (H1N1) strain, were reported to CDC. The four cases of novel influenza A virus infection reported to CDC during 2010, the fourteen cases reported during 2011, and the 313 cases reported in 2012 are different from the 2009 pandemic influenza A (H1N1) virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).  
 ††† No rubella cases were reported for the current week.  
 §§§ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.  
 ¶¶¶ There were no cases of viral hemorrhagic fever reported during the current week. See Table II for dengue hemorrhagic fever.

**FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals January 12, 2013, with historical data**



\* No measles cases were reported for the current 4-week period yielding a ratio for week 2 of zero (0).  
 † Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

**Notifiable Disease Data Team and 122 Cities Mortality Data Team**  
 Jeffrey Kriseman  
 Deborah A. Adams      Willie J. Anderson  
 Lenee Blanton          Rosaline Dhara  
 Diana Harris Onweh      Alan W. Schley  
 Pearl C. Sharp















Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending January 12, 2013, and January 14, 2012 (2nd week)\*

Reporting area	Meningococcal disease, invasive† All serogroups					Mumps					Pertussis				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
<b>United States</b>	3	10	20	7	19	1	4	8	2	7	94	784	1,269	188	864
<b>New England</b>	—	0	3	—	—	—	0	1	—	—	11	44	100	23	43
Connecticut	—	0	1	—	—	—	0	0	—	—	—	4	9	—	1
Maine	—	0	1	—	—	—	0	0	—	—	9	13	37	12	5
Massachusetts	—	0	2	—	—	—	0	1	—	—	—	12	28	—	12
New Hampshire	—	0	0	—	—	—	0	1	—	—	—	2	19	—	5
Rhode Island	—	0	0	—	—	—	0	1	—	—	—	1	20	—	2
Vermont	—	0	1	—	—	—	0	0	—	—	2	9	42	11	18
<b>Mid. Atlantic</b>	—	1	4	—	3	—	0	3	—	—	28	105	183	34	157
New Jersey	—	0	2	—	1	—	0	0	—	—	—	15	40	—	34
New York (Upstate)	—	0	2	—	—	—	0	1	—	—	15	46	109	15	24
New York City	—	0	2	—	1	—	0	3	—	—	—	7	18	—	46
Pennsylvania	—	0	2	—	1	—	0	1	—	—	13	33	64	19	53
<b>E.N. Central</b>	—	1	4	—	3	—	1	3	—	3	12	172	354	29	348
Illinois	—	0	3	—	—	—	1	2	—	2	—	36	64	—	100
Indiana	—	0	1	—	—	—	0	2	—	—	—	8	18	—	10
Michigan	—	0	2	—	—	—	0	1	—	1	4	13	40	8	20
Ohio	—	0	2	—	2	—	0	1	—	—	8	16	37	19	29
Wisconsin	—	0	1	—	1	—	0	1	—	—	—	94	261	2	189
<b>W.N. Central</b>	—	1	4	—	1	—	0	2	—	—	6	118	239	13	107
Iowa	—	0	1	—	—	—	0	1	—	—	—	32	100	—	14
Kansas	—	0	1	—	—	—	0	1	—	—	—	15	30	—	17
Minnesota	—	0	3	—	—	—	0	1	—	—	—	46	110	—	41
Missouri	—	0	3	—	1	—	0	1	—	—	6	15	45	13	32
Nebraska	—	0	1	—	—	—	0	1	—	—	—	2	19	—	1
North Dakota	—	0	1	—	—	—	0	0	—	—	—	0	45	—	—
South Dakota	—	0	0	—	—	—	0	0	—	—	—	1	6	—	2
<b>S. Atlantic</b>	3	1	5	4	3	1	0	3	1	—	9	52	105	12	30
Delaware	—	0	1	—	—	—	0	0	—	—	—	1	4	—	1
District of Columbia	—	0	1	—	—	—	0	2	—	—	—	0	4	—	1
Florida	2	1	3	3	1	—	0	1	—	—	8	11	26	8	6
Georgia	—	0	2	—	—	—	0	2	—	—	—	4	15	—	—
Maryland	—	0	1	—	2	1	0	0	1	—	1	6	18	3	12
North Carolina	—	0	1	—	—	—	0	1	—	—	—	7	74	—	4
South Carolina	—	0	1	—	—	—	0	1	—	—	—	4	14	1	1
Virginia	1	0	2	1	—	—	0	1	—	—	—	10	25	—	5
West Virginia	—	0	2	—	—	—	0	1	—	—	—	1	12	—	—
<b>E.S. Central</b>	—	0	2	—	—	—	0	1	1	—	2	20	48	5	21
Alabama	—	0	1	—	—	—	0	1	1	—	—	4	9	2	—
Kentucky	—	0	1	—	—	—	0	1	—	—	—	8	35	—	14
Mississippi	—	0	1	—	—	—	0	1	—	—	—	1	4	—	2
Tennessee	—	0	1	—	—	—	0	1	—	—	2	5	14	3	5
<b>W.S. Central</b>	—	1	4	—	—	—	0	2	—	—	1	47	117	1	3
Arkansas	—	0	1	—	—	—	0	1	—	—	—	2	22	—	—
Louisiana	—	0	0	—	—	—	0	1	—	—	—	1	7	—	—
Oklahoma	—	0	2	—	—	—	0	1	—	—	—	0	34	—	—
Texas	—	0	3	—	—	—	0	2	—	—	1	40	80	1	3
<b>Mountain</b>	—	1	3	1	—	—	0	2	—	1	6	113	167	45	104
Arizona	—	0	1	—	—	—	0	2	—	—	2	15	33	7	25
Colorado	—	0	2	1	—	—	0	2	—	1	—	29	66	29	23
Idaho	—	0	1	—	—	—	0	0	—	—	1	3	14	4	7
Montana	—	0	1	—	—	—	0	1	—	—	3	7	48	5	5
Nevada	—	0	1	—	—	—	0	0	—	—	—	1	6	—	—
New Mexico	—	0	1	—	—	—	0	0	—	—	—	15	31	—	9
Utah	—	0	1	—	—	—	0	1	—	—	—	28	52	—	35
Wyoming	—	0	1	—	—	—	0	1	—	—	—	1	5	—	—
<b>Pacific</b>	—	2	9	2	9	—	1	2	—	3	19	120	301	26	51
Alaska	—	0	1	—	—	—	0	1	—	—	—	4	24	24	3
California	—	1	6	1	7	—	0	2	—	3	—	13	27	—	24
Hawaii	—	0	1	—	—	—	0	1	—	—	1	1	10	1	12
Oregon	—	0	4	1	2	—	0	1	—	—	1	13	54	1	12
Washington	—	0	3	—	—	—	0	1	—	—	—	83	254	—	—
<b>Territories</b>	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
American Samoa	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	—	0	0	—	—	—	0	1	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Data for meningococcal disease, invasive caused by serogroups A, C, Y, and W-135; serogroup B; other serogroup; and unknown serogroup are available in Table I.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending January 12, 2013, and January 14, 2012 (2nd week)\*

Reporting area	Rabies, animal					Salmonellosis					Shiga toxin-producing <i>E. coli</i> (STEC) <sup>†</sup>				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
<b>United States</b>	12	71	127	18	131	172	982	1,638	387	990	17	112	195	35	121
<b>New England</b>	1	7	16	2	23	—	37	73	3	43	1	4	12	2	5
Connecticut	—	3	8	—	9	—	8	18	1	10	—	1	5	1	3
Maine	—	1	4	1	8	—	2	11	—	5	—	0	6	—	—
Massachusetts	—	0	0	—	—	—	21	54	2	18	—	2	7	—	2
New Hampshire	1	0	3	1	3	—	1	8	—	4	1	0	4	1	—
Rhode Island	—	0	5	—	2	—	2	7	—	—	—	0	1	—	—
Vermont	—	1	7	—	1	—	1	7	—	6	—	0	2	—	—
<b>Mid. Atlantic</b>	4	14	31	7	17	10	87	191	30	113	1	11	23	6	13
New Jersey	—	0	0	—	—	—	19	48	—	35	—	2	6	—	3
New York (Upstate)	4	7	20	7	7	—	23	64	—	10	—	4	13	—	—
New York City	—	0	0	—	—	1	20	49	11	25	—	1	7	2	4
Pennsylvania	—	6	15	—	10	9	26	81	19	43	1	3	11	4	6
<b>E.N. Central</b>	1	2	13	1	1	19	95	212	33	121	—	16	66	3	34
Illinois	—	1	6	—	—	—	33	79	1	43	—	3	13	—	5
Indiana	—	0	2	—	—	—	13	40	—	7	—	2	23	—	3
Michigan	1	0	5	1	1	1	15	46	5	27	—	3	41	1	15
Ohio	—	0	7	—	—	18	24	53	27	23	—	3	20	2	1
Wisconsin	N	0	0	N	N	—	3	17	—	21	—	1	13	—	10
<b>W.N. Central</b>	1	3	18	3	3	17	46	115	40	44	11	15	31	13	14
Iowa	—	0	5	—	—	1	9	32	4	7	—	3	15	1	4
Kansas	1	1	4	1	2	1	9	19	3	13	—	2	7	—	2
Minnesota	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Missouri	—	0	3	2	—	15	19	48	33	17	11	5	21	12	5
Nebraska	—	0	0	—	—	—	4	26	—	4	—	1	8	—	1
North Dakota	—	0	13	—	—	—	1	5	—	—	—	0	3	—	—
South Dakota	—	1	7	—	1	—	3	9	—	3	—	1	4	—	2
<b>S. Atlantic</b>	5	19	34	5	67	97	268	606	203	287	3	12	70	5	19
Delaware	—	0	0	—	—	1	2	10	4	5	—	0	2	—	1
District of Columbia	—	0	0	—	—	—	0	3	—	2	—	0	1	—	—
Florida	5	0	21	5	46	67	110	274	106	123	2	4	10	4	4
Georgia	—	0	0	—	—	—	46	125	14	67	—	2	9	—	2
Maryland	—	6	16	—	4	10	17	42	28	31	1	1	5	1	2
North Carolina	—	0	0	—	—	—	27	166	17	—	—	1	61	—	—
South Carolina	—	0	0	—	—	5	23	69	15	33	—	0	7	—	—
Virginia	—	10	23	—	14	14	21	45	19	25	—	1	6	—	10
West Virginia	—	1	6	—	3	—	3	11	—	1	—	0	2	—	—
<b>E.S. Central</b>	—	1	5	—	4	6	62	203	13	83	1	5	14	3	9
Alabama	—	1	5	—	3	1	19	52	8	25	1	1	5	2	3
Kentucky	—	0	3	—	1	—	7	47	—	10	—	1	9	—	—
Mississippi	—	0	1	—	—	—	17	67	—	32	—	0	2	—	4
Tennessee	—	0	0	—	—	5	18	69	5	16	—	2	12	1	2
<b>W.S. Central</b>	—	11	58	—	10	15	138	410	18	95	—	10	37	1	—
Arkansas	—	0	35	—	—	3	16	229	3	4	—	1	4	1	—
Louisiana	—	0	0	—	—	—	24	59	—	35	—	0	3	—	—
Oklahoma	—	0	23	—	—	5	13	34	6	2	—	2	8	—	—
Texas	—	10	29	—	10	7	80	171	9	54	—	6	33	—	—
<b>Mountain</b>	—	1	16	—	6	2	42	78	9	63	—	11	41	1	14
Arizona	N	0	0	N	N	1	12	24	1	19	—	2	7	1	5
Colorado	—	0	0	—	—	—	10	19	4	16	—	3	9	—	2
Idaho	—	0	15	—	—	1	2	7	2	—	—	1	14	—	1
Montana	N	0	0	N	N	—	2	8	1	3	—	0	5	—	—
Nevada	—	0	4	—	—	—	3	12	—	1	—	0	5	—	—
New Mexico	—	0	5	—	6	—	5	16	1	10	—	1	5	—	2
Utah	—	0	2	—	—	—	4	15	—	11	—	1	15	—	4
Wyoming	—	0	0	—	—	—	1	8	—	3	—	0	3	—	—
<b>Pacific</b>	—	3	12	—	—	6	110	212	38	141	—	15	40	1	13
Alaska	—	0	1	—	—	—	1	5	—	5	—	0	0	—	—
California	—	3	11	—	—	1	73	162	27	120	—	8	20	—	10
Hawaii	—	0	0	—	—	1	4	58	3	5	—	0	2	—	—
Oregon	—	0	2	—	—	1	7	16	5	11	—	3	11	1	3
Washington	—	0	0	—	—	3	14	56	3	—	—	3	24	—	—
<b>Territories</b>															
American Samoa	—	0	0	—	—	—	1	2	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	—	0	5	—	4	—	0	4	—	—	—	0	2	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Includes *E. coli* O157:H7; Shiga toxin-positive, serogroup non-O157; and Shiga toxin-positive, not serogrouped.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending January 12, 2013, and January 14, 2012 (2nd week)\*

Reporting area	Spotted Fever Rickettsiosis (including RMSF) <sup>†</sup>														
	Shigellosis					Confirmed					Probable				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max				Med	Max			
<b>United States</b>	51	260	395	138	437	—	3	10	—	3	2	51	228	5	22
<b>New England</b>	—	3	12	2	6	—	0	1	—	—	—	0	3	—	—
Connecticut	—	1	3	—	2	—	0	0	—	—	—	0	0	—	—
Maine	—	0	4	—	—	—	0	0	—	—	—	0	1	—	—
Massachusetts	—	2	9	2	4	—	0	0	—	—	—	0	3	—	—
New Hampshire	—	0	1	—	—	—	0	0	—	—	—	0	1	—	—
Rhode Island	—	0	5	—	—	—	0	0	—	—	—	0	1	—	—
Vermont	—	0	1	—	—	—	0	1	—	—	—	0	0	—	—
<b>Mid. Atlantic</b>	—	43	87	8	125	—	0	2	—	1	—	1	5	—	4
New Jersey	—	14	47	—	80	—	0	0	—	—	—	0	1	—	—
New York (Upstate)	—	13	37	—	3	—	0	1	—	—	—	0	3	—	—
New York City	—	10	21	8	36	—	0	0	—	—	—	0	3	—	1
Pennsylvania	—	2	6	—	6	—	0	2	—	1	—	0	4	—	3
<b>E.N. Central</b>	30	35	117	65	80	—	0	2	—	1	—	4	15	—	1
Illinois	—	5	16	—	7	—	0	1	—	—	—	2	12	—	1
Indiana	—	1	17	—	5	—	0	1	—	1	—	1	5	—	—
Michigan	2	4	14	3	15	—	0	0	—	—	—	0	1	—	—
Ohio	28	21	103	62	50	—	0	0	—	—	—	0	3	—	—
Wisconsin	—	2	16	—	3	—	0	0	—	—	—	0	1	—	—
<b>W.N. Central</b>	—	9	32	2	13	—	0	6	—	—	—	5	33	—	2
Iowa	—	1	11	2	—	—	0	0	—	—	—	0	1	—	—
Kansas	—	2	9	—	6	—	0	0	—	—	—	0	0	—	—
Minnesota	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Missouri	—	1	7	—	6	—	0	5	—	—	—	5	33	—	2
Nebraska	—	1	22	—	1	—	0	1	—	—	—	0	1	—	—
North Dakota	—	0	1	—	—	—	0	1	—	—	—	0	0	—	—
South Dakota	—	0	3	—	—	—	0	0	—	—	—	0	1	—	—
<b>S. Atlantic</b>	7	54	101	18	72	—	1	9	—	—	1	13	146	3	5
Delaware	—	0	4	—	—	—	0	0	—	—	—	0	2	—	1
District of Columbia	—	0	3	—	—	—	0	0	—	—	—	0	1	—	—
Florida	7	31	66	11	46	—	0	1	—	—	—	0	3	—	1
Georgia	—	13	21	4	20	—	1	5	—	—	—	0	0	—	—
Maryland	—	4	16	1	3	—	0	1	—	—	—	0	3	—	—
North Carolina	—	2	10	2	—	—	0	4	—	—	—	1	133	—	—
South Carolina	—	1	2	—	2	—	0	1	—	—	—	1	6	1	—
Virginia	—	1	6	—	1	—	0	2	—	—	1	4	35	2	3
West Virginia	—	0	1	—	—	—	0	0	—	—	—	0	1	—	—
<b>E.S. Central</b>	1	21	42	6	54	—	0	3	—	—	1	12	57	2	3
Alabama	—	6	20	5	20	—	0	1	—	—	—	2	12	—	—
Kentucky	—	5	21	—	19	—	0	1	—	—	—	0	7	—	—
Mississippi	—	5	13	—	10	—	0	2	—	—	—	0	4	—	—
Tennessee	1	3	9	1	5	—	0	1	—	—	1	10	49	2	3
<b>W.S. Central</b>	11	45	79	16	42	—	0	1	—	—	—	11	72	—	1
Arkansas	—	1	7	1	—	—	0	1	—	—	—	8	65	—	—
Louisiana	—	4	10	—	10	—	0	0	—	—	—	0	2	—	1
Oklahoma	5	7	27	7	4	—	0	1	—	—	—	0	26	—	—
Texas	6	31	58	8	28	—	0	1	—	—	—	0	4	—	—
<b>Mountain</b>	—	11	32	1	13	—	0	2	—	1	—	0	5	—	5
Arizona	—	5	15	—	7	—	0	2	—	1	—	0	3	—	4
Colorado	—	2	19	1	1	—	0	1	—	—	—	0	1	—	—
Idaho	—	0	2	—	—	—	0	0	—	—	—	0	2	—	—
Montana	—	0	2	—	1	—	0	0	—	—	—	0	1	—	—
Nevada	—	0	8	—	1	—	0	0	—	—	—	0	0	—	—
New Mexico	—	1	7	—	2	—	0	0	—	—	—	0	1	—	—
Utah	—	0	4	—	1	—	0	0	—	—	—	0	1	—	1
Wyoming	—	0	3	—	—	—	0	0	—	—	—	0	1	—	—
<b>Pacific</b>	2	20	57	20	32	—	0	2	—	—	—	0	2	—	1
Alaska	—	0	2	—	2	N	0	0	N	N	N	0	0	N	N
California	1	15	57	19	27	—	0	2	—	—	—	0	1	—	1
Hawaii	—	0	3	—	—	N	0	0	N	N	N	0	0	N	N
Oregon	—	1	10	—	3	—	0	0	—	—	—	0	1	—	—
Washington	1	1	19	1	—	—	0	0	—	—	—	0	0	—	—
<b>Territories</b>															
American Samoa	—	0	3	—	—	N	0	0	N	N	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	N	—	—	N	N	N	—	—	N	N
Puerto Rico	—	0	0	—	—	N	0	0	N	N	N	0	0	N	N
U.S. Virgin Islands	—	0	0	—	—	N	0	0	N	N	N	0	0	N	N

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

<sup>†</sup> Illnesses with similar clinical presentation that result from Spotted fever group rickettsia infections are reported as Spotted fever rickettsioses. Rocky Mountain spotted fever (RMSF) caused by *Rickettsia rickettsii*, is the most common and well-known spotted fever.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending January 12, 2013, and January 14, 2012 (2nd week)\*

Reporting area	<i>Streptococcus pneumoniae</i> , <sup>†</sup> invasive disease										Syphilis, primary and secondary				
	All ages				Age <5										
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max				Med	Max			
<b>United States</b>	225	252	455	505	812	10	21	33	18	46	75	280	353	149	499
<b>New England</b>	4	11	23	18	40	—	1	4	—	—	3	8	18	5	21
Connecticut	—	5	13	9	17	—	0	2	—	—	—	0	5	—	6
Maine	2	2	7	6	9	—	0	1	—	—	—	0	5	—	—
Massachusetts	—	1	3	—	—	—	0	2	—	—	2	6	13	3	12
New Hampshire	1	1	5	1	5	—	0	1	—	—	1	1	4	1	2
Rhode Island	—	0	5	—	2	—	0	1	—	—	—	0	6	1	1
Vermont	1	1	4	2	7	—	0	0	—	—	—	0	1	—	—
<b>Mid. Atlantic</b>	15	35	70	47	105	—	1	5	—	5	13	35	49	20	61
New Jersey	—	6	24	1	32	—	0	3	—	3	—	4	8	—	9
New York (Upstate)	—	16	35	—	33	—	1	3	—	—	5	4	12	6	6
New York City	15	13	31	46	40	—	0	3	—	2	3	18	29	7	30
Pennsylvania	N	0	0	N	N	N	0	0	N	N	5	9	17	7	16
<b>E.N. Central</b>	68	55	99	150	181	1	3	10	3	10	—	30	49	5	51
Illinois	N	0	0	N	N	—	0	0	—	—	—	11	26	—	20
Indiana	—	13	28	2	34	—	1	2	—	2	—	4	10	4	6
Michigan	5	11	23	24	42	—	0	3	—	1	—	4	13	—	12
Ohio	63	21	47	110	71	1	1	6	2	5	—	8	15	—	11
Wisconsin	—	9	29	14	34	—	0	2	1	2	—	2	5	1	2
<b>W.N. Central</b>	—	14	23	2	39	—	1	4	—	3	2	6	14	4	20
Iowa	N	0	0	N	N	N	0	0	N	N	1	1	4	2	2
Kansas	N	0	0	N	N	N	0	0	N	N	—	0	4	—	1
Minnesota	—	9	22	—	24	—	0	3	—	1	—	1	5	—	4
Missouri	N	0	0	N	N	—	0	0	—	—	1	2	7	2	13
Nebraska	—	2	8	—	10	—	0	2	—	—	—	0	2	—	—
North Dakota	—	0	4	—	1	—	0	1	—	—	—	0	1	—	—
South Dakota	—	1	5	2	4	—	0	2	—	2	—	0	2	—	—
<b>S. Atlantic</b>	76	52	105	159	187	4	4	11	10	6	10	64	103	30	128
Delaware	—	0	3	1	3	—	0	1	—	—	1	0	6	1	1
District of Columbia	—	0	4	—	2	—	0	1	—	1	—	3	9	1	7
Florida	59	18	47	91	71	4	1	6	6	4	1	25	36	9	58
Georgia	—	15	42	21	56	—	2	4	2	1	3	13	31	7	17
Maryland	3	6	22	15	19	—	0	5	1	—	—	7	15	4	10
North Carolina	N	0	0	N	N	N	0	0	N	N	—	5	21	—	12
South Carolina	13	6	16	29	29	—	0	3	—	—	—	4	10	3	14
Virginia	N	0	0	N	N	—	0	0	—	—	5	3	40	5	9
West Virginia	1	5	31	2	7	—	0	2	1	—	—	0	2	—	—
<b>E.S. Central</b>	19	22	55	46	84	4	2	5	4	6	3	14	25	3	25
Alabama	7	2	7	12	4	2	0	3	2	—	—	3	10	—	9
Kentucky	—	3	9	—	12	—	0	1	—	—	—	2	9	—	2
Mississippi	—	3	11	3	12	—	0	2	—	1	3	2	11	3	4
Tennessee	12	12	36	31	56	2	0	3	2	5	—	5	14	—	10
<b>W.S. Central</b>	21	26	136	21	60	—	2	8	—	7	35	43	63	60	70
Arkansas	5	3	19	5	6	—	0	3	—	1	7	3	15	10	16
Louisiana	—	4	12	—	22	—	0	4	—	2	2	6	19	4	4
Oklahoma	N	0	0	N	N	—	0	0	—	—	1	1	5	1	1
Texas	16	20	117	16	32	—	2	7	—	4	25	32	47	45	49
<b>Mountain</b>	16	27	58	55	109	—	2	7	—	6	2	12	25	5	14
Arizona	11	9	23	15	49	—	1	3	—	3	—	4	8	1	6
Colorado	—	8	22	22	18	—	0	3	—	—	—	4	12	1	4
Idaho	N	0	0	N	N	—	0	0	—	—	—	0	4	—	—
Montana	—	0	5	—	6	—	0	1	—	—	—	0	1	—	—
Nevada	—	1	8	—	10	—	0	2	—	1	2	2	8	3	3
New Mexico	5	5	14	18	17	—	0	4	—	1	—	2	5	—	—
Utah	—	3	8	—	9	—	0	3	—	1	—	0	2	—	1
Wyoming	—	0	3	—	—	—	0	1	—	—	—	0	1	—	—
<b>Pacific</b>	6	4	10	7	7	1	0	2	1	3	7	63	100	17	109
Alaska	6	2	8	7	5	1	0	2	1	3	—	0	2	—	—
California	N	0	0	N	N	N	0	0	N	N	2	54	83	7	91
Hawaii	—	1	6	—	2	—	0	1	—	—	—	0	2	—	1
Oregon	N	0	0	N	N	N	0	0	N	N	2	3	11	4	3
Washington	N	0	0	N	N	N	0	0	N	N	3	5	12	6	14
<b>Territories</b>															
American Samoa	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—	11	5	17	11	4
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

<sup>†</sup> Includes drug resistant and susceptible cases of invasive *Streptococcus pneumoniae* disease among children <5 years and among all ages. Case definition: Isolation of *S. pneumoniae* from a normally sterile body site (e.g., blood or cerebrospinal fluid).

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending January 12, 2013, and January 14, 2012 (2nd week)\*

Reporting area	Varicella (chickenpox)					West Nile virus disease <sup>†</sup>									
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Neuroinvasive			Nonneuroinvasive <sup>§</sup>					
		Med	Max				Med	Max	Cum 2013	Cum 2012	Current week	Med	Max	Cum 2013	Cum 2012
<b>United States</b>	30	224	370	74	442	—	4	321	—	—	—	2	338	—	—
<b>New England</b>	—	22	49	9	59	—	0	7	—	—	—	0	4	—	—
Connecticut	—	5	10	6	13	—	0	2	—	—	—	0	3	—	—
Maine	—	4	22	2	10	—	0	1	—	—	—	0	0	—	—
Massachusetts	—	10	21	—	27	—	0	6	—	—	—	0	2	—	—
New Hampshire	—	0	0	—	—	—	0	1	—	—	—	0	0	—	—
Rhode Island	—	0	9	—	—	—	0	1	—	—	—	0	1	—	—
Vermont	—	2	13	1	9	—	0	1	—	—	—	0	1	—	—
<b>Mid. Atlantic</b>	13	20	56	24	49	—	0	16	—	—	—	0	17	—	—
New Jersey	—	7	25	—	20	—	0	5	—	—	—	0	4	—	—
New York (Upstate)	N	0	0	N	N	—	0	6	—	—	—	0	8	—	—
New York City	—	0	0	—	—	—	0	5	—	—	—	0	2	—	—
Pennsylvania	13	14	35	24	29	—	0	4	—	—	—	0	3	—	—
<b>E.N. Central</b>	7	65	126	28	147	—	0	90	—	—	—	0	42	—	—
Illinois	1	16	36	3	49	—	0	31	—	—	—	0	18	—	—
Indiana	—	8	26	2	16	—	0	8	—	—	—	0	6	—	—
Michigan	—	18	45	1	30	—	0	32	—	—	—	0	13	—	—
Ohio	6	16	33	22	52	—	0	19	—	—	—	0	12	—	—
Wisconsin	—	0	7	—	—	—	0	11	—	—	—	0	5	—	—
<b>W.N. Central</b>	—	7	26	—	37	—	0	36	—	—	—	0	57	—	—
Iowa	N	0	0	N	N	—	0	3	—	—	—	0	5	—	—
Kansas	—	0	14	—	13	—	0	3	—	—	—	0	6	—	—
Minnesota	—	0	0	—	—	—	0	6	—	—	—	0	7	—	—
Missouri	—	6	24	—	21	—	0	3	—	—	—	0	1	—	—
Nebraska	—	0	3	—	1	—	0	8	—	—	—	0	22	—	—
North Dakota	—	0	5	—	1	—	0	9	—	—	—	0	11	—	—
South Dakota	—	0	3	—	1	—	0	17	—	—	—	0	27	—	—
<b>S. Atlantic</b>	1	25	76	1	55	—	0	20	—	—	—	0	19	—	—
Delaware	—	0	1	—	—	—	0	1	—	—	—	0	2	—	—
District of Columbia	—	0	4	—	1	—	0	3	—	—	—	0	1	—	—
Florida	—	12	50	—	28	—	0	5	—	—	—	0	5	—	—
Georgia	—	1	9	—	—	—	0	6	—	—	—	0	10	—	—
Maryland	N	0	0	N	N	—	0	5	—	—	—	0	5	—	—
North Carolina	N	0	0	N	N	—	0	4	—	—	—	0	0	—	—
South Carolina	—	0	2	—	—	—	0	5	—	—	—	0	2	—	—
Virginia	1	7	17	1	12	—	0	4	—	—	—	0	3	—	—
West Virginia	—	3	12	—	14	—	0	1	—	—	—	0	2	—	—
<b>E.S. Central</b>	—	3	13	3	11	—	0	20	—	—	—	0	21	—	—
Alabama	—	3	12	3	8	—	0	7	—	—	—	0	3	—	—
Kentucky	N	0	0	N	N	—	0	3	—	—	—	0	2	—	—
Mississippi	—	0	3	—	3	—	0	12	—	—	—	0	17	—	—
Tennessee	N	0	0	N	N	—	0	4	—	—	—	0	2	—	—
<b>W.S. Central</b>	3	44	98	3	34	—	1	144	—	—	—	1	163	—	—
Arkansas	—	3	17	—	4	—	0	9	—	—	—	0	3	—	—
Louisiana	—	1	8	—	—	—	0	18	—	—	—	0	26	—	—
Oklahoma	N	0	0	N	N	—	0	24	—	—	—	0	22	—	—
Texas	3	40	94	3	30	—	1	104	—	—	—	1	128	—	—
<b>Mountain</b>	4	30	61	4	46	—	0	36	—	—	—	0	22	—	—
Arizona	—	9	26	—	18	—	0	9	—	—	—	0	6	—	—
Colorado	—	8	25	—	13	—	0	17	—	—	—	0	13	—	—
Idaho	N	0	0	N	N	—	0	1	—	—	—	0	3	—	—
Montana	3	2	8	3	4	—	0	1	—	—	—	0	2	—	—
Nevada	N	0	0	N	N	—	0	1	—	—	—	0	2	—	—
New Mexico	—	1	8	—	3	—	0	9	—	—	—	0	5	—	—
Utah	1	5	15	1	7	—	0	1	—	—	—	0	1	—	—
Wyoming	—	0	2	—	1	—	0	1	—	—	—	0	2	—	—
<b>Pacific</b>	2	3	8	2	4	—	0	31	—	—	—	0	26	—	—
Alaska	2	1	4	2	—	—	0	0	—	—	—	0	0	—	—
California	—	0	3	—	2	—	0	31	—	—	—	0	25	—	—
Hawaii	—	1	3	—	2	—	0	0	—	—	—	0	0	—	—
Oregon	N	0	0	N	N	—	0	0	—	—	—	0	2	—	—
Washington	N	0	0	N	N	—	0	4	—	—	—	0	0	—	—
<b>Territories</b>															
American Samoa	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	—	0	9	—	5	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for California serogroup, eastern equine, Powassan, St. Louis, and western equine diseases are available in Table I.

§ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table, except starting in 2007 for the domestic arboviral diseases and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at [http://www.cdc.gov/nndss/document/SRCA\\_FINAL\\_REPORT\\_2006-2010.xlsx](http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2010.xlsx).

Morbidity and Mortality Weekly Report

TABLE III. Deaths in 122 U.S. cities,\* week ending January 12, 2013 (2nd week)

Reporting area	All causes, by age (years)						P&I†	Reporting area (Continued)	All causes, by age (years)						P&I†
	All Ages	≥65	45-64	25-44	1-24	<1			Total	All Ages	≥65	45-64	25-44	1-24	
<b>New England</b>	786	574	172	19	11	10	120	<b>S. Atlantic</b>	1,040	692	239	61	34	14	90
Boston, MA	212	147	48	9	5	3	28	Atlanta, GA	180	108	51	9	10	2	13
Bridgeport, CT	55	43	8	2	—	2	8	Baltimore, MD	—	—	—	—	—	—	—
Cambridge, MA	16	14	2	—	—	—	1	Charlotte, NC	215	154	42	11	4	4	31
Fall River, MA	44	34	9	—	1	—	2	Jacksonville, FL	164	103	46	10	3	2	11
Hartford, CT	68	54	10	—	4	—	10	Miami, FL	3	3	—	—	—	—	—
Lowell, MA	33	26	6	—	1	—	6	Norfolk, VA	62	39	14	4	2	3	3
Lynn, MA	10	7	3	—	—	—	—	Richmond, VA	101	67	23	7	4	—	6
New Bedford, MA	39	33	5	1	—	—	3	Savannah, GA	99	78	16	3	2	—	7
New Haven, CT	36	25	9	2	—	—	6	St. Petersburg, FL	60	44	12	4	—	—	7
Providence, RI	76	49	23	1	—	3	7	Tampa, FL	5	2	2	—	1	—	—
Somerville, MA	1	1	—	—	—	—	—	Washington, D.C.	140	89	29	11	8	3	12
Springfield, MA	49	34	13	1	—	1	11	Wilmington, DE	11	5	4	2	—	—	—
Waterbury, CT	43	32	9	1	—	1	3	<b>E.S. Central</b>	1,242	828	289	71	24	30	123
Worcester, MA	104	75	27	2	—	—	35	Birmingham, AL	239	168	45	13	3	10	28
<b>Mid. Atlantic</b>	2,358	1,679	500	113	41	25	159	Chattanooga, TN	69	43	16	6	3	1	1
Albany, NY	66	52	9	2	1	2	7	Knoxville, TN	161	106	44	9	1	1	21
Allentown, PA	35	29	4	1	—	1	3	Lexington, KY	89	54	27	6	1	1	2
Buffalo, NY	122	82	31	5	1	3	12	Memphis, TN	245	164	53	11	8	9	25
Camden, NJ	41	32	5	3	—	1	1	Mobile, AL	129	90	26	8	3	2	3
Elizabeth, NJ	22	10	8	4	—	—	2	Montgomery, AL	90	52	24	7	4	3	9
Erie, PA	83	61	17	3	2	—	3	Nashville, TN	220	151	54	11	1	3	34
Jersey City, NJ	21	15	4	2	—	—	1	<b>W.S. Central</b>	1,886	1,149	514	136	46	41	131
New York City, NY	1,483	1,050	317	70	29	17	94	Austin, TX	138	89	28	11	5	5	12
Newark, NJ	40	17	16	1	5	1	2	Baton Rouge, LA	103	66	23	8	1	5	3
Paterson, NJ	25	14	6	4	1	—	—	Corpus Christi, TX	60	42	10	4	4	—	7
Philadelphia, PA	U	U	U	U	U	U	U	Dallas, TX	285	167	86	15	9	8	25
Pittsburgh, PA <sup>§</sup>	46	32	11	3	—	—	2	El Paso, TX	102	70	22	8	1	1	8
Reading, PA	34	26	5	3	—	—	6	Fort Worth, TX	U	U	U	U	U	U	U
Rochester, NY	93	71	18	4	—	—	4	Houston, TX	410	224	122	41	14	9	15
Schenectady, NY	29	22	6	—	1	—	6	Little Rock, AR	185	105	56	11	7	6	8
Scranton, PA	42	37	4	1	—	—	3	New Orleans, LA	68	36	21	7	2	2	2
Syracuse, NY	82	61	18	3	—	—	10	San Antonio, TX	359	224	102	26	2	5	35
Trenton, NJ	46	33	10	3	—	—	—	Shreveport, LA	78	46	28	3	1	—	7
Utica, NY	21	12	7	1	1	—	3	Tulsa, OK	98	80	16	2	—	—	9
Yonkers, NY	27	23	4	—	—	—	—	<b>Mountain</b>	1,419	977	317	75	29	20	116
<b>E.N. Central</b>	2,910	2,000	657	158	54	41	223	Albuquerque, NM	128	94	20	8	4	2	13
Akron, OH	76	58	13	1	2	2	12	Boise, ID	76	51	14	8	2	1	7
Canton, OH	49	28	14	6	—	1	6	Colorado Springs, CO	85	61	12	9	1	2	4
Chicago, IL	284	179	69	24	7	5	15	Denver, CO	99	60	31	4	3	1	4
Cincinnati, OH	104	63	29	4	4	4	5	Las Vegas, NV	373	263	91	11	8	—	38
Cleveland, OH	399	296	80	16	4	3	25	Ogden, UT	47	32	13	—	—	2	5
Columbus, OH	300	216	63	11	4	6	27	Phoenix, AZ	250	148	64	27	6	4	22
Dayton, OH	181	145	25	8	2	1	23	Pueblo, CO	41	26	13	1	1	—	—
Detroit, MI	264	157	81	17	7	2	20	Salt Lake City, UT	154	118	24	2	4	6	18
Evansville, IN	54	39	10	3	1	1	3	Tucson, AZ	166	124	35	5	—	2	5
Fort Wayne, IN	122	96	22	1	3	—	5	<b>Pacific</b>	2,212	1,575	460	110	39	28	187
Gary, IN	18	15	2	1	—	—	1	Berkeley, CA	14	6	4	1	1	2	—
Grand Rapids, MI	94	65	18	6	3	2	9	Fresno, CA	178	123	42	8	4	1	13
Indianapolis, IN	298	183	84	23	6	2	26	Glendale, CA	39	33	5	1	—	—	6
Lansing, MI	101	69	24	6	1	1	11	Honolulu, HI	56	44	10	1	—	1	5
Milwaukee, WI	117	74	34	7	1	1	11	Long Beach, CA	82	53	23	3	1	2	8
Peoria, IL	83	54	18	5	2	4	8	Los Angeles, CA	322	218	73	24	3	4	39
Rockford, IL	80	55	18	5	2	—	7	Pasadena, CA	38	30	6	1	1	—	5
South Bend, IN	70	47	16	3	1	3	4	Portland, OR	173	112	47	10	2	2	9
Toledo, OH	129	85	30	9	4	1	3	Sacramento, CA	277	191	62	13	8	3	25
Youngstown, OH	87	76	7	2	—	2	2	San Diego, CA	235	179	42	8	4	2	20
<b>W.N. Central</b>	825	571	181	41	20	10	64	San Francisco, CA	144	105	29	7	—	3	8
Des Moines, IA	73	57	13	3	—	—	3	San Jose, CA	250	184	43	17	4	2	18
Duluth, MN	38	31	7	—	—	—	7	Santa Cruz, CA	49	33	16	—	—	—	8
Kansas City, KS	41	21	16	2	2	—	1	Seattle, WA	152	110	28	7	3	4	11
Kansas City, MO	133	87	31	11	2	2	6	Spokane, WA	72	53	12	5	—	2	4
Lincoln, NE	47	43	1	2	1	—	1	Tacoma, WA	131	101	18	4	8	—	8
Minneapolis, MN	73	51	17	4	1	—	7	<b>Total¶</b>	<b>14,678</b>	<b>10,045</b>	<b>3,329</b>	<b>784</b>	<b>298</b>	<b>219</b>	<b>1,213</b>
Omaha, NE	135	99	31	2	1	2	18								
St. Louis, MO	86	45	24	6	6	3	5								
St. Paul, MN	105	78	18	5	3	1	11								
Wichita, KS	94	59	23	6	4	2	5								

U: Unavailable. —: No reported cases.

\* Mortality data in this table are voluntarily reported from 122 cities in the United States, most of which have populations of >100,000. A death is reported by the place of its occurrence and by the week that the death certificate was filed. Fetal deaths are not included.

† Pneumonia and influenza.

§ Because of changes in reporting methods in this Pennsylvania city, these numbers are partial counts for the current week. Complete counts will be available in 4 to 6 weeks.

¶ Total includes unknown ages.