

## Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending March 23, 2013 (12th week)\*


Disease	Current week	Cum 2013	5-year weekly average <sup>†</sup>	Total cases reported for previous years					States reporting cases during current week (No.)
				2012	2011	2010	2009	2008	
Anthrax	—	—	—	—	1	—	1	—	
Arboviral diseases <sup>§, ¶</sup> :									
California serogroup virus disease	—	—	0	78	137	75	55	62	
Eastern equine encephalitis virus disease	—	2	—	14	4	10	4	4	
Powassan virus disease	—	—	0	7	16	8	6	2	
St. Louis encephalitis virus disease	—	1	—	4	6	10	12	13	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Babesiosis	1	11	1	809	1,128	NN	NN	NN	NY (1)
Botulism, total	1	21	2	122	153	112	118	145	
foodborne	—	—	0	14	24	7	10	17	
infant	1	16	1	82	97	80	83	109	MD (1)
other (wound and unspecified)	—	5	0	26	32	25	25	19	
Brucellosis	—	8	2	122	79	115	115	80	
Chancroid	—	4	1	22	8	24	28	25	
Cholera	—	1	0	5	40	13	10	5	
Cyclosporiasis <sup>§</sup>	—	3	1	122	151	179	141	139	
Diphtheria	—	—	—	1	—	—	—	—	
<i>Haemophilus influenzae</i> ,** invasive disease (age <5 yrs):									
serotype b	—	5	1	24	14	23	35	30	
nonsertotype b	2	32	5	163	145	200	236	244	OH (1), OK (1)
unknown serotype	3	59	5	252	226	223	178	163	FL (1), ID (1), OR (1)
Hansen disease <sup>§</sup>	—	5	2	66	82	98	103	80	
Hantavirus pulmonary syndrome <sup>§</sup>	—	—	0	27	23	20	20	18	
Hemolytic uremic syndrome, postdiarrheal <sup>§</sup>	1	22	3	217	290	266	242	330	FL (1)
Influenza-associated pediatric mortality <sup>§, ††</sup>	5	92	4	52	118	61	358	90	NH (2), NY (1), MN (1), SC (1)
Listeriosis	6	69	9	674	870	821	851	759	OH (1), NC (1), FL (1), KY (1), AR (1), OR (1)
Measles <sup>§§</sup>	1	12	3	56	220	63	71	140	FL (1)
Meningococcal disease, invasive <sup>¶¶</sup> :									
A, C, Y, and W-135	—	24	8	139	257	280	301	330	
serogroup B	—	15	4	90	159	135	174	188	
other serogroup	—	1	1	18	20	12	23	38	
unknown serogroup	9	111	11	298	323	406	482	616	PA (1), FL (2), TX (1), ID (1), CA (4)
Novel influenza A virus infections <sup>***</sup>	—	—	23	313	14	4	43,774	2	
Plague	—	—	—	3	3	2	8	3	
Poliomyelitis, paralytic	—	—	—	—	—	—	1	—	
Polio virus Infection, nonparalytic <sup>§</sup>	—	—	—	—	—	—	—	—	
Psittacosis <sup>§</sup>	—	—	0	2	2	4	9	8	
Q fever, total <sup>§</sup>	—	9	2	131	134	131	113	120	
acute	—	4	1	111	110	106	93	106	
chronic	—	5	0	20	24	25	20	14	
Rabies, human	—	—	0	1	6	2	4	2	
Rubella <sup>†††</sup>	—	1	0	8	4	5	3	16	
Rubella, congenital syndrome	—	—	0	2	—	—	2	—	
SARS-CoV <sup>§</sup>	—	—	—	—	—	—	—	—	
Smallpox <sup>§</sup>	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome <sup>§</sup>	—	27	5	125	168	142	161	157	
Syphilis, congenital (age <1 yr) <sup>§§§</sup>	—	13	8	269	360	377	423	431	
Tetanus	—	5	0	37	36	26	18	19	
Toxic-shock syndrome (staphylococcal) <sup>§</sup>	1	16	1	64	78	82	74	71	CA (1)
Trichinellosis	—	10	0	16	15	7	13	39	
Tularemia	1	3	0	159	166	124	93	123	NC (1)
Typhoid fever	1	43	7	319	390	467	397	449	KY (1)
Vancomycin-intermediate <i>Staphylococcus aureus</i> <sup>§</sup>	1	12	2	99	82	91	78	63	FL (1)
Vancomycin-resistant <i>Staphylococcus aureus</i> <sup>§</sup>	—	—	0	1	—	2	1	—	
Vibriosis (noncholera <i>Vibrio</i> species infections) <sup>§</sup>	2	58	5	972	832	846	789	588	FL (1), HI (1)
Viral hemorrhagic fever <sup>¶¶¶</sup>	—	—	—	—	—	1	NN	NN	
Yellow fever	—	—	—	—	—	—	—	—	

See Table 1 footnotes on next page.

**TABLE I. (Continued) Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending March 23, 2013 (12th week)\***

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts.  
 \* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.  
 † Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. The total sum of incident cases is then divided by 25 weeks. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.  
 ‡ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, TB data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at [http://www.cdc.gov/nndss/document/SRCA\\_FINAL\\_REPORT\\_2006-2010.xlsx](http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2010.xlsx).  
 § Includes both neuroinvasive and nonneuroinvasive. Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.  
 \*\* Data for *H. influenzae* (all ages, all serotypes) are available in Table II.  
 †† Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since September 30, 2012, 110 influenza-associated pediatric deaths occurring during the 2012-13 influenza season have been reported.  
 ‡‡ The one measles case reported for the current week was indigenous.  
 §§ Data for meningococcal disease (all serogroups) are available in Table II.  
 ¶¶ CDC discontinued reporting of individual confirmed and probable cases of 2009 pandemic influenza A (H1N1) virus infections on July 24, 2009. During 2009, four cases of human infection with novel influenza A viruses, different from the 2009 pandemic influenza A (H1N1) strain, were reported to CDC. The four cases of novel influenza A virus infection reported to CDC during 2010, the fourteen cases reported during 2011, and the 313 cases reported during 2012 are different from the 2009 pandemic influenza A (H1N1) virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).  
 ††† No rubella cases were reported for the current week.  
 §§§ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.  
 ¶¶¶ There were no cases of viral hemorrhagic fever reported during the current week. See Table II for dengue hemorrhagic fever.

**FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals March 23, 2013, with historical data**



\* Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

**Notifiable Disease Data Team and 122 Cities Mortality Data Team**

Jeffrey Kriseman  
 Deborah A. Adams      Willie J. Anderson  
 Lenee Blanton          Rosaline Dhara  
 Diana Harris Onweh      Alan W. Schley  
 Pearl C. Sharp



Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending March 23, 2013, and March 24, 2012 (12th week)\*

Reporting area	Dengue Virus Infection									
	Dengue Fever <sup>†</sup>					Dengue Hemorrhagic Fever <sup>§</sup>				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max			
<b>United States</b>	—	10	30	32	52	—	0	1	—	—
<b>New England</b>	—	0	3	4	3	—	0	0	—	—
Connecticut	—	0	3	2	2	—	0	0	—	—
Maine	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	0	—	—	—	0	0	—	—
New Hampshire	—	0	1	1	—	—	0	0	—	—
Rhode Island	—	0	0	—	—	—	0	0	—	—
Vermont	—	0	1	1	1	—	0	0	—	—
<b>Mid. Atlantic</b>	—	1	8	5	17	—	0	0	—	—
New Jersey	—	0	0	—	—	—	0	0	—	—
New York (Upstate)	—	0	3	—	5	—	0	0	—	—
New York City	—	1	7	3	8	—	0	0	—	—
Pennsylvania	—	0	2	2	4	—	0	0	—	—
<b>E.N. Central</b>	—	1	3	2	9	—	0	1	—	—
Illinois	—	0	3	—	4	—	0	1	—	—
Indiana	—	0	2	—	1	—	0	0	—	—
Michigan	—	0	1	—	1	—	0	0	—	—
Ohio	—	0	1	2	1	—	0	0	—	—
Wisconsin	—	0	1	—	2	—	0	0	—	—
<b>W.N. Central</b>	—	0	2	1	2	—	0	1	—	—
Iowa	—	0	1	—	1	—	0	0	—	—
Kansas	—	0	1	1	—	—	0	0	—	—
Minnesota	—	0	2	—	1	—	0	0	—	—
Missouri	—	0	1	—	—	—	0	1	—	—
Nebraska	—	0	0	—	—	—	0	0	—	—
North Dakota	—	0	0	—	—	—	0	0	—	—
South Dakota	—	0	1	—	—	—	0	0	—	—
<b>S. Atlantic</b>	—	3	12	15	13	—	0	0	—	—
Delaware	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	—	2	9	15	11	—	0	0	—	—
Georgia	—	0	2	—	—	—	0	0	—	—
Maryland	—	0	2	—	1	—	0	0	—	—
North Carolina	—	0	1	—	—	—	0	0	—	—
South Carolina	—	0	1	—	—	—	0	0	—	—
Virginia	—	0	2	—	1	—	0	0	—	—
West Virginia	—	0	0	—	—	—	0	0	—	—
<b>E.S. Central</b>	—	0	2	3	1	—	0	0	—	—
Alabama	—	0	2	—	1	—	0	0	—	—
Kentucky	—	0	1	—	—	—	0	0	—	—
Mississippi	—	0	1	1	—	—	0	0	—	—
Tennessee	—	0	2	2	—	—	0	0	—	—
<b>W.S. Central</b>	—	0	2	—	1	—	0	0	—	—
Arkansas	—	0	0	—	—	—	0	0	—	—
Louisiana	—	0	1	—	—	—	0	0	—	—
Oklahoma	—	0	1	—	—	—	0	0	—	—
Texas	—	0	2	—	1	—	0	0	—	—
<b>Mountain</b>	—	0	2	—	—	—	0	0	—	—
Arizona	—	0	2	—	—	—	0	0	—	—
Colorado	—	0	0	—	—	—	0	0	—	—
Idaho	—	0	1	—	—	—	0	0	—	—
Montana	—	0	1	—	—	—	0	0	—	—
Nevada	—	0	1	—	—	—	0	0	—	—
New Mexico	—	0	0	—	—	—	0	0	—	—
Utah	—	0	0	—	—	—	0	0	—	—
Wyoming	—	0	0	—	—	—	0	0	—	—
<b>Pacific</b>	—	1	7	2	6	—	0	1	—	—
Alaska	—	0	1	—	—	—	0	0	—	—
California	—	1	5	—	3	—	0	0	—	—
Hawaii	—	0	2	—	1	—	0	0	—	—
Oregon	—	0	0	—	—	—	0	0	—	—
Washington	—	0	2	2	2	—	0	1	—	—
<b>Territories</b>										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	—	—	—	—	—
Puerto Rico	—	110	343	1,939	208	—	0	3	4	5
U.S. Virgin Islands	—	1	42	—	—	—	0	1	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

<sup>†</sup> Dengue Fever includes cases that meet criteria for Dengue Fever with hemorrhage, other clinical and unknown case classifications.

<sup>§</sup> DHF includes cases that meet criteria for dengue shock syndrome (DSS), a more severe form of DHF.











## Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending March 23, 2013, and March 24, 2012 (12th week)\*

Reporting area	Meningococcal disease, invasive† All serogroups					Mumps					Pertussis				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
<b>United States</b>	9	11	28	151	155	1	4	16	59	59	130	858	1,339	3,257	6,479
<b>New England</b>	—	0	3	8	2	—	0	2	2	—	5	50	101	204	259
Connecticut	—	0	1	2	—	—	0	1	1	—	—	3	9	4	20
Maine	—	0	1	1	—	—	0	1	1	—	1	14	37	94	30
Massachusetts	—	0	2	2	2	—	0	2	—	—	—	13	29	22	77
New Hampshire	—	0	1	1	—	—	0	1	—	—	—	4	18	16	21
Rhode Island	—	0	1	2	—	—	0	1	—	—	—	1	20	7	15
Vermont	—	0	1	—	—	—	0	0	—	—	4	8	42	61	96
<b>Mid. Atlantic</b>	1	1	5	13	24	—	0	4	4	4	14	97	190	315	1,128
New Jersey	—	0	2	1	4	—	0	0	—	—	—	7	40	11	210
New York (Upstate)	—	0	2	6	5	—	0	1	—	—	9	44	120	173	445
New York City	—	0	2	3	8	—	0	3	3	4	—	6	19	15	153
Pennsylvania	1	0	2	3	7	—	0	1	1	—	5	33	71	116	320
<b>E.N. Central</b>	—	1	4	10	17	—	1	3	9	18	25	175	358	645	1,933
Illinois	—	0	3	2	4	—	0	2	5	11	—	34	65	94	471
Indiana	—	0	1	3	1	—	0	2	—	2	—	8	18	43	49
Michigan	—	0	2	2	4	—	0	1	—	2	1	11	40	87	149
Ohio	—	0	2	3	7	—	0	2	4	2	24	17	37	204	164
Wisconsin	—	0	2	—	1	—	0	1	—	1	—	96	262	217	1,100
<b>W.N. Central</b>	—	1	4	10	11	—	0	2	1	6	3	128	255	296	730
Iowa	—	0	1	—	1	—	0	1	—	—	—	32	100	68	114
Kansas	—	0	1	—	2	—	0	1	—	1	—	18	30	27	65
Minnesota	—	0	3	3	1	—	0	1	—	2	—	50	145	77	373
Missouri	—	0	3	3	6	—	0	1	1	3	3	14	45	93	146
Nebraska	—	0	1	2	1	—	0	1	—	—	—	2	19	25	11
North Dakota	—	0	1	—	—	—	0	0	—	—	—	0	45	2	16
South Dakota	—	0	1	2	—	—	0	0	—	—	—	1	6	4	5
<b>S. Atlantic</b>	2	2	6	44	22	—	0	9	21	8	12	55	106	357	394
Delaware	—	0	0	—	1	—	0	0	—	—	—	1	4	9	8
District of Columbia	—	0	1	1	—	—	0	2	—	—	—	0	4	11	7
Florida	2	1	3	25	13	—	0	1	—	3	8	10	26	88	94
Georgia	—	0	2	4	2	—	0	1	—	—	—	6	15	52	23
Maryland	—	0	1	2	3	—	0	7	16	—	1	6	18	50	61
North Carolina	—	0	2	6	1	—	0	1	—	1	—	9	75	59	44
South Carolina	—	0	2	1	—	—	0	1	—	—	1	4	14	33	35
Virginia	—	0	2	3	—	—	0	2	5	3	2	11	41	53	91
West Virginia	—	0	1	2	2	—	0	1	—	1	—	1	12	2	31
<b>E.S. Central</b>	—	0	2	5	4	—	0	2	3	1	3	24	48	162	173
Alabama	—	0	1	1	1	—	0	1	1	—	1	4	11	39	40
Kentucky	—	0	1	1	1	—	0	1	—	—	1	12	35	58	70
Mississippi	—	0	1	2	1	—	0	1	—	1	—	1	4	10	26
Tennessee	—	0	1	1	1	—	0	1	2	—	1	5	15	55	37
<b>W.S. Central</b>	1	0	4	5	11	—	0	2	4	3	32	47	290	313	199
Arkansas	—	0	1	—	—	—	0	1	1	—	1	3	26	57	11
Louisiana	—	0	0	—	—	—	0	1	1	—	—	1	7	5	2
Oklahoma	—	0	2	—	2	—	0	1	—	—	—	0	34	5	1
Texas	1	0	4	5	9	—	0	2	2	3	31	40	264	246	185
<b>Mountain</b>	1	0	3	8	12	—	0	1	1	9	1	122	172	555	829
Arizona	—	0	3	4	1	—	0	0	—	3	—	16	32	106	252
Colorado	—	0	2	1	2	—	0	1	—	3	—	29	66	81	163
Idaho	1	0	1	1	1	—	0	0	—	—	1	4	14	41	21
Montana	—	0	1	—	4	—	0	0	—	1	—	10	48	107	31
Nevada	—	0	1	1	2	—	0	1	1	—	—	2	8	26	12
New Mexico	—	0	2	—	1	—	0	0	—	—	—	19	35	111	104
Utah	—	0	1	—	—	—	0	1	—	1	—	31	52	82	242
Wyoming	—	0	1	1	1	—	0	1	—	1	—	0	5	1	4
<b>Pacific</b>	4	2	15	48	52	1	1	5	14	10	35	114	550	410	834
Alaska	—	0	1	—	—	—	0	1	—	—	10	7	24	123	17
California	4	1	6	42	39	—	0	5	12	8	3	14	30	74	184
Hawaii	—	0	0	—	2	—	0	1	—	—	—	1	5	1	58
Oregon	—	0	2	3	11	—	0	1	1	1	1	11	54	66	120
Washington	—	0	12	3	—	1	0	1	1	1	21	76	525	146	455
<b>Territories</b>	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
American Samoa	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	3	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Data for meningococcal disease, invasive caused by serogroups A, C, Y, and W-135; serogroup B; other serogroup; and unknown serogroup are available in Table I.

## Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending March 23, 2013, and March 24, 2012 (12th week)\*

Reporting area	Rabies, animal					Salmonellosis					Shiga toxin-producing <i>E. coli</i> (STEC) <sup>†</sup>				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
<b>United States</b>	43	79	132	370	798	281	994	1,699	4,653	6,010	23	124	201	459	706
<b>New England</b>	1	6	16	49	85	1	38	72	150	237	2	4	9	20	22
Connecticut	—	3	8	22	43	—	7	19	45	70	—	1	4	5	9
Maine	1	1	4	8	26	1	2	11	14	9	—	0	3	2	—
Massachusetts	—	0	0	—	—	—	21	53	55	118	—	2	7	6	12
New Hampshire	—	0	3	7	4	—	3	9	16	16	—	0	4	4	—
Rhode Island	—	0	5	3	6	—	2	7	9	9	—	0	1	—	—
Vermont	—	1	7	9	6	—	1	7	11	15	2	0	2	3	1
<b>Mid. Atlantic</b>	6	18	41	56	168	40	89	187	510	685	4	11	24	61	83
New Jersey	—	0	0	—	—	1	17	48	75	158	—	1	6	6	23
New York (Upstate)	6	7	20	56	56	23	22	64	135	152	3	4	15	21	18
New York City	—	0	0	—	—	3	20	49	151	166	—	1	7	12	18
Pennsylvania	—	9	28	—	112	13	29	63	149	209	1	4	12	22	24
<b>E.N. Central</b>	—	2	13	4	10	14	104	237	536	702	1	18	77	72	134
Illinois	—	1	6	2	1	—	34	79	157	248	—	3	16	5	23
Indiana	—	0	2	—	—	—	13	40	54	73	—	2	23	12	23
Michigan	—	0	5	1	5	6	16	46	119	124	—	3	41	18	45
Ohio	—	0	7	1	4	8	24	50	147	139	1	4	20	25	14
Wisconsin	N	0	0	N	N	—	14	35	59	118	—	3	21	12	29
<b>W.N. Central</b>	6	3	18	19	35	13	47	108	265	295	—	16	31	59	65
Iowa	—	0	5	—	2	4	9	32	64	59	—	3	15	9	11
Kansas	4	1	4	11	13	1	9	18	35	62	—	2	7	10	7
Minnesota	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Missouri	2	0	3	8	5	8	19	48	120	114	—	6	21	31	27
Nebraska	—	0	0	—	—	—	3	26	21	25	—	1	6	5	8
North Dakota	—	0	13	—	7	—	1	5	13	13	—	0	3	2	6
South Dakota	—	1	7	—	8	—	3	9	12	22	—	1	4	2	6
<b>S. Atlantic</b>	15	18	34	143	282	118	279	627	1,521	1,932	4	13	72	86	109
Delaware	—	0	0	—	—	—	2	10	11	21	—	0	3	—	2
District of Columbia	—	0	0	—	—	—	0	3	—	12	—	0	1	—	2
Florida	—	0	5	22	105	56	110	274	719	753	3	4	10	31	41
Georgia	—	0	0	—	—	9	47	111	212	273	1	2	7	18	15
Maryland	—	6	17	11	67	6	17	43	137	164	—	1	5	11	8
North Carolina	—	0	0	—	—	36	25	166	196	410	—	0	61	11	19
South Carolina	—	0	0	—	—	1	24	73	102	133	—	0	7	1	4
Virginia	15	11	23	102	94	10	22	49	131	158	—	1	6	8	16
West Virginia	—	1	6	8	16	—	4	15	13	8	—	0	2	6	2
<b>E.S. Central</b>	1	1	5	4	20	9	62	215	299	384	5	5	13	34	39
Alabama	—	1	5	1	16	5	19	59	100	96	3	1	5	10	13
Kentucky	1	0	3	3	4	—	9	50	49	77	—	1	9	8	7
Mississippi	—	0	1	—	—	—	16	67	74	100	—	0	3	5	5
Tennessee	—	0	0	—	—	4	18	69	76	111	2	2	11	11	14
<b>W.S. Central</b>	14	12	61	93	152	44	149	415	536	792	—	11	113	18	63
Arkansas	—	0	35	17	20	4	16	229	54	46	—	1	10	8	5
Louisiana	—	0	0	—	—	2	24	59	97	127	—	0	3	2	1
Oklahoma	1	0	23	2	7	11	13	34	70	75	—	1	8	4	6
Texas	13	10	39	74	125	27	93	305	315	544	—	6	103	4	51
<b>Mountain</b>	—	1	16	—	24	9	42	79	240	344	1	11	46	36	78
Arizona	N	0	0	N	N	7	12	25	91	102	—	2	7	8	24
Colorado	—	0	0	—	—	—	9	19	21	84	—	3	9	1	17
Idaho	—	0	15	—	—	2	2	7	13	30	1	2	30	13	10
Montana	N	0	0	N	N	—	2	8	10	15	—	0	5	2	5
Nevada	—	0	4	—	—	—	3	12	36	20	—	0	5	6	4
New Mexico	—	0	5	—	24	—	6	19	39	37	—	1	6	—	8
Utah	—	0	2	—	—	—	4	15	26	49	—	1	15	6	7
Wyoming	—	0	0	—	—	—	1	8	4	7	—	0	3	—	3
<b>Pacific</b>	—	3	12	2	22	33	106	180	596	639	6	15	42	73	113
Alaska	—	0	1	—	4	2	1	4	5	14	N	0	0	N	N
California	—	3	11	—	18	15	71	133	433	453	—	7	21	26	77
Hawaii	—	0	0	—	—	—	4	58	29	26	2	0	5	12	2
Oregon	—	0	2	2	—	5	8	16	48	58	2	3	11	15	18
Washington	—	0	0	—	—	11	12	95	81	88	2	3	34	20	16
<b>Territories</b>	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
American Samoa	—	0	0	—	—	—	1	2	—	1	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	—	0	3	—	21	—	0	4	—	16	—	0	2	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.† Includes *E. coli* O157:H7; Shiga toxin-positive, serogroup non-O157; and Shiga toxin-positive, not serogrouped.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending March 23, 2013, and March 24, 2012 (12th week)\*

Reporting area	Shigellosis						Spotted Fever Rickettsiosis (including RMSF)†									
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Confirmed				Probable					
		Med	Max				Med	Max	Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	
<b>United States</b>	67	261	410	1,342	2,642	1	3	13	16	24	2	52	230	68	191	
<b>New England</b>	—	4	12	26	22	—	0	1	—	—	—	0	3	—	—	
Connecticut	—	1	3	5	6	—	0	0	—	—	—	0	0	—	—	
Maine	—	0	2	—	1	—	0	0	—	—	—	0	1	—	—	
Massachusetts	—	2	10	17	15	—	0	0	—	—	—	0	3	—	—	
New Hampshire	—	0	1	2	—	—	0	0	—	—	—	0	1	—	—	
Rhode Island	—	0	5	—	—	—	0	0	—	—	—	0	3	—	—	
Vermont	—	0	1	2	—	—	0	1	—	—	—	0	0	—	—	
<b>Mid. Atlantic</b>	4	34	73	133	701	—	0	2	1	6	—	1	5	3	17	
New Jersey	—	6	35	1	390	—	0	0	—	—	—	0	1	—	—	
New York (Upstate)	3	12	37	52	115	—	0	1	—	1	—	0	3	—	2	
New York City	1	8	21	67	161	—	0	0	—	—	—	0	3	1	4	
Pennsylvania	—	2	7	13	35	—	0	2	1	5	—	0	4	2	11	
<b>E.N. Central</b>	13	40	118	384	293	—	0	2	—	1	—	4	18	5	19	
Illinois	—	5	17	2	31	—	0	1	—	—	—	2	12	1	9	
Indiana	—	1	17	9	16	—	0	1	—	1	—	1	5	3	3	
Michigan	—	4	14	38	65	—	0	1	—	—	—	0	1	—	—	
Ohio	13	28	103	324	167	—	0	0	—	—	—	0	3	1	3	
Wisconsin	—	2	18	11	14	—	0	0	—	—	—	0	3	—	4	
<b>W.N. Central</b>	2	8	32	46	67	—	0	6	—	1	—	6	33	—	18	
Iowa	—	1	11	13	4	—	0	0	—	—	—	0	1	—	1	
Kansas	—	2	6	6	36	—	0	0	—	—	—	0	0	—	—	
Minnesota	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—	
Missouri	2	1	7	11	23	—	0	5	—	1	—	6	33	—	17	
Nebraska	—	2	22	11	3	—	0	1	—	—	—	0	1	—	—	
North Dakota	—	0	1	3	1	—	0	1	—	—	—	0	0	—	—	
South Dakota	—	0	3	2	—	—	0	0	—	—	—	0	1	—	—	
<b>S. Atlantic</b>	21	53	99	256	576	—	2	8	14	10	1	14	147	34	49	
Delaware	—	0	4	2	1	—	0	0	—	—	—	0	2	2	6	
District of Columbia	—	0	3	—	9	—	0	0	—	—	—	0	1	—	—	
Florida	5	29	66	85	301	—	0	1	—	—	1	0	3	2	4	
Georgia	2	12	21	88	154	—	1	8	13	7	—	0	0	—	—	
Maryland	3	4	16	18	58	—	0	0	—	—	—	0	3	5	5	
North Carolina	9	2	10	32	26	—	0	4	—	—	—	1	133	6	5	
South Carolina	—	1	4	18	5	—	0	1	1	2	—	1	6	5	3	
Virginia	2	1	6	12	20	—	0	2	—	1	—	5	35	14	26	
West Virginia	—	0	3	1	2	—	0	0	—	—	—	0	1	—	—	
<b>E.S. Central</b>	4	20	41	95	329	—	0	2	—	—	1	12	57	20	30	
Alabama	3	5	20	38	80	—	0	1	—	—	—	3	14	4	8	
Kentucky	—	5	21	14	134	—	0	1	—	—	1	0	7	3	1	
Mississippi	—	4	13	27	75	—	0	2	—	—	—	0	4	—	—	
Tennessee	1	3	9	16	40	—	0	1	—	—	—	10	49	13	21	
<b>W.S. Central</b>	20	49	92	258	465	—	0	2	—	—	—	11	73	5	36	
Arkansas	3	2	7	25	11	—	0	1	—	—	—	8	65	5	16	
Louisiana	—	3	10	28	44	—	0	0	—	—	—	0	2	—	1	
Oklahoma	3	7	27	39	84	—	0	1	—	—	—	0	26	—	9	
Texas	14	34	89	166	326	—	0	1	—	—	—	1	6	—	10	
<b>Mountain</b>	—	12	32	45	65	1	0	2	1	6	—	0	5	—	19	
Arizona	—	6	18	22	40	1	0	2	1	6	—	0	3	—	15	
Colorado	—	2	19	3	6	—	0	1	—	—	—	0	1	—	—	
Idaho	—	0	2	—	2	—	0	0	—	—	—	0	1	—	2	
Montana	—	0	2	—	3	—	0	0	—	—	—	0	1	—	—	
Nevada	—	0	9	11	1	—	0	1	—	—	—	0	0	—	—	
New Mexico	—	1	7	5	9	—	0	0	—	—	—	0	1	—	—	
Utah	—	0	4	3	4	—	0	0	—	—	—	0	1	—	2	
Wyoming	—	0	3	1	—	—	0	0	—	—	—	0	1	—	—	
<b>Pacific</b>	3	16	41	99	124	—	0	2	—	—	—	0	2	1	3	
Alaska	—	0	2	—	5	N	0	0	N	N	N	0	0	N	N	
California	2	12	33	63	90	—	0	2	—	—	—	0	1	1	3	
Hawaii	—	0	5	13	2	N	0	0	N	N	N	0	0	N	N	
Oregon	1	1	10	12	17	—	0	0	—	—	—	0	1	—	—	
Washington	—	1	19	11	10	—	0	0	—	—	—	0	0	—	—	
<b>Territories</b>																
American Samoa	—	1	3	—	—	N	0	0	N	N	N	0	0	N	N	
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Guam	—	—	—	—	—	N	—	—	N	N	N	—	—	N	N	
Puerto Rico	—	0	0	—	—	N	0	0	N	N	N	0	0	N	N	
U.S. Virgin Islands	—	0	0	—	—	N	0	0	N	N	N	0	0	N	N	

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Illnesses with similar clinical presentation that result from Spotted fever group rickettsia infections are reported as Spotted fever rickettsioses. Rocky Mountain spotted fever (RMSF) caused by *Rickettsia rickettsii*, is the most common and well-known spotted fever.

## Morbidity and Mortality Weekly Report

**TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending March 23, 2013, and March 24, 2012 (12th week)\***

Reporting area	<i>Streptococcus pneumoniae</i> , <sup>†</sup> invasive disease										Syphilis, primary and secondary				
	All ages					Age <5									
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max				Med	Max			
<b>United States</b>	248	275	757	4,519	4,673	16	23	46	253	339	79	293	382	2,593	3,349
<b>New England</b>	4	11	49	172	204	—	1	4	6	15	3	7	16	78	122
Connecticut	1	6	21	97	99	—	0	2	2	5	—	0	4	4	22
Maine	2	2	8	32	29	—	0	1	2	1	—	0	5	—	5
Massachusetts	—	0	3	1	11	—	0	2	1	7	3	5	13	57	69
New Hampshire	—	1	5	20	26	—	0	1	1	1	—	1	4	7	8
Rhode Island	—	0	23	—	21	—	0	0	—	1	—	0	4	8	17
Vermont	1	1	6	22	18	—	0	0	—	—	—	0	2	2	1
<b>Mid. Atlantic</b>	30	36	63	516	675	2	2	5	28	32	9	35	50	330	409
New Jersey	—	3	17	7	198	—	0	3	—	10	—	4	8	21	46
New York (Upstate)	19	17	39	268	270	2	1	4	19	14	9	4	25	63	35
New York City	11	14	36	241	207	—	0	3	9	8	—	19	31	153	210
Pennsylvania	N	—	—	N	N	N	0	0	N	N	—	9	18	93	118
<b>E.N. Central</b>	41	57	130	941	938	1	4	12	31	62	4	31	60	195	389
Illinois	N	0	0	N	N	—	1	3	6	13	2	12	23	61	174
Indiana	—	13	45	165	223	—	0	2	—	6	2	4	10	37	53
Michigan	2	13	30	185	201	—	0	3	11	13	—	5	14	34	65
Ohio	33	21	63	438	375	1	1	6	10	21	—	8	15	49	83
Wisconsin	6	9	29	153	139	—	0	2	4	9	—	2	5	14	14
<b>W.N. Central</b>	—	13	34	177	204	—	1	5	22	26	—	8	16	96	73
Iowa	N	0	0	N	N	N	0	0	N	N	—	1	4	8	9
Kansas	N	0	0	N	N	N	0	0	N	N	—	0	3	4	3
Minnesota	—	8	24	108	124	—	0	3	7	6	—	3	5	29	21
Missouri	N	0	0	N	N	—	1	3	8	11	—	3	7	44	37
Nebraska	—	1	7	34	50	—	0	1	3	3	—	0	2	7	2
North Dakota	—	0	4	2	3	—	0	1	2	—	—	0	1	1	1
South Dakota	—	2	6	33	27	—	0	1	2	6	—	0	2	3	—
<b>S. Atlantic</b>	80	60	135	1,146	1,056	6	5	14	76	71	13	64	104	590	830
Delaware	1	0	3	9	15	—	0	1	—	—	—	0	6	5	13
District of Columbia	—	1	4	16	13	—	0	1	—	1	—	3	10	50	51
Florida	38	18	59	404	325	3	1	6	29	24	2	26	36	254	329
Georgia	16	18	55	349	281	—	2	6	22	14	5	11	31	89	161
Maryland	13	7	25	164	166	1	0	3	9	12	—	8	15	78	89
North Carolina	N	0	0	N	N	N	0	0	N	N	—	3	14	—	88
South Carolina	12	6	19	142	143	—	0	3	3	6	—	4	9	46	49
Virginia	N	0	0	N	N	2	0	5	10	7	6	4	40	68	47
West Virginia	—	5	33	62	113	—	0	2	3	7	—	0	2	—	3
<b>E.S. Central</b>	29	23	60	458	455	3	2	5	26	30	10	14	25	96	155
Alabama	6	2	10	65	34	—	0	3	8	—	1	4	10	23	49
Kentucky	8	4	12	88	73	1	0	1	1	3	1	2	9	24	18
Mississippi	1	3	12	78	66	—	0	2	5	10	7	2	12	21	33
Tennessee	14	12	41	227	282	2	0	3	12	17	1	5	9	28	55
<b>W.S. Central</b>	32	27	338	529	522	2	3	23	33	49	22	42	66	473	474
Arkansas	6	3	23	70	61	—	0	2	1	6	2	3	13	38	58
Louisiana	2	4	14	76	73	—	0	4	6	7	—	6	20	45	67
Oklahoma	N	0	0	N	N	1	0	4	4	6	—	2	5	18	17
Texas	24	20	315	383	388	1	2	23	22	30	20	33	47	372	332
<b>Mountain</b>	28	29	61	544	572	2	2	7	25	45	2	12	25	75	135
Arizona	26	9	40	312	237	2	1	4	14	21	—	3	7	2	52
Colorado	—	6	22	50	124	—	0	3	—	7	—	4	12	34	38
Idaho	N	0	N	N	—	—	0	1	1	—	—	0	4	1	6
Montana	—	0	4	8	16	—	0	1	2	—	1	0	1	3	—
Nevada	—	1	8	41	35	—	0	2	1	3	1	2	8	21	20
New Mexico	—	5	17	108	88	—	0	4	5	7	—	2	5	7	12
Utah	—	3	10	15	66	—	0	3	2	7	—	1	3	6	7
Wyoming	2	0	4	10	6	—	0	1	—	—	—	0	1	1	—
<b>Pacific</b>	4	3	10	36	47	—	0	2	6	9	16	69	104	660	762
Alaska	3	2	8	22	32	—	0	1	5	9	—	0	2	3	3
California	N	0	0	N	N	N	0	0	N	N	16	60	86	576	642
Hawaii	1	1	6	14	15	—	0	1	1	—	—	0	3	1	3
Oregon	N	0	0	N	N	N	0	0	N	N	—	5	15	60	36
Washington	N	0	0	N	N	N	0	0	N	N	—	5	13	20	78
<b>Territories</b>															
American Samoa	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—	7	7	17	87	48
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

<sup>†</sup> Includes drug resistant and susceptible cases of invasive *Streptococcus pneumoniae* disease among children <5 years and among all ages. Case definition: Isolation of *S. pneumoniae* from a normally sterile body site (e.g., blood or cerebrospinal fluid).

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending March 23, 2013, and March 24, 2012 (12th week)\*

Reporting area	Varicella (chickenpox)					West Nile virus disease <sup>†</sup>									
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Neuroinvasive		Cum 2013	Cum 2012	Nonneuroinvasive <sup>§</sup>				
		Med	Max				Med	Max			Current week	Med	Max	Cum 2013	Cum 2012
United States	119	202	388	1,785	3,763	—	4	323	—	2	—	4	342	—	1
<b>New England</b>	8	20	55	128	379	—	0	8	—	—	—	0	5	—	—
Connecticut	—	5	10	49	55	—	0	2	—	—	—	0	3	—	—
Maine	5	3	16	34	92	—	0	1	—	—	—	0	0	—	—
Massachusetts	—	7	21	23	145	—	0	7	—	—	—	0	3	—	—
New Hampshire	—	2	8	9	36	—	0	1	—	—	—	0	0	—	—
Rhode Island	—	0	9	3	12	—	0	1	—	—	—	0	1	—	—
Vermont	3	2	13	10	39	—	0	1	—	—	—	0	1	—	—
<b>Mid. Atlantic</b>	17	17	41	149	402	—	0	19	—	—	—	0	18	—	—
New Jersey	—	4	19	—	161	—	0	5	—	—	—	0	5	—	—
New York (Upstate)	N	0	0	N	N	—	0	6	—	—	—	0	8	—	—
New York City	—	0	0	—	—	—	0	5	—	—	—	0	2	—	—
Pennsylvania	17	15	32	149	241	—	0	5	—	—	—	0	4	—	—
<b>E.N. Central</b>	33	61	145	604	946	—	0	91	—	—	—	0	39	—	1
Illinois	—	16	36	151	244	—	0	31	—	—	—	0	18	—	1
Indiana	2	7	26	66	91	—	0	8	—	—	—	0	6	—	—
Michigan	3	16	62	121	247	—	0	33	—	—	—	0	12	—	—
Ohio	26	15	33	197	255	—	0	19	—	—	—	0	12	—	—
Wisconsin	2	7	24	69	109	—	0	11	—	—	—	0	3	—	—
<b>W.N. Central</b>	—	7	39	24	201	—	0	36	—	—	—	0	60	—	—
Iowa	N	0	0	N	N	—	0	3	—	—	—	0	5	—	—
Kansas	—	0	0	—	85	—	0	3	—	—	—	0	6	—	—
Minnesota	—	0	0	—	—	—	0	6	—	—	—	0	7	—	—
Missouri	—	5	36	10	95	—	0	4	—	—	—	0	1	—	—
Nebraska	—	0	5	—	8	—	0	8	—	—	—	0	22	—	—
North Dakota	—	0	5	8	5	—	0	8	—	—	—	0	11	—	—
South Dakota	—	0	4	6	8	—	0	17	—	—	—	0	28	—	—
<b>S. Atlantic</b>	33	26	77	314	509	—	0	21	—	—	—	0	20	—	—
Delaware	—	0	2	3	2	—	0	1	—	—	—	0	2	—	—
District of Columbia	—	0	4	—	4	—	0	3	—	—	—	0	1	—	—
Florida	17	13	49	187	263	—	0	5	—	—	—	0	5	—	—
Georgia	1	1	6	18	9	—	0	6	—	—	—	0	10	—	—
Maryland	N	0	0	N	N	—	0	5	—	—	—	0	4	—	—
North Carolina	N	0	0	N	N	—	0	3	—	—	—	0	0	—	—
South Carolina	11	0	5	30	—	—	0	5	—	—	—	0	2	—	—
Virginia	4	8	21	61	132	—	0	4	—	—	—	0	3	—	—
West Virginia	—	2	12	15	99	—	0	1	—	—	—	0	3	—	—
<b>E.S. Central</b>	2	3	9	42	66	—	0	20	—	—	—	0	22	—	—
Alabama	2	3	9	41	61	—	0	7	—	—	—	0	4	—	—
Kentucky	N	0	0	N	N	—	0	4	—	—	—	0	2	—	—
Mississippi	—	0	1	1	5	—	0	12	—	—	—	0	17	—	—
Tennessee	N	0	0	N	N	—	0	4	—	—	—	0	2	—	—
<b>W.S. Central</b>	22	41	208	352	726	—	1	144	—	1	—	1	166	—	—
Arkansas	—	3	19	22	58	—	0	9	—	—	—	0	3	—	—
Louisiana	—	1	12	11	40	—	0	18	—	—	—	0	26	—	—
Oklahoma	N	0	0	N	N	—	0	24	—	—	—	0	22	—	—
Texas	22	36	206	319	628	—	1	104	—	1	—	1	131	—	—
<b>Mountain</b>	2	21	49	156	504	—	0	37	—	1	—	0	22	—	—
Arizona	1	7	21	8	165	—	0	10	—	1	—	0	7	—	—
Colorado	—	8	17	58	156	—	0	17	—	—	—	0	13	—	—
Idaho	N	0	0	N	N	—	0	1	—	—	—	0	3	—	—
Montana	1	2	8	20	34	—	0	1	—	—	—	0	2	—	—
Nevada	N	0	0	N	N	—	0	1	—	—	—	0	2	—	—
New Mexico	—	1	5	13	40	—	0	9	—	—	—	0	5	—	—
Utah	—	5	15	55	102	—	0	1	—	—	—	0	1	—	—
Wyoming	—	0	3	2	7	—	0	1	—	—	—	0	2	—	—
<b>Pacific</b>	2	2	8	16	30	—	0	33	—	—	—	0	26	—	—
Alaska	2	1	4	13	16	—	0	0	—	—	—	0	0	—	—
California	—	0	4	2	5	—	0	33	—	—	—	0	25	—	—
Hawaii	—	1	2	1	9	—	0	0	—	—	—	0	0	—	—
Oregon	N	0	0	N	N	—	0	0	—	—	—	0	2	—	—
Washington	N	0	0	N	N	—	0	4	—	—	—	0	0	—	—
<b>Territories</b>															
American Samoa	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	—	0	4	—	46	—	0	0	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

\* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for California serogroup, eastern equine, Powassan, St. Louis, and western equine diseases are available in Table I.

§ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table, except starting in 2007 for the domestic arboviral diseases and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at [http://www.cdc.gov/nndss/document/SRCA\\_FINAL\\_REPORT\\_2006-2010.xlsx](http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2010.xlsx).

## Morbidity and Mortality Weekly Report

TABLE III. Deaths in 122 U.S. cities,\* week ending March 23, 2013 (12th week)

Reporting area	All causes, by age (years)						P&I <sup>†</sup> Total	Reporting area (Continued)	All causes, by age (years)						P&I <sup>†</sup> Total
	All Ages	≥65	45-64	25-44	1-24	<1			All Ages	≥65	45-64	25-44	1-24	<1	
<b>New England</b>	467	325	105	25	9	3	41	<b>S. Atlantic</b>	1,055	669	280	62	21	23	71
Boston, MA	121	80	31	7	3	—	10	Atlanta, GA	128	74	42	10	2	—	12
Bridgeport, CT	29	25	3	1	—	—	5	Baltimore, MD	205	118	61	14	3	9	16
Cambridge, MA	8	5	2	1	—	—	1	Charlotte, NC	136	89	29	12	3	3	15
Fall River, MA	27	20	5	—	2	—	—	Jacksonville, FL	137	90	37	8	1	1	3
Hartford, CT	62	40	18	3	1	—	6	Miami, FL	68	57	9	2	—	—	5
Lowell, MA	28	21	7	—	—	—	2	Norfolk, VA	40	21	15	2	1	1	1
Lynn, MA	6	6	—	—	—	—	—	Richmond, VA	45	29	10	3	2	1	1
New Bedford, MA	17	12	4	1	—	—	1	Savannah, GA	70	47	16	4	2	1	4
New Haven, CT	35	21	8	4	1	1	2	St. Petersburg, FL	55	40	9	4	—	2	6
Providence, RI	U	U	U	U	U	U	U	Tampa, FL	11	7	3	—	—	1	—
Somerville, MA	2	1	1	—	—	—	—	Washington, D.C.	150	91	46	2	7	4	7
Springfield, MA	38	28	8	1	—	1	1	Wilmington, DE	10	6	3	1	—	—	1
Waterbury, CT	31	25	4	2	—	—	4	<b>E.S. Central</b>	962	643	221	64	25	9	77
Worcester, MA	63	41	14	5	2	1	9	Birmingham, AL	170	111	42	12	3	2	14
<b>Mid. Atlantic</b>	1,740	1,258	351	82	26	22	111	Chattanooga, TN	112	87	15	6	4	—	3
Albany, NY	52	39	10	2	1	—	5	Knoxville, TN	120	84	26	8	2	—	11
Allentown, PA	30	26	2	1	—	1	1	Lexington, KY	72	58	7	7	—	—	—
Buffalo, NY	93	63	23	3	3	1	7	Memphis, TN	191	112	54	17	8	—	23
Camden, NJ	38	27	6	2	1	2	2	Mobile, AL	92	60	22	4	5	1	12
Elizabeth, NJ	21	15	5	1	—	—	2	Montgomery, AL	48	32	11	4	1	—	4
Erie, PA	63	52	8	3	—	—	6	Nashville, TN	157	99	44	6	2	6	10
Jersey City, NJ	27	16	5	5	1	—	2	<b>W.S. Central</b>	1,524	1,004	366	88	35	31	97
New York City, NY	981	712	198	42	14	15	56	Austin, TX	105	63	29	6	4	3	5
Newark, NJ	45	21	16	5	2	—	—	Baton Rouge, LA	102	65	29	2	5	1	3
Paterson, NJ	24	15	5	3	—	1	5	Corpus Christi, TX	69	50	15	2	—	2	8
Philadelphia, PA	U	U	U	U	U	U	U	Dallas, TX	199	132	40	15	6	6	17
Pittsburgh, PA <sup>§</sup>	56	45	8	3	—	—	3	El Paso, TX	154	120	30	4	—	—	12
Reading, PA	48	33	10	3	2	—	4	Fort Worth, TX	U	U	U	U	U	U	U
Rochester, NY	93	70	16	4	1	2	7	Houston, TX	335	197	97	24	10	7	17
Schenectady, NY	22	18	3	1	—	—	1	Little Rock, AR	96	60	26	6	2	2	2
Scranton, PA	39	31	5	3	—	—	4	New Orleans, LA	74	41	17	8	6	2	1
Syracuse, NY	55	42	11	1	1	—	5	San Antonio, TX	247	163	60	16	2	6	22
Trenton, NJ	21	11	10	—	—	—	—	Shreveport, LA	76	57	13	4	—	2	5
Utica, NY	16	11	5	—	—	—	1	Tulsa, OK	67	56	10	1	—	—	5
Yonkers, NY	16	11	5	—	—	—	—	<b>Mountain</b>	1,262	855	276	88	22	21	87
<b>E.N. Central</b>	2,126	1,437	505	115	32	37	141	Albuquerque, NM	115	83	21	6	3	2	15
Akron, OH	50	30	17	1	—	2	3	Boise, ID	71	54	9	6	1	1	4
Canton, OH	24	18	4	1	1	—	1	Colorado Springs, CO	73	48	16	6	2	1	5
Chicago, IL	266	174	63	19	6	4	16	Denver, CO	102	66	22	8	—	6	3
Cincinnati, OH	89	57	17	6	4	5	4	Las Vegas, NV	325	204	92	24	3	2	20
Cleveland, OH	253	181	56	12	2	2	13	Ogden, UT	40	27	5	3	2	3	3
Columbus, OH	237	172	46	10	4	5	18	Phoenix, AZ	189	118	47	13	8	3	12
Dayton, OH	151	100	34	14	1	2	19	Pueblo, CO	36	29	4	3	—	—	1
Detroit, MI	174	103	51	12	5	3	13	Salt Lake City, UT	147	104	31	8	1	3	14
Evansville, IN	63	41	15	6	—	1	5	Tucson, AZ	164	122	29	11	2	—	10
Fort Wayne, IN	81	55	24	1	1	—	5	<b>Pacific</b>	1,877	1,332	377	93	40	35	191
Gary, IN	12	9	3	—	—	—	—	Berkeley, CA	14	12	2	—	—	—	—
Grand Rapids, MI	59	43	11	2	1	2	4	Fresno, CA	151	117	21	7	3	3	23
Indianapolis, IN	216	124	69	17	3	3	17	Glendale, CA	29	20	5	3	—	1	4
Lansing, MI	61	39	16	1	3	2	2	Honolulu, HI	80	58	14	3	4	1	8
Milwaukee, WI	70	46	19	4	1	—	1	Long Beach, CA	75	52	12	6	2	3	8
Peoria, IL	46	34	10	—	—	2	6	Los Angeles, CA	265	170	65	14	8	8	29
Rockford, IL	55	39	12	3	—	1	2	Pasadena, CA	22	16	2	2	1	1	2
South Bend, IN	49	34	13	1	—	1	3	Portland, OR	140	95	31	7	3	4	10
Toledo, OH	95	76	16	1	—	2	4	Sacramento, CA	232	165	50	12	1	4	23
Youngstown, OH	75	62	9	4	—	—	5	San Diego, CA	171	126	29	11	3	2	13
<b>W.N. Central</b>	712	471	182	29	14	15	62	San Francisco, CA	131	85	34	6	4	2	17
Des Moines, IA	65	46	18	—	1	—	5	San Jose, CA	222	163	48	7	2	2	24
Duluth, MN	25	17	5	1	—	2	—	Santa Cruz, CA	34	26	5	2	1	—	5
Kansas City, KS	33	21	8	2	1	1	3	Seattle, WA	103	71	23	6	1	2	7
Kansas City, MO	110	77	25	4	2	2	9	Spokane, WA	70	57	9	1	2	1	10
Lincoln, NE	60	47	12	1	—	—	2	Tacoma, WA	138	99	27	6	5	1	8
Minneapolis, MN	77	47	18	5	2	5	10	<b>Total<sup>¶</sup></b>	<b>11,725</b>	<b>7,994</b>	<b>2,663</b>	<b>646</b>	<b>224</b>	<b>196</b>	<b>878</b>
Omaha, NE	95	70	21	1	1	2	11								
St. Louis, MO	86	38	35	8	3	2	9								
St. Paul, MN	60	38	16	3	1	1	3								
Wichita, KS	101	70	24	4	3	—	10								

U: Unavailable. —: No reported cases.

\* Mortality data in this table are voluntarily reported from 122 cities in the United States, most of which have populations of &gt;100,000. A death is reported by the place of its occurrence and by the week that the death certificate was filed. Fetal deaths are not included.

<sup>†</sup> Pneumonia and influenza.<sup>§</sup> Because of changes in reporting methods in this Pennsylvania city, these numbers are partial counts for the current week. Complete counts will be available in 4 to 6 weeks.<sup>¶</sup> Total includes unknown ages.