

Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending May 4, 2013 (18th week)*


Disease	Current week	Cum 2013	5-year weekly average [†]	Total cases reported for previous years					States reporting cases during current week (No.)
				2012	2011	2010	2009	2008	
Anthrax	—	—	—	—	1	—	1	—	
Arboviral diseases ^{§, ¶} :									
California serogroup virus disease	—	—	0	78	137	75	55	62	
Eastern equine encephalitis virus disease	—	2	—	15	4	10	4	4	
Powassan virus disease	—	—	0	7	16	8	6	2	
St. Louis encephalitis virus disease	—	1	0	3	6	10	12	13	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Babesiosis	3	22	4	877	1,128	NN	NN	NN	NY (1), MD (2)
Botulism, total	1	28	3	124	153	112	118	145	
foodborne	—	—	0	23	24	7	10	17	
infant	1	23	2	87	97	80	83	109	WA (1)
other (wound and unspecified)	—	5	0	14	32	25	25	19	
Brucellosis	1	19	3	122	79	115	115	80	FL (1)
Chancroid	2	8	1	22	8	24	28	25	MA (2)
Cholera	—	1	0	6	40	13	10	5	
Cyclosporiasis [§]	—	7	2	125	151	179	141	139	
Diphtheria	—	—	—	1	—	—	—	—	
<i>Haemophilus influenzae</i> ,** invasive disease (age <5 yrs):									
serotype b	—	10	0	23	14	23	35	30	
nonsensory type b	—	56	4	171	145	200	236	244	
unknown serotype	4	88	4	256	226	223	178	163	OH (2), GA (1), FL (1)
Hansen disease [§]	1	8	2	76	82	98	103	80	FL (1)
Hantavirus pulmonary syndrome [§]	—	1	1	26	23	20	20	18	
Hemolytic uremic syndrome, postdiarrheal [§]	1	38	4	221	290	266	242	330	OR (1)
Influenza-associated pediatric mortality ^{§, ††}	1	121	2	52	118	61	358	90	AZ (1)
Listeriosis	3	107	12	691	870	821	851	759	FL (1), CA (2)
Measles ^{§§}	—	38	5	54	220	63	71	140	
Meningococcal disease, invasive ^{¶¶} :									
A, C, Y, and W-135	—	43	6	142	257	280	301	330	
serogroup B	2	29	3	98	159	135	174	188	OK (1), UT (1)
other serogroup	—	4	0	20	20	12	23	38	
unknown serogroup	2	155	8	291	323	406	482	616	KS (1), FL (1)
Novel influenza A virus infections ^{***}	—	—	256	313	14	4	43,774	2	
Plague	—	—	0	3	3	2	8	3	
Poliomyelitis, paralytic	—	—	—	—	—	—	1	—	
Polio virus Infection, nonparalytic [§]	—	—	—	—	—	—	—	—	
Psittacosis [§]	—	1	0	2	2	4	9	8	
Q fever, total [§]	—	16	3	137	134	131	113	120	
acute	—	12	3	115	110	106	93	106	
chronic	—	4	0	22	24	25	20	14	
Rabies, human	—	—	0	1	6	2	4	2	
Rubella ^{†††}	—	3	0	9	4	5	3	16	
Rubella, congenital syndrome	—	—	—	2	—	—	2	—	
SARS-CoV [§]	—	—	—	—	—	—	—	—	
Smallpox [§]	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome [§]	3	48	4	133	168	142	161	157	VT (1), NY (1), MI (1)
Syphilis, congenital (age <1 yr) ^{§§§}	—	38	6	292	360	377	423	431	
Tetanus	—	7	1	36	36	26	18	19	
Toxic-shock syndrome (staphylococcal) [§]	1	21	1	72	78	82	74	71	MI (1)
Trichinellosis	—	11	0	19	15	7	13	39	
Tularemia	—	7	3	169	166	124	93	123	
Typhoid fever	2	73	7	334	390	467	397	449	NY (1), WA (1)
Vancomycin-intermediate <i>Staphylococcus aureus</i> [§]	2	51	2	130	82	91	78	63	NY (1), OH (1)
Vancomycin-resistant <i>Staphylococcus aureus</i> [§]	—	—	—	1	—	2	1	—	
Vibriosis (noncholera <i>Vibrio</i> species infections) [§]	6	96	9	985	832	846	789	588	FL (4), OK (1), WA (1)
Viral hemorrhagic fever ^{¶¶¶}	—	—	—	—	—	1	NN	NN	
Yellow fever	—	—	—	—	—	—	—	—	

See Table 1 footnotes on next page.

TABLE I. (Continued) Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending May 4, 2013 (18th week)*

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts.
 * Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.
 † Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. The total sum of incident cases is then divided by 25 weeks. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.
 ‡ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, TB data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx.
 ¶ Includes both neuroinvasive and nonneuroinvasive. Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.
 ** Data for *H. influenzae* (all ages, all serotypes) are available in Table II.
 †† Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since September 30, 2012, 138 influenza-associated pediatric deaths occurring during the 2012-13 influenza season have been reported. One influenza-associated pediatric death occurring during the 2010-11 influenza season has been reported from Kansas.
 ‡‡ No measles cases were reported for the current week.
 ¶¶ Data for meningococcal disease (all serogroups) are available in Table II.
 *** CDC discontinued reporting of individual confirmed and probable cases of 2009 pandemic influenza A (H1N1) virus infections on July 24, 2009. During 2009, four cases of human infection with novel influenza A viruses, different from the 2009 pandemic influenza A (H1N1) strain, were reported to CDC. The four cases of novel influenza A virus infection reported to CDC during 2010, the fourteen cases reported during 2011, and the 313 cases reported in 2012 are different from the 2009 pandemic influenza A (H1N1) virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).
 ††† No rubella cases were reported for the current week.
 §§§ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.
 ¶¶¶ There were no cases of viral hemorrhagic fever reported during the current week. See Table II for dengue hemorrhagic fever.

FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals May 4, 2013, with historical data



* Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

Notifiable Disease Data Team and 122 Cities Mortality Data Team
 Jeffrey Kriseman
 Deborah A. Adams Willie J. Anderson
 Lenee Blanton Rosaline Dhara
 Diana Harris Onweh Alan W. Schley
 Pearl C. Sharp

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending May 4, 2013, and May 5, 2012 (18th week)*

Reporting area	Dengue Virus Infection									
	Dengue Fever [†]					Dengue Hemorrhagic Fever [§]				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max			
United States	—	11	31	48	68	—	0	1	—	—
New England	—	0	3	5	3	—	0	0	—	—
Connecticut	—	0	3	3	2	—	0	0	—	—
Maine	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	0	—	—	—	0	0	—	—
New Hampshire	—	0	1	1	—	—	0	0	—	—
Rhode Island	—	0	0	—	—	—	0	0	—	—
Vermont	—	0	1	1	1	—	0	0	—	—
Mid. Atlantic	—	1	8	9	21	—	0	0	—	—
New Jersey	—	0	0	—	—	—	0	0	—	—
New York (Upstate)	—	0	3	—	5	—	0	0	—	—
New York City	—	1	7	3	11	—	0	0	—	—
Pennsylvania	—	0	2	6	5	—	0	0	—	—
E.N. Central	—	1	3	3	11	—	0	1	—	—
Illinois	—	0	3	—	5	—	0	1	—	—
Indiana	—	0	2	—	1	—	0	0	—	—
Michigan	—	0	1	—	1	—	0	0	—	—
Ohio	—	0	1	3	1	—	0	0	—	—
Wisconsin	—	0	1	—	3	—	0	0	—	—
W.N. Central	—	0	2	1	2	—	0	1	—	—
Iowa	—	0	1	—	1	—	0	0	—	—
Kansas	—	0	1	1	—	—	0	0	—	—
Minnesota	—	0	2	—	1	—	0	0	—	—
Missouri	—	0	1	—	—	—	0	1	—	—
Nebraska	—	0	0	—	—	—	0	0	—	—
North Dakota	—	0	0	—	—	—	0	0	—	—
South Dakota	—	0	1	—	—	—	0	0	—	—
S. Atlantic	—	3	12	22	17	—	0	0	—	—
Delaware	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	—	2	9	19	13	—	0	0	—	—
Georgia	—	0	2	—	—	—	0	0	—	—
Maryland	—	0	2	1	1	—	0	0	—	—
North Carolina	—	0	1	2	—	—	0	0	—	—
South Carolina	—	0	1	—	2	—	0	0	—	—
Virginia	—	0	2	—	1	—	0	0	—	—
West Virginia	—	0	0	—	—	—	0	0	—	—
E.S. Central	—	0	2	3	1	—	0	0	—	—
Alabama	—	0	2	—	1	—	0	0	—	—
Kentucky	—	0	1	—	—	—	0	0	—	—
Mississippi	—	0	1	1	—	—	0	0	—	—
Tennessee	—	0	2	2	—	—	0	0	—	—
W.S. Central	—	0	2	1	1	—	0	0	—	—
Arkansas	—	0	0	—	—	—	0	0	—	—
Louisiana	—	0	1	1	—	—	0	0	—	—
Oklahoma	—	0	1	—	—	—	0	0	—	—
Texas	—	0	2	—	1	—	0	0	—	—
Mountain	—	0	2	—	—	—	0	0	—	—
Arizona	—	0	2	—	—	—	0	0	—	—
Colorado	—	0	0	—	—	—	0	0	—	—
Idaho	—	0	1	—	—	—	0	0	—	—
Montana	—	0	1	—	—	—	0	0	—	—
Nevada	—	0	1	—	—	—	0	0	—	—
New Mexico	—	0	0	—	—	—	0	0	—	—
Utah	—	0	0	—	—	—	0	0	—	—
Wyoming	—	0	0	—	—	—	0	0	—	—
Pacific	—	1	7	4	12	—	0	1	—	—
Alaska	—	0	1	1	—	—	0	0	—	—
California	—	1	5	—	8	—	0	0	—	—
Hawaii	—	0	2	—	2	—	0	0	—	—
Oregon	—	0	0	—	—	—	0	0	—	—
Washington	—	0	2	3	2	—	0	1	—	—
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	—	—	—	—	—
Puerto Rico	—	114	343	2,314	283	—	0	3	13	5
U.S. Virgin Islands	—	0	42	—	—	—	0	1	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Dengue Fever includes cases that meet criteria for Dengue Fever with hemorrhage, other clinical and unknown case classifications.

§ DHF includes cases that meet criteria for dengue shock syndrome (DSS), a more severe form of DHF.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending May 4, 2013, and May 5, 2012 (18th week)*

Reporting area	Spotted Fever Rickettsiosis (including RMSF)†														
	Shigellosis					Confirmed					Probable				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max				Med	Max			
United States	77	263	419	2,121	4,048	—	2	12	23	46	6	51	236	122	562
New England	—	4	13	49	38	—	0	1	—	—	—	0	3	—	4
Connecticut	—	1	3	13	11	—	0	0	—	—	—	0	0	—	—
Maine	—	0	2	1	1	—	0	0	—	—	—	0	1	—	2
Massachusetts	—	2	10	28	26	—	0	0	—	—	—	0	3	—	—
New Hampshire	—	0	1	2	—	—	0	0	—	—	—	0	1	—	—
Rhode Island	—	0	5	3	—	—	0	0	—	—	—	0	3	—	2
Vermont	—	0	1	2	—	—	0	1	—	—	—	0	0	—	—
Mid. Atlantic	6	33	73	221	973	—	0	1	1	2	—	2	12	7	59
New Jersey	—	7	30	24	514	—	0	0	—	—	—	1	10	—	37
New York (Upstate)	5	12	37	81	163	—	0	1	—	1	—	0	3	2	2
New York City	—	7	20	93	247	—	0	0	—	—	—	0	3	3	6
Pennsylvania	1	1	7	23	49	—	0	1	1	1	—	0	5	2	14
E.N. Central	17	40	114	573	405	—	0	2	—	3	—	3	18	10	43
Illinois	—	5	17	46	55	—	0	1	—	2	—	1	12	3	24
Indiana	—	1	17	18	24	—	0	1	—	1	—	1	5	5	10
Michigan	2	4	14	64	86	—	0	1	—	—	—	0	1	—	—
Ohio	15	28	103	433	220	—	0	0	—	—	—	0	3	1	5
Wisconsin	—	1	13	12	20	—	0	0	—	—	—	0	3	1	4
W.N. Central	3	8	32	67	103	—	0	5	—	2	2	3	35	11	112
Iowa	—	2	11	17	5	—	0	0	—	—	—	0	1	1	4
Kansas	—	1	6	11	60	—	0	0	—	—	—	0	0	—	—
Minnesota	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Missouri	—	1	7	14	31	—	0	5	—	2	2	3	35	10	107
Nebraska	3	2	22	18	5	—	0	1	—	—	—	0	1	—	1
North Dakota	—	0	2	5	1	—	0	0	—	—	—	0	1	—	—
South Dakota	—	0	3	2	1	—	0	0	—	—	—	0	1	—	—
S. Atlantic	22	49	98	408	983	—	2	8	21	29	4	14	145	48	86
Delaware	—	0	4	2	1	—	0	0	—	—	—	0	2	3	8
District of Columbia	—	0	3	—	10	—	0	0	—	—	—	0	1	—	—
Florida	14	22	66	139	583	—	0	1	1	—	1	0	3	5	7
Georgia	8	12	20	161	232	—	1	8	19	23	—	0	0	—	—
Maryland	—	3	14	23	81	—	0	0	—	—	—	0	2	5	2
North Carolina	—	2	10	40	36	—	0	4	—	—	—	0	133	7	20
South Carolina	—	1	5	25	10	—	0	1	1	3	—	0	6	5	5
Virginia	—	1	6	17	28	—	0	1	—	3	3	4	36	23	44
West Virginia	—	0	3	1	2	—	0	0	—	—	—	0	1	—	—
E.S. Central	—	18	41	152	456	—	0	2	—	1	—	9	56	35	120
Alabama	—	5	20	58	121	—	0	1	—	1	—	2	13	10	21
Kentucky	—	4	21	20	174	—	0	1	—	—	—	0	7	5	4
Mississippi	—	4	13	49	96	—	0	2	—	—	—	0	3	—	4
Tennessee	—	3	9	25	65	—	0	1	—	—	—	6	49	20	91
W.S. Central	11	47	137	408	767	—	0	3	—	1	—	9	73	8	108
Arkansas	—	2	7	42	17	—	0	3	—	1	—	8	64	7	62
Louisiana	2	4	10	56	65	—	0	0	—	—	—	0	2	—	2
Oklahoma	3	7	39	60	151	—	0	1	—	—	—	0	26	—	20
Texas	6	31	96	250	534	—	0	1	—	—	—	0	8	1	24
Mountain	2	13	34	71	122	—	0	1	1	8	—	0	5	2	26
Arizona	1	8	21	37	87	—	0	1	1	8	—	0	3	2	21
Colorado	—	1	19	4	10	—	0	1	—	—	—	0	1	—	—
Idaho	1	0	2	2	2	—	0	0	—	—	—	0	1	—	2
Montana	—	0	2	—	3	—	0	0	—	—	—	0	1	—	—
Nevada	—	1	9	13	1	—	0	0	—	—	—	0	0	—	—
New Mexico	—	1	10	7	12	—	0	0	—	—	—	0	1	—	—
Utah	—	0	4	7	7	—	0	0	—	—	—	0	1	—	3
Wyoming	—	0	3	1	—	—	0	0	—	—	—	0	1	—	—
Pacific	16	15	42	172	201	—	0	2	—	—	—	0	2	1	4
Alaska	—	0	1	—	5	N	0	0	N	N	N	0	0	N	N
California	8	11	33	111	145	—	0	2	—	—	—	0	1	1	4
Hawaii	—	0	6	21	5	N	0	0	N	N	N	0	0	N	N
Oregon	—	1	10	16	23	—	0	0	—	—	—	0	1	—	—
Washington	8	1	19	24	23	—	0	0	—	—	—	0	0	—	—
Territories															
American Samoa	—	1	3	—	—	N	0	0	N	N	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	N	—	—	N	N	N	—	—	N	N
Puerto Rico	—	0	0	—	—	N	0	0	N	N	N	0	0	N	N
U.S. Virgin Islands	—	0	0	—	—	N	0	0	N	N	N	0	0	N	N

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Illnesses with similar clinical presentation that result from Spotted fever group rickettsia infections are reported as Spotted fever rickettsioses. Rocky Mountain spotted fever (RMSF) caused by *Rickettsia rickettsii*, is the most common and well-known spotted fever.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending May 4, 2013, and May 5, 2012 (18th week)*

Reporting area	Varicella (chickenpox)					West Nile virus disease [†]									
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Neuroinvasive					Nonneuroinvasive [§]				
		Med	Max			Current week	Previous 52 weeks	Cum 2013	Cum 2012	Current week	Previous 52 weeks	Cum 2013	Cum 2012		
United States	129	183	372	3,055	5,726	—	4	323	—	2	—	4	342	1	3
New England	12	19	54	253	604	—	0	8	—	—	—	0	5	—	—
Connecticut	3	5	11	74	85	—	0	2	—	—	—	0	3	—	—
Maine	5	3	10	53	128	—	0	1	—	—	—	0	0	—	—
Massachusetts	—	6	21	85	241	—	0	7	—	—	—	0	3	—	—
New Hampshire	—	1	8	9	60	—	0	1	—	—	—	0	0	—	—
Rhode Island	2	0	10	6	28	—	0	1	—	—	—	0	1	—	—
Vermont	2	1	13	26	62	—	0	1	—	—	—	0	1	—	—
Mid. Atlantic	16	20	44	294	600	—	0	19	—	—	—	0	18	—	—
New Jersey	—	5	19	38	237	—	0	5	—	—	—	0	5	—	—
New York (Upstate)	N	0	0	N	N	—	0	6	—	—	—	0	8	—	—
New York City	—	0	0	—	—	—	0	5	—	—	—	0	2	—	—
Pennsylvania	16	14	34	256	363	—	0	5	—	—	—	0	4	—	—
E.N. Central	27	55	145	940	1,502	—	0	91	—	—	—	0	39	—	1
Illinois	3	15	32	257	397	—	0	31	—	—	—	0	18	—	1
Indiana	—	7	26	106	146	—	0	8	—	—	—	0	6	—	—
Michigan	4	15	62	200	391	—	0	33	—	—	—	0	12	—	—
Ohio	18	14	33	285	367	—	0	19	—	—	—	0	12	—	—
Wisconsin	2	6	24	92	201	—	0	11	—	—	—	0	3	—	—
W.N. Central	3	7	46	112	300	—	0	36	—	1	—	0	60	—	—
Iowa	N	0	0	N	N	—	0	3	—	—	—	0	5	—	—
Kansas	—	0	0	—	85	—	0	3	—	1	—	0	6	—	—
Minnesota	—	0	0	—	—	—	0	6	—	—	—	0	7	—	—
Missouri	1	6	42	87	175	—	0	4	—	—	—	0	1	—	—
Nebraska	—	0	3	—	17	—	0	8	—	—	—	0	22	—	—
North Dakota	1	0	5	12	12	—	0	8	—	—	—	0	11	—	—
South Dakota	1	0	4	13	11	—	0	17	—	—	—	0	28	—	—
S. Atlantic	24	25	43	480	801	—	0	21	—	—	—	0	21	—	—
Delaware	—	0	2	3	2	—	0	1	—	—	—	0	2	—	—
District of Columbia	—	0	2	—	9	—	0	3	—	—	—	0	1	—	—
Florida	24	12	23	277	450	—	0	5	—	—	—	0	5	—	—
Georgia	—	1	6	24	19	—	0	6	—	—	—	0	10	—	—
Maryland	N	0	0	N	N	—	0	5	—	—	—	0	4	—	—
North Carolina	N	0	0	N	N	—	0	3	—	—	—	0	0	—	—
South Carolina	—	0	13	52	1	—	0	5	—	—	—	0	2	—	—
Virginia	—	8	21	91	202	—	0	4	—	—	—	0	3	—	—
West Virginia	—	2	12	33	118	—	0	1	—	—	—	0	3	—	—
E.S. Central	2	3	9	65	93	—	0	20	—	—	—	0	22	1	1
Alabama	2	3	9	64	88	—	0	7	—	—	—	0	4	—	1
Kentucky	N	0	0	N	N	—	0	4	—	—	—	0	2	—	—
Mississippi	—	0	1	1	5	—	0	12	—	—	—	0	17	1	—
Tennessee	N	0	0	N	N	—	0	4	—	—	—	0	2	—	—
W.S. Central	39	37	212	641	1,008	—	2	144	—	—	—	1	166	—	1
Arkansas	—	3	19	66	83	—	0	9	—	—	—	0	3	—	—
Louisiana	—	0	6	17	27	—	0	18	—	—	—	0	26	—	—
Oklahoma	N	0	0	N	N	—	0	24	—	—	—	0	22	—	—
Texas	39	34	210	558	898	—	2	104	—	—	—	1	131	—	1
Mountain	2	19	44	242	773	—	0	37	—	1	—	0	22	—	—
Arizona	—	4	21	9	266	—	0	10	—	1	—	0	7	—	—
Colorado	—	7	15	80	234	—	0	17	—	—	—	0	13	—	—
Idaho	N	0	0	N	N	—	0	1	—	—	—	0	3	—	—
Montana	2	2	8	31	48	—	0	1	—	—	—	0	2	—	—
Nevada	N	0	0	N	N	—	0	1	—	—	—	0	2	—	—
New Mexico	—	1	5	24	56	—	0	9	—	—	—	0	5	—	—
Utah	—	5	13	94	160	—	0	1	—	—	—	0	1	—	—
Wyoming	—	0	3	4	9	—	0	1	—	—	—	0	2	—	—
Pacific	4	2	8	28	45	—	0	33	—	—	—	0	26	—	—
Alaska	—	1	4	14	27	—	0	0	—	—	—	0	0	—	—
California	—	0	4	5	7	—	0	33	—	—	—	0	25	—	—
Hawaii	4	1	2	9	11	—	0	0	—	—	—	0	0	—	—
Oregon	N	0	0	N	N	—	0	0	—	—	—	0	2	—	—
Washington	N	0	0	N	N	—	0	4	—	—	—	0	0	—	—
Territories															
American Samoa	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	—	0	4	—	53	—	0	1	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

[†] Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for California serogroup, eastern equine, Powassan, St. Louis, and western equine diseases are available in Table I.

[§] Not reportable in all states. Data from states where the condition is not reportable are excluded from this table, except starting in 2007 for the domestic arboviral diseases and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx.

