

Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending June 8, 2013 (23rd week)*


Disease	Current week	Cum 2013	5-year weekly average [†]	Total cases reported for previous years					States reporting cases during current week (No.)
				2012	2011	2010	2009	2008	
Anthrax	—	—	—	—	1	—	1	—	
Arboviral diseases ^{§, ¶} :									
California serogroup virus disease	—	—	1	78	137	75	55	62	
Eastern equine encephalitis virus disease	—	2	0	15	4	10	4	4	
Powassan virus disease	—	—	1	7	16	8	6	2	
St. Louis encephalitis virus disease	—	—	0	3	6	10	12	13	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Babesiosis	3	37	13	953	1,128	NN	NN	NN	NY (3)
Botulism, total	—	55	3	168	153	112	118	145	
foodborne	—	—	0	27	24	7	10	17	
infant	—	49	2	123	97	80	83	109	
other (wound and unspecified)	—	6	0	18	32	25	25	19	
Brucellosis	1	28	2	116	79	115	115	80	CA (1)
Chancroid	—	10	0	22	8	24	28	25	
Cholera	—	1	0	5	40	13	10	5	
Cyclosporiasis [§]	1	10	4	123	151	179	141	139	NY (1)
Diphtheria	—	—	—	1	—	—	—	—	
<i>Haemophilus influenzae</i> ,** invasive disease (age <5 yrs):									
serotype b	—	10	0	26	14	23	35	30	
nonsertotype b	—	71	4	192	145	200	236	244	
unknown serotype	5	124	4	227	226	223	178	163	OH (2), MO (1), GA (1), AZ (1)
Hansen disease [§]	—	16	1	82	82	98	103	80	
Hantavirus pulmonary syndrome [§]	—	4	0	27	23	20	20	18	
Hemolytic uremic syndrome, postdiarrheal [§]	1	57	5	260	290	266	242	330	GA (1)
Influenza-associated pediatric mortality ^{§, ††}	2	135	2	52	118	61	358	90	CA (1), VA (1)
Listeriosis	8	160	14	725	870	821	851	759	ME (1), NY (2), PA (1), NE (1), FL (1), TN (1), WA (1)
Measles ^{§§}	6	85	4	54	220	63	71	140	NC (6)
Meningococcal disease, invasive ^{¶¶} :									
A, C, Y, and W-135	—	61	5	154	257	280	301	330	
serogroup B	—	39	3	101	159	135	174	188	
other serogroup	—	5	0	19	20	12	23	38	
unknown serogroup	—	165	8	279	323	406	482	616	
Novel influenza A virus infections ^{***}	—	—	409	313	14	4	43,774	2	
Plague	—	—	0	3	3	2	8	3	
Poliomyelitis, paralytic	—	—	—	—	—	—	1	—	
Polio virus Infection, nonparalytic [§]	—	—	—	—	—	—	—	—	
Psittacosis [§]	—	1	0	2	2	4	9	8	
Q fever, total [§]	—	29	3	129	134	131	113	120	
acute	—	22	3	108	110	106	93	106	
chronic	—	7	0	21	24	25	20	14	
Rabies, human	—	—	0	1	6	2	4	2	
Rubella ^{†††}	—	4	0	9	4	5	3	16	
Rubella, congenital syndrome	—	—	0	2	—	—	2	—	
SARS-CoV [§]	—	—	—	—	—	—	—	—	
Smallpox [§]	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome [§]	—	64	2	174	168	142	161	157	
Syphilis, congenital (age <1 yr) ^{§§§}	—	53	6	320	360	377	423	431	
Tetanus	—	7	0	37	36	26	18	19	
Toxic-shock syndrome (staphylococcal) [§]	—	28	1	66	78	82	74	71	
Trichinellosis	—	11	0	18	15	7	13	39	
Tularemia	1	21	6	154	166	124	93	123	AR (1)
Typhoid fever	5	108	7	354	390	467	397	449	NY (1), OH (1), GA (1), TX (1), CA (1)
Vancomycin-intermediate <i>Staphylococcus aureus</i> [§]	3	73	1	131	82	91	78	63	NY (2), OH (1)
Vancomycin-resistant <i>Staphylococcus aureus</i> [§]	—	—	0	1	—	2	1	—	
Vibriosis (noncholera <i>Vibrio</i> species infections) [§]	13	155	15	1,041	832	846	789	588	VA (1), SC (1), GA (1), FL (4), TN (1), TX (3), NV (1), WA (1)
Viral hemorrhagic fever ^{¶¶¶}	—	—	—	—	—	1	NN	NN	
Yellow fever	—	—	—	—	—	—	—	—	

See Table 1 footnotes on next page.

TABLE I. (Continued) Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending June 8, 2013 (23rd week)*

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts.
 * Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.
 † Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. The total sum of incident cases is then divided by 25 weeks. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.
 ‡ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, TB data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx.
 ¶ Includes both neuroinvasive and nonneuroinvasive. Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.
 ** Data for *H. influenzae* (all ages, all serotypes) are available in Table II.
 †† Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since September 30, 2012, 152 influenza-associated pediatric deaths occurring during the 2012-13 influenza season have been reported. One influenza-associated pediatric death occurring during the 2010-11 influenza season has been reported from Kansas.
 ‡‡ Of the six measles cases reported for the current week, five were indigenous and one was imported.
 ¶¶ Data for meningococcal disease (all serogroups) are available in Table II.
 *** CDC discontinued reporting of individual confirmed and probable cases of 2009 pandemic influenza A (H1N1) virus infections on July 24, 2009. During 2009, four cases of human infection with novel influenza A viruses, different from the 2009 pandemic influenza A (H1N1) strain, were reported to CDC. The four cases of novel influenza A virus infection reported to CDC during 2010, the fourteen cases reported during 2011, and the 313 cases reported in 2012 are different from the 2009 pandemic influenza A (H1N1) virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).
 ††† No rubella cases were reported for the current week.
 §§§ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.
 ¶¶¶ There were no cases of viral hemorrhagic fever reported during the current week. See Table II for dengue hemorrhagic fever.

FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals June 8, 2013, with historical data



* Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

Notifiable Disease Data Team and 122 Cities Mortality Data Team

Jeffrey Kriseman
 Deborah A. Adams Willie J. Anderson
 Lenee Blanton Rosaline Dhara
 Diana Harris Onweh Alan W. Schley
 Pearl C. Sharp

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending June 8, 2013, and June 9, 2012 (23rd week)*

Reporting area	Dengue Virus Infection									
	Dengue Fever [†]					Dengue Hemorrhagic Fever [§]				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max			
United States	—	11	31	97	93	—	0	1	—	—
New England	—	0	3	5	3	—	0	0	—	—
Connecticut	—	0	3	3	2	—	0	0	—	—
Maine	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	0	—	—	—	0	0	—	—
New Hampshire	—	0	1	1	—	—	0	0	—	—
Rhode Island	—	0	0	—	—	—	0	0	—	—
Vermont	—	0	1	1	1	—	0	0	—	—
Mid. Atlantic	—	3	8	31	24	—	0	0	—	—
New Jersey	—	0	0	—	—	—	0	0	—	—
New York (Upstate)	—	0	3	—	5	—	0	0	—	—
New York City	—	2	7	24	12	—	0	0	—	—
Pennsylvania	—	0	2	7	7	—	0	0	—	—
E.N. Central	—	1	3	9	17	—	0	1	—	—
Illinois	—	0	3	—	6	—	0	1	—	—
Indiana	—	0	2	3	1	—	0	0	—	—
Michigan	—	0	1	—	3	—	0	0	—	—
Ohio	—	0	1	3	2	—	0	0	—	—
Wisconsin	—	0	1	3	5	—	0	0	—	—
W.N. Central	—	0	2	1	2	—	0	1	—	—
Iowa	—	0	1	—	1	—	0	0	—	—
Kansas	—	0	1	1	—	—	0	0	—	—
Minnesota	—	0	2	—	1	—	0	0	—	—
Missouri	—	0	1	—	—	—	0	1	—	—
Nebraska	—	0	0	—	—	—	0	0	—	—
North Dakota	—	0	0	—	—	—	0	0	—	—
South Dakota	—	0	1	—	—	—	0	0	—	—
S. Atlantic	—	3	12	35	21	—	0	0	—	—
Delaware	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	—	3	9	31	15	—	0	0	—	—
Georgia	—	0	2	—	—	—	0	0	—	—
Maryland	—	0	2	2	2	—	0	0	—	—
North Carolina	—	0	1	2	1	—	0	0	—	—
South Carolina	—	0	0	—	2	—	0	0	—	—
Virginia	—	0	2	—	1	—	0	0	—	—
West Virginia	—	0	0	—	—	—	0	0	—	—
E.S. Central	—	0	2	5	3	—	0	0	—	—
Alabama	—	0	2	—	1	—	0	0	—	—
Kentucky	—	0	0	—	1	—	0	0	—	—
Mississippi	—	0	1	1	1	—	0	0	—	—
Tennessee	—	0	2	4	—	—	0	0	—	—
W.S. Central	—	0	2	4	3	—	0	0	—	—
Arkansas	—	0	0	—	—	—	0	0	—	—
Louisiana	—	0	1	1	1	—	0	0	—	—
Oklahoma	—	0	1	—	—	—	0	0	—	—
Texas	—	0	2	3	2	—	0	0	—	—
Mountain	—	0	2	1	2	—	0	0	—	—
Arizona	—	0	2	—	1	—	0	0	—	—
Colorado	—	0	0	—	—	—	0	0	—	—
Idaho	—	0	1	—	—	—	0	0	—	—
Montana	—	0	1	—	1	—	0	0	—	—
Nevada	—	0	1	1	—	—	0	0	—	—
New Mexico	—	0	0	—	—	—	0	0	—	—
Utah	—	0	0	—	—	—	0	0	—	—
Wyoming	—	0	0	—	—	—	0	0	—	—
Pacific	—	1	7	6	18	—	0	1	—	—
Alaska	—	0	1	1	—	—	0	0	—	—
California	—	0	5	—	14	—	0	0	—	—
Hawaii	—	0	2	1	2	—	0	0	—	—
Oregon	—	0	0	—	—	—	0	0	—	—
Washington	—	0	2	4	2	—	0	1	—	—
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	133	354	2,803	525	—	2	9	22	10
U.S. Virgin Islands	—	0	42	—	1	—	0	1	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Dengue Fever includes cases that meet criteria for Dengue Fever with hemorrhage, other clinical and unknown case classifications.

§ DHF includes cases that meet criteria for dengue shock syndrome (DSS), a more severe form of DHF.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending June 8, 2013, and June 9, 2012 (23rd week)*

Reporting area	Ehrlichiosis/Anaplasmosis†														
	<i>Ehrlichia chaffeensis</i>					<i>Anaplasma phagocytophilum</i>					Undetermined				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max				Med	Max			
United States	7	7	160	93	271	13	18	114	117	777	—	1	17	10	66
New England	—	0	4	5	6	1	3	23	21	155	—	0	0	—	—
Connecticut	—	0	0	—	—	—	0	11	1	88	—	0	0	—	—
Maine	—	0	1	—	1	1	0	4	10	18	—	0	0	—	—
Massachusetts	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
New Hampshire	—	0	1	—	—	—	0	4	5	19	—	0	0	—	—
Rhode Island	—	0	3	3	5	—	0	11	2	25	—	0	0	—	—
Vermont	—	0	1	1	—	—	0	2	3	5	—	0	0	—	—
Mid. Atlantic	—	1	28	6	34	10	5	53	43	124	—	0	7	2	7
New Jersey	—	0	6	—	24	—	1	8	—	56	—	0	1	—	—
New York (Upstate)	—	0	28	2	6	10	4	52	37	63	—	0	5	1	2
New York City	—	0	3	4	2	—	0	3	6	4	—	0	1	1	—
Pennsylvania	—	0	1	—	2	—	0	2	—	1	—	0	2	—	5
E.N. Central	—	0	5	6	25	1	4	43	36	256	—	1	9	7	37
Illinois	—	0	4	4	15	—	0	1	1	6	—	0	1	—	—
Indiana	—	0	0	—	—	—	0	0	—	—	—	0	4	4	16
Michigan	—	0	1	—	1	—	0	1	—	1	—	0	1	2	—
Ohio	—	0	1	2	1	—	0	1	2	—	—	0	1	—	—
Wisconsin	—	0	3	—	8	1	4	42	33	249	—	0	6	1	21
W.N. Central	1	1	22	16	90	—	1	42	2	213	—	0	5	1	10
Iowa	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Kansas	—	0	4	3	21	—	0	1	—	1	—	0	0	—	—
Minnesota	—	0	2	—	4	—	1	41	—	205	—	0	2	—	7
Missouri	1	1	19	11	65	—	0	6	2	7	—	0	2	1	3
Nebraska	—	0	1	1	—	—	0	1	—	—	—	0	0	—	—
North Dakota	—	0	0	—	—	—	0	1	—	—	—	0	0	—	—
South Dakota	—	0	1	1	—	—	0	0	—	—	—	0	1	—	—
S. Atlantic	2	3	32	26	67	1	1	7	13	14	—	0	2	—	4
Delaware	—	0	2	1	6	—	0	0	—	1	—	0	0	—	—
District of Columbia	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Florida	—	0	2	4	10	—	0	2	1	1	—	0	0	—	—
Georgia	—	0	4	7	10	—	0	1	2	3	—	0	1	—	1
Maryland	—	0	4	—	8	—	0	2	1	—	—	0	0	—	—
North Carolina	—	0	19	1	11	—	0	6	1	3	—	0	1	—	—
South Carolina	—	0	1	—	—	—	0	0	—	—	—	0	0	—	—
Virginia	2	1	15	13	22	1	0	2	6	6	—	0	2	—	2
West Virginia	—	0	0	—	—	—	0	1	2	—	—	0	1	—	1
E.S. Central	4	1	9	18	20	—	0	3	1	11	—	0	1	—	5
Alabama	—	0	1	2	3	—	0	3	—	4	—	0	1	—	3
Kentucky	3	0	4	5	4	—	0	1	—	—	—	0	0	—	—
Mississippi	—	0	1	—	—	—	0	0	—	1	—	0	0	—	—
Tennessee	1	1	6	11	13	—	0	2	1	6	—	0	1	—	2
W.S. Central	—	1	116	16	29	—	0	13	1	4	—	0	1	—	1
Arkansas	—	1	10	16	26	—	0	1	1	3	—	0	0	—	—
Louisiana	—	0	0	—	1	—	0	0	—	—	—	0	1	—	1
Oklahoma	—	0	115	—	—	—	0	13	—	—	—	0	0	—	—
Texas	—	0	1	—	2	—	0	0	—	1	—	0	0	—	—
Mountain	—	0	0	—	—	—	0	0	—	—	—	0	1	—	1
Arizona	—	0	0	—	—	—	0	0	—	—	—	0	0	—	1
Colorado	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Idaho	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Montana	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Nevada	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
New Mexico	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Utah	—	0	0	—	—	—	0	0	—	—	—	0	1	—	—
Wyoming	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Pacific	—	0	0	—	—	—	0	0	—	—	—	0	1	—	1
Alaska	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
California	—	0	0	—	—	—	0	0	—	—	—	0	1	—	1
Hawaii	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Oregon	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Washington	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Territories															
American Samoa	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
Puerto Rico	N	0	0	N	N	N	0	0	N	N	N	0	0	N	N
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Cumulative total *E. ewingii* cases reported for year 2012 = 16, and 1 case reported for 2013.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending June 8, 2013, and June 9, 2012 (23rd week)*

Reporting area	Giardiasis					Gonorrhea					<i>Haemophilus influenzae</i> , invasive† All ages, all serotypes				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
United States	113	258	454	4,712	5,600	3,387	6,271	7,762	131,280	141,257	39	62	189	1,622	1,682
New England	3	25	53	388	497	113	118	171	2,642	2,424	—	3	21	92	117
Connecticut	—	3	9	66	97	56	44	84	1,059	867	—	1	4	17	29
Maine	1	3	10	61	52	3	7	18	116	194	—	0	2	14	12
Massachusetts	—	13	26	197	260	51	54	99	1,217	1,033	—	2	6	45	60
New Hampshire	—	1	6	17	37	3	3	9	58	62	—	0	1	10	10
Rhode Island	1	0	7	15	21	—	8	24	150	227	—	0	11	—	5
Vermont	1	3	10	32	30	—	1	12	42	41	—	0	1	6	1
Mid. Atlantic	20	47	90	855	1,077	428	859	1,094	17,808	19,537	7	12	58	268	301
New Jersey	—	7	21	91	151	34	140	192	2,861	3,317	—	2	10	44	57
New York (Upstate)	6	16	64	268	273	124	143	519	2,766	2,758	4	3	35	71	82
New York City	8	15	27	289	393	92	274	351	5,514	6,501	—	2	6	54	60
Pennsylvania	6	11	24	207	260	178	281	561	6,667	6,961	3	4	13	99	102
E.N. Central	10	36	74	661	860	345	1,128	1,439	20,861	24,209	8	9	19	230	294
Illinois	—	6	15	78	132	5	337	428	4,718	7,483	—	3	10	63	79
Indiana	—	4	10	54	85	65	149	208	2,984	2,957	—	2	5	51	57
Michigan	2	8	21	149	222	130	230	378	4,410	4,933	—	1	4	35	42
Ohio	8	11	22	243	231	90	324	391	6,791	6,841	8	3	8	79	80
Wisconsin	—	8	25	137	190	55	90	151	1,958	1,995	—	0	4	2	36
W.N. Central	7	24	60	300	593	51	333	436	5,829	7,464	2	5	10	111	120
Iowa	3	4	11	70	100	—	33	54	595	898	—	0	0	—	—
Kansas	—	2	7	27	52	4	36	58	639	1,031	—	1	3	26	14
Minnesota	—	9	26	—	208	—	61	94	942	1,126	—	1	3	18	45
Missouri	—	7	14	100	102	24	152	194	2,906	3,450	2	1	7	49	40
Nebraska	4	2	11	65	68	23	24	43	351	591	—	0	2	13	13
North Dakota	—	1	4	12	17	—	7	12	158	119	—	0	1	4	8
South Dakota	—	2	9	26	46	—	14	26	238	249	—	0	1	1	—
S. Atlantic	27	46	74	942	1,009	1,099	1,362	1,670	30,227	33,095	13	16	37	463	405
Delaware	—	0	2	2	7	24	19	49	524	399	—	0	2	5	3
District of Columbia	—	1	5	19	38	—	44	92	1,050	1,084	—	0	2	7	1
Florida	17	21	56	482	440	258	381	478	8,617	8,552	6	5	13	140	109
Georgia	—	9	27	207	255	194	275	373	5,500	6,898	1	3	12	89	89
Maryland	6	5	10	90	101	34	109	241	2,009	2,045	3	2	5	47	42
North Carolina	N	0	0	N	N	276	262	544	5,902	7,350	—	2	12	67	51
South Carolina	—	2	5	42	49	169	138	216	3,198	3,381	3	2	11	69	42
Virginia	4	5	16	90	97	119	130	214	3,022	3,080	—	1	8	28	52
West Virginia	—	1	5	10	22	25	17	32	405	306	—	0	3	11	16
E.S. Central	1	3	13	63	69	242	547	786	11,089	12,463	2	4	12	133	115
Alabama	1	3	13	63	69	103	169	257	3,628	3,902	1	1	7	43	27
Kentucky	N	0	0	N	N	73	83	210	1,855	1,684	—	0	4	19	21
Mississippi	N	0	0	N	N	60	121	205	2,497	2,873	—	0	2	14	15
Tennessee	N	0	0	N	N	6	164	239	3,109	4,004	1	2	7	57	52
W.S. Central	2	6	17	110	102	630	921	2,555	19,999	20,239	5	4	20	91	83
Arkansas	1	2	8	34	28	73	80	122	1,773	1,916	—	0	4	14	14
Louisiana	1	4	11	76	74	60	114	657	1,712	3,206	—	1	5	21	28
Oklahoma	—	0	0	—	—	13	36	1,325	2,093	1,649	5	2	17	55	40
Texas	N	0	0	N	N	484	646	1,044	14,421	13,468	—	0	1	1	1
Mountain	5	19	48	283	429	173	262	326	5,097	5,382	2	5	12	140	173
Arizona	—	2	5	30	48	50	105	160	1,854	2,311	1	2	6	70	64
Colorado	2	6	15	48	136	60	58	100	1,236	1,109	—	0	3	15	36
Idaho	3	3	10	44	55	1	2	8	33	60	1	0	2	8	7
Montana	—	1	4	18	21	3	3	8	72	40	—	0	1	1	3
Nevada	—	2	5	30	30	54	47	79	1,040	874	—	0	1	10	14
New Mexico	—	2	7	37	30	3	33	60	613	798	—	1	3	19	28
Utah	—	5	15	56	91	2	10	19	237	169	—	0	2	16	19
Wyoming	—	0	6	20	18	—	0	2	12	21	—	0	1	1	2
Pacific	38	54	121	1,110	964	306	817	942	17,728	16,444	—	3	8	94	74
Alaska	1	2	6	24	32	7	16	32	385	285	—	0	2	8	7
California	29	34	59	780	633	205	687	776	14,751	13,979	—	1	2	18	18
Hawaii	—	0	3	14	12	—	16	27	264	291	—	0	2	14	10
Oregon	1	7	14	122	150	31	30	46	724	630	—	1	5	51	39
Washington	7	10	61	170	137	63	69	99	1,604	1,259	—	0	3	3	—
Territories															
American Samoa	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	1	—	1	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	1	—	1	5	6	24	134	127	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	1	8	10	68	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Data for *H. influenzae* (age <5 yrs for serotype b, nonserotype b, and unknown serotype) are available in Table I.

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending June 8, 2013, and June 9, 2012 (23rd week)*

Reporting area	Meningococcal disease, invasive† All serogroups					Mumps					Pertussis				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
United States	—	11	32	270	285	1	4	43	255	105	196	776	1,403	7,573	18,916
New England	—	0	3	11	2	—	0	6	22	3	4	48	100	369	637
Connecticut	—	0	1	2	—	—	0	2	4	—	—	2	9	12	76
Maine	—	0	1	2	—	—	0	1	1	—	1	13	37	136	145
Massachusetts	—	0	2	3	2	—	0	6	17	3	—	10	29	90	203
New Hampshire	—	0	1	1	—	—	0	0	—	—	—	4	18	28	54
Rhode Island	—	0	1	1	—	—	0	1	—	—	3	1	20	18	18
Vermont	—	0	1	2	—	—	0	0	—	—	—	8	42	85	141
Mid. Atlantic	—	1	6	37	45	—	0	5	20	14	24	89	214	698	2,448
New Jersey	—	0	2	7	10	—	0	1	1	—	—	16	60	134	538
New York (Upstate)	—	0	2	11	12	—	0	1	2	1	10	32	120	290	919
New York City	—	0	2	5	13	—	0	3	8	11	—	5	19	32	222
Pennsylvania	—	0	3	14	10	—	0	5	9	2	14	25	73	242	769
E.N. Central	—	1	3	23	37	—	1	4	16	30	30	131	297	1,291	5,536
Illinois	—	0	2	5	11	—	0	2	8	15	—	22	66	223	1,006
Indiana	—	0	1	6	1	—	0	1	1	4	—	9	18	78	114
Michigan	—	0	1	3	10	—	0	1	1	6	12	12	40	186	254
Ohio	—	0	2	6	12	—	0	2	6	2	18	17	37	382	350
Wisconsin	—	0	2	3	3	—	0	1	—	3	—	67	214	422	3,812
W.N. Central	—	1	3	22	18	—	0	3	3	8	2	95	320	607	2,930
Iowa	—	0	0	—	2	—	0	2	1	—	—	19	60	125	773
Kansas	—	0	1	3	3	—	0	1	—	3	—	11	32	72	257
Minnesota	—	0	3	8	2	—	0	1	—	2	—	38	207	141	1,560
Missouri	—	0	1	4	9	—	0	1	1	2	1	11	43	169	282
Nebraska	—	0	1	2	2	—	0	0	—	1	1	4	19	70	31
North Dakota	—	0	1	2	—	—	0	1	1	—	—	0	45	20	16
South Dakota	—	0	1	3	—	—	0	0	—	—	—	1	6	10	11
S. Atlantic	—	1	6	56	44	1	1	35	166	10	24	50	106	848	986
Delaware	—	0	1	1	1	—	0	0	—	—	—	1	4	14	14
District of Columbia	—	0	1	1	—	—	0	2	1	—	2	0	4	21	12
Florida	—	1	3	30	26	—	0	1	—	3	15	10	25	233	221
Georgia	—	0	2	6	7	—	0	1	—	—	—	6	19	103	117
Maryland	—	0	1	2	3	1	0	24	80	—	—	6	19	78	112
North Carolina	—	0	2	8	1	—	0	1	1	1	1	9	75	188	181
South Carolina	—	0	1	2	2	—	0	1	1	—	3	4	14	89	71
Virginia	—	0	2	4	1	—	0	16	83	5	3	9	39	117	216
West Virginia	—	0	1	2	3	—	0	1	—	1	—	0	7	5	42
E.S. Central	—	0	2	7	9	—	0	2	4	—	2	23	48	286	358
Alabama	—	0	1	2	3	—	0	1	1	—	2	4	12	67	74
Kentucky	—	0	1	1	1	—	0	1	1	—	—	11	35	106	160
Mississippi	—	0	1	2	1	—	0	0	—	—	—	1	4	23	43
Tennessee	—	0	1	2	4	—	0	1	2	—	—	5	15	90	81
W.S. Central	—	1	5	24	32	—	0	3	8	8	65	53	342	988	690
Arkansas	—	0	1	3	4	—	0	1	1	1	—	4	27	101	29
Louisiana	—	0	1	2	2	—	0	1	1	—	—	1	7	18	16
Oklahoma	—	0	2	5	5	—	0	3	—	—	—	0	34	17	19
Texas	—	0	4	14	21	—	0	2	6	7	65	45	288	852	626
Mountain	—	1	4	18	19	—	0	1	1	13	26	111	171	1,497	2,264
Arizona	—	0	3	9	1	—	0	0	—	3	—	17	36	361	567
Colorado	—	0	2	1	3	—	0	1	—	5	12	26	65	140	408
Idaho	—	0	1	3	2	—	0	0	—	—	1	4	14	82	61
Montana	—	0	1	—	5	—	0	0	—	1	7	10	29	319	282
Nevada	—	0	1	1	2	—	0	1	1	—	4	2	8	55	31
New Mexico	—	0	2	1	2	—	0	0	—	—	2	16	33	244	289
Utah	—	0	1	2	2	—	0	0	—	3	—	25	53	284	601
Wyoming	—	0	1	1	2	—	0	0	—	1	—	0	5	12	25
Pacific	—	2	16	72	79	—	1	3	15	19	19	65	298	989	3,067
Alaska	—	0	1	—	—	—	0	0	—	—	1	8	31	192	32
California	—	1	6	56	56	—	0	2	12	16	4	16	31	329	318
Hawaii	—	0	1	1	2	—	0	1	—	1	—	1	4	12	39
Oregon	—	0	2	7	17	—	0	1	2	1	2	8	39	157	461
Washington	—	0	12	8	4	—	0	1	1	1	12	29	256	299	2,217
Territories	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
American Samoa	—	0	0	—	—	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	2	—	2	—	0	1	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	3	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Data for meningococcal disease, invasive caused by serogroups A, C, Y, and W-135; serogroup B; other serogroup; and unknown serogroup are available in Table I.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending June 8, 2013, and June 9, 2012 (23rd week)*

Reporting area	Rabies, animal					Salmonellosis					Shiga toxin-producing <i>E. coli</i> (STEC) [†]				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
United States	29	68	140	1,118	1,697	467	897	1,736	12,468	15,954	66	110	219	1,387	1,879
New England	1	6	16	126	172	8	34	73	592	715	3	4	9	64	60
Connecticut	—	3	8	51	81	—	7	19	118	169	—	1	5	18	16
Maine	1	1	4	24	51	4	3	11	58	56	3	0	4	11	3
Massachusetts	—	0	0	—	—	—	21	54	311	377	—	2	6	19	32
New Hampshire	—	1	3	15	8	—	3	9	42	47	—	0	4	9	3
Rhode Island	—	0	5	10	10	2	1	7	32	38	—	0	1	—	—
Vermont	—	1	7	26	22	2	1	7	31	28	—	0	3	7	6
Mid. Atlantic	7	10	32	128	311	46	82	187	1,406	1,744	13	10	26	167	196
New Jersey	—	0	0	—	—	—	14	48	198	406	—	2	7	25	55
New York (Upstate)	7	6	20	128	139	29	23	74	388	419	6	4	15	64	52
New York City	—	0	2	—	2	4	19	49	365	396	—	1	7	28	36
Pennsylvania	—	5	15	—	170	13	29	62	455	523	7	3	12	50	53
E.N. Central	1	1	8	18	36	25	85	239	1,386	1,910	2	17	77	200	302
Illinois	1	0	2	7	—	—	29	79	442	598	—	3	17	35	56
Indiana	—	0	2	—	1	—	10	41	157	253	—	2	23	26	63
Michigan	—	0	5	4	26	—	16	46	294	357	1	3	41	47	70
Ohio	—	0	7	7	9	25	24	50	416	411	1	4	20	70	43
Wisconsin	N	0	0	N	N	—	11	36	77	291	—	3	21	22	70
W.N. Central	2	3	48	52	94	29	46	150	774	1,123	10	15	42	192	299
Iowa	—	0	5	—	10	—	10	32	176	167	—	3	15	28	48
Kansas	1	1	5	30	36	4	9	18	142	179	—	2	7	31	28
Minnesota	—	0	0	—	—	—	8	44	—	277	—	3	16	—	47
Missouri	1	0	2	17	14	21	18	46	270	315	6	5	18	92	124
Nebraska	—	0	0	—	—	4	4	26	93	101	3	1	6	22	26
North Dakota	—	0	46	—	6	—	2	5	40	22	1	0	3	12	12
South Dakota	—	0	4	5	28	—	3	8	53	62	—	1	4	7	14
S. Atlantic	6	18	31	377	525	190	226	624	3,387	4,427	7	10	72	207	178
Delaware	—	0	0	—	—	—	2	10	19	44	—	0	3	2	3
District of Columbia	—	0	0	—	—	—	1	3	15	26	—	0	1	3	5
Florida	—	0	20	43	103	117	110	272	1,615	1,642	1	2	10	75	34
Georgia	—	0	0	—	—	22	27	110	445	767	2	2	6	50	51
Maryland	—	6	17	99	138	14	14	40	261	341	2	1	5	22	23
North Carolina	—	0	0	—	—	18	24	164	408	811	—	0	61	21	29
South Carolina	—	0	0	—	—	11	20	72	258	382	—	0	7	3	8
Virginia	—	11	21	207	248	8	22	46	322	344	2	1	6	24	21
West Virginia	6	1	4	28	36	—	3	15	44	70	—	0	2	7	4
E.S. Central	3	1	5	18	33	23	52	210	773	1,056	7	5	13	91	122
Alabama	—	0	5	10	28	2	17	59	208	304	—	1	5	18	25
Kentucky	3	0	3	7	4	4	10	53	146	162	—	1	9	22	26
Mississippi	—	0	1	1	1	3	14	65	177	281	—	0	3	9	7
Tennessee	—	0	0	—	—	14	17	63	242	309	7	2	5	42	64
W.S. Central	9	11	60	370	383	67	157	432	1,529	2,114	4	11	126	172	227
Arkansas	—	0	34	92	76	8	14	229	138	175	3	1	10	25	27
Louisiana	—	0	1	—	1	—	22	62	251	434	—	0	3	3	12
Oklahoma	—	0	23	22	25	15	15	34	214	200	1	1	11	24	31
Texas	9	11	40	256	281	44	86	329	926	1,305	—	7	105	120	157
Mountain	—	1	16	6	50	15	44	82	733	857	—	8	45	89	175
Arizona	N	0	0	N	N	2	16	31	265	262	—	2	8	15	48
Colorado	—	0	0	—	—	4	8	19	64	213	—	2	9	2	49
Idaho	—	0	15	—	1	2	2	7	43	61	—	1	30	21	24
Montana	N	0	0	N	N	1	2	9	33	30	—	1	5	12	8
Nevada	—	0	4	5	1	6	3	12	82	69	—	0	5	11	11
New Mexico	—	0	3	1	35	—	6	20	121	94	—	1	5	8	15
Utah	—	0	2	—	2	—	5	15	108	104	—	1	15	18	14
Wyoming	—	0	6	—	11	—	1	8	17	24	—	0	3	2	6
Pacific	—	3	14	23	93	64	111	247	1,888	2,008	20	15	44	205	320
Alaska	—	0	2	6	5	2	1	5	27	26	N	0	0	N	N
California	—	2	12	13	85	31	82	164	1,408	1,434	4	8	22	102	200
Hawaii	—	0	0	—	—	—	5	14	102	171	—	0	5	13	6
Oregon	—	0	2	4	3	2	8	15	117	142	2	3	11	36	63
Washington	—	0	9	—	—	29	13	70	234	235	14	3	24	54	51
Territories															
American Samoa	—	0	0	—	—	—	1	2	—	1	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	3	—	5	—	0	0	—	—
Puerto Rico	—	0	0	—	27	—	0	4	—	23	—	0	2	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.
 U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.
 * Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.
 † Includes *E. coli* O157:H7; Shiga toxin-positive, serogroup non-O157; and Shiga toxin-positive, not serogrouped.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending June 8, 2013, and June 9, 2012 (23rd week)*

Reporting area	Spotted Fever Rickettsiosis (including RMSF)†														
	Shigellosis					Confirmed					Probable				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max				Med	Max			
United States	114	263	432	3,025	5,538	—	2	12	29	71	28	38	420	334	1,008
New England	1	4	13	71	55	—	0	1	—	—	—	0	3	1	5
Connecticut	—	1	3	17	12	—	0	0	—	—	—	0	0	—	—
Maine	—	0	2	2	2	—	0	0	—	—	—	0	1	—	2
Massachusetts	—	2	10	38	37	—	0	0	—	—	—	0	3	—	1
New Hampshire	—	0	1	3	3	—	0	0	—	—	—	0	1	1	—
Rhode Island	1	0	5	8	—	—	0	0	—	—	—	0	3	—	2
Vermont	—	0	1	3	1	—	0	1	—	—	—	0	0	—	—
Mid. Atlantic	5	31	75	286	1,158	—	0	1	1	3	—	1	12	10	70
New Jersey	—	5	30	37	585	—	0	0	—	—	—	0	10	—	50
New York (Upstate)	2	12	61	99	212	—	0	1	—	2	—	0	7	3	2
New York City	1	7	18	117	297	—	0	0	—	—	—	0	2	4	1
Pennsylvania	2	2	7	33	64	—	0	1	1	1	—	0	5	3	17
E.N. Central	8	39	114	646	518	—	0	1	2	4	1	1	18	16	86
Illinois	—	4	17	65	68	—	0	1	—	3	—	0	10	4	61
Indiana	—	1	17	25	30	—	0	1	2	1	—	0	6	5	9
Michigan	1	4	14	79	112	—	0	0	—	—	—	0	1	—	—
Ohio	7	28	103	461	280	—	0	0	—	—	1	0	3	5	9
Wisconsin	—	1	13	16	28	—	0	0	—	—	—	0	3	2	7
W.N. Central	1	13	46	95	263	—	0	3	1	1	8	2	28	37	129
Iowa	—	2	11	31	8	—	0	0	—	—	—	0	1	1	5
Kansas	1	1	4	15	69	—	0	0	—	—	—	0	0	—	—
Minnesota	—	6	20	—	132	—	0	0	—	—	—	0	2	—	4
Missouri	—	1	4	15	31	—	0	3	1	—	8	2	26	35	119
Nebraska	—	2	22	25	19	—	0	0	—	1	—	0	1	1	1
North Dakota	—	0	2	7	2	—	0	0	—	—	—	0	1	—	—
South Dakota	—	0	3	2	2	—	0	0	—	—	—	0	1	—	—
S. Atlantic	45	42	76	640	1,395	—	1	7	22	49	7	14	146	102	170
Delaware	—	0	4	2	1	—	0	0	—	—	—	0	2	3	12
District of Columbia	—	0	2	4	13	—	0	1	1	—	—	0	0	—	1
Florida	28	20	51	242	862	—	0	1	1	1	—	0	3	6	10
Georgia	6	12	20	229	309	—	1	7	19	42	—	0	0	—	—
Maryland	4	2	10	36	110	—	0	0	—	—	—	0	2	7	4
North Carolina	7	2	10	60	50	—	0	4	—	—	—	0	134	18	29
South Carolina	—	1	5	42	14	—	0	1	1	5	—	1	6	9	7
Virginia	—	1	6	24	31	—	0	1	—	1	7	4	35	59	107
West Virginia	—	0	1	1	5	—	0	0	—	—	—	0	1	—	—
E.S. Central	10	15	41	221	551	—	0	2	1	3	6	8	57	123	267
Alabama	4	4	20	83	155	—	0	1	—	1	2	2	13	28	39
Kentucky	—	4	21	22	189	—	0	1	—	1	1	0	7	9	13
Mississippi	—	4	13	56	116	—	0	2	—	—	—	0	3	1	8
Tennessee	6	3	9	60	91	—	0	1	1	1	3	6	50	85	207
W.S. Central	29	45	159	634	1,038	—	0	5	2	1	6	5	366	40	235
Arkansas	10	2	11	85	20	—	0	3	1	1	6	4	64	26	174
Louisiana	—	3	10	72	83	—	0	0	—	—	—	0	2	—	4
Oklahoma	8	6	60	81	200	—	0	5	—	—	—	0	351	4	20
Texas	11	28	95	396	735	—	0	1	1	—	—	1	8	10	37
Mountain	—	12	34	101	172	—	0	1	—	10	—	0	4	4	38
Arizona	—	7	21	53	126	—	0	0	—	10	—	0	2	4	27
Colorado	—	1	19	6	15	—	0	1	—	—	—	0	1	—	2
Idaho	—	0	2	2	2	—	0	0	—	—	—	0	1	—	3
Montana	—	0	2	3	4	—	0	0	—	—	—	0	1	—	—
Nevada	—	1	9	15	2	—	0	0	—	—	—	0	0	—	—
New Mexico	—	1	10	12	15	—	0	0	—	—	—	0	1	—	1
Utah	—	0	4	9	8	—	0	0	—	—	—	0	1	—	4
Wyoming	—	0	4	1	—	—	0	0	—	—	—	0	1	—	1
Pacific	15	24	59	331	388	—	0	2	—	—	—	0	2	1	8
Alaska	—	0	1	1	5	N	0	0	N	N	N	0	0	N	N
California	15	18	58	256	303	—	0	2	—	—	—	0	1	1	7
Hawaii	—	0	6	21	10	N	0	0	N	N	N	0	0	N	N
Oregon	—	1	10	22	28	—	0	0	—	—	—	0	1	—	1
Washington	—	1	19	31	42	—	0	1	—	—	—	0	0	—	—
Territories															
American Samoa	—	1	3	—	—	N	0	0	N	N	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	1	N	0	0	N	N	N	0	0	N	N
Puerto Rico	—	0	0	—	—	N	0	0	N	N	N	0	0	N	N
U.S. Virgin Islands	—	0	0	—	—	N	0	0	N	N	N	0	0	N	N

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Illnesses with similar clinical presentation that result from Spotted fever group rickettsia infections are reported as Spotted fever rickettsioses. Rocky Mountain spotted fever (RMSF) caused by *Rickettsia rickettsii*, is the most common and well-known spotted fever.

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending June 8, 2013, and June 9, 2012 (23rd week)*

Reporting area	Streptococcus pneumoniae,† invasive disease										Syphilis, primary and secondary				
	All ages					Age <5									
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max				Med	Max			
United States	169	267	953	8,476	8,001	12	21	55	549	625	135	308	391	6,010	6,503
New England	6	11	55	323	355	—	1	4	15	32	4	8	18	209	223
Connecticut	—	5	21	170	172	—	0	2	6	10	—	1	6	23	28
Maine	3	2	8	67	59	—	0	1	3	1	—	0	5	3	10
Massachusetts	—	0	4	8	22	—	0	3	5	16	3	6	18	150	138
New Hampshire	—	1	5	39	47	—	0	1	1	4	1	0	4	14	15
Rhode Island	—	0	29	1	26	—	0	0	—	1	—	0	4	16	29
Vermont	3	1	6	38	29	—	0	0	—	—	—	0	2	3	3
Mid. Atlantic	21	40	199	1,167	1,190	1	2	13	57	57	16	40	59	836	786
New Jersey	—	8	30	214	332	—	0	3	11	21	—	4	10	61	90
New York (Upstate)	18	18	148	553	481	1	1	9	29	26	6	5	32	118	84
New York City	3	13	36	400	377	—	0	3	17	10	4	21	32	454	406
Pennsylvania	N	—	—	N	N	N	0	0	N	N	6	9	19	203	206
E.N. Central	18	57	132	1,716	1,641	—	4	9	93	126	4	32	61	566	768
Illinois	N	0	0	N	N	—	1	3	22	25	2	11	25	183	363
Indiana	—	13	50	334	366	—	1	3	14	15	1	4	10	106	89
Michigan	4	13	30	389	333	—	0	3	22	24	—	5	14	112	115
Ohio	12	21	63	739	671	—	1	6	25	44	—	8	15	140	171
Wisconsin	2	8	26	254	271	—	0	2	10	18	1	1	5	25	30
W.N. Central	2	13	35	323	407	1	1	5	49	46	—	8	18	174	146
Iowa	N	0	0	N	N	N	0	0	N	N	—	1	5	20	22
Kansas	N	0	0	N	N	N	0	0	N	N	—	0	2	12	9
Minnesota	—	7	24	186	229	—	1	3	15	15	—	2	5	42	44
Missouri	N	0	0	N	N	—	1	3	18	18	—	3	9	85	61
Nebraska	2	2	7	80	82	1	0	1	8	5	—	0	2	9	2
North Dakota	—	1	7	2	47	—	0	1	2	—	—	0	1	2	2
South Dakota	—	2	6	55	49	—	0	1	6	8	—	0	2	4	6
S. Atlantic	67	63	143	2,074	1,727	4	5	14	151	134	51	70	184	1,365	1,555
Delaware	—	0	3	17	21	—	0	1	—	—	9	0	5	16	20
District of Columbia	6	1	7	50	36	—	0	1	—	1	—	3	8	83	84
Florida	21	19	59	651	534	3	1	5	51	45	1	25	39	508	606
Georgia	17	19	56	649	473	1	2	6	46	33	11	13	110	246	322
Maryland	11	7	26	271	278	—	0	4	19	20	1	8	14	152	177
North Carolina	N	0	0	N	N	N	0	0	N	N	13	3	34	87	154
South Carolina	8	7	21	275	207	—	0	3	13	13	10	5	10	132	98
Virginia	N	0	0	N	N	—	0	4	15	17	6	5	40	134	91
West Virginia	4	5	23	161	178	—	0	2	7	5	—	0	2	7	3
E.S. Central	15	28	60	858	698	2	2	5	51	49	6	12	25	225	329
Alabama	2	2	10	104	59	1	0	3	12	5	3	3	10	63	92
Kentucky	1	5	12	154	109	—	0	1	6	4	2	2	10	52	47
Mississippi	3	4	12	141	93	—	0	2	10	12	—	1	11	37	71
Tennessee	9	14	41	459	437	1	0	4	23	28	1	4	9	73	119
W.S. Central	23	33	368	1,055	911	3	3	24	75	91	29	42	66	897	936
Arkansas	—	3	24	105	90	—	0	1	2	10	9	2	13	77	92
Louisiana	—	5	14	144	115	—	0	4	8	9	—	6	20	104	127
Oklahoma	N	0	0	N	N	—	0	2	11	15	—	2	5	40	25
Texas	23	24	340	806	706	3	2	23	54	57	20	31	47	676	692
Mountain	14	28	64	877	993	1	2	7	46	80	4	14	26	274	250
Arizona	6	12	42	496	412	—	1	4	23	28	2	4	8	93	84
Colorado	2	5	22	81	236	—	0	3	4	17	1	4	12	66	62
Idaho	N	0	0	N	N	—	0	1	3	1	—	0	4	4	11
Montana	1	0	3	19	21	—	0	1	3	1	—	0	1	3	—
Nevada	4	2	7	73	59	1	0	1	3	7	1	3	8	61	42
New Mexico	1	5	17	179	157	—	0	2	8	13	—	2	6	27	41
Utah	—	2	11	17	94	—	0	3	2	12	—	1	3	19	9
Wyoming	—	0	3	12	14	—	0	1	—	1	—	0	1	1	1
Pacific	3	4	10	83	79	—	1	2	12	10	21	68	103	1,464	1,510
Alaska	3	2	7	51	53	—	0	1	10	9	—	0	2	7	4
California	N	0	0	N	N	N	0	0	N	N	12	58	85	1,255	1,260
Hawaii	—	1	6	32	26	—	0	2	2	1	—	0	3	7	7
Oregon	N	0	0	N	N	N	0	0	N	N	1	4	15	108	92
Washington	N	0	0	N	N	N	0	0	N	N	8	4	13	87	147
Territories															
American Samoa	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—	7	7	17	166	112
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.† Includes drug resistant and susceptible cases of invasive *Streptococcus pneumoniae* disease among children <5 years and among all ages. Case definition: Isolation of *S. pneumoniae* from a normally sterile body site (e.g., blood or cerebrospinal fluid).

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending June 8, 2013, and June 9, 2012 (23rd week)*

Reporting area	Varicella (chickenpox)					West Nile virus disease [†]									
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Neuroinvasive			Nonneuroinvasive [§]					
		Med	Max				Med	Max	Cum 2013	Cum 2012	Current week	Previous 52 weeks	Cum 2013	Cum 2012	
United States	160	183	313	4,113	7,258	—	3	323	3	15	—	2	342	1	16
New England	7	19	45	335	809	—	0	8	—	—	—	0	5	—	—
Connecticut	2	4	11	89	127	—	0	2	—	—	—	0	3	—	—
Maine	3	3	10	71	139	—	0	1	—	—	—	0	0	—	—
Massachusetts	—	6	17	128	319	—	0	7	—	—	—	0	3	—	—
New Hampshire	—	1	8	9	75	—	0	1	—	—	—	0	0	—	—
Rhode Island	—	0	10	7	51	—	0	1	—	—	—	0	1	—	—
Vermont	2	1	7	31	98	—	0	1	—	—	—	0	1	—	—
Mid. Atlantic	10	19	44	461	759	—	0	19	—	—	—	0	18	—	—
New Jersey	—	5	19	114	289	—	0	5	—	—	—	0	5	—	—
New York (Upstate)	N	0	0	N	N	—	0	6	—	—	—	0	8	—	—
New York City	—	0	0	—	—	—	0	5	—	—	—	0	2	—	—
Pennsylvania	10	14	34	347	470	—	0	5	—	—	—	0	4	—	—
E.N. Central	23	55	128	1,217	1,934	—	0	91	—	—	—	0	39	—	1
Illinois	—	14	32	318	480	—	0	31	—	—	—	0	18	—	1
Indiana	2	6	26	127	192	—	0	8	—	—	—	0	6	—	—
Michigan	9	14	45	282	522	—	0	33	—	—	—	0	12	—	—
Ohio	5	13	33	336	469	—	0	19	—	—	—	0	12	—	—
Wisconsin	7	6	12	154	271	—	0	11	—	—	—	0	3	—	—
W.N. Central	—	6	43	118	256	—	0	36	—	2	—	0	60	—	4
Iowa	N	0	0	N	N	—	0	3	—	—	—	0	5	—	1
Kansas	—	0	0	—	85	—	0	3	—	1	—	0	6	—	1
Minnesota	—	0	0	—	—	—	0	6	—	1	—	0	7	—	—
Missouri	—	5	39	90	117	—	0	4	—	—	—	0	1	—	—
Nebraska	—	0	1	—	22	—	0	8	—	—	—	0	22	—	—
North Dakota	—	0	5	13	16	—	0	8	—	—	—	0	11	—	—
South Dakota	—	0	4	15	16	—	0	17	—	—	—	0	28	—	2
S. Atlantic	20	25	43	618	943	—	0	21	—	1	—	0	21	—	1
Delaware	—	0	2	11	3	—	0	1	—	—	—	0	2	—	—
District of Columbia	—	0	2	—	10	—	0	3	—	—	—	0	1	—	—
Florida	15	12	24	344	515	—	0	5	—	—	—	0	5	—	1
Georgia	—	1	6	30	21	—	0	6	—	1	—	0	10	—	—
Maryland	N	0	0	N	N	—	0	5	—	—	—	0	4	—	—
North Carolina	N	0	0	N	N	—	0	3	—	—	—	0	0	—	—
South Carolina	1	0	13	79	3	—	0	5	—	—	—	0	2	—	—
Virginia	3	7	19	107	247	—	0	4	—	—	—	0	3	—	—
West Virginia	1	2	12	47	144	—	0	1	—	—	—	0	3	—	—
E.S. Central	2	2	9	87	112	—	0	20	1	1	—	0	22	1	1
Alabama	2	2	9	84	107	—	0	7	—	—	—	0	4	—	1
Kentucky	N	0	0	N	N	—	0	4	—	1	—	0	2	—	—
Mississippi	—	0	1	3	5	—	0	12	—	—	—	0	17	1	—
Tennessee	N	0	0	N	N	—	0	4	1	—	—	0	2	—	—
W.S. Central	94	39	212	951	1,450	—	2	144	1	8	—	0	166	—	8
Arkansas	—	3	20	76	103	—	0	9	—	—	—	0	3	—	—
Louisiana	—	1	5	27	38	—	0	18	—	—	—	0	26	—	—
Oklahoma	N	0	0	N	N	—	0	24	—	1	—	0	22	—	—
Texas	94	33	209	848	1,309	—	2	104	1	7	—	0	131	—	8
Mountain	3	17	44	291	925	—	0	37	—	3	—	0	22	—	—
Arizona	—	2	21	14	329	—	0	10	—	3	—	0	7	—	—
Colorado	—	6	15	91	277	—	0	17	—	—	—	0	13	—	—
Idaho	N	0	0	N	N	—	0	1	—	—	—	0	3	—	—
Montana	1	2	8	43	62	—	0	1	—	—	—	0	2	—	—
Nevada	N	0	0	N	N	—	0	1	—	—	—	0	2	—	—
New Mexico	—	1	5	27	63	—	0	9	—	—	—	0	5	—	—
Utah	—	5	13	110	185	—	0	1	—	—	—	0	1	—	—
Wyoming	2	0	3	6	9	—	0	1	—	—	—	0	2	—	—
Pacific	1	2	6	35	70	—	0	33	1	—	—	0	26	—	1
Alaska	1	1	4	19	36	—	0	0	—	—	—	0	0	—	—
California	—	0	4	5	13	—	0	33	1	—	—	0	25	—	1
Hawaii	—	1	4	11	21	—	0	0	—	—	—	0	0	—	—
Oregon	N	0	0	N	N	—	0	0	—	—	—	0	2	—	—
Washington	N	0	0	N	N	—	0	4	—	—	—	0	0	—	—
Territories															
American Samoa	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	4	—	60	—	0	1	—	—	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for California serogroup, eastern equine, Powassan, St. Louis, and western equine diseases are available in Table I.

§ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table, except starting in 2007 for the domestic arboviral diseases and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx.

TABLE III. Deaths in 122 U.S. cities,* week ending June 8, 2013 (23rd week)

Reporting area	All causes, by age (years)						P&I [†] Total	Reporting area (Continued)	All causes, by age (years)						P&I [†] Total
	All Ages	≥65	45-64	25-44	1-24	<1			All Ages	≥65	45-64	25-44	1-24	<1	
New England	538	366	120	30	12	10	33	S. Atlantic	890	559	234	59	21	17	54
Boston, MA	168	104	43	13	6	2	10	Atlanta, GA	143	86	44	5	7	1	9
Bridgeport, CT	23	18	3	1	1	—	—	Baltimore, MD	119	71	33	8	4	3	3
Cambridge, MA	12	5	6	—	1	—	—	Charlotte, NC	111	75	24	8	1	3	8
Fall River, MA	24	22	2	—	—	—	1	Jacksonville, FL	141	95	36	5	4	1	9
Hartford, CT	52	36	9	2	—	5	2	Miami, FL	66	41	15	8	2	—	5
Lowell, MA	19	14	2	3	—	—	—	Norfolk, VA	45	28	10	5	1	1	2
Lynn, MA	8	4	3	1	—	—	—	Richmond, VA	72	40	22	7	1	2	2
New Bedford, MA	24	17	5	1	—	1	1	Savannah, GA	53	29	19	2	—	3	4
New Haven, CT	32	26	5	1	—	—	4	St. Petersburg, FL	36	25	6	5	—	—	4
Providence, RI	50	39	7	2	—	2	4	Tampa, FL	6	3	2	—	—	1	—
Somerville, MA	8	4	4	—	—	—	—	Washington, D.C.	91	60	23	5	1	2	7
Springfield, MA	44	27	13	2	2	—	1	Wilmington, DE	7	6	—	1	—	—	1
Waterbury, CT	18	13	4	1	—	—	1	E.S. Central	952	608	246	58	19	21	51
Worcester, MA	56	37	14	3	2	—	9	Birmingham, AL	164	102	43	11	4	4	14
Mid. Atlantic	1,641	1,164	353	74	25	25	80	Chattanooga, TN	104	61	33	6	3	1	1
Albany, NY	49	31	13	3	—	2	3	Knoxville, TN	128	93	28	3	2	2	3
Allentown, PA	28	21	5	2	—	—	3	Lexington, KY	64	39	19	2	2	2	1
Buffalo, NY	88	58	18	5	3	4	8	Memphis, TN	201	130	49	15	5	2	21
Camden, NJ	34	22	8	3	1	—	4	Mobile, AL	103	60	32	5	—	6	6
Elizabeth, NJ	11	9	2	—	—	—	—	Montgomery, AL	25	15	7	3	—	—	2
Erie, PA	40	32	8	—	—	—	3	Nashville, TN	163	108	35	13	3	4	3
Jersey City, NJ	15	10	3	1	1	—	—	W.S. Central	1,532	938	402	132	33	27	76
New York City, NY	1,018	720	230	45	13	10	40	Austin, TX	107	57	31	14	3	2	7
Newark, NJ	27	15	5	4	2	1	1	Baton Rouge, LA	83	62	18	2	1	—	2
Paterson, NJ	20	18	—	1	—	1	—	Corpus Christi, TX	71	46	21	2	—	2	6
Philadelphia, PA	U	U	U	U	U	U	U	Dallas, TX	215	118	65	21	9	2	16
Pittsburgh, PA [§]	58	47	8	—	1	2	—	El Paso, TX	83	55	15	9	2	2	2
Reading, PA	33	25	7	—	1	—	1	Fort Worth, TX	U	U	U	U	U	U	U
Rochester, NY	67	45	15	2	1	4	5	Houston, TX	397	235	108	39	6	9	10
Schenectady, NY	26	22	3	1	—	—	1	Little Rock, AR	95	68	18	4	3	2	10
Scranton, PA	24	16	6	1	—	1	2	New Orleans, LA	56	30	17	6	3	—	1
Syracuse, NY	57	39	15	2	1	—	7	San Antonio, TX	302	187	78	26	4	7	18
Trenton, NJ	26	16	6	3	1	—	—	Shreveport, LA	78	48	21	6	2	1	1
Utica, NY	9	8	1	—	—	—	1	Tulsa, OK	45	32	10	3	—	—	3
Yonkers, NY	11	10	—	1	—	—	1	Mountain	1,184	800	243	84	30	23	58
E.N. Central	1,968	1,290	487	111	47	33	131	Albuquerque, NM	122	95	20	5	—	2	11
Akron, OH	57	40	12	3	1	1	3	Boise, ID	69	50	14	3	—	2	1
Canton, OH	32	21	8	2	1	—	6	Colorado Springs, CO	92	72	14	5	1	—	2
Chicago, IL	230	147	65	13	3	2	22	Denver, CO	91	52	25	5	3	6	—
Cincinnati, OH	75	43	21	5	2	4	2	Las Vegas, NV	316	208	70	26	6	6	19
Cleveland, OH	278	187	70	14	2	5	11	Ogden, UT	35	29	3	1	1	1	4
Columbus, OH	218	151	42	16	5	4	14	Phoenix, AZ	165	92	36	22	11	1	6
Dayton, OH	138	93	33	7	1	4	8	Pueblo, CO	25	19	5	—	—	—	—
Detroit, MI	129	69	41	10	7	2	8	Salt Lake City, UT	136	84	32	14	4	2	9
Evansville, IN	31	26	5	—	—	—	3	Tucson, AZ	133	99	24	3	4	3	6
Fort Wayne, IN	88	62	23	2	—	1	2	Pacific	1,827	1,273	388	85	43	38	118
Gary, IN	18	10	5	1	2	—	—	Berkeley, CA	7	5	—	1	1	—	—
Grand Rapids, MI	67	50	11	2	3	1	7	Fresno, CA	141	98	34	2	—	7	8
Indianapolis, IN	176	96	50	13	10	7	11	Glendale, CA	32	22	7	2	—	1	3
Lansing, MI	50	37	11	1	1	—	1	Honolulu, HI	84	55	15	6	2	6	7
Milwaukee, WI	92	53	27	7	4	1	4	Long Beach, CA	60	43	13	1	2	1	6
Peoria, IL	51	35	11	3	1	1	2	Los Angeles, CA	264	165	66	20	9	4	25
Rockford, IL	51	36	12	3	—	—	4	Pasadena, CA	28	21	4	1	1	1	4
South Bend, IN	55	37	15	1	2	—	13	Portland, OR	109	73	26	7	2	1	3
Toledo, OH	86	64	15	6	1	—	10	Sacramento, CA	227	168	44	9	5	1	11
Youngstown, OH	46	33	10	2	1	—	—	San Diego, CA	175	115	41	9	4	6	7
W.N. Central	656	421	156	40	18	20	45	San Francisco, CA	112	85	20	3	2	2	10
Des Moines, IA	30	20	9	—	—	1	3	San Jose, CA	221	164	38	10	8	1	16
Duluth, MN	27	20	4	2	1	—	—	Santa Cruz, CA	27	23	3	1	—	—	3
Kansas City, KS	29	15	7	6	—	1	2	Seattle, WA	144	93	36	7	3	5	4
Kansas City, MO	118	76	27	7	3	5	7	Spokane, WA	72	51	17	1	1	2	5
Lincoln, NE	41	33	5	1	1	1	3	Tacoma, WA	124	92	24	5	3	—	6
Minneapolis, MN	80	50	16	7	2	5	8	Total[¶]	11,188	7,419	2,629	673	248	214	646
Omaha, NE	94	62	25	4	2	1	9								
St. Louis, MO	96	47	32	6	5	5	1								
St. Paul, MN	66	50	10	2	4	—	4								
Wichita, KS	75	48	21	5	—	1	8								

U: Unavailable. —: No reported cases.

* Mortality data in this table are voluntarily reported from 122 cities in the United States, most of which have populations of >100,000. A death is reported by the place of its occurrence and by the week that the death certificate was filed. Fetal deaths are not included.

[†] Pneumonia and influenza.[§] Because of changes in reporting methods in this Pennsylvania city, these numbers are partial counts for the current week. Complete counts will be available in 4 to 6 weeks.[¶] Total includes unknown ages.