

Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending August 10, 2013 (32nd week)*


Disease	Current week	Cum 2013	5-year weekly average [†]	Total cases reported for previous years					States reporting cases during current week (No.)
				2012	2011	2010	2009	2008	
Anthrax	—	—	—	—	1	—	1	—	
Arboviral diseases ^{§, ¶} :									
California serogroup virus disease	—	13	6	81	137	75	55	62	
Eastern equine encephalitis virus disease	—	3	1	15	4	10	4	4	
Powassan virus disease	—	2	0	7	16	8	6	2	
St. Louis encephalitis virus disease	—	—	0	3	6	10	12	13	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Babesiosis	31	450	26	916	1,128	NN	NN	NN	RI (26), NY (5)
Botulism, total	—	76	3	168	153	112	118	145	
foodborne	—	3	0	27	24	7	10	17	
infant	—	65	2	123	97	80	83	109	
other (wound and unspecified)	—	8	0	18	32	25	25	19	
Brucellosis	—	36	2	113	79	115	115	80	
Chancroid	—	9	0	15	8	24	28	25	
Cholera	—	1	0	17	40	13	10	5	
Cyclosporiasis [§]	66	517	5	123	151	179	141	139	OH (1), NE (3), VA (1), FL (5), AR (5), TX (51)
Diphtheria	—	—	—	1	—	—	—	—	
<i>Haemophilus influenzae</i> ,** invasive disease (age <5 yrs):									
serotype b	—	12	0	30	14	23	35	30	
nonsertotype b	—	108	2	205	145	200	236	244	
unknown serotype	3	146	3	210	226	223	178	163	OH (1), MD (1), FL (1)
Hansen disease [§]	—	30	2	82	82	98	103	80	
Hantavirus pulmonary syndrome [§]	—	5	1	30	23	20	20	18	
Hemolytic uremic syndrome, postdiarrheal [§]	—	106	8	274	290	266	242	330	
Influenza-associated pediatric mortality ^{§, ††}	—	142	1	52	118	61	358	90	
Listeriosis	12	306	23	727	870	821	851	759	MA (1), NY (2), PA (1), MD (4), VA (1), FL (2), AL (1)
Measles ^{§§}	—	133	1	55	220	63	71	140	
Meningococcal disease, invasive ^{¶¶} :									
A, C, Y, and W-135	—	79	3	161	257	280	301	330	
serogroup B	—	52	2	110	159	135	174	188	
other serogroup	—	6	0	20	20	12	23	38	
unknown serogroup	2	209	6	260	323	406	482	616	PA (1), OH (1)
Novel influenza A virus infections ^{***}	—	16	135	313	14	4	43,774	2	
Plague	—	—	0	4	3	2	8	3	
Poliomyelitis, paralytic	—	—	—	—	—	—	1	—	
Polio virus Infection, nonparalytic [§]	—	—	—	—	—	—	—	—	
Psittacosis [§]	—	1	0	2	2	4	9	8	
Q fever, total [§]	2	63	2	128	134	131	113	120	
acute	2	48	2	106	110	106	93	106	AR (1), CA (1)
chronic	—	15	0	22	24	25	20	14	
Rabies, human	—	—	0	1	6	2	4	2	
Rubella ^{†††}	—	6	0	9	4	5	3	16	
Rubella, congenital syndrome	—	—	—	3	—	—	2	—	
SARS-CoV [§]	—	—	—	—	—	—	—	—	
Smallpox [§]	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome [§]	1	97	2	194	168	142	161	157	MI (1)
Syphilis, congenital (age <1 yr) ^{§§§}	—	85	8	322	360	377	423	431	
Tetanus	—	9	1	37	36	26	18	19	
Toxic-shock syndrome (staphylococcal) [§]	1	42	1	67	78	82	74	71	TN (1)
Trichinellosis	—	12	0	18	15	7	13	39	
Tularemia	10	110	4	149	166	124	93	123	IN (1), MO (2), TN (1), OK (4), WA (2)
Typhoid fever	3	169	10	354	390	467	397	449	GA (1), WA (1), CA (1)
Vancomycin-intermediate <i>Staphylococcus aureus</i> [§]	3	114	1	135	82	91	78	63	OH (1), MO (1), FL (1)
Vancomycin-resistant <i>Staphylococcus aureus</i> [§]	—	—	0	2	—	2	1	—	
Vibriosis (noncholera <i>Vibrio</i> species infections) [§]	32	426	36	1,111	832	846	789	588	RI (3), OH (1), NE (1), MD (5), VA (2), FL (8), WA (9), CA (3)
Viral hemorrhagic fever ^{¶¶¶}	—	—	—	—	—	1	NN	NN	
Yellow fever	—	—	—	—	—	—	—	—	

See Table 1 footnotes on next page.

TABLE I. (Continued) Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending August 10, 2013 (32nd week)*

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts.
 * Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.
 † Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. The total sum of incident cases is then divided by 25 weeks. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.
 ‡ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, TB data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx.
 § Includes both neuroinvasive and nonneuroinvasive. Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.
 ** Data for *H. influenzae* (all ages, all serotypes) are available in Table II.
 †† Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since September 30, 2012, 158 influenza-associated pediatric deaths occurring during the 2012-13 influenza season have been reported. One influenza-associated pediatric death occurring during the 2010-11 influenza season has been reported from Kansas. One influenza-associated pediatric death occurring during the 2011-12 influenza season has been reported from California.
 ‡‡ No measles cases were reported for the current week.
 ¶¶ Data for meningococcal disease (all serogroups) are available in Table II.
 *** CDC discontinued reporting of individual confirmed and probable cases of influenza A (H1N1)pdm09 virus infections on July 24, 2009. During 2009, four cases of human infection with novel influenza A viruses, different from the influenza A (H1N1)pdm09 virus, were reported to CDC. The four cases of novel influenza A virus infection reported to CDC during 2010, the fourteen cases reported during 2011, the 313 cases reported in 2012, and the 16 cases reported during 2013 are different from the influenza A (H1N1)pdm09 virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).
 ††† No rubella cases were reported for the current week.
 §§§ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.
 ¶¶¶ There were no cases of viral hemorrhagic fever reported during the current week. See Table II for dengue hemorrhagic fever.

FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals August 10, 2013, with historical data



* Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

Notifiable Disease Data Team and 122 Cities Mortality Data Team

Jeffrey Kriseman
 Deborah A. Adams Willie J. Anderson
 Lenee Blanton Rosaline Dhara
 Diana Harris Onweh Alan W. Schley
 Pearl C. Sharp

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending August 10, 2013, and August 11, 2012 (32nd week)*

Reporting area	Dengue Virus Infection									
	Dengue Fever [†]					Dengue Hemorrhagic Fever [§]				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max			
United States	—	8	31	167	229	—	0	1	—	—
New England	—	0	3	6	7	—	0	0	—	—
Connecticut	—	0	3	4	6	—	0	0	—	—
Maine	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	0	—	—	—	0	0	—	—
New Hampshire	—	0	1	1	—	—	0	0	—	—
Rhode Island	—	0	0	—	—	—	0	0	—	—
Vermont	—	0	1	1	1	—	0	0	—	—
Mid. Atlantic	—	2	8	35	49	—	0	0	—	—
New Jersey	—	0	0	—	—	—	0	0	—	—
New York (Upstate)	—	0	3	—	6	—	0	0	—	—
New York City	—	2	7	28	31	—	0	0	—	—
Pennsylvania	—	0	2	7	12	—	0	0	—	—
E.N. Central	—	1	4	19	32	—	0	1	—	—
Illinois	—	0	3	8	14	—	0	1	—	—
Indiana	—	0	2	3	2	—	0	0	—	—
Michigan	—	0	1	—	6	—	0	0	—	—
Ohio	—	0	1	5	3	—	0	0	—	—
Wisconsin	—	0	1	3	7	—	0	0	—	—
W.N. Central	—	0	2	2	10	—	0	1	—	—
Iowa	—	0	1	—	1	—	0	0	—	—
Kansas	—	0	1	1	1	—	0	0	—	—
Minnesota	—	0	2	—	3	—	0	0	—	—
Missouri	—	0	1	—	4	—	0	1	—	—
Nebraska	—	0	0	—	—	—	0	0	—	—
North Dakota	—	0	1	1	—	—	0	0	—	—
South Dakota	—	0	1	—	1	—	0	0	—	—
S. Atlantic	—	2	13	55	63	—	0	0	—	—
Delaware	—	0	0	—	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	—	2	9	41	42	—	0	0	—	—
Georgia	—	0	2	—	5	—	0	0	—	—
Maryland	—	0	2	3	5	—	0	0	—	—
North Carolina	—	0	1	6	3	—	0	0	—	—
South Carolina	—	0	0	—	2	—	0	0	—	—
Virginia	—	0	4	5	6	—	0	0	—	—
West Virginia	—	0	0	—	—	—	0	0	—	—
E.S. Central	—	0	2	10	8	—	0	0	—	—
Alabama	—	0	1	4	3	—	0	0	—	—
Kentucky	—	0	0	—	1	—	0	0	—	—
Mississippi	—	0	1	1	1	—	0	0	—	—
Tennessee	—	0	1	5	3	—	0	0	—	—
W.S. Central	—	0	2	9	11	—	0	0	—	—
Arkansas	—	0	0	—	—	—	0	0	—	—
Louisiana	—	0	1	3	4	—	0	0	—	—
Oklahoma	—	0	1	—	—	—	0	0	—	—
Texas	—	0	2	6	7	—	0	0	—	—
Mountain	—	0	2	3	8	—	0	0	—	—
Arizona	—	0	1	—	5	—	0	0	—	—
Colorado	—	0	0	—	—	—	0	0	—	—
Idaho	—	0	1	—	—	—	0	0	—	—
Montana	—	0	1	1	2	—	0	0	—	—
Nevada	—	0	1	2	1	—	0	0	—	—
New Mexico	—	0	0	—	—	—	0	0	—	—
Utah	—	0	0	—	—	—	0	0	—	—
Wyoming	—	0	0	—	—	—	0	0	—	—
Pacific	—	1	7	28	41	—	0	1	—	—
Alaska	—	0	1	1	—	—	0	0	—	—
California	—	1	5	16	32	—	0	0	—	—
Hawaii	—	0	2	6	4	—	0	0	—	—
Oregon	—	0	0	—	—	—	0	0	—	—
Washington	—	0	2	5	5	—	0	1	—	—
Territories										
American Samoa	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	169	354	4,151	1,160	—	2	9	37	29
U.S. Virgin Islands	—	0	42	—	13	—	0	0	—	1

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Dengue Fever includes cases that meet criteria for Dengue Fever with hemorrhage, other clinical and unknown case classifications.

§ DHF includes cases that meet criteria for dengue shock syndrome (DSS), a more severe form of DHF.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending August 10, 2013, and August 11, 2012 (32nd week)*

Reporting area	Meningococcal disease, invasive† All serogroups					Mumps					Pertussis				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
United States	2	10	32	346	354	1	5	50	374	142	220	461	1,214	13,114	30,171
New England	—	0	3	16	7	—	0	24	64	3	6	29	96	680	1,320
Connecticut	—	0	1	2	1	—	0	2	4	—	—	1	5	20	125
Maine	—	0	1	2	1	—	0	1	1	—	4	9	37	194	388
Massachusetts	—	0	2	6	4	—	0	24	58	3	2	9	24	226	388
New Hampshire	—	0	1	2	—	—	0	0	—	—	—	3	17	80	138
Rhode Island	—	0	1	1	—	—	0	1	—	—	—	1	20	55	60
Vermont	—	0	1	3	1	—	0	1	1	—	—	7	42	105	221
Mid. Atlantic	1	1	7	50	51	—	1	5	40	19	26	38	200	1,017	4,144
New Jersey	—	0	2	9	11	—	0	1	3	—	—	11	45	178	937
New York (Upstate)	—	0	3	14	15	—	0	2	4	3	14	17	120	419	1,604
New York City	—	0	2	9	13	—	0	4	18	14	—	3	17	48	321
Pennsylvania	1	0	3	18	12	—	0	5	15	2	12	16	55	372	1,282
E.N. Central	1	1	4	29	50	—	1	6	36	40	35	78	238	2,026	7,533
Illinois	—	0	1	7	14	—	0	4	22	21	—	15	44	330	1,436
Indiana	—	0	1	9	4	—	0	1	1	4	—	8	19	180	205
Michigan	—	0	1	3	11	—	0	1	3	7	2	14	31	371	503
Ohio	1	0	2	7	16	—	0	2	9	3	33	17	37	580	524
Wisconsin	—	0	2	3	5	—	0	1	1	5	—	25	132	565	4,865
W.N. Central	—	1	3	26	24	—	0	3	6	12	8	39	234	870	5,343
Iowa	—	0	1	1	2	—	0	2	1	—	—	9	49	170	1,135
Kansas	—	0	1	3	5	—	0	1	—	3	—	6	31	112	496
Minnesota	—	0	2	8	5	—	0	1	—	6	—	10	129	187	2,968
Missouri	—	0	1	5	9	—	0	1	3	2	—	9	25	221	514
Nebraska	—	0	1	2	2	—	0	0	—	1	8	4	19	121	119
North Dakota	—	0	1	3	1	—	0	1	2	—	—	0	45	43	69
South Dakota	—	0	1	4	—	—	0	0	—	—	—	1	6	16	42
S. Atlantic	—	1	6	65	61	1	1	37	187	14	20	49	106	1,301	1,667
Delaware	—	0	1	1	1	—	0	0	—	—	1	1	4	16	29
District of Columbia	—	0	1	1	2	—	0	1	1	2	—	0	4	26	13
Florida	—	1	3	34	35	—	0	1	1	3	12	11	25	365	360
Georgia	—	0	2	9	8	—	0	1	—	—	—	6	11	150	207
Maryland	—	0	1	3	3	—	0	24	81	—	6	5	19	121	208
North Carolina	—	0	2	9	3	—	0	1	2	1	—	11	75	311	294
South Carolina	—	0	1	2	3	—	0	1	1	1	—	4	14	125	121
Virginia	—	0	2	4	2	1	0	18	101	5	1	7	39	180	378
West Virginia	—	0	1	2	4	—	0	0	—	2	—	0	7	7	57
E.S. Central	—	0	2	8	10	—	0	2	6	2	5	18	48	455	712
Alabama	—	0	1	2	3	—	0	1	2	1	—	3	8	101	128
Kentucky	—	0	1	1	1	—	0	1	1	1	1	8	29	187	387
Mississippi	—	0	1	2	2	—	0	0	—	—	—	1	4	29	55
Tennessee	—	0	1	3	4	—	0	1	3	—	4	5	15	138	142
W.S. Central	—	1	5	30	38	—	0	3	11	12	76	59	342	1,949	1,158
Arkansas	—	0	1	5	5	—	0	1	2	1	—	6	27	203	67
Louisiana	—	0	1	2	3	—	0	1	1	1	—	2	10	83	40
Oklahoma	—	0	2	5	5	—	0	3	1	—	—	0	34	39	41
Texas	—	0	4	18	25	—	0	2	7	10	76	50	288	1,624	1,010
Mountain	—	1	4	28	26	—	0	1	5	13	22	112	168	3,083	3,488
Arizona	—	0	3	10	1	—	0	1	1	3	1	20	63	725	739
Colorado	—	0	1	5	5	—	0	1	2	5	10	31	65	767	717
Idaho	—	0	1	4	4	—	0	0	—	—	4	4	14	126	132
Montana	—	0	1	—	6	—	0	0	—	1	5	10	29	455	391
Nevada	—	0	1	1	2	—	0	1	1	—	—	2	8	89	54
New Mexico	—	0	2	1	3	—	0	0	—	—	—	16	33	311	459
Utah	—	0	2	6	3	—	0	1	1	3	2	23	49	589	950
Wyoming	—	0	1	1	2	—	0	0	—	1	—	0	4	21	46
Pacific	—	2	16	94	87	—	1	3	19	27	22	62	298	1,733	4,806
Alaska	—	0	1	—	—	—	0	0	—	—	1	8	31	246	112
California	—	2	6	76	61	—	0	3	15	24	1	18	41	711	481
Hawaii	—	0	1	1	2	—	0	0	—	1	—	1	3	25	52
Oregon	—	0	2	9	19	—	0	1	3	1	7	9	24	304	746
Washington	—	0	12	8	5	—	0	1	1	1	13	20	256	447	3,415
Territories															
American Samoa	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	2	—	2	—	0	0	—	1
Puerto Rico	—	0	0	—	—	—	0	1	2	4	—	0	3	10	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Data for meningococcal disease, invasive caused by serogroups A, C, Y, and W-135; serogroup B; other serogroup; and unknown serogroup are available in Table I.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending August 10, 2013, and August 11, 2012 (32nd week)*

Reporting area	Rabies, animal				Salmonellosis					Shiga toxin-producing <i>E. coli</i> (STEC) [†]					
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
United States	56	62	140	1,759	2,584	623	886	1,736	22,950	28,494	74	112	221	2,776	3,379
New England	—	6	16	170	234	22	38	74	1,221	1,222	1	4	11	134	110
Connecticut	—	3	8	72	110	—	7	17	217	283	—	1	5	27	26
Maine	—	1	4	30	63	2	3	11	87	95	—	0	4	16	7
Massachusetts	—	0	0	—	—	6	22	52	727	644	—	2	7	65	54
New Hampshire	—	1	3	22	14	—	3	9	80	89	—	0	3	14	12
Rhode Island	—	0	5	13	16	13	1	7	60	57	—	0	1	—	1
Vermont	—	1	7	33	31	1	1	7	50	54	1	0	3	12	10
Mid. Atlantic	13	9	32	204	516	45	93	187	2,596	3,211	4	13	29	359	347
New Jersey	—	0	0	—	—	—	11	48	275	761	—	2	7	47	82
New York (Upstate)	13	6	20	204	258	7	26	74	798	744	—	5	15	135	104
New York City	—	0	2	—	2	11	19	49	635	690	—	1	5	55	55
Pennsylvania	—	0	15	—	256	27	30	61	888	1,016	4	4	12	122	106
E.N. Central	6	1	7	66	65	43	89	207	2,528	3,572	17	17	77	452	594
Illinois	2	0	4	22	—	—	30	73	886	1,148	—	4	29	135	137
Indiana	—	0	1	4	7	—	9	30	287	502	—	2	23	47	99
Michigan	—	0	5	19	41	10	16	37	510	621	2	3	41	83	97
Ohio	4	0	7	21	17	33	25	46	729	751	15	4	16	130	109
Wisconsin	N	0	0	N	N	—	7	36	116	550	—	2	12	57	152
W.N. Central	1	2	48	86	146	11	49	152	1,395	2,092	5	16	41	394	585
Iowa	—	0	3	—	22	2	10	33	342	355	—	2	15	81	113
Kansas	1	1	5	39	45	—	8	18	234	298	1	2	7	53	47
Minnesota	—	0	0	—	—	—	0	44	—	496	—	0	14	—	139
Missouri	—	0	3	26	21	—	18	46	462	601	—	5	18	162	185
Nebraska	—	0	0	—	—	9	6	26	189	198	3	2	8	51	50
North Dakota	—	0	46	—	19	—	2	5	64	36	—	0	4	28	20
South Dakota	—	0	4	21	39	—	3	9	104	108	1	1	3	19	31
S. Atlantic	5	17	31	523	695	255	225	624	6,344	7,535	13	11	72	342	302
Delaware	—	0	0	—	—	—	2	10	41	88	—	0	3	5	7
District of Columbia	—	0	0	—	—	—	1	4	33	45	—	0	1	4	5
Florida	—	0	20	64	103	153	107	272	2,883	2,837	7	2	10	103	52
Georgia	—	0	0	—	—	30	34	110	996	1,411	2	2	9	83	90
Maryland	—	6	13	144	201	26	15	40	475	537	2	1	4	36	45
North Carolina	—	0	0	—	—	—	26	164	755	1,165	—	1	61	40	37
South Carolina	—	0	0	—	—	24	19	72	529	713	1	0	2	5	17
Virginia	—	10	21	275	345	22	21	46	558	604	1	2	5	51	41
West Virginia	5	1	6	40	46	—	3	10	74	135	—	0	2	15	8
E.S. Central	1	1	4	20	50	30	55	210	1,525	2,280	4	6	13	175	188
Alabama	—	0	3	10	41	3	14	55	383	610	—	1	5	21	39
Kentucky	1	0	3	9	8	7	10	53	299	404	3	2	9	66	47
Mississippi	—	0	1	1	1	—	14	65	390	645	—	0	3	13	12
Tennessee	—	0	0	—	—	20	15	63	453	621	1	2	6	75	90
W.S. Central	27	15	60	567	479	135	124	432	2,884	3,821	3	8	126	230	345
Arkansas	—	0	34	104	76	23	15	229	299	375	—	1	10	50	34
Louisiana	—	0	1	—	1	1	22	62	523	818	—	0	3	6	17
Oklahoma	—	0	23	37	27	31	13	34	349	385	3	1	11	52	49
Texas	27	13	40	426	375	80	73	329	1,713	2,243	—	5	105	122	245
Mountain	1	0	18	23	226	16	54	231	1,659	1,422	2	11	45	281	348
Arizona	N	0	0	N	N	5	18	31	458	436	—	1	8	26	78
Colorado	—	0	17	—	152	5	10	27	355	335	—	3	11	90	93
Idaho	—	0	15	9	1	5	2	7	70	90	1	1	30	44	43
Montana	N	0	0	N	N	1	2	9	56	62	1	1	5	23	21
Nevada	—	0	4	7	6	—	3	205	321	115	—	1	5	21	18
New Mexico	—	0	3	4	37	—	6	20	192	175	—	1	5	15	31
Utah	1	0	2	3	7	—	5	12	174	168	—	1	15	52	49
Wyoming	—	0	3	—	23	—	1	8	33	41	—	0	6	10	15
Pacific	2	3	12	100	173	66	113	247	2,798	3,339	25	15	44	409	560
Alaska	—	0	2	6	6	1	1	5	54	34	N	0	0	N	N
California	1	3	11	86	159	40	76	164	1,976	2,466	1	8	22	183	352
Hawaii	—	0	0	—	—	—	5	14	179	233	—	0	5	15	10
Oregon	1	0	2	8	8	3	8	15	202	226	5	3	11	83	105
Washington	—	0	9	—	—	22	15	70	387	380	19	3	24	128	93
Territories															
American Samoa	—	0	0	—	—	—	0	0	—	4	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	1	—	11	—	0	0	—	—
Puerto Rico	—	0	0	—	27	5	3	16	216	30	—	0	2	2	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Includes *E. coli* O157:H7; Shiga toxin-positive, serogroup non-O157; and Shiga toxin-positive, not serogrouped.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending August 10, 2013, and August 11, 2012 (32nd week)*

Reporting area	Spotted Fever Rickettsiosis (including RMSF) [†]														
	Shigellosis					Confirmed					Probable				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max				Med	Max			
United States	139	175	441	4,871	8,395	5	2	12	76	133	120	45	420	1,395	2,516
New England	17	4	44	243	100	—	0	0	—	1	—	0	3	5	11
Connecticut	—	1	3	23	20	—	0	0	—	—	—	0	0	—	—
Maine	—	0	1	3	6	—	0	0	—	—	—	0	1	1	3
Massachusetts	2	2	12	90	65	—	0	0	—	—	—	0	1	1	5
New Hampshire	—	0	1	4	5	—	0	0	—	—	—	0	1	1	—
Rhode Island	15	0	40	120	1	—	0	0	—	—	—	0	3	2	3
Vermont	—	0	1	3	3	—	0	0	—	1	—	0	0	—	—
Mid. Atlantic	7	19	75	450	1,626	—	0	1	2	4	1	1	11	27	145
New Jersey	—	3	22	47	773	—	0	0	—	—	—	0	5	—	99
New York (Upstate)	2	7	61	146	377	—	0	1	—	3	—	0	7	5	9
New York City	2	7	18	183	384	—	0	0	—	—	—	0	1	7	7
Pennsylvania	3	2	7	74	92	—	0	1	2	1	1	0	2	15	30
E.N. Central	24	38	114	824	884	1	0	1	6	8	1	2	12	89	163
Illinois	—	4	17	110	133	—	0	1	3	6	—	1	8	41	113
Indiana	—	2	17	52	59	—	0	1	2	2	1	0	4	31	23
Michigan	2	3	9	106	173	—	0	0	—	—	—	0	1	1	2
Ohio	21	27	103	534	475	1	0	0	1	—	—	0	3	13	14
Wisconsin	1	1	8	22	44	—	0	0	—	—	—	0	1	3	11
W.N. Central	2	7	46	152	455	1	0	4	14	3	6	3	25	175	261
Iowa	—	2	11	48	23	—	0	0	—	—	—	0	1	4	7
Kansas	—	1	4	25	85	—	0	0	—	—	—	0	0	—	—
Minnesota	—	0	20	—	208	—	0	0	—	—	—	0	1	—	12
Missouri	—	0	5	28	53	—	0	3	10	2	5	3	24	164	236
Nebraska	2	2	22	36	76	1	0	1	4	1	1	0	2	5	4
North Dakota	—	0	2	10	4	—	0	0	—	—	—	0	1	2	1
South Dakota	—	0	3	5	6	—	0	0	—	—	—	0	0	—	1
S. Atlantic	28	38	69	1,073	1,961	—	1	7	33	86	9	12	146	378	630
Delaware	—	0	4	2	6	—	0	0	—	—	—	0	2	9	21
District of Columbia	—	0	2	11	16	—	0	1	1	—	—	0	0	—	1
Florida	21	16	42	415	1,224	—	0	2	3	3	—	0	3	7	20
Georgia	3	13	26	395	411	—	0	7	19	67	—	0	0	—	—
Maryland	2	2	10	56	146	—	0	0	—	—	—	0	3	14	7
North Carolina	—	2	10	84	80	—	0	4	5	5	—	0	134	156	232
South Carolina	1	1	6	72	20	—	0	1	1	7	—	1	6	20	26
Virginia	1	1	5	36	52	—	0	2	3	4	9	4	22	172	323
West Virginia	—	0	1	2	6	—	0	1	1	—	—	0	1	—	—
E.S. Central	10	15	41	381	706	—	0	2	8	9	13	10	46	399	628
Alabama	—	4	20	121	203	—	0	1	1	2	5	2	15	94	88
Kentucky	1	2	21	32	231	—	0	1	2	3	2	1	5	36	40
Mississippi	—	4	13	84	150	—	0	2	—	2	—	0	2	2	19
Tennessee	9	4	19	144	122	—	0	1	5	2	6	7	33	267	481
W.S. Central	31	39	159	1,058	1,614	3	0	5	5	7	90	7	366	310	618
Arkansas	3	3	11	134	41	—	0	1	1	5	1	5	48	182	510
Louisiana	3	4	12	144	117	—	0	0	—	—	—	0	2	2	6
Oklahoma	4	5	60	119	295	3	0	5	3	1	89	0	351	110	49
Texas	21	25	95	661	1,161	—	0	1	1	1	—	0	8	16	53
Mountain	3	11	34	247	364	—	0	1	7	11	—	0	3	11	48
Arizona	2	7	21	148	210	—	0	1	6	10	—	0	2	8	32
Colorado	1	1	8	29	68	—	0	0	—	1	—	0	1	—	3
Idaho	—	0	2	6	7	—	0	1	1	—	—	0	1	—	3
Montana	—	0	3	14	8	—	0	0	—	—	—	0	1	1	2
Nevada	—	0	9	17	14	—	0	0	—	—	—	0	0	—	—
New Mexico	—	1	10	18	39	—	0	0	—	—	—	0	1	1	1
Utah	—	0	4	12	13	—	0	0	—	—	—	0	1	1	5
Wyoming	—	0	4	3	5	—	0	0	—	—	—	0	0	—	2
Pacific	17	20	59	443	685	—	0	2	1	4	—	0	1	1	12
Alaska	—	0	1	1	6	N	0	0	N	N	N	0	0	N	N
California	12	16	58	325	535	—	0	2	1	4	—	0	1	1	11
Hawaii	—	0	6	28	17	N	0	0	N	N	N	0	0	N	N
Oregon	—	1	6	27	57	—	0	0	—	—	—	0	0	—	1
Washington	5	1	19	62	70	—	0	1	—	—	—	0	0	—	—
Territories															
American Samoa	—	0	0	—	5	N	0	0	N	N	N	0	0	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	1	N	0	0	N	N	N	0	0	N	N
Puerto Rico	1	0	1	2	—	N	0	0	N	N	N	0	0	N	N
U.S. Virgin Islands	—	0	0	—	—	N	0	0	N	N	N	0	0	N	N

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

[†] Illnesses with similar clinical presentation that result from Spotted fever group rickettsia infections are reported as Spotted fever rickettsioses. Rocky Mountain spotted fever (RMSF) caused by *Rickettsia rickettsii*, is the most common and well-known spotted fever.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending August 10, 2013, and August 11, 2012 (32nd week)*

Reporting area	<i>Streptococcus pneumoniae</i> , [†] invasive disease										Syphilis, primary and secondary				
	All ages					Age <5									
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max				Med	Max			
United States	41	305	966	10,426	9,734	2	25	55	691	738	75	307	391	8,745	9,277
New England	—	17	68	416	712	—	1	4	24	38	3	8	18	272	291
Connecticut	—	5	21	210	209	—	0	2	9	10	—	0	6	25	32
Maine	—	2	8	79	69	—	0	1	3	2	—	0	1	3	15
Massachusetts	—	1	18	12	316	—	0	4	10	21	3	6	18	202	191
New Hampshire	—	1	5	50	50	—	0	1	2	4	—	1	4	18	17
Rhode Island	—	0	29	23	31	—	0	0	—	1	—	0	3	20	33
Vermont	—	1	6	42	37	—	0	0	—	—	—	0	2	4	3
Mid. Atlantic	1	47	198	1,571	1,442	—	2	13	88	70	10	40	59	1,194	1,138
New Jersey	—	11	30	338	388	—	1	3	21	23	1	5	8	110	131
New York (Upstate)	—	20	147	768	616	—	1	9	45	35	3	4	32	153	122
New York City	1	13	36	465	438	—	0	3	22	12	2	21	32	650	584
Pennsylvania	N	0	0	N	N	N	0	0	N	N	4	9	19	281	301
E.N. Central	7	59	132	2,029	1,874	1	4	9	111	144	1	32	61	890	1,092
Illinois	N	0	0	N	N	—	1	3	28	29	1	12	25	281	485
Indiana	—	14	50	425	436	—	0	3	16	19	—	4	10	143	130
Michigan	2	13	30	484	358	1	0	3	25	22	—	6	15	201	180
Ohio	5	21	63	815	781	—	1	6	26	54	—	8	15	220	253
Wisconsin	—	9	26	305	299	—	0	3	16	20	—	2	5	45	44
W.N. Central	2	13	35	402	476	—	1	6	54	57	1	9	18	291	215
Iowa	N	0	0	N	N	N	0	0	N	N	—	1	5	27	36
Kansas	N	0	0	N	N	N	0	0	N	N	—	0	2	22	14
Minnesota	—	8	24	233	270	—	0	3	18	19	—	2	5	64	65
Missouri	N	0	0	N	N	—	0	3	20	22	1	4	10	142	85
Nebraska	2	2	7	100	97	—	0	1	8	8	—	0	3	22	3
North Dakota	—	0	7	2	56	—	0	1	2	—	—	0	2	5	2
South Dakota	—	2	6	67	53	—	0	1	6	8	—	0	2	9	10
S. Atlantic	15	67	143	2,424	2,064	1	5	14	180	161	34	67	184	1,887	2,220
Delaware	—	0	3	17	23	—	0	1	—	—	1	0	9	22	24
District of Columbia	—	1	7	60	40	—	0	1	—	1	2	3	8	106	111
Florida	8	22	59	781	641	—	2	5	60	49	—	23	42	647	862
Georgia	1	20	56	747	560	—	2	6	52	45	8	13	110	373	472
Maryland	3	7	26	318	322	—	0	4	20	25	—	7	15	218	254
North Carolina	N	0	0	N	N	N	0	0	N	N	20	3	34	169	216
South Carolina	1	7	21	309	251	—	0	3	14	15	—	5	10	172	142
Virginia	N	0	0	N	N	1	1	4	26	18	3	5	40	173	135
West Virginia	2	4	23	192	227	—	0	1	8	8	—	0	2	7	4
E.S. Central	4	28	60	958	809	—	2	5	62	57	3	11	25	320	484
Alabama	1	2	10	113	70	—	0	3	14	6	—	3	10	82	143
Kentucky	2	5	12	182	133	—	0	1	8	4	3	2	10	73	76
Mississippi	—	4	12	156	115	—	0	2	13	16	—	1	11	50	97
Tennessee	1	14	41	507	491	—	0	4	27	31	—	4	9	115	168
W.S. Central	7	35	368	1,258	1,067	—	3	24	91	107	1	42	66	1,231	1,325
Arkansas	—	3	24	129	104	—	0	1	5	10	—	3	13	105	108
Louisiana	—	5	14	178	147	—	0	4	11	12	—	6	20	159	192
Oklahoma	N	0	0	N	N	—	0	2	13	16	1	2	8	66	43
Texas	7	27	340	951	816	—	2	23	62	69	—	31	47	901	982
Mountain	5	32	76	1,265	1,170	—	2	7	67	90	—	14	26	403	386
Arizona	4	12	42	579	482	—	1	4	29	34	—	4	11	126	126
Colorado	1	9	22	328	278	—	0	3	15	18	—	3	12	92	101
Idaho	N	0	0	N	N	—	0	1	3	1	—	0	2	5	19
Montana	—	0	2	19	22	—	0	1	2	1	—	0	1	4	—
Nevada	—	2	7	87	75	—	0	1	4	9	—	2	14	96	60
New Mexico	—	5	16	198	181	—	0	2	9	13	—	1	5	45	63
Utah	—	2	11	41	112	—	0	3	5	13	—	1	4	34	15
Wyoming	—	0	3	13	20	—	0	1	—	1	—	0	1	1	2
Pacific	—	4	10	103	120	—	0	2	14	14	22	72	104	2,257	2,126
Alaska	—	2	7	62	77	—	0	1	12	10	—	0	2	14	5
California	N	0	0	N	N	N	0	0	N	N	16	62	90	1,917	1,776
Hawaii	—	1	5	41	43	—	0	2	2	4	—	0	3	20	10
Oregon	N	0	0	N	N	N	0	0	N	N	3	4	15	159	138
Washington	N	0	0	N	N	N	0	0	N	N	3	5	14	147	197
Territories															
American Samoa	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—	—	8	30	223	151
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	1	1	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

[†] Includes drug resistant and susceptible cases of invasive *Streptococcus pneumoniae* disease among children <5 years and among all ages. Case definition: Isolation of *S. pneumoniae* from a normally sterile body site (e.g., blood or cerebrospinal fluid).

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending August 10, 2013, and August 11, 2012 (32nd week)*

Reporting area	Varicella (chickenpox)					West Nile virus disease [†]									
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Neuroinvasive					Nonneuroinvasive [§]				
		Med	Max			Current week	Previous 52 weeks	Cum 2013	Cum 2012	Current week	Previous 52 weeks	Cum 2013	Cum 2012		
United States	61	194	316	5,397	8,745	—	2	323	81	1,255	—	2	342	93	1,139
New England	2	19	31	519	1,021	—	0	8	—	10	—	0	5	—	3
Connecticut	—	5	9	128	175	—	0	2	—	4	—	0	3	—	1
Maine	—	3	10	88	172	—	0	1	—	—	—	0	0	—	—
Massachusetts	2	6	17	238	393	—	0	7	—	5	—	0	3	—	2
New Hampshire	—	0	5	9	105	—	0	1	—	1	—	0	0	—	—
Rhode Island	—	0	10	10	63	—	0	1	—	—	—	0	1	—	—
Vermont	—	1	6	46	113	—	0	1	—	—	—	0	1	—	—
Mid. Atlantic	5	24	44	735	886	—	0	19	2	34	—	0	18	—	29
New Jersey	—	7	19	267	336	—	0	5	—	4	—	0	5	—	8
New York (Upstate)	N	0	0	N	N	—	0	6	—	9	—	0	8	—	6
New York City	—	0	0	—	—	—	0	5	2	9	—	0	2	—	5
Pennsylvania	5	15	34	468	550	—	0	5	—	12	—	0	4	—	10
E.N. Central	18	55	130	1,501	2,224	—	0	91	1	158	—	0	39	2	74
Illinois	1	14	32	391	548	—	0	31	—	57	—	0	18	—	28
Indiana	6	6	26	154	230	—	0	8	1	16	—	0	5	—	11
Michigan	4	15	45	371	598	—	0	33	—	52	—	0	12	1	21
Ohio	2	12	33	384	531	—	0	19	—	25	—	0	12	—	12
Wisconsin	5	6	15	201	317	—	0	11	—	8	—	0	3	1	2
W.N. Central	4	7	52	135	464	—	0	36	30	105	—	0	53	44	174
Iowa	N	0	0	N	N	—	0	3	1	3	—	0	5	2	9
Kansas	—	0	13	—	251	—	0	3	1	10	—	0	4	—	22
Minnesota	—	0	0	—	—	—	0	6	6	19	—	0	6	12	18
Missouri	4	4	39	97	149	—	0	4	—	7	—	0	1	—	1
Nebraska	—	0	1	2	23	—	0	8	1	7	—	0	22	3	33
North Dakota	—	0	5	18	19	—	0	8	5	19	—	0	11	8	22
South Dakota	—	0	4	18	22	—	0	15	16	40	—	0	19	19	69
S. Atlantic	15	25	43	805	1,164	—	0	21	1	71	—	0	21	1	37
Delaware	—	0	2	14	3	—	0	1	—	—	—	0	2	—	—
District of Columbia	—	0	1	—	14	—	0	3	—	4	—	0	1	—	1
Florida	8	12	24	409	597	—	0	5	—	18	—	0	2	—	8
Georgia	—	1	6	36	27	—	0	4	1	28	—	0	10	1	13
Maryland	N	0	0	N	N	—	0	5	—	8	—	0	4	—	6
North Carolina	N	0	0	N	N	—	0	3	—	2	—	0	0	—	—
South Carolina	—	1	13	91	9	—	0	5	—	4	—	0	2	—	3
Virginia	4	7	19	195	325	—	0	4	—	5	—	0	3	—	6
West Virginia	3	1	6	60	189	—	0	1	—	2	—	0	3	—	—
E.S. Central	4	3	9	108	125	—	0	20	4	70	—	0	22	10	60
Alabama	4	3	9	104	118	—	0	7	—	8	—	0	4	1	6
Kentucky	N	0	0	N	N	—	0	4	—	4	—	0	2	—	2
Mississippi	—	0	1	4	7	—	0	10	3	53	—	0	17	9	49
Tennessee	N	0	0	N	N	—	0	4	1	5	—	0	2	—	3
W.S. Central	10	39	212	1,182	1,708	—	0	123	5	710	—	0	166	10	680
Arkansas	—	3	20	80	125	—	0	9	—	22	—	0	3	—	6
Louisiana	—	1	7	37	40	—	0	18	3	79	—	0	26	4	57
Oklahoma	N	0	0	N	N	—	0	7	—	89	—	0	7	—	59
Texas	10	33	209	1,065	1,543	—	0	95	2	520	—	0	131	6	558
Mountain	—	16	44	357	1,058	—	0	37	23	48	—	0	22	22	41
Arizona	—	1	21	18	360	—	0	10	7	25	—	0	7	1	14
Colorado	—	4	15	109	340	—	0	17	8	13	—	0	13	14	17
Idaho	N	0	0	N	N	—	0	1	1	2	—	0	3	2	4
Montana	—	2	8	59	78	—	0	1	—	—	—	0	2	—	1
Nevada	N	0	0	N	N	—	0	4	5	2	—	0	2	2	—
New Mexico	—	1	5	34	71	—	0	9	1	3	—	0	5	2	2
Utah	—	5	13	131	194	—	0	1	—	1	—	0	0	—	2
Wyoming	—	0	2	6	15	—	0	1	1	2	—	0	2	1	1
Pacific	3	2	5	55	95	—	0	33	15	49	—	0	26	4	41
Alaska	3	1	4	28	43	—	0	0	—	—	—	0	0	—	—
California	—	0	2	11	21	—	0	33	15	49	—	0	25	3	37
Hawaii	—	0	4	16	31	—	0	0	—	—	—	0	0	—	—
Oregon	N	0	0	N	N	—	0	0	—	—	—	0	2	—	4
Washington	N	0	0	N	N	—	0	4	—	—	—	0	1	1	—
Territories															
American Samoa	N	0	0	N	N	—	0	0	—	—	—	0	0	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	5	—	34	—	0	0	—	—	—	0	0	—	—
Puerto Rico	2	3	10	160	69	—	0	0	—	1	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2012 and 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for California serogroup, eastern equine, Powassan, St. Louis, and western equine diseases are available in Table I.

§ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table, except starting in 2007 for the domestic arboviral diseases and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx.

Morbidity and Mortality Weekly Report

TABLE III. Deaths in 122 U.S. cities,* week ending August 10, 2013 (32nd week)

Reporting area	All causes, by age (years)						P&I†	Reporting area (Continued)	All causes, by age (years)						P&I†
	All Ages	≥65	45-64	25-44	1-24	<1			Total	All Ages	≥65	45-64	25-44	1-24	
New England	507	340	123	31	7	6	39	S. Atlantic	944	597	242	70	19	16	77
Boston, MA	142	93	27	13	4	5	4	Atlanta, GA	119	71	35	12	1	—	13
Bridgeport, CT	23	17	6	—	—	—	1	Baltimore, MD	129	72	38	10	6	3	13
Cambridge, MA	14	8	6	—	—	—	2	Charlotte, NC	132	89	33	6	1	3	13
Fall River, MA	22	14	6	2	—	—	2	Jacksonville, FL	125	77	35	7	3	3	7
Hartford, CT	77	52	20	3	2	—	10	Miami, FL	70	59	6	4	1	—	5
Lowell, MA	14	10	3	1	—	—	1	Norfolk, VA	47	33	12	2	—	—	3
Lynn, MA	11	8	2	1	—	—	3	Richmond, VA	53	25	19	7	1	1	1
New Bedford, MA	19	13	4	2	—	—	—	Savannah, GA	59	40	16	2	—	1	2
New Haven, CT	30	19	8	3	—	—	4	St. Petersburg, FL	33	22	8	3	—	—	—
Providence, RI	49	38	11	—	—	—	5	Tampa, FL	6	2	3	1	—	—	—
Somerville, MA	1	—	1	—	—	—	—	Washington, D.C.	158	97	34	16	6	5	16
Springfield, MA	34	21	11	2	—	—	1	Wilmington, DE	13	10	3	—	—	—	4
Waterbury, CT	23	11	8	3	1	—	4	E.S. Central	838	528	219	56	16	19	47
Worcester, MA	48	36	10	1	—	1	2	Birmingham, AL	151	97	41	5	5	3	9
Mid. Atlantic	1,573	1,093	342	89	28	21	80	Chattanooga, TN	87	68	16	2	—	1	3
Albany, NY	42	27	9	3	1	2	5	Knoxville, TN	84	58	15	6	—	5	—
Allentown, PA	22	17	4	1	—	—	1	Lexington, KY	75	40	18	13	1	3	—
Buffalo, NY	86	60	18	6	1	1	8	Memphis, TN	154	88	51	8	5	2	15
Camden, NJ	28	15	7	3	2	1	1	Mobile, AL	113	76	29	7	—	1	13
Elizabeth, NJ	9	7	2	—	—	—	1	Montgomery, AL	42	27	10	3	1	1	2
Erie, PA	37	23	9	1	4	—	1	Nashville, TN	132	74	39	12	4	3	5
Jersey City, NJ	15	10	4	—	1	—	2	W.S. Central	1,343	831	344	90	37	41	50
New York City, NY	980	681	218	61	9	11	42	Austin, TX	86	55	23	6	1	1	4
Newark, NJ	14	8	5	—	—	1	—	Baton Rouge, LA	97	63	24	5	2	3	3
Paterson, NJ	23	11	9	1	2	—	3	Corpus Christi, TX	42	25	11	4	—	2	3
Philadelphia, PA	U	U	U	U	U	U	U	Dallas, TX	187	108	49	13	9	8	7
Pittsburgh, PA [§]	44	32	9	1	2	—	3	El Paso, TX	95	64	24	6	—	1	3
Reading, PA	39	30	6	2	—	1	2	Fort Worth, TX	U	U	U	U	U	U	U
Rochester, NY	63	46	8	4	3	2	2	Houston, TX	343	193	98	25	8	19	10
Schenectady, NY	28	20	6	1	1	—	2	Little Rock, AR	79	47	25	—	5	2	1
Scranton, PA	26	21	4	1	—	—	2	New Orleans, LA	51	28	16	6	1	—	2
Syracuse, NY	67	50	10	4	1	2	5	San Antonio, TX	244	169	45	18	8	4	16
Trenton, NJ	21	12	8	—	1	—	—	Shreveport, LA	68	36	21	7	3	1	1
Utica, NY	14	10	4	—	—	—	—	Tulsa, OK	51	43	8	—	—	—	—
Yonkers, NY	15	13	2	—	—	—	—	Mountain	1,085	708	266	75	24	12	45
E.N. Central	1,940	1,313	448	116	41	22	115	Albuquerque, NM	77	50	21	5	—	1	4
Akron, OH	49	31	16	2	—	—	3	Boise, ID	43	32	8	2	1	—	2
Canton, OH	20	11	9	—	—	—	—	Colorado Springs, CO	73	49	16	4	3	1	3
Chicago, IL	273	183	65	17	5	3	20	Denver, CO	78	48	23	1	1	5	—
Cincinnati, OH	92	57	24	8	2	1	7	Las Vegas, NV	303	185	79	32	6	1	14
Cleveland, OH	219	171	37	7	1	3	13	Ogden, UT	45	30	9	3	2	1	4
Columbus, OH	237	143	66	19	5	4	11	Phoenix, AZ	147	95	34	9	9	—	8
Dayton, OH	128	95	23	6	3	1	7	Pueblo, CO	29	25	3	1	—	—	1
Detroit, MI	123	67	35	14	6	1	8	Salt Lake City, UT	131	89	30	8	2	2	7
Evansville, IN	39	25	10	3	1	—	2	Tucson, AZ	159	105	43	10	—	1	2
Fort Wayne, IN	86	64	19	1	1	1	3	Pacific	1,642	1,112	378	88	36	28	97
Gary, IN	14	6	5	1	2	—	—	Berkeley, CA	12	6	5	—	—	1	1
Grand Rapids, MI	46	35	7	1	2	1	4	Fresno, CA	124	88	23	5	5	3	7
Indianapolis, IN	172	111	36	15	8	2	12	Glendale, CA	32	26	6	—	—	—	2
Lansing, MI	48	31	10	5	2	—	3	Honolulu, HI	72	46	13	9	1	3	5
Milwaukee, WI	84	57	23	3	1	—	7	Long Beach, CA	55	40	10	4	1	—	4
Peoria, IL	50	37	12	—	—	1	4	Los Angeles, CA	224	147	49	15	10	3	22
Rockford, IL	60	47	8	3	1	1	2	Pasadena, CA	22	16	5	1	—	—	2
South Bend, IN	45	29	11	3	—	2	—	Portland, OR	141	88	38	11	3	1	3
Toledo, OH	92	65	22	3	1	1	5	Sacramento, CA	183	124	49	6	—	4	14
Youngstown, OH	63	48	10	5	—	—	4	San Diego, CA	143	87	39	10	2	5	4
W.N. Central	599	391	145	35	13	13	36	San Francisco, CA	96	70	22	1	1	2	9
Des Moines, IA	85	62	18	4	—	1	6	San Jose, CA	198	139	44	5	7	3	9
Duluth, MN	27	17	7	2	1	—	—	Santa Cruz, CA	37	28	7	1	—	1	2
Kansas City, KS	28	18	9	1	—	—	2	Seattle, WA	125	85	28	9	2	1	1
Kansas City, MO	89	48	27	4	4	4	2	Spokane, WA	63	43	14	3	2	1	2
Lincoln, NE	55	44	5	6	—	—	—	Tacoma, WA	115	79	26	8	2	—	10
Minneapolis, MN	56	30	18	2	2	4	8	Total¶	10,471	6,913	2,507	650	221	178	586
Omaha, NE	68	47	17	4	—	—	5								
St. Louis, MO	54	32	13	4	4	1	2								
St. Paul, MN	61	41	13	6	1	—	6								
Wichita, KS	76	52	18	2	1	3	5								

U: Unavailable. —: No reported cases.

* Mortality data in this table are voluntarily reported from 122 cities in the United States, most of which have populations of >100,000. A death is reported by the place of its occurrence and by the week that the death certificate was filed. Fetal deaths are not included.

† Pneumonia and influenza.

§ Because of changes in reporting methods in this Pennsylvania city, these numbers are partial counts for the current week. Complete counts will be available in 4 to 6 weeks.

¶ Total includes unknown ages.