

Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending November 30, 2013 (48th week)*


Disease	Current week	Cum 2013	5-year weekly average [†]	Total cases reported for previous years					States reporting cases during current week (No.)
				2012	2011	2010	2009	2008	
Anthrax	—	—	0	—	1	—	1	—	
Arboviral diseases ^{§, ¶} :									
California serogroup virus disease	—	81	—	81	137	75	55	62	
Eastern equine encephalitis virus disease	—	6	—	15	4	10	4	4	
Powassan virus disease	—	8	0	7	16	8	6	2	
St. Louis encephalitis virus disease	—	—	0	3	6	10	12	13	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Babesiosis	5	1,255	6	937	1,128	NN	NN	NN	RI (2), NY (3)
Botulism, total	—	115	3	168	153	112	118	145	
foodborne	—	3	0	27	24	7	10	17	
infant	—	103	2	123	97	80	83	109	
other (wound and unspecified)	—	9	1	18	32	25	25	19	
Brucellosis	1	75	1	114	79	115	115	80	FL (1)
Chancroid	—	12	1	15	8	24	28	25	
Cholera	—	1	0	17	40	13	10	5	
Cyclosporiasis [§]	—	660	1	123	151	179	141	139	
Diphtheria	—	—	—	1	—	—	—	—	
<i>Haemophilus influenzae</i> ,** invasive disease (age <5 yrs):									
serotype b	—	16	0	30	14	23	35	30	
nonsertotype b	1	149	4	205	145	200	236	244	OH (1)
unknown serotype	4	197	4	210	226	223	178	163	MI (1), MO (1), MD (1), CO (1)
Hansen disease [§]	—	42	2	82	82	98	103	80	
Hantavirus pulmonary syndrome [§]	—	11	0	30	23	20	20	18	
Hemolytic uremic syndrome, postdiarrheal [§]	2	201	4	274	290	266	242	330	NY (1), OH (1)
Influenza-associated pediatric mortality ^{§, ††}	1	156	4	52	118	61	358	90	AR (1)
Listeriosis	3	560	14	727	870	821	851	759	NY (1), PA (1), WA (1)
Measles ^{§§}	—	167	0	55	220	63	71	140	
Meningococcal disease, invasive ^{¶¶} :									
A, C, Y, and W-135	—	104	5	161	257	280	301	330	
serogroup B	—	64	3	110	159	135	174	188	
other serogroup	—	9	0	20	20	12	23	38	
unknown serogroup	1	286	7	260	323	406	482	616	NE (1)
Novel influenza A virus infections ^{***}	—	21	290	313	14	4	43,774	2	
Plague	—	4	—	4	3	2	8	3	
Poliomyelitis, paralytic	—	—	—	—	—	—	1	—	
Polio virus Infection, nonparalytic [§]	—	—	—	—	—	—	—	—	
Psittacosis [§]	—	4	0	2	2	4	9	8	
Q fever, total [§]	—	128	2	135	134	131	113	120	
acute	—	99	1	113	110	106	93	106	
chronic	—	29	0	22	24	25	20	14	
Rabies, human	—	—	0	1	6	2	4	2	
Rubella ^{†††}	—	8	0	9	4	5	3	16	
Rubella, congenital syndrome	—	—	—	3	—	—	2	—	
SARS-CoV [§]	—	—	—	—	—	—	—	—	
Smallpox [§]	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome [§]	—	128	3	194	168	142	161	157	
Syphilis, congenital (age <1 yr) ^{§§§}	—	155	7	322	360	377	423	431	
Tetanus	1	18	1	37	36	26	18	19	FL (1)
Toxic-shock syndrome (staphylococcal) [§]	1	56	1	65	78	82	74	71	TN (1)
Trichinellosis	—	15	0	18	15	7	13	39	
Tularemia	1	185	1	149	166	124	93	123	MO (1)
Typhoid fever	3	266	4	354	390	467	397	449	MD (1), CA (2)
Vancomycin-intermediate <i>Staphylococcus aureus</i> [§]	2	162	2	134	82	91	78	63	NY (1), MO (1)
Vancomycin-resistant <i>Staphylococcus aureus</i> [§]	—	—	—	2	—	2	1	—	
Vibriosis (noncholera <i>Vibrio</i> species infections) [§]	4	932	11	1,111	832	846	789	588	FL (3), CA (1)
Viral hemorrhagic fever ^{¶¶¶}	—	—	—	—	—	1	NN	NN	
Yellow fever	—	—	—	—	—	—	—	—	

See Table 1 footnotes on next page.

TABLE I. (Continued) Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending November 30, 2013 (48th week)*

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts.
 * Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.
 † Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. The total sum of incident cases is then divided by 25 weeks. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.
 ‡ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx.
 § Includes both neuroinvasive and nonneuroinvasive. Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.
 ** Data for *H. influenzae* (all ages, all serotypes) are available in Table II.
 †† Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since September 29, 2013, three influenza-associated pediatric deaths occurring during the 2013-14 influenza season have been reported. Since September 30, 2012, 169 influenza-associated pediatric deaths occurring during the 2012-13 influenza season have been reported.
 ‡‡ No measles cases were reported for the current week.
 ¶¶ Data for meningococcal disease (all serogroups) are available in Table II.
 *** CDC discontinued reporting of individual confirmed and probable cases of influenza A (H1N1)pdm09 virus infections on July 24, 2009. During 2009, four cases of human infection with novel influenza A viruses, different from the influenza A (H1N1)pdm09 virus, were reported to CDC. The four cases of novel influenza A virus infection reported to CDC during 2010, the fourteen cases reported during 2011, the 313 cases reported in 2012, and the 21 cases reported during 2013 are different from the influenza A (H1N1)pdm09 virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).
 ††† No rubella cases were reported for the current week.
 §§§ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.
 ¶¶¶ There were no cases of viral hemorrhagic fever reported during the current week. See Table II for dengue hemorrhagic fever.

FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals November 30, 2013, with historical data



* Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

Notifiable Disease Data Team and 122 Cities Mortality Data Team

Umed Ajani
 Deborah A. Adams Willie J. Anderson
 Lenee Blanton Rosaline Dhara
 Diana Harris Onweh Alan W. Schley
 Pearl C. Sharp

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending November 30, 2013, and December 1, 2012 (48th week)*

Reporting area	Dengue Virus Infection									
	Dengue Fever [†]					Dengue Hemorrhagic Fever [§]				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max			
United States	—	9	40	505	499	—	0	2	5	3
New England	—	0	4	26	16	—	0	0	—	—
Connecticut	—	0	2	14	15	—	0	0	—	—
Maine	—	0	1	1	—	—	0	0	—	—
Massachusetts	—	0	0	—	—	—	0	0	—	—
New Hampshire	—	0	1	1	—	—	0	0	—	—
Rhode Island	—	0	2	8	—	—	0	0	—	—
Vermont	—	0	1	2	1	—	0	0	—	—
Mid. Atlantic	—	3	11	156	122	—	0	1	2	—
New Jersey	—	0	0	—	—	—	0	0	—	—
New York (Upstate)	—	0	4	35	16	—	0	1	1	—
New York City	—	2	9	99	85	—	0	1	1	—
Pennsylvania	—	0	3	22	21	—	0	0	—	—
E.N. Central	—	1	4	49	51	—	0	0	—	1
Illinois	—	0	3	20	18	—	0	0	—	1
Indiana	—	0	2	6	7	—	0	0	—	—
Michigan	—	0	1	7	9	—	0	0	—	—
Ohio	—	0	2	9	6	—	0	0	—	—
Wisconsin	—	0	1	7	11	—	0	0	—	—
W.N. Central	—	1	3	28	18	—	0	1	2	1
Iowa	—	0	0	—	2	—	0	1	2	—
Kansas	—	0	1	6	1	—	0	0	—	—
Minnesota	—	0	2	17	8	—	0	0	—	—
Missouri	—	0	1	3	5	—	0	0	—	1
Nebraska	—	0	0	—	—	—	0	0	—	—
North Dakota	—	0	1	1	—	—	0	0	—	—
South Dakota	—	0	1	1	2	—	0	0	—	—
S. Atlantic	—	2	13	109	160	—	0	1	1	—
Delaware	—	0	1	2	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	—	1	9	61	119	—	0	0	—	—
Georgia	—	0	2	5	11	—	0	0	—	—
Maryland	—	0	1	4	8	—	0	0	—	—
North Carolina	—	0	2	13	7	—	0	0	—	—
South Carolina	—	0	4	8	2	—	0	0	—	—
Virginia	—	0	4	15	13	—	0	1	1	—
West Virginia	—	0	1	1	—	—	0	0	—	—
E.S. Central	—	0	2	16	11	—	0	0	—	—
Alabama	—	0	2	6	4	—	0	0	—	—
Kentucky	—	0	0	—	1	—	0	0	—	—
Mississippi	—	0	1	1	1	—	0	0	—	—
Tennessee	—	0	2	9	5	—	0	0	—	—
W.S. Central	—	0	8	45	23	—	0	0	—	—
Arkansas	—	0	1	1	—	—	0	0	—	—
Louisiana	—	0	1	5	6	—	0	0	—	—
Oklahoma	—	0	2	4	1	—	0	0	—	—
Texas	—	0	8	35	16	—	0	0	—	—
Mountain	—	0	1	7	13	—	0	0	—	—
Arizona	—	0	0	—	8	—	0	0	—	—
Colorado	—	0	0	—	—	—	0	0	—	—
Idaho	—	0	1	1	1	—	0	0	—	—
Montana	—	0	1	3	2	—	0	0	—	—
Nevada	—	0	1	2	2	—	0	0	—	—
New Mexico	—	0	0	—	—	—	0	0	—	—
Utah	—	0	0	—	—	—	0	0	—	—
Wyoming	—	0	1	1	—	—	0	0	—	—
Pacific	—	1	7	69	85	—	0	0	—	1
Alaska	—	0	1	1	1	—	0	0	—	—
California	—	1	7	52	62	—	0	0	—	—
Hawaii	—	0	2	8	7	—	0	0	—	—
Oregon	—	0	0	—	—	—	0	0	—	—
Washington	—	0	1	8	15	—	0	0	—	1
Territories										
American Samoa	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	153	422	7,604	4,709	—	1	9	43	93
U.S. Virgin Islands	—	0	17	—	120	—	0	0	—	1

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

[†] Dengue Fever includes cases that meet criteria for Dengue Fever with hemorrhage, other clinical and unknown case classifications.

[§] DHF includes cases that meet criteria for dengue shock syndrome (DSS), a more severe form of DHF.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending November 30, 2013, and December 1, 2012 (48th week)*

Reporting area	Meningococcal disease, invasive† All serogroups					Mumps					Pertussis				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
United States	1	10	32	463	483	—	6	43	411	201	218	473	1,211	21,578	44,922
New England	—	0	3	24	15	—	0	24	68	5	7	23	92	971	2,322
Connecticut	—	0	1	2	4	—	0	2	4	—	—	1	5	45	176
Maine	—	0	1	3	3	—	0	1	1	—	—	7	23	281	668
Massachusetts	—	0	3	13	6	—	0	24	59	4	—	6	23	306	605
New Hampshire	—	0	1	2	—	—	0	0	—	—	—	2	9	100	254
Rhode Island	—	0	1	1	—	—	0	1	3	1	7	1	16	128	102
Vermont	—	0	1	3	2	—	0	1	1	—	—	2	42	111	517
Mid. Atlantic	—	1	7	69	78	—	1	20	121	26	28	32	169	1,518	6,084
New Jersey	—	0	2	13	13	—	0	19	64	—	—	5	27	261	1,336
New York (Upstate)	—	0	3	21	20	—	0	2	9	5	15	13	120	640	2,476
New York City	—	0	2	10	23	—	0	4	30	17	—	2	7	93	438
Pennsylvania	—	0	3	25	22	—	0	5	18	4	13	12	34	524	1,834
E.N. Central	—	1	4	40	65	—	1	6	46	55	80	85	191	3,810	10,571
Illinois	—	0	2	12	16	—	0	4	24	29	—	14	33	624	1,951
Indiana	—	0	1	12	6	—	0	1	3	4	—	8	22	415	398
Michigan	—	0	1	3	13	—	0	1	6	8	1	16	33	753	802
Ohio	—	0	2	9	22	—	0	2	12	6	79	19	61	1,106	799
Wisconsin	—	0	1	4	8	—	0	1	1	8	—	20	98	912	6,621
W.N. Central	1	0	3	31	36	—	0	2	15	21	8	37	122	1,693	7,767
Iowa	—	0	1	1	2	—	0	2	3	4	—	5	21	242	1,683
Kansas	—	0	1	3	6	—	0	0	—	4	—	6	19	250	847
Minnesota	—	0	2	8	9	—	0	1	1	7	—	9	57	406	4,009
Missouri	—	0	1	8	15	—	0	2	9	5	4	9	31	474	756
Nebraska	1	0	1	4	3	—	0	0	—	1	4	4	10	199	220
North Dakota	—	0	1	3	1	—	0	1	2	—	—	1	29	73	185
South Dakota	—	0	1	4	—	—	0	0	—	—	—	1	7	49	67
S. Atlantic	—	1	6	88	77	—	0	26	95	20	18	41	92	1,863	2,665
Delaware	—	0	1	1	1	—	0	0	—	—	—	0	4	25	52
District of Columbia	—	0	1	4	2	—	0	1	1	2	—	0	4	35	22
Florida	—	1	3	53	43	—	0	1	1	4	9	12	63	653	547
Georgia	—	0	2	12	10	—	0	0	—	3	—	4	11	186	303
Maryland	—	0	1	3	4	—	0	26	87	—	—	3	19	171	340
North Carolina	—	0	2	10	5	—	0	1	4	1	8	11	28	518	551
South Carolina	—	0	1	2	5	—	0	1	2	1	1	4	11	202	208
Virginia	—	0	2	1	3	—	0	0	—	7	—	0	39	61	560
West Virginia	—	0	1	2	4	—	0	0	—	2	—	0	2	12	82
E.S. Central	—	0	2	11	11	—	0	3	10	6	10	15	40	728	1,163
Alabama	—	0	1	2	3	—	0	1	2	2	—	3	8	162	202
Kentucky	—	0	1	1	1	—	0	1	1	2	4	6	27	303	616
Mississippi	—	0	1	3	2	—	0	0	—	—	—	1	4	50	74
Tennessee	—	0	1	5	5	—	0	3	7	2	6	5	12	213	271
W.S. Central	—	1	5	36	51	—	0	3	15	17	24	78	342	3,770	2,139
Arkansas	—	0	1	7	8	—	0	1	2	1	2	8	27	344	176
Louisiana	—	0	1	2	4	—	0	1	1	2	—	2	11	153	69
Oklahoma	—	0	2	6	6	—	0	3	1	1	—	0	36	143	119
Texas	—	0	4	21	33	—	0	3	11	13	22	63	288	3,130	1,775
Mountain	—	0	4	33	35	—	0	2	11	15	28	101	175	4,483	5,696
Arizona	—	0	3	11	3	—	0	1	1	3	1	24	70	1,164	1,029
Colorado	—	0	1	5	6	—	0	1	2	7	21	21	42	872	1,391
Idaho	—	0	1	4	4	—	0	0	—	—	2	4	10	197	222
Montana	—	0	1	1	10	—	0	0	—	1	4	11	29	571	531
Nevada	—	0	1	1	2	—	0	2	5	—	—	2	12	162	105
New Mexico	—	0	2	2	3	—	0	1	1	—	—	11	24	480	852
Utah	—	0	2	7	4	—	0	1	2	3	—	22	49	967	1,504
Wyoming	—	0	1	2	3	—	0	0	—	1	—	1	12	70	62
Pacific	—	3	16	131	115	—	0	4	30	36	15	58	298	2,742	6,515
Alaska	—	0	0	—	2	—	0	1	1	—	1	6	31	312	273
California	—	2	7	106	77	—	0	4	23	29	—	24	53	1,302	730
Hawaii	—	0	1	1	2	—	0	1	1	1	—	1	4	45	70
Oregon	—	0	1	11	24	—	0	1	3	5	—	9	26	456	881
Washington	—	0	12	13	10	—	0	1	2	1	14	13	256	627	4,561
Territories	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
American Samoa	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	4	—	0	0	—	1
Puerto Rico	—	0	0	—	—	—	0	1	3	4	—	0	6	21	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.
 U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.
 * Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.
 † Data for meningococcal disease, invasive caused by serogroups A, C, Y, and W-135; serogroup B; other serogroup; and unknown serogroup are available in Table I.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending November 30, 2013, and December 1, 2012 (48th week)*

Reporting area	Rabies, animal					Salmonellosis					Shiga toxin-producing <i>E. coli</i> (STEC) [†]				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
United States	15	62	140	2,956	3,900	295	875	1,461	40,976	50,428	41	105	220	5,018	6,007
New England	1	6	12	277	361	4	36	79	1,928	1,889	—	4	12	220	196
Connecticut	—	3	12	136	166	—	7	21	394	425	—	1	7	56	45
Maine	1	1	4	46	84	2	2	11	122	143	—	0	4	27	18
Massachusetts	—	0	0	—	—	—	22	55	1,063	990	—	2	8	100	91
New Hampshire	—	0	3	26	27	—	3	11	170	148	—	0	2	17	23
Rhode Island	—	0	4	25	28	2	2	13	117	98	—	0	2	2	2
Vermont	—	1	5	44	56	—	1	5	62	85	—	0	3	18	17
Mid. Atlantic	6	7	19	319	800	24	87	194	4,592	5,079	7	13	35	640	633
New Jersey	—	0	0	—	—	—	15	45	883	1,113	—	2	7	100	133
New York (Upstate)	6	6	19	319	404	11	25	74	1,162	1,270	3	4	14	204	220
New York City	—	0	1	—	11	4	20	52	1,064	1,124	—	1	8	96	83
Pennsylvania	—	0	7	—	385	9	29	66	1,483	1,572	4	4	19	240	197
E.N. Central	—	2	24	160	103	15	83	142	4,301	5,634	—	16	45	849	1,117
Illinois	—	1	6	53	—	—	30	58	1,504	1,886	—	4	32	249	207
Indiana	—	0	1	9	8	—	11	23	571	758	—	1	6	93	175
Michigan	—	0	5	37	55	3	17	42	856	942	—	3	14	165	268
Ohio	—	0	19	61	40	12	24	43	1,128	1,205	—	3	15	206	222
Wisconsin	N	0	0	N	N	—	6	22	242	843	—	2	12	136	245
W.N. Central	—	2	48	121	199	3	46	93	2,235	3,386	—	11	36	651	997
Iowa	—	0	0	—	33	—	10	36	557	590	—	2	14	157	178
Kansas	—	1	5	57	53	—	8	18	392	464	—	1	6	83	93
Minnesota	—	0	0	—	—	—	0	11	—	746	—	0	5	—	248
Missouri	—	0	3	38	28	2	17	29	749	1,033	—	4	18	257	300
Nebraska	—	0	0	—	—	1	5	20	278	330	—	1	7	74	100
North Dakota	—	0	46	—	29	—	2	7	95	62	—	0	3	39	32
South Dakota	—	0	4	26	56	—	3	10	164	161	—	1	5	41	46
S. Atlantic	4	18	44	851	978	132	217	429	11,582	14,541	3	10	37	459	571
Delaware	—	0	0	—	—	—	1	7	91	143	—	0	2	13	12
District of Columbia	—	0	0	—	—	—	0	4	42	68	—	0	1	4	8
Florida	—	0	27	92	103	100	104	226	5,431	6,075	3	2	9	144	83
Georgia	—	0	0	—	—	12	32	100	2,143	2,557	—	2	9	119	126
Maryland	—	7	17	351	303	3	15	36	786	914	—	1	5	60	73
North Carolina	—	0	0	—	—	—	30	136	1,672	2,113	—	1	26	64	153
South Carolina	—	0	0	—	—	7	20	52	1,040	1,413	—	0	2	9	25
Virginia	—	8	15	344	513	10	2	26	217	1,058	—	0	3	23	75
West Virginia	4	1	6	64	59	—	3	9	160	200	—	0	2	23	16
E.S. Central	—	1	7	55	69	11	58	136	3,067	4,074	1	6	18	285	286
Alabama	—	0	6	36	53	6	16	67	927	1,102	1	1	3	45	61
Kentucky	—	0	3	13	14	—	9	21	482	710	—	2	9	96	85
Mississippi	—	0	2	6	2	5	13	41	875	1,218	—	0	4	26	22
Tennessee	—	0	0	—	—	—	15	36	783	1,044	—	2	6	118	118
W.S. Central	3	18	75	951	807	56	129	400	5,903	7,827	20	13	126	601	548
Arkansas	—	0	34	135	122	9	14	33	650	1,344	1	1	10	72	56
Louisiana	—	0	0	—	4	—	20	43	1,004	1,471	—	0	2	20	27
Oklahoma	—	0	31	81	73	3	13	50	738	701	—	2	11	97	91
Texas	3	16	40	735	608	44	71	329	3,511	4,311	19	8	105	412	374
Mountain	—	0	8	48	313	12	50	247	2,494	2,313	2	9	28	445	697
Arizona	N	0	0	N	N	1	18	32	854	791	—	1	5	44	131
Colorado	—	0	5	—	183	8	6	27	395	494	—	2	11	93	171
Idaho	—	0	4	19	23	1	2	9	118	128	2	2	6	94	135
Montana	N	0	0	N	N	1	2	9	84	99	—	1	5	42	44
Nevada	—	0	2	11	18	—	4	205	403	172	—	1	3	42	36
New Mexico	—	0	1	6	47	—	5	14	298	318	—	0	3	26	51
Utah	—	0	4	12	15	1	5	14	291	245	—	1	10	89	104
Wyoming	—	0	0	—	27	—	1	6	51	66	—	0	7	15	25
Pacific	1	3	12	174	270	38	103	173	4,874	5,685	8	16	51	868	962
Alaska	—	0	2	6	6	3	1	5	85	51	N	0	0	N	N
California	—	2	11	158	247	18	76	126	3,535	4,174	3	9	18	377	552
Hawaii	—	0	0	—	—	5	6	13	310	335	—	0	5	22	18
Oregon	1	0	2	10	17	2	6	25	355	375	1	3	14	180	186
Washington	—	0	9	—	—	10	11	40	589	750	4	4	32	289	206
Territories															
American Samoa	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	1	—	12	—	0	0	—	—
Puerto Rico	—	0	0	—	27	—	7	43	412	32	—	0	1	3	2
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.[†] Includes *E. coli* O157:H7; Shiga toxin-positive, serogroup non-O157; and Shiga toxin-positive, not serogrouped.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending November 30, 2013, and December 1, 2012 (48th week)*

Reporting area	Spotted Fever Rickettsiosis (including RMSF) [†]														
	Shigellosis					Confirmed					Probable				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max				Med	Max			
United States	155	187	378	9,379	14,119	—	2	10	166	177	15	37	420	2,480	3,789
New England	—	4	94	468	196	—	0	1	1	1	—	0	3	7	19
Connecticut	—	1	5	49	42	—	0	0	—	—	—	0	0	—	—
Maine	—	0	1	5	7	—	0	0	—	—	—	0	1	2	3
Massachusetts	—	2	12	155	121	—	0	0	—	—	—	0	1	2	6
New Hampshire	—	0	1	6	8	—	0	1	1	—	—	0	1	1	2
Rhode Island	—	0	86	250	14	—	0	0	—	—	—	0	3	2	8
Vermont	—	0	1	3	4	—	0	0	—	1	—	0	0	—	—
Mid. Atlantic	2	17	75	770	2,325	—	0	1	5	5	—	2	11	87	183
New Jersey	—	2	7	119	939	—	0	1	1	—	—	0	4	32	123
New York (Upstate)	2	5	61	235	720	—	0	1	2	4	—	0	7	16	16
New York City	—	6	14	291	538	—	0	0	—	—	—	0	1	11	7
Pennsylvania	—	2	9	125	128	—	0	1	2	1	—	0	3	28	37
E.N. Central	8	26	114	1,180	2,255	—	0	2	17	10	—	2	14	176	216
Illinois	—	5	15	266	267	—	0	1	5	8	—	1	8	90	141
Indiana	—	1	6	74	161	—	0	1	8	2	—	1	4	51	27
Michigan	1	3	8	150	237	—	0	1	2	—	—	0	1	4	3
Ohio	7	12	103	655	1,481	—	0	1	1	—	—	0	2	23	23
Wisconsin	—	1	13	35	109	—	0	1	1	—	—	0	2	8	22
W.N. Central	13	6	54	488	920	—	0	1	9	5	—	2	26	255	341
Iowa	6	2	33	195	86	—	0	0	—	—	—	0	1	6	8
Kansas	—	1	4	41	123	—	0	0	—	—	—	0	0	—	—
Minnesota	—	0	11	—	359	—	0	0	—	—	—	0	0	—	15
Missouri	3	1	8	75	71	—	0	1	3	4	—	2	25	233	308
Nebraska	4	1	7	59	263	—	0	1	5	1	—	0	2	9	8
North Dakota	—	0	2	16	7	—	0	0	—	—	—	0	1	2	1
South Dakota	—	0	22	102	11	—	0	1	1	—	—	0	1	5	1
S. Atlantic	44	39	92	2,018	2,810	—	1	5	78	117	13	8	55	543	1,088
Delaware	—	0	1	6	22	—	0	0	—	—	—	0	2	9	27
District of Columbia	—	0	2	11	26	—	0	1	1	1	—	0	0	—	1
Florida	28	15	46	848	1,659	—	0	2	4	3	—	0	3	22	26
Georgia	15	14	36	755	630	—	1	5	56	90	—	0	0	—	—
Maryland	1	2	6	95	216	—	0	1	2	—	—	0	4	25	9
North Carolina	—	2	25	161	131	—	0	2	11	12	13	2	47	383	522
South Carolina	—	2	6	105	33	—	0	1	2	7	—	1	2	31	53
Virginia	—	0	5	33	86	—	0	1	1	4	—	1	10	68	448
West Virginia	—	0	1	4	7	—	0	1	1	—	—	0	2	5	2
E.S. Central	19	17	61	989	1,163	—	0	3	17	13	1	11	48	799	924
Alabama	4	5	13	246	302	—	0	1	2	3	1	3	16	225	162
Kentucky	—	1	14	57	403	—	0	1	2	3	—	1	6	62	58
Mississippi	8	4	12	199	267	—	0	1	2	2	—	0	4	29	23
Tennessee	7	5	46	487	191	—	0	2	11	5	—	7	30	483	681
W.S. Central	37	44	159	2,000	2,491	—	0	5	14	8	—	7	366	583	942
Arkansas	7	4	11	215	84	—	0	2	4	5	—	4	27	352	816
Louisiana	—	6	21	277	201	—	0	0	—	—	—	0	1	3	9
Oklahoma	1	3	60	158	470	—	0	5	9	1	—	0	351	177	52
Texas	29	27	95	1,350	1,736	—	0	1	1	2	—	1	8	51	65
Mountain	5	10	37	617	742	—	0	5	23	11	1	0	3	24	63
Arizona	2	7	27	372	414	—	0	5	22	10	—	0	2	14	40
Colorado	3	1	5	46	117	—	0	0	—	1	—	0	1	—	4
Idaho	—	0	2	7	9	—	0	1	1	—	—	0	0	—	4
Montana	—	0	10	64	9	—	0	0	—	—	—	0	1	2	3
Nevada	—	0	7	48	53	—	0	0	—	—	—	0	1	1	—
New Mexico	—	1	5	53	102	—	0	0	—	—	—	0	1	3	4
Utah	—	0	2	23	33	—	0	0	—	—	—	0	1	2	6
Wyoming	—	0	2	4	5	—	0	0	—	—	1	0	1	2	2
Pacific	27	18	38	849	1,217	—	0	1	2	7	—	0	1	6	13
Alaska	—	0	1	1	7	N	0	0	N	N	N	0	0	N	N
California	26	14	30	656	995	—	0	1	1	7	—	0	1	6	12
Hawaii	1	0	6	35	25	N	0	0	N	N	N	0	0	N	N
Oregon	—	1	4	49	89	—	0	1	1	—	—	0	0	—	1
Washington	—	1	19	108	101	—	0	1	—	—	—	0	0	—	—
Territories															
American Samoa	—	—	—	—	5	N	—	—	N	N	N	—	—	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	1	N	0	0	N	N	N	0	0	N	N
Puerto Rico	—	0	1	4	—	N	0	0	N	N	N	0	0	N	N
U.S. Virgin Islands	—	0	0	—	—	N	0	0	N	N	N	0	0	N	N

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Illnesses with similar clinical presentation that result from Spotted fever group rickettsia infections are reported as Spotted fever rickettsioses. Rocky Mountain spotted fever (RMSF) caused by *Rickettsia rickettsii*, is the most common and well-known spotted fever.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending November 30, 2013, and December 1, 2012 (48th week)*

Reporting area	<i>Streptococcus pneumoniae</i> , [†] invasive disease										Syphilis, primary and secondary				
	All ages					Age <5									
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max				Med	Max			
United States	140	296	966	13,272	13,441	10	20	55	921	1,120	45	313	434	14,399	14,353
New England	4	11	68	567	1,047	1	1	4	37	69	—	8	19	421	451
Connecticut	—	5	21	255	277	—	0	2	11	17	—	1	6	43	51
Maine	3	2	8	105	89	1	0	1	6	3	—	0	1	6	17
Massachusetts	—	0	18	21	512	—	0	4	17	42	—	6	18	310	302
New Hampshire	—	1	5	76	71	—	0	1	3	6	—	0	4	23	33
Rhode Island	1	0	29	59	43	—	0	0	—	1	—	0	3	34	42
Vermont	—	1	6	51	55	—	0	0	—	—	—	0	2	5	6
Mid. Atlantic	27	43	198	1,923	1,919	1	2	13	101	108	10	40	59	1,836	1,749
New Jersey	—	10	30	435	516	—	1	3	30	33	—	4	9	176	209
New York (Upstate)	23	19	147	882	828	1	1	9	42	54	5	5	32	237	186
New York City	4	11	36	606	575	—	0	3	29	21	—	22	35	1,005	899
Pennsylvania	N	—	—	N	N	N	0	0	N	N	5	9	16	418	455
E.N. Central	19	61	132	2,601	2,558	2	3	9	158	208	—	35	55	1,575	1,711
Illinois	N	0	0	N	N	—	1	3	37	44	—	12	27	561	742
Indiana	—	12	50	562	630	—	0	3	26	34	—	4	10	214	205
Michigan	2	13	30	636	479	—	1	3	35	27	—	8	17	373	282
Ohio	16	21	63	1,039	1,023	2	1	4	39	80	—	8	14	362	394
Wisconsin	1	8	26	364	426	—	0	3	21	23	—	1	5	65	88
W.N. Central	3	11	35	525	747	—	1	4	74	89	—	11	22	534	360
Iowa	N	0	0	N	N	N	0	0	N	N	—	1	5	68	66
Kansas	N	0	0	N	N	N	0	0	N	N	—	1	4	38	23
Minnesota	—	5	24	295	443	—	0	3	25	30	—	3	8	151	106
Missouri	N	0	0	N	N	—	0	3	27	35	—	4	10	224	141
Nebraska	1	3	7	136	125	—	0	1	12	13	—	0	3	22	5
North Dakota	—	0	7	—	94	—	0	0	—	—	—	0	2	6	4
South Dakota	2	2	6	94	85	—	0	2	10	11	—	0	2	25	15
S. Atlantic	31	64	145	3,042	2,818	1	5	14	219	243	22	73	184	3,460	3,383
Delaware	1	0	3	23	30	—	0	0	—	2	5	0	9	41	38
District of Columbia	1	1	7	79	54	—	0	1	1	3	—	3	8	166	155
Florida	18	20	59	974	875	—	2	5	80	70	2	26	43	1,234	1,269
Georgia	2	19	56	910	835	—	1	5	72	72	9	15	110	753	766
Maryland	2	7	26	414	399	1	0	4	26	31	—	8	16	369	385
North Carolina	N	0	0	N	N	N	0	0	N	N	3	5	34	365	309
South Carolina	7	7	21	388	335	—	0	2	19	22	3	5	13	256	205
Virginia	N	0	0	N	N	—	0	4	7	27	—	5	24	268	248
West Virginia	—	5	25	254	290	—	0	2	14	16	—	0	1	8	8
E.S. Central	20	27	60	1,228	1,138	—	2	5	85	86	4	10	21	469	731
Alabama	2	3	10	153	100	—	0	2	18	13	—	3	6	133	202
Kentucky	5	4	12	226	180	—	0	1	12	9	4	2	9	106	132
Mississippi	3	4	12	196	165	—	0	2	18	25	—	1	8	71	144
Tennessee	10	13	41	653	693	—	1	5	37	39	—	3	8	159	253
W.S. Central	13	34	368	1,614	1,463	3	3	24	139	162	6	42	63	1,956	2,079
Arkansas	—	3	24	166	145	—	0	1	7	13	2	4	10	160	168
Louisiana	—	5	14	254	224	—	0	4	20	25	—	6	17	318	322
Oklahoma	N	0	0	N	N	1	0	1	19	25	—	2	8	104	75
Texas	13	26	340	1,194	1,094	2	2	23	93	99	4	30	42	1,374	1,514
Mountain	21	32	76	1,614	1,558	2	2	6	92	132	—	13	26	645	642
Arizona	11	13	41	715	606	2	0	4	34	47	—	4	12	226	194
Colorado	9	8	22	358	396	—	0	3	19	31	—	3	12	138	181
Idaho	N	0	0	N	N	—	0	1	4	1	—	0	2	9	23
Montana	—	0	3	26	28	—	0	1	2	2	—	0	1	5	1
Nevada	—	2	7	113	93	—	0	1	4	9	—	3	14	164	102
New Mexico	1	5	17	266	245	—	0	1	11	19	—	1	4	62	98
Utah	—	2	11	118	162	—	0	2	17	21	—	1	4	40	40
Wyoming	—	0	3	18	28	—	0	1	1	2	—	0	1	1	3
Pacific	2	4	10	158	193	—	0	2	16	23	3	75	111	3,503	3,247
Alaska	1	2	6	97	126	—	0	1	13	17	—	0	2	21	11
California	N	0	0	N	N	N	0	0	N	N	3	64	94	2,974	2,735
Hawaii	1	1	5	61	67	—	0	2	3	6	—	1	3	35	20
Oregon	N	0	0	N	N	N	0	0	N	N	—	5	11	241	201
Washington	N	0	0	N	N	N	0	0	N	N	—	5	14	232	280
Territories															
American Samoa	N	—	—	N	N	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—	4	6	30	352	280
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	1	1	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

[†] Includes drug resistant and susceptible cases of invasive *Streptococcus pneumoniae* disease among children <5 years and among all ages. Case definition: Isolation of *S. pneumoniae* from a normally sterile body site (e.g., blood or cerebrospinal fluid).

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending November 30, 2013, and December 1, 2012 (48th week)*

Reporting area	Varicella (chickenpox)					West Nile virus disease†									
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Neuroinvasive				Nonneuroinvasive§					
		Med	Max			Current week	Previous 52 weeks Med	Previous 52 weeks Max	Cum 2013	Cum 2012	Current week	Previous 52 weeks Med	Previous 52 weeks Max	Cum 2013	Cum 2012
United States	78	209	316	9,280	12,376	—	1	153	1,171	2,866	—	1	162	1,147	2,799
New England	7	19	42	858	1,345	—	0	3	11	42	—	0	2	5	21
Connecticut	—	5	9	198	240	—	0	1	1	12	—	0	1	3	9
Maine	4	3	8	131	249	—	0	0	—	1	—	0	0	—	—
Massachusetts	—	7	15	347	510	—	0	2	7	25	—	0	1	1	8
New Hampshire	—	1	4	57	139	—	0	1	1	1	—	0	0	—	—
Rhode Island	—	0	10	28	66	—	0	1	1	2	—	0	0	—	2
Vermont	3	1	27	97	141	—	0	1	1	1	—	0	1	1	2
Mid. Atlantic	1	22	40	1,025	1,226	—	0	7	28	116	—	0	6	20	99
New Jersey	—	7	21	345	427	—	0	4	9	22	—	0	2	2	26
New York (Upstate)	N	0	0	N	N	—	0	2	10	35	—	0	4	11	31
New York City	—	0	0	—	—	—	0	1	3	26	—	0	1	2	15
Pennsylvania	1	15	26	680	799	—	0	1	6	33	—	0	1	5	27
E.N. Central	27	63	103	2,936	3,328	—	0	26	159	494	—	0	15	55	253
Illinois	1	12	32	621	852	—	0	21	82	187	—	0	8	30	103
Indiana	8	6	20	293	409	—	0	6	16	46	—	0	2	5	31
Michigan	2	21	44	1,085	893	—	0	5	24	141	—	0	4	12	61
Ohio	14	13	33	586	760	—	0	4	20	76	—	0	2	4	45
Wisconsin	2	7	23	351	414	—	0	3	17	44	—	0	1	4	13
W.N. Central	5	6	30	286	831	—	0	50	274	224	—	0	69	438	437
Iowa	N	0	0	N	N	—	0	10	24	11	—	0	4	18	20
Kansas	—	0	13	—	370	—	0	8	29	20	—	0	16	49	36
Minnesota	—	0	0	—	—	—	0	6	30	34	—	0	8	49	36
Missouri	3	4	12	203	370	—	0	6	21	17	—	0	1	5	3
Nebraska	—	0	2	11	24	—	0	14	53	41	—	0	30	163	151
North Dakota	—	0	5	30	36	—	0	11	60	39	—	0	9	63	50
South Dakota	2	1	4	42	31	—	0	10	57	62	—	0	12	91	141
S. Atlantic	11	26	49	1,204	1,506	—	0	8	32	185	—	0	3	13	129
Delaware	—	0	2	17	3	—	0	1	3	2	—	0	0	—	7
District of Columbia	—	0	2	10	19	—	0	0	—	8	—	0	0	—	2
Florida	8	13	25	603	766	—	0	1	4	52	—	0	0	—	21
Georgia	—	0	6	37	47	—	0	1	2	46	—	0	1	4	53
Maryland	N	0	0	N	N	—	0	4	11	25	—	0	3	5	22
North Carolina	N	0	0	N	N	—	0	2	3	7	—	0	0	—	—
South Carolina	2	2	13	139	11	—	0	1	3	20	—	0	1	4	9
Virginia	—	6	19	288	454	—	0	2	6	20	—	0	0	—	10
West Virginia	1	2	8	110	206	—	0	0	—	5	—	0	0	—	5
E.S. Central	—	3	9	148	184	—	0	6	45	171	—	0	7	33	192
Alabama	—	3	8	143	174	—	0	0	—	38	—	0	3	7	24
Kentucky	N	0	0	N	N	—	0	1	1	13	—	0	1	2	10
Mississippi	—	0	1	5	10	—	0	5	27	102	—	0	3	18	144
Tennessee	N	0	0	N	N	—	0	3	17	18	—	0	2	6	14
W.S. Central	23	40	212	1,897	2,339	—	0	27	202	1,144	—	0	17	113	1,312
Arkansas	—	4	12	182	220	—	0	3	15	44	—	0	1	3	20
Louisiana	—	1	7	48	65	—	0	7	34	155	—	0	3	20	180
Oklahoma	N	0	0	N	N	—	0	8	51	103	—	0	6	27	88
Texas	23	33	209	1,667	2,054	—	0	16	102	842	—	0	12	63	1,024
Mountain	3	18	44	828	1,498	—	0	29	190	190	—	0	53	334	164
Arizona	3	6	23	322	524	—	0	3	25	87	—	0	2	8	45
Colorado	—	3	15	179	455	—	0	17	89	62	—	0	34	227	69
Idaho	N	0	0	N	N	—	0	5	14	5	—	0	7	26	12
Montana	—	1	6	80	122	—	0	5	10	1	—	0	7	28	5
Nevada	N	0	0	N	N	—	0	4	8	5	—	0	1	3	4
New Mexico	—	1	5	48	93	—	0	4	24	24	—	0	3	14	23
Utah	—	5	13	191	285	—	0	1	4	3	—	0	1	3	2
Wyoming	—	0	2	8	19	—	0	4	16	3	—	0	6	25	4
Pacific	1	2	6	98	119	—	0	27	230	300	—	0	17	136	192
Alaska	1	1	6	58	55	—	0	0	—	—	—	0	0	—	—
California	—	0	2	14	23	—	0	27	230	296	—	0	17	134	181
Hawaii	—	0	4	26	41	—	0	0	—	—	—	0	0	—	—
Oregon	N	0	0	N	N	—	0	0	—	—	—	0	1	1	11
Washington	N	0	0	N	N	—	0	0	—	4	—	0	1	1	—
Territories															
American Samoa	N	—	—	N	N	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	5	—	45	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	4	14	231	70	—	0	0	—	1	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for California serogroup, eastern equine, Powassan, St. Louis, and western equine diseases are available in Table I.

§ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table, except starting in 2007 for the domestic arboviral diseases and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx.

Morbidity and Mortality Weekly Report

TABLE III. Deaths in 122 U.S. cities,* week ending November 30, 2013 (48th week)

Reporting area	All causes, by age (years)						P&I [†] Total	Reporting area (Continued)	All causes, by age (years)						P&I [†] Total
	All Ages	≥65	45-64	25-44	1-24	<1			All Ages	≥65	45-64	25-44	1-24	<1	
New England	397	277	80	28	7	5	28	S. Atlantic	734	457	190	55	19	13	47
Boston, MA	117	67	28	14	5	3	14	Atlanta, GA	72	40	21	7	4	—	—
Bridgeport, CT	18	15	3	—	—	—	—	Baltimore, MD	181	108	50	13	7	3	14
Cambridge, MA	10	10	—	—	—	—	1	Charlotte, NC	83	50	23	8	1	1	5
Fall River, MA	18	17	1	—	—	—	—	Jacksonville, FL	75	42	24	3	2	4	5
Hartford, CT	25	18	3	3	1	—	1	Miami, FL	45	35	7	3	—	—	5
Lowell, MA	19	17	2	—	—	—	2	Norfolk, VA	36	22	8	4	—	2	3
Lynn, MA	8	5	2	1	—	—	—	Richmond, VA	34	27	5	2	—	—	2
New Bedford, MA	17	11	4	2	—	—	1	Savannah, GA	40	31	7	2	—	—	1
New Haven, CT	24	17	6	1	—	—	1	St. Petersburg, FL	38	23	11	2	1	1	2
Providence, RI	43	27	13	2	1	—	—	Tampa, FL	53	27	17	8	—	1	3
Somerville, MA	3	2	—	1	—	—	—	Washington, D.C.	73	49	16	3	4	1	6
Springfield, MA	29	20	7	2	—	—	4	Wilmington, DE	4	3	1	—	—	—	1
Waterbury, CT	26	21	4	1	—	—	—	E.S. Central	574	366	141	41	15	11	31
Worcester, MA	40	30	7	1	—	2	4	Birmingham, AL	83	42	29	9	—	3	7
Mid. Atlantic	1,615	1,159	336	91	13	16	72	Chattanooga, TN	55	40	12	1	1	1	4
Albany, NY	47	35	7	5	—	—	2	Knoxville, TN	82	56	20	5	1	—	5
Allentown, PA	24	16	5	3	—	—	—	Lexington, KY	44	29	10	4	1	—	—
Buffalo, NY	88	58	20	9	—	1	8	Memphis, TN	115	80	21	6	5	3	9
Camden, NJ	18	13	4	1	—	—	1	Mobile, AL	43	24	9	5	3	2	2
Elizabeth, NJ	12	8	3	1	—	—	1	Montgomery, AL	31	16	8	4	3	—	—
Erie, PA	34	27	6	—	—	1	—	Nashville, TN	121	79	32	7	1	2	4
Jersey City, NJ	19	14	5	—	—	—	1	W.S. Central	862	560	208	62	19	12	44
New York City, NY	1,050	750	217	59	11	13	42	Austin, TX	59	40	14	5	—	—	4
Newark, NJ	28	14	9	4	1	—	—	Baton Rouge, LA	47	31	9	4	3	—	1
Paterson, NJ	19	9	6	2	1	1	—	Corpus Christi, TX	31	18	12	1	—	—	2
Philadelphia, PA	U	U	U	U	U	U	U	Dallas, TX	132	80	35	8	6	2	11
Pittsburgh, PA [§]	36	25	11	—	—	—	—	El Paso, TX	U	U	U	U	U	U	U
Reading, PA	24	18	5	1	—	—	1	Fort Worth, TX	U	U	U	U	U	U	U
Rochester, NY	71	60	10	1	—	—	3	Houston, TX	288	176	72	26	7	7	13
Schenectady, NY	20	16	4	—	—	—	3	Little Rock, AR	33	21	11	1	—	—	—
Scranton, PA	27	21	5	1	—	—	2	New Orleans, LA	38	23	8	3	1	3	—
Syracuse, NY	44	36	6	2	—	—	6	San Antonio, TX	171	119	37	13	2	—	7
Trenton, NJ	25	17	7	1	—	—	—	Shreveport, LA	35	28	7	—	—	—	5
Utica, NY	17	13	4	—	—	—	2	Tulsa, OK	28	24	3	1	—	—	1
Yonkers, NY	12	9	2	1	—	—	—	Mountain	825	550	201	47	15	12	38
E.N. Central	1,556	1,035	376	98	25	22	100	Albuquerque, NM	90	57	22	10	—	1	5
Akron, OH	21	17	2	2	—	—	5	Boise, ID	39	31	5	2	—	1	—
Canton, OH	20	15	4	1	—	—	1	Colorado Springs, CO	40	25	10	2	2	1	4
Chicago, IL	240	155	64	18	2	1	10	Denver, CO	89	54	26	7	2	—	2
Cincinnati, OH	44	23	13	4	2	2	—	Las Vegas, NV	219	155	46	11	5	2	10
Cleveland, OH	198	151	38	4	2	3	12	Ogden, UT	18	13	3	1	1	—	3
Columbus, OH	178	119	41	11	3	4	25	Phoenix, AZ	119	71	37	5	4	2	6
Dayton, OH	87	56	26	3	1	1	4	Pueblo, CO	23	19	3	—	—	1	—
Detroit, MI	109	51	38	15	2	3	7	Salt Lake City, UT	102	68	25	5	1	3	6
Evansville, IN	30	21	7	1	—	1	6	Tucson, AZ	86	57	24	4	—	1	2
Fort Wayne, IN	69	42	16	5	5	1	1	Pacific	1,216	845	251	71	30	19	83
Gary, IN	7	5	1	1	—	—	1	Berkeley, CA	7	5	1	—	1	—	—
Grand Rapids, MI	53	36	13	4	—	—	4	Fresno, CA	81	57	13	7	1	3	9
Indianapolis, IN	156	101	39	12	2	2	6	Glendale, CA	28	20	8	—	—	—	6
Lansing, MI	32	24	8	—	—	—	2	Honolulu, HI	62	46	8	3	1	4	7
Milwaukee, WI	60	36	15	7	—	2	3	Long Beach, CA	49	33	13	2	1	—	9
Peoria, IL	48	34	9	4	1	—	4	Los Angeles, CA	164	109	39	11	4	1	15
Rockford, IL	55	38	10	3	2	2	1	Pasadena, CA	15	7	6	2	—	—	2
South Bend, IN	32	25	5	—	2	—	2	Portland, OR	91	58	23	8	1	1	1
Toledo, OH	77	58	16	2	1	—	3	Sacramento, CA	148	98	32	9	7	2	4
Youngstown, OH	40	28	11	1	—	—	3	San Diego, CA	91	59	22	3	4	3	5
W.N. Central	469	315	115	25	10	3	32	San Francisco, CA	84	61	18	3	1	1	2
Des Moines, IA	99	65	23	3	6	2	14	San Jose, CA	132	100	18	8	3	3	6
Duluth, MN	26	19	4	3	—	—	1	Santa Cruz, CA	25	19	5	1	—	—	—
Kansas City, KS	31	17	9	5	—	—	3	Seattle, WA	104	74	21	9	—	—	5
Kansas City, MO	59	46	10	2	—	—	3	Spokane, WA	42	36	6	—	—	—	4
Lincoln, NE	38	26	10	1	1	—	1	Tacoma, WA	93	63	18	5	6	1	8
Minneapolis, MN	40	21	16	3	—	—	—	Total[¶]	8,248	5,564	1,898	518	153	113	475
Omaha, NE	48	38	7	2	1	—	2								
St. Louis, MO	24	14	8	2	—	—	2								
St. Paul, MN	28	21	6	—	1	—	—								
Wichita, KS	76	48	22	4	1	1	6								

U: Unavailable. —: No reported cases.

* Mortality data in this table are voluntarily reported from 122 cities in the United States, most of which have populations of >100,000. A death is reported by the place of its occurrence and by the week that the death certificate was filed. Fetal deaths are not included.

[†] Pneumonia and influenza.

[§] Because of changes in reporting methods in this Pennsylvania city, these numbers are partial counts for the current week. Complete counts will be available in 4 to 6 weeks.

[¶] Total includes unknown ages.