

Notifiable Diseases and Mortality Tables

TABLE I. Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending December 21, 2013 (51st week)*


Disease	Current week	Cum 2013	5-year weekly average [†]	Total cases reported for previous years					States reporting cases during current week (No.)
				2012	2011	2010	2009	2008	
Anthrax	—	—	0	—	1	—	1	—	
Arboviral diseases ^{§, ¶} :									
California serogroup virus disease	—	81	—	81	137	75	55	62	
Eastern equine encephalitis virus disease	—	6	—	15	4	10	4	4	
Powassan virus disease	—	11	0	7	16	8	6	2	
St. Louis encephalitis virus disease	—	—	0	3	6	10	12	13	
Western equine encephalitis virus disease	—	—	—	—	—	—	—	—	
Babesiosis	22	1,434	6	937	1,128	NN	NN	NN	RI (1), NY (21)
Botulism, total	1	129	3	168	153	112	118	145	
foodborne	—	5	0	27	24	7	10	17	
infant	1	113	2	123	97	80	83	109	OH (1)
other (wound and unspecified)	—	11	0	18	32	25	25	19	
Brucellosis	5	90	2	114	79	115	115	80	FL (4), OK (1)
Chancroid	—	12	1	15	8	24	28	25	
Cholera	—	2	1	17	40	13	10	5	
Cyclosporiasis [§]	1	664	3	123	151	179	141	139	MO (1)
Diphtheria	—	—	—	1	—	—	—	—	
<i>Haemophilus influenzae</i> ,** invasive disease (age <5 yrs):									
serotype b	—	18	1	30	14	23	35	30	
nonsensory type b	—	167	5	205	145	200	236	244	
unknown serotype	6	208	6	210	226	223	178	163	NY (1), PA (1), OH (2), TN (2)
Hansen disease [§]	1	48	2	82	82	98	103	80	FL (1)
Hantavirus pulmonary syndrome [§]	—	12	0	30	23	20	20	18	
Hemolytic uremic syndrome, postdiarrheal [§]	2	219	5	274	290	266	242	330	FL (2)
Influenza-associated pediatric mortality ^{§, ††}	1	159	2	52	118	61	358	90	CA (1)
Listeriosis	11	636	18	727	870	821	851	759	NY (1), PA (2), MD (2), NC (2), FL (1), TN (1), WA (2)
Measles ^{§§}	1	184	1	55	220	63	71	140	WA (1)
Meningococcal disease, invasive ^{¶¶} :									
A, C, Y, and W-135	1	109	6	161	257	280	301	330	SC (1)
serogroup B	—	68	3	110	159	135	174	188	
other serogroup	—	11	1	20	20	12	23	38	
unknown serogroup	2	301	10	260	323	406	482	616	FL (1), WA (1)
Novel influenza A virus infections ^{***}	—	21	77	313	14	4	43,774	2	
Plague	—	4	—	4	3	2	8	3	
Poliomyelitis, paralytic	—	—	0	—	—	—	1	—	
Polio virus Infection, nonparalytic [§]	—	—	—	—	—	—	—	—	
Psittacosis [§]	1	5	0	2	2	4	9	8	NE (1)
Q fever, total [§]	1	138	4	135	134	131	113	120	
acute	1	107	3	113	110	106	93	106	CA (1)
chronic	—	31	1	22	24	25	20	14	
Rabies, human	—	—	0	1	6	2	4	2	
Rubella ^{†††}	—	10	0	9	4	5	3	16	
Rubella, congenital syndrome	—	—	—	3	—	—	2	—	
SARS-CoV [§]	—	—	—	—	—	—	—	—	
Smallpox [§]	—	—	—	—	—	—	—	—	
Streptococcal toxic-shock syndrome [§]	—	129	4	194	168	142	161	157	
Syphilis, congenital (age <1 yr) ^{§§§}	—	179	8	322	360	377	423	431	
Tetanus	1	19	1	37	36	26	18	19	FL (1)
Toxic-shock syndrome (staphylococcal) [§]	—	62	2	65	78	82	74	71	
Trichinellosis	—	16	0	18	15	7	13	39	
Tularemia	—	189	1	149	166	124	93	123	
Typhoid fever	—	294	8	354	390	467	397	449	
Vancomycin-intermediate <i>Staphylococcus aureus</i> [§]	—	170	2	134	82	91	78	63	
Vancomycin-resistant <i>Staphylococcus aureus</i> [§]	—	—	0	2	—	2	1	—	
Vibriosis (noncholera <i>Vibrio</i> species infections) [§]	12	1,034	13	1,111	832	846	789	588	MD (1), FL (7), TX (1), WA (1), CA (2)
Viral hemorrhagic fever ^{¶¶¶}	—	—	—	—	—	1	NN	NN	
Yellow fever	—	—	—	—	—	—	—	—	

See Table 1 footnotes on next page.

TABLE I. (Continued) Provisional cases of infrequently reported notifiable diseases (<1,000 cases reported during the preceding year) — United States, week ending December 21, 2013 (51st week)*

—: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts.
 * Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>.
 † Calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years. The total sum of incident cases is then divided by 25 weeks. Additional information is available at <http://www.cdc.gov/nndss/document/5yearweeklyaverage.pdf>.
 ‡ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table except starting in 2007 for the arboviral diseases, STD data, and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx.
 § Includes both neuroinvasive and nonneuroinvasive. Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for West Nile virus are available in Table II.
 ** Data for *H. influenzae* (all ages, all serotypes) are available in Table II.
 †† Updated weekly from reports to the Influenza Division, National Center for Immunization and Respiratory Diseases. Since September 29, 2013, four influenza-associated pediatric deaths occurring during the 2013-14 influenza season have been reported. Since September 30, 2012, 171 influenza-associated pediatric deaths occurring during the 2012-13 influenza season have been reported.
 ‡‡ The one measles case reported for the current week was imported.
 ¶¶ Data for meningococcal disease (all serogroups) are available in Table II.
 *** CDC discontinued reporting of individual confirmed and probable cases of influenza A (H1N1)pdm09 virus infections on July 24, 2009. During 2009, four cases of human infection with novel influenza A viruses, different from the influenza A (H1N1)pdm09 virus, were reported to CDC. The four cases of novel influenza A virus infection reported to CDC during 2010, the fourteen cases reported during 2011, the 313 cases reported in 2012, and the 21 cases reported during 2013 are different from the influenza A (H1N1)pdm09 virus. Total case counts are provided by the Influenza Division, National Center for Immunization and Respiratory Diseases (NCIRD).
 ††† No rubella cases were reported for the current week.
 §§§ Updated weekly from reports to the Division of STD Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.
 ¶¶¶ There were no cases of viral hemorrhagic fever reported during the current week. See Table II for dengue hemorrhagic fever.

FIGURE I. Selected notifiable disease reports, United States, comparison of provisional 4-week totals December 21, 2013, with historical data



* Ratio of current 4-week total to mean of 15 4-week totals (from previous, comparable, and subsequent 4-week periods for the past 5 years). The point where the hatched area begins is based on the mean and two standard deviations of these 4-week totals.

Notifiable Disease Data Team and 122 Cities Mortality Data Team

Umed Ajani
 Deborah A. Adams Willie J. Anderson
 Lenee Blanton Rosaline Dhara
 Diana Harris Onweh Alan W. Schley
 Pearl C. Sharp

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending December 21, 2013, and December 22, 2012 (51st week)*

Reporting area	Dengue Virus Infection									
	Dengue Fever [†]					Dengue Hemorrhagic Fever [§]				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max			
United States	—	9	41	542	538	—	0	2	5	3
New England	—	0	3	27	17	—	0	0	—	—
Connecticut	—	0	2	16	16	—	0	0	—	—
Maine	—	0	0	—	—	—	0	0	—	—
Massachusetts	—	0	0	—	—	—	0	0	—	—
New Hampshire	—	0	1	1	—	—	0	0	—	—
Rhode Island	—	0	2	8	—	—	0	0	—	—
Vermont	—	0	1	2	1	—	0	0	—	—
Mid. Atlantic	—	2	11	162	129	—	0	1	2	—
New Jersey	—	0	0	—	—	—	0	0	—	—
New York (Upstate)	—	0	5	40	16	—	0	1	1	—
New York City	—	2	9	99	92	—	0	1	1	—
Pennsylvania	—	0	3	23	21	—	0	0	—	—
E.N. Central	—	1	4	51	55	—	0	0	—	1
Illinois	—	0	3	21	20	—	0	0	—	1
Indiana	—	0	1	6	9	—	0	0	—	—
Michigan	—	0	1	7	9	—	0	0	—	—
Ohio	—	0	2	9	6	—	0	0	—	—
Wisconsin	—	0	1	8	11	—	0	0	—	—
W.N. Central	—	1	3	35	19	—	0	1	2	1
Iowa	—	0	0	—	2	—	0	1	2	—
Kansas	—	0	1	7	1	—	0	0	—	—
Minnesota	—	0	2	22	9	—	0	0	—	—
Missouri	—	0	1	4	5	—	0	0	—	1
Nebraska	—	0	0	—	—	—	0	0	—	—
North Dakota	—	0	1	1	—	—	0	0	—	—
South Dakota	—	0	1	1	2	—	0	0	—	—
S. Atlantic	—	2	13	108	182	—	0	1	1	—
Delaware	—	0	1	2	—	—	0	0	—	—
District of Columbia	—	0	0	—	—	—	0	0	—	—
Florida	—	1	9	61	137	—	0	0	—	—
Georgia	—	0	2	5	11	—	0	0	—	—
Maryland	—	0	1	4	9	—	0	0	—	—
North Carolina	—	0	2	13	7	—	0	0	—	—
South Carolina	—	0	4	7	2	—	0	0	—	—
Virginia	—	0	4	15	16	—	0	1	1	—
West Virginia	—	0	1	1	—	—	0	0	—	—
E.S. Central	—	0	2	16	12	—	0	0	—	—
Alabama	—	0	2	6	4	—	0	0	—	—
Kentucky	—	0	0	—	1	—	0	0	—	—
Mississippi	—	0	1	1	1	—	0	0	—	—
Tennessee	—	0	2	9	6	—	0	0	—	—
W.S. Central	—	0	9	49	23	—	0	0	—	—
Arkansas	—	0	1	1	—	—	0	0	—	—
Louisiana	—	0	1	5	6	—	0	0	—	—
Oklahoma	—	0	2	4	1	—	0	0	—	—
Texas	—	0	9	39	16	—	0	0	—	—
Mountain	—	0	1	9	13	—	0	0	—	—
Arizona	—	0	0	—	8	—	0	0	—	—
Colorado	—	0	0	—	—	—	0	0	—	—
Idaho	—	0	1	1	1	—	0	0	—	—
Montana	—	0	1	5	2	—	0	0	—	—
Nevada	—	0	1	2	2	—	0	0	—	—
New Mexico	—	0	0	—	—	—	0	0	—	—
Utah	—	0	0	—	—	—	0	0	—	—
Wyoming	—	0	1	1	—	—	0	0	—	—
Pacific	—	1	7	85	88	—	0	0	—	1
Alaska	—	0	1	1	1	—	0	0	—	—
California	—	1	7	68	64	—	0	0	—	—
Hawaii	—	0	2	8	8	—	0	0	—	—
Oregon	—	0	0	—	—	—	0	0	—	—
Washington	—	0	1	8	15	—	0	0	—	1
Territories										
American Samoa	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	144	424	7,770	5,635	—	1	9	44	109
U.S. Virgin Islands	—	0	17	—	141	—	0	0	—	1

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Dengue Fever includes cases that meet criteria for Dengue Fever with hemorrhage, other clinical and unknown case classifications.

§ DHF includes cases that meet criteria for dengue shock syndrome (DSS), a more severe form of DHF.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending December 21, 2013, and December 22, 2012 (51st week)*

Reporting area	Meningococcal disease, invasive† All serogroups					Mumps					Pertussis				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
United States	3	9	32	489	519	—	6	44	436	213	297	478	1,211	23,750	47,066
New England	—	0	3	22	15	—	0	24	68	7	7	21	68	1,028	2,541
Connecticut	—	0	1	2	4	—	0	2	4	—	—	1	6	56	180
Maine	—	0	1	3	3	—	0	1	1	—	4	6	17	291	723
Massachusetts	—	0	3	11	6	—	0	24	59	5	—	6	23	328	642
New Hampshire	—	0	1	2	—	—	0	0	—	—	—	1	9	101	266
Rhode Island	—	0	1	1	—	—	0	1	3	2	3	1	16	140	107
Vermont	—	0	1	3	2	—	0	1	1	—	—	1	35	112	623
Mid. Atlantic	—	1	7	71	82	—	1	20	135	26	29	32	169	1,671	6,342
New Jersey	—	0	2	15	14	—	0	19	75	—	—	6	24	299	1,372
New York (Upstate)	—	0	3	21	21	—	0	2	10	5	15	13	120	679	2,595
New York City	—	0	2	10	24	—	0	4	32	17	—	2	9	121	455
Pennsylvania	—	0	3	25	23	—	0	5	18	4	14	11	34	572	1,920
E.N. Central	—	1	4	42	70	—	1	6	50	58	82	88	157	4,438	10,982
Illinois	—	0	2	12	16	—	0	4	27	31	—	13	32	686	2,008
Indiana	—	0	1	12	8	—	0	1	3	4	—	8	22	448	432
Michigan	—	0	1	4	13	—	0	1	7	9	—	16	33	827	839
Ohio	—	0	2	10	24	—	0	2	12	6	81	19	104	1,422	880
Wisconsin	—	0	1	4	9	—	0	1	1	8	1	20	65	1,055	6,823
W.N. Central	—	0	3	34	39	—	0	2	16	21	9	40	88	1,978	8,016
Iowa	—	0	1	1	2	—	0	2	3	4	—	5	20	266	1,719
Kansas	—	0	1	3	6	—	0	0	—	4	—	6	19	336	880
Minnesota	—	0	2	9	11	—	0	1	1	7	—	9	34	457	4,114
Missouri	—	0	2	10	16	—	0	2	10	5	7	10	33	575	810
Nebraska	—	0	1	4	3	—	0	0	—	1	2	4	13	221	238
North Dakota	—	0	1	3	1	—	0	1	2	—	—	1	29	73	185
South Dakota	—	0	1	4	—	—	0	0	—	—	—	1	7	50	70
S. Atlantic	2	1	6	93	82	—	0	26	100	21	56	41	92	2,073	2,818
Delaware	—	0	1	1	1	—	0	0	—	—	—	0	3	25	57
District of Columbia	—	0	1	4	2	—	0	1	1	2	1	0	4	40	26
Florida	1	1	3	56	45	—	0	1	1	5	17	12	63	705	568
Georgia	—	0	2	13	10	—	0	0	—	3	—	4	11	188	311
Maryland	—	0	1	3	4	—	0	26	87	—	3	4	8	194	367
North Carolina	—	0	2	10	6	—	0	1	4	1	28	11	28	581	599
South Carolina	1	0	1	3	5	—	0	1	2	1	1	4	11	211	221
Virginia	—	0	1	1	5	—	0	2	5	7	6	0	39	114	586
West Virginia	—	0	1	2	4	—	0	0	—	2	—	0	2	15	83
E.S. Central	—	0	2	14	15	—	0	3	10	6	10	15	35	804	1,249
Alabama	—	0	1	3	5	—	0	1	2	2	1	3	8	173	212
Kentucky	—	0	1	1	1	—	0	1	1	2	4	6	22	342	661
Mississippi	—	0	1	4	2	—	0	0	—	—	—	1	4	57	76
Tennessee	—	0	1	6	7	—	0	3	7	2	5	5	10	232	300
W.S. Central	—	1	5	38	53	—	0	3	16	19	67	78	342	4,064	2,350
Arkansas	—	0	1	7	8	—	0	1	2	1	1	8	27	371	221
Louisiana	—	0	1	2	4	—	0	1	2	2	—	3	11	166	72
Oklahoma	—	0	2	6	8	—	0	3	1	1	—	0	36	143	127
Texas	—	0	4	23	33	—	0	3	11	15	66	66	288	3,384	1,930
Mountain	—	0	4	33	39	—	0	2	11	15	12	97	176	4,770	6,023
Arizona	—	0	3	11	6	—	0	1	1	3	1	24	71	1,269	1,108
Colorado	—	0	1	5	6	—	0	1	2	7	—	20	39	898	1,494
Idaho	—	0	1	4	4	—	0	0	—	—	1	4	10	210	233
Montana	—	0	1	1	10	—	0	0	—	1	10	12	29	634	545
Nevada	—	0	1	1	3	—	0	2	5	—	—	2	12	164	112
New Mexico	—	0	2	2	3	—	0	1	1	—	—	11	24	509	907
Utah	—	0	2	7	4	—	0	1	2	3	—	21	41	1,016	1,562
Wyoming	—	0	1	2	3	—	0	0	—	1	—	1	12	70	62
Pacific	1	2	16	142	124	—	0	4	30	40	25	57	298	2,924	6,745
Alaska	—	0	0	—	2	—	0	1	1	—	—	6	19	312	334
California	—	2	7	114	83	—	0	4	23	32	4	27	53	1,440	778
Hawaii	—	0	1	1	2	—	0	1	1	1	—	1	4	47	73
Oregon	—	0	1	11	25	—	0	1	3	6	—	8	26	463	900
Washington	1	0	12	16	12	—	0	1	2	1	21	13	256	662	4,660
Territories															
American Samoa	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	4	—	0	0	—	1
Puerto Rico	—	0	0	—	—	—	0	1	3	4	—	0	6	24	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/ndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Data for meningococcal disease, invasive caused by serogroups A, C, Y, and W-135; serogroup B; other serogroup; and unknown serogroup are available in Table I.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending December 21, 2013, and December 22, 2012 (51st week)*

Reporting area	Rabies, animal					Salmonellosis					Shiga toxin-producing <i>E. coli</i> (STEC) [†]				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
United States	19	62	140	3,139	4,052	371	898	1,512	44,912	52,711	45	109	229	5,383	6,247
New England	3	6	12	293	382	2	38	80	2,010	1,970	—	4	12	234	205
Connecticut	1	3	12	145	173	—	7	21	411	442	—	1	7	58	48
Maine	1	1	4	48	89	1	2	11	129	152	—	0	4	27	20
Massachusetts	—	0	0	—	—	—	20	54	1,104	1,027	—	2	8	110	95
New Hampshire	—	0	3	27	28	—	3	11	177	154	—	0	2	19	23
Rhode Island	—	0	4	25	28	—	2	13	123	107	—	0	2	2	2
Vermont	1	1	3	48	64	1	1	5	66	88	—	0	3	18	17
Mid. Atlantic	2	6	19	331	826	32	97	196	4,873	5,279	7	13	35	683	658
New Jersey	—	0	0	—	—	—	18	46	993	1,139	—	2	7	105	137
New York (Upstate)	2	6	19	331	417	17	25	74	1,211	1,321	4	4	14	223	229
New York City	—	0	1	—	12	1	20	52	1,115	1,167	—	2	8	102	85
Pennsylvania	—	0	7	—	397	14	30	65	1,554	1,652	3	4	19	253	207
E.N. Central	—	2	24	160	103	18	81	165	4,808	5,836	3	16	45	886	1,160
Illinois	—	1	6	53	—	—	31	61	1,568	1,943	—	4	32	258	214
Indiana	—	0	1	9	8	—	11	23	583	775	—	1	6	98	179
Michigan	—	0	5	37	55	—	17	42	897	987	—	3	14	173	282
Ohio	—	0	19	61	40	18	22	42	1,168	1,258	3	4	15	221	235
Wisconsin	N	0	0	N	N	—	12	28	592	873	—	2	12	136	250
W.N. Central	1	2	48	123	204	8	46	93	2,417	3,518	2	12	38	695	1,021
Iowa	—	0	0	—	33	—	10	36	575	612	—	2	14	166	181
Kansas	1	1	5	57	55	—	7	18	417	489	—	1	6	87	96
Minnesota	—	0	0	—	—	—	0	11	—	770	—	0	2	—	257
Missouri	—	1	3	40	28	7	18	38	868	1,064	2	4	18	283	306
Nebraska	—	0	0	—	—	1	5	20	288	348	—	1	7	76	102
North Dakota	—	0	46	—	29	—	2	7	99	65	—	0	3	41	32
South Dakota	—	0	4	26	59	—	3	10	170	170	—	1	5	42	47
S. Atlantic	7	18	44	941	1,032	187	220	432	12,444	15,129	6	10	17	479	594
Delaware	—	0	0	—	—	—	1	7	93	147	—	0	2	13	13
District of Columbia	—	0	0	—	—	—	1	4	44	69	—	0	1	4	8
Florida	—	0	27	101	103	127	103	226	5,842	6,435	4	2	7	135	92
Georgia	—	0	0	—	—	15	34	101	2,276	2,620	—	2	9	124	132
Maryland	5	7	17	365	323	6	16	36	836	947	2	1	6	68	73
North Carolina	—	0	0	—	—	24	30	136	1,798	2,133	—	1	8	68	157
South Carolina	—	0	0	—	—	5	19	52	1,093	1,449	—	0	2	9	25
Virginia	—	8	15	408	546	10	2	26	285	1,118	—	0	3	29	78
West Virginia	2	1	6	67	60	—	3	9	177	211	—	0	2	29	16
E.S. Central	—	1	7	58	70	8	56	136	3,192	4,198	3	6	18	298	304
Alabama	—	0	6	38	54	3	17	67	989	1,141	—	1	3	49	64
Kentucky	—	0	3	14	14	2	9	21	485	728	2	2	9	98	87
Mississippi	—	0	2	6	2	—	13	41	890	1,235	—	0	4	27	27
Tennessee	—	0	0	—	—	3	15	36	828	1,094	1	2	6	124	126
W.S. Central	6	17	75	1,001	848	63	122	400	6,323	8,297	10	13	126	661	579
Arkansas	2	0	34	149	127	8	13	35	689	1,381	—	1	10	72	59
Louisiana	—	0	0	—	4	1	19	43	1,085	1,528	—	0	2	22	27
Oklahoma	—	0	31	82	74	6	13	49	762	727	—	1	11	102	99
Texas	4	15	40	770	643	48	70	329	3,787	4,661	10	9	105	465	394
Mountain	—	0	8	51	313	7	51	248	2,615	2,442	2	9	34	503	720
Arizona	N	0	0	N	N	3	18	32	925	850	—	2	11	99	140
Colorado	—	0	0	—	183	—	6	27	400	509	—	1	11	93	175
Idaho	—	0	4	20	23	—	2	9	122	131	2	2	6	98	139
Montana	N	0	0	N	N	4	2	9	89	107	—	1	5	44	44
Nevada	—	0	2	11	18	—	4	205	403	183	—	1	3	42	37
New Mexico	—	0	1	8	47	—	6	14	315	332	—	0	3	26	54
Utah	—	0	4	12	15	—	6	14	307	256	—	1	10	86	106
Wyoming	—	0	0	—	27	—	1	4	54	74	—	0	7	15	25
Pacific	—	3	12	181	274	46	117	214	6,230	6,042	12	17	51	944	1,006
Alaska	—	0	2	6	6	1	1	5	89	58	N	0	0	N	N
California	—	2	11	165	251	36	88	170	4,837	4,446	—	8	23	433	576
Hawaii	—	0	0	—	—	—	6	13	326	340	—	0	5	23	20
Oregon	—	0	2	10	17	—	6	25	361	396	—	3	14	187	192
Washington	—	0	9	—	—	9	10	40	617	802	12	3	32	301	218
Territories	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—
American Samoa	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	13	—	0	0	—	—
Puerto Rico	—	0	0	—	27	—	8	43	436	32	—	0	6	9	2
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.† Includes *E. coli* O157:H7; Shiga toxin-positive, serogroup non-O157; and Shiga toxin-positive, not serogrouped.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending December 21, 2013, and December 22, 2012 (51st week)*

Reporting area	Spotted Fever Rickettsiosis (including RMSF)†														
	Shigellosis					Confirmed					Probable				
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
	Med	Max				Med	Max				Med	Max			
United States	205	190	378	10,688	14,905	—	3	9	157	180	1	39	420	2,566	3,858
New England	—	4	94	503	207	—	0	1	1	1	—	0	3	8	22
Connecticut	—	1	5	57	43	—	0	0	—	—	—	0	0	—	—
Maine	—	0	1	5	7	—	0	0	—	—	—	0	1	2	3
Massachusetts	—	2	12	168	130	—	0	0	—	—	—	0	1	2	7
New Hampshire	—	0	1	6	8	—	0	1	1	—	—	0	1	2	2
Rhode Island	—	0	86	264	14	—	0	0	—	—	—	0	3	2	10
Vermont	—	0	1	3	5	—	0	0	—	1	—	0	0	—	—
Mid. Atlantic	8	16	75	805	2,403	—	0	1	7	5	—	1	11	90	187
New Jersey	—	2	7	119	945	—	0	1	2	—	—	0	4	32	126
New York (Upstate)	4	4	61	244	767	—	0	1	2	4	—	0	7	18	16
New York City	2	6	14	307	560	—	0	1	1	—	—	0	1	11	7
Pennsylvania	2	2	9	135	131	—	0	1	2	1	—	0	3	29	38
E.N. Central	19	23	114	1,247	2,529	—	0	2	12	11	—	2	14	186	216
Illinois	—	5	15	284	278	—	0	1	5	9	—	1	8	96	141
Indiana	—	1	6	81	161	—	0	1	3	2	—	1	4	55	27
Michigan	—	3	8	153	248	—	0	1	2	—	—	0	1	4	3
Ohio	19	10	103	693	1,716	—	0	1	1	—	—	0	2	22	23
Wisconsin	—	1	3	36	126	—	0	1	1	—	—	0	2	9	22
W.N. Central	9	7	64	627	958	—	0	1	9	5	1	2	26	260	344
Iowa	5	2	42	306	90	—	0	0	—	—	—	0	2	7	8
Kansas	—	1	4	41	126	—	0	0	—	—	—	0	0	—	—
Minnesota	—	0	11	—	381	—	0	0	—	—	—	0	0	—	15
Missouri	1	1	9	93	71	—	0	1	3	4	1	2	25	237	311
Nebraska	3	1	4	63	272	—	0	1	5	1	—	0	2	9	8
North Dakota	—	0	2	17	7	—	0	0	—	—	—	0	1	2	1
South Dakota	—	0	22	107	11	—	0	1	1	—	—	0	1	5	1
S. Atlantic	58	44	92	2,264	2,877	—	2	5	85	118	—	8	55	559	1,123
Delaware	—	0	2	10	22	—	0	0	—	—	—	0	2	9	28
District of Columbia	—	0	2	11	26	—	0	1	1	1	—	0	0	—	1
Florida	25	16	46	938	1,691	—	0	2	4	3	—	0	4	23	27
Georgia	17	15	36	856	652	—	1	5	61	91	—	0	0	—	—
Maryland	2	2	6	102	222	—	0	1	3	—	—	0	4	26	9
North Carolina	11	2	25	176	133	—	0	2	11	12	—	2	47	383	546
South Carolina	3	2	6	119	35	—	0	1	3	7	—	1	2	34	54
Virginia	—	0	7	45	89	—	0	1	1	4	—	1	11	79	456
West Virginia	—	0	2	7	7	—	0	1	1	—	—	0	2	5	2
E.S. Central	21	17	65	1,151	1,233	—	0	3	19	13	—	11	49	816	936
Alabama	2	5	14	278	329	—	0	1	2	3	—	3	17	234	164
Kentucky	—	1	6	57	421	—	0	1	2	3	—	1	6	62	59
Mississippi	—	4	12	206	281	—	0	1	2	2	—	0	4	29	23
Tennessee	19	6	50	610	202	—	0	2	13	5	—	7	30	491	690
W.S. Central	71	47	159	2,288	2,621	—	0	5	14	8	—	7	366	597	953
Arkansas	9	4	19	253	93	—	0	2	4	5	—	5	27	363	825
Louisiana	—	5	21	299	214	—	0	0	—	—	—	0	1	3	9
Oklahoma	8	3	60	168	483	—	0	5	9	1	—	0	351	177	52
Texas	54	28	95	1,568	1,831	—	0	1	1	2	—	1	8	54	67
Mountain	2	10	38	658	785	—	0	3	8	11	—	1	5	44	64
Arizona	2	6	27	396	441	—	0	3	7	10	—	0	5	34	40
Colorado	—	1	5	48	123	—	0	0	—	1	—	0	0	—	5
Idaho	—	0	2	9	9	—	0	1	1	—	—	0	0	—	4
Montana	—	0	10	72	11	—	0	0	—	—	—	0	1	2	3
Nevada	—	0	7	48	55	—	0	0	—	—	—	0	1	1	—
New Mexico	—	1	5	55	107	—	0	0	—	—	—	0	1	3	4
Utah	—	0	2	24	34	—	0	0	—	—	—	0	1	2	6
Wyoming	—	0	2	6	5	—	0	0	—	—	—	0	1	2	2
Pacific	17	21	47	1,145	1,292	—	0	1	2	8	—	0	1	6	13
Alaska	—	0	1	1	7	N	0	0	N	N	N	0	0	N	N
California	16	18	47	942	1,047	—	0	1	1	8	—	0	1	6	12
Hawaii	1	0	6	38	25	N	0	0	N	N	N	0	0	N	N
Oregon	—	1	4	51	91	—	0	1	1	—	—	0	0	—	1
Washington	—	1	11	113	122	—	0	1	—	—	—	0	0	—	—
Territories															
American Samoa	—	—	—	—	5	N	—	—	N	N	N	—	—	N	N
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	1	N	0	0	N	N	N	0	0	N	N
Puerto Rico	—	0	1	4	—	N	0	0	N	N	N	0	0	N	N
U.S. Virgin Islands	—	0	0	—	—	N	0	0	N	N	N	0	0	N	N

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Illnesses with similar clinical presentation that result from Spotted fever group rickettsia infections are reported as Spotted fever rickettsioses. Rocky Mountain spotted fever (RMSF) caused by *Rickettsia rickettsii*, is the most common and well-known spotted fever.

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending December 21, 2013, and December 22, 2012 (51st week)*

Reporting area	<i>Streptococcus pneumoniae</i> ,† invasive disease										Syphilis, primary and secondary				
	All ages					Age <5									
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Current week	Previous 52 weeks		Cum 2013	Cum 2012
		Med	Max				Med	Max				Med	Max		
United States	198	264	966	14,420	14,669	16	20	55	1,010	1,211	82	315	449	15,432	15,333
New England	1	12	68	618	1,131	—	1	4	40	77	3	8	19	453	469
Connecticut	—	5	21	286	299	—	0	2	13	17	—	1	6	47	55
Maine	1	2	8	110	94	—	0	1	6	3	—	0	1	6	17
Massachusetts	—	0	17	21	558	—	0	4	18	50	3	6	18	335	312
New Hampshire	—	1	5	83	76	—	0	1	3	6	—	0	3	26	35
Rhode Island	—	0	29	62	44	—	0	0	—	1	—	0	3	34	44
Vermont	—	1	6	56	60	—	0	0	—	—	—	0	2	5	6
Mid. Atlantic	22	40	198	2,057	2,092	1	2	13	109	117	7	40	59	1,942	1,888
New Jersey	—	9	30	459	569	—	1	3	32	37	—	4	9	184	223
New York (Upstate)	16	19	147	951	898	1	1	9	45	55	3	5	32	252	201
New York City	6	12	36	647	625	—	0	3	32	25	1	21	35	1,067	980
Pennsylvania	N	—	—	N	N	N	0	0	N	N	3	9	16	439	484
E.N. Central	34	52	132	2,821	2,793	2	3	8	172	224	1	35	56	1,689	1,826
Illinois	N	0	0	N	N	1	1	3	41	46	—	12	28	592	797
Indiana	—	12	50	606	678	—	0	3	28	37	—	4	10	220	221
Michigan	—	12	30	674	524	—	1	3	39	30	—	8	17	405	294
Ohio	26	21	63	1,139	1,129	1	1	4	42	86	—	8	14	402	424
Wisconsin	8	8	26	402	462	—	0	3	22	25	1	1	5	70	90
W.N. Central	5	11	39	629	818	—	1	5	89	92	—	11	24	572	394
Iowa	N	0	0	N	N	N	0	0	N	N	—	1	6	86	68
Kansas	N	0	0	N	N	N	0	0	N	N	—	1	4	43	24
Minnesota	—	4	24	295	480	—	0	3	25	31	—	3	8	151	118
Missouri	N	0	0	N	N	—	0	3	32	36	—	4	10	236	156
Nebraska	5	3	7	151	139	—	0	1	13	14	—	0	3	22	7
North Dakota	—	2	6	87	105	—	0	1	9	—	—	0	2	7	4
South Dakota	—	2	6	96	94	—	0	2	10	11	—	0	3	27	17
S. Atlantic	66	64	145	3,318	3,095	8	5	13	248	265	39	74	184	3,739	3,621
Delaware	—	0	3	24	33	—	0	1	1	2	5	0	9	48	38
District of Columbia	1	1	7	80	59	—	0	1	1	4	—	3	8	171	164
Florida	32	18	59	1,045	958	4	2	5	93	76	3	26	43	1,353	1,351
Georgia	14	19	56	1,003	941	2	1	5	80	79	19	15	110	822	827
Maryland	9	8	26	458	423	1	0	4	29	31	—	8	16	389	421
North Carolina	N	0	0	N	N	N	0	0	N	N	12	7	34	410	313
South Carolina	8	7	21	424	375	—	0	2	19	25	—	5	13	270	224
Virginia	N	0	0	N	N	1	0	4	10	32	—	5	24	268	275
West Virginia	2	5	25	284	306	—	0	2	15	16	—	0	1	8	8
E.S. Central	23	27	59	1,350	1,248	—	2	5	90	96	2	10	21	496	776
Alabama	2	3	10	168	110	—	0	2	18	16	—	3	6	133	214
Kentucky	5	4	12	242	204	—	0	1	12	11	1	2	9	115	148
Mississippi	2	4	13	218	178	—	0	2	18	25	—	1	8	75	150
Tennessee	14	14	37	722	756	—	1	5	42	44	1	3	8	173	264
W.S. Central	33	33	368	1,736	1,599	4	3	24	147	173	13	41	63	2,075	2,210
Arkansas	2	3	24	177	161	—	0	1	8	13	—	3	10	161	173
Louisiana	—	5	14	282	243	—	0	2	21	29	1	7	17	332	338
Oklahoma	N	0	0	N	N	—	0	1	19	25	—	2	8	109	83
Texas	31	24	340	1,277	1,195	4	2	23	99	106	12	30	40	1,473	1,616
Mountain	13	32	76	1,720	1,678	1	2	7	97	140	—	14	26	711	686
Arizona	12	14	41	784	649	1	0	4	38	49	—	5	12	243	202
Colorado	—	8	22	363	429	—	0	2	19	35	—	3	9	151	201
Idaho	N	0	0	N	N	—	0	1	4	1	—	0	2	11	25
Montana	—	0	3	28	29	—	0	1	2	2	—	0	1	5	1
Nevada	—	2	7	118	105	—	0	1	4	9	—	3	14	185	112
New Mexico	1	5	17	288	264	—	0	1	11	20	—	1	4	70	99
Utah	—	2	11	120	172	—	0	2	18	22	—	1	4	45	42
Wyoming	—	0	3	19	30	—	0	1	1	2	—	0	1	1	4
Pacific	1	3	7	171	215	—	0	2	18	27	17	75	111	3,755	3,463
Alaska	—	2	6	100	138	—	0	1	13	19	—	0	3	22	11
California	N	0	0	N	N	N	0	0	N	N	16	64	94	3,202	2,918
Hawaii	1	1	4	71	77	—	0	1	5	8	—	1	3	36	23
Oregon	N	0	0	N	N	N	0	0	N	N	—	5	11	253	210
Washington	N	0	0	N	N	N	0	0	N	N	1	5	14	242	301
Territories															
American Samoa	N	—	—	N	N	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	0	0	—	—	—	0	0	—	—	—	6	30	374	301
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	1	1	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.† Includes drug resistant and susceptible cases of invasive *Streptococcus pneumoniae* disease among children <5 years and among all ages. Case definition: Isolation of *S. pneumoniae* from a normally sterile body site (e.g., blood or cerebrospinal fluid).

Morbidity and Mortality Weekly Report

TABLE II. (Continued) Provisional cases of selected notifiable diseases, United States, weeks ending December 21, 2013, and December 22, 2012 (51st week)*

Reporting area	Varicella (chickenpox)					West Nile virus disease†									
	Current week	Previous 52 weeks		Cum 2013	Cum 2012	Neuroinvasive				Nonneuroinvasive§					
		Med	Max			Current week	Previous 52 weeks	Cum 2013	Cum 2012	Current week	Previous 52 weeks	Cum 2013	Cum 2012		
United States	97	208	316	9,888	13,131	—	1	153	1,197	2,872	—	1	163	1,163	2,801
New England	3	19	42	911	1,405	—	0	3	11	42	—	0	2	5	21
Connecticut	1	4	9	211	260	—	0	1	1	12	—	0	1	3	9
Maine	2	3	7	138	256	—	0	0	—	1	—	0	0	—	—
Massachusetts	—	7	15	378	533	—	0	2	7	25	—	0	1	1	8
New Hampshire	—	1	4	57	141	—	0	1	1	1	—	0	0	—	—
Rhode Island	—	0	10	29	70	—	0	1	1	2	—	0	0	—	2
Vermont	—	1	27	98	145	—	0	1	1	1	—	0	1	1	2
Mid. Atlantic	6	20	40	1,060	1,307	—	0	7	28	116	—	0	6	20	99
New Jersey	—	5	21	345	456	—	0	4	9	22	—	0	2	2	26
New York (Upstate)	N	0	0	N	N	—	0	2	10	35	—	0	4	11	31
New York City	—	0	0	—	—	—	0	1	3	26	—	0	1	2	15
Pennsylvania	6	15	26	715	851	—	0	1	6	33	—	0	1	5	27
E.N. Central	42	63	104	3,194	3,558	—	0	26	165	494	—	0	14	55	253
Illinois	4	13	32	696	890	—	0	21	85	187	—	0	8	31	103
Indiana	4	6	14	306	462	—	0	6	18	46	—	0	1	4	31
Michigan	12	20	44	1,159	967	—	0	5	24	141	—	0	4	12	61
Ohio	19	13	33	657	804	—	0	3	20	76	—	0	2	4	45
Wisconsin	3	7	23	376	435	—	0	3	18	44	—	0	1	4	13
W.N. Central	4	6	15	304	877	—	0	51	280	225	—	0	71	447	437
Iowa	N	0	0	N	N	—	0	10	24	11	—	0	5	19	20
Kansas	—	0	4	—	393	—	0	8	31	20	—	0	17	52	36
Minnesota	—	0	0	—	—	—	0	7	31	34	—	0	8	48	36
Missouri	4	4	12	219	387	—	0	6	24	17	—	0	1	5	3
Nebraska	—	0	2	11	27	—	0	14	53	42	—	0	30	168	151
North Dakota	—	0	3	32	38	—	0	11	60	39	—	0	9	63	50
South Dakota	—	1	4	42	32	—	0	10	57	62	—	0	12	92	141
S. Atlantic	13	26	49	1,272	1,585	—	0	8	32	185	—	0	3	14	129
Delaware	—	0	2	18	3	—	0	1	3	2	—	0	0	—	7
District of Columbia	—	0	2	10	19	—	0	0	—	8	—	0	0	—	2
Florida	12	14	25	644	810	—	0	1	4	52	—	0	1	1	21
Georgia	—	0	5	37	50	—	0	1	2	46	—	0	1	4	53
Maryland	N	0	0	N	N	—	0	4	11	25	—	0	3	5	22
North Carolina	N	0	0	N	N	—	0	2	3	7	—	0	0	—	—
South Carolina	1	2	13	149	11	—	0	1	3	20	—	0	1	4	9
Virginia	—	6	19	299	486	—	0	2	6	20	—	0	0	—	10
West Virginia	—	2	8	115	206	—	0	0	—	5	—	0	0	—	5
E.S. Central	2	3	9	156	199	—	0	6	45	173	—	0	7	34	192
Alabama	2	3	8	151	188	—	0	0	—	38	—	0	3	7	24
Kentucky	N	0	0	N	N	—	0	1	1	13	—	0	1	2	10
Mississippi	—	0	1	5	11	—	0	5	27	103	—	0	3	18	144
Tennessee	N	0	0	N	N	—	0	3	17	19	—	0	2	7	14
W.S. Central	23	37	212	1,988	2,503	—	0	27	206	1,146	—	0	17	114	1,312
Arkansas	—	3	12	182	234	—	0	3	16	44	—	0	1	2	20
Louisiana	1	1	7	52	68	—	0	7	34	155	—	0	3	20	180
Oklahoma	N	0	0	N	N	—	0	8	52	103	—	0	6	27	88
Texas	22	33	209	1,754	2,201	—	0	16	104	844	—	0	12	65	1,024
Mountain	4	19	39	900	1,572	—	0	29	196	190	—	0	53	337	165
Arizona	4	6	23	349	535	—	0	4	31	87	—	0	2	10	46
Colorado	—	3	16	207	481	—	0	17	89	62	—	0	34	228	69
Idaho	N	0	0	N	N	—	0	5	14	5	—	0	7	26	12
Montana	—	1	6	82	131	—	0	5	10	1	—	0	7	28	5
Nevada	N	0	0	N	N	—	0	4	8	5	—	0	1	3	4
New Mexico	—	1	4	49	99	—	0	4	24	24	—	0	3	14	23
Utah	—	3	13	205	307	—	0	1	4	3	—	0	1	3	2
Wyoming	—	0	2	8	19	—	0	4	16	3	—	0	6	25	4
Pacific	—	2	6	103	125	—	0	27	234	301	—	0	18	137	193
Alaska	—	1	6	60	58	—	0	0	—	—	—	0	0	—	—
California	—	0	2	14	24	—	0	27	233	297	—	0	18	135	182
Hawaii	—	0	4	29	43	—	0	0	—	—	—	0	0	—	—
Oregon	N	0	0	N	N	—	0	1	1	—	—	0	1	1	11
Washington	N	0	0	N	N	—	0	0	—	4	—	0	1	1	—
Territories															
American Samoa	N	—	—	N	N	—	—	—	—	—	—	—	—	—	—
C.N.M.I.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Guam	—	0	0	—	50	—	0	0	—	—	—	0	0	—	—
Puerto Rico	—	4	14	260	70	—	0	0	—	1	—	0	0	—	—
U.S. Virgin Islands	—	0	0	—	—	—	0	0	—	—	—	0	0	—	—

C.N.M.I.: Commonwealth of Northern Mariana Islands.

U: Unavailable. —: No reported cases. N: Not reportable. NN: Not Nationally Notifiable. Cum: Cumulative year-to-date counts. Med: Median. Max: Maximum.

* Case counts for reporting year 2013 are provisional and subject to change. For further information on interpretation of these data, see <http://www.cdc.gov/nndss/document/ProvisionalNationalNotifiableDiseasesSurveillanceData20100927.pdf>. Data for TB are displayed in Table IV, which appears quarterly.

† Updated weekly from reports to the Division of Vector-Borne Infectious Diseases, National Center for Zoonotic, Vector-Borne, and Enteric Diseases (ArboNET Surveillance). Data for California serogroup, eastern equine, Powassan, St. Louis, and western equine diseases are available in Table I.

§ Not reportable in all states. Data from states where the condition is not reportable are excluded from this table, except starting in 2007 for the domestic arboviral diseases and influenza-associated pediatric mortality, and in 2003 for SARS-CoV. Reporting exceptions are available at http://www.cdc.gov/nndss/document/SRCA_FINAL_REPORT_2006-2012_final.xlsx.

Morbidity and Mortality Weekly Report

TABLE III. Deaths in 122 U.S. cities,* week ending December 21, 2013 (51st week)

Reporting area	All causes, by age (years)						P&I†	Reporting area (Continued)	All causes, by age (years)						P&I†
	All Ages	≥65	45-64	25-44	1-24	<1			Total	All Ages	≥65	45-64	25-44	1-24	
New England	531	375	123	20	8	5	60	S. Atlantic	1,045	643	279	72	24	27	75
Boston, MA	139	97	33	3	5	1	14	Atlanta, GA	133	74	42	14	2	1	4
Bridgeport, CT	35	24	11	—	—	—	2	Baltimore, MD	142	78	42	12	5	5	14
Cambridge, MA	21	15	5	1	—	—	2	Charlotte, NC	136	87	35	8	3	3	10
Fall River, MA	30	20	9	—	1	—	2	Jacksonville, FL	179	114	47	13	4	1	14
Hartford, CT	71	49	19	3	—	—	6	Miami, FL	56	45	7	2	1	1	2
Lowell, MA	26	20	4	2	—	—	3	Norfolk, VA	50	29	15	5	—	1	4
Lynn, MA	6	5	1	—	—	—	—	Richmond, VA	U	U	U	U	U	U	U
New Bedford, MA	32	23	8	1	—	—	2	Savannah, GA	64	36	21	3	1	3	6
New Haven, CT	40	27	11	—	1	1	3	St. Petersburg, FL	50	37	12	—	1	—	7
Providence, RI	19	19	—	—	—	—	19	Tampa, FL	121	78	27	6	4	6	5
Somerville, MA	1	1	—	—	—	—	—	Washington, D.C.	114	65	31	9	3	6	9
Springfield, MA	32	25	5	2	—	—	—	Wilmington, DE	U	U	U	U	U	U	U
Waterbury, CT	30	19	5	5	—	1	2	E.S. Central	967	630	265	44	14	14	60
Worcester, MA	49	31	12	3	1	2	5	Birmingham, AL	158	95	53	5	3	2	7
Mid. Atlantic	1,826	1,295	387	90	27	27	86	Chattanooga, TN	123	84	26	10	1	2	11
Albany, NY	46	32	8	5	—	1	1	Knoxville, TN	91	72	15	1	2	1	1
Allentown, PA	41	33	7	1	—	—	2	Lexington, KY	89	60	27	1	1	—	7
Buffalo, NY	94	74	15	3	—	2	10	Memphis, TN	178	118	48	6	3	3	15
Camden, NJ	17	8	6	3	—	—	—	Mobile, AL	101	63	31	5	1	1	5
Elizabeth, NJ	13	10	2	—	—	1	—	Montgomery, AL	63	44	10	6	1	2	4
Erie, PA	56	41	13	2	—	—	3	Nashville, TN	164	94	55	10	2	3	10
Jersey City, NJ	15	10	3	2	—	—	—	W.S. Central	1,835	1,115	506	124	45	45	82
New York City, NY	1,062	738	237	50	20	17	47	Austin, TX	121	83	25	6	3	4	10
Newark, NJ	31	17	9	4	1	—	—	Baton Rouge, LA	101	64	28	5	1	3	4
Paterson, NJ	14	7	3	3	1	—	1	Corpus Christi, TX	82	60	16	2	3	1	10
Philadelphia, PA	U	U	U	U	U	U	U	Dallas, TX	229	135	76	9	3	6	9
Pittsburgh, PA [§]	47	31	14	—	—	2	1	El Paso, TX	105	79	17	7	—	2	—
Reading, PA	36	30	6	—	—	—	3	Fort Worth, TX	U	U	U	U	U	U	U
Rochester, NY	167	121	30	9	3	4	8	Houston, TX	530	285	170	43	17	15	17
Schenectady, NY	25	20	5	—	—	—	2	Little Rock, AR	84	50	22	5	1	6	4
Scranton, PA	30	24	5	—	1	—	—	New Orleans, LA	128	66	32	17	8	5	—
Syracuse, NY	67	54	11	2	—	—	6	San Antonio, TX	325	205	86	26	5	3	23
Trenton, NJ	24	14	7	3	—	—	—	Shreveport, LA	81	49	25	4	3	—	3
Utica, NY	17	12	2	2	1	—	1	Tulsa, OK	49	39	9	—	1	—	2
Yonkers, NY	24	19	4	1	—	—	1	Mountain	1,237	843	281	60	30	23	76
E.N. Central	1,989	1,360	458	106	34	31	155	Albuquerque, NM	135	95	29	8	2	1	11
Akron, OH	47	32	12	—	—	3	2	Boise, ID	65	39	22	3	—	1	9
Canton, OH	37	28	8	—	1	—	6	Colorado Springs, CO	87	72	11	2	1	1	—
Chicago, IL	198	132	50	11	2	3	15	Denver, CO	85	53	19	7	1	5	3
Cincinnati, OH	89	48	22	7	6	6	4	Las Vegas, NV	299	191	83	20	4	1	22
Cleveland, OH	289	208	64	13	2	2	19	Ogden, UT	40	30	4	2	1	3	5
Columbus, OH	301	191	76	24	5	5	23	Phoenix, AZ	192	123	45	9	10	5	6
Dayton, OH	174	125	30	17	1	1	13	Pueblo, CO	35	29	6	—	—	—	2
Detroit, MI	U	U	U	U	U	U	U	Salt Lake City, UT	133	99	24	3	4	3	13
Evansville, IN	49	38	7	2	2	—	6	Tucson, AZ	166	112	38	6	7	3	5
Fort Wayne, IN	100	66	26	4	2	2	7	Pacific	1,877	1,328	406	88	30	24	165
Gary, IN	14	6	6	2	—	—	2	Berkeley, CA	13	10	3	—	—	—	—
Grand Rapids, MI	60	42	17	1	—	—	7	Fresno, CA	177	118	43	11	3	2	17
Indianapolis, IN	166	113	41	5	4	3	17	Glendale, CA	29	24	4	1	—	—	5
Lansing, MI	3	3	—	—	—	—	2	Honolulu, HI	72	60	7	—	1	4	7
Milwaukee, WI	95	50	32	6	3	4	8	Long Beach, CA	77	51	22	2	1	1	8
Peoria, IL	65	49	12	1	3	—	7	Los Angeles, CA	269	183	67	11	3	5	25
Rockford, IL	64	52	9	3	—	—	6	Pasadena, CA	25	21	3	1	—	—	1
South Bend, IN	57	45	10	1	1	—	1	Portland, OR	141	108	23	8	2	—	6
Toledo, OH	119	85	25	6	2	1	8	Sacramento, CA	228	161	51	12	3	1	23
Youngstown, OH	62	47	11	3	—	1	2	San Diego, CA	148	111	23	6	6	2	12
W.N. Central	694	475	142	45	16	15	45	San Francisco, CA	148	98	36	8	3	2	17
Des Moines, IA	84	62	17	4	1	—	9	San Jose, CA	237	176	46	8	3	4	25
Duluth, MN	32	27	3	1	—	1	5	Santa Cruz, CA	U	U	U	U	U	U	U
Kansas City, KS	28	21	5	2	—	—	1	Seattle, WA	101	67	25	6	1	2	4
Kansas City, MO	100	65	26	4	3	1	3	Spokane, WA	85	60	21	3	1	—	7
Lincoln, NE	29	28	1	—	—	—	2	Tacoma, WA	127	80	32	11	3	1	8
Minneapolis, MN	72	41	21	5	—	5	3	Total¶	12,001	8,064	2,847	649	228	211	804
Omaha, NE	116	85	21	7	2	1	11								
St. Louis, MO	79	43	16	9	6	5	2								
St. Paul, MN	75	49	17	8	—	1	2								
Wichita, KS	79	54	15	5	4	1	7								

U: Unavailable. —: No reported cases.

* Mortality data in this table are voluntarily reported from 122 cities in the United States, most of which have populations of >100,000. A death is reported by the place of its occurrence and by the week that the death certificate was filed. Fetal deaths are not included.

† Pneumonia and influenza.

§ Because of changes in reporting methods in this Pennsylvania city, these numbers are partial counts for the current week. Complete counts will be available in 4 to 6 weeks.

¶ Total includes unknown ages.