

Please provide the following information, and submit to the NOAA DM Plan Repository.

Reference to Master DM Plan (if applicable)

As stated in Section IV, Requirement 1.3, DM Plans may be hierarchical. If this DM Plan inherits provisions from a higher-level DM Plan already submitted to the Repository, then this more-specific Plan only needs to provide information that differs from what was provided in the Master DM Plan.

URL of higher-level DM Plan (if any) as submitted to DM Plan Repository:

1. General Description of Data to be Managed

1.1. Name of the Data, data collection Project, or data-producing Program:

Barataria Bay 2005-2006

1.2. Summary description of the data:

Nekton in the northern Gulf of Mexico often depend on marsh habitat and estuarine nursery areas during their life history, but patterns of habitat use and the underlying processes that drive these patterns are not fully understood. We examined small-scale (1-50 m) patterns of habitat use in Barataria Bay, Louisiana, between 2002 and 2006 by collecting nekton with a 1-m² drop sampler. Habitat-specific densities were estimated for six habitat types at various distances from the shoreline into the marsh (Marsh1M = 1m and Marsh3M = 3 m into the marsh) and over shallow nonvegetated bottom, SNB (SNB1M = 1 m, SNB5M = 5 m, SNB20M = 20 m, and SNB50M = 50 m) seaward of the marsh. Habitat-specific growth rates also were estimated for brown shrimp *Farfantepenaeus aztecus* caged in SNB1M, SNB5M, and SNB20M. Nekton density patterns in Barataria Bay appeared to be clearly different from the Galveston Bay model, which predicts nekton distribution patterns relative to the marsh shoreline. Although densities in Barataria Bay were significantly higher in samples near the marsh shoreline (Marsh1M or SNB1M) for brown shrimp, blue crab, and white shrimp, highest mean densities were not always present in marsh edge vegetation. In addition, densities of brown shrimp and white shrimp in Barataria Bay declined much more steeply with distance into the marsh than in the model. Daily growth rates (1.0 - 1.2 mm TL day⁻¹; 68 - 89 mg day⁻¹) for brown shrimp were similar among SNB habitat types. Our results suggest that SNB in Barataria Bay may be relatively more important as habitat for fishery species than previously assumed.

1.3. Is this a one-time data collection, or an ongoing series of measurements?

One-time data collection

1.4. Actual or planned temporal coverage of the data:

2005 to 2006

1.5. Actual or planned geographic coverage of the data:

W: -90.19564, E: -89.96235, N: 29.46692, S: 29.16143

Gulf Of Mexico (Northern)

1.6. Type(s) of data:

(e.g., digital numeric data, imagery, photographs, video, audio, database, tabular data, etc.)

Document (digital)

1.7. Data collection method(s):

(e.g., satellite, airplane, unmanned aerial system, radar, weather station, moored buoy, research vessel, autonomous underwater vehicle, animal tagging, manual surveys, enforcement activities, numerical model, etc.)

Instrument: American Optical Temperature-Compensated Refractometer, HF Model DRT-15 Turbidimeter , YSI Model 51B Dissolved Oxygen Meter

Platform: Galveston Lab Owned Boat

1.8. If data are from a NOAA Observing System of Record, indicate name of system:

1.8.1. If data are from another observing system, please specify:

2. Point of Contact for this Data Management Plan (author or maintainer)

2.1. Name:

Lawrence P Rozas

2.2. Title:

Metadata Contact

2.3. Affiliation or facility:

2.4. E-mail address:

2.5. Phone number:

3. Responsible Party for Data Management

Program Managers, or their designee, shall be responsible for assuring the proper management of the data produced by their Program. Please indicate the responsible party below.

3.1. Name:

Lawrence P Rozas

3.2. Title:

Data Steward

4. Resources

Programs must identify resources within their own budget for managing the data they produce.

4.1. Have resources for management of these data been identified?

No

4.2. Approximate percentage of the budget for these data devoted to data management (specify percentage or "unknown"):

0

5. Data Lineage and Quality

NOAA has issued Information Quality Guidelines for ensuring and maximizing the quality, objectivity, utility, and integrity of information which it disseminates.

5.1. Processing workflow of the data from collection or acquisition to making it publicly accessible

(describe or provide URL of description):

Process Steps:

- After sample collection, field data were entered into an Excel spreadsheet or database file (DBF) using database manager software. A text file was created to describe these data and associated variables. Entered data were checked against the field sheets by two biologists to minimize entry errors. Samples were processed in the laboratory, sorted, specimens identified and measured, and information was entered into an Excel spreadsheet or DBF file. Files were printed out and compared against original data sheets by two biologists for data entry errors. Corrections were made at this time, the electronic file was saved, and a back-up copy made. Hard copies of the QCD files were printed and stored in the project folder along with the original field and laboratory data sheets. The electronic file was also sorted and examined by the Lab Supervisor or other project personnel in a variety of ways to look for outliers, missing data, and other potential errors. Verified data files were then saved electronically on the Galveston Laboratory server and backed-up as needed.

5.1.1. If data at different stages of the workflow, or products derived from these data, are subject to a separate data management plan, provide reference to other plan:**5.2. Quality control procedures employed (describe or provide URL of description):**

Each sample was assigned a unique identification code. Field collected samples were tagged redundantly (e.g. one label inside of the collection vessel and a matching label attached to the outside of the vessel). The identifier and its associated information (e.g. date, location, habitat) was recorded on field data sheets. Once a sample arrived at the laboratory, the label remained with the sample throughout the various stages of sample processing. After data were entered into an Excel spreadsheet or similar database file, the information was printed out and compared against the field data sheets by two biologists. Corrections were made at this time and saved. The electronic file was also sorted and examined by the Lab Supervisor or other project personnel in a variety of ways to look for outliers, missing data, and other potential errors.

6. Data Documentation

The EDMC Data Documentation Procedural Directive requires that NOAA data be well documented, specifies the use of ISO 19115 and related standards for documentation of new data, and provides links to resources and tools for metadata creation and validation.

6.1. Does metadata comply with EDMC Data Documentation directive?

No

6.1.1. If metadata are non-existent or non-compliant, please explain:

Missing/invalid information:

- 2.4. Point of Contact Email

6.2. Name of organization or facility providing metadata hosting:

NMFS Office of Science and Technology

6.2.1. If service is needed for metadata hosting, please indicate:

6.3. URL of metadata folder or data catalog, if known:

<https://www.fisheries.noaa.gov/inport/item/30672>

6.4. Process for producing and maintaining metadata

(describe or provide URL of description):

Metadata produced and maintained in accordance with the NOAA Data Documentation

Procedural Directive: https://nosc.noaa.gov/EDMC/DAARWG/docs/EDMC_PD-

[Data_Documentation_v1.pdf](#)

7. Data Access

NAO 212-15 states that access to environmental data may only be restricted when distribution is explicitly limited by law, regulation, policy (such as those applicable to personally identifiable information or protected critical infrastructure information or proprietary trade information) or by security requirements. The EDMC Data Access Procedural Directive contains specific guidance, recommends the use of open-standard, interoperable, non-proprietary web services, provides information about resources and tools to enable data access, and includes a Waiver to be submitted to justify any approach other than full, unrestricted public access.

7.1. Do these data comply with the Data Access directive?

Yes

7.1.1. If the data are not to be made available to the public at all, or with limitations, has a Waiver (Appendix A of Data Access directive) been filed?

7.1.2. If there are limitations to public data access, describe how data are protected from unauthorized access or disclosure:

7.2. Name of organization of facility providing data access:

Southeast Fisheries Science Center (SEFSC)

7.2.1. If data hosting service is needed, please indicate:

No

7.2.2. URL of data access service, if known:

<https://grunt.sefsc.noaa.gov/parr/30672.zip>

7.3. Data access methods or services offered:

Download from provided link and then extract files from .zip file

7.4. Approximate delay between data collection and dissemination:

365

7.4.1. If delay is longer than latency of automated processing, indicate under what authority data access is delayed:

N/A

8. Data Preservation and Protection

The NOAA Procedure for Scientific Records Appraisal and Archive Approval describes how to identify, appraise and decide what scientific records are to be preserved in a NOAA archive.

8.1. Actual or planned long-term data archive location:

(Specify NCEI-MD, NCEI-CO, NCEI-NC, NCEI-MS, World Data Center (WDC) facility, Other, To Be Determined, Unable to Archive, or No Archiving Intended)

NCEI_MD

8.1.1. If World Data Center or Other, specify:**8.1.2. If To Be Determined, Unable to Archive or No Archiving Intended, explain:****8.2. Data storage facility prior to being sent to an archive facility (if any):**

Southeast Fisheries Science Center - Miami, FL

Location Of The Main Office Of The South East Fisheries Science Center

8.3. Approximate delay between data collection and submission to an archive facility:

0

8.4. How will the data be protected from accidental or malicious modification or deletion prior to receipt by the archive?

Discuss data back-up, disaster recovery/contingency planning, and off-site data storage relevant to the data collection

The data resides on a secure government network requiring multi-factor authentication for network access.

9. Additional Line Office or Staff Office Questions

Line and Staff Offices may extend this template by inserting additional questions in this section.