

Multi-disciplinary interoperability challenges

Stefano Nativi

Italian National Research Council
and PIN -University of Florence



Outline

- ▶ System of Systems approach and principles
- ▶ Brokering SOA (B-SOA)
- ▶ EuroGEOSS Operating Capacity
 - ▶ multi-disciplinary discovery and access brokers – including semantic search;
- ▶ Related research topics
 - ▶ Harmonizing netCDF-CF and ISO models -from ncML to ncML-G+
 - ▶ Uncertainty-enabled data (and services)

Rationale

- ▶ Contribution to the following Objectives
 - ▶ Formation and operation of an **Earth system science community**, based on **multidisciplinary knowledge integration**
 - ▶ Develop advanced digital earth infrastructures: **multi-disciplinary cyber(e)-Infrastructure**
- ▶ Interoperability across disciplines
 - ▶ Semantic
 - ▶ Technical
 - ▶ Organizational
- ▶ European and International Initiatives
 - ▶ EU **INSPIRE** (European SDI)
 - ▶ GEO **GEOSS**





INSPIRE and GEOSS approach

- ▶ **Implement a “system of systems”**
 - ▶ Consisting of existing and future information systems
 - ▶ Supplementing but not supplanting systems mandates and governance arrangements
- ▶ **Build on existing (autonomous) capacities**
 - ▶ Mediate (standard and non-standard capacities)
 - ▶ Interconnect (capacities) and Adapt connecting protocols
- ▶ **Recognized multi-disciplinary capacities** should provide:
 - ▶ Metadata to describe available spatial resources
 - ▶ Network (Access) services to
 - ▶ discover, transform, view and download spatial resources
 - ▶ invoke advanced processing services to support decision making



System of Systems principles

- ▶ Shift from technical interoperability towards **conceptual composability**
 - ▶ by recognizing and specifying *interoperability arrangements*
- ▶ Assure a **low entry barrier** for both resource **Users** and **Producers**
- ▶ Build incrementally on **existing infrastructures** (information systems) and incorporate heterogeneous resources
- ▶ Introduce **distribution and mediation functionalities** (i.e. brokering frameworks) for interconnect heterogeneous resources
 - ▶ Discovery, access, processing and chaining



Flexibility: different Interoperability levels

- **Different interoperability levels -at different Infrastructures level**

Flexibility: different Interoperability levels

- **Different interoperability levels -at different Infrastructures level**
- **Four main infrastructure types**

I. **Distributed Computing** Infrastructure

- Distributed Capacity provision functionalities



ESSI

Lab



nativi@cnr.it

Flexibility: different Interoperability levels


- **Different interoperability levels -at different Infrastructures level**
- **Four main infrastructure types**

1. **Geospatial Information** Infrastructure

- Geospatial resources core functionalities


2. **Distributed Computing** Infrastructure

- Distributed Capacity provision functionalities



Flexibility: different Interoperability levels

- **Different interoperability levels -at different Infrastructures level**
- **Four main infrastructure types**
 1. **Thematic/Community** Infrastructures
 - SBA/CoP resources core functionalities
 1. **Geospatial Information** Infrastructure
 - Geospatial resources core functionalities
 2. **Distributed Computing** Infrastructure
 - Distributed Capacity provision functionalities



Flexibility: different Interoperability levels

- Different interoperability levels -at different Infrastructures level
- Four main infrastructure types



1. Thematic/Community Infrastructures


- SBA/CoP resources core functionalities

1. Geospatial Information Infrastructure

- Geospatial resources core functionalities

2. Distributed Computing Infrastructure

- Distributed Capacity provision functionalities




ESSI Lab

Flexibility: different Interoperability levels

- Different interoperability levels -at different Infrastructures level
- Four main infrastructure types



Domain
Semantics



ESSI Lab

nativi@cnr.it

Flexibility: Interoperability Arrangements

- ▶ **Interoperability Arrangements:**
 - ▶ to shift from technical interoperability towards conceptual composability
- ▶ **They must be able to**
 - ▶ align (and where necessary to harmonize) the **heterogeneous** system **conceptual models**.
 - ▶ **connect autonomous systems** at **different** infrastructural **levels**
 - ▶ **avoid** tight coupling or **strong integrations** -only define how system components interface with each other

Interoperability Arrangements implementation

- ▶ Need:
 - ▶ to **raise the level of abstraction** and **cope with systems complexity**
- ▶ Solution:
 - ▶ **Adapt SOA and MDA**
 - ▶ **Introduce brokering** and **mediation** frameworks for managing resources
 - e.g. discovery, access, processing and chaining



ESSI

Lab

stefano.nativi@cnr.it


Brokerizing SOA (B-SOA)

- ▶ For complex (large and heterogeneous) infrastructures, SOA archetype does not scale and is not flexible

Brokering SOA (B-SOA)

- For complex (large and heterogeneous) infrastructures, SOA archetype does not scale and is not flexible


Present GCI framework



Brokering SOA (B-SOA)

- For complex (large and heterogeneous) infrastructures, SOA archetype does not scale and is not flexible


Present GCI framework



The Broker/Mediator component

A Brokered-SOA proved to be more sustainable (i.e. flexible and scalable)

A more sustainable approach




B-SOA framework

- ▶ Extend the traditional SOA approach


- ▶ Address SoS complexity

- ▶ Many heterogeneous systems
- ▶ Flexibility to support future systems
- ▶ avoid tight coupling or strong integration
- ▶ From technical interoperability to conceptual composability



*Complexity
to manage*

Users



*Complexity
to manage*

Cyber-Infrastructure



Space-based
System



Air-based
System



Cryosphere-based
System



Land-based
System



Ocean-based
System


Providers
INTEGRATED

*Complexity
to manage*



Low Entry
Barrier


Users



Brokering Framework



Complexity
to manage



Space-based
System



Air-based
System



Cryosphere-based
System



Land-based
System



Ocean-based
System

INTEGRATED
Providers

Low Entry
Barrier





Low Entry Barrier for SBAs

- ▶ SBAs (and CoPs) systems
 - ▶ Remain autonomous
 - ▶ Remain unchanged –no new standard must be implemented, no new component or service must be implemented or deployed
- ▶ SBAs (and CoPs) **may use their own standards** to:
 - ▶ describe available spatial resources
 - ▶ publish accessible resources
- ▶ The multi-disciplinary infrastructure must
 - ▶ implement all the **necessary mediation and brokering functionalities** to interoperate with SBA systems avoiding strong integrations
 - ▶ Implement **necessary semantic services** to facilitate multi-disciplinary interoperability **at the conceptual level**





Low Entry Barrier for SBAs

- ▶ SBAs (and CoPs) systems
 - ▶ Remain autonomous
 - ▶ Remain unchanged –no new standard must be implemented, no new component or service must be implemented or deployed
- ▶ SBAs (and CoPs) **may use their own standards** to:
 - ▶ describe available spatial resources
 - ▶ publish accessible resources
- ▶ The multi-disciplinary infrastructure must
 - ▶ implement all the **necessary mediation and b** **Brokering System** interoperate with SBA systems avoiding strong configurations
 - ▶ Implement **necessary semantic services** to facilitate multi-disciplinary interoperability at the conceptual level



ESSI

Lab


stefano.nativi@cnr.it

The EuroGEOSS experience




Three Interoperability phases


- I. Enable thematic interoperability & connections local to global



Three Interoperability phases




Three Interoperability phases



Multi-disciplinary Functionalities

USERS




MULTI-DISCIPLINARY RESOURCES




Multi-disciplinary Functionalities

USERS




Multi-disciplinary Functionalities

USERS




Multi-disciplinary Functionalities

USERS




Multi-disciplinary Functionalities

USERS




TO LOWER ENTRY BARRIER FOR MULTI-DISCIPLINARY CAPACITY

Step 1: Discovery




Step 1: Discovery

Implement
Interoperability
Arrangements




Service Providers (Resource Servers)	
+ CSW2.0.2-Core	
+ CSW2.0.2-eBIM/CIM 0.1.9	
+ CSW2.0.2-eBIM/E002.5	
+ CSW2.0.2-ISO1.0	
+ Deegree2.2	
+ GBIF	
+ GDACS	
+ GeoNetwork2.2.0	
+ GeoNetwork2.4.1	
+ GeoRSS2.0	
+ G-catalog	
+ G-catalog	
+ NetCDF-CF1.4	
+ OAI-PMH2.0	
+ OpenSearch1.1	
+ THREDDS1.01-1.0.2	
+ WCS1.0	
+ WCS1.1.2	
+ WFS1.0.0	
+ WFS1.1.0	
+ WMS1.1.1	
+ WMS1.3.0	
+ WPS1.0.0	
+ COI	

Step 1: Discovery




(edit Mask) Event – place - date

Step 1: Discovery



Step 1: Discovery


Implement
Subsetting &
Transformation
services




Implement
Multi-disciplinary
Interoperability
Arrangements

- Service Providers (Resource Servers)
 - + CSW2.0.2-Core
 - + CSW2.0.2-eBIM/CIMD.1.9
 - + CSW2.0.2-eBIM/E00.2.5
 - + CSW2.0.2-ISO1.0
 - + Deegree2.2
 - + GBIF
 - + GDACS
 - + GeoNetwork2.2.0
 - + GeoNetwork2.4.1
 - + GeoRSS2.0
 - + GI-call6.x
 - + GI-call7.x
 - + NetCDF-CF1.4
 - + OAI-PMH2.0
 - + OpenSearch1.1
 - + THREDDS1.01-1.0.2
 - + WCS1.0
 - + WCS1.1.2
 - + WFS1.0.0
 - + WFS1.1.0
 - + WMS1.1.1
 - + WMS1.3.0
 - + WPS1.0.0
 - + COI


Step 2: Access



Step 2: Access



Step 2: Access



Step 2: Access

Geospatial Web resources.

What about Web 2.0 resources ?



Implement Subsetting & Transformation services





Underpin a common grid environment




CSW

OGC
Open GIS Consortium, Inc.




Step 3: Web 2.0 Resources



(edit Mask) Event – place - date


Step 3: Web 2.0 Resources




(edit Mask) Event – place - date

Implement Web 2.0 Interoperability Arrangements


Step 3: Web 2.0 Resources




Step 3: Web 2.0 Resources




Step 4: Augmented Discovery




Step 4: Augmented Discovery




Step 4: Augmented Discovery




Step 4: Augmented Discovery



Step 4: Augmented Discovery







Empowered by 

DISCOVERY (& ACCESS) BROKER

Provided Interfaces & Supported Resource types






Brokering framework: new Resource types supported

- OAI-PMH 2.0
- DublinCore
- ISO 19139
- DIF 9.7.1 (Data Interchange Format)
- netCDF-CF 1.4
- THREDDS (1.0.1, 1.0.2)
- GDACS
(Global Disaster Alert and Coordination System)
- WAF (Web Application Firewalls/FTP)




...




In collaboration with GENESIS

AUGMENTED (SEMANTIC) DISCOVERY


Semantic Augmentation




Semantic Augmentation



Semantic Augmentation



Semantic Augmentation



Concepts discovery by semantic network browsing

EUROGEOSS DISCOVERY AUGMENTATION COMPONENT CLIENT

Keywords and Semantic Augmentation

Query GeoSpatial and Temporal Constraints

Area

Click and Drag on the map above holding the Shift key to switch selection areas.

Time

From: _____ To: _____

GetConcepts results Selected nodes

Available WPS Configuration Help

Advanced Search help

1. Enter a keyword and press either "GetConcepts" button or enter key. Results are shown both on the graph and in the table beside ("GetConcepts results" tab).
2. Nodes selection:
 1. Double click on a node label in the graph to highlight it and select it. Selected nodes are painted in blue and they are listed in the table beside ("Selected nodes" tab).
 2. Repeat this steps to select another node, continue at step 3 or skip to step 4.
- Note that "root" node (painted in green) cannot be selected.
3. Node extension:
 1. Select a relation using the "Relation" menu.
 2. Click on a node label in the graph to highlight it, then press the "Extend Node" button.
 3. Repeat step 2 or proceed to step 4.
- Note that "root" node (painted in green) cannot be extended.
4. Press the "Search" button. Matched results are shown on the bottom "Search results" table.

Search results

ID	Title	BBOX	Layer
1.1	Fire Weather Index: Today	Zoom	Preview
1.3	Fire Weather Index: +2 Days	Zoom	Preview
1.6	Fire Weather Index: +5 Days	Zoom	Preview
1.2	Fire Weather Index: Tomorrow	Zoom	Preview

Concepts discovery by semantic network browsing


The screenshot displays the "EUROGEOSS DISCOVERY AUGMENTATION COMPONENT CLIENT" interface. On the left, there are sections for "Query GeoSpatial and Temporal Constraints" (Area map of Europe, Time selection), "Keywords and Semantic Augmentation" (semantic network graph centered on "Biodiversity", with nodes like "conservation of species", "environmental legislation", "indigenous knowledge", "protection of species", "forestry unit", "forest industry", "forest policy", "soil", "conservation of soil", "soil monitoring", "soil monitoring analysis", "soil monitoring report", and "soil monitoring use"), and "GetConcepts results" (table showing concepts like "conservation of species", "Soil", and "Biodiversity" with their URIs). At the bottom, a "Search results" table lists items such as "Daily_Soil_Moisture_Anomaly", "Forecasted_Soil_Moisture_Anomaly", "Daily_Soil_Moisture_per_Region", "Daily_Soil_Moisture_Anomaly_per_Region", and "Country_Core_Forest_from_CLC2000".

COMMON GRID DATA ACCESS

Data Access


- Data Access functionality is composed of:
 - Data pre-processing functionalities to “normalize” data
 - Sub-setting (i.e. trimming, slicing)
 - Format conversion
 - CRS transformation
 - Data Interpolation
 -
 - Data Download functionalities
 - Synchronous and asynchronous downloads
 - RESTful and SOAP bindings

EuroGEOSS IOC




EuroGEOSS IOC

Sub-setting, Format conversion , CRS transformation, Interpolation




EuroGEOSS IOC


Sub-setting, Format conversion , CRS transformation, Interpolation 




EuroGEOSS IOC




EuroGEOSS IOC




EuroGEOSS IOC




EuroGEOSS IOC




EuroGEOSS IOC



EuroGEOSS IOC



EuroGEOSS IOC




AOC: Requirements and Objective


- To develop an access framework which does not supplant but **complete** existing access systems/services
- A flexible framework to allow CoPs to **use their pre-processing components/services** –where required
- To be **compliant** with the **INSPIRE** transformation implementing rules


AOC: Requirements and Objective


- To develop an access framework which does not supplant but **complete existing access systems/services**
- A flexible framework to allow CoPs to **use their pre-processing components/services –where required**
- To be **compliant with the INSPIRE transformation implementing rules**


A broker system which implements the necessary **mediations** to make use of **existing** and **future data pre-processing services** –to “normalize” discovered data




















AOC:
Client → Access Broker →
Access Services


IOC:
Client → Access Services



Access Broker: the Context



Access Broker: the Context



WEB 2.0 RESOURCES DISCOVERY

Web 2.0 services considered

Service Name	Available content type
Twitter	short texts
Google Search API	Vector data (KML format)
Panoramio	Raster data (photographs)
Picasa	Raster data (photographs)
Flickr	Raster data (photographs)
OpenStreetMap	Vector data (OSM format)
Wikimapia	Text (place names & descriptions)
Geonames	Text (place names)
Geocommons	Raster and vector data (maps)
Wikipedia	Through Geonames

[Source: EuroGEOSS D2.6.1 (L. Díaz, C. Granell, O. Fonts, J. Gil)]




Web 2.0 services considered

Service Name	Available content type
Twitter	short texts
Google Search API	Vector data (KML format)
Panoramio	Raster data (photographs)
Picasa	Raster data (photographs)
Flickr	Raster data (photographs)
OpenStreetMap	Vector data (OSM format)
Wikimapia	Text (place names & descriptions)
Geonames	Text (place names)
Geocommons	Raster and vector data (maps)
Wikipedia	Through Geonames


[Source: EuroGEOSS D2.6.1 (L. Díaz, C. Granell, O. Fonts, J. Gil)]



Web 2.0 service Adaptors



Web 2.0 service Adaptors




[Source: EuroGEOSS D2.6.1 (L. Díaz, C. Granell, O. Fonts, J. Gil)]

Adaptors capabilities

[Source: EuroGEOSS D2.6.1 (L. Díaz, C. Granell, O. Fonts, J. Gil)]

Web 2.0 Service	Features
Wikipedia	through Geonames JSON Wikipedia Search Web Service: Response format : KML Filter : Text search. Paged results : NO
Geonames	through JSON Search Web Service: Response format : KML Filter : Text search Paged results : YES
Twitter	through search API: Response format : Atom + GeoRSS (Supported natively by API). Filter : Text search Paged results : NO
Flickr	through REST search API: Response format : KML Filter : Text search and bbox Paged results : YES
OpenStreetMap	through <i>nominatim</i> API: Response format : KML Filter : Text search and bbox Paged results : NO

Web 2.0 resources support




ADVANCED PREVIEW

Flexibility: support heterogeneous Clients

- Any “standard” CSW or OpenSearch Client can be used to access the discovery capacity
 - GEO-portal
 - Geonetwork
 - ArcGIS / ArcExplorer
 - Web Browsers (via OpenSearch)
 - WorldWind
 - GI-go (thick) and its thin version: GI-portal
 -

USE SCENARIOS (AIP-3)



GEOSS AIP-3 Use Scenarios

- In collaboration with the FP7 GENESIS project
- Biodiversity & Climate Change WG
 - **e-Habitat & Species Occurrences Use Scenario**
 - A web based **decision-making tool** for assessing environmental changes due to anthropogenic activities, including climate change
 - The development of the **modeling web service** for computing **habitat similarities and irreplaceability** allows the community to assess possible environmental consequences.
 - **Scientific patron: Gregoire Dubois (JRC)**
- Water (Drought) WG
 - **European Drought Observatory (EDO) Use Scenario**
 - Assessment of the drought situation in Europe
 - Multi-scale approach based on **subsidiarity** that integrates drought information from various scales
 - **Scientific patron: Stefan Niemeyer (JRC)**





Related Challenges: From ncML to ncML-G+

Encoding Field View Content

abstract

realization

Conceptual Approach

Field View
(Coverage types)

Conceptual Model & Metadata Model

ISO 19123

ISO 19115

Encoding Schema

ISO 19139

GML-
Coverage

netCDF
/CDM

CF


ncML




ESSI Lab

stefano.nativi@cnr.it


Encoding Field View Content



Encoding Field View Content




Encoding Field View Content



ESSI Lab

stefano.nativi@cnr.it

Encoding Field View Content



ncML-G+

- ▶ Building on existing artifacts
 - ▶ ncML-Gml v. 0.5 specification and APIs
 - ▶ netCDF to ISO 19123 models mapping for regular grid data
 - ▶ nclISO
 - ▶ CF-netCDF to ISO 19115 models mapping for metadata
- ▶ Encode different coverage types
 - ▶ Regular grid data
 - ▶ Irregular grid data
 - ▶ Multi-point data
 - ▶

Uncertain Types and Services

Rationale

- Main objectives:
 - Specify and Manage **Uncertainty of Scientific Data**
 - Assess and Control **Uncertainty Propagation** –e.g.
in service chaining for models integration
- Constraints:
 - **minimize the impact** on the existing tools and processing schemas
 - **Re-use existing standards** as much as possible



Proposed approach

Introduce “uncertainty” types/elements

PROCEDURAL APPROACH

e.g. *Java data types*

PL Scientific Data Types
(e.g. netCDF Libraries)

Basic Data Types




Proposed approach

Introduce “uncertainty” types/elements

PROCEDURAL APPROACH

e.g. Java data types



Proposed approach

Introduce “uncertainty” types/elements

PROCEDURAL APPROACH

e.g. Java data types

PL Scientific Data Types
(e.g. netCDF Libraries)

Basic Data Types

Uncertainty

Uncertainty properties
described by the
UncertWeb vocabulary

DECLARATIVE APPROACH

e.g. XML data elements

XML Scientific Data Types
(e.g. ncML)

XML Basic element Types



Proposed approach

Introduce “uncertainty” types/elements

PROCEDURAL APPROACH

e.g. Java data types

PL Scientific Data Types
(e.g. netCDF Libraries)

Basic Data Types

Uncertainty

Uncertainty properties
described by the
UncertWeb vocabulary

DECLARATIVE APPROACH

e.g. XML data elements

XML Scientific Data Types
(e.g. ncML)

XML Basic element Types

Uncertainty

Uncertainty Description based
on the XML encoding of the
UncertWeb vocabulary
(e.g. UncertML)




Proof-of-concepts

Uncertainty Information =



Basic info



Uncertainty info

- Different Scientific Data types are considered (i.e. Basic info encodings)
 - XML encoded (e.g. GML, ncML)
 - Binary encoded (e.g. netCDF, GRIB)



Example: netCDF/ncML + (XML) uncertainty Info



```
netcdf avg_min_2050 {  
dimensions:  
    lat = 1285 ;  
    lon = 2446 ;  
variables:  
    double lat(lat) ;  
        lat:units = "degrees_north" ;  
    double lon(lon) ;  
        lon:units = "degrees_east" ;  
    byte avg(lat, lon) ;  
        avg:_FillValue = 0b ;  
  
// global attributes:  
    :Conventions = "CF-1.0" ;  
}
```



Example: netCDF/ncML + (XML) uncertainty Info

</>

```
netcdf avg_min_2050 {  
dimensions:  
    lat = 1285 ;  
    lon = 2446 ;  
  
variables:  
    double lat(lat) ;  
        lat:units = "degrees_north" ;  
    double lon(lon) ;  
        lon:units = "degrees_east" ;  
    byte avg(lat, lon) ;  
        avg:_FillValue = 0b ;  
  
// global attributes:  
    :Conventions = "CF-1.0" ;  
}
```

```
<?xml version="1.0" encoding="UTF-8"?>  
<unc:NetCDF_Uncertainty xlink:type="extended">  
  
    <unc:netcdf xlink:type="locator"  
    xlink:locator="http://zeus.pin.unifi.it/angelini/UncertWeb/Data/avg_min  
    _2050.nc#/netcdf/variable[@name=avg]" xlink:label="dataset" />  
  
    <unc:unc_description xlink:type="arc" xlink:from="dataset"  
    xlink:to="uncertainty" />  
  
    <unc:uncertainty xlink:label="uncertainty" xlink:type="resource" >  
        <un:Statistic>  
            <un:parameters>  
                <un:Parameter  
                definition="http://dictionary.uncertml.org/statistics/mean">  
                    <un:value>3.2</un:value>  
                </un:Parameter>  
                <un:Parameter  
                definition="http://dictionary.uncertml.org/statistics/variance">  
                    <un:value>0.25</un:value>  
                </un:Parameter>  
            </un:parameters>  
        </un:Statistic>  
    </unc:uncertainty>  
</unc:NetCDF_Uncertainty>
```

Example: netCDF/ncML + (XML) uncertainty Info

</>

```
netcdf avg_min_2050 {  
dimensions:
```

```
    lat = 1285 ;
```

```
    lon = 2446 ;
```

```
variables:
```

```
    double lat(lat) ;
```

```
        lat:units = "degrees_north" ;
```

```
    double lon(lon) ;
```

```
        lon:units = "degrees_east" ;
```

```
    byte avg(lat, lon) ;
```

```
        avg:_FillValue = 0b ;
```

```
// global attributes:
```

```
    :Conventions = "CF-1.0" ;
```

```
}
```

Portion Ref.

```
<?xml version="1.0" encoding="UTF-8"?>  
<unc:NetCDF_Uncertainty xlink:type="extended">  
  
    <unc:netcdf xlink:type="locator"  
    xlink:locator="http://zeus.pin.unifi.it/angelini/UncertWeb/Data/avg_min  
    _2050.nc#/netcdf/variable[@name=avg]" xlink:label="dataset" />  
  
    <unc:unc_description xlink:type="arc" xlink:from="dataset"  
    xlink:to="uncertainty" />  
  
    <unc:uncertainty xlink:label="uncertainty" xlink:type="resource" >  
        <un:Statistic>  
            <un:parameters>  
                <un:Parameter  
                definition="http://dictionary.uncertml.org/statistics/mean">  
                    <un:value>3.2</un:value>  
                </un:Parameter>  
                <un:Parameter  
                definition="http://dictionary.uncertml.org/statistics/variance">  
                    <un:value>0.25</un:value>  
                </un:Parameter>  
            </un:parameters>  
        </un:Statistic>  
    </unc:uncertainty>  
</unc:NetCDF_Uncertainty>
```

Example: netCDF/ncML + (XML) uncertainty Info

</>

```
netcdf avg_min_2050 {
```

dimensions:

lat = 1285 ;

lon = 2446 ;

variables:

double lat(lat) ;

 lat:units = "degrees_north" ;

double lon(lon) ;

 lon:units = "degrees_east" ;

byte avg(lat, lon) ;

 avg:_FillValue = 0b ;

// global attributes:

 :Conventions = "CF-1.0" ;

}

```
<?xml version="1.0" encoding="UTF-8"?>
<unc:NetCDF_Uncertainty xlink:type="extended">

  <unc:netcdf xlink:type="locator"
    xlink:locator="http://zeus.pin.unifi.it/angelini/UncertWeb/Data/avg_min
    _2050.nc#/netcdf/variable[@name=avg]" xlink:label="dataset" />

  <unc:unc_description xlink:type="arc" xlink:from="dataset"
    xlink:to="uncertainty" />

  <unc:uncertainty xlink:label="uncertainty" xlink:type="resource" >
    <un:Statistic>
      <un:parameters>
        <un:Parameter
          definition="http://dictionary.uncertml.org/statistics/mean">
            <un:value>3.2</un:value>
          </un:Parameter>
        <un:Parameter
          definition="http://dictionary.uncertml.org/statistics/variance">
            <un:value>0.25</un:value>
          </un:Parameter>
        </un:parameters>
      </un:Statistic>
    </unc:uncertainty>
  </unc:NetCDF_Uncertainty>
```

Portion Ref.

Inbound XLink

</>

Procedural Approach: the *UncertainTypes* definition




- *UncertaintyTypes* = new library of Data Types which include the Uncertainty Info
- *UncertaintyTypes* = Basic (Data Types) + Uncertainty Info
- Basic (Data) Types = quantities for which the uncertainty is not specified
 - i.e. the PL (or library) data types



Procedural Approach: Modeling the *UncertainType* concept




- The concept of *UncertainType*, is a *BasicType specialization*:
 - *UncertainType* “is a” *BasicType*
 - An *UncertainType* includes additional information regarding its uncertainty.



Procedural Approach: Modeling the *UncertainType* concept



- The concept of *UncertainType*, is a *BasicType specialization*:
 - *UncertainType* “is a” *BasicType*
 - An *UncertainType* includes additional information regarding its uncertainty.



Sub-typing Issues



- OO programming language and encoding languages/models must support:
 - **subtyping of base types**

ALLOWED	NOT ALLOWED
ECMAScript (JavaScript)	Java
Python	XML Schema
	C++


- Operator overloading



Alternative approach




- To use an “association” relationship
- BasicType becomes a property of the associated UType



- A prototype was developed for Java data types



Possible Integration in netCDF/CDM




To include the uncertain types in the supported *DataType* list

Update the APIs to work on such new (extended) *Datatype* entries



Possible Integration in netCDF/CDM



To include the uncertain types in the supported *DataType* list

Update the APIs to work on such new (extended) *Datatype* entries

Extended netCDF API
(uncertainty DataTypes)

NetCDF
API


Uncertainty
API

Basic Data Types


Uncertainty



General picture: the Uncertainty propagation



General picture: the Uncertainty propagation



Thank you for your attention !

stefano.nativi@cnr.it

