

NOAA Technical Memorandum NWS WR-106

USE OF MOS FORECAST PARAMETERS IN TEMPERATURE
FORECASTING

John C. Plankinton, Jr.

Weather Service Forecast Office
Boise, Idaho
March 1976

UNITED STATES
DEPARTMENT OF COMMERCE
Rogers C. B. Morton, Secretary

NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION
Robert M. White, Administrator

NATIONAL WEATHER
SERVICE
George P. Cressman, Director




TABLE OF CONTENTS

	<u>Page</u>
I. Introduction	1
II. Olsen Minimum Temperature Forecasting Aid	1
III. Wind Adjustment	2
IV. Cloud Adjustment	2
V. Fog Adjustment	2-3
VI. Results and Conclusions	3
VII. References	3-4

USE OF MOS FORECAST PARAMETERS IN TEMPERATURE FORECASTING

I. INTRODUCTION

Meteorological variables are highly interrelated. A forecaster frequently makes at least subjective forecasts of one or more additional parameters such as cloudiness or precipitation in the process of preparing a temperature forecast. Someone seeking to develop an objective forecast aid is confronted with the same problem. The availability of MOS-derived wind-and-cloud forecasts has opened new opportunities to field forecasters seeking to develop local forecast aids. In this paper, a minimum temperature forecast system is developed for Pocatello, Idaho, which uses MOS wind and cloud forecasts in a physically reasoned manner. The MOS or Model Output Statistics technique is described by Glahn and Lowry [1], and the development of MOS forecast wind and cloud amount is described by Technical Procedures Bulletins Nos. 98 [2] and 124 [3].

Overnight minimum temperatures are considered by many forecasters to be strongly related to the following variables: 1) Afternoon maximum temperatures; 2) Afternoon dew-point temperatures; 3) Length of night; 4) Cloud cover; 5) Wind speed and sometimes wind direction; 6) Thermal advection; and 7) Snow cover or condition of the ground. The approach used in this study is to present an existing clear, calm forecast equation which considers points 1, 2, 3, and 7, then to develop adjustments for winds and clouds using the MOS forecasts, and finally an adjustment for fog, dew or frost.

II. OLSEN MINIMUM TEMPERATURE FORECASTING AID

An excellent aid for forecasting minimum temperatures at Helena, Montana, under clear nights and calm winds was developed by Olsen [4]. This aid includes adjustments for depth and condition of snow cover and has been used continuously by the Boise forecast office since Dave Olsen joined the staff in 1972.

$$T_{\min} = 3.92(T_{\max}^{1/2})(T_{dp}^{1/4}) [1 + 0.015 \text{ SIN} \{ \pi/180 (\text{date} - \text{Mar. 21}) \}] - Sd^{1/2}$$

where T_{\min} = forecast minimum temperature, °k
 T_{\max} = afternoon maximum temperature, °k
 T_{dp} = afternoon dew-point temperature, °k
 d = snow depth, inches
 S = snow condition, wet=1, crusty=2, dry=4,
fresh or powdery=6.

The Olsen clear/calm equation was applied to 90 nights of development data from October 21, 1975, through January 19, 1976. The average forecast error was 12.9°F., with a very strong cold bias as might be expected.

III. WIND ADJUSTMENT

An unpublished local study by Plankinton [5], suggested that nighttime winds raise the minimum temperature by about one degree fahrenheit for every knot of wind speed up to at least 13 knots. Therefore, the average MOS forecast winds at 06Z and 12Z was added to the Olsen clear/calm forecast on each of the 90 nights. This step cut the average forecast error in half to 5.96°F., however, a cold bias of nearly four degrees persisted. During the same 90 nights the MOS objective forecast temperature [6] for the first period minimum temperatures attained an average error of 4.92°F. at Pocatello.

The nights with strong forecast winds were examined and found to have a nearly neutral temperature bias, and that further adjustments for clouds or other factors would degrade the forecast accuracy. After careful testing, it was determined to eliminate the cloud adjustment if the average MOS forecast winds exceeded 11 knots. The rationale of this decision is that strong winds begin to dominate the synoptic situation and bring in air from other areas which may not be cooling at the same rate as local air might cool.

IV. CLOUD ADJUSTMENT

Next, the MOS cloud forecasts were examined. The best category value at the end of each forecast cloud group is determined by a procedure which seeks to minimize the forecast error evaluated with a contingency table. Therefore, the value tends to be biased toward the scattered or broken categories, and a decision was made not to use this best category value as a forecast variable. A weighted sum of the probabilities of each category was developed by multiplying the probability of each category by the tenths of cloud cover in the category. Thus, the probability overcast cloudiness is multiplied by 0.9, the probability of broken clouds by 0.7, and the probability of scattered by 0.3. The sum of these products forms a cloud parameter which varies from zero to 10 when rounded to the nearest integer, and was added to the previous minimum temperature estimate. This step reduced the average error for the 90 nights to 4.37, or about one-half degree better than the average MOS temperature error.

V. FOG ADJUSTMENT

An examination of the forecast error remaining after the cloud adjustment revealed that the forecast frequently erred on the cold side whenever the forecast minimum was more than a few degrees below the afternoon dew point. On many of these nights fog did develop and limited the rate of cooling. On other nights, no fog was reported on the observations, however, dew or frost or other phenomena may have occurred and limited the cooling. After close examination, it was decided to adjust the minimum temperature forecast upward if it were 5 or more degrees cooler than the afternoon dew point. The forecast minimum was adjusted upward by one degree for either 5 or 6 degrees of difference between it and the dew point; two degrees for 7 degrees of difference; three degrees for 8 degrees of difference; etc., up to a limit of 6 degrees of adjustment. Following the fog adjustment,

the average error for the 90 days of development data was 3.88, for an average improvement over the MOS temperature guidance of 1.04°F.

Several forecast parameters for thermal advection were tested with only a slight improvement in the forecast accuracy. Therefore, this factor was not included in the forecast system.

VI. RESULTS AND CONCLUSIONS

The whole minimum temperature forecasting system can be written symbolically as follows:

$$T_{\min} = T_{\min(\text{Olsen})} + \overline{\text{MOSWND}} + \overline{\text{MOSCLD}} + \text{FOG ADJUSTMENT}$$

(if MOSWND ≤ 11) (if fcst min ≤ T_{dp} - 5°F).

The system was applied to 25 nights of independent test data from January 20, 1975, through February 13, 1976, and resulted in an average forecast error of 4.12°F. compared to an average error of 5.04°F. for the MOS temperature guidance forecasts, which is very nearly the same one-degree improvement registered in the development data.

A brief period of 21 nights of data was available during the warm season from August 1975. The average forecast error from this period using the system developed in this paper was 5.67°F., compared to an average error of 4.19°F. for the MOS temperatures. However, a cold forecast bias amounting to 4.81°F. remained, providing the promise of significant improvement with the incorporation of additional forecast parameters. A promising additional factor may be the difference between the air temperature, and the soil temperature.

This minimum temperature forecast system has been programmed for use on the WANG programmable calculator and is used routinely by a few of the forecasters at Boise WSFO. The testing of the system on other forecast points within Idaho and for forecast periods beyond the first period at Pocatello is progressing. By including MOS predictors in this system, it is hoped that it will continue to improve as the numerical models improve, and that it will thus continue to show improvement over the MOS temperature forecast guidance.

VII. REFERENCES

- [1] GLAHN, H. R. and D. A. LOWRY. *The Use of Model Output Statistics (MOS) in Objective Weather Forecasting*. Journal of Applied Meteorology, Vol. 11, No. 8, pp. 1203-1211, December 1972.
- [2] TECHNICAL PROCEDURES BULLETIN NO. 98. *Surface Wind Forecasts Based on Model Output Statistics (MOS)--No. 3*. September 27, 1973.
- [3] TECHNICAL PROCEDURES BULLETIN NO. 124. *Cloud Amount Forecasts Based on Model Output Statistics--No. 2*. December 4, 1974.

- [4] OLSEN, D. E. *Objective Minimum Temperature Forecasting for Helena, Montana.* Technical Memorandum WBTM 27, U. S. Department of Commerce, ESSA, Weather Bureau, Salt Lake City, Utah, 1968.
- [5] PLANKINTON, JOHN C., JR. *Preliminary Report of Southeast Wind Project.* Unpublished Local Study, Boise WSFO, 1971.
- [6] KLEIN, WILLIAM H. and GORDON A. HAMMONS. *Maximum/Minimum Temperature Forecasts Based on Model Output Statistics.* Monthly Weather Review, Vol. 102, No. 9, pp. 796-806, September 1975.

Western Region Technical Memoranda (Continued)

- No. 45/2 Precipitation Probabilities in the Western Region Associated With Spring 500-mb Map Types. Richard P. Augulis, January 1970. (Out of print.) (PB-189434)
- No. 45/3 Precipitation Probabilities in the Western Region Associated With Summer 500-mb Map Types. Richard P. Augulis, January 1970. (Out of print.) (PB-189414)
- No. 45/4 Precipitation Probabilities in the Western Region Associated With Fall 500-mb Map Types. Richard P. Augulis, January 1970. (Out of print.) (PB-189453)
- No. 46 Applications of the Net Radiometer to Short-Range Fog and Stratus Forecasting at Eugene, Oregon. L. Yee and E. Bates, December 1969. (PB-190476)
- No. 47 Statistical Analysis as a Flood Routing Tool. Robert J. G. Burnash, December 1969. (PB-183744)
- No. 48 Tsunami. Richard P. Augulis, February 1970. (PB-190157)
- No. 49 Predicting Precipitation Type. Robert J. G. Burnash and Floyd E. Hug, March 1970. (PB-190962)
- No. 50 Statistical Report on Aeroallergens (Pollens and Molds) Fort Huachuca, Arizona, 1969. Wayne S. Johnson, April 1970. (PB-191743)
- No. 51 Western Region Sea State and Surf Forecaster's Manual. Gordon G. Shields and Gerald B. Burwell, July 1970. (PB-195102)
- No. 52 Sacramento Weather Radar Climatology. R. G. Peppas and C. M. Veliquette, July 1970. (PB-195347)
- No. 53 Experimental Air Quality Forecasts in the Sacramento Valley. Norman S. Benas, August 1970. (Out of print.) (PB-194128)
- No. 54 A Refinement of the Verticity Field to Delineate Areas of Significant Precipitation. Barry B. Aronovitch, August 1970.
- No. 55 Application of the SBARR Model to a Basin Without Discharge Record. Vail Schermerhorn and Donald W. Kuehl, August 1970. (PB-194594)
- No. 56 Areal Coverage of Precipitation in Northwestern Utah. Philip Williams, Jr., and Werner J. Heck, September 1970. (PB-194389)
- No. 57 Preliminary Report on Agricultural Field Burning vs. Atmospheric Visibility in the Willamette Valley of Oregon. Earl W. Bates and David O. Chilcote, September 1970. (PB-194710)
- No. 58 Air Pollution by Jet Aircraft at Seattle-Tacoma Airport. Wallace R. Donaldson, October 1970. (COM-71-00017)
- No. 59 Application of P.E. Model Forecast Parameters to Local-Area Forecasting. Leonard M. Smellman, October 1970. (COM-71-00016)

NOAA Technical Memoranda NWS

- No. 60 An Aid for Forecasting the Minimum Temperature at Medford, Oregon. Arthur W. Fritz, October 1970. (COM-71-00120)
- No. 61 Relationship of Wind Velocity and Stability to SO₂ Concentrations at Salt Lake City, Utah. Werner J. Heck, January 1971. (COM-71-00232)
- No. 62 Forecasting the California Eddy. Arthur L. Eichalberger, February 1971. (COM-71-00225)
- No. 63 700-mb Warm Air Advection as a Forecasting Tool for Montana and Northern Idaho. Norris E. Woerner, February 1971. (COM-71-00349)
- No. 64 Wind and Weather Regimes at Great Falls, Montana. Warren B. Price, March 1971.
- No. 65 Climate of Sacramento, California. Wilbur E. Figgins, June 1971. (COM-71-00764)
- No. 66 A Preliminary Report on Correlation of ARTC Radar Echoes and Precipitation. Wilbur K. Hall, June 1971. (COM-71-00629)
- No. 67 Precipitation Detection Probabilities by Los Angeles ARTC Radars. Dennis E. Renne, July 1971. (Out of print.) (COM-71-00925)
- No. 68 A Survey of Marine Weather Requirements. Herbert P. Benner, July 1971. (Out of print.) (COM-71-00689)
- No. 69 National Weather Service Support to Soaring Activities. Ellis Burton, August 1971. (Out of print.) (COM-71-00956)
- No. 70 Predicting Inversion Depths and Temperature Influences in the Helena Valley. David E. Olsen, October 1971. (Out of print.) (COM-71-01037)
- No. 71 Western Region Synoptic Analysis--Problems and Methods. Philip Williams, Jr., February 1972. (COM-72-10435)
- No. 72 A Paradox Principle in the Prediction of Precipitation Type. Thomas J. Weitz, February 1972. (Out of print.) (COM-72-10432)
- No. 73 A Synoptic Climatology for Snowstorms in Northwestern Nevada. Bert L. Nelson, Paul M. Franzoli, and Clarence M. Sakamoto, February 1972. (Out of print.) (COM-72-10538)
- No. 74 Thunderstorms and Hall Days Probabilities in Nevada. Clarence M. Sakamoto, April 1972. (COM-72-10554)
- No. 75 A Study of the Low Level Jet Stream of the San Joaquin Valley. Ronald A. Willis and Philip Williams, Jr., May 1972. (COM-72-10707)
- No. 76 Monthly Climatological Charts of the Behavior of Fog and Low Stratus at Los Angeles International Airport. Donald M. Bates, July 1972. (COM-72-11140)
- No. 77 A Study of Radar Echo Distribution in Arizona During July and August. John E. Hales, Jr., July 1972. (COM-72-11136)
- No. 78 Forecasting Precipitation at Bakersfield, California, Using Pressure Gradient Vectors. Earl T. Riddiough, July 1972. (COM-72-11146)
- No. 79 Climate of Stockton, California. Robert G. Nelson, July 1972. (COM-72-10920)
- No. 80 Estimation of Number of Days Above or Below Selected Temperatures. Clarence M. Sakamoto, October 1972. (COM-72-10821)
- No. 81 An Aid for Forecasting Summer Maximum Temperatures at Seattle, Washington. Edgar G. Johnson, November 1972. (COM-73-10130)
- No. 82 Flash Flood Forecasting and Warning Program in the Western Region. Philip Williams, Jr., Chester L. Glenn, and Roland L. Reetz, December 1972. (COM-73-10251)
- No. 83 A Comparison of Manual and Semi-automatic Methods of Digitizing Analog Wind Records. Glenn E. Rasch, March 1973. (COM-73-10669)
- No. 84 Southwestern United States Summer Monsoon Source--Gulf of Mexico or Pacific Ocean? John E. Hales, Jr., March 1973. (COM-73-10769)
- No. 85 Range of Radar Detection Associated With Precipitation Echoes of Given Heights by the MSR-57 at Missoula, Montana. Raymond Oranger, April 1973. (COM-73-10930)
- No. 86 Conditional Probabilities for Sequences of Wet Days at Phoenix, Arizona. Paul C. Kangieser, June 1973. (COM-73-11264)
- No. 87 A Refinement of the Use of K-Values in Forecasting Thunderstorms in Washington and Oregon. Robert V. Lee, June 1973. (COM-73-11276)
- No. 88 A Surge of Maritime Tropical Air--Gulf of California to the Southwestern United States. Ira S. Brauner, July 1973.
- No. 89 Objective Forecast of Precipitation Over the Western Region of the United States. Julia N. Paggie and Larry P. Keruff, September 1973. (COM-73-11946/SAS)
- No. 90 A Thunderstorm "Warm Wake" at Midland, Texas. Richard A. Wood, September 1973. (COM-73-11645/AS)
- No. 91 Arizona "Eddy" Tornadoes. Robert S. Ingram, October 1973. (COM-74-10465)

NOAA Technical Memoranda NWSWR: (Continued)

- No. 92 Smoke Management in the Willamette Valley. Earl M. Bates, May 1974. (COM-74-11277/AS)
- No. 93 An Operational Evaluation of 500-mb Type Stratified Regression Equations. Alexander E. MacDonald, June 1974. (COM-74-11407/AS)
- No. 94 Conditional Probability of Visibility Less Than One-Half Mile in Radiation Fog at Fresno, California. John D. Thomas, August 1974. (COM-74-11555/AS)
- No. 95 Climate of Flagstaff, Arizona. Paul W. Sorenson, August 1974. (COM-74-11678/AS)
- No. 96 Map Type Precipitation Probabilities for the Western Region. Glenn E. Rasch and Alexander E. MacDonald, February 1975. (COM-75-10428/AS)
- No. 97 Eastern Pacific Cut-Off Low of April 21-28, 1974. William J. Alder and George R. Miller, January 1976.
- No. 98 Study on a Significant Precipitation Episode in the Western United States. Ira S. Brenner, April 1975. (COM-75-10719/AS)
- No. 99 A Study of Flash Flood Susceptibility--A Basin in Southern Arizona. Gerald Williams, August 1975. (COM-75-11360/AS)
- No. 100 A Study of Flash-Flood Occurrences at a Site Versus Over a Forecast Zone. Gerald Williams, August 1975. (COM-75-11404/AS)
- No. 101 Digitized Eastern Pacific Tropical Cyclone Tracks. Robert A. Baum and Glenn E. Rasch, September 1975. (COM-75-11479/AS)
- No. 102 A Set of Rules for Forecasting Temperatures in Napa and Sonoma Counties. Wesley L. Tuft, October 1975. (PB 246 902/AS)
- No. 103 Application of the National Weather Service Flash-Flood Program in the Western Region. Gerald Williams, January 1976.
- No. 104 Objective Aids for Forecasting Minimum Temperatures at Reno, Nevada, During the Summer Months. Christopher D. Hill, January 1976.
- No. 105 Forecasting the Mono Wind. Charles P. Ruscha, Jr., February 1976.