

NOAA Technical Memorandum NWS WR-153



AN AUTOMATIC LIGHTNING DETECTION SYSTEM IN NORTHERN CALIFORNIA

Salt Lake City, Utah
June 1980

**U.S. DEPARTMENT OF
COMMERCE**

/ National Oceanic and
Atmospheric Administration

/ National Weather
Service

NOAA TECHNICAL MEMORANDA
National Weather Service, Western Region Subseries

The National Weather Service (NWS) Western Region (WR) Subseries provides an informal medium for the documentation and quick dissemination of results not appropriate, or not yet ready, for formal publication. The series is used to report on work in progress, to describe technical procedures and practices, or to relate progress to a limited audience. These Technical Memoranda will report on investigations devoted primarily to regional and local problems of interest mainly to personnel, and hence will not be widely distributed.

Papers 1 to 25 are in the former series, ESSA Technical Memoranda, Western Region Technical Memoranda (WRTM); papers 24 to 59 are in the former series, ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM). Beginning with 60, the papers are part of the series, NOAA Technical Memoranda NWS. Out-of-print memoranda are not listed (inclusive, I-115).

Papers 2 to 22, except for 5 (revised edition), are available from the National Weather Service Western Region, Scientific Services Division, P. O. Box 11188, Federal Building, 125 South State Street, Salt Lake City, Utah 84147. Paper 5 (revised edition), and all others beginning with 25 are available from the National Technical Information Service, U. S. Department of Commerce, Sillis Building, 5285 Port Royal Road, Springfield, Virginia 22151. Prices vary for all paper copy; \$2.25 microfiche. Order by accession number shown in parentheses at end of each entry.

ESSA Technical Memoranda (WRTM)

- 2 Climatological Precipitation Probabilities. Compiled by Lucianne Miller, December 1965.
- 3 Western Region Pre- and Post-FP-3 Program, December 1, 1965, to February 20, 1966. Edward D. Diemer, March 1966.
- 5 Station Descriptions of Local Effects on Synoptic Weather Patterns. Phillip Williams, Jr., April 1966 (revised November 1967, October 1969). (PB-17800)
- 7 Final Report on Precipitation Probability Test Programs. Edward D. Diemer, May 1966.
- 8 Interpreting the RAREP. Herbert P. Benner, May 1966 (revised January 1967).
- 11 Some Electrical Processes in the Atmosphere. J. Latham, June 1966.
- 17 A Digitalized Summary of Radar Echoes within 100 Miles of Sacramento, California. J. A. Youngberg and L. B. Overeas, December 1966.
- 18 Limitations of Selected Meteorological Data. December 1966.
- 21 An Objective Aid for Forecasting the End of East Winds in the Columbia Gorge, July through October. D. John Coparanis, April 1967.
- 22 Derivation of Radar Horizons in Mountainous Terrain. Roger G. Pappas, April 1967.

ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM)

- 25 Verification of Operational Probability of Precipitation Forecasts, April 1966-March 1967. W. W. Dickey, October 1967. (PB-176240)
- 26 A Study of Winds in the Lake Mead Recreation Area. R. P. Augulis, January 1968. (PB-177830)
- 28 Weather Extremes. R. J. Schmidt, April 1968 (revised July 1968). (PB-178928)
- 29 Small-Scale Analysis and Prediction. Phillip Williams, Jr., May 1968. (PB-178425)
- 30 Numerical Weather Prediction and Synoptic Meteorology. Capt. Thomas D. Murphy, U.S.A.F., May 1968. (AD-673365)
- 31 Precipitation Detection Probabilities by Salt Lake ARTC Radars. Robert K. Belesky, July 1968. (PB-179084)
- 32 Probability Forecasting--A Problem Analysis with Reference to the Portland Fire Weather District. Harold S. Ayer, July 1968. (PB-179289)
- 35 Joint ESSA/FAA ARTC Radar Weather Surveillance Program. Herbert P. Benner and DeVon B. Smith, December 1968 (rev. June 1970). (AD-681857)
- 36 Temperature Trends in Sacramento--Another Heat Island. Anthony D. Lentini, February 1969. (PB-183055)
- 37 Disposal of Logging Residues without Damage to Air Quality. Owen P. Cramer, March 1969. (PB-183057)
- 38 Climate of Phoenix, Arizona. R. J. Schmidt, P. C. Kangieser, and R. S. Ingram, April 1969. (Rev. July 1971; May 1976.) (PB-184295)
- 39 Upper-Air Lows over Northwestern United States. A. L. Jacobson, April 1969. (PB-184296)
- 40 The Man-Machine Mix in Applied Weather Forecasting in the 1970s. L. W. Snellman, August 1969. (PB-185068)
- 42 Analysis of the Southern California Santa Ana of January 15-17, 1966. Barry B. Aronovitch, August 1969. (PB-185670)
- 43 Forecasting Maximum Temperatures at Helena, Montana. David E. Olsen, October 1969. (PB-185762)
- 44 Estimated Return Periods for Short-Duration Precipitation in Arizona. Paul C. Kangieser, October 1969. (PB-187763)
- 46 Applications of the Net Radiometer to Short-Range Fog and Stratus Forecasting at Eugene, Oregon. L. Yee and E. Bates, December 1969. (PB-190476)
- 47 Statistical Analysis as a Flood Routing Tool. Robert J. C. Burnash, December 1969. (PB-188744)
- 48 Tsunami. Richard P. Augulis, February 1970. (PB-190157)
- 49 Predicting Precipitation Type. Robert J. C. Burnash and Floyd E. Hug, March 1970. (PB-190962)
- 50 Statistical Report on Aeroallergens (Pollens and Molds) Fort Huachuca, Arizona, 1969. Wayne S. Johnson, April 1970. (PB-191743)
- 51 Western Region Sea State and Surf Forecaster's Manual. Gordon C. Shields and Gerald B. Burdwell, July 1970. (PB-193102)
- 52 Sacramento Weather Radar Climatology. R. G. Pappas and C. M. Veliquette, July 1970. (PB-193347)
- 54 A Refinement of the Vorticity Field to Delineate Areas of Significant Precipitation. Barry B. Aronovitch, August 1970.
- 55 Application of the SSARR Model to a Basin without Discharge Record. Vail Schermerhorn and Donald W. Kuehl, August 1970. (PB-194394)
- 56 Areal Coverage of Precipitation in Northwestern Utah. Phillip Williams, Jr., and Werner J. Heck, Sept. 1970. (PB-194389)
- 57 Preliminary Report on Agricultural Field Burning vs. Atmospheric Visibility in the Willamette Valley of Oregon. Earl M. Bates and David O. Chilcote, September 1970. (PB-194710)
- 58 Air Pollution by Jet Aircraft at Seattle-Tacoma Airport. Wallace R. Donaldson, October 1970. (COM-71-00017)
- 59 Application of PE Model Forecast Parameters to Local-Area Forecasting. Leonard W. Snellman, Oct. 1970. (COM-71-00016)

NOAA Technical Memoranda (NWS WR)

- 60 An Aid for Forecasting the Minimum Temperature at Medford, Oregon. Arthur W. Fritz, October 1970. (COM-71-00120)
- 62 Forecasting the Catalina Eddy. Arthur L. Eichelberger, February 1971. (COM-71-00223)
- 63 700-mb Warm Air Advection as a Forecasting Tool for Montana and Northern Idaho. Norris E. Woerner, February 1971. (COM-71-00349)
- 64 Wind and Weather Regimes at Great Falls, Montana. Warren B. Price, March 1971.
- 66 A Preliminary Report on Correlation of ARCC Radar Echoes and Precipitation. Wilbur K. Hall, June 1971. (COM-71-00829)
- 69 National Weather Service Support to Soaring Activities. Ellis Burton, August 1971. (COM-71-00956)
- 71 Western Region Synoptic Analysis--Problems and Methods. Phillip Williams, Jr., February 1972. (COM-72-10433)
- 74 Thunderstorms and Hail Days Probabilities in Nevada. Clarence M. Sakamoto, April 1972. (COM-72-10554)
- 75 A Study of the Low Level Jet Stream of the San Joaquin Valley. Ronald A. Willis and Phillip Williams, Jr., May 1972. (COM-72-10707)
- 76 Monthly Climatological Charts of the Behavior of Fog and Low Stratus at Los Angeles International Airport. Donald M. Gales, July 1972. (COM-72-11140)
- 77 A Study of Radar Echo Distribution in Arizona During July and August. John E. Hales, Jr., July 1972. (COM-72-11136)
- 78 Forecasting Precipitation at Bakersfield, California, Using Pressure Gradient Vectors. Earl T. Riddough, July 1972. (COM-72-11146)
- 79 Climate of Stockton, California. Robert C. Nelson, July 1972. (COM-72-10920)
- 80 Estimation of Number of Days Above or Below Selected Temperatures. Clarence M. Sakamoto, October 1972. (COM-72-10021)
- 81 An Aid for Forecasting Summer Maximum Temperatures at Seattle, Washington. Edgar G. Johnson, Nov. 1972. (COM-73-10150)
- 82 Flash Flood Forecasting and Warning Program in the Western Region. Phillip Williams, Jr., Chester L. Glenn, and Roland L. Raetz, December 1972. (Rev. March 1978.) (COM-73-10251)
- 83 A Comparison of Manual and Semiautomatic Methods of Digitizing Analog Wind Records. Glenn E. Rasch, March 1973. (COM-73-10669)
- 84 Southwestern United States Summer Monsoon Source--Gulf of Mexico or Pacific Ocean? John E. Hales, Jr., March 1973. (COM-73-10769)
- 86 Conditional Probabilities for Sequences of Wet Days at Phoenix, Arizona. Paul C. Kangieser, June 1973. (COM-73-11264)
- 87 A Refinement of the Use of K-Values in Forecasting Thunderstorms in Washington and Oregon. Robert Y. G. Lee, June 1973. (COM-73-11276)
- 89 Objective Forecast of Precipitation over the Western Region of the United States. Julia N. Paegle and Larry P. Kierulff, September 1973. (COM-73-11946/3AS)
- 90 A Thunderstorm "Warm Wake" at Midland, Texas. Richard A. Wood, September 1973. (COM-73-11845/AS)
- 91 Arizona "Eddy" Tornadoes. Robert S. Ingram, October 1973. (COM-73-10465)

NOAA Technical Memorandum NWS WR-153

AN AUTOMATIC LIGHTNING DETECTION SYSTEM IN NORTHERN CALIFORNIA

James A. Rea and Chris E. Fontana

National Weather Service Office - Fire Weather
Redding, California
June 1980


UNITED STATES
DEPARTMENT OF COMMERCE
Philip M. Klutznick, Secretary

NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION
Richard A. Frank, Administrator

National Weather
Service
Richard E. Hallgren, Director



This Technical Memorandum has been
reviewed and is approved for
publication by Scientific Services
Division, Western Region.

A handwritten signature in black ink, appearing to read "L. W. Snellman". The signature is written in a cursive style with a long, sweeping tail that extends to the right.

L. W. Snellman, Chief
Scientific Services Division
Western Region Headquarters
Salt Lake City, Utah

CONTENTS

	<u>Page</u>
List of Figures	iv
I. Introduction	1
II. Data Source and Analysis Technique	1
III. Automatic Lightning Detection System	2
IV. Preliminary Results and Discussion	2
V. Conclusions	5
VI. Acknowledgments	5
VII. References	6

FIGURES

	<u>Page</u>
Figure 1. Typical Lightning Magnetic Waveforms . . .	7
Figure 2. Northern California-Elko ALDS	7
Figure 3. Schematic of Northern California ALDS . .	8
Figure 4. ALDS Antenna Array at Susanville, California	8
Figure 5. ALDS Flash Plotter	9
Figure 6. Position Analyzer	9
Figure 7. Longitude/Latitude Printout	10
Figure 8. Medford Radar Overlay, 0030Z 8/29/79 . . .	10
Figure 9A and 9B. Composite Lightning Scatter Diagram	11
Figure 10. Lightning Fires-Ground Lightning Lassen NF, July 20, 1979	12
Figure 11. Medford Radar Overlay, 0230Z 7/22/79 . . .	13
Figure 12. Enhanced GOES IR, 0245Z 7/22/79	13
Figure 13. Sacramento Radar Overlay, 0130Z 8/17/79 .	14
Figure 14. VIS GOES, 0045Z 8/17/79	14
Figures 15A and 15B. Lightning Fires-Ground Lightning Shasta-Trinity, 8/28-29/79 . .	15

AN AUTOMATIC LIGHTNING DETECTION SYSTEM IN NORTHERN CALIFORNIA

James A. Rea and Chris E. Fontana
Weather Service Office, Fire Weather
Redding, California

I. INTRODUCTION

Annually, lightning starts 73% of the average 1100 fires each fire season in the Redding fire-weather forecast district of northern California (Annual Fire Reports 1969-1978). While northern California has a relatively fine-mesh, fixed-surveillance lookout network and receives overlapping radar coverage from the Medford and Sacramento Weather Service Offices (WSO) radar units, sizeable observational gaps exist. Not infrequently, poor visibility in haze, smoke, and low cloud cover will significantly restrict lookout and aircraft surveillance of forest land. In addition, existing radar coverage is terrain-limited in many mountainous areas of northern California. Radar and satellite imagery can detect thunderstorm cells, but neither delineates actual lightning strikes within convective activity where the greatest potential of lightning fire ignition exists.

In 1977, Automatic Lightning Detection System Direction Finder (ALDS DF) units were installed by the USDI Bureau of Land Management (BLM) at Susanville, California, and Lakeview, Oregon, as part of the Great Basin ALDS. The ALDS is capable of detecting and locating cloud to ground lightning discharges over considerable areas. This paper describes the performance and capabilities of the ALDS in relation to radar coverage, satellite imagery, and actual lightning fire starts during the 1979 fire season in northern California.

II. DATA SOURCE AND ANALYSIS TECHNIQUE

Hourly radar overlays were examined from the Sacramento and Medford WSO radar units for the months of July and August, the most active thunderstorm months this last 1979 fire season in the Redding fire-weather forecast district. Both Sacramento and Medford radar units employ 10 cm WSR-57M radars with a maximum effective range of 250 nautical miles and report maximum echo tops out to 125 nautical miles.

Satellite coverage was provided by the San Francisco NESS office from the Geostationary Orbiting Earth Satellite (GOES-W) in position at 135 degrees west longitude. Hourly visual and enhanced infrared (HD Curve) satellite film loops, 1- and 4-mile resolution were compared with radar, ALDS output and surface observations on all days during this bimonthly period where lightning fires occurred or ground strikes were detected by the ALDS in northern California.

Actual lightning fire legal locations, estimated origin times, and discovery times were taken from USFS form 5100-29 and CDF form FC 18, and plotted on USFS 1/2 inch: 1 mile USFS National Forest maps. The longitude/latitude printouts of all ground strikes (flashes) from the Susanville DF unit were hand plotted on the same USFS maps for each month of July and August, indicating the ALDS identification number and time of each flash. Transparent overlays graduated in 1-, 5-, and 10-mile increments with cardinal directions radiating out from the fire site and depicting all flashes in proximity were traced for all lightning-caused fires. Scatter diagrams were then constructed from the overlays for fires sharing a

common geographic proximity to eliminate flashes that represented noise and to locate common areas of flashes about fires along approximately the same azimuth and distance from Susanville.

III. AUTOMATIC LIGHTNING DETECTION SYSTEM (ALDS)

A typical cloud-to-ground lightning discharge is characterized by a distinctive electromagnetic waveform (Noggle, et al, 1976; Tiller, et al, 1976). A stepped leader precedes the more energetic, highly luminous return stroke which traces upward along the ionized channel formed by the stepped leader (Uman, 1969; Krider, et al, 1976; Krider and Radda, 1975). A dart leader then propagates downward, followed by another return stroke. A series of leader-return combinations complete a typical flash (Uman, 1969). A cloud-to-cloud discharge waveform differs considerably in rise time, polarity rebound magnitude and pulse width, as well as frequency of occurrence, from a cloud-to-ground discharge (Figure 1) (Noggle, et al, 1976; Krider, et al, 1980). The current ALDS circuitry is capable of identifying cloud-to-ground discharges and filtering out cloud-to-cloud discharges with an estimated 80-90% detection efficiency (Krider, et al, 1980).

The Susanville and Lakeview DF units are on the western fringe of the USDI BLM Great Basin ALDS network (Figure 2). The major functional components of the DF installations are (1) an antenna array and (2) an electronics chassis with analog and digital subsystems (Figures 3 and 4). The electronics chassis serves to screen, process, and plot flash vectors (Figure 5) from the antenna outputs. The digital subsystem computes and stores flash azimuth angles, peak magnetic field values, and strokes per flash; then transmits this data to a position analyzer (PA) in Elko, Nevada.

The Elko PA computes flash locations by triangulation for chronologically coincident flashes detected by the Susanville, Lakeview, Ely, and Elko DF units. When flashes occur near a common DF unit baseline, flash location is computed from a ratio of DF signal strength. The PA map plots each flash (Figure 6), then transmits longitude/latitude flash positions back to a line printer at the peripheral DF sites at Susanville and Lakeview (Figure 7). For wider, operational dissemination in northern California, the Susanville DF operators enter the PA computed longitude/latitude flash positions into AFFIRMS. (For a more detailed review, refer to Krider, et al, 1980; Krider and Noggle, 1975; Vance, et al, 1979; Noggle, et al, 1976, and Herman, et al, 1976.)

IV. PRELIMINARY RESULTS AND DISCUSSION

Until the advent of the ALDS, the principal large-scale method of detecting and tracking thunderstorms was through the use of the NWS radar network. Since radar coverage is blocked by terrain, this system has inherent limitations over the mountainous terrain in northern California; especially over the Shasta Trinity/Marble Mountain Wilderness and Siskiyou County. Even with both radar units operational, there are areas of northern California where the minimum detectable cell height is 20,000 feet. Should one radar become inoperable, the minimum detectable cell height balloons to 40,000 feet for some locations (Pappas, 1969).

The BLM ALDS network was found to complement and refine NWS radar coverage over northern California during the 1979 fire season. Examination of the WSO radar overlays and ALDS flash locations revealed that where radar indicated maximum cell tops and intensity levels, that the ALDS also detected corresponding areas of maximum cloud-to-ground lightning activity. While there existed a definite correlation between radar-ALDS areas of maximum thunderstorm activity, the ALDS often identified areas of heavy downstrike activity an hour or so before radar later detected rapidly building, intense thunderstorm echoes.

The ALDS further refined radar coverage by identifying cloud-to-ground activity in low reflectivity cells. An example occurred during the afternoon of August 28th. The Medford WSO radar indicated a scattered area of light rainshowers with maximum tops of 19,000 feet near Mount Shasta at 1730 PST. The ALDS was detecting downstrikes at this same time in the Mount Shasta area. The Shasta-Trinity National Forest suppressed a lightning-caused fire 7 miles southeast of Mount Shasta, in proximity to where the ALDS had plotted ground strikes less than an hour before (Figure 8).

Scatter diagram analysis and subjective examination of gross patterns of lightning fires and specific flash locations strongly indicated a consistent deviation between actual lightning fires and the ALDS longitude/latitude computed flash positions (Figure 9). The ALDS flash longitude/latitude plots exhibited a definite clockwise rotation with respect to Susanville from the actual lightning fires starts, occasionally forming a displaced, imperfect mirror image of each other. A series of lightning fires near Chester on July 20th in the Lassen National Forest formed a rough "horseshoe" pattern, while the ALDS derived downstrike pattern roughly duplicated the same pattern displaced to the northwest (Figure 10).

On July 21, an early evening thunderstorm over the Mt. Eddy area near Mount Shasta started 8 fires. The Medford radar unit indicated an isolated, heavy thundershower with a 42,000 foot maximum top in this area. While the ALDS detected numerous downstrikes, apparently associated with that thunderstorm, the longitude/latitude PA computed positions were all in the Shasta Valley, several miles to the northeast of the actual thunderstorm activity and resultant fires (Figure 11). The surface weather observations from the Montague Airport, 5 miles east of Yreka, showed only broken midlevel cloudiness, though the ALDS placed several strikes within 1 mile of Montague. Enhanced infrared satellite imagery also indicated an intense thunderstorm west of Mount Shasta over the Mt. Eddy area during this same time period (Figure 12).

A more dramatic illustration of the clockwise deviation in the longitude/latitude flash plots occurred on August 16th along the extreme limit of the Susanville-Lakeview ALDS sector. The Sacramento WSO radar indicated a north-south line of thundershowers positioned slightly east of Lake Tahoe from 1430 PST to 2030 PST. Several ALDS longitude/latitude flash positions were plotted well to the west in the Frenchman Lake area of the Plumas National Forest during this time span (Figure 13). No fires near Frenchman Lake were reported during the entire month of August. Visual GOES-W satellite pictures corroborate Sacramento WSO radar coverage by placing the thunderstorm line in Nevada through the entire period well east of the Frenchman Lake area (Figure 14).

August 28-29 were relatively active thunderstorm days in the Shasta Lake-Burney area of the Shasta-Trinity National Forest and on the adjacent CDF Shasta Ranger Unit. Lightning started 6 fires on the 28th and 7 fires on the 29th in this area. The Sacramento and Medford WSO radars depicted broken areas of rainshowers or thundershowers in northeastern Shasta-Trinity National Forest

both days. A plot of the lightning-caused fires and ALDS longitude/latitude flash positions illustrated a northeast deviation of about 7 miles relative to actual lightning ignition and ALDS flash positions (Figure 15). The fire near the southwest end of Shasta Lake is bounded by a southwest-northeast flash pattern, reflecting the movement and development of thunderstorm cells in that area on the 29th.

The actual distance of displacement was found to vary with distance from Susanville, but was generally consistent with a clockwise rotation of an average 9 degrees. When the clockwise deviation is allowed for, the ALDS placed flashes within 1 mile of approximately 80% of all lightning-caused fires reported in the Redding fire-weather district for the period investigated.

Two general types of locating errors can exist in the ALDS; systematic and siting. The two are not mutually exclusive. Siting errors are localized anomalies due to interference from high-tension lines or large metal structures in close proximity to the DF antenna array. Systematic errors could arise from the longitude/latitude algorithm software in the PA computations generating the longitude/latitude flash positions. LLP is currently rewriting the longitude/latitude algorithm to be used next fire season (Krider, personal communication).

While ALDS DF range is optimally 260 miles, the system is calibrated to detect 80% of ground strikes with channel currents of 20 KA at 120 miles (Duane Herman, personal communication). The ALDS failed to detect any flashes for several lightning-caused fires in the more remote Shasta-Trinity/Marble Mountain Wilderness Area, roughly 160 miles from both Susanville and Lakeview DF units. Through examination of the Susanville flash vectors, the authors could not discriminate vectors along that azimuth from other flashes slightly farther to the east on those days. The Lakeview flash vectors were not available for examination. Both stations would have to detect flashes for the Elko PA to compute longitude/latitude positions.

The lightning activity over the Shasta-Trinity/Marble Mountain Wilderness Area could have been below the detection threshold of the Lakeview-Susanville DF at that extreme range. Other possibilities are that the ground strikes producing ignition were of positive polarity or long continuing current (LCC) ground strikes of relatively lower channel current and longer duration (Fuquay, 1979). D. J. Latham of the Intermountain Northern Forest Fire Laboratory at Missoula has postulated that while positive flash-to-negative flash frequency is about 1:100, the positive flashes persist slightly longer and occur along the periphery of thunderstorms subjected to significant wind shear (D. J. Latham, personal communication). The current ALDS circuitry only detects and plots negative polarity flashes.

The thunderstorms over the Shasta-Trinity/Marble Mountain Wilderness Area were associated with an upper-level, cold-core low, which did exhibit some cyclonic wind shear. However, thunderstorms further east were subjected to the same shear and flashes were detected by the ALDS those same days. Lightning Location and Protection Incorporated, the manufacturer of the ALDS, is designing a PROM breadboard to detect the positive flashes and the BIFC communication division plans to install two in a test mode at Boise, Idaho, and Vail, Oregon, this coming 1980 fire season (Duane Herman, personal communication).

V. CONCLUSIONS

The ALDS represents a potentially powerful tool toward achieving an improvement in lightning-caused fire detection, more efficient use of surveillance resources, time and suppression cost reduction. The performance of the ALDS during the most active period of the 1979 fire season in the Redding fire-weather forecast district establishes the local system's detection capability, as well as, identifies the ALDS complementary utility in detecting lightning activity in low reflectivity thunderstorm cells. The ALDS can offer a significant refinement to existing radar network by locating actual ground-lightning activity in areas of poor radar coverage, an addition to isolating lightning centers with radar detected storm cells. This has meaningful applications not only to the fire-weather program, but potential NWS public service significance as well.

The clockwise deviation in PA-derived longitude/latitude positions are amenable to solution by a more refined longitude/latitude algorithm, resiting the DF antenna array, electronic antenna rotation, or programming the site anomalies into the PA software. Further extension of the detection range in northern California, and associated increase in triangulation accuracy, could be achieved by siting a DF unit near Weaverville to cover the west sides of the Shasta-Trinity and Klamath National Forests.


The ALDS not only offers a promising method in creating precise, localized ground strike-fire probability maps, but also fills a critical input function toward the eventual development of probabilistic lightning ignition models similar to those proposed by the Missoula Fire Laboratory (Fuquay, et al, 1979; Latham, 1979). Also, additional refinement of the current NFDRS Lightning Activity Level (LAL) guides deserves further attention through examination of ALDS lightning data in conjunction with IR satellite-derived cloudtops superimposed on radar indicated intensities (Ellrod, 1979). This would be especially useful for application over data-sparse forests or extension to areas lacking adequate radar coverage.

VI. ACKNOWLEDGMENTS


The authors are grateful to Walter J. Strach, Jr., at San Francisco NESS, for his timely assistance in obtaining the satellite imagery. We appreciate the generous assistance provided by numerous NWS, BLM, CDF, and USFS personnel. We wish to thank P. Krider, D. Latham, and D. Herman for many helpful discussions and suggestions. A special thanks to Laurinda McTucker for correcting and typing the manuscript.

VII. REFERENCES

- Ellrod, G., 1979: Estimation of Thunderstorm Top Heights Using Enhanced IR Imagery. Satellite Information Note 79/5. U. S. Dept. of Commerce, NWS/NESS-NOAA.
- Fuquay, D. M., R. G. Baughman, and D. J. Latham, 1979: A Model for Predicting Lightning Fire Ignition in Wildland Fuels. USDA Research Paper INT-217.
- Herman, B. D., M. A. Uman, R. D. Brantley, and E. P. Krider, 1976: Test of the Principle of Operation of a Wideband Magnetic Direction Finder for Lightning Return Strokes. J. Appl. Meteor. 15:402-405.
- Krider, E. P., and R. C. Noggle, 1975: Broadband Antenna Systems for Lightning Magnetic Fields. J. Appl. Meteor. 14:252-256.
- Krider, E. P., R. C. Noggle, and M. A. Uman, 1976: A Gated, Wideband Magnetic Direction Finder for Lightning Return Strokes. J. Appl. Meteor. 15:301-306.
- Krider, E. P., R. C. Noggle, A. E. Pifer, and D. L. Vance, 1980: Lightning Direction-Finding Systems for Forest Fire Detection. Submitted to Bulletin AMS.
- Krider, E. P., and G. J. Radda, 1975: Radiation Field Waveforms Produced by Lightning Stepped Leader. J. Geophys. Res. 80:2653-2657.
- Latham, D. J., 1979: Progress Toward Locating Lightning Fires. USDA Forest Service Research Note INT-269.
- Noggle, R. C., E. P. Krider, D. L. Vance, and K. B. Barker, 1976: A Lightning Direction-Finding System for Forest Fire Detection. Fourth Conference Fire and Forest Meteor., St. Louis, Missouri, Nov. 16-18, Amer. Meteor. Soc. and Soc. Amer. For.
- Pappas, R. G., 1967: Derivation of Radar Horizons in Mountainous Terrain. ESSA Technical Memorandum, NWS WR-22, U. S. Dept. of Commerce, National Weather Service Western Region.
- Tiller, J. S., M. A. Uman, Y. T. Lin, R. D. Brantley, and E. P. Krider, 1976: Electric Field Statistics for Close Lightning Return Strokes near Gainesville, Florida. J. Geophys. Res. 81:4430-4434.
- Uman, M. A., 1969: Lightning. McGraw-Hill, New York, New York, pp. 264.
- Vance, D. L., and E. P. Krider, 1978: Lightning Detection Systems for Fire Management. Fifth Conference Fire and Forest Meteor., Atlantic City, New Jersey, March 14-16, Amer. Meteor. Soc. and Soc. Amer. For.
- Vance, D. L., D. L. Herman, R. M. Santos, L. M. Brown, P. F. Sielaff, and K. L. McGillivray, 1979: A Wide Area Lightning Detection Network. Fourth Annual Meeting National Weather Association, Denver, Colorado, Nov. 30, NWA.



a) The first return stroke in a discharge to ground.



b) A large amplitude component of an intracloud discharge.

-7-




Figure 2. Northern California-Elko ALDS.

Figure 1. Typical Lightning Magnetic Waveforms.
(Courtesy of E. P. Krider)




Figure 3. Schematic of Northern California ALDS.




Figure 4. ALDS Antenna Array At Susanville, California.




Figure 5. ALDS Flash Plotter.




Figure 6. Position Analyzer.

22:07:23 10/13/79

---FLASH TOTALS---

	GOOD	OUT	BAD	REGION
D.F. #1	16	8	15	8
D.F. #2	82	74	11	8
D.F. #3	6	5	1	8
FLASHES	8	0	0	8

LIGHTNING LOCATION & PROTECTION, INC.

FLASH	TIME		LAT	LONG	DF'S	
1	22:11:53	1	40:00:24	-123:09:57	21	21
2	22:19:54	1	40:11:36	-122:52:58	21	21
3	22:28:52	2	40:03:48	-123:04:06	21	21
4	22:30:40	1	40:00:31	-122:40:04	21	21
5	22:31:40	1	40:16:31	-122:55:25	21	21
6	22:34:20	1	39:51:23	-122:52:08	21	21
7	22:39:12	1	40:31:41	-122:58:00	12	12
8	22:41:13	1	39:45:52	-120:16:59	12	123
9	22:48:21	1	39:52:33	-120:04:48	21	21
10	22:48:42	1	40:30:38	-122:53:47	21	21
11	23:05:17	1	40:04:58	-122:57:18	21	21
12	23:16:03	1	39:49:27	-123:03:16	21	21
13	23:18:27	1	35:41:07	-122:56:50	21 B	21
14	23:20:23	1	36:46:34	-122:25:46	21 B	21
15	23:33:07	1	34:33:23	-121:30:21	21 B	21
16	23:41:54	1	40:48:59	-122:58:14	12	12
17	23:58:58	1	40:06:33	-122:56:29	21	21

00:02:01 *****DF 1 STATUS U U U U *****
 00:02:01 *****DF 2 STATUS U U U U *****
 00:02:01 *****DF 3 STATUS U U U U *****
 CD

Figure 7. Longitude/Latitude Printout.




Figure 8. Medford Radar Overlay, 0030Z 8/29/79. ♦ Lightning Fires. X Ground Strikes.




Figure 9A




Figure 9B
Composite Lightning Scatter Diagram




Figure 10. Lightning Fires-Ground Lightning Lassen NF, July 20, 1979.
 ◆ Lightning Fires. X Ground Strikes.




Figure 11. Medford Radar Overlay, 0230Z July 22, 1979. X Ground Strikes.




Figure 12. Enhanced GOES IR, 0245Z July 22, 1979.




Figure 13. Sacramento Radar Overlay, 0130Z August 17, 1979.




Figure 14. VIS GOES, 0045Z August 17, 1979.




Figure 15A




Figure 15B

Lightning Fires-Ground Lightning Shasta-Trinity, August 28-29, 1979.
◆ Lightning Fires. X Ground Strikes.

NOAA Technical Memoranda NWSWR: (Continued)

- 92 Smoke Management in the Willamette Valley. Earl M. Bates, May 1974. (COM-74-11277/AS)
- 93 An Operational Evaluation of 500-mb Type Regression Equations. Alexander E. MacDonald, June 1974. (COM-74-11407/AS)
- 94 Conditional Probability of Visibility Less than One-Half Mile in Radiation Fog at Fresno, California. John D. Thomas, August 1974. (COM-74-11555/AS)
- 96 Map Type Precipitation Probabilities for the Western Region. Glenn E. Rasch and Alexander E. MacDonald, February 1975. (COM-75-10428/AS)
- 97 Eastern Pacific Cut-off Low of April 21-28, 1974. William J. Alder and George R. Miller, January 1976. (PB-250-711/AS)
- 98 Study on a Significant Precipitation Episode in Western United States. Ira S. Brenner, April 1976. (COM-75-10719/AS)
- 99 A Study of Flash Flood Susceptibility--A Basin in Southern Arizona. Gerald Williams, August 1975. (COM-75-11360/AS)
- 102 A Set of Rules for Forecasting Temperatures in Napa and Sonoma Counties. Wesley L. Tuft, October 1975. (PB-246-902/AS)
- 103 Application of the National Weather Service Flash-Flood Program in the Western Region. Gerald Williams, January 1976. (PB-253-053/AS)
- 104 Objective Aids for Forecasting Minimum Temperatures at Reno, Nevada, During the Summer Months. Christopher D. Hill, January 1976. (PB-252-866/AS)
- 105 Forecasting the Mono Wind. Charles P. Ruscha, Jr., February 1976. (PB-254-650)
- 106 Use of MOS Forecast Parameters in Temperature Forecasting. John C. Plankinton, Jr., March 1976. (PB-254-649)
- 107 Map Types as Aids in Using MOS PoPs in Western United States. Ira S. Brenner, August 1976. (PB-259-594)
- 108 Other Kinds of Wind Shear. Christopher D. Hill, August 1976. (PB-260-437/AS)
- 109 Forecasting North Winds in the Upper Sacramento Valley and Adjoining Forests. Christopher E. Fontana, Sept. 1976. (PB-273-677/AS)
- 110 Cool Inflow as a Weakening Influence on Eastern Pacific Tropical Cyclones. William J. Denney, November 1976. (PB-264-655/AS)
- 112 The MAN/MOS Program. Alexander E. MacDonald, February 1977. (PB-265-941/AS)
- 113 Winter Season Minimum Temperature Formula for Bakersfield, California, Using Multiple Regression. Michael J. Oard, February 1977. (PB-273-694/AS)
- 114 Tropical Cyclone Kathleen. James R. Fors, February 1977. (PB-273-676/AS)
- 116 A Study of Wind Gusts on Lake Mead. Bradley Colman, April 1977. (PB-268-847)
- 117 The Relative Frequency of Cumulonimbus Clouds at the Nevada Test Site as a Function of K-value. R. F. Quiring, April 1977. (PB-272-831)
- 118 Moisture Distribution Modification by Upward Vertical Motion. Ira S. Brenner, April 1977. (PB-268-740)
- 119 Relative Frequency of Occurrence of Warm Season Echo Activity as a Function of Stability Indices Computed from the Yucca Flat, Nevada, Rawinsonde. Darryl Randerson, June 1977. (PB-271-290/AS)
- 121 Climatological Prediction of Cumulonimbus Clouds in the Vicinity of the Yucca Flat Weather Station. R. F. Quiring, June 1977. (PB-271-704/AS)
- 122 A Method for Transforming Temperature Distribution to Normality. Morris S. Webb, Jr., June 1977. (PB-271-742/AS)
- 124 Statistical Guidance for Prediction of Eastern North Pacific Tropical Cyclone Motion - Part I. Charles J. Neumann and Preston W. Leftwich, August 1977. (PB-272-661)
- 125 Statistical Guidance on the Prediction of Eastern North Pacific Tropical Cyclone Motion - Part II. Preston W. Leftwich and Charles J. Neumann, August 1977. (PB-273-155/AS)
- 127 Development of a Probability Equation for Winter-Type Precipitation Patterns in Great Falls, Montana. Kenneth B. Mielke, February 1978. (PB-281-387/AS)
- 128 Hand Calculator Program to Compute Parcel Thermal Dynamics. Dan Gudge, April 1978. (PB-283-080/AS)
- 129 Fire Whirls. David W. Goens, May 1978. (PB-283-866/AS)
- 130 Flash-Flood Procedure. Ralph C. Hatch and Gerald Williams, May 1978. (PB-286-014/AS)
- 131 Automated Fire-Weather Forecasts. Mark A. Moliner and David E. Olsen, September 1978. (PB-289-916/AS)
- 132 Estimates of the Effects of Terrain Blocking on the Los Angeles WSR-74C Weather Radar. R. G. Pappas, R. Y. Lee, and B. W. Finke, October 1978. (PB289767/AS)
- 133 Spectral Techniques in Ocean Wave Forecasting. John A. Jannuzzi, October 1978. (PB291317/AS)
- 134 Solar Radiation. John A. Jannuzzi, November 1978. (PB291195/AS)
- 135 Application of a Spectrum Analyzer in Forecasting Ocean Swell in Southern California Coastal Waters. Lawrence P. Kierulff, January 1979. (PB292716/AS)
- 136 Basic Hydrologic Principles. Thomas L. Dietrich, January 1979. (PB292247/AS)
- 137 LFM 24-Hour Prediction of Eastern Pacific Cyclones Refined by Satellite Images. John R. Zimmerman and Charles P. Ruscha, Jr., January 1979. (PB294324/AS)
- 138 A Simple Analysis/Diagnosis System for Real Time Evaluation of Vertical Motion. Scott Heflick and James R. Fors, February 1979. (PB294216/AS)
- 139 Aids for Forecasting Minimum Temperature in the Wenatchee Frost District. Robert S. Robinson, April 1979. (PB298339/AS)
- 140 Influence of Cloudiness on Summertime Temperatures in the Eastern Washington Fire Weather District. James Holcomb, April 1979. (PB298674/AS)
- 141 Comparison of LFM and MFM Precipitation Guidance for Nevada During Doreen. Christopher Hill, April 1979. (PB298613/AS)
- 142 The Usefulness of Data from Mountaintop Fire Lookout Stations in Determining Atmospheric Stability. Jonathan W. Corey, April 1979. (PB298899/AS)
- 143 The Depth of the Marine Layer at San Diego as Related to Subsequent Cool Season Precipitation Episodes in Arizona. Ira S. Brenner, May 1979. (PB298817/AS)
- 144 Arizona Cool Season Climatological Surface Wind and Pressure Gradient Study. Ira S. Brenner, May 1979. (PB298900/AS)
- 145 On the Use of Solar Radiation and Temperature Models to Estimate the Snap Bean Maturity Date in the Willamette Valley. Earl M. Bates, August 1979.
- 146 The BART Experiment. Morris S. Webb, October 1979. (PB80155112)
- 147 Occurrence and Distribution of Flash Floods in the Western Region. Thomas L. Dietrich, December 1979. (PB80160344)
- 148 A Real-Time Radar Interface for AFOS. Mark Mathewson, January 1980. (PB80157605)
- 149 Misinterpretations of Precipitation Probability Forecasts. Allan H. Murphy, Sarah Lichtenstein, Baruch Fischhoff, and Robert L. Winkler, February 1980.
- 150 Annual Data and Verification Tabulation - Eastern and Central North Pacific Tropical Storms and Hurricanes 1979. Emil B. Gunther and Staff, EPHC, April 1980.
- 151 NMC Model Performance in the Northeast Pacific. James E. Overland, PMEL-ERL, April 1980.
- 152 Climate of Salt Lake City, Utah. Wilbur E. Figgins, June 1980.

NOAA SCIENTIFIC AND TECHNICAL PUBLICATIONS

The National Oceanic and Atmospheric Administration was established as part of the Department of Commerce on October 3, 1970. The mission responsibilities of NOAA are to assess the socioeconomic impact of natural and technological changes in the environment and to monitor and predict the state of the solid Earth, the oceans and their living resources, the atmosphere, and the space environment of the Earth.

The major components of NOAA regularly produce various types of scientific and technical information in the following kinds of publications:

PROFESSIONAL PAPERS — Important definitive research results, major techniques, and special investigations.

CONTRACT AND GRANT REPORTS — Reports prepared by contractors or grantees under NOAA sponsorship.

ATLAS — Presentation of analyzed data generally in the form of maps showing distribution of rainfall, chemical and physical conditions of oceans and atmosphere, distribution of fishes and marine mammals, ionospheric conditions, etc.

TECHNICAL SERVICE PUBLICATIONS — Reports containing data, observations, instructions, etc. A partial listing includes data serials; prediction and outlook periodicals; technical manuals, training papers, planning reports, and information serials; and miscellaneous technical publications.

TECHNICAL REPORTS — Journal quality with extensive details, mathematical developments, or data listings.

TECHNICAL MEMORANDUMS — Reports of preliminary, partial, or negative research or technology results, interim instructions, and the like.



Information on availability of NOAA publications can be obtained from:

**ENVIRONMENTAL SCIENCE INFORMATION CENTER (D822)
ENVIRONMENTAL DATA AND INFORMATION SERVICE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
U.S. DEPARTMENT OF COMMERCE**

**6009 Executive Boulevard
Rockville, MD 20852**