

NOAA Technical Memorandum NWS WR-168



---

FORECASTING THE ONSET OF COASTAL  
GALES OFF WASHINGTON-OREGON

Salt Lake City, Utah  
August 1981

---

**U.S. DEPARTMENT OF  
COMMERCE**

/ National Oceanic and  
Atmospheric Administration

/ National Weather  
Service



NOAA TECHNICAL MEMORANDA  
National Weather Service, Western Region Subseries

The National Weather Service (NWS) Western Region (WR) Subseries provides an informal medium for the documentation and quick dissemination of results not appropriate, or not yet ready, for formal publication. The series is used to report on work in progress, to describe technical procedures and practices, or to relate progress to a limited audience. These Technical Memoranda will report on investigations devoted primarily to regional and local problems of interest mainly to personnel, and hence will not be widely distributed.

Papers 1 to 25 are in the former series, ESSA Technical Memoranda, Western Region Technical Memoranda (WRTM); papers 24 to 59 are in the former series, ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM). Beginning with 60, the papers are part of the series, NOAA Technical Memoranda NWS. Out-of-print memoranda are not listed.

Papers 2 to 22, except for 5 (revised edition), are available from the National Weather Service Western Region, Scientific Services Division, P. O. Box 11188, Federal Building, 125 South State Street, Salt Lake City, Utah 84147. Paper 5 (revised edition), and all others beginning with 25 are available from the National Technical Information Service, U. S. Department of Commerce, Sillis Building, 5285 Port Royal Road, Springfield, Virginia 22151. Prices vary for all paper copy; \$3.50 microfiche. Order by accession number shown in parentheses at end of each entry.

ESSA Technical Memoranda (WRTM)

- 2 Climatological Precipitation Probabilities. Compiled by Lucianne Miller, December 1965.
- 3 Western Region Pre- and Post-FP-3 Program, December 1, 1965, to February 20, 1966. Edward D. Diemer, March 1966.
- 5 Station Descriptions of Local Effects on Synoptic Weather Patterns. Philip Williams, Jr., April 1966 (revised November 1967/October 1969). (PB-17800)
- 8 Interpreting the RAREP. Herbert P. Benner, May 1966 (revised January 1967).
- 11 Some Electrical Processes in the Atmosphere. J. Latham, June 1966.
- 17 A Digitalized Summary of Radar Echoes within 100 Miles of Sacramento, California. J. A. Youngberg and L. B. Overaas, December 1966.
- 21 An Objective Aid for Forecasting the End of East Winds in the Columbia Gorge, July through October. D. John Coparanis, April 1967.
- 22 Derivation of Radar Horizons in Mountainous Terrain. Roger G. Pappas, April 1967.

ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM)

- 25 Verification of Operational Probability of Precipitation Forecasts, April 1966-March 1967. W. W. Dickey, October 1967. (PB-176240)
- 26 A Study of Winds in the Lake Mead Recreation Area. R. P. Augulis, January 1968. (PB-177830)
- 28 Weather Extremes. R. J. Schmidl, April 1968 (revised February 1981).
- 29 Small-Scale Analysis and Prediction. Philip Williams, Jr., May 1968. (PB-178425)
- 30 Numerical Weather Prediction and Synoptic Meteorology. Capt. Thomas D. Murphy, U.S.A.F., May 1968. (AD-673365)
- 31 Precipitation Detection Probabilities by Salt Lake ARTC Radars. Robert K. Belesky, July 1968. (PB-179084)
- 32 Probability Forecasting--A Problem Analysis with Reference to the Portland Fire Weather District. Harold S. Ayer, July 1968. (PB-179289)
- 35 Joint ESSA/FAA ARTC Radar Weather Surveillance Program. Herbert P. Benner and DeVon B. Smith, December 1968 (revised June 1970). AD-681857)
- 36 Temperature Trends in Sacramento--Another Heat Island. Anthony D. Lentini, February 1969. (PB-183055)
- 37 Disposal of Logging Residues without Damage to Air Quality. Owen P. Cramer, March 1969. (PB-183057)
- 39 Upper-Air Lows over Northwestern United States. A. L. Jacobson, April 1969. (PB-184296)
- 40 The Man-Machine Mix in Applied Weather Forecasting in the 1970's. L. W. Snellman, August 1969. (PB-185068)
- 42 Analysis of the Southern California Santa Ana of January 15-17, 1966. Barry B. Aronovitch, August 1969. (PB-185670)
- 43 Forecasting Maximum Temperatures at Helena, Montana. David E. Olsen, October 1969. (PB-185762)
- 44 Estimated Return Periods for Short-Duration Precipitation in Arizona. Paul C. Kangieser, October 1969. (PB-187763)
- 46 Applications of the Net Radiometer to Short-Range Fog and Stratus Forecasting at Eugene, Oregon. L. Yee and E. Bates, December 1969. (PB-190476)
- 47 Statistical Analysis as a Flood Routing Tool. Robert J. C. Burnash, December 1969. (PB-188744)
- 48 Tsunami. Richard P. Augulis, February 1970. (PB-190157)
- 49 Predicting Precipitation Type. Robert J. C. Burnash and Floyd E. Hug, March 1970. (PB-190962)
- 50 Statistical Report on Aeroallergens (Pollens and Molds) Fort Huachuca, Arizona, 1969. Wayne S. Johnson, April 1970. (PB-191743)
- 51 Western Region Sea State and Surf Forecaster's Manual. Gordon C. Shields and Gerald B. Burdwell, July 1970. (PB-193102)
- 52 Sacramento Weather Radar Climatology. R. G. Pappas and C. M. Veliquette, July 1970. (PB-193347)
- 54 A Refinement of the Vorticity Field to Delineate Areas of Significant Precipitation. Barry B. Aronovitch, August 1970.
- 55 Application of the SSARR Model to a Basin without Discharge Record. Vail Schermerhorn and Donald W. Kuehl, August 1970. (PB-194394)
- 56 Areal Coverage of Precipitation in Northwestern Utah. Philip Williams, Jr., and Werner J. Heck, September 1970. (PB-194389)
- 57 Preliminary Report on Agricultural Field Burning vs. Atmospheric Visibility in the Willamette Valley of Oregon. Earl M. Bates and David O. Chilcote, September 1970. (PB-194710)
- 58 Air Pollution by Jet Aircraft at Seattle-Tacoma Airport. Wallace R. Donaldson, October 1970. (COM-71-00017)
- 59 Application of PE Model Forecast Parameters to Local-Area Forecasting. Leonard W. Snellman, October 1970. (COM-71-00016)

NOAA Technical Memoranda (NWS WR)

- 60 An Aid for Forecasting the Minimum Temperature at Medford, Oregon. Arthur W. Fritz, October 1970. (COM-71-00120)
- 63 700-mb Warm Air Advection as a Forecasting Tool for Montana and Northern Idaho. Norris E. Woerner, February 1971. (COM-71-00349)
- 64 Wind and Weather Regimes at Great Falls, Montana. Warren B. Price, March 1971.
- 66 A Preliminary Report on Correlation of ARTCC Radar Echoes and Precipitation. Wilbur K. Hall, June 1971. (COM-71-00829)
- 69 National Weather Service Support to Soaring Activities. Ellis Burton, August 1971. (COM-71-00956)
- 71 Western Region Synoptic Analysis-Problems and Methods. Philip Williams, Jr., February 1972. (COM-72-10433)
- 74 Thunderstorms and Hail Days Probabilities in Nevada. Clarence M. Sakamoto, April 1972. (COM-72-10554)
- 75 A Study of the Low Level Jet Stream of the San Joaquin Valley. Ronald A. Willis and Philip Williams, Jr., May 1972. (COM-72-10707)
- 76 Monthly Climatological Charts of the Behavior of Fog and Low Stratus at Los Angeles International Airport. Donald M. Gates, July 1972. (COM-72-11140)
- 77 A Study of Radar Echo Distribution in Arizona During July and August. John E. Hales, Jr., July 1972. (COM-72-11136)
- 78 Forecasting Precipitation at Bakersfield, California, Using Pressure Gradient Vectors. Earl T. Riddiough, July 1972. (COM-72-11146)
- 79 Climate of Stockton, California. Robert C. Nelson, July 1972. (COM-72-10920)
- 80 Estimation of Number of Days Above or Below Selected Temperatures. Clarence M. Sakamoto, October 1972. (COM-72-10021)
- 81 An Aid for Forecasting Summer Maximum Temperatures at Seattle, Washington. Edgar G. Johnson, November 1972. (COM-73-10150)
- 82 Flash Flood Forecasting and Warning Program in the Western Region. Philip Williams, Jr., Chester L. Glenn, and Roland L. Raetz, December 1972, (revised March 1978). (COM-73-10251)
- 83 A Comparison of Manual and Semiautomatic Methods of Digitizing Analog Wind Records. Glenn E. Rasch, March 1973. (COM-73-10669)
- 86 Conditional Probabilities for Sequences of Wet Days at Phoenix, Arizona. Paul C. Kangieser, June 1973. (COM-73-11264)
- 87 A Refinement of the Use of K-Values in Forecasting Thunderstorms in Washington and Oregon. Robert Y. G. Lee, June 1973. (COM-73-11276)
- 89 Objective Forecast Precipitation over the Western Region of the United States. Julia N. Paegle and Larry P. Kierulff, Sept. 1973. (COM-73-11946/3AS)
- 91 Arizona "Eddy" Tornadoes. Robert S. Ingram, October 1973. (COM-73-10465)
- 92 Smoke Management in the Willamette Valley. Earl M. Bates, May 1974. (COM-74-11277/AS)
- 93 An Operational Evaluation of 500-mb Type Regression Equations. Alexander E. MacDonald, June 1974. (COM-74-11407/AS)
- 94 Conditional Probability of Visibility Less than One-Half Mile in Radiation Fog at Fresno, California. John D. Thomas, August 1974. (COM-74-11555/AS)
- 96 Map Type Precipitation Probabilities for the Western Region. Glenn E. Rasch and Alexander E. MacDonald, February 1975. (COM-75-10428/AS)
- 97 Eastern Pacific Cut-Off Low of April 21-28, 1974. William J. Alder and George R. Miller, January 1976. (PB-250-711/AS)
- 98 Study on a Significant Precipitation Episode in Western United States. Ira S. Brenner, April 1976. (COM-75-10719/AS)
- 99 A Study of Flash Flood Susceptibility--A Basin in Southern Arizona. Gerald Williams, August 1975. (COM-75-11360/AS)
- 102 A Set of Rules for Forecasting Temperatures in Napa and Sonoma Counties. Wesley L. Tuft, October 1975. (PB-246-902/AS)
- 103 Application of the National Weather Service Flash-Flood Program in the Western Region. Gerald Williams, January 1976. (PB-253-053/AS)
- 104 Objective Aids for Forecasting Minimum Temperatures at Reno, Nevada, During the Summer Months. Christopher D. Hill, January 1976. (PB-252-866/AS)
- 105 Forecasting the Mono Wind. Charles P. Ruscha, Jr., February 1976. (PB-254-650)
- 106 Use of MOS Forecast Parameters in Temperature Forecasting. John C. Plankinton, Jr., March 1976. (PB-254-649)
- 107 Map Types as Aids in Using MOS PoPs in Western United States. Ira S. Brenner, August 1976. (PB-259-594)
- 108 Other Kinds of Wind Shear. Christopher D. Hill, August 1976. (PB-260-437/AS)
- 109 Forecasting North Winds in the Upper Sacramento Valley and Adjoining Forests. Christopher E. Fontana, September 1976. (PB-273-677/AS)
- 110 Cool Inflow as a Weakening Influence on Eastern Pacific Tropical Cyclones. William J. Denney, November 1976. (PB-264-655/AS)
- 112 The MAN/MOS Program. Alexander E. MacDonald, February 1977. (PB-265-941/AS)
- 113 Winter Season Minimum Temperature Formula for Bakersfield, California, Using Multiple Regression. Michael J. Oard, February 1977. (PB-273-694/AS)
- 114 Tropical Cyclone Kathleen. James R. Fors, February 1977. (PB-273-676/AS)
- 116 A Study of Wind Gusts on Lake Mead. Bradley Colman, April 1977. (PB-268-847)
- 117 The Relative Frequency of Cumulonimbus Clouds at the Nevada Test Site as a Function of K-Value. R. F. Quiring, April 1977. (PB-272-831)
- 118 Moisture Distribution Modification by Upward Vertical Motion. Ira S. Brenner, April 1977. (PB-268-740)
- 119 Relative Frequency of Occurrence of Warm Season Echo Activity as a Function of Stability Indices Computed from the Yucca Flat, Nevada, Rawinsonde. Darryl Randerson, June 1977. (PB-271-290/AS)

NOAA Technical Memorandum NWS WR-168

FORECASTING THE ONSET OF COASTAL  
GALES OFF WASHINGTON-OREGON

John R. Zimmerman and William D. Burton

National Weather Service Forecast Office  
Seattle, Washington  
August 1981

UNITED STATES  
DEPARTMENT OF COMMERCE  
Malcolm Baldrige, Secretary


NATIONAL OCEANIC AND  
ATMOSPHERIC ADMINISTRATION

National Weather  
Service

Richard E. Hallgren, Director



This Technical Memorandum has been reviewed and is approved for publication by Scientific Services Division, Western Region.

A handwritten signature in black ink, appearing to read "L. W. Snellman". The signature is written in a cursive style with a long, sweeping tail that extends to the right.

L. W. Snellman, Chief  
Scientific Services Division  
Western Region Headquarters  
Salt Lake City, Utah

## CONTENTS

	<u>Page</u>
Tables and Figures . . . . .	iv
I. Introduction . . . . .	1
II. Results . . . . .	2
III. Verification . . . . .	6
IV. Examples . . . . .	9
V. Summary . . . . .	13
VI. References . . . . .	13

	<u>Page</u>
Table I. Variables Used in the Regression Analysis.	2
II. The first 5 variables selected from Group 1 data.	3
III. The first 5 variables selected from Group 2 data.	3
IV. Variation of time to gale as a function of 850-mb wind speed.	4
V. Variation of time to gale onset as a function of low center direction of movement.	5
VI. Variation of time to gales as a function of 500-mb speed.	5
VII. Variation of time to gales as a function of 24-hour Astoria pressure change.	5
VIII. The first 5 variables selected from combined Group 2 data of winters 1979-0 and 1980-81.	7
Figure 1. Predicted versus observed time to gale onset using Group 1 regression coefficients. Winter 1980-81.	7
Figure 2. Predicted versus observed time to gale onset using Group 2 regression coefficients. Winter 1980-81.	8
Figure 3. Predicted versus observed time to gale onset using Group 2 regression coefficients (1979-80) and combined 1979 through 1981 data.	8
Figure 4. 500-mb chart of January 12, 1981 at 1800 GMT.	10
Figure 5. Surface chart of January 12, 1981 at 1800 GMT.	10
Figure 6. Preformat and input data of January 12, 1981 for Group 1 regression equation.	10
Figure 7. 500-mb chart of November 6, 1980 at 1800 GMT.	11
Figure 8. Surface chart of November 6, 1980 at 1800 GMT.	11
Figure 9. Preformat and input data of November 6, 1980 for Group 1 regression equation.	11
Figure 10. Preformat and input data of November 6, 1980 for Group 1 regression equation.	12

# FORECASTING THE ONSET OF COASTAL GALES OFF WASHINGTON-OREGON

John R. Zimmerman and William D. Burton  
Weather Service Forecast Office  
Seattle, Washington

**ABSTRACT.** Offshore buoys have been shown to be useful in detecting the likelihood of coastal gales. Whenever the pressure difference between Astoria, Oregon and buoy 46005 is 9-mb or more, coastal gales for Washington should be considered.

At times, however, a large pressure difference may be measured between Astoria and buoy 46005 and gales may occur many hours later, or in some cases, not at all. By applying screening regression to a large body of data, an objective technique was developed to determine when storms were likely to produce coastal gales and the time to gale onset. The derived regression equations were tested on independent data from the winter 1980-81 season.

## I. INTRODUCTION

Coastal jets accompanying eastern Pacific cyclones are responsible for most gales which occur along the Washington-Oregon coast. In a previous paper, (Zimmerman, Burton: 1979) it was shown that the pressure difference measured from a coastal station to an offshore buoy serves as a practical monitor to alert weather forecasters of coastal gale development. The surface pressure-gradient is well known to be related to the wind speed by means of the gradient-wind equation. For the Washington coast, it was found that gales are likely to occur whenever the surface pressure measured at Astoria, Oregon is 9-mb or more higher than the surface pressure measured at buoy 46005 (46N, 136W).

The pressure-difference rule has worked well since its use. Sometimes, however, an eastern Pacific cyclone moves northward parallel to the coast, and a large coast-to-buoy pressure difference may be observed, yet it may either take a long time before gales are observed along the coast (more than 24 hours), or in some cases coastal gales may not occur at all; thus, experience has shown that in addition to the pressure-gradient rule which alerts the forecaster that gales are likely, an objective estimate of the time to gale onset is also desirable.

The technique applied to objectively estimate time to gale onset was to assemble data of a large number of meteorological parameters and then apply a screening regression computer program, (Labas 1979). Output from the computer program enabled the selection of those variables best related to

the dependent variable, (time to gale onset). The program also provided regression coefficients, so that estimates of the dependent variable could be obtained from the expression,

$$Y = A_0 + A_1 X_1 + A_2 X_2 + \dots + A_N X_N$$

WHERE Y = TIME TO GALE ONSET (DEPENDENT VARIABLE)

A<sub>0</sub>, A<sub>1</sub>, A<sub>2</sub> ... = REGRESSION COEFFICIENTS

X<sub>1</sub>, X<sub>2</sub>, X<sub>3</sub> ... = INDEPENDENT VARIABLES

The independent variables selected for study are listed in Table I. Variables investigated were: characteristics of the developing low center, (central pressure, speed, distance from coast, location, and others) as well as upper air conditions on the coast (Quillayute wind speed and direction at 850-mb and 500-mb levels and other upper air parameters). Data were collected from 1979-80 for those cases when the pressure at Astoria, Oregon was 9-mb or more higher than buoy 46005. In all, 38 observations were collected, each containing 18 variables.

1	TTG	Time to gale (dependent variable)
2	DTG	Date
3	PAB	Pressure difference, Astoria to buoy 46005
4	PAS	Pressure at Astoria
5	DP3	Astoria 3-hour pressure tendency
6	DP4	Astoria 24-hour pressure tendency
7	PAQ	Pressure difference Astoria to Quillayute
8	PCL	Central pressure of approaching low center
9	RCL	Distance of approaching low center
10	LAT	Latitude of approaching low center
11	LON	Longitude of approaching low center
12	VLO	Speed of approaching low center
13	DLO	Direction of approaching low center (16-pt compass 8 = South)
14	8DR	Quillayute 850-mb wind direction
15	8WS	Quillayute 850-mb wind speed
16	5DR	Quillayute 500-mb wind direction
17	5WS	Quillayute 500-mb wind speed
18	TS5	Quillayute thickness 1000-500-mb

TABLE I. Variables Used in the Regression Analysis

## II. RESULTS

Before assembling data for computation of regression coefficients by the regression program, several experiments were necessary to determine how to proceed. First, it was necessary to decide what time to use as the value of the dependent variable for those cases when the pressure difference between Astoria and buoy 46005 was 9-mb or more, and gales did not occur along the



coast. Several values were tried, 72, 60 and 48 hours. It was decided after experiment that 60 hours would be a practical value to use in such cases.

After additional trials, it was found desirable to arrange data into two groups and determine regression coefficients for the time to gale onset for these two separate groups.

Group 1. All data were examined whether gales were observed along the coast or not, and the Astoria to buoy 46005 pressure difference was 9-mb or more, whenever gales were not observed along the coast, time to gales was set to 60 hours. 38 cases.

Group 2. A subset of data from Group 1 was examined of only cases when the pressure difference between Astoria and buoy 46005 was 9-mb or more and gales were observed. 22 cases.

The first 5 variables selected by the screening regression program using Group 1 and Group 2 data are listed in Table II and Table III.

Order Selected	Variable	Mult Reg Coef	Std Error
1	LON	.50	22
2	PCL	.67	19
3	DLO	.72	18
4	5WS	.78	16
5	RCL	.85	14

TABLE II. The first 5 variables selected from Group 1 data. Pressure difference between Astoria and buoy 46005 was 9-mb or more and gales may or may not have been observed. If gales were not observed, time to gale onset was arbitrarily set to 60 hours.

Order Selected	Variable	Mult Reg Coef	Std Error
1	RCL	.68	8
2	8WS	.89	5
3	DLO	.92	5
4	5WS	.93	5
5	DP4	.93	4

TABLE III. The first 5 variables selected from Group 2 data. In all cases the pressure difference between Astoria and buoy 46005 was 9-mb or more, and coastal gales were subsequently observed.

As seen in the previous tables, multiple correlation coefficients obtained from Group 2 data are higher than those from Group 1 data (.93 versus .85). The regression equations based on Group 2 data should yield a reasonable estimate of the time to gale onset since standard errors were only 4 hours. The regression equation derived from Group 1 data is useful to help the forecaster decide whether coastal gales will actually occur or not. By further testing it was found that when the time to gale onset using the regression equation derived from Group 1 data was 40 hours or greater, it could be assumed gales would not occur. In any event, if the time to gale was 40 hours or more, no advisory would be required. The program was then run again at a later time, if the Astoria to buoy 46005 pressure difference remained 9-mb or greater.

With Group 2 data the first variable selected was RCL (distance of low pressure center to Astoria). The first variable alone produces the following regression equation,

$$Y = -1.36 + 1.43(RCL)$$

or approximately,

$$Y = 1.5(RCL).$$

This expression says that for every 15 degrees of latitude the low center is distant from the coast, approximately 24 hours is required before coastal gale onset. This compares favorably with actual experience.

The next variable, Quillayute 850-mb wind speed, also behaves in a reasonable manner. The regression equation for the first two variables selected is,

$$Y = 13.0 + 1.43(RCL) - .56(8WS).$$

Thus, with a low 15 degrees off the coast, (about a day away), the higher the Quillayute 850-mb wind speed, the quicker gales are likely to occur along the coast, as shown in Table IV.

850-mb Winds	Hours to Gale
10	28
20	23
30	17
40	12

TABLE IV. Variation of time to gale as a function of 850-mb wind speed. The low center is 15 degrees of latitude from the coast.

The next variable selected was the direction of movement of the low center, DLO. For example with the low center 15 degrees of latitude offshore, and the 850-mb wind speed of 30 knots, the regression equation,

$$Y = -1.7 + 1.3(RCL) - .54(8SW) + 1.5(DLO)$$

provides the results of Table V.

DLO	Hours to Gale
8 (South)	15
12 (West)	21
16 (North)	27

TABLE V. Variation of time to gale onset as a function of low center direction of movement.

If the direction of the low is from the south, time to gale onset is shortest. This again agrees with practical experience in the northwest.

The fourth variable selected was Quillayute 500-mb wind speed, 5WS. Assuming the low center is 15 degrees offshore, the Quillayute 850-mb wind speed is 30 knots, and the direction of low movement from the south, the regression equation,

$$Y = 6.9 + 1.3(RCL) - .54(8WS) + 1.1(DLO) - .11(5WS)$$

yields the results of Table VI.

500-mb Wind Speed	Hours to Gale
30	20
40	15
50	10

TABLE VI. Variation of time to gales as a function of 500-mb speed.

For each 10-knot increase of wind speed the arrival time of coastal gales is shortened by about an hour.

The fifth variable selected was the 24-hour surface pressure change at Astoria. Assuming the low center is 15 degrees offshore, the Quillayute 850-mb wind speed is 30 knots, the direction of low is from the south and the 500-mb wind speed is 40 knots, the regression equation,

$$Y = 8.0 + 1.4(RCL) - .6(8WS) + .97(DLO) - .11(5WS) - .17(DP4)$$

yields the results of Table VII.

24-Hour Astoria Pressure Change	Hours
-5.0	20
0.0	15
5.0	10

TABLE VII. Variation of time to gales as a function of 24-hour Astoria pressure change.

Thus gales are likely when a short wave ridge causes surface pressure at Astoria to rise significantly during the past 24 hours.

### III. VERIFICATION

An independent test set of data was collected during winter 1980-81 to test the practicality of using the derived screening equations in predicting the time to gale onset. Altogether 55 observations were collected whenever the pressure difference between Astoria and buoy 46005 was 9-mb or greater. For each case two separate runs were completed, first using an equation with regression coefficients derived from Group 1 data and then with an equation with regression coefficients derived from Group 2 1979-80 data.

Weather regimes during winter 1980-81 were markedly different than during the preceding year. During 1980-81 an upper ridge persisted along the west coast most of the winter. As a result few cyclones were able to penetrate into the northwest but were shunted northward into British Columbia. The persistent upper ridge was responsible for several days of record breaking high temperatures in western Washington and below normal amounts of precipitation.

Two groups of data were again assembled from winter 1980-81 observations:

Group 1. All data whether gales were observed or not and the pressure difference between Astoria and buoy 46005 was 9-mb or more. If gales did not occur, time to gales was recorded as 60 hours, 55 cases.

Group 2. A subset of Group 1 data when the pressure difference between Astoria and buoy 46005 was 9-mb or more and gales were observed. 22 cases.

Figure 1 shows the results of using the regression equation derived from Group 1 data as applied to data of 1980-81. When the time to gales was predicted to be 45 hours or more, gales were unlikely to occur. When time to gales was predicted to be 25 hours or less, gales were likely to occur. Finally, predictions between 25 and 45 hours required the application of a little judgement as to whether gales would occur or not.

A plot of predicted versus observed results of predictions of time to gale onset using the regression equation derived from Group 2 data is shown in Figure 2. The correlation is .77 which is quite significant. Thus, once it has been determined that gales are likely, a reasonable estimate of gale onset can be obtained from the regression equation derived from Group 2 data.

It should be noted that verification of gale onset may be better than the results recorded here. It is difficult to obtain verifying data representative of gale conditions along the coast and the area seaward to 20 miles. In fact, after inquiry, it was determined that no representative coast guard observations were available at night after 7 p.m. In several cases when gales were expected late at night, Cape Disappointment recorded 30 knots on their last observation that evening. Thus gales probably occurred but could not be verified.

Quite often, gales occur a few miles out to sea but are not observed along the coast. This was dramatically seen during the gale of September 8, 1978,

when small boats were fishing a few miles off shore in relatively calm waters while several miles farther out to sea, boats were struggling to reach safe harbor (Zimmerman Burton 1979).

As the weather during this past winter 1980-81 was rather anomolous, it is quite encouraging that the regression equations performed as well as they did. The regression equations will, of course, be updated for next year by combining the data from the two past years. Finally, data when gales occurred (Group 2) were combined for both years and a new set of regression coefficients found, Table VIII.

Order Selected	Variable	Mult Reg Coef	Std Error
1	8WS	.61	8.2
2	RCL	.83	5.8
3	DLO	.88	5.0
4	TS5	.89	4.9
5	TAB	.90	4.7

TABLE VIII. The first 5 variables selected from combined Group 2 data of winters 1979-80 and 1980-81. In all cases the pressure difference between Astoria and buoy 46005 was 9-mb or more, and coastal gales were subsequently observed.

Table VIII should be compared to Table III. Interestingly, the first 3 variables selected remain the same although the first two variables exchange places in the order selected. Thus, the 850-mb wind speed, distance of the low from the coast, and low direction of movement are important indicators of how quickly coastal gales will occur, Figure 3.




Figure 1. Predicted versus observed time to gale onset using Group 1 (1979-80) regression coefficients. Astoria to buoy 46005 pressure difference was 9-mb or greater. If gales did not occur, time to gale onset was recorded as 60 hours. Data were for Winter 1980-81 only.




Figure 2. Predicted versus observed time to gale onset using Group 2 (1980-81) regression coefficients. Astoria to buoy 46005 pressure difference was 9-mb or greater and gales were subsequently observed. Data were for Winter 1980-81 only.




Figure 3. Predicted versus observed time to gale onset using Group 2 (1979-80) regression coefficients. Astoria to buoy 46005 pressure difference was 9-mb or greater and gales were subsequently observed. Data were combined for 1979 through 1981.

#### IV. EXAMPLES

To illustrate how the foregoing results may be applied to predicted gale onset time over coastal waters of the Northwest, two cases are presented. The first is a case when gales threatened, but did not occur, January 12, 1981. The second is a case when gales threatened and did occur, November 6, 1980. In each situation, a pressure difference of 9-mb or more was observed between Astoria and buoy 46005.

The 500-mb chart of January 12, is shown in Figure 4. A large ridge aloft had become established over the Northwest and was retrograding westward. At the surface, Figure 5, a deep 974-mb low center was located about 800 miles west of the coast.

Computer calculations of time to gale onset were accomplished using an AFOS procedure called "gale". When using procedure gale, a preformat is called to the AFOS screen, and data for the first set of variables is entered into the AFOS preformat.

The preformat and input data are shown in Figure 6. For the initial computer run, the estimate of time to gales was 44 hours, which indicated that gales were unlikely. No coastal gales were observed from this storm.

The second case of November 6, 1980 was quite different. At 500 mbs, Figure 7, strong westerlies were established over the Northwest. A surface low center of 964 mb, Figure 8, located at 47N 146W had tracked northeastward from the southwest and continued on this course for the next 24 hours. As it moved towards British Columbia, it began to weaken slightly, but central pressure remained below 970 mb.

Several small frontal waves formed slightly delaying the arrival of the front at the coast. Coastal gales were observed just as the front moved inland.

The prediction of gales using the regression equation from Group 1 data was 27 hours which indicated that coastal gales were possible, Figure 9. As this value was under 40 hours, the second regression equation was applied and predicted that gales would occur in 9 hours, Figure 10. Actual time to coastal gales was 12 hours.




Figure 4. 500-mb chart of January 12, 1981 at 1800 GMT.




Figure 5. Surface chart of January 12, 1981 at 1800 GMT

INPUT DATA NEEDED TO DETERMINE WHETHER GALES WILL OCCUR ALONG THE COAST. PRESSURE DIFFERENCE ASTORIA TO BUOY 46005 MUST BE 9-MB OR MORE. PLACE A DECIMAL POINT IN EACH VALUE OF INPUT PARAMETER. DEGREES=(DEGS LAT). ENTER 1 IN BOX IF FIRST SECTION IS TO BE RUN...FOR SECOND SECTION...ENTER 2.

1  
 FIRST SECTION: WILL GALES REACH COAST...  
 .....LONGITUDE OF LOW 142. DEGREES OF LATITUDE  
 CENTRAL PRESSURE 972. MILLIBARS  
 DIRECTION OF LOW 7. 16-POINT COMPASS  
 500-MB WIND SPEED..UUL 46. KNOTS  
 DISTANCE OF LOW TO AST 12. DEGREES OF LATITUDE  
 .....FIRST SECTION..... ]]

FIRST VARIABLE 142.0  
 SECOND 972.0  
 FIRST VARIABLE 142.0  
 SECOND 972.0  
 THIRD 7.0  
 FOURTH 46.0  
 FIFTH 12.0  
 ESTIMATE OF TIME TO GALES 44. HOURS

Figure 6. Preformat and input data of January 12, 1981 for Group I regression equation.






Figure 7. 500-MB chart of November 6, 1980 at 1800 GMT.




Figure 8. Surface chart of November 6, 1980 at 1800 G

INPUT DATA NEEDED TO DETERMINE WHETHER GALES WILL OCCUR ALONG THE COAST. PRESSURE DIFFERENCE ASTORIA TO BUOY 46005 MUST BE 9-MB OR MORE. PLACE A DECIMAL POINT IN EACH VALUE OF INPUT PARAMETER. DEGREES=(DEGS LAT). ENTER 1 IN BOX IF FIRST SECTION IS TO BE RUN...FOR SECOND SECTION...ENTER 2.

FIRST SECTION: WILL GALES REACH COAST...  
 .....LONGITUDE OF LOW 146. DEGREES OF LATITUDE  
 CENTRAL PRESSURE 964. MILLIBARS  
 DIRECTION OF LOW 11. 16-POINT COMPASS  
 500-MB WIND SPEED..U1L 52. KNOTS  
 DISTANCE OF LOW TO AST 14. DEGREES OF LATITUDE

.....FIRST SECTION..... ]]

FIRST VARIABLE 146.0  
 SECOND 964.0  
 THIRD 11.0  
 FOURTH 52.0  
 FIFTH 14.0

ESTIMATE OF TIME TO GALES 27. HOURS

INPUT DATA NEEDED TO DETERMINE WHETHER GALES WILL OCCUR ALONG THE COAST. PRESSURE DIFFERENCE ASTORIA TO BUOY 46005 MUST BE 9-MB OR MORE. PLACE A DECIMAL POINT IN EACH VALUE OF INPUT PARAMETER. DEGREES=(DEGS LAT). ENTER 1 IN BOX IF FIRST SECTION IS TO BE RUN...FOR SECOND SECTION...ENTER 2.

2

FIRST VARIABLE	14.0
SECOND	41.0
THIRD	11.0
FOURTH	52.0
FIFTH	-5.1

ESTIMATE OF TIME TO GALES 9. HOURS  
ISSUE GALE WARNINGS IMMEDIATELY

FIRST SECTION: WILL GALES REACH COAST...  
 .....LONGITUDE OF LOW DEGREES OF LATITUDE  
 CENTRAL PRESSURE MILLIBARS  
 DIRECTION OF LOW 16-POINT COMPASS  
 500-MB WIND SPEED..U1L KNOTS  
 DISTANCE OF LOW TO AST DEGREES OF LATITUDE  
 .....FIRST SECTION.....

SECOND SECTION: WHEN WILL GALES REACH COAST...  
 DISTANCE OF LOW....AST 14. DEGREES OF LATITUDE  
 850-MB WIND SPEED..U1L 41. KNOTS  
 DIRECTION OF LOW 11. 16-POINT COMPASS  
 500-MB WIND SPEED 52. KNOTS  
 DP/DP (24 HOUR)....AST -5.1 MBS  
 .....SECOND SECTION.... ]]

-12-

Figure 10. Preformat and input data of November 6, 1980 for Group I regression equation.

## V. SUMMARY

Accurate forecasting of gale conditions off coastal Washington is of considerable importance to the mariner. Fishing fleets working along the coast and beyond depend on NOAA Weather Radio warnings that gales are developing. Gales can very quickly create dangerous and steep seas. With the AFOS computer, it is now possible to develop objective aids which alert the weather forecaster of time to gale onset.

Using data from winter 1979-80, regression equations were developed to,

- a) Determine whether gales are likely,
- b) Determine the time to gale onset.

These equations applied to winter 1980-81 data verified reasonably well. This is especially encouraging since weather during this past winter was totally different from the previous year.

It is difficult to obtain data required to verify the occurrence of coastal gales. At night, coast guard stations do not relay weather obs and wind instruments at other coastal stations are sheltered from gales by local terrain. It has often been observed that gales may be experienced a short distance offshore while winds observed along the coast are below gale force.

Satellite images can be of great help to detect potential gale development. If a vorticity center develops on the approaching baroclinic zone, it is possible to determine whether gale development is likely. Using the surface chart, estimates of low central pressure, direction and speed can be made. This information can then be used in regression equations to objectively predict time to gale onset.

Regression analysis has been applied to forecast many meteorological parameters such as maximum temperature and probability of occurrence of meteorological events (precipitation). The use of regression analysis can be extended to objective prediction of other meteorological events as well. Nevertheless, use of objective aids will still require human input to maximize their utility.

## VI. REFERENCES

- Labas K. (1979) Utah Recreational Temperature Program. NOAA WRCP No. 5, November 1979
- Zimmerman J. and Ruscha C. (1979) LFM 24-Hour prediction Of Eastern Pacific Cyclones Refined By Satellite Images. NOAA Tech Memorandum NWS WR-137, January 1979
- Zimmerman J. and Burton W. (1979) Late Summer Gales Off Coastal Oregon-Washington National Weather Digest, Vol. 4, No. 3, August 1979
- (1979) Labor Day Weekend Gales Off Coastal Washington-Oregon WR TA No. 79-33, October 2, 1979

NOAA Technical Memoranda NWS WR: (Continued)

- 121 Climatological Prediction of Cumulonimbus Clouds in the Vicinity of the Yucca Flat Weather Station. R. F. Quiring, June 1977. (PB-271-704/AS)
- 122 A Method for Transforming Temperature Distribution to Normality. Morris S. Webb, Jr., June 1977. (PB-271-742/AS)
- 124 Statistical Guidance for Prediction of Eastern North Pacific Tropical Cyclone Motion - Part I. Charles J. Neumann and Preston W. Leftwich, August 1977. (PB-272-661)
- 125 Statistical Guidance on the Prediction of Eastern North Pacific Tropical Cyclone Motion - Part II. Preston W. Leftwich and Charles J. Neumann, August 1977. (PB-273-155/AS)
- 127 Development of a Probability Equation for Winter-Type Precipitation Patterns in Great Falls, Montana. Kenneth B. Mielke, February 1978. (PB-281-387/AS)
- 128 Hand Calculator Program to Compute Parcel Thermal Dynamics. Dan Gudge, April 1978. (PB-283-080/AS)
- 129 Fire Whirls. David W. Goens, May 1978. (PB-283-866/AS)
- 130 Flash-Flood Procedure. Ralph C. Hatch and Gerald Williams, May 1978. (PB-286-014/AS)
- 131 Automated Fire-Weather Forecasts. Mark A. Mollner and David E. Olsen, September 1978. (PB-289-916/AS)
- 132 Estimates of the Effects of Terrain Blocking on the Los Angeles WSR-74C Weather Radar. R. G. Pappas, R. Y. Lee, B. W. Finke, October 1978. (PB289767/AS)
- 133 Spectral Techniques in Ocean Wave Forecasting. John A. Jannuzzi, October 1978. (PB291317/AS)
- 134 Solar Radiation. John A. Jannuzzi, November 1978. (PB291195/AS)
- 135 Application of a Spectrum Analyzer in Forecasting Ocean Swell in Southern California Coastal Waters. Lawrence P. Kierulff, January 1979. (PB292716/AS)
- 136 Basic Hydrologic Principles. Thomas L. Dietrich, January 1979. (PB292247/AS)
- 137 LFM 24-Hour Prediction of Eastern Pacific Cyclones Refined by Satellite Images. John R. Zimmerman and Charles P. Ruscha, Jr., Jan. 1979. (PB294324/AS)
- 138 A Simple Analysis/Diagnosis System for Real Time Evaluation of Vertical Motion. Scott Heflick and James R. Fors, February 1979. (PB294216/AS)
- 139 Aids for Forecasting Minimum Temperature in the Wenatchee Frost District. Robert S. Robinson, April 1979. (PB298339/AS)
- 140 Influence of Cloudiness on Summertime Temperatures in the Eastern Washington Fire Weather District. James Holcomb, April 1979. (PB298674/AS)
- 141 Comparison of LFM and MFM Precipitation Guidance for Nevada During Doreen. Christopher Hill, April 1979. (PB298613/AS)
- 142 The Usefulness of Data from Mountaintop Fire Lookout Stations in Determining Atmospheric Stability. Jonathan W. Corey, April 1979. (PB298099/AS)
- 143 The Depth of the Marine Layer at San Diego as Related to Subsequent Cool Season Precipitation Episodes in Arizona. Ira S. Brenner, May 1979. (PB298817/AS)
- 144 Arizona Cool Season Climatological Surface Wind and Pressure Gradient Study. Ira S. Brenner, May 1979. (PB298900/AS)
- 145 On the Use of Solar Radiation and Temperature Models to Estimate the Snap Bean Maturity Date in the Willamette Valley. Earl M. Bates, August 1979. (PB80-160971)
- 146 The BART Experiment. Morris S. Webb, October 1979. (PB80-155112)
- 147 Occurrence and Distribution of Flash Floods in the Western Region. Thomas L. Dietrich, December 1979. (PB80-160344)
- 149 Misinterpretations of Precipitation Probability Forecasts. Allan H. Murphy, Sarah Lichtenstein, Baruch Fischhoff, and Robert L. Winkler, February 1980. (PB80-174576)
- 150 Annual Data and Verification Tabulation - Eastern and Central North Pacific Tropical Storms and Hurricanes 1979. Emil B. Gunther and Staff, EPIC, April 1980. (PB80-220486)
- 151 NMC Model Performance in the Northeast Pacific. James E. Overland, PMEL-ERL, April 1980. (PB80-196033)
- 152 Climate of Salt Lake City, Utah. Wilbur E. Figgins, June 1980. (PB80-225493)
- 153 An Automatic Lightning Detection System in Northern California. James E. Rea and Chris E. Fontana, June 1980. (PB80-225592)
- 154 Regression Equation for the Peak Wind Gust 6 to 12 Hours in Advance at Great Falls During Strong Downslope Wind Storms. Michael J. Oard, July 1980. (PB81-108367)
- 155 A Raininess Index for the Arizona Monsoon. John H. Tenlarkel, July 1980. (PB81-106494)
- 156 The Effects of Terrain Distribution on Summer Thunderstorm Activity at Reno, Nevada. Christopher Dean Hill, July 1980. (PB81-102501)
- 157 An Operational Evaluation of the Scofield/Oliver Technique for Estimating Precipitation Rates from Satellite Imagery. Richard Ochoa, August 1980. (PB81-108227)
- 158 Hydrology Practicum. Thomas Dietrich, September 1980. (PB81-134033)
- 159 Tropical Cyclone Effects on California. Arnold Court, October 1981. (PB81-133779)
- 160 Eastern North Pacific Tropical Cyclone Occurrences During Intraseasonal Periods. Preston W. Leftwich and Gail M. Brown, February 1981. (PB81-205494)
- 161 Solar Radiation as a Sole Source of Energy for Photovoltaics in Las Vegas, Nevada, for July and December. Darryl Randerson, April 1981. (PB81-224503)
- 162 A Systems Approach to Real-Time Runoff Analysis with a Deterministic Rainfall-Runoff Model. Robert J. C. Burnash and R. Larry Ferral, April 1981. (PB81-224495)
- 163 A Comparison of Two Methods for Forecasting Thunderstorms at Luke Air Force Base, Arizona. Lt. Colonel Keith R. Cooley, April 1981. (PB81-225393)
- 164 An Objective Aid for Forecasting Afternoon Relative Humidity Along the Washington Cascade East Slopes. Robert S. Robinson, April 1981. (PB81-230278)
- 165 Annual Data and Verification Tabulation, Eastern North Pacific Tropical Storms and Hurricanes 1980. Emil B. Gunther and Staff, May 1981. (PB81-230336)
- 166 Preliminary Estimates of Wind Power Potential at the Nevada Test Site. Howard G. Booth, June 1981.

## NOAA SCIENTIFIC AND TECHNICAL PUBLICATIONS

*The National Oceanic and Atmospheric Administration* was established as part of the Department of Commerce on October 3, 1970. The mission responsibilities of NOAA are to assess the socioeconomic impact of natural and technological changes in the environment and to monitor and predict the state of the solid Earth, the oceans and their living resources, the atmosphere, and the space environment of the Earth.

The major components of NOAA regularly produce various types of scientific and technical information in the following kinds of publications:

**PROFESSIONAL PAPERS** — Important definitive research results, major techniques, and special investigations.

**CONTRACT AND GRANT REPORTS** — Reports prepared by contractors or grantees under NOAA sponsorship.

**ATLAS** — Presentation of analyzed data generally in the form of maps showing distribution of rainfall, chemical and physical conditions of oceans and atmosphere, distribution of fishes and marine mammals, ionospheric conditions, etc.

**TECHNICAL SERVICE PUBLICATIONS** — Reports containing data, observations, instructions, etc. A partial listing includes data serials; prediction and outlook periodicals; technical manuals, training papers, planning reports, and information serials; and miscellaneous technical publications.

**TECHNICAL REPORTS** — Journal quality with extensive details, mathematical developments, or data listings.

**TECHNICAL MEMORANDUMS** — Reports of preliminary, partial, or negative research or technology results, interim instructions, and the like.



*Information on availability of NOAA publications can be obtained from:*

**ENVIRONMENTAL SCIENCE INFORMATION CENTER (D822)  
ENVIRONMENTAL DATA AND INFORMATION SERVICE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
U.S. DEPARTMENT OF COMMERCE**

**6009 Executive Boulevard  
Rockville, MD 20852**