

NOAA Technical Memorandum NWS WR-178



---

ANNUAL DATA AND VERIFICATION TABULATION  
EASTERN NORTH PACIFIC TROPICAL STORMS AND HURRICANES 1982

Salt Lake City, Utah  
June 1983

---

**U.S. DEPARTMENT OF  
COMMERCE**

National Oceanic and  
Atmospheric Administration

National Weather  
Service



NOAA TECHNICAL MEMORANDA  
National Weather Service, Western Region Subseries

The National Weather Service (NWS) Western Region (WR) Subseries provides an informal medium for the documentation and quick dissemination of results not appropriate, or not yet ready, for formal publication. The series is used to report on work in progress, to describe technical procedures and practices, or to relate progress to a limited audience. These Technical Memoranda will report on investigations devoted primarily to regional and local problems of interest mainly to personnel, and hence will not be widely distributed.

Papers 1 to 25 are in the former series, ESSA Technical Memoranda, Western Region Technical Memoranda (WRTM); papers 24 to 59 are in the former series, ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM). Beginning with 60, the papers are part of the series, NOAA Technical Memoranda NWS. Out-of-print memoranda are not listed.

Papers 2 to 22, except for 5 (revised edition), are available from the National Weather Service Western Region, Scientific Services Division, P. O. Box 11188, Federal Building, 125 South State Street, Salt Lake City, Utah 84147. Paper 5 (revised edition), and all others beginning with 25 are available from the National Technical Information Service, U. S. Department of Commerce, Sills Building, 5285 Port Royal Road, Springfield, Virginia 22151. Prices vary for all paper copy; \$3.50 microfiche. Order by accession number shown in parentheses at end of each entry.

ESSA Technical Memoranda (WRTM)

- 2 Climatological Precipitation Probabilities. Compiled by Lucianne Miller, December 1965.
- 3 Western Region Pre- and Post-FP-3 Program, December 1, 1965, to February 20, 1966. Edward D. Diemer, March 1966.
- 5 Station Descriptions of Local Effects on Synoptic Weather Patterns. Philip Williams, Jr., April 1966 (revised November 1967, October 1969). (PB-17800)
- 8 Interpreting the RAREP. Herbert P. Benner, May 1966 (revised January 1967).
- 11 Some Electrical Processes in the Atmosphere. J. Latham, June 1966.
- 17 A Digitalized Summary of Radar Echoes within 100 Miles of Sacramento, California. J. A. Youngberg and L. B. Overaas, December 1966.
- 21 An Objective Aid for Forecasting the End of East Winds in the Columbia Gorge, July through October. D. John Coparanis, April 1967.
- 22 Derivation of Radar Horizons in Mountainous Terrain. Roger G. Pappas, April 1967.

ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM)

- 25 Verification of Operational Probability of Precipitation Forecasts, April 1966-March 1967. W. W. Dickey, October 1967. (PB-176240)
- 26 A Study of Winds in the Lake Mead Recreation Area. R. P. Augulis, January 1968. (PB-177830)
- 28 Weather Extremes. R. J. Schmidt, April 1968 (revised February 1981).
- 29 Small-Scale Analysis and Prediction. Philip Williams, Jr., May 1968. (PB-178425)
- 30 Numerical Weather Prediction and Synoptic Meteorology. Capt. Thomas D. Murphy, U.S.A.F., May 1968. (AD-673365)
- 31 Precipitation Detection Probabilities by Salt Lake ARTC Radars. Robert K. Belesky, July 1968. (PB-179084)
- 32 Probability Forecasting--A Problem Analysis with Reference to the Portland Fire Weather District. Harold S. Ayer, July 1968. (PB-179289)
- 35 Joint ESSA/FAA ARTC Radar Weather Surveillance Program. Herbert P. Benner and DeVon B. Smith, December 1968 (revised June 1970). AD-681857)
- 36 Temperature Trends in Sacramento--Another Heat Island. Anthony D. Lentini, February 1969. (PB-183055)
- 37 Disposal of Logging Residues without Damage to Air Quality. Owen P. Cramer, March 1969. (PB-183057)
- 39 Upper-Air Lows over Northwestern United States. A. L. Jacobson, April 1969. (PB-184296)
- 40 The Man-Machine Mix in Applied Weather Forecasting in the 1970's. L. W. Snellman, August 1969. (PB-185068)
- 42 Analysis of the Southern California Santa Ana of January 15-17, 1966. Barry B. Aronovitch, August 1969. (PB-185670)
- 43 Forecasting Maximum Temperatures at Helena, Montana. David E. Olsen, October 1969. (PB-185762)
- 44 Estimated Return Periods for Short-Duration Precipitation in Arizona. Paul C. Kangieser, October 1969. (PB-187763)
- 46 Applications of the Net Radiometer to Short-Range Fog and Stratus Forecasting at Eugene, Oregon. L. Yee and E. Bates, December 1969. (PB-190476)
- 47 Statistical Analysis as a Flood Routing Tool. Robert J. C. Burnash, December 1969. (PB-188744)
- 48 Tsunami. Richard P. Augulis, February 1970. (PB-190157)
- 49 Predicting Precipitation Type. Robert J. C. Burnash and Floyd E. Hug, March 1970. (PB-190962)
- 50 Statistical Report on Aeroallergens (Pollens and Molds) Fort Huachuca, Arizona, 1969. Wayne S. Johnson, April 1970. (PB-191743)
- 51 Western Region Sea State and Surf Forecaster's Manual. Gordon C. Shields and Gerald B. Burdwell, July 1970. (PB-193102)
- 52 Sacramento Weather Radar Climatology. R. G. Pappas and C. M. Veliquette, July 1970. (PB-193347)
- 54 A Refinement of the Vorticity Field to Delineate Areas of Significant Precipitation. Barry B. Aronovitch, August 1970.
- 55 Application of the SSARR Model to a Basin without Discharge Record. Vail Schermerhorn and Donald W. Kuehl, August 1970. (PB-194394)
- 56 Areal Coverage of Precipitation in Northwestern Utah. Philip Williams, Jr., and Werner J. Heck, September 1970. (PB-194389)
- 57 Preliminary Report on Agricultural Field Burning vs. Atmospheric Visibility in the Willamette Valley of Oregon. Earl M. Bates and David O. Chilcote, September 1970. (PB-194710)
- 58 Air Pollution by Jet Aircraft at Seattle-Tacoma Airport. Wallace R. Donaldson, October 1970. (COM-71-00017)
- 59 Application of PE Model Forecast Parameters to Local-Area Forecasting. Leonard W. Snellman, October 1970. (COM-71-00016)

NOAA Technical Memoranda (NWS WR)

- 60 An Aid for Forecasting the Minimum Temperature at Medford, Oregon. Arthur W. Fritz, October 1970. (COM-71-00120)
- 63 700-mb Warm Air Advection as a Forecasting Tool for Montana and Northern Idaho. Norris E. Woerner, February 1971. (COM-71-00349)
- 64 Wind and Weather Regimes at Great Falls, Montana. Warren B. Price, March 1971.
- 66 A Preliminary Report on Correlation of ARTCC Radar Echoes and Precipitation. Wilbur K. Hall, June 1971. (COM-71-00829)
- 69 National Weather Service Support to Soaring Activities. Ellis Burton, August 1971. (COM-71-00956)
- 71 Western Region Synoptic Analysis-Problems and Methods. Philip Williams, Jr., February 1972. (COM-72-10433)
- 74 Thunderstorms and Hail Days Probabilities in Nevada. Clarence M. Sakamoto, April 1972. (COM-72-10554)
- 75 A Study of the Low Level Jet Stream of the San Joaquin Valley. Ronald A. Willis and Philip Williams, Jr., May 1972. (COM-72-10707)
- 76 Monthly Climatological Charts of the Behavior of Fog and Low Stratus at Los Angeles International Airport. Donald M. Gales, July 1972. (COM-72-11140)
- 77 A Study of Radar Echo Distribution in Arizona During July and August. John E. Hales, Jr., July 1972. (COM-72-11136)
- 78 Forecasting Precipitation at Bakersfield, California, Using Pressure Gradient Vectors. Earl T. Riddiough, July 1972. (COM-72-11146)
- 79 Climate of Stockton, California. Robert C. Nelson, July 1972. (COM-72-10920)
- 80 Estimation of Number of Days Above or Below Selected Temperatures. Clarence M. Sakamoto, October 1972. (COM-72-10021)
- 81 An Aid for Forecasting Summer Maximum Temperatures at Seattle, Washington. Edgar G. Johnson, November 1972. (COM-73-10150)
- 82 Flash Flood Forecasting and Warning Program in the Western Region. Philip Williams, Jr., Chester L. Glenn, and Roland L. Raetz, December 1972, (revised March 1978). (COM-73-10251)
- 83 A Comparison of Manual and Semiautomatic Methods of Digitizing Analog Wind Records. Glenn E. Rasch, March 1973. (COM-73-10669)
- 86 Conditional Probabilities for Sequences of Wet Days at Phoenix, Arizona. Paul C. Kangieser, June 1973. (COM-73-11264)
- 87 A Refinement of the Use of K-Values in Forecasting Thunderstorms in Washington and Oregon. Robert Y. G. Lee, June 1973. (COM-73-11276)
- 89 Objective Forecast Precipitation over the Western Region of the United States. Julia N. Paegle and Larry P. Kierulff, Sept. 1973. (COM-73-11946/3AS)
- 91 Arizona "Eddy" Tornadoes. Robert S. Ingram, October 1973. (COM-73-10465)
- 92 Smoke Management in the Willamette Valley. Earl M. Bates, May 1974. (COM-74-11277/AS)
- 93 An Operational Evaluation of 500-mb Type Regression Equations. Alexander E. MacDonald, June 1974. (COM-74-11407/AS)
- 94 Conditional Probability of Visibility Less than One-Half Mile in Radiation Fog at Fresno, California. John D. Thomas, August 1974. (COM-74-11555/AS)
- 96 Map Type Precipitation Probabilities for the Western Region. Glenn E. Rasch and Alexander E. MacDonald, February 1975. (COM-75-10428/AS)
- 97 Eastern Pacific Cut-Off Low of April 21-28, 1974. William J. Alder and George R. Miller, January 1976. (PB-250-711/AS)
- 98 Study on a Significant Precipitation Episode in Western United States. Ira S. Brenner, April 1976. (COM-75-10719/AS)
- 99 A Study of Flash Flood Susceptibility--A Basin in Southern Arizona. Gerald Williams, August 1975. (COM-75-11360/AS)
- 102 A Set of Rules for Forecasting Temperatures in Napa and Sonoma Counties. Wesley L. Tuft, October 1975. (PB-246-902/AS)
- 103 Application of the National Weather Service Flash-Flood Program in the Western Region. Gerald Williams, January 1976. (PB-253-053/AS)
- 104 Objective Aids for Forecasting Minimum Temperatures at Reno, Nevada, During the Summer Months. Christopher D. Hill, January 1976. (PB-252-866/AS)
- 105 Forecasting the Mono Wind. Charles P. Ruscha, Jr., February 1976. (PB-254-650)
- 106 Use of MOS Forecast Parameters in Temperature Forecasting. John C. Plankinton, Jr., March 1976. (PB-254-649)
- 107 Map Types as Aids in Using MOS PoPs in Western United States. Ira S. Brenner, August 1976. (PB-259-594)
- 108 Other Kinds of Wind Shear. Christopher D. Hill, August 1976. (PB-260-437/AS)
- 109 Forecasting North Winds in the Upper Sacramento Valley and Adjoining Forests. Christopher E. Fontana, September 1976. (PB-273-677/AS)
- 110 Cool Inflow as a Weakening Influence on Eastern Pacific Tropical Cyclones. William J. Denney, November 1976. (PB-264-655/AS)
- 112 The MAN/MOS Program. Alexander E. MacDonald, February 1977. (PB-265-941/AS)
- 113 Winter Season Minimum Temperature Formula for Bakersfield, California, Using Multiple Regression. Michael J. Oard, February 1977. (PB-273-694/AS)
- 114 Tropical Cyclone Kathleen. James R. Fors, February 1977. (PB-273-676/AS)
- 116 A Study of Wind Gusts on Lake Mead. Bradley Colman, April 1977. (PB-268-847)
- 117 The Relative Frequency of Cumulonimbus Clouds at the Nevada Test Site as a Function of K-Value. R. F. Quiring, April 1977. (PB-272-831)
- 118 Moisture Distribution Modification by Upward Vertical Motion. Ira S. Brenner, April 1977. (PB-268-740)
- 119 Relative Frequency of Occurrence of Warm Season Echo Activity as a Function of Stability Indices Computed from the Yucca Flat, Nevada, Rawinsonde. Darryl Randerson, June 1977. (PB-271-290/AS)

NOAA Technical Memorandum NWS WR-178

ANNUAL DATA AND VERIFICATION TABULATION  
EASTERN NORTH PACIFIC TROPICAL STORMS AND HURRICANES 1982

Emil B. Gunther and Staff

Eastern Pacific Hurricane Center  
San Francisco, California  
June 1983


UNITED STATES  
DEPARTMENT OF COMMERCE  
Malcolm Baldrige, Secretary

**National Oceanic and  
Atmospheric Administration**  
John V. Byrne, Administrator

National Weather  
Service  
Richard E. Hallgren, Director



This publication has been reviewed  
and is approved for publication by  
Scientific Services Division,  
Western Region.

A handwritten signature in black ink that reads "Glenn E. Rasch". The signature is written in a cursive style with a large initial 'G'.

Glenn E. Rasch, Chief  
Scientific Services Division  
Western Region Headquarters  
Salt Lake City, Utah

## TABLE OF CONTENTS

	<u>Page</u>
List of Tables.....	iv
I. Introduction.....	1
II. Objective Forecast Techniques.....	1
III. Verification.....	1
IV. Data Summaries.....	1
V. References.....	2

LIST OF TABLES

	<u>Page</u>
Table 1. Verification of 1982 Tropical Storms and..... Hurricane Forecasts	3
Table 2. Summary of Eastern North Pacific Tropical..... Cyclones, 1982	3
Tables 3 through 28.....	4-29

ANNUAL DATA AND VERIFICATION TABULATION  
EASTERN NORTH PACIFIC TROPICAL STORMS AND HURRICANES 1982

E. B. Gunther, R. L. Cross, and R. A. Wagoner  
Eastern Pacific Hurricane Center  
San Francisco, California

## I. INTRODUCTION

This is the fourth report of an annual series covering eastern North Pacific tropical cyclone activity. Data are provided by the National Weather Service, the National Earth Satellite Service Field Station - San Francisco, California, and the Chief, Aerial Reconnaissance Coordination, all Hurricanes (CARCAH), Miami, Florida.

## II. OBJECTIVE FORECAST TECHNIQUES

Tropical cyclone prediction models used by Eastern Pacific Hurricane Center (EPHC) forecasters include:

1. EPHC77 (Leftwich and Neumann, 1977). A statistical-synoptic model.
2. EPHC81 (Leftwich, 1981). A statistical-dynamic model.
3. EPCLIPER (Neumann, 1972). A simulated analog model based on persistence and climatology.
4. EPANALOG (Jarrell, Mauck, and Renard, 1975). An analog model.
5. SANBAR (Sanders and Burpee, 1968). A filtered barotropic model. (SANBAR, undergoing modification, was not available during 1982.)
6. NMC MFM (Hovermale, 1975). A multi-level baroclinic model used for tropical cyclones threatening U. S. territory. Not run during the 1982 season.

In addition to the above models, forecasters also make use of NMC analyses and prognoses.

## III. VERIFICATION

Verification statistics for the 1982 season are shown in Table 1. The forecast displacement error is the vector difference between the forecast displacement and the actual displacement computed from best-track positions. The initial position error is not subtracted from the forecast error and depressions are not verified.

## IV. DATA SUMMARIES

A summary of the 1982 eastern North Pacific tropical cyclone statistics is given in Table 2. Best track, operational positions, and position errors are given in Tables 3-28.

Although there were no U. S. Air Force reconnaissance flights into eastern North Pacific tropical cyclones during the 1982 season, NOAA research aircraft made 90 dropsonde observations into Hurricane Olivia over a two day period as the cyclone moved northward off the Baja California coast.

## V. REFERENCES

Hovermale, J. B., 1975: First Season Storm Movement Characteristics of the Objective Hurricane Forecast Model. Minutes of the NOAA Hurricane Warning Conference, National Hurricane Center, Coral Gables, Florida.

Jarrell, J. D., C. M. Mauck, and R. J. Renard, 1975: The Navy's Analog Scheme for Forecasting Tropical Cyclone Motion Over the Northeastern Pacific Ocean. Technical Paper No. 6-75, Environmental Prediction Research Facility, Naval Postgraduate School, Monterey, California, 27 pp.

Leftwich, P. W., and C. J. Neumann, 1977: Statistical Guidance on the Prediction of Eastern North Pacific Tropical Cyclone Motion. NOAA Technical Memorandum NWS WR-125, National Oceanic and Atmospheric Administration, U. S. Department of Commerce, National Weather Service Western Region, 15 pp.

Neumann, C. J., 1972: An Alternate to the HURRAN Tropical Cyclone Forecast System. NOAA Technical Memorandum NWS SR-62, National Oceanic and Atmospheric Administration, U. S. Department of Commerce, National Weather Service Southern Region, 24 pp.

\_\_\_\_\_, J. R. Hope, and B. I. Miller, 1972: A statistical Method of Combining Synoptic and Empirical Cyclone Prediction Systems. NOAA Technical Memorandum NWS SR-63, National Oceanic and Atmospheric Administration, U. S. Department of Commerce, National Weather Service Southern Region, 32 pp.

Sanders, F., and R. W. Burpee, 1968: Experiments in Barotropic Hurricane Track Forecasting. Journal of Applied Meteorology, Vol. 7, No. 3, 313-323.

Leftwich, P. W., 1981: A statistical-Dynamical Model for Prediction of Tropical Cyclone Motion in the Eastern North Pacific Ocean. First draft of manuscript. NOAA National Weather Service, National Hurricane Center, Coral Gables, Florida.



TABLE 1

VERIFICATION OF 1982 TROPICAL STORM AND HURRICANE FORECASTS  
(FIGURES IN PARENTHESES ARE NUMBER OF CASES)

METHOD	FORECAST DISPLACEMENT ERRORS (N. MI.)		
	24 HR	48 HR	72 HR
OFFICIAL	78(270)	169(199)	246(138)
EPANALOG	91(262)	186(200)	272(140)
EPHC77	88(255)	180(197)	267(138)
EPHC81	81(093)	169(066)	230(044)
EPCLIPER	82(263)	180(201)	256(140)

TABLE 2

## SUMMARY OF EASTERN NORTH PACIFIC TROPICAL CYCLONES, 1982

NO.	NAME	CLASS	DATES	MAX(kt)	DAMAGE (\$ MILLION)	DEATHS
1	ALETTA	TS	20-29 MAY	55		
4	BUD	TS	15-17 JUN	45		
6	CARLOTTA	TS	1-6 JUL	50		
8	DANIEL	HU	7-16 JUL	100		
9	EMILIA	TS	12-13 JUL	35		
12	FABIO	HU	17-25 JUL	70		
13	GILMA	HU	26-30 JUL	110		
14	HECTOR	HU	29 JUL - 3 AUG	65		
15	IVA	TS	1-8 AUG	35		
16	JOHN	HU	2-6 AUG	90		
17	KRISTY	HU	8-11 AUG	65		
18	LANE	TS	8-15 AUG	55		
19	MIRIAM	HU	30 AUG - 4 SEP	75		
20	NORMAN	HU	9-18 SEP	90		
22	PAUL	HU	18-22 SEP	30	UNK*	1000+*
			24-30 SEP	95	70**	8**
23	OLIVIA	HU	18-25 SEP	125	325***	
24	ROSA	TS	30 SEP - 6 OCT	45		
25	SERGIO	HU	14-23 OCT	110		
26	TARA	TS	19-26 OCT	45		

\* San Salvador and Guatemala. \*\* Mexico. \*\*\* U.S.A.

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	ERROR (N.MI.)	LAT.	LONG.	ERROR (N.MI.)	LAT.	LONG.	ERROR (N.MI.)
52100	12.0	106.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
52106	12.3	105.7	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
52112	12.5	105.5	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
52118	12.8	105.2	13.0	104.5	42.1	14.0	104.1	25.	0.0	0.0	0.	0.0	0.0	0.
52200	12.9	104.8	13.0	104.5	18.3	13.5	104.0	79.	0.0	0.0	0.	0.0	0.0	0.
52206	13.2	104.5	13.4	104.2	21.1	14.6	104.0	19.	0.0	0.0	0.	0.0	0.0	0.
52212	13.4	104.2	13.5	104.0	13.0	14.2	103.8	42.	15.1	103.4	81.	15.8	103.4	146.
52218	13.7	104.0	13.7	103.8	11.6	14.3	103.5	31.	15.1	103.1	104.	16.0	102.9	113.
52300	14.1	103.8	14.8	103.8	42.0	16.0	104.0	109.	16.8	103.8	185.	17.6	103.2	202.
52306	14.4	103.6	14.9	103.9	34.6	16.4	104.2	146.	17.7	104.7	259.	17.9	105.2	315.
52312	14.5	103.3	14.9	103.9	42.2	15.5	103.8	108.	16.1	103.7	169.	17.0	103.6	224.
52318	14.6	102.9	14.5	103.0	8.3	15.2	102.6	75.	15.9	102.3	88.	16.7	102.2	162.
52400	14.7	102.5	14.9	102.5	12.0	15.9	101.5	57.	17.1	100.5	163.	0.0	0.0	0.
52406	14.8	102.2	14.8	102.3	5.8	15.3	101.3	19.	16.3	101.0	157.	17.2	100.7	230.
52412	14.8	101.9	15.0	102.0	13.3	16.4	101.2	96.	0.0	0.0	0.	0.0	0.0	0.
52418	14.8	101.7	15.2	101.3	33.3	16.3	99.3	168.	0.0	0.0	0.	0.0	0.0	0.
52500	14.8	101.5	15.0	101.2	21.1	15.3	100.9	58.	0.0	0.0	0.	0.0	0.0	0.
52506	14.7	101.4	15.0	101.2	21.4	15.7	100.8	128.	16.6	100.7	209.	0.0	0.0	0.
52512	14.5	101.4	14.8	101.1	25.0	16.0	101.1	135.	17.1	101.2	196.	0.0	0.0	0.
52518	14.4	101.4	14.6	101.6	16.6	15.1	101.5	75.	16.0	101.4	135.	16.7	100.9	132.
52600	14.2	101.4	14.6	101.6	26.6	14.8	101.8	85.	15.3	102.0	122.	16.2	102.3	44.
52606	14.1	101.6	13.8	101.8	21.4	14.0	102.7	80.	14.6	103.4	71.	15.6	104.5	104.
52612	14.0	101.9	13.8	101.6	21.1	13.6	101.1	178.	14.3	101.3	188.	15.5	101.0	0.
52618	13.9	102.2	14.0	102.1	8.3	15.0	102.5	58.	16.1	102.5	34.	0.0	0.0	0.
52700	13.9	102.5	14.0	103.0	29.5	14.4	104.5	48.	15.4	105.9	170.	17.0	106.0	0.
52706	14.0	102.9	14.8	103.8	70.8	16.3	106.4	133.	16.3	108.9	361.	0.0	0.0	0.
52712	14.2	103.1	15.0	103.8	62.8	19.1	104.6	234.	0.0	0.0	0.	0.0	0.0	0.
52718	14.5	103.5	15.0	103.5	30.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
52800	14.7	103.7	15.1	104.1	33.3	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
52806	15.0	103.8	15.4	104.3	37.6	16.4	104.3	107.	0.0	0.0	0.	0.0	0.0	0.
52812	15.2	103.7	15.2	104.4	40.5	15.6	105.0	0.	0.0	0.0	0.	0.0	0.0	0.
52818	15.3	103.4	15.8	103.0	37.9	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
52900	15.4	103.1	15.9	103.0	30.6	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
52906	15.5	102.8	15.5	102.7	5.8	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
52912	15.7	102.5	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
52918	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)

NUMBER OF CASES

STOP

R

92.

25

158.

17

167.

10

TABLE 3

TWO-E 24

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)
53100	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
53106	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
53112	13.4	95.6	13.2	96.0	26.1	13.3	97.6	148.	13.3	99.7	347.	14.0	102.0	458.
53118	13.4	95.3	14.0	95.0	40.0	14.0	95.4	83.	14.5	96.7	182.	14.8	98.1	227.
6 100	13.5	95.0	14.0	95.0	30.0	14.9	95.6	79.	15.7	97.2	187.	16.5	99.4	303.
6 106	13.7	94.8	13.3	95.2	33.4	13.4	95.9	98.	13.6	96.5	0.	14.2	97.2	191.
6 112	13.8	94.4	13.7	95.1	41.0	13.7	95.7	113.	13.9	96.3	142.	14.2	97.3	207.
6 118	14.0	94.2	14.3	94.0	21.4	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
6 200	14.2	94.4	14.5	94.3	18.9	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
6 206	14.3	94.5	14.3	94.5	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
6 212	14.2	94.8	14.1	93.8	58.3	14.7	93.6	42.	15.8	93.7	29.	0.0	0.0	0.
6 218	14.0	94.7	14.1	93.6	64.0	14.8	92.7	89.	0.0	0.0	0.	0.0	0.0	0.
6 300	14.0	94.5	14.0	94.5	0.0	14.7	95.2	63.	0.0	0.0	0.	0.0	0.0	0.
6 306	14.3	94.2	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
6 312	14.7	94.2	15.1	94.2	24.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
6 318	15.0	94.2	15.1	94.2	6.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
6 400	15.4	94.4	15.3	94.3	8.3	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
6 406	15.6	94.8	15.7	94.3	29.6	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
6 412	15.8	95.0	15.9	94.2	46.7	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
6 418	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)

NUMBER OF CASES

STOP

R

89.

8

177.

5

277.

5

TABLE 4

THREE-E

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)
61300	8.0	123.5	8.0	123.5	0.0	8.8	124.0	93.	0.0	0.0	0.	0.0	0.0	0.
61306	8.5	124.0	8.5	124.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
61312	8.7	124.6	8.8	125.4	46.9	10.8	127.5	186.	0.0	0.0	0.	0.0	0.0	0.
61318	8.9	125.2	9.4	125.3	30.6	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
61400	9.5	125.3	10.0	125.0	34.7	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
61406	10.1	125.1	11.0	124.7	58.8	13.0	124.0	6.	0.0	0.0	0.	0.0	0.0	0.
61412	10.8	124.8	11.4	124.4	42.9	14.5	123.2	71.	0.0	0.0	0.	0.0	0.0	0.
61418	11.4	124.5	11.8	124.1	33.4	14.1	123.4	0.	0.0	0.0	0.	0.0	0.0	0.
61500	11.8	124.2	12.6	124.0	49.4	15.2	124.0	0.	0.0	0.0	0.	0.0	0.0	0.
61506	12.5	124.0	13.0	123.9	30.6	15.6	124.2	0.	0.0	0.0	0.	0.0	0.0	0.
61512	13.0	123.9	13.6	124.0	36.5	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
61518	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)

NUMBER OF CASES

STOP

R

89.

4

0.

0

0.

0

TABLE 5

BUD

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	ERROR (N.MI.)	LAT.	LONG.	ERROR (N.MI.)	LAT.	LONG.	ERROR (N.MI.)
61500	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
61506	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
61512	12.8	105.2	13.0	105.3	13.3	14.7	108.1	73.	15.5	111.2	138.	16.5	114.2	0.
61518	13.1	105.7	13.1	105.8	5.8	14.3	108.6	48.	15.0	111.0	171.	15.5	114.0	0.
61600	13.3	106.4	13.2	106.3	8.3	14.0	108.6	42.	14.8	111.1	0.	15.3	114.4	0.
61606	13.4	107.0	13.5	107.0	6.0	14.2	109.7	48.	15.1	112.4	0.	16.0	115.2	0.
61612	13.5	107.6	13.5	107.9	17.4	13.9	110.5	36.	14.4	113.5	0.	14.4	113.5	0.
61618	13.6	108.4	13.5	108.7	18.4	14.3	112.0	227.	15.3	115.3	0.	16.4	118.0	0.
61700	13.6	109.2	13.5	109.1	8.3	13.9	112.0	0.	14.5	114.8	0.	15.2	118.4	0.
61706	13.5	110.0	13.5	110.1	5.8	13.8	112.9	0.	14.3	115.9	0.	15.2	119.6	0.
61712	13.4	110.6	13.3	110.5	8.3	13.4	113.5	0.	14.2	116.0	0.	14.8	119.1	0.
61718	0.0	0.0	14.5	108.1	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)

NUMBER OF CASES

STOP

R

79.

6

155.

2

0.

0

TABLE 6

FIVE-E

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)
61700	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
61706	13.0	93.9	13.0	94.0	5.8	13.6	94.9	82.	14.3	96.6	60.	14.8	98.8	0.
61712	13.5	93.7	13.0	94.0	34.6	13.0	94.5	67.	13.2	95.3	126.	13.8	96.9	0.
61718	13.8	93.4	13.7	93.6	13.0	15.2	93.9	59.	16.2	94.3	161.	0.0	0.0	0.
61800	13.4	93.2	13.4	93.4	11.5	14.4	94.0	63.	15.5	95.2	0.	0.0	0.0	0.
61806	13.7	93.6	13.6	93.5	8.3	14.3	94.3	87.	15.5	95.8	0.	0.0	0.0	0.
61812	14.0	94.0	14.0	94.0	0.0	15.1	95.6	47.	0.0	0.0	0.	0.0	0.0	0.
61818	14.3	94.4	14.4	94.5	8.3	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
61900	14.5	95.0	14.8	95.0	18.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
61906	14.7	95.7	14.8	95.7	6.0	15.9	98.6	0.	0.0	0.0	0.	0.0	0.0	0.
61912	14.9	96.4	15.0	96.4	6.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
61918	0.0	0.0	15.5	97.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)

NUMBER OF CASES

STOP

R

67.

116.

0.

6

3

0

TABLE 7

CARLOTTA

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)
7 100	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
7 106	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
7 112	13.0	107.1	12.5	107.5	37.7	13.6	110.1	80.	15.0	113.0	168.	16.1	116.1	213.
7 118	13.6	107.2	13.2	107.2	24.0	15.1	109.0	145.	17.4	111.1	163.	19.3	113.8	142.
7 200	14.0	107.7	13.9	107.9	12.9	15.8	110.4	81.	17.0	113.1	125.	17.4	115.3	162.
7 206	14.3	108.3	13.9	108.7	33.1	15.2	111.6	110.	16.3	114.8	162.	17.3	118.1	149.
7 212	14.7	109.0	14.8	110.7	96.7	16.2	115.0	150.	17.1	119.0	288.	17.5	122.8	312.
7 218	15.0	109.8	15.2	111.5	97.2	16.0	115.1	183.	16.7	118.8	220.	17.1	122.5	326.
7 300	15.6	110.6	16.5	111.6	78.3	19.1	113.9	25.	20.8	116.0	100.	21.5	118.5	0.
7 306	16.3	111.3	17.0	112.0	57.8	19.3	114.5	34.	20.8	117.7	68.	21.7	121.1	0.
7 312	17.0	111.9	17.8	113.0	78.7	20.7	115.4	98.	22.7	118.0	150.	24.2	120.3	0.
7 318	17.8	112.8	18.7	113.6	70.5	21.4	116.0	115.	23.0	118.8	128.	24.2	120.8	0.
7 400	19.0	114.4	18.8	114.2	16.5	20.9	116.4	93.	21.7	119.5	0.	0.0	0.0	0.
7 406	19.8	115.5	19.0	115.0	55.8	20.5	118.3	70.	22.5	121.5	0.	0.0	0.0	0.
7 412	19.9	116.0	19.3	114.5	92.4	20.2	115.3	158.	21.0	116.2	0.	22.2	117.2	0.
7 418	20.0	116.5	19.5	116.3	32.1	20.6	118.9	33.	0.0	0.0	0.	0.0	0.0	0.
7 500	20.0	117.0	19.5	117.1	30.5	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
7 506	20.2	117.5	19.7	117.4	30.5	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
7 512	20.5	117.8	20.2	118.1	24.8	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
7 518	20.8	118.0	20.9	118.4	23.5	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)

NUMBER OF CASES

STOP

R

98.

14

157.

10

217.

6

TABLE 8

SEVEN-E

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST ERROR (N.MI.)			48 HOUR FORECAST ERROR (N.MI.)			72 HOUR FORECAST ERROR (N.MI.)		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.		LAT.	LONG.		LAT.	LONG.	

7 300	12.8	135.4	13.5	135.2	43.7	15.1	138.0	0.	0.0	0.0	0.	0.0	0.0	0.
7 306	13.5	135.8	13.6	135.4	24.7	16.8	135.0	0.	0.0	0.0	0.	0.0	0.0	0.
7 312	14.1	135.9	14.1	136.1	12.0	16.4	138.4	0.	0.0	0.0	0.	0.0	0.0	0.
7 318	14.3	135.4	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)								0.			0.			0.
NUMBER OF CASES								0			0			0
STOP														

R

TABLE 9



DANIEL

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	ERROR (N.MI)	LAT.	LONG.	ERROR (N.MI.)	LAT.	LONG.	ERROR (N.MI.)
7 700	9.2	98.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
7 706	9.5	98.8	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
7 712	9.8	99.7	9.6	99.6	13.3	10.7	103.1	21.	12.1	106.5	97.	13.5	109.8	169.
7 718	10.1	100.8	10.0	101.0	13.1	11.3	105.1	38.	12.6	108.6	41.	13.7	112.2	65.
7 800	10.3	101.7	10.2	101.8	8.4	11.3	105.8	13.	12.7	109.7	67.	0.0	0.0	0.
7 806	10.5	102.5	10.7	102.3	16.7	12.0	105.9	82.	13.3	109.7	123.	14.1	113.4	47.
7 812	10.7	103.4	10.5	103.4	12.0	11.2	107.1	66.	12.1	110.9	139.	13.2	114.5	95.
7 818	10.9	104.5	10.8	104.7	13.1	11.9	108.9	53.	13.0	112.7	64.	13.9	116.7	88.
7 900	11.1	105.8	11.1	105.9	5.8	12.0	109.9	93.	13.0	113.8	60.	13.7	117.4	108.
7 906	11.4	107.0	11.3	107.1	8.3	12.4	111.6	67.	13.2	115.9	116.	13.9	120.0	168.
7 912	12.0	108.2	11.7	108.1	18.9	13.0	112.3	43.	14.2	116.5	92.	15.2	120.0	81.
7 918	12.8	109.3	12.7	109.3	6.0	15.0	113.5	67.	16.1	117.0	79.	17.0	121.0	58.
71000	13.3	110.4	13.4	110.6	13.0	15.2	114.9	76.	16.1	118.8	123.	16.6	122.3	41.
71006	13.5	111.4	13.5	111.8	23.0	14.7	116.1	114.	15.3	119.8	123.	15.4	123.4	100.
71012	13.6	112.5	13.6	112.7	11.5	14.7	116.7	99.	15.8	120.6	104.	16.4	124.2	42.
71018	13.8	113.3	13.9	113.3	6.0	14.8	116.8	52.	15.9	120.1	31.	16.7	123.8	120.
71100	13.9	113.8	14.0	113.8	6.0	14.6	117.4	59.	15.3	121.1	89.	16.3	124.7	137.
71106	14.3	114.3	14.2	114.2	8.3	15.1	116.7	65.	16.2	119.7	190.	17.2	123.1	287.
71112	14.7	114.9	14.7	115.0	5.7	16.1	117.8	59.	17.0	120.8	195.	17.8	123.8	320.
71118	15.1	115.8	15.2	116.0	12.9	16.9	119.7	42.	17.5	123.2	149.	18.2	125.2	314.
71200	15.5	116.8	15.4	116.8	6.0	16.6	120.6	58.	17.8	124.0	162.	18.5	127.5	268.
71206	15.7	117.8	15.6	117.7	8.3	16.6	121.1	106.	17.8	124.4	212.	18.5	128.0	326.
71212	16.0	118.9	15.9	118.8	8.3	17.0	122.4	103.	18.0	125.9	200.	18.9	129.5	304.
71218	16.4	120.2	16.4	120.2	0.0	17.6	124.8	60.	18.6	128.6	123.	19.5	132.6	213.
71300	16.8	121.6	16.7	121.6	6.0	17.8	126.2	42.	18.9	130.3	114.	19.8	134.2	215.
71306	17.0	122.8	17.0	122.9	5.7	18.1	127.3	58.	18.9	130.9	166.	19.3	134.4	253.
71312	17.2	124.2	17.1	124.2	6.0	18.0	129.2	17.	18.6	133.8	62.	19.0	138.0	119.
71318	17.3	125.5	17.3	125.8	17.1	17.9	131.5	47.	18.7	135.7	38.	19.4	139.6	0.
71400	17.4	126.7	17.4	126.8	5.7	18.1	131.2	58.	18.6	135.3	133.	19.0	140.5	0.
71406	17.5	128.0	17.5	128.1	5.7	18.3	132.6	64.	19.1	136.6	131.	20.1	140.6	0.
71412	17.8	129.4	17.8	129.4	0.0	18.7	134.1	50.	19.6	138.1	136.	20.6	142.1	0.
71418	18.0	130.7	18.1	130.7	6.0	19.0	135.5	59.	19.7	139.6	0.	21.1	143.4	0.
71500	18.2	132.0	18.3	132.2	12.9	19.0	137.6	48.	19.5	142.6	0.	20.0	147.3	0.
71506	18.2	133.4	18.1	133.7	18.1	18.5	138.8	19.	19.0	143.4	0.	20.0	147.5	0.
71512	18.1	134.8	18.2	134.8	6.0	18.3	140.1	25.	18.5	144.8	0.	19.5	149.0	0.
71518	18.1	136.0	18.2	136.1	8.3	18.4	141.4	0.	19.4	145.5	0.	20.7	149.3	0.
71600	18.1	137.4	18.2	137.6	12.9	18.4	142.8	0.	19.1	147.5	0.	19.8	151.3	0.
71606	18.1	138.8	18.2	138.7	8.3	18.6	143.7	0.	19.3	148.0	0.	20.0	152.0	0.
71612	18.1	140.0	18.0	139.8	12.9	18.1	144.7	0.	18.2	149.0	0.	19.3	153.3	0.
71618	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)

NUMBER OF CASES

STOP

R

59.

33

116.

29

164.

24

TABLE 10

EMILIA

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)
71200	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
71206	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
71212	10.0	136.5	10.0	136.5	0.0	11.3	140.2	0.	12.1	144.1	0.	13.0	148.0	0.
71218	10.1	137.8	10.1	137.8	0.0	11.0	143.0	0.	11.6	148.3	0.	12.4	153.6	0.
71300	10.3	139.2	10.3	139.3	6.0	11.4	144.0	0.	12.3	147.6	0.	12.3	150.7	0.
71306	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
71312	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
71318	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)  
 NUMBER OF CASES  
 STOP  
 R

0.  
 0  
 0

TABLE JJ

## TEN-E

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST		24 HOUR FORECAST ERROR (N.MI)	48 HOUR FORECAST		48 HOUR FORECAST ERROR (N.MI.)	72 HOUR FORECAST		72 HOUR FORECAST ERROR (N.MI.)
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.		LAT.	LONG.		LAT.	LONG.	
71400	12.0	111.0	12.0	111.0	0.0	13.2	115.3	0.	13.9	119.8	0.	14.7	124.3	0.
71406	12.2	112.0	12.2	112.0	0.0	13.3	116.8	0.	14.5	121.2	0.	15.5	124.9	0.
71412	12.0	113.0	12.0	113.0	0.0	12.3	117.1	0.	13.1	121.1	0.	14.0	125.3	0.
71418	12.0	114.0	12.0	114.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
MEAN VECTOR ERRORS (N.MI)								0.			0.			0.
NUMBER OF CASES								0			0			0
STOP														
R														

TABLE 12

ELEVEN-E

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST ERROR (N.MI)			48 HOUR FORECAST ERROR (N.MI.)			72 HOUR FORECAST ERROR (N.MI.)		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.		LAT.	LONG.		LAT.	LONG.	
71600	10.6	120.1	10.6	120.3	11.8	10.8	124.3	144.	0.0	0.0	0.	0.0	0.0	0.
71606	10.4	120.5	10.6	121.3	48.5	11.2	125.0	160.	0.0	0.0	0.	0.0	0.0	0.
71612	10.2	121.0	10.2	121.2	11.8	10.5	124.0	30.	0.0	0.0	0.	0.0	0.0	0.
71618	10.2	121.7	10.3	121.0	41.6	10.8	123.2	103.	11.9	126.2	0.	13.2	129.2	0.
71700	10.5	122.4	10.0	122.0	38.1	10.3	124.4	0.	11.4	127.4	0.	12.7	130.4	0.
71706	11.0	122.7	9.8	122.7	72.0	10.1	126.9	0.	0.0	0.0	0.	0.0	0.0	0.
71712	11.8	122.9	10.0	124.0	125.9	11.0	127.8	0.	0.0	0.0	0.	0.0	0.0	0.
71718	12.5	123.0	12.5	123.0	0.0	14.8	123.8	0.	0.0	0.0	0.	0.0	0.0	0.
MEAN VECTOR ERRORS (N.MI)								109.			-0.			0.
NUMBER OF CASES								4			0			0

STOP  
R

TABLE 13

FABID

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR	24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	LAT.	LONG.	LAT.	LONG.	(N.MI.)	LAT.	LONG.	ERROR (N.MI.)	LAT.	LONG.	ERROR (N.MI.)	LAT.	LONG.	ERROR (N.MI.)
71800	11.6	103.8	11.5	103.7	8.3	12.6	106.7	97.	14.2	110.6	187.	15.4	114.6	189.
71806	11.8	104.1	11.8	103.9	11.5	12.9	106.1	67.	11.8	103.9	468.	15.5	112.1	232.
71812	12.2	104.4	12.2	104.4	0.0	13.5	107.0	48.	14.9	109.8	187.	16.2	112.9	225.
71818	12.8	104.8	13.0	104.8	12.0	14.6	107.1	50.	16.1	110.1	191.	18.2	113.2	183.
71900	13.4	105.4	13.6	105.4	12.0	15.7	107.6	58.	17.1	110.4	181.	18.1	113.2	251.
71906	14.0	105.9	14.0	105.9	0.0	15.8	108.3	120.	17.1	111.3	194.	18.0	114.3	237.
71912	14.7	106.6	14.3	106.9	29.5	15.4	110.1	153.	16.4	113.8	186.	17.2	117.5	141.
71918	15.4	107.4	15.2	107.7	20.8	16.9	111.1	118.	17.6	114.8	129.	18.4	118.0	136.
72000	16.3	108.3	16.4	108.3	6.0	18.9	111.3	119.	20.1	114.2	186.	20.5	116.9	236.
72006	17.2	109.2	17.5	109.4	21.3	20.0	113.3	88.	16.0	115.5	245.	16.5	117.6	290.
72012	17.8	110.4	17.8	111.0	33.8	19.5	115.5	25.	20.4	119.4	86.	20.5	122.0	61.
72018	18.2	111.7	18.5	112.3	38.2	20.3	117.2	82.	21.4	121.2	130.	22.0	124.6	145.
72100	18.5	113.1	18.3	113.3	16.4	19.4	117.7	17.	20.1	121.6	41.	20.9	121.6	192.
72106	18.8	114.2	18.8	114.2	0.0	19.8	118.5	43.	20.8	122.0	77.	21.5	125.7	97.
72112	19.0	115.2	19.1	115.4	12.7	20.1	119.8	77.	21.2	123.9	124.	21.9	127.2	126.
72118	19.2	116.2	19.3	116.2	6.0	20.3	120.3	49.	21.3	123.9	96.	22.3	127.8	0.
72200	19.3	117.3	19.4	117.4	8.2	20.2	121.4	38.	21.1	125.0	79.	22.8	128.1	0.
72206	19.3	118.1	19.1	118.3	16.4	19.2	122.0	37.	19.9	125.2	45.	0.0	0.0	0.
72212	19.4	119.1	19.0	119.1	24.0	19.2	122.4	25.	19.6	125.2	102.	0.0	0.0	0.
72218	19.5	120.1	19.5	120.1	0.0	20.1	123.6	27.	0.0	0.0	0.	0.0	0.0	0.
72300	19.5	121.0	19.7	121.0	12.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
72306	19.5	121.9	19.6	121.5	23.2	20.2	124.6	81.	0.0	0.0	0.	0.0	0.0	0.
72312	19.6	122.8	19.6	122.5	16.8	19.8	125.8	68.	0.0	0.0	0.	0.0	0.0	0.
72418	19.7	123.8	19.7	123.8	0.0	20.0	127.5	0.	0.0	0.0	0.	0.0	0.0	0.
72400	19.8	124.9	19.8	124.8	5.6	20.3	128.6	0.	0.0	0.0	0.	0.0	0.0	0.
72406	19.8	126.0	19.9	126.0	6.0	20.8	130.2	0.	0.0	0.0	0.	0.0	0.0	0.
72412	19.7	127.1	19.8	127.0	8.2	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
72418	19.5	128.2	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

PAGE 15

MEAN VECTOR ERRORS (N.MI)  
 NUMBER OF CASES  
 STOP  
 R

68.  
22

155.  
19

183.  
15

TABLE 14

GILMA

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST		ERROR (N.MI.)	48 HOUR FORECAST		ERROR (N.MI.)	72 HOUR FORECAST		ERROR (N.MI.)
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.		LAT.	LONG.		LAT.	LONG.	
72600	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
72606	9.4	117.3	9.5	117.5	13.1	10.5	121.5	83.	11.3	125.7	146.	12.0	129.7	240.
72612	9.6	118.0	9.7	118.3	18.5	10.6	122.1	77.	11.7	125.9	153.	12.7	129.3	322.
72618	10.0	118.7	9.9	118.8	8.4	11.0	122.1	114.	12.2	125.6	223.	13.5	128.5	448.
72700	10.4	119.4	10.0	119.3	24.7	10.9	122.3	166.	12.3	125.5	328.	13.7	128.6	534.
72706	11.1	120.1	10.3	120.1	48.0	11.4	123.2	185.	12.8	126.6	359.	13.9	129.4	588.
72712	11.9	121.2	11.3	121.0	37.8	12.6	124.4	167.	14.2	128.5	338.	14.6	131.0	0.
72718	12.7	122.5	12.8	122.7	13.0	15.0	126.5	125.	16.0	131.0	284.	15.8	134.7	0.
72800	13.3	123.8	13.3	123.7	5.8	14.9	128.0	139.	15.6	131.6	341.	15.4	134.5	0.
72806	13.7	125.3	13.7	125.3	0.0	14.6	130.0	137.	14.8	133.9	323.	14.3	137.0	0.
72812	14.1	127.0	14.1	126.8	11.6	14.8	132.5	101.	14.5	136.6	0.	14.3	140.0	0.
72818	14.6	128.7	14.5	128.6	8.3	15.5	134.7	70.	16.1	139.5	0.	16.4	144.0	0.
72900	15.0	130.4	15.0	130.4	0.0	16.0	136.6	52.	16.8	141.5	0.	17.4	146.5	0.
72906	15.2	132.3	15.1	132.3	6.0	15.6	139.0	55.	16.1	143.9	0.	16.5	147.9	0.
72912	15.4	134.1	15.2	134.2	13.3	15.2	140.8	0.	15.6	146.1	0.	15.4	149.0	0.
72918	15.7	135.8	15.6	135.9	8.3	16.2	142.8	0.	17.1	148.1	0.	18.5	152.7	0.
73000	16.0	137.5	16.0	137.5	0.0	17.0	143.2	0.	18.3	148.0	0.	19.2	153.0	0.
73006	16.5	139.2	16.5	139.2	0.0	18.1	145.0	0.	19.5	149.0	0.	20.6	153.2	0.
73012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
73018	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)

NUMBER OF CASES

STOP

R

113. 277. 427.

13 9 5

TABLE 15

HECTOR

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR	24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	LAT.	LONG.	LAT.	LONG.	(N.MI.)	LAT.	LONG.	ERROR (N.MI)	LAT.	LONG.	ERROR (N.MI.)	LAT.	LONG.	ERROR (N.MI.)
72900	11.3	114.8	11.7	115.6	52.0	12.4	119.1	50.	13.3	122.6	59.	14.2	126.4	251.
72906	11.3	116.0	11.8	116.3	34.6	12.1	120.3	8.	13.0	124.5	116.	14.4	128.8	264.
72912	11.3	117.2	11.0	117.7	34.0	10.8	122.1	109.	11.6	126.2	278.	13.1	131.0	386.
72918	11.4	118.4	11.3	118.4	6.0	11.6	122.3	97.	12.7	126.1	270.	14.3	129.7	348.
73000	11.8	119.6	11.8	119.7	5.7	13.0	123.7	64.	14.3	127.6	241.	15.8	131.4	264.
73006	12.1	120.4	12.0	120.4	6.0	13.0	124.1	114.	14.0	128.0	294.	15.1	132.0	308.
73012	12.7	121.6	12.6	121.8	12.9	14.5	126.4	110.	16.0	131.1	215.	17.0	135.8	195.
73018	13.2	122.6	13.2	122.5	5.7	15.1	126.7	129.	16.2	130.9	220.	17.3	135.0	202.
73100	14.0	123.3	14.0	123.3	0.0	15.7	127.1	156.	16.8	131.1	215.	17.1	134.4	262.
73106	15.0	124.2	14.9	124.1	8.2	17.6	127.0	135.	18.8	130.3	214.	19.1	133.2	316.
73112	16.1	125.2	16.2	125.7	28.8	20.0	130.3	30.	21.2	134.8	64.	22.0	139.0	0.
73118	17.2	126.2	17.2	126.2	0.0	20.0	130.5	63.	22.1	140.0	238.	22.1	140.0	0.
8 100	18.2	127.5	18.3	127.3	12.8	21.1	131.5	98.	21.9	133.3	219.	22.3	135.2	0.
8 106	18.9	128.9	18.8	129.0	8.2	20.6	134.3	48.	21.2	138.0	37.	21.0	141.5	0.
8 112	19.5	130.3	19.5	130.3	0.0	20.7	136.0	54.	21.4	139.8	0.	22.0	143.0	0.
8 118	19.8	131.7	19.8	131.6	5.6	20.8	136.7	38.	21.5	140.9	0.	22.0	144.7	0.
8 200	20.0	132.9	20.0	132.8	5.6	21.2	137.7	49.	22.5	141.4	0.	23.5	145.4	0.
8 206	20.2	134.0	19.9	133.9	18.9	19.9	138.7	55.	20.4	143.0	0.	0.0	0.0	0.
8 212	20.4	135.0	20.2	135.2	16.5	20.8	139.4	0.	0.0	0.0	0.	0.0	0.0	0.
8 218	20.6	136.1	20.5	136.1	6.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 300	20.7	137.0	20.7	137.0	0.0	21.3	140.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 306	20.9	138.6	20.8	138.5	8.2	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 312	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 318	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI) 78. 191. 280.  
 NUMBER OF CASES 18 14 10  
 STOP  
 R

TABLE 16

IVA

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR		
	LAT.	LONG.	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)
8 100	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 106	11.5	106.8	11.2	107.1	25.0	11.7	112.9	143.	12.8	117.5	188.	14.2	122.2	309.
8 112	11.6	107.8	11.2	108.3	37.6	11.7	114.3	167.	13.3	119.9	245.	14.6	124.4	391.
8 118	11.9	108.6	11.7	108.8	16.7	12.8	113.5	111.	14.1	118.1	158.	15.1	122.4	226.
8 200	12.2	109.5	11.5	109.7	43.6	12.3	113.6	49.	13.2	117.4	125.	14.4	121.3	145.
8 206	12.5	110.3	11.3	110.5	72.9	11.4	114.4	19.	12.5	118.3	184.	14.3	122.3	192.
8 212	12.9	111.1	11.2	111.5	104.6	11.6	115.4	42.	13.0	119.7	181.	14.4	124.0	237.
8 218	13.2	111.8	11.3	112.4	119.2	12.0	116.3	153.	13.2	120.7	164.	14.5	125.0	261.
8 300	13.5	112.5	11.5	113.4	130.9	12.4	117.6	174.	13.7	121.5	164.	14.9	125.2	182.
8 306	14.0	113.5	11.7	114.5	149.6	13.0	118.6	166.	14.6	122.4	198.	16.5	126.0	214.
8 312	14.5	114.3	12.1	115.9	171.2	13.2	120.2	192.	14.2	124.3	251.	15.6	128.8	284.
8 318	14.9	115.1	14.4	115.4	34.6	15.7	119.2	63.	16.9	123.1	208.	17.9	127.3	227.
8 400	15.0	115.9	15.1	116.5	35.1	16.1	120.4	133.	17.1	124.3	201.	17.9	128.0	0.
8 406	15.0	116.7	15.3	117.0	24.9	16.0	120.4	126.	0.0	0.0	0.	0.0	0.0	0.
8 412	14.8	117.4	15.3	117.7	34.6	16.0	121.3	117.	0.0	0.0	0.	0.0	0.0	0.
8 418	14.6	118.0	14.9	118.5	33.9	15.2	122.0	97.	0.0	0.0	0.	0.0	0.0	0.
8 500	14.5	118.7	14.5	118.8	5.8	14.5	121.7	23.	0.0	0.0	0.	0.0	0.0	0.
8 506	14.5	119.4	14.4	119.0	23.8	14.5	121.5	76.	0.0	0.0	0.	0.0	0.0	0.
8 512	14.5	120.2	14.5	120.0	11.5	14.9	123.1	50.	0.0	0.0	0.	0.0	0.0	0.
8 518	14.5	121.1	14.5	120.5	34.5	14.9	123.3	93.	0.0	0.0	0.	0.0	0.0	0.
8 600	14.5	122.0	14.5	122.1	5.8	14.8	125.9	0.	0.0	0.0	0.	0.0	0.0	0.
8 606	14.6	123.0	14.7	122.8	13.0	15.2	126.5	0.	0.0	0.0	0.	0.0	0.0	0.
8 612	14.8	124.0	15.2	123.9	24.7	16.3	127.4	0.	0.0	0.0	0.	0.0	0.0	0.
8 618	14.8	124.9	14.9	124.9	6.0	15.5	128.5	0.	0.0	0.0	0.	0.0	0.0	0.
8 700	14.9	126.0	0.0	0.0	0.0	15.4	130.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 706	14.9	127.0	0.0	0.0	0.0	15.3	131.2	0.	0.0	0.0	0.	0.0	0.0	0.
8 712	15.0	128.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 718	15.0	129.2	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 800	15.1	130.4	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 806	15.2	131.5	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 812	15.2	132.5	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 818	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
MEAN VECTOR ERRORS (N.MI)								105.			189.			247.
NUMBER OF CASES								19			12			11

PAGE 18

TABLE 17



JOHN

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	ERROR (N.MI.)	LAT.	LONG.	ERROR (N.MI.)	LAT.	LONG.	ERROR (N.MI.)
8 400	11.2	126.7	11.4	126.5	16.8	12.4	129.6	155.	13.4	133.1	262.	14.2	136.7	0.
8 406	11.5	127.9	11.5	128.0	5.9	12.1	132.2	77.	13.0	135.9	239.	14.4	139.3	0.
8 412	11.6	129.3	11.7	129.4	8.4	12.2	134.3	38.	13.0	138.6	0.	13.7	143.0	0.
8 418	11.6	130.6	11.5	130.6	6.0	12.0	135.0	59.	12.5	139.2	0.	12.9	142.8	0.
8 500	11.6	131.9	11.9	132.2	25.2	12.5	137.0	30.	13.4	141.7	0.	13.8	145.7	0.
8 506	11.7	133.3	11.6	133.4	8.4	12.3	137.8	123.	13.6	141.7	0.	14.0	145.0	0.
8 512	11.8	134.6	11.7	134.7	8.4	12.2	139.8	0.	12.8	144.3	0.	13.1	147.9	0.
8 518	11.9	135.9	12.0	136.0	8.4	12.8	140.9	0.	13.3	145.0	0.	14.0	149.0	0.
8 600	12.1	137.3	12.2	137.4	8.4	12.8	142.5	0.	13.6	147.2	0.	14.3	152.5	0.
8 606	12.2	138.6	12.2	139.9	76.1	13.1	143.8	0.	13.7	148.3	0.	13.8	152.0	0.
8 612	12.2	139.9	0.0	0.0	0.0	12.9	144.8	0.	13.4	149.1	0.	13.7	153.3	0.
8 618	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)

NUMBER OF CASES

STOP

R

80.

6

250.

2

0.

0

TABLE 18

KRISTY

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	(N.MI)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)
8 800	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 806	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 812	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 818	9.5	123.7	9.5	123.7	0.0	10.0	128.7	115.	10.9	133.2	194.	11.5	137.5	0.
8 900	9.5	125.4	9.5	125.3	5.9	9.9	130.2	121.	10.5	134.8	177.	11.0	138.8	0.
8 906	9.7	127.0	9.5	127.0	12.0	9.8	133.4	54.	10.2	138.4	71.	10.6	143.0	0.
8 912	9.8	128.7	9.5	128.7	18.0	10.2	134.2	55.	11.5	139.3	0.	12.5	143.4	0.
8 918	10.0	130.5	9.6	130.6	24.7	10.3	136.5	36.	10.9	141.3	0.	11.5	145.4	0.
91000	10.3	132.0	10.3	132.2	11.8	11.5	138.9	92.	12.2	143.5	0.	13.0	148.3	0.
81006	10.7	133.5	10.7	133.5	0.0	12.0	139.4	109.	92.6	144.0	0.	12.4	148.6	0.
81012	10.8	134.9	10.9	134.8	8.4	12.1	140.1	0.	13.3	144.1	0.	14.6	147.7	0.
81018	10.7	136.5	10.9	136.5	12.0	11.7	141.7	0.	12.8	146.3	0.	13.9	150.8	0.
81100	10.4	137.9	10.4	137.8	5.9	10.7	143.2	0.	11.3	147.5	0.	12.3	150.8	0.
81106	10.2	139.6	10.2	139.6	0.0	9.8	145.5	0.	10.0	150.8	0.	10.4	155.7	0.
81112	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
81118	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)

NUMBER OF CASES

STOP

R

TABLE 19

LANE

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	ERROR (N.MI.)	LAT.	LONG.	ERROR (N.MI.)	LAT.	LONG.	ERROR (N.MI.)
8 800	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 806	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 812	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 818	9.8	110.0	9.8	110.8	46.5	11.0	115.3	18.	12.5	119.4	118.	13.6	123.7	112.
8 900	10.1	111.6	10.2	111.9	18.4	11.6	117.3	56.	12.5	121.8	127.	13.2	125.6	138.
8 906	10.8	112.9	10.7	113.0	8.4	12.0	118.5	83.	12.9	123.3	120.	13.0	128.2	149.
8 912	11.2	114.2	11.2	114.2	0.0	12.6	118.7	79.	13.9	123.1	83.	14.8	127.1	84.
8 918	11.8	115.4	11.3	115.3	30.6	13.3	124.2	241.	13.3	124.2	121.	13.9	128.8	119.
81000	12.3	116.6	12.4	116.8	13.0	14.0	121.2	40.	15.0	125.3	42.	15.4	128.7	109.
81006	13.2	117.7	13.2	117.8	5.8	15.1	122.5	25.	16.2	126.3	59.	16.5	130.0	130.
81012	13.8	118.8	13.9	118.9	8.3	15.7	122.8	55.	17.1	126.7	129.	18.1	130.8	176.
81018	14.4	120.1	14.3	120.2	8.3	16.0	124.5	42.	17.4	128.4	112.	18.7	132.2	159.
81100	14.7	121.3	14.6	121.5	12.9	15.8	126.0	21.	16.7	129.9	42.	17.2	133.8	115.
81106	15.0	122.5	14.7	122.4	18.9	15.2	126.8	30.	15.8	130.9	76.	16.4	135.0	135.
81112	15.3	123.6	15.2	123.6	6.0	16.3	127.5	62.	17.2	131.2	135.	18.2	134.9	156.
81118	15.4	124.8	15.3	124.5	18.1	16.2	128.7	47.	17.6	132.3	128.	18.8	136.2	116.
81200	15.5	126.0	15.5	125.8	11.4	16.4	130.0	26.	17.6	134.0	104.	0.0	0.0	0.
81206	15.5	127.2	15.6	127.1	8.3	16.2	132.1	13.	0.0	0.0	0.	0.0	0.0	0.
81212	15.5	128.3	15.6	128.3	6.0	16.4	132.9	39.	0.0	0.0	0.	0.0	0.0	0.
81218	15.8	129.5	15.8	129.4	5.7	16.0	133.8	82.	0.0	0.0	0.	0.0	0.0	0.
81300	16.0	130.6	16.2	130.4	16.5	17.0	134.7	67.	0.0	0.0	0.	0.0	0.0	0.
81306	16.2	132.0	16.0	132.2	16.5	16.3	137.1	66.	0.0	0.0	0.	0.0	0.0	0.
81312	16.7	133.2	16.7	133.5	17.1	17.9	138.8	69.	0.0	0.0	0.	0.0	0.0	0.
81318	17.1	134.7	17.2	134.5	12.9	19.2	138.8	59.	0.0	0.0	0.	0.0	0.0	0.
81400	17.3	135.9	17.4	135.8	8.3	18.6	140.6	57.	0.0	0.0	0.	0.0	0.0	0.
81406	17.7	136.8	17.4	137.1	24.8	17.9	142.1	0.	0.0	0.0	0.	0.0	0.0	0.
81412	18.0	137.7	17.8	137.6	13.3	18.6	141.0	0.	0.0	0.0	0.	0.0	0.0	0.
81418	18.3	138.3	18.4	138.2	8.3	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
81500	18.7	139.6	18.7	139.6	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
81506	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
81512	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
81518	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)  
NUMBER OF CASES  
STOP  
R

58.  
22

100.  
14

132.  
13

MIRIAM

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24-HOUR FORECAST		24-HOUR FORECAST ERROR (N.MI.)	48-HOUR FORECAST		48-HOUR FORECAST ERROR (N.MI.)	72-HOUR FORECAST		72-HOUR FORECAST ERROR (N.MI.)
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.		LAT.	LONG.		LAT.	LONG.	
83000	12.5	107.5	12.5	108.5	57.4	13.0	114.6	155.	0.0	0.0	0.	0.0	0.0	0.
83006	12.8	108.9	12.8	108.8	5.8	13.9	114.7	50.	15.1	120.0	18.	16.1	123.9	107.
83012	13.1	110.2	12.7	109.6	42.2	13.3	114.5	121.	14.3	119.2	140.	15.1	123.3	217.
83018	13.6	111.5	13.5	111.5	6.0	14.9	116.4	58.	16.0	120.9	125.	16.8	124.6	234.
83100	14.4	112.7	14.3	112.3	23.7	16.2	116.4	152.	17.5	120.1	268.	18.0	123.8	380.
83106	14.6	114.2	14.5	114.1	8.3	16.3	119.1	104.	17.7	123.0	208.	18.2	127.0	305.
83112	14.8	115.9	14.8	115.9	0.0	15.3	121.5	18.	15.8	126.4	35.	16.2	130.6	138.
83118	14.8	117.4	14.8	117.4	0.0	15.1	123.2	24.	15.4	128.0	34.	15.8	132.4	128.
9 100	14.8	118.7	14.8	118.6	5.7	15.5	123.6	34.	16.6	128.1	120.	17.9	132.4	259.
9 106	14.9	120.0	15.0	120.3	18.2	15.8	126.4	63.	17.0	131.0	76.	18.2	134.5	235.
9 112	15.0	121.5	15.0	121.5	0.0	15.6	126.9	8.	16.3	131.7	76.	16.6	135.9	234.
9 118	15.1	122.8	15.0	122.8	6.0	15.4	128.4	19.	16.0	132.9	98.	16.6	136.9	0.
9 200	15.2	124.2	15.2	124.1	5.8	16.1	129.1	55.	16.9	133.4	185.	17.8	137.5	0.
9 206	15.4	125.6	15.2	125.5	13.3	15.4	131.0	59.	16.3	135.8	122.	16.7	139.8	0.
9 212	15.6	127.0	15.7	127.0	6.0	16.8	132.2	62.	18.1	136.8	232.	19.2	140.8	0.
9 218	15.7	128.6	15.7	128.5	5.8	16.3	133.8	48.	17.2	138.5	0.	18.2	142.9	0.
9 300	15.8	130.0	15.8	130.0	0.0	16.0	135.8	41.	16.3	141.0	0.	16.4	146.1	0.
9 306	15.9	131.5	16.0	131.8	18.3	16.6	137.0	63.	17.4	142.3	0.	18.3	147.2	0.
9 312	16.1	133.0	16.1	133.0	0.0	16.4	139.0	71.	16.6	144.0	0.	16.8	149.0	0.
9 318	16.1	134.6	16.1	134.6	0.0	16.3	140.8	0.	16.5	145.9	0.	16.7	151.0	0.
9 400	16.0	136.3	16.1	136.5	13.0	16.6	142.0	0.	17.4	147.1	0.	18.1	151.7	0.
9 406	15.8	137.9	16.0	137.9	12.0	16.0	143.8	0.	16.1	148.8	0.	16.3	154.0	0.
9 412	15.4	139.9	15.5	139.8	8.3	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
9 418	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI.) 64. 124. 224.  
 NUMBER OF CASES 19 14 10  
 STOP  
 R

TABLE 21

NORMAN

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)
91000	10.4	110.8	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
91006	10.8	112.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
91012	11.1	113.0	11.0	113.1	8.1	12.3	117.0	88.	0.0	0.0	0.	0.0	0.0	0.
91018	11.5	113.7	10.7	114.2	56.1	11.5	118.2	162.	12.3	122.0	242.	13.3	125.2	285.
91100	11.9	114.4	11.5	114.8	33.3	12.8	118.7	131.	13.9	122.2	184.	14.9	125.6	253.
91106	12.3	115.0	11.7	115.1	36.5	12.7	118.4	88.	14.1	121.8	120.	15.3	124.6	191.
91112	12.6	115.5	12.3	115.5	18.0	13.5	118.1	12.	14.8	121.0	44.	16.2	123.6	112.
91118	12.9	115.9	13.0	115.9	6.0	14.7	118.0	40.	16.5	120.7	55.	18.5	122.8	48.
91200	13.2	116.6	13.2	116.5	5.7	14.8	118.7	29.	16.3	121.0	26.	17.9	123.3	54.
91206	13.5	117.2	13.6	117.2	6.0	15.1	119.8	13.	16.6	122.5	59.	18.0	125.0	154.
91212	13.8	117.7	13.7	118.1	23.6	15.0	121.5	70.	16.4	124.7	169.	17.7	127.7	329.
91218	14.2	118.4	14.1	118.3	8.3	15.3	121.0	19.	16.7	123.8	104.	18.0	126.6	274.
91300	14.5	119.1	14.5	119.1	0.0	16.0	122.0	35.	17.5	124.8	143.	18.6	127.2	322.
91306	14.8	119.6	14.9	119.9	18.0	16.3	122.7	69.	18.7	125.5	185.	19.4	128.4	400.
91312	15.1	120.3	15.1	120.3	0.0	16.4	123.0	75.	17.8	125.8	222.	19.2	128.7	447.
91318	15.5	120.8	15.6	120.9	8.2	17.0	123.5	79.	18.3	126.3	254.	19.4	129.2	449.
91400	16.0	121.3	16.1	121.4	8.2	18.0	124.0	92.	19.9	126.9	300.	21.8	129.8	490.
91406	16.5	121.6	16.4	121.5	8.2	18.2	123.0	40.	20.5	124.5	174.	23.3	125.0	240.
91412	16.9	121.9	16.9	121.8	5.5	19.0	122.9	56.	20.8	124.2	180.	22.4	126.0	306.
91418	17.4	122.2	17.8	122.4	26.4	20.6	123.9	148.	23.3	124.9	220.	0.0	0.0	0.
91500	17.8	122.3	18.2	122.4	24.6	20.6	123.5	126.	22.7	124.3	185.	0.0	0.0	0.
91506	18.3	122.2	18.2	122.3	8.1	19.5	122.0	69.	20.6	121.4	107.	23.0	120.0	161.
91512	18.7	122.1	18.6	122.0	8.1	19.8	121.4	75.	21.3	120.8	97.	23.0	120.0	211.
91518	19.2	121.8	19.0	121.9	13.2	20.7	120.4	75.	22.2	118.7	116.	24.0	115.9	0.
91600	19.5	121.7	19.5	121.6	5.5	21.2	120.3	72.	22.9	118.3	103.	24.5	115.6	0.
91606	20.2	121.5	20.5	121.4	18.8	24.1	119.7	124.	26.6	117.8	87.	30.0	116.6	0.
91612	20.8	121.3	21.0	121.0	20.3	23.9	118.7	116.	26.4	117.9	25.	28.1	118.9	0.
91618	21.4	121.2	21.4	121.5	16.4	23.2	122.0	133.	24.8	122.9	0.	0.0	0.0	0.
91700	21.9	121.0	22.2	121.0	18.0	24.2	120.8	100.	0.0	0.0	0.	0.0	0.0	0.
91706	22.5	120.8	22.3	120.8	12.0	24.1	120.5	131.	0.0	0.0	0.	0.0	0.0	0.
91712	23.2	120.4	22.9	120.5	18.8	24.7	119.4	109.	0.0	0.0	0.	0.0	0.0	0.
91718	23.9	119.8	23.9	119.7	5.5	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
91800	24.7	119.3	24.5	119.0	20.3	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
91806	25.2	118.5	25.3	118.5	6.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
91812	25.8	117.8	26.0	118.0	16.2	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
91818	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)

NUMBER OF CASES

STOP

R.

82.

29

142.

24

263.

18

TWENTY ONE-E

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST ERROR		48 HOUR FORECAST ERROR		72 HOUR FORECAST ERROR	
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)

91100	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
91106	13.5	131.4	13.5	131.5	6.0	14.1	134.8	0.0	0.0	0.0	0.0	0.0	0.0
91112	13.6	132.2	13.6	132.4	12.0	14.3	136.0	0.0	0.0	0.0	0.0	0.0	0.0
91118	13.6	132.9	13.6	132.9	0.0	14.0	135.9	0.0	0.0	0.0	0.0	0.0	0.0

MEAN VECTOR ERRORS (N.MI) 0.0 0.0 0.0

NUMBER OF CASES 0 0 0

STOP

R

TABLE 23

PAGE 24

OLIVIA

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST		ERROR (N.MI)	48 HOUR FORECAST		ERROR (N.MI.)	72 HOUR FORECAST		ERROR (N.MI.)
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.		LAT.	LONG.		LAT.	LONG.	
91800	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
91806	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
91812	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
91818	11.3	101.7	11.0	102.0	25.1	11.2	103.0	109.	11.6	104.7	212.	12.0	107.4	334.
91900	11.8	101.9	11.3	102.0	30.6	11.8	103.9	103.	12.0	105.3	212.	12.3	107.5	377.
91906	12.2	102.1	11.8	102.5	33.2	13.6	105.0	58.	14.9	107.7	66.	15.9	110.6	190.
91912	12.6	102.4	12.2	102.8	33.1	14.1	104.9	25.	15.2	107.5	104.	16.4	110.2	292.
91918	13.2	103.0	13.0	103.3	20.8	15.2	105.8	13.	17.1	108.2	103.	18.5	110.6	319.
92000	13.5	103.5	13.5	103.7	11.3	15.5	106.0	37.	16.9	108.7	138.	18.1	111.3	390.
92006	14.0	104.0	14.0	104.1	5.6	15.6	106.5	68.	17.0	109.4	199.	18.2	112.7	401.
92012	14.5	104.7	14.5	104.8	5.6	16.4	107.2	92.	18.0	109.8	267.	19.4	112.3	523.
92018	15.0	105.5	15.0	105.7	11.2	16.6	108.3	101.	18.3	111.1	296.	20.0	114.5	389.
92100	15.4	106.5	15.3	106.6	8.2	16.7	109.9	83.	17.7	112.8	325.	18.9	115.8	442.
92106	16.0	107.6	16.0	107.6	0.0	17.3	111.2	103.	18.5	114.3	314.	20.3	117.0	411.
92112	16.5	108.7	16.4	108.8	8.1	18.2	112.3	131.	19.6	115.7	340.	20.6	118.2	418.
92118	17.1	110.0	17.0	110.0	6.0	20.0	114.0	113.	20.4	116.9	256.	21.4	119.4	415.
92200	17.8	111.1	17.6	111.0	13.2	19.5	114.7	179.	20.9	117.7	282.	22.0	119.6	421.
92206	18.5	112.4	18.5	112.5	5.3	21.2	116.3	151.	23.8	118.9	204.	27.0	121.0	162.
92212	19.3	114.0	19.3	114.3	15.9	21.8	118.7	140.	24.0	121.0	162.	25.5	122.2	270.
92218	20.0	115.9	20.0	116.0	5.3	22.3	120.6	22.	23.8	122.2	226.	25.3	123.8	365.
92300	20.5	117.8	20.5	117.7	5.3	22.7	122.9	93.	24.4	126.1	313.	26.4	127.2	0.
92306	21.1	119.1	21.3	119.0	13.1	23.1	125.0	182.	25.3	128.8	453.	28.0	130.8	0.
92312	21.7	120.3	22.0	121.2	50.9	24.5	126.4	205.	26.7	129.2	429.	28.6	130.9	0.
92318	22.3	121.0	22.3	121.0	0.0	24.4	123.9	192.	26.1	126.0	381.	27.9	127.8	0.
92400	23.4	122.0	23.8	121.7	28.8	30.4	120.5	155.	0.0	0.0	0.	0.0	0.0	0.
92406	24.7	122.6	25.0	122.4	20.9	30.0	122.4	39.	0.0	0.0	0.	0.0	0.0	0.
92412	26.0	123.0	26.0	123.0	0.0	31.2	122.5	76.	31.2	122.5	0.	0.0	0.0	0.
92418	27.3	122.9	27.5	123.0	13.1	33.2	121.4	132.	0.0	0.0	0.	0.0	0.0	0.
92500	28.4	122.6	28.5	122.5	8.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
92506	29.3	122.3	29.6	121.8	32.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
92512	30.0	122.0	30.0	122.0	0.0	33.2	119.8	0.	0.0	0.0	0.	0.0	0.0	0.
92518	31.0	121.4	31.0	121.4	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)  
 NUMBER OF CASES  
 STOP  
 R

104.  
25

252.  
21

360.  
17

TABLE 24

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	ERROR (N.MI)	LAT.	LONG.	ERROR (N.MI.)	LAT.	LONG.	ERROR (N.MI.)
91900	12.2	90.3	12.1	90.3	6.0	13.1	90.7	0.	13.6	92.8	105.	13.8	95.0	0.
91906	12.6	90.1	12.5	90.1	6.0	14.0	92.2	0.	0.0	0.0	0.	0.0	0.0	0.
91912	13.0	90.1	13.3	90.2	18.8	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
91918	13.4	90.2	14.1	90.4	43.4	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
92000	13.9	90.2	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
92006	14.2	90.5	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
92012	14.2	91.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
92018	14.0	91.4	14.8	93.1	104.9	14.9	96.1	64.	0.0	0.0	0.	0.0	0.0	0.
92100	13.9	92.4	14.9	94.0	106.3	15.9	97.4	0.	0.0	0.0	0.	0.0	0.0	0.
92106	14.1	93.4	15.1	94.5	85.1	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
92112	14.4	94.5	15.0	95.0	45.3	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
92118	14.5	95.7	15.0	95.0	48.7	15.9	97.2	0.	0.0	0.0	0.	0.0	0.0	0.
92200	14.3	96.7	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
92206	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
92212	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
92218	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
92300	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
92306	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
92312	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
92318	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
92400	13.3	104.2	13.4	104.5	18.3	13.2	109.0	218.	14.3	112.2	309.	16.0	115.0	332.
92406	13.5	104.8	13.0	105.0	32.1	13.1	104.0	157.	14.2	112.6	300.	16.7	115.7	328.
92412	13.8	105.0	13.0	106.0	74.9	13.3	109.7	163.	14.7	113.2	309.	16.4	116.3	351.
92418	14.2	105.0	13.0	107.3	150.4	14.1	110.5	275.	15.5	113.6	292.	17.0	116.7	356.
92500	14.4	105.2	14.5	105.5	18.2	15.3	108.7	109.	16.7	111.3	115.	18.0	114.6	237.
92506	14.6	105.6	14.3	106.4	49.2	14.8	109.9	140.	15.9	113.3	196.	17.2	116.8	357.
92512	14.7	105.9	14.3	107.1	72.5	14.7	110.2	137.	16.2	113.8	209.	17.9	117.2	373.
92518	14.7	106.3	14.6	105.8	29.1	15.1	107.8	81.	16.2	110.1	38.	17.4	112.7	153.
92600	14.8	106.8	14.8	106.9	5.7	15.7	109.8	72.	17.1	112.4	122.	18.4	115.5	290.
92606	15.0	107.5	15.0	107.5	0.0	16.1	110.0	36.	17.3	112.5	113.	18.9	115.2	288.
92612	15.4	109.1	15.2	107.9	68.5	16.5	110.1	13.	17.8	111.8	79.	19.7	113.8	224.
92618	15.8	108.7	16.2	108.6	24.6	18.5	110.3	109.	20.2	112.0	99.	21.7	113.0	195.
92700	16.0	109.3	16.8	109.3	48.0	19.2	111.2	115.	21.6	112.8	164.	23.7	113.8	244.
92706	16.1	109.9	16.7	110.0	36.4	18.7	112.9	142.	20.5	114.6	236.	22.9	115.0	369.
92712	16.4	110.2	16.7	110.2	18.0	17.6	112.3	109.	18.4	114.8	315.	20.6	115.9	0.
92718	16.8	110.4	16.7	110.5	8.1	17.7	112.7	141.	18.7	114.6	362.	20.0	115.4	0.
92800	17.4	110.6	17.4	110.5	5.5	19.3	112.0	85.	21.3	112.9	264.	23.6	113.7	0.
92806	18.0	110.7	17.8	110.6	13.2	20.0	110.9	41.	22.1	111.2	247.	25.0	111.1	0.
92812	18.6	110.7	18.6	110.7	0.0	21.3	110.3	12.	23.5	109.7	0.	25.6	108.7	0.
92818	19.2	110.8	19.1	110.7	8.1	21.7	110.3	62.	23.9	109.7	0.	26.0	108.7	0.
92900	19.8	110.6	19.8	110.6	0.0	22.3	110.2	128.	24.7	109.4	0.	0.0	0.0	0.
92906	20.5	110.3	20.5	110.4	5.5	23.7	110.1	134.	24.8	109.3	0.	0.0	0.0	0.
92912	21.5	110.2	21.5	110.3	5.5	25.2	109.5	0.	0.0	0.0	0.	0.0	0.0	0.
92918	22.5	109.6	22.5	109.6	0.0	26.2	107.7	0.	0.0	0.0	0.	0.0	0.0	0.
93000	24.3	109.3	24.3	109.4	5.5	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
93006	25.7	109.0	25.7	109.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
93012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
93018	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)

111.

204.

293.

NUMBER OF CASES

23

19

14

STOP

TABLE 25



ROSA

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	ERROR (N.MI)	LAT.	LONG.	ERROR (N.MI.)	LAT.	LONG.	ERROR (N.MI.)
93000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
93006	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
93012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
93018	12.5	95.1	12.5	96.0	52.0	13.1	98.0	102.	14.7	100.5	96.	16.5	102.9	216.
10 100	12.6	95.6	12.7	95.3	18.4	12.4	97.6	80.	13.2	99.9	187.	15.0	102.4	110.
10 106	12.7	96.0	13.0	97.0	60.4	13.9	99.6	123.	15.1	101.7	0.	17.0	104.4	236.
10 112	12.8	96.5	13.4	96.8	39.9	14.5	98.5	42.	16.2	100.9	0.	17.6	103.0	170.
10 118	12.9	96.9	13.5	96.3	49.9	14.7	97.1	107.	16.5	99.2	125.	0.0	0.0	0.
10 200	13.1	97.3	13.6	97.0	34.6	14.3	98.4	102.	15.0	99.4	64.	15.7	100.8	0.
10 206	13.3	97.8	13.7	97.5	29.6	14.8	99.8	0.	16.1	102.1	94.	17.5	104.3	0.
10 212	13.5	98.3	13.8	98.4	18.9	15.2	101.0	0.	16.9	103.7	182.	18.2	106.3	0.
10 218	13.7	98.7	14.3	98.9	37.8	16.0	101.5	133.	17.8	103.9	153.	19.7	106.1	0.
10 300	14.0	99.0	16.0	98.5	123.4	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
10 306	14.3	99.4	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
10 312	14.5	99.6	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
10 318	14.8	99.9	14.5	99.8	18.9	14.8	101.6	76.	15.7	103.8	0.	0.0	0.0	0.
10 400	15.1	100.3	14.9	100.5	16.6	16.2	102.3	0.	17.7	104.4	0.	19.5	106.7	0.
10 406	15.4	100.7	15.3	100.7	6.0	16.7	102.4	0.	18.0	104.3	0.	19.3	106.3	0.
10 412	15.8	101.2	15.7	100.8	23.8	17.2	102.1	0.	0.0	0.0	0.	0.0	0.0	0.
10 418	16.2	101.6	16.0	102.0	25.9	17.9	104.7	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)

NUMBER OF CASES

STOP

R

96.

8

129.

7

183.

4

TABLE 26

SERGIO

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	(N.MI)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)
101400	9.1	91.5	9.1	91.3	11.4	10.5	94.4	43.	0.0	0.0	0.	0.0	0.0	0.
101406	9.3	92.4	9.5	92.5	13.3	11.2	96.0	68.	12.8	99.5	122.	14.8	102.9	209.
101412	9.6	93.3	9.7	92.8	29.7	11.1	95.8	109.	13.0	99.2	182.	15.4	102.8	296.
101418	9.8	94.2	9.7	93.9	18.5	10.7	97.4	78.	12.1	100.7	159.	14.5	103.5	306.
101500	10.0	95.1	10.1	95.0	8.4	11.3	99.3	43.	12.7	103.0	113.	14.7	106.7	182.
101506	10.1	96.3	10.1	96.3	0.0	11.3	100.3	35.	12.7	104.0	112.	14.5	107.7	181.
101512	10.3	97.5	10.4	97.5	6.0	11.4	101.6	30.	12.8	104.9	149.	14.3	108.3	188.
101518	10.5	98.7	10.5	98.7	0.0	11.4	103.0	43.	12.6	106.6	139.	13.9	109.8	184.
101600	10.8	99.7	10.7	99.7	6.0	11.8	103.9	69.	13.1	107.8	137.	14.0	112.0	157.
101606	11.2	100.9	11.3	100.9	6.0	13.1	105.3	37.	14.4	109.0	107.	15.2	112.6	125.
101612	11.7	102.0	11.7	102.0	0.0	13.2	107.7	19.	14.6	111.6	38.	15.9	114.2	64.
101618	12.0	103.4	12.0	103.4	0.0	13.4	105.8	170.	15.1	108.6	218.	15.7	111.5	233.
101700	12.4	104.7	12.4	104.9	11.5	13.9	109.4	33.	15.1	113.1	78.	16.1	116.0	30.
101706	12.9	106.0	12.9	105.9	5.7	14.6	110.9	13.	16.1	114.8	62.	17.2	117.2	44.
101712	13.3	107.4	13.3	107.4	0.0	15.0	112.4	59.	16.0	116.0	84.	17.2	119.5	109.
101718	13.7	108.6	13.7	108.7	5.7	15.4	113.6	79.	16.8	117.5	121.	18.4	120.9	170.
101800	14.3	109.8	14.3	109.8	0.0	15.9	114.0	60.	17.1	116.9	60.	18.3	118.9	108.
101806	14.7	110.7	14.8	110.8	8.3	16.8	114.7	40.	18.4	117.3	115.	19.9	118.7	199.
101812	15.3	111.5	15.2	111.4	8.3	16.9	114.9	8.	18.1	117.3	93.	19.1	119.8	166.
101818	15.9	112.3	15.8	112.3	6.0	17.9	115.0	76.	19.5	116.9	199.	20.9	119.0	401.
101900	16.3	113.1	16.4	113.1	6.0	18.2	116.3	98.	19.8	117.0	239.	21.5	118.8	494.
101906	16.6	113.8	16.8	114.0	16.5	18.9	116.9	144.	20.3	118.5	226.	21.2	120.0	489.
101912	16.7	114.5	16.8	114.8	18.1	17.8	117.8	72.	18.5	120.3	120.	19.1	123.2	315.
101918	16.7	115.3	16.7	115.4	5.7	17.2	118.4	38.	18.3	121.4	202.	19.3	123.6	353.
102000	16.6	116.0	16.6	116.0	0.0	16.5	118.6	52.	16.8	121.5	264.	17.5	124.6	326.
102006	16.6	116.9	16.5	117.0	8.3	16.5	120.4	30.	17.0	122.8	264.	17.8	125.0	383.
102012	16.6	117.8	16.6	117.7	5.7	16.7	120.5	71.	17.2	122.8	321.	18.0	125.1	436.
102018	16.7	118.7	16.6	118.6	8.3	16.9	121.5	173.	17.7	123.6	338.	18.9	125.6	432.
102100	16.7	119.7	16.6	119.5	12.8	16.7	122.9	185.	17.0	125.8	262.	17.3	128.7	0.
102106	16.7	121.3	17.0	120.4	54.2	18.1	123.9	211.	19.3	127.0	278.	21.0	129.0	0.
102112	16.7	122.9	17.0	121.7	70.5	17.9	125.2	187.	18.7	128.2	256.	19.4	130.5	0.
102118	16.8	124.5	16.7	124.5	6.0	17.0	128.0	91.	17.5	131.4	129.	18.2	134.3	0.
102200	17.0	126.0	17.0	126.1	5.7	17.8	130.8	29.	18.7	134.7	0.	0.0	0.0	0.
102206	17.3	127.4	17.0	127.4	18.0	17.8	132.4	42.	18.5	135.5	0.	0.0	0.0	0.
102212	17.4	128.4	17.3	128.4	6.0	18.0	132.3	38.	0.0	0.0	0.	0.0	0.0	0.
102218	17.6	129.5	17.5	129.5	6.0	18.5	133.5	25.	0.0	0.0	0.	0.0	0.0	0.
102300	17.9	130.6	17.8	130.3	18.1	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
102306	18.3	131.6	18.0	131.7	18.9	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
102312	18.6	132.6	18.5	132.7	8.3	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
102318	18.8	133.3	18.8	133.2	5.7	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)

NUMBER OF CASES

STOP

R

72.

36

167.

31

244.

27

TABLE 27

## TARA

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR	24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	LAT.	LONG.	LAT.	LONG.	(N.MI.)	LAT.	LONG.	ERROR (N.MI.)	LAT.	LONG.	ERROR (N.MI.)	LAT.	LONG.	ERROR (N.MI.)
101900	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
101906	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
101912	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
101918	9.4	103.3	9.7	103.2	18.9	10.0	106.2	157.	10.8	108.9	289.	11.6	111.7	426.
102000	9.3	105.3	9.8	105.0	34.7	10.5	110.7	91.	11.5	115.4	105.	12.6	119.1	155.
102006	9.1	106.1	9.2	106.2	8.4	9.9	111.6	32.	11.0	116.0	145.	12.4	120.0	170.
102012	9.2	107.4	9.1	107.4	6.0	9.7	111.9	106.	11.0	115.7	190.	12.0	118.9	268.
102018	9.3	108.6	9.1	108.7	13.3	9.4	113.3	186.	10.3	117.2	266.	11.7	120.3	261.
102100	9.5	109.7	9.1	110.1	33.5	9.5	114.9	222.	10.4	119.4	283.	11.4	123.7	236.
102106	10.3	111.0	9.7	111.1	36.5	10.7	115.2	174.	11.9	119.2	210.	13.2	122.4	200.
102112	11.2	112.2	11.1	113.0	46.6	14.0	116.7	18.	14.7	118.1	239.	15.0	119.8	374.
102118	12.4	113.5	12.5	113.5	6.0	14.9	115.8	146.	16.3	119.3	231.	17.5	122.0	275.
102200	13.3	114.9	13.2	115.0	8.3	15.6	118.6	76.	17.0	122.4	145.	17.2	124.7	169.
102206	13.8	116.1	13.4	116.3	26.6	15.8	121.2	59.	17.0	123.7	105.	0.0	0.0	0.
102212	14.2	117.1	13.9	117.0	18.9	15.4	120.3	111.	17.6	125.5	56.	18.3	125.8	159.
102218	14.7	118.2	14.6	118.3	8.3	16.3	122.3	86.	18.2	127.5	62.	18.8	128.0	88.
102300	15.0	119.7	15.1	119.8	8.2	16.7	124.3	84.	17.9	127.1	26.	19.0	130.1	87.
102306	15.1	121.0	15.2	120.4	34.3	16.6	124.0	76.	16.2	129.0	160.	19.1	130.1	115.
102312	15.2	122.5	15.1	122.2	17.9	15.4	126.0	84.	16.4	130.7	200.	17.5	132.7	0.
102318	15.3	123.3	15.1	123.1	16.5	15.6	127.1	109.	15.5	131.0	265.	16.8	133.3	0.
102400	15.5	124.1	15.3	124.2	13.3	15.3	127.0	170.	17.4	130.2	182.	16.4	134.4	0.
102406	15.9	124.9	15.6	124.8	18.9	16.4	127.7	126.	20.1	128.4	125.	18.1	132.4	0.
102412	16.7	125.9	16.8	126.0	8.2	18.7	127.6	54.	20.1	128.4	0.	21.6	128.9	0.
102418	17.3	126.7	17.4	126.8	8.2	19.7	128.9	23.	21.5	129.9	0.	23.5	130.6	0.
102500	17.9	127.2	18.1	127.5	20.7	20.3	130.2	29.	21.4	130.7	0.	0.0	0.0	0.
102506	18.4	127.9	18.5	127.6	17.9	20.5	128.7	100.	22.6	129.5	0.	0.0	0.0	0.
102512	19.0	128.5	19.0	128.5	0.0	20.9	130.9	0.	22.6	132.9	0.	0.0	0.0	0.
102518	19.7	129.3	19.6	129.3	6.0	21.5	132.0	0.	0.0	0.0	0.	0.0	0.0	0.
102600	20.3	129.8	20.4	129.7	8.2	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
102606	21.0	130.3	21.0	130.4	5.6	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
102612	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
102618	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)

101.

173.

213.

NUMBER OF CASES

23

19

14

STOP

R

- 121 Climatological Prediction of Cumulonimbus Clouds in the Vicinity of the Yucca Flat Weather Station. R. F. Quiring, June 1977. (PB-271-704/AS)
- 122 A Method for Transforming Temperature Distribution to Normality. Morris S. Webb, Jr., June 1977. (PB-271-742/AS)
- 124 Statistical Guidance for Prediction of Eastern North Pacific Tropical Cyclone Motion - Part I. Charles J. Neumann and Preston W. Leftwich, August 1977. (PB-272-561)
- 125 Statistical Guidance on the Prediction of Eastern North Pacific Tropical Cyclone Motion - Part II. Preston W. Leftwich and Charles J. Neumann, August 1977. (PB-273-155/AS)
- 127 Development of a Probability Equation for Winter-Type Precipitation Patterns in Great Falls, Montana. Kenneth B. Mielke, February 1978. (PB-281-387/AS)
- 128 Hand Calculator Program to Compute Parcel Thermal Dynamics. Dan Gudge, April 1978. (PB-283-080/AS)
- 129 Fire Whirls. David W. Goens, May 1978. (PB-283-866/AS)
- 130 Flash-Flood Procedure. Ralph C. Hatch and Gerald Williams, May 1978. (PB-286-014/AS)
- 131 Automated Fire-Weather Forecasts. Mark A. Mollner and David E. Olsen, September 1978. (PB-289-916/AS)
- 132 Estimates of the Effects of Terrain Blocking on the Los Angeles WSR-74C Weather Radar. R. G. Pappas, R. Y. Lee, B. W. Finke, October 1978. (PB289767/AS)
- 133 Spectral Techniques in Ocean Wave Forecasting. John A. Jannuzzi, October 1978. (PB291317/AS)
- 134 Solar Radiation. John A. Jannuzzi, November 1978. (PB291195/AS)
- 135 Application of a Spectrum Analyzer in Forecasting Ocean Swell in Southern California Coastal Waters. Lawrence P. Kierulff, January 1979. (PB292716/AS)
- 136 Basic Hydrologic Principles. Thomas L. Dietrich, January 1979. (PB292247/AS)
- 137 LFM 24-Hour Prediction of Eastern Pacific Cyclones Refined by Satellite Images. John R. Zimmerman and Charles P. Ruscha, Jr., Jan. 1979. (PB294324/AS)
- 138 A Simple Analysis/Diagnosis System for Real Time Evaluation of Vertical Motion. Scott Heflick and James R. Fors, February 1979. (PB294216/AS)
- 139 Aids for Forecasting Minimum Temperature in the Wenatchee Frost District. Robert S. Robinson, April 1979. (PB298339/AS)
- 140 Influence of Cloudiness on Summertime Temperatures in the Eastern Washington Fire Weather District. James Holcomb, April 1979. (PB298674/AS)
- 141 Comparison of LFM and MFM Precipitation Guidance for Nevada During Doreen. Christopher Hill, April 1979. (PB298613/AS)
- 142 The Usefulness of Data from Mountaintop Fire Lookout Stations in Determining Atmospheric Stability. Jonathan W. Corey, April 1979. (PB298899/AS)
- 143 The Depth of the Marine Layer at San Diego as Related to Subsequent Cool Season Precipitation Episodes in Arizona. Ira S. Brenner, May 1979. (PB298817/AS)
- 144 Arizona Cool Season Climatological Surface Wind and Pressure Gradient Study. Ira S. Brenner, May 1979. (PB298900/AS)
- 145 On the Use of Solar Radiation and Temperature Models to Estimate the Snap Bean Maturity Date in the Willamette Valley. Earl M. Bates, August 1979. (PB80-160971)
- 146 The BART Experiment. Morris S. Webb, October 1979. (PB80-155112)
- 147 Occurrence and Distribution of Flash Floods in the Western Region. Thomas L. Dietrich, December 1979. (PB80-160344)
- 149 Misinterpretations of Precipitation Probability Forecasts. Allan H. Murphy, Sarah Lichtenstein, Baruch Fischhoff, and Robert L. Winkler, February 1980. (PB80-174576)
- 150 Annual Data and Verification Tabulation - Eastern and Central North Pacific Tropical Storms and Hurricanes 1979. Emil B. Gunther and Staff, EPHC, April 1980. (PB80-220486)
- 151 NMC Model Performance in the Northeast Pacific. James E. Overland, PMEL-ERL, April 1980. (PB80-196033)
- 152 Climate of Salt Lake City, Utah. Wilbur E. Figgins, June 1980. (PB80-225493) (Out of print.)
- 153 An Automatic Lightning Detection System in Northern California. James E. Rea and Chris E. Fontana, June 1980. (PB80-225592)
- 154 Regression Equation for the Peak Wind Gust 6 to 12 Hours in Advance at Great Falls During Strong Downslope Wind Storms. Michael J. Oard, July 1980. (PB81-108367)
- 155 A Raininess Index for the Arizona Monsoon. John H. TenHarkel, July 1980. (PB81-106494)
- 156 The Effects of Terrain Distribution on Summer Thunderstorm Activity at Reno, Nevada. Christopher Dean Hill, July 1980. (PB81-102501)
- 157 An Operational Evaluation of the Scofield/Oliver Technique for Estimating Precipitation Rates from Satellite Imagery. Richard Ochoa, August 1980. (PB81-108227)
- 158 Hydrology Practicum. Thomas Dietrich, September 1980. (PB81-134033)
- 159 Tropical Cyclone Effects on California. Arnold Court, October 1980. (PB81-133779)
- 160 Eastern North Pacific Tropical Cyclone Occurrences During Intraseasonal Periods. Preston W. Leftwich and Gail M. Brown, February 1981. (PB81-205494)
- 161 Solar Radiation as a Sole Source of Energy for Photovoltaics in Las Vegas, Nevada, for July and December. Darryl Randerson, April 1981. (PB81-224503)
- 162 A Systems Approach to Real-Time Runoff Analysis with a Deterministic Rainfall-Runoff Model. Robert J. C. Burnash and R. Larry Ferral, April 1981. (PB81-224495)
- 163 A Comparison of Two Methods for Forecasting Thunderstorms at Luke Air Force Base, Arizona. Lt. Colonel Keith R. Cooley, April 1981. (PB81-225393)
- 164 An Objective Aid for Forecasting Afternoon Relative Humidity Along the Washington Cascade East Slopes. Robert S. Robinson, April 1981. (PB81-23078)
- 165 Annual Data and Verification Tabulation, Eastern North Pacific Tropical Storms and Hurricanes 1980. Emil B. Gunther and Staff, May 1981. (PB82-230336)
- 166 Preliminary Estimates of Wind Power Potential at the Nevada Test Site. Howard G. Booth, June 1981. (PB82-127036)
- 167 ARAP User's Guide. Mark Mathewson, July 1981. (revised September 1981). (PB82-196783)
- 168 Forecasting the Onset of Coastal Gales Off Washington-Oregon. John R. Zimmerman and William D. Burton, August 1981. (PB82-127051)
- 169 A Statistical-Dynamical Model for Prediction of Tropical Cyclone Motion in the Eastern North Pacific Ocean. Preston W. Leftwich, Jr., October 1981.
- 170 An Enhanced Plotter for Surface Airways Observations. Andrew J. Spry and Jeffrey L. Anderson, October 1981. (PB82-153883)
- 171 Verification of 72-Hour 500-mb Map-Type Predictions. R. F. Quiring, November 1981. (PB82-158098)
- 172 Forecasting Heavy Snow at Wenatchee, Washington. James W. Holcomb, December 1981. (PB82-177783)
- 173 Central San Joaquin Valley Type Maps. Thomas R. Crossan, December 1981. (PB82-196064)
- 174 ARAP Test Results. Mark A. Mathewson, December 1981. (PB82-193103)
- 175 Annual Data and Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1981. Emil B. Gunther and Staff, June 1982. (PB82-252420)
- 176 Approximations to the Peak Surface Wind Gusts from Desert Thunderstorms. Darryl Randerson, June 1982. (PB82-253089)
- 177 Climate of Phoenix, Arizona. Robert J. Schmidli, April 1969 (revised March 1983).

## NOAA SCIENTIFIC AND TECHNICAL PUBLICATIONS

*The National Oceanic and Atmospheric Administration* was established as part of the Department of Commerce on October 3, 1970. The mission responsibilities of NOAA are to assess the socioeconomic impact of natural and technological changes in the environment and to monitor and predict the state of the solid Earth, the oceans and their living resources, the atmosphere, and the space environment of the Earth.

The major components of NOAA regularly produce various types of scientific and technical information in the following kinds of publications:

**PROFESSIONAL PAPERS** — Important definitive research results, major techniques, and special investigations.

**CONTRACT AND GRANT REPORTS** — Reports prepared by contractors or grantees under NOAA sponsorship.

**ATLAS** — Presentation of analyzed data generally in the form of maps showing distribution of rainfall, chemical and physical conditions of oceans and atmosphere, distribution of fishes and marine mammals, ionospheric conditions, etc.

**TECHNICAL SERVICE PUBLICATIONS** — Reports containing data, observations, instructions, etc. A partial listing includes data serials; prediction and outlook periodicals; technical manuals, training papers, planning reports, and information serials; and miscellaneous technical publications.

**TECHNICAL REPORTS** — Journal quality with extensive details, mathematical developments, or data listings.

**TECHNICAL MEMORANDUMS** — Reports of preliminary, partial, or negative research or technology results, interim instructions, and the like.



*Information on availability of NOAA publications can be obtained from:*

**ENVIRONMENTAL SCIENCE INFORMATION CENTER (D822)  
ENVIRONMENTAL DATA AND INFORMATION SERVICE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
U.S. DEPARTMENT OF COMMERCE**

**6009 Executive Boulevard  
Rockville, MD 20852**