



NOAA Technical Memorandum NWS WR-213

**IDAHO ZONE PREFORMAT, TEMPERATURE GUIDANCE,
AND VERIFICATION**

**Mark A. Mollner
National Weather Service
Weather Service Forecast Office
Boise, Idaho**

July 1991

**U.S. DEPARTMENT OF
COMMERCE**

National Oceanic and
Atmospheric Administration

National Weather
Service



NOAA TECHNICAL MEMORANDA
National Weather Service, Western Region Subseries

The National Weather Service (NWS) Western Region (WR) Subseries provides an informal medium for the documentation and quick dissemination of results not appropriate, or not yet ready, for formal publication. The series is used to report on work in progress, to describe technical procedures and practices, or to relate progress to a limited audience. These Technical Memoranda will report on investigations devoted primarily to regional and local problems of interest mainly to personnel, and hence will not be widely distributed.

Papers 1 to 25 are in the former series, ESSA Technical Memoranda, Western Region Technical Memoranda (WRTM); papers 24 to 59 are in the former series, ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM). Beginning with 60, the papers are part of the series, NOAA Technical Memoranda NWS. Out-of-print memoranda are not listed.

Papers 2 to 22, except for 5 (revised edition), are available from the National Weather Service Western Region, Scientific Services Division, P.O. Box 11188, Federal Building, 125 South State Street, Salt Lake City, Utah 84147. Paper 5 (revised edition), and all others beginning with 25 are available from the National Technical Information Service, U.S. Department of Commerce, Sills Building, 6285 Port Royal Road, Springfield, Virginia 22161. Prices vary for all paper copies; microfiche are \$3.50. Order by accession number shown in parentheses at end of each entry.

ESSA Technical Memoranda (WRTM)

- 2 Climatological Precipitation Probabilities. Compiled by Lucianne Miller, December 1965.
- 3 Western Region Pre- and Post-FP-3 Program, December 1, 1965, to February 20, 1966. Edward D. Diemer, March 1966.
- 5 Station Descriptions of Local Effects on Synoptic Weather Patterns. Philip Williams, Jr., April 1966 (Revised November 1967, October 1969). (PB-17800)
- 8 Interpreting the RAREP. Herbert P. Benner, May 1966 (Revised January 1967).
- 11 Some Electrical Processes in the Atmosphere. J. Latham, June 1966.
- 17 A Digitalized Summary of Radar Echoes within 100 Miles of Sacramento, California. J. A. Youngberg and L. B. Overaas, December 1966.
- 21 An Objective Aid for Forecasting the End of East Winds in the Columbia Gorge, July through October. D. John Coparanis, April 1967.
- 22 Derivation of Radar Horizons in Mountainous Terrain. Roger G. Pappas, April 1967.

ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM)

- 25 Verification of Operation Probability of Precipitation Forecasts, April 1966-March 1967. W. W. Dickey, October 1967. (PB-176240)
- 26 A Study of Winds in the Lake Mead Recreation Area. R. P. Augulis, January 1968. (PB-177830)
- 28 Weather Extremes. R. J. Schmidli, April 1968 (Revised March 1986). (PB86 177672/AS)
- 29 Small-Scale Analysis and Prediction. Philip Williams, Jr., May 1968. (PB178425)
- 30 Numerical Weather Prediction and Synoptic Meteorology. CPT Thomas D. Murphy, USAF, May 1968. (AD 673365)
- 31 Precipitation Detection Probabilities by Salt Lake ARTC Radars. Robert K. Belesky, July 1968. (PB 179084)
- 32 Probability Forecasting-A Problem Analysis with Reference to the Portland Fire Weather District. Harold S. Ayer, July 1968. (PB 179289)
- 36 Temperature Trends in Sacramento-Another Heat Island. Anthony D. Lentini, February 1969. (PB 183055)
- 37 Disposal of Logging Residues Without Damage to Air Quality. Owen P. Cramer, March 1969. (PB 183057)
- 39 Upper-Air Lows Over Northwestern United States. A.L. Jacobson, April 1969. (PB 184296)
- 40 The Man-Machine Mix in Applied Weather Forecasting in the 1970s. L.W. Snellman, August 1969. (PB 185088)
- 43 Forecasting Maximum Temperatures at Helena, Montana. David E. Olsen, November 1969. (PB 185762)
- 44 Estimated Return Periods for Short-Duration Precipitation in Arizona. Paul C. Kangieser, October 1969. (PB 187763)
- 46 Applications of the Net Radiometer to Short-Range Fog and Stratus Forecasting at Eugene, Oregon. L. Yee and E. Bates, December 1969. (PB 190476)
- 47 Statistical Analysis as a Flood Routing Tool. Robert J.C. Burnash, December 1969. (PB 188744)
- 48 Tsunami. Richard P. Augulis, February 1970. (PB 190157)
- 49 Predicting Precipitation Type. Robert J.C. Burnash and Floyd E. Hug, March 1970. (PB 190982)
- 50 Statistical Report on Aeroallergens (Pollens and Molds) Fort Huachuca, Arizona, 1969. Wayne S. Johnson, April 1970. (PB 191743)
- 51 Western Region Sea State and Surf Forecaster's Manual. Gordon C. Shields and Gerald B. Burdwell, July 1970. (PB 193102)
- 52 Sacramento Weather Radar Climatology. R.G. Pappas and C. M. Veliquette, July 1970. (PB 193347)
- 54 A Refinement of the Vorticity Field to Delineate Areas of Significant Precipitation. Barry B. Aronovitch, August 1970.
- 55 Application of the SSARR Model to a Basin without Discharge Record. Vail Schermerhorn and Donal W. Kuehl, August 1970. (PB 194394)
- 56 Areal Coverage of Precipitation in Northwestern Utah. Philip Williams, Jr., and Werner J. Heck, September 1970. (PB 194389)
- 57 Preliminary Report on Agricultural Field Burning vs. Atmospheric Visibility in the Willamette Valley of Oregon. Earl M. Bates and David O. Chilcote, September 1970. (PB 194710)
- 58 Air Pollution by Jet Aircraft at Seattle-Tacoma Airport. Wallace R. Donaldson, October 1970. (COM 71 00017)
- 59 Application of PE Model Forecast Parameters to Local-Area Forecasting. Leonard W. Snellman, October 1970. (COM 71 00016)
- 60 An Aid for Forecasting the Minimum Temperature at Medford, Oregon, Arthur W. Fritz, October 1970. (COM 71 00120)
- 63 700-mb Warm Air Advection as a Forecasting Tool for Montana and Northern Idaho. Norris E. Woerner, February 1971. (COM 71 00349)
- 64 Wind and Weather Regimes at Great Falls, Montana. Warren B. Price, March 1971.
- 65 Climate of Sacramento, California. Tony Martini, April 1990. (Fifth Revision) (PB89 207781/AS)
- 66 A Preliminary Report on Correlation of ARTCC Radar Echoes and Precipitation. Wilbur K. Hall, June 1971. (COM 71 00829)
- 69 National Weather Service Support to Soaring Activities. Ellis Burton, August 1971. (COM 71 00956)
- 71 Western Region Synoptic Analysis-Problems and Methods. Philip Williams, Jr., February 1972. (COM 72 10433)
- 74 Thunderstorms and Hail Days Probabilities in Nevada. Clarence M. Sakamoto, April 1972. (COM 72 10554)

- 75 A Study of the Low Level Jet Stream of the San Joaquin Valley. Ronald A. Willis and Philip Williams, Jr., May 1972. (COM 72 10707)
- 76 Monthly Climatological Charts of the Behavior of Fog and Low Stratus at Los Angeles International Airport. Donald M. Gales, July 1972. (COM 72 11140)
- 77 A Study of Radar Echo Distribution in Arizona During July and August. John E. Hales, Jr., July 1972. (COM 72 11136)
- 78 Forecasting Precipitation at Bakersfield, California, Using Pressure Gradient Vectors. Earl T. Riddiough, July 1972. (COM 72 11146)
- 79 Climate of Stockton, California. Robert C. Nelson, July 1972. (COM 72 10920)
- 80 Estimation of Number of Days Above or Below Selected Temperatures. Clarence M. Sakamoto, October 1972. (COM 72 10021)
- 81 An Aid for Forecasting Summer Maximum Temperatures at Seattle, Washington. Edgar G. Johnson, November 1972. (COM 73 10150)
- 82 Flash Flood Forecasting and Warning Program in the Western Region. Philip Williams, Jr., Chester L. Glenn, and Roland L. Raetz, December 1972, (Revised March 1978). (COM 73 10251)
- 83 A comparison of Manual and Semiautomatic Methods of Digitizing Analog Wind Records. Glenn E. Rasch, March 1973. (COM 73 10669)
- 86 Conditional Probabilities for Sequences of Wet Days at Phoenix, Arizona. Paul C. Kangieser, June 1973. (COM 73 11264)
- 87 A Refinement of the Use of K-Values in Forecasting Thunderstorms in Washington and Oregon. Robert Y.G. Lee, June 1973. (COM 73 11276)
- 89 Objective Forecast Precipitation Over the Western Region of the United States. Julia N. Paegle and Larry P. Kierulff, September 1973. (COM 73 11946/3AS)
- 91 Arizona "Eddy" Tornadoes. Robert S. Ingram, October 1973. (COM 73 10465)
- 92 Smoke Management in the Willamette Valley. Earl M. Bates, May 1974. (COM 74 11277/AS)
- 93 An Operational Evaluation of 500-mb Type Regression Equations. Alexander E. MacDonald, June 1974. (COM 74 11407/AS)
- 94 Conditional Probability of Visibility Less than One-Half Mile in Radiation Fog at Fresno, California. John D. Thomas, August 1974. (COM 74 11555/AS)
- 95 Climate of Flagstaff, Arizona. Paul W. Sorenson, and updated by Reginald W. Preston, January 1987. (PB87 143160/AS)
- 96 Map type Prediction Probabilities for the Western Region. Glenn E. Rasch and Alexander E. MacDonald, February 1975. (COM 75 10428/AS)
- 97 Eastern Pacific Cut-Off Low of April 21-28, 1974. William J. Alder and George R. Miller, January 1976. (PB 250 711/AS)
- 98 Study on a Significant Precipitation Episode in Western United States. Ira S. Brenner, April 1976. (COM 75 10719/AS)
- 99 A Study of Flash Flood Susceptibility-A Basin in Southern Arizona. Gerald Williams, August 1975. (COM 75 11360/AS)
- 102 A Set of Rules for Forecasting Temperatures in Napa and Sonoma Counties. Wesley L. Tuft, October 1975. (PB 246 902/AS)
- 103 Application of the National Weather Service Flash-Flood Program in the Western Region. Gerald Williams, January 1976. (PB 253 053/AS)
- 104 Objective Aids for Forecasting Minimum Temperatures at Reno, Nevada, During the Summer Months. Christopher D. Hill, January 1976. (PB 252 866/AS)
- 105 Forecasting the Mono Wind. Charles P. Ruscha, Jr., February 1976. (PB 254 650)
- 106 Use of MOS Forecast Parameters in Temperature Forecasting. John C. Plankinton, Jr., March 1976. (PB 254 649)
- 107 Map Types as Aids in Using MOS PoPs in Western United States. Ira S. Brenner, August 1976. (PB 259 594)
- 108 Other Kinds of Wind Shear. Christopher D. Hill, August 1976. (PB 260 437/AS)
- 109 Forecasting North Winds in the Upper Sacramento Valley and Adjoining Forests. Christopher E. Fontana, September 1976. (PB 273 677/AS)
- 110 Cool Inflow as a Weakening Influence on Eastern Pacific Tropical Cyclones. William J. Denney, November 1976. (PB 264 655/AS)
- 112 The MAN/MOS Program. Alexander E. MacDonald, February 1977. (PB 265 941/AS)
- 113 Winter Season Minimum Temperature Formula for Bakersfield, California, Using Multiple Regression. Michael J. Oard, February 1977. (PB 273 694/AS)
- 114 Tropical Cyclone Kathleen. James R. Fors, February 1977. (PB 273 676/AS)
- 116 A Study of Wind Gusts on Lake Mead. Bradley Colman, April 1977. (PB 268 847)
- 117 The Relative Frequency of Cumulonimbus Clouds at the Nevada Test Site as a Function of K-Value. R.F. Quiring, April 1977. (PB 272 831)
- 118 Moisture Distribution Modification by Upward Vertical Motion. Ira S. Brenner, April 1977. (PB 268 740)
- 119 Relative Frequency of Occurrence of Warm Season Echo Activity as a Function of Stability Indices Computed from the Yucca Flat, Nevada, Rawinsonde. Darryl Randerson, June 1977. (PB 271 290/AS)
- 121 Climatological Prediction of Cumulonimbus Clouds in the Vicinity of the Yucca Flat Weather Station. R.F. Quiring, June 1977. (PB 271 704/AS)
- 122 A Method for Transforming Temperature Distribution to Normality. Morris S. Webb, Jr., June 1977. (PB 271 742/AS)
- 124 Statistical Guidance for Prediction of Eastern North Pacific Tropical Cyclone Motion - Part I. Charles J. Neumann and Preston W. Leftwich, August 1977. (PB 272 661)
- 125 Statistical Guidance on the Prediction of Eastern North Pacific Tropical Cyclone Motion - Part II. Preston W. Leftwich and Charles J. Neumann, August 1977. (PB 273 155/AS)
- 126 Climate of San Francisco. E. Jan Null, February 1978. Revised by George T. Pericht, April 1988. (PB88 208624/AS)
- 127 Development of a Probability Equation for Winter-Type Precipitation Patterns in Great Falls, Montana. Kenneth B. Mielke, February 1978. (PB 281 387/AS)
- 128 Hand Calculator Program to Compute Parcel Thermal Dynamics. Dan Gudgel, April 1978. (PB 283 080/AS)
- 129 Fire whirls. David W. Goens, May 1978. (PB 283 866/AS)
- 130 Flash-Flood Procedure. Ralph C. Hatch and Gerald Williams, May 1978. (PB 286 014/AS)
- 131 Automated Fire-Weather Forecasts. Mark A. Mollner and David E. Olsen, September 1978. (PB 289 916/AS)
- 132 Estimates of the Effects of Terrain Blocking on the Los Angeles WSR-74C Weather Radar. R.G. Pappas, R.Y. Lee, B.W. Finke, October 1978. (PB 289767/AS)
- 133 Spectral Techniques in Ocean Wave Forecasting. John A. Jannuzzi, October 1978. (PB291317/AS)
- 134 Solar Radiation. John A. Jannuzzi, November 1978. (PB291195/AS)
- 135 Application of a Spectrum Analyzer in Forecasting Ocean Swell in Southern California Coastal Waters. Lawrence P. Kierulff, January 1979. (PB292716/AS)
- 136 Basic Hydrologic Principles. Thomas L. Dietrich, January 1979. (PB292247/AS)
- 137 LFM 24-Hour Prediction of Eastern Pacific Cyclones Refined by Satellite Images. John R. Zimmerman and Charles P. Ruscha, Jr., January 1979. (PB294324/AS)
- 138 A Simple Analysis/Diagnosis System for Real Time Evaluation of Vertical Motion. Scott Heflick and James R. Fors, February 1979. (PB294216/AS)
- 139 Aids for Forecasting Minimum Temperature in the Wenatchee Frost District. Robert S. Robinson, April 1979. (PB298339/AS)
- 140 Influence of Cloudiness on Summertime Temperatures in the Eastern Washington Fire Weather district. James Holcomb, April 1979. (PB298674/AS)
- 141 Comparison of LFM and MFM Precipitation Guidance for Nevada During Doreen. Christopher Hill, April 1979. (PB298613/AS)

NOAA Technical Memorandum NWS WR-213

*IDAHO ZONE PREFORMAT, TEMPERATURE GUIDANCE,
AND VERIFICATION*


*Mark A. Mollner
National Weather Service
Weather Service Forecast Office
Boise, Idaho*

July 1991

UNITED STATES
DEPARTMENT OF COMMERCE
Robert A. Mosbacher, Secretary

National Oceanic and
Atmospheric Administration
*John A. Knauss, Under Secretary
and Administrator*

National Weather Service
*Elbert W. Friday, Jr., Assistant
Administrator for Weather Services*



*This publication has been reviewed
and is approved for publication by
Scientific Services Division,
Western Region*

Ken Mielke

*Kenneth B. Mielke, Chief
Scientific Services Division
Salt Lake City, Utah*

TABLE OF CONTENTS

	<i>PAGE</i>
<i>I. INTRODUCTION</i>	<i>1</i>
<i>II. IDAHO ZONE PREFORMAT</i>	<i>1</i>
<i>III. TEMPERATURE GUIDANCE</i>	<i>1</i>
<i>IV. VERIFICATION OF TEMPERATURE GUIDANCE</i>	<i>3</i>
<i>V. PERFORMANCE OF TEMPERATURE GUIDANCE</i>	<i>3</i>
<i>VI. FORECASTER VERIFICATION</i>	<i>3</i>
<i>VII. CONCLUSION</i>	<i>4</i>
<i>VIII. FURTHER EXPANSION</i>	<i>4</i>
<i>IX. ACKNOWLEDGEMENTS</i>	<i>4</i>
 <i>REFERENCES</i>	
<i>FIGURE 1 Portion of Idaho Zone Preformat</i>	<i>5</i>
<i>FIGURE 2 Summary of Guidance Forecast Temperatures</i>	<i>6</i>
<i>FIGURE 3 Summary of MOS Guidance</i>	<i>7</i>
<i>FIGURE 4 Example of Monthly Temperature Verification</i>	<i>8</i>
<i>FIGURE 5 Example of Monthly Precipitation Verification</i>	<i>9</i>
<i>FIGURE 6A Example of Individual Temperature Verification</i>	<i>10</i>
<i>FIGURE 6B Example of Individual Precipitation Verification</i>	<i>11</i>
<i>APPENDIX I</i>	<i>I-1 to I-8</i>
<i>APPENDIX II</i>	<i>II-1 to II-15</i>
<i>APPENDIX III</i>	<i>III-1 to III-6</i>
<i>APPENDIX IV</i>	<i>IV-1 to IV-4</i>

IDAHO ZONE PREFORMAT, TEMPERATURE GUIDANCE, AND VERIFICATION

I. INTRODUCTION

A suite of AFOS application programs was developed to provide temperature guidance for remote zone locations, save forecaster preparation time, and generate verification statistics for the Idaho zone forecasts. They also provide winter and summer temperature guidance for 30 zone sites based on the LFM or NGM MOS guidance or the forecaster's own input. Verification of the temperature guidance is presented along with examples of the output of station and individual forecaster verification for temperature and precipitation. For the first time and in a rapid fashion, a WSFO Boise forecaster can view his temperature verification for 29 zone sites and precipitation verification for 10 of these sites at an AFOS ADM.

By keeping a history of his or her performance, a forecaster can examine weak spots and work to improve on them. The verification also produces a staff history of temperature and precipitation forecast performance for presentation to our users. This output is in a monthly and sliding year format.

II. IDAHO ZONE PREFORMAT

Figure 1 shows an example of a portion of an Idaho zone preformat. WATCHDOG triggers an application program that produces this format twice a day: It generates an early morning zone preformat based on the 00Z LFM MOS guidance and a late afternoon zone preformat based on the 12Z LFM MOS guidance. The LFM MOS guidance is used from the following key stations: Boise, Lewiston, Spokane, Kalispell, Missoula, Pocatello, and Burley. Values of maximum/minimum temperature, wind speed and direction, and cloud cover are extracted from the first six sites for the first three forecast periods.

Maximum/minimum temperatures are extracted for Burley from AFOS key CCCFTPWR. The preformat program then produces maximum and minimum forecast temperatures for 30 zone sites throughout Idaho. The forecaster can choose the NGM MOS guidance by manually running a separate program from AFOS ADM, or input his own numbers and then re-running the program.

The preformat is set up with all the proper dates, times, generic codes, days of week, and spot forecast sites and temperature forecasts. All the forecaster needs to do is to supply the forecast narrative, probability of precipitation forecasts, and any temperature forecast changes. The preformat program also automatically changes from Mountain/Pacific standard time to Mountain/Pacific daylight time and vice versa. (Northern Idaho is on Pacific time and southern Idaho is on Mountain time.)

III. TEMPERATURE GUIDANCE

The creation of the maximum/minimum equations was done in the following manner. Each of the zone spots was correlated to one or more of the above key (MOS guidance) stations. This pairing was usually based on the proximity of the zone site to one of the key stations. Then **actual** observed values of maximum and minimum temperatures were correlated to the **actual** observed values of maximum and minimum temperature at the key station. Data used were from April/May 1986 and September/October 1986. Attention was given to different cloud cover and wind regimes obtained from the daily weather maps for these periods. In most cases the

temperature differences fell into various groups based on differences of elevation, wind direction and speed, and cloud cover. An equation was written to try to account for the majority of weather situations. Finally, a bit of empiricism, based on the author's 15 plus years of forecasting and observing weather in Idaho, was included where it was felt necessary. No change was made to the LFM MOS guidance temperatures for Boise, Pocatello, Burley, and Lewiston.

Caldwell, a city about 25 miles west of Boise, will be used as an example of how the temperature equations were constructed. The maximum temperature equation for Caldwell is:

$$\text{Caldwell} = \underset{1}{\text{BOI}} + \underset{2}{(3 \times \text{T})} + \underset{3}{(2 \times \text{W})} - \underset{4}{(3 \times \text{C} \times \text{T})}$$

T = Time of Year
W = Wind
C = Clouds

Term one is Caldwell's key station -- in this case the MOS maximum temperature forecast at Boise. Term two is a location/elevation correction term modified by the time of year which, in this case, is a cosine function. Using a cosine function virtually eliminates this term in winter and adds three degrees in the summer. Some equations use a sine function which has the opposite effect. Term three takes the wind into account. It is negative for wind directions of 50 degrees to 240 degrees and positive for wind directions of 250 to 40 degrees. Three constants are used for different wind speeds: Zero for 3 knots or less, .7 for 4 to 8 knots, and 1.5 for 9 knots or more. Term four is for cloud cover. It employs four constants: Zero for clear, .2 for scattered clouds, .5 for broken, and .8 for overcast. For this equation, this term contains a time of year correction which operates in the same manner as in term two.

All the maximum and minimum equations operate in the same manner, e.g., all use different combinations of location/elevation, time of year, wind, and cloud cover terms. Again, an effort was made to account for the majority of weather situations. By examining the list of equations in Appendix IV, the Boise public service forecaster can easily ascertain the majority and hence become aware of the minority.

The author wishes to emphasize that the guidance for the temperature forecasts is totally objective. The LFM MOS guidance is read from AFOS, the maximums and minimums computed from the derived equations, and the zone preformat with guidance temperatures is set up for ready use by the public service forecaster. The forecaster can make a printout of the temperature guidance (Fig. 2), make needed adjustments, and type in the changes as he finalizes the zones.

If, however, the forecaster felt the LFM Guidance of temperature, wind, or cloud cover was poor, the extracted LFM MOS data in AFOS can be edited, then manually rerun the program to produce a new zone preformat with new guidance temperatures. Figure 3 shows an example of the extracted LFM Guidance which the forecaster can either accept or edit as he/she chooses.

As stated earlier, the forecaster may also substitute the NGM MOS forecast guidance by running another quick program. Therefore, the forecaster has the choice of using the LFM MOS, NGM MOS, or his/her own numbers as initial guidance.

A set of cold season equations for selected sites was developed in the same manner as described above. These equations take into account snow cover at higher elevations and the frequent tendency of trapped, cold air at lower elevations. Observational data from

December and January were used for these equations which only began in the winter of 1988-89. These equations automatically run between November 15 and February 20. A list of the summer and winter equations is in Appendix IV.

IV. VERIFICATION OF TEMPERATURE GUIDANCE

During the years 1987 through 1989, one temperature guidance forecast per day, on most days, was verified. This was either a 00Z or 12Z LFM guidance forecast. Verification was run for the first two forecast periods. Hence, the maximum and minimum temperature errors contain data from both periods. A cold bias resulted for each station for each month. Remember, these forecast numbers were not adjusted by the forecaster before being verified. It was assumed that the LFM MOS forecast of cloud cover, wind direction and speed, and temperature were acceptable. Of course, we all know this is not always the case. This is why the forecaster is allowed to change the input. Most of the time forecaster modifications should improve the forecast errors. Appendix I contains yearly tables of maximum and minimum forecast errors and the cold bias. Appendix II displays graphics of the maximum/minimum temperature errors for the 30 forecast sites.

V. PERFORMANCE OF TEMPERATURE GUIDANCE

Overall, the temperature guidance does a commendable job from March through October. There is some difficulty at the mountain stations where frequently clouds or precipitation remain after the valley stations clear out. Also, some stations correlate better with their key stations than others based on their proximity to the key station and similar geography. The quality of the guidance at each location is readily discerned from the graphics. In addition, the forecaster can

often improve the forecast if he/she is aware of the cold biases in the more difficult locations.

This technique is least accurate in the winter months. There are simply too many variables to cover by this process. This is why a cautionary note is attached to the temperature guidance printout (Fig. 2). In addition, sometimes MOS guidance is poor. In December 1988, the LFM MOS minimum temperature error at Pocatello averaged over five degrees. The same occurred with the Boise maximums in December 1989. With this poor start, it is difficult to expect a better performance elsewhere. But again, if the forecaster successfully adjusts the MOS input, then the equations in most instances will perform better at the neighboring sites.

Appendix III contains graphics of the guidance performance which show the percentage of forecasts which were within five degrees of the observed value. This clearly shows that at most sites the forecaster can have confidence in the system from the spring through early autumn months. The guidance needs to be scrutinized more carefully in the winter.

VI. FORECASTER VERIFICATION

A suite of programs resides on the WSFO Boise AFOS computer that automatically computes the zone verification for temperature and precipitation. This results in a large reduction of human number crunching time and allowed an expansion to include all 29 temperature sites. They produce monthly temperature verification (mean absolute error) for each forecaster and for each of the 29 forecast stations for three forecast periods (Fig. 4). The stations are broken down into the perennial 10 (the 10 sites verified since the birth of WSFO Boise for historical purposes) and into the other 19. Three period precipitation verification is for

every forecaster and 10 stations. It includes frequency of precipitation, probability of detection, threat score, false alarm, percent correct, and bias (Fig. 5). One program prints out an accumulation of results on a sliding year basis in the same format as Figs. 4 and 5. The observed temperature and precipitation data are quality controlled every day by the evening public service forecaster. This takes an average of three to five minutes. The verification data are computed and tabulated by AFOS also on a daily basis. Hence, a forecaster can have fairly rapid feedback on his forecast within a day or two. As an educational tool, the forecaster can also keep a record of his/her performance on a daily, weekly, monthly, sliding year, or warm/cool season basis. An example of this is shown in Figs. 6A and 6B.

VII. CONCLUSION

The creation of an Idaho zone preformat and guidance temperatures is similar to programs at other Western Region WSFOs. It results in an obvious time savings. The verification of this guidance exhibits a commendable performance in the spring through autumn months. It also provides a measure of confidence in the guidance. It is most useful on severe weather days when the forecaster has little time to manually forecast all the maximum and minimum temperatures. The verification of all 29 zone spot forecast sites enables the forecaster to chart his/her own performance, and for the first time, to evaluate his/her skill at each site under different weather situations. Using this verification as an educational tool can only improve each forecaster's service to the people of Idaho.

VIII. FURTHER EXPANSION

Expansion of this project is already on the drawing board. It will reside in three areas:

1. Improve the guidance equations through the use of the computed cold bias. Current thinking is to add a cold bias correction for each month based on the 1987-1989 verification.
2. Since current planning is for the termination of LFM MOS guidance in the fall of 1991 and an expansion of NGM MOS guidance sites, many equations will be rederived to take advantage of this wider NGM MOS coverage.
3. Write a program to compute each forecaster's temperature bias at each of the 29 verification sites for the warm and cold seasons. This added analysis should help many forecasters adjust their thinking, especially at places where he or she has not done so well in the past. Precipitation biases are already computed.

IX. ACKNOWLEDGEMENTS

Foremost, the author wishes to thank the WSFO Boise Weather Service Specialists who daily enter verification temperatures in tandem with the AGCROP data. Thanks to Tom Egger who rewrote the AGCROP program to accommodate this verification scheme along with the AGCROP data, and to Dave Olsen who first introduced this temperature guidance idea to me in the mid-1970's. Finally, thanks to Ken Mielke, Chris Hill, Les Colin, and Ken Parker for their useful suggestions.

NNNN>##<A<
<ZCZC BOIWRKZN1
ETTAA00 KBOI 271832

IDAHO ZONE FORECASTS
NATIONAL WEATHER SERVICE BOISE ID
100 PM MST WED FEB 27 1991 ... DO NOT USE AFTER 10 PM TODAY.

TEMPERATURES AND PROBABILITIES OF MEASURABLE PRECIPITATION ARE FOR
TONIGHT...THURSDAY AND THURSDAY NIGHT.

IDZ001-280430-
TREASURE VALLEY
400 PM MST WED FEB 27 1991

.TONIGHT...

.THURSDAY...

.THURSDAY NIGHT...

.FRIDAY...

.<
BOISE 29 47 36 XX/XX/XX EMMETT 28 49 35 CALDWELL 26 45 34
ONTARIO 20 45 29 XX/XX/XX PARMA 18 45 27 MTN HOME 31 50 29

##

IDZ002-280430-
MAGIC VALLEY
100 PM MST WED FEB 27 1991

.TONIGHT...

.THURSDAY...

.THURSDAY NIGHT...

.FRIDAY...

.<
TWIN FALLS 17 47 29 XX/XX/XX JEROME 21 50 28
BURLEY 21 50 33 XX/XX/XX RUPERT 20 52 32

##

XX = PoPs to be edited in by the forecaster.

Figure 1 -- Portion of Idaho Zone Preformat.

NNNN>##<A<
 <ZCZC ZONETEMPS
 ETTAA00 KBOI 271547

IDAHO ZONE TEMP FORECASTS 2/27/1991 15Z

S06	22	37	21	
SPT	25	36	25	
LWS	32	50	28	46
SB0	22	46	26	
MOS	29	45	26	
SMN	26	44	25	
CHA	30	31	33	
STN	12	43	16	
LOW	28	47	21	
MYL	22	45	31	
IDC	10	47	17	
OND	20	45	29	
WEI	18	45	27	
EMT	28	49	35	
PAR	18	45	27	
CAL	26	45	34	
BOI	29	47	36	
MUD	31	50	29	
JER	21	50	28	
TWF	17	47	29	
BYI	21	50	33	
RUP	20	52	32	
HAG	11	50	22	
FAI	16	43	25	
SUN	12	46	19	
PIH	18	45	29	
IDA	18	41	29	
REX	17	40	28	
MLD	11	47	26	
SDA	13	42	28	

CHECK TEMPS-- ESPECIALLY FOR ODDITIES SUCH AS SNOW COVER,
 INVERSIONS, FOG, PCPN ETC.

Figure 2 -- Summary of Guidance Forecast Temperatures

NNNN>##<A<

<ZCZC BOIWRKZNS

ETTAA00 KBOI DDHHMM

MOS DATA FOR IDAHO ZONES 2/27/1991 15Z

	PD 1	PD 2	PD 3		
BOI	29	47	36	TEMPERATURE	
	1	2	4	CLOUD COVER	
	120	120	130	WIND DIRECTION	
	11	7	10	WIND SPEED	
FCA	26	37	17	TEMPERATURE	
	3	3	4	CLOUD COVER	
	30	30	30	WIND DIRECTION	
	11	25	27	WIND SPEED	
GEG	28	39	25	TEMPERATURE	
	1	3	4	CLOUD COVER	
	210	220	100	WIND DIRECTION	
	6	12	15	WIND SPEED	
LWS	32	50	28	46	TEMPERATURE
	1	3	4	CLOUD COVER	
	150	300	150	WIND DIRECTION	
	2	6	10	WIND SPEED	
MSO	23	40	22	TEMPERATURE	
	2	3	4	CLOUD COVER	
	150	70	100	WIND DIRECTION	
	4	15	19	WIND SPEED	
PIH	18	45	29	TEMPERATURE	
	1	2	4	CLOUD COVER	
	190	220	200	WIND DIRECTION	
	9	13	11	WIND SPEED	
BYI	21	50	33	TEMPERATURE	

Figure 3 -- Summary of MOS guidance for use in the forecast equations.
The forecaster may change any of these numbers.

(mean absolute error)
 WSFO BOISE ZONE TEMPERATURE VERIFICATION

MARCH 1991 INDIVIDUAL FORECASTERS

MET	ALL ZONE SPOTS						PERENNIAL TEN						THE OTHER NINETEEN							
	1ST PD	2ND PD	3RD PD	ALL PDS	1ST PD	2ND PD	3RD PD	ALL PDS	1ST PD	2ND PD	3RD PD	ALL PDS	1ST PD	2ND PD	3RD PD	ALL PDS				
1	3.39	225.	4.83	229.	4.23	227.	4.16	681.	3.10	80.	4.86	80.	3.99	80.	3.54	145.	4.82	149.	4.37	147.
2	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
3	3.95	200.	3.63	201.	4.00	200.	3.86	601.	3.96	70.	3.80	70.	3.56	70.	3.95	130.	3.53	131.	4.24	130.
4	3.96	28.	3.07	29.	2.62	29.	3.21	86.	3.60	10.	3.80	10.	2.30	10.	4.17	18.	2.68	19.	2.79	19.
5	3.29	170.	2.99	172.	4.13	171.	3.47	513.	3.32	60.	3.12	59.	4.29	59.	3.27	110.	2.93	113.	4.04	112.
6	3.78	172.	4.24	172.	3.25	172.	3.76	516.	3.90	60.	3.65	60.	3.68	60.	3.71	112.	4.56	112.	3.02	112.
7	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
8	3.53	230.	4.06	226.	4.13	228.	3.90	684.	3.77	80.	4.09	80.	4.40	80.	3.41	150.	4.04	146.	3.98	148.
9	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
10	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
11	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
12	3.42	57.	3.84	57.	4.54	57.	3.94	171.	4.15	20.	5.00	20.	4.95	20.	3.03	37.	3.22	37.	4.32	37.
13	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
14	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
15	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
16	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
17	3.85	400.	3.94	397.	4.67	397.	4.15	1194.	3.61	139.	4.01	140.	4.64	138.	3.97	261.	3.91	257.	4.69	259.
18	3.56	288.	3.54	285.	3.83	286.	3.64	859.	3.63	100.	3.32	99.	3.95	100.	3.52	188.	3.65	186.	3.76	186.
19	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
20	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
21	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
22	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
23	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
24	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
25	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
26	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
27	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.	0.00	0.
28	3.68	1371.	3.96	1367.	4.19	1367.	3.94	4105.	3.61	479.	3.99	479.	4.14	478.	3.71	892.	3.95	888.	4.22	889.
29	3.52	399.	3.65	401.	3.81	400.	3.66	1200.	3.69	140.	3.62	139.	4.12	139.	3.43	259.	3.67	262.	3.64	261.
30	3.64	1770.	3.89	1768.	4.10	1767.	3.88	5305.	3.63	619.	3.90	618.	4.13	617.	3.65	1151.	3.88	1150.	4.09	1150.

28=LEADS 29=OTHERS 30=STAFF

EACH ZONE SPOT ALL FORECASTERS

SITE	1ST PD	2ND PD	3RD PD	ALL PDS	SITE	1ST PD	2ND PD	3RD PD	ALL PDS											
*BOI	3.21	62.	3.50	62.	3.79	62.	3.50	186.	EMM	3.23	62.	3.37	62.	3.76	62.	3.45	186.			
CAL	2.76	59.	3.51	59.	3.46	59.	3.24	177.	ONO	3.27	62.	3.76	62.	4.08	62.	3.70	186.			
PAR	3.78	60.	3.68	60.	3.83	60.	3.77	180.	MUO	3.15	62.	2.89	61.	3.00	62.	3.01	185.			
TWF	3.87	60.	3.62	60.	3.95	60.	3.81	180.	JER	3.21	62.	3.44	62.	3.61	62.	3.42	186.			
*BYI	3.32	62.	3.34	62.	3.56	62.	3.41	186.	RUP	3.15	62.	3.56	62.	3.92	62.	3.54	186.			
IDC	3.12	59.	3.34	59.	3.68	59.	3.38	177.	MYL	3.79	62.	5.23	62.	4.68	62.	4.56	186.			
FAI	4.21	57.	3.95	57.	3.89	57.	4.02	171.	SUN	5.34	62.	5.52	62.	6.34	62.	5.73	186.			
*IDA	3.55	62.	4.00	62.	4.21	62.	3.92	186.	REX	4.28	60.	4.63	60.	4.28	60.	4.40	180.			
*PIH	3.44	62.	4.19	62.	4.13	62.	3.92	186.	*HLD	3.95	62.	4.05	62.	4.74	62.	4.25	186.			
SDA	3.95	57.	4.63	57.	4.32	57.	4.30	171.	*SMN	3.73	62.	4.02	62.	4.19	62.	3.98	186.			
CHA	3.16	62.	3.15	62.	4.26	62.	3.52	186.	STN	4.72	61.	5.59	61.	6.17	60.	5.49	182.			
*SS0	3.97	62.	4.05	62.	4.02	62.	4.01	186.	*LOW	4.57	61.	4.73	60.	5.20	59.	4.83	180.			
*LMS	2.61	62.	2.73	62.	3.08	62.	2.81	186.	NOS	3.54	61.	3.49	61.	3.67	61.	3.57	183.			
SPT	3.63	59.	3.22	59.	3.20	59.	3.35	177.	*S06	3.92	62.	4.47	62.	4.47	62.	4.28	186.			
COE	3.24	62.	3.24	62.	3.53	62.	3.34	186.	*PIH	3.44	62.	4.19	62.	4.13	62.	3.92	186.			
STOP																				

Figure 4 -- Example of monthly temperature verification for each WSFO Boise forecaster and staff performance at each zone site. (Reduction of dasher copy) (MAE/# forecasts verified)

WSFO BOISE ZONE PRECIPITATION VERIFICATION

MARCH 1991 INDIVIDUAL FORECASTERS

ALL ZONE SPOTS

MET	1ST PERIOD						2ND PERIOD						3RD PERIOD						NO.	FCSTS
	FQCY	POD	THRT	FALM	% COR	BIAS	FQCY	POD	THRT	FALM	% COR	BIAS	FQCY	POD	THRT	FALM	% COR	BIAS		
1	0.36	0.62	0.40	0.47	66.25	1.17	0.37	0.53	0.36	0.47	65.00	1.00	0.23	0.00	0.00	1.00	76.25	0.06	80.	
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.
3	0.09	0.67	0.17	0.81	72.86	3.50	0.31	0.55	0.36	0.48	70.00	1.05	0.10	0.57	0.20	0.76	77.14	2.43	70.	
4	0.00	0.00	0.00	1.00	100.00	9.99	0.20	0.00	0.00	1.00	80.00	0.00	0.30	0.00	0.00	1.00	70.00	0.00	10.	
5	0.17	0.70	0.32	0.63	75.00	1.90	0.08	1.00	0.29	0.71	80.00	3.40	0.18	0.27	0.12	0.83	61.67	1.64	60.	
6	0.35	0.62	0.48	0.32	76.67	0.90	0.18	0.55	0.26	0.67	71.67	1.64	0.13	0.25	0.14	0.75	80.00	1.00	60.	
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.	
8	0.23	0.67	0.43	0.45	80.00	1.22	0.30	0.96	0.74	0.23	90.00	1.25	0.29	0.61	0.45	0.36	79.75	0.96	80.	
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.	
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.	
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.	
12	0.05	0.00	0.00	1.00	95.00	0.00	0.20	1.00	0.80	0.20	95.00	1.25	0.20	1.00	0.40	0.60	70.00	2.50	20.	
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.	
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.	
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.	
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.	
17	0.32	0.67	0.54	0.27	81.43	0.91	0.22	0.71	0.46	0.44	81.29	1.26	0.37	0.63	0.52	0.25	78.57	0.85	140.	
18	0.25	0.52	0.36	0.46	76.77	0.96	0.19	0.63	0.40	0.48	82.00	1.21	0.16	0.56	0.36	0.50	84.00	1.12	99.	
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.	
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.	
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.	
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.	
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.	
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.	
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.	
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.	
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.	
28	0.26	0.63	0.41	0.46	76.83	1.15	0.27	0.66	0.45	0.41	78.50	1.13	0.25	0.50	0.37	0.41	78.96	0.86	479.	
29	0.23	0.62	0.40	0.47	78.57	1.19	0.14	0.75	0.33	0.62	78.57	2.00	0.16	0.39	0.18	0.75	70.71	1.57	140.	
30	0.25	0.63	0.41	0.46	77.22	1.16	0.24	0.68	0.43	0.46	78.51	1.25	0.23	0.49	0.33	0.50	77.10	0.97	619.	

28=LEADS 29=OTHERS 30=STAFF

EACH ZONE SPOT ALL FORECASTERS

SITE	FQCY	POD	THRT	FALM	% COR	BIAS	FQCY	POD	THRT	FALM	% COR	BIAS	FQCY	POD	THRT	FALM	% COR	BIAS	NO.	FCSTS
BOI	0.21	0.85	0.55	0.39	85.48	1.38	0.19	0.67	0.38	0.53	79.03	1.42	0.18	0.73	0.42	0.50	82.26	1.45	62.	
BYI	0.16	0.60	0.32	0.60	79.03	1.50	0.15	0.89	0.42	0.56	82.26	2.00	0.13	0.50	0.24	0.69	79.03	1.62	62.	
IDA	0.19	0.50	0.30	0.57	77.42	1.17	0.18	0.64	0.33	0.59	77.42	1.55	0.16	0.50	0.28	0.62	79.03	1.30	62.	
MLD	0.21	0.54	0.30	0.59	74.19	1.31	0.21	0.77	0.45	0.47	80.65	1.46	0.19	0.50	0.33	0.50	80.65	1.00	62.	
SMN	0.21	0.54	0.29	0.61	72.58	1.38	0.21	0.77	0.50	0.41	83.87	1.31	0.19	0.42	0.23	0.67	72.58	1.25	62.	
S80	0.26	0.75	0.50	0.40	80.33	1.25	0.25	0.73	0.44	0.48	77.05	1.40	0.26	0.44	0.29	0.53	72.58	0.94	61.	
P69	0.34	0.62	0.42	0.43	70.97	1.10	0.34	0.71	0.52	0.35	77.42	1.10	0.35	0.45	0.37	0.33	72.58	0.68	62.	
LWS	0.24	0.60	0.45	0.36	82.26	0.93	0.23	0.50	0.35	0.46	79.03	0.93	0.21	0.38	0.29	0.44	80.65	0.69	62.	
S86	0.47	0.66	0.53	0.27	72.58	0.90	0.45	0.57	0.48	0.24	72.58	0.75	0.44	0.48	0.41	0.28	69.35	0.67	62.	
PIH	0.21	0.54	0.33	0.53	77.42	1.15	0.19	0.67	0.35	0.58	75.81	1.58	0.18	0.55	0.35	0.50	82.26	1.09	62.	

STOP K
Figure 5 -- Example of monthly precipitation verification for each WSFO Boise forecaster and staff performance at ten zone sites. (Reduction of dasher copy)

NNNN>##<A<
 <ZCZC BOIWRKVER
 ETTAA00 KBOI 071911

WSFO BOISE ZONE TEMPERATURE VERIFICATION
 FORECASTER NO. 18
 FROM: 1/ 1/91 TO: 1/31/91

SITE	00Z CYCLE			12Z CYCLE		
	1ST PD MAX	2ND PD MIN	3RD PD MAX	1ST PD MIN	2ND PD MAX	3RD PD MIN
*BOI	2.20	5. 6.00	5. 5.60	5. 3.83	6. 4.50	6. 4.67
EMM	1.20	5. 5.60	5. 4.80	5. 1.33	6. 4.33	6. 4.17
CAL	2.80	5. 5.20	5. 3.60	5. 2.33	6. 3.50	6. 4.00
ONO	3.20	5. 4.60	5. 2.80	5. 2.83	6. 2.83	6. 3.00
PAR	2.00	5. 4.80	5. 3.60	5. 2.33	6. 2.50	6. 3.33
MUD	2.00	5. 4.80	5. 5.40	5. 3.83	6. 2.20	5. 4.80

TWF	2.00	4. 7.40	5. 4.00	4. 3.33	6. 2.50	6. 6.33
JER	1.00	5. 3.60	5. 1.40	5. 2.50	6. 2.50	6. 5.83
*BYI	1.20	5. 6.00	5. 2.40	5. 5.33	6. 3.17	6. 6.50
RUP	2.60	5. 5.00	5. 1.20	5. 3.67	6. 3.67	6. 6.50

IDC	3.80	5. 3.80	5. 7.40	5. 5.50	6. 4.33	6. 10.00
MYL	2.40	5. 5.60	5. 2.40	5. 5.00	6. 3.83	6. 6.50

FAI	4.40	5. 6.60	5. 3.80	5. 7.17	6. 4.67	6. 9.67
SUN	1.80	5. 4.80	5. 2.20	5. 5.33	6. 2.20	5. 10.60

*IDA	1.60	5. 5.20	5. 3.00	5. 6.00	6. 2.67	6. 9.50
REX	3.00	5. 7.00	4. 1.80	5. 4.83	6. 5.33	6. 8.83
*PIH	1.20	5. 4.20	5. 2.60	5. 4.33	6. 3.83	6. 10.00

*MLD	3.40	5. 7.60	5. 3.20	5. 3.00	6. 3.67	6. 9.17
SDA	4.75	4. 5.00	4. 6.25	4. 4.67	6. 4.00	5. 5.00

*SMN	2.00	5. 5.20	5. 2.40	5. 4.67	6. 3.17	6. 8.00
CHA	3.00	5. 5.80	5. 2.40	5. 5.33	6. 4.17	6. 8.33
STN	7.00	4. 5.40	5. 6.75	4. 6.33	6. 5.83	6. 8.00

*SS0	3.60	5. 3.60	5. 4.80	5. 5.67	6. 2.67	6. 4.00
*LOW	3.80	5. 2.60	5. 6.40	5. 2.00	6. 2.33	6. 3.17

*LWS	2.40	5. 2.00	5. 2.60	5. 2.00	6. 2.17	6. 2.00
MDS	2.40	5. 3.75	4. 2.80	5. 3.50	6. 3.00	6. 1.33

SB6	0.80	5. 3.20	5. 2.20	5. 4.33	6. 2.17	6. 2.33
*S06	4.00	4. 2.20	5. 7.50	4. 2.67	6. 1.50	6. 4.00
COE	1.67	3. 4.33	3. 1.67	3. 5.00	2. 3.50	2. 2.50

END

Figure 6A Example of Individual Temperature Verification. Stations with an asterisk are the perennial ten - those verified since the birth of WSFO Boise. (MAE/# forecast verified).

NNNN>##<A<
 <ZCZC BOIWRKVER
 ETAA00 KBOI 060027

WSFO BOISE ZONE PRECIPITATION VERIFICATION
 FORECASTER NO. 18
 FROM: 11/ 1/90 TO: 11/30/90

		BOI	BYI	IDA	MLD	SMN	SBO	F69	LWS	S06	PIH
1	FQCY	0.33	0.17	0.25	0.08	0.08	0.25	0.42	0.25	0.67	0.25
S	POD	0.25	0.00	0.67	1.00	1.00	0.33	0.60	0.67	0.50	0.33
T	THRT	0.25	0.00	0.67	0.50	0.50	0.17	0.50	0.40	0.50	0.25
	FALM	0.00	1.00	0.00	0.50	0.50	0.75	0.25	0.50	0.00	0.50
P	% COR	75.	83.	92.	92.	92.	58.	75.	75.	67.	75.
D	BIAS	0.25	0.00	0.67	2.00	2.00	1.33	0.80	1.33	0.50	0.67

2	FQCY	0.17	0.08	0.08	0.08	0.08	0.25	0.50	0.42	0.67	0.17
N	POD	0.50	1.00	1.00	1.00	1.00	0.33	0.67	0.20	0.75	0.50
D	THRT	0.33	1.00	1.00	1.00	0.50	0.17	0.57	0.14	0.67	0.50
	FALM	0.50	0.00	0.00	0.00	0.50	0.75	0.20	0.67	0.14	0.00
P	% COR	83.	100.	100.	100.	92.	58.	75.	50.	75.	92.
D	BIAS	1.00	1.00	1.00	1.00	2.00	1.33	0.83	0.60	0.87	0.50

S	FQCY	0.17	0.08	0.17	0.00	0.08	0.18	0.42	0.25	0.67	0.25
R	POD	0.50	0.00	0.50	0.00	0.00	0.50	0.80	1.00	0.75	0.33
D	THRT	0.33	0.00	0.50	0.00	0.00	0.25	0.67	0.75	0.75	0.33
	FALM	0.50	1.00	0.00	1.00	1.00	0.67	0.20	0.25	0.00	0.00
P	% COR	83.	92.	92.	92.	83.	73.	83.	92.	83.	83.
D	BIAS	1.00	0.00	0.50	9.99	1.00	1.50	1.00	1.33	0.75	0.33

A	FQCY	0.22	0.11	0.17	0.06	0.08	0.23	0.44	0.31	0.67	0.22
L	POD	0.37	0.25	0.67	1.00	0.67	0.37	0.69	0.55	0.67	0.37
L	THRT	0.30	0.25	0.67	0.50	0.33	0.19	0.58	0.37	0.64	0.33
P	FALM	0.40	0.00	0.00	0.50	0.60	0.73	0.21	0.45	0.06	0.25
D	% COR	81.	92.	94.	94.	89.	63.	78.	72.	75.	83.
S	BIAS	0.62	0.25	0.67	2.00	1.67	1.37	0.87	1.00	0.71	0.50

BOI BYI IDA MLD SMN SBO F69 LWS S06 PIH

NO. OF FORECAST CYCLES VERIFIED: 12.00

END

Figure 6B -- Example of Individual Precipitation Verification.

APPENDIX I

List of mean absolute maximum and minimum temperature errors for each station for each month for 1987-1989. Number under each temperature error is the cold bias, i.e., .60 would mean that 60 percent of the forecasts were too cold and 40 percent were too warm. (Again, unadjusted LFM MOS guidance used in forecast guidance equations.)

ZONE TEMPERATURE VERIFICATION

1987

MAX TEMPERATURES

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
SOG	4.09	6.77	7.81	6.64	5.13	4.38	4.35	3.58	3.60	5.10	2.96	5.15
	.59	.59	.19	.18	.17	.14	.13	.17	.56	.70	.22	.46
SPT	5.17	4.36	3.40	3.71	3.43	3.79	3.13	4.38	2.82	2.31	2.56	3.75
	.92	.79	.40	.50	.64	.57	.63	.31	.47	.63	.44	1.00
LWS	2.86	4.36	3.10	2.41	2.88	2.57	4.35	2.46	3.68	2.15	2.78	2.85
	.45	.55	.43	.41	.42	.33	.30	.33	.80	.55	.57	.38
SBO	4.82	4.68	4.24	3.59	3.42	4.10	4.83	3.25	2.76	3.40	4.13	4.70
	.23	.41	.29	.45	.63	.48	.52	.42	.64	.60	.22	.40
MOS	2.90	4.24	4.57	3.45	3.33	4.10	3.65	2.96	3.48	3.50	5.30	5.54
	.19	.43	.19	.23	.17	.14	.22	.13	.60	.50	.13	.15
SMN	3.68	5.14	4.05	3.27	4.04	4.95	5.05	3.79	2.92	3.89	4.39	4.92
	.55	.77	.38	.41	.33	.14	.32	.42	.44	.55	.17	.46
STN	5.29	4.68	6.05	3.91	6.24	4.47	6.22	5.42	5.54	5.47	5.57	7.38
	.29	.50	.32	.36	.67	.58	.94	.83	1.00	.79	.14	.31
MYL	6.18	5.41	7.05	2.59	2.92	3.48	2.35	2.17	2.60	2.55	8.64	6.38
	.18	.18	.19	.36	.58	.38	.61	.54	.72	.35	.00	.15
OND	6.82	5.68	3.86	4.09	3.71	4.00	2.74	2.58	2.60	3.80	4.48	5.77
	.14	.45	.71	.73	.50	.19	.39	.46	.28	.65	.35	.92
WEI	6.19	6.13	3.21	3.21	4.72	7.00	4.89	4.60	2.79	3.15	3.50	4.71
	.19	.47	.57	.64	.17	.00	.06	.00	.37	.69	.33	1.00
EMT	4.68	4.59	3.90	3.45	3.74	3.67	2.87	2.17	1.88	2.94	3.00	4.00
	.64	.73	.57	.91	.61	.24	.35	.46	.42	.56	.30	.67
PAR	5.27	5.18	4.62	5.77	3.27	4.76	3.26	2.42	2.88	3.90	4.71	6.23
	.23	.59	.81	1.00	.59	.05	.17	.29	.60	.75	.33	.92
CAL	4.45	6.55	3.67	4.18	3.71	5.24	4.17	2.96	2.76	3.21	3.61	5.25
	.59	.68	.90	.64	.50	.19	.13	.25	.28	.63	.52	.75
BOI	2.91	5.14	2.71	3.77	3.54	3.52	3.09	2.46	2.44	3.10	2.70	4.00
	.55	.73	.71	.82	.58	.38	.57	.54	.68	.55	.26	.69
MUD	3.05	6.00	2.69	3.38	3.57	3.60	3.59	2.90	3.80	2.71	2.21	3.42
	.26	.81	.69	.90	.71	.65	.71	.76	.90	.71	.32	.58
JER	6.36	5.27	4.67	3.64	3.71	3.00	4.52	3.57	3.88	3.35	3.55	3.54
	.73	.86	.62	.77	.58	.30	.48	.61	.54	.35	.60	.46
TWF	5.23	4.45	4.24	3.36	3.00	4.00	5.09	3.25	2.92	2.45	4.13	4.77
	.77	.77	.52	.55	.29	.14	.09	.25	.28	.30	.61	.62
BYI	5.19	5.41	4.43	5.41	5.13	3.20	5.17	3.70	3.72	3.40	3.96	2.46
	.76	.82	.62	.68	.46	.45	.35	.35	.64	.45	.57	.62
RUP	4.33	4.64	4.90	4.62	6.71	2.86	6.57	5.17	3.56	4.25	3.00	4.58
	.71	.73	.33	.62	.29	.48	.13	.08	.20	.10	.40	.17
HAG	4.41	7.41	5.57	4.09	3.08	2.68	5.57	3.54	3.65	3.05	3.83	4.85
	.82	.82	.71	.68	.71	.26	.09	.25	.30	.45	.70	.69
FAI	10.68	6.61	8.24	3.55	3.42	3.29	4.09	4.17	3.92	3.78	5.43	8.15
	.09	.06	.38	.91	.71	.52	.70	.83	.88	.89	.13	.08
SUN	6.55	4.43	6.52	4.15	3.45	2.42	3.55	3.10	3.04	2.93	6.40	8.40
	.25	.14	.19	.50	.45	.32	.36	.33	.29	.21	.05	.10
PIH	4.14	4.86	3.62	3.32	3.13	1.81	3.43	2.04	2.84	2.80	3.61	2.62
	.59	.86	.62	.68	.54	.29	.39	.58	.68	.50	.70	.54
IDA	4.00	3.95	4.29	4.00	4.42	2.90	3.87	4.17	4.48	2.50	4.57	5.85
	.41	.82	.71	.95	.88	.95	.70	.96	.88	.60	.78	.92
REX	3.57	4.24	3.83	4.95	4.83	3.16	4.56	2.42	4.74	2.88	4.33	6.11
	.43	.62	.83	.82	.79	.74	.44	.53	.87	.75	.67	.78
MLD	3.55	4.23	3.29	2.27	5.04	4.14	6.00	4.00	3.00	4.00	3.87	3.62
	.41	.64	.10	.36	.08	.05	.09	.17	.36	.40	.30	.31
SDA												

MIN TEMPERATURES

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
S06	6.14	6.91	3.00	4.41	3.46	3.86	2.65	2.63	3.80	5.05	5.29	7.
	.82	.82	.67	.64	.63	.29	.39	.63	.68	.95	.90	./.
SPT	5.43	4.60	4.06	4.50	3.81	5.38	5.00	5.72	5.62	5.05	4.95	5.80
	.36	.60	.19	.36	.19	.25	.50	.11	.10	.11	.55	.60
LWS	3.86	2.82	2.24	3.55	2.46	2.71	2.61	2.13	1.56	2.35	3.35	2.54
	.41	.55	.57	.59	.50	.57	.57	.33	.40	.20	.48	.62
S80	5.86	6.05	2.14	3.95	3.29	3.52	3.87	3.08	2.40	2.90	3.83	3.73
	.73	.73	.57	.68	.75	.62	.30	.17	.16	.45	.61	.82
MOS	3.91	3.86	1.38	4.32	2.63	3.29	3.70	3.38	2.80	2.74	3.61	4.00
	.45	.76	.38	.45	.25	.24	.09	.17	.28	.32	.22	.23
SMN	6.73	4.64	4.67	4.82	3.83	4.10	4.57	4.46	2.72	4.55	7.35	5.54
	.23	.27	.24	.18	.13	.05	.22	.08	.08	.25	.13	.46
STN12	12.19	10.75	6.69	4.38	5.43	4.95	6.32	6.63	4.52	4.32	6.50	12.15
	.19	.10	.25	.33	.24	.21	.32	.04	.16	.32	.41	.31
MYL	6.73	7.00	5.19	4.82	3.71	5.24	4.96	4.25	3.32	4.30	5.35	7.00
	.41	.23	.38	.27	.50	.24	.43	.25	.44	.25	.52	.46
ONO	5.36	5.81	6.05	7.41	4.50	5.52	5.09	5.50	3.12	6.05	3.64	5.54
	.59	.67	.76	.64	.71	.81	.48	.83	.36	.30	.50	.77
WEI	5.22	7.00	5.62	5.13	4.80	2.93	5.24	3.64	4.05	6.60	6.13	3.71
	.11	.44	.69	.53	.47	.33	.35	.21	.30	.30	.60	.57
EMT	4.41	3.59	2.95	3.52	3.04	2.81	3.00	2.29	2.88	2.37	2.81	4.08
	.55	.77	.67	.52	.54	.71	.61	.71	.76	.63	.48	.83
PAR	3.64	6.14	5.76	6.55	5.58	4.95	4.82	3.58	2.72	5.15	3.86	5.38
	.41	.77	.71	.68	.83	.81	.55	.71	.40	.40	.64	.85
CAL	4.95	5.59	6.30	5.71	6.08	4.86	4.30	3.67	3.04	3.90	3.14	2.42
	.55	.86	.85	.81	.83	.76	.61	.88	.84	.55	.59	.
BOI	4.55	3.18	3.24	4.36	3.83	2.57	3.00	2.50	3.84	2.80	3.00	3.
	.45	.41	.48	.41	.50	.57	.43	.42	.72	.45	.43	.46
MUD	4.00	3.36	4.06	5.18	3.73	2.20	3.94	3.63	2.43	3.30	3.74	4.36
	.40	.41	.24	.32	.64	.55	.44	.42	.19	.30	.37	.36
JER	6.14	4.45	3.62	5.82	3.79	2.90	4.09	4.22	4.64	3.75	4.00	4.85
	.45	.64	.29	.23	.33	.40	.22	.22	.60	.65	.55	.46
TWF	5.50	5.27	2.05	4.36	3.21	3.57	3.43	3.25	2.52	3.25	2.43	4.23
	.45	.77	.57	.45	.46	.52	.22	.17	.28	.45	.52	.38
BYI	7.95	5.55	3.86	6.00	4.42	4.10	3.48	2.26	5.40	7.50	5.23	4.15
	.43	.82	.71	.59	.71	.60	.57	.39	.	.68	.68	.23
RUP	7.82	6.95	3.38	6.00	4.67	3.71	3.87	4.83	4.68	4.75	5.47	6.17
	.50	.82	.62	.52	.73	.57	.30	.04	.52	.80	.68	.17
HAG	7.91	6.05	7.10	4.59	4.67	4.62	3.35	3.17	1.88	3.47	5.38	5.31
	.73	.82	.90	.86	.83	.81	.52	.33	.58	.37	.76	.77
FAI	8.95	8.89	5.48	5.32	3.54	3.71	5.65	3.54	3.13	5.16	5.00	4.46
	.30	.22	.81	.36	.54	.43	.57	.21	.33	.37	.50	.54
SUN	6.53	3.43	4.85	4.94	2.91	4.55	3.65	4.13	2.63	4.58	5.83	6.10
	.26	.19	.40	.24	.27	.15	.35	.13	.38	.33	.61	.10
PIH	5.55	5.45	3.43	4.73	3.04	3.24	4.17	3.67	3.68	5.25	5.09	5.00
	.50	.73	.76	.59	.63	.43	.65	.42	.64	.65	.61	.38
IDA	5.23	5.73	3.81	4.23	3.75	3.71	4.13	3.42	4.24	4.60	5.52	4.85
	.50	.86	.76	.64	.63	.67	.74	.38	.68	.55	.70	.46
REX	5.55	4.27	4.06	5.55	3.71	3.63	2.53	2.95	4.09	3.36	4.90	4.82
	.45	.55	.72	.70	.67	.63	.59	.33	.65	.43	.50	.36
MLD	5.09	3.68	3.57	3.91	2.58	3.67	3.91	4.00	3.20	3.80	4.43	3.71
	.32	.68	.48	.23	.42	.29	.43	.21	.36	.70	.61	.
SDA												

ZONE TEMPERATURE VERIFICATION

1988

MAX TEMPERATURES

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
S06	5.13	8.73	5.20	5.67	6.92	6.38	5.87	3.90	4.62	4.62	4.66	8.19
	.70	.58	.28	.19	.21	.25	.03	.07	.31	.52	.48	1.00
SPT	5.16	4.73	2.86	5.54	2.06	3.40	4.00	2.33	2.80	3.75	3.58	3.83
	.89	.86	.48	.71	.53	.15	.22	.37	.40	.30	.37	.50
LWS	3.00	4.46	2.44	3.48	2.79	4.42	3.00	2.77	3.44	3.00	2.90	2.85
	.54	.65	.37	.37	.25	.13	.30	.32	.52	.50	.59	.77
S80	3.88	5.23	3.96	5.11	4.79	3.21	4.27	2.80	3.33	4.00	4.07	3.50
	.25	.65	.52	.63	.33	.29	.47	.43	.52	.43	.17	.38
MOS	3.52	7.12	3.81	4.93	3.42	5.46	3.90	2.93	4.33	5.10	2.93	2.12
	.43	.69	.41	.41	.25	.13	.17	.27	.59	.77	.10	.54
SMN	4.16	5.62	3.59	4.63	4.96	5.63	3.87	3.55	4.35	3.23	5.07	7.73
	.44	.77	.41	.37	.33	.54	.70	.42	.54	.53	.07	.00
CHA					7.43	5.92	2.57	4.16	5.42	5.93	5.41	8.38
					.24	.25	.40	.16	.50	.73	.14	.08
STN	8.92	5.42	2.48	4.62	3.71	6.33	5.68	3.97	4.58	5.70	6.37	4.85
	.29	.46	.15	.19	.52	.79	.86	.68	.69	.80	.33	.42
LOW					4.13	3.52	3.57	3.23	5.26	4.50	3.79	2.73
					.27	.24	.40	.71	.44	.10	.28	.50
MYL	5.79	3.12	5.44	5.37	3.08	2.68	2.70	2.06	3.93	3.00	6.41	4.38
	.29	.35	.00	.33	.33	.48	.47	.61	.63	.50	.31	.77
IDC					4.80	4.04	3.45	3.38	4.04	3.90	8.93	4.63
					.39	.68	.86	.81	.73	.76	.00	.42
OND	4.32	4.31	3.41	3.89	4.13	3.36	3.03	1.77	4.26	2.73	5.14	3.19
	.40	.50	.74	.48	.33	.40	.47	.48	.59	.63	.62	.50
WEI	5.25	4.22	3.71	4.54	6.46	3.33	4.47	2.10	4.62	4.95	3.48	5.35
	.58	.50	.71	.23	.00	.00	.33	.62	.71	.86	.52	.71
EMT	4.71	5.40	3.59	3.52	4.13	3.24	2.43	2.33	3.85	2.57	3.25	3.65
	.33	.76	.74	.59	.54	.44	.50	.23	.54	.67	.54	.50
PAR	5.00	4.50	4.19	4.30	3.25	3.12	3.40	2.43	4.19	3.57	3.92	3.19
	.64	.62	.74	.67	.42	.32	.37	.23	.58	.83	.58	.50
CAL	4.92	5.27	3.85	3.85	4.21	4.12	3.77	3.00	4.41	3.59	4.52	3.48
	.28	.58	.70	.52	.38	.36	.27	.16	.41	.81	.59	.60
BOI	3.52	5.35	3.04	3.56	3.58	3.88	2.83	2.45	3.56	3.47	2.83	2.54
	.64	.65	.63	.63	.50	.60	.63	.45	.56	.87	.45	.35
MUD	3.65	5.09	3.52	3.27	4.41	5.43	2.60	2.88	3.70	2.89	4.08	3.72
	.70	.78	.48	.73	.59	.78	.63	.46	.52	.68	.35	.76
JER	5.44	6.81	3.81	4.33	7.17	5.96	3.96	4.58	4.78	3.57	4.04	3.38
	.72	.88	.54	.44	.54	.40	.61	.58	.41	.57	.18	.31
TWF	5.76	7.31	3.85	3.22	5.46	4.64	3.68	3.97	5.15	3.50	4.00	3.69
	.88	.92	.56	.56	.42	.44	.32	.19	.41	.63	.43	.46
BYI	5.24	6.42	4.00	4.93	6.25	5.96	3.64	3.03	4.52	3.20	2.82	3.19
	.88	.85	.67	.56	.38	.56	.68	.55	.52	.67	.32	.77
RUP	3.17	4.27	4.30	4.93	6.04	6.00	3.50	3.52	4.70	2.40	5.21	4.23
	.61	.73	.44	.41	.39	.46	.32	.42	.22	.50	.07	.15
HAG	5.76	8.42	5.44	5.41	6.24	4.16	3.39	2.94	6.12	3.90	4.63	4.08
	.88	.92	.80	.82	.43	.44	.39	.32	.38	.70	.30	.27
FAI	6.64	6.31	3.71	4.67	4.13	6.84	2.73	2.00	3.48	3.27	7.31	4.04
	.20	.00	.25	.74	.61	.76	.67	.42	.37	.57	.17	.38
SUN	5.57	5.71	5.37	4.15	5.90	3.09	4.00	3.29	4.65	2.32	6.00	4.43
	.43	.29	.15	.42	.50	.68	.59	.61	.38	.43	.14	.65

PIH	3.08	4.81	2.67	3.96	4.00	4.64	2.57	2.35	4.63	2.50	3.07	3.15
	.72	.85	.63	.59	.54	.80	.63	.52	.44	.73	.34	.46
IDA	4.40	4.73	4.59	4.69	3.38	4.44	3.07	3.06	4.41	3.67	3.55	3.42
	.72	.85	.74	.73	.83	.80	.80	.65	.59	.97	.41	.42
REX	4.76	2.96	3.89	4.22	4.12	4.04	1.61	2.40	5.48	2.92	5.00	3.29
	.76	.61	.59	.70	.59	.71	.39	.47	.48	.83	.19	.43

MLD	4.76	3.12	3.15	4.89	2.79	1.72	2.20	2.90	4.93	2.60	3.55	4.46
	.44	.27	.44	.37	.08	.20	.40	.35	.37	.87	.21	.46
SDA	.00	.00	.00	.00	4.92	4.26	2.43	3.94	4.29	1.78	3.50	3.69
	.00	.00	.00	.00	.08	.21	.26	.11	.21	.39	.23	.50

MIN TEMPERATURES

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
S06	7.70	6.27	2.48	5.30	4.13	5.29	5.47	5.23	3.65	3.17	5.34	6.52
	.78	.54	.48	.44	.33	.21	.07	.03	.31	.37	.72	.92
SPT	4.56	4.08	3.38	4.52	3.44	3.58	4.52	5.07	2.95	3.32	3.89	4.21
	.50	.33	.65	.52	.44	.26	.22	.15	.25	.32	.53	.57
LWS	3.38	3.96	2.30	2.52	2.04	2.63	2.10	2.97	2.11	2.50	2.59	3.92
	.63	.58	.41	.59	.42	.38	.57	.42	.41	.47	.66	.65
S80	5.50	5.15	4.30	3.59	2.83	3.29	1.67	2.57	2.30	4.93	3.45	4.69
	.71	.73	.52	.59	.58	.63	.57	.30	.52	.83	.45	.42
MOS	4.04	3.92	2.63	2.96	3.25	3.92	3.30	3.33	2.89	4.77	2.48	4.54
	.61	.65	.37	.41	.29	.25	.17	.20	.52	.90	.66	.77
SMN	6.96	5.46	4.48	3.41	3.83	3.75	1.97	5.10	3.92	4.40	4.62	6.88
	.28	.19	.07	.30	.17	.29	.33	.13	.08	.27	.28	.04
CHA					5.90	5.50	2.10	3.65	3.69	4.63	8.07	12.96
					.09	.29	.60	.13	.46	.27	.18	.00
STN	11.76	16.00	9.85	4.56	4.29	3.91	4.40	7.73	4.64	5.73	5.89	7.38
	.28	.08	.22	.22	.29	.27	.07	.03	.20	.30	.37	.54
LOW					2.69	3.16	4.10	4.26	3.37	4.73	6.69	8.73
					.48	.52	.33	.06	.30	.47	.93	.96
MYL	7.08	6.46	5.70	4.85	4.88	5.68	3.60	4.48	3.67	4.79	6.41	6.32
	.33	.31	.37	.33	.54	.48	.37	.42	.37	.52	.48	.56
IDC					5.66	5.08	3.90	2.79	2.46	3.43	7.82	6.00
					.80	.68	.66	.43	.50	.47	.64	.50
OND	6.00	5.88	4.48	5.52	9.79	7.72	6.57	5.10	4.00	5.90	6.17	6.08
	.32	.65	.80	.56	.75	.76	.80	.61	.38	.33	.83	.65
WEI	6.92	6.53	3.53	6.58	10.55	7.41	3.41	4.86	3.63	4.86	7.67	6.67
	.25	.67	.67	.58	.82	.82	.47	.52	.53	.41	.76	.80
EMT	4.33	4.12	2.00	2.93	3.05	2.83	2.87	3.10	2.37	3.07	4.45	5.23
	.38	.44	.46	.56	.48	.50	.73	.52	.48	.70	.62	.69
PAR	5.88	5.73	4.96	6.78	9.50	7.17	4.33	4.19	2.93	4.28	6.52	6.08
	.44	.62	.88	.74	.79	.79	.73	.55	.52	.45	.83	.73
CAL	4.52	4.50	3.92	3.59	4.25	2.80	4.00	3.48	2.15	4.08	4.31	4.73
	.28	.42	.88	.63	.67	.64	.83	.58	.56	.54	.62	.65
BOI	4.76	3.92	2.93	2.56	4.92	3.92	2.97	2.55	3.30	2.93	3.38	4.12
	.40	.54	.41	.48	.46	.48	.37	.23	.56	.67	.59	.58
MUD	4.43	3.67	3.24	3.35	4.09	4.29	4.77	3.67	3.22	3.33	4.76	4.24
	.48	.50	.33	.35	.55	.54	.63	.41	.37	.57	.33	.32

JER	5.08	5.38	3.96	4.15	4.87	4.60	3.00	3.03	3.38	4.30	3.54	3.73
	.68	.62	.44	.15	.35	.32	.54	.35	.65	.83	.54	.62
TWF	4.12	4.92	3.22	2.48	3.83	3.92	4.43	3.97	2.93	4.23	4.69	4.92
	.72	.81	.59	.30	.30	.56	.75	.45	.63	.77	.81	.76
BYI	5.64	5.65	4.70	4.15	6.13	4.64	3.50	3.52	4.37	5.30	4.32	5.62
	.56	.73	.44	.26	.33	.40	.71	.45	.78	.90	.86	.77
RUP	7.30	7.04	5.22	4.93	5.39	4.58	3.21	2.84	2.88	3.47	3.89	4.96
	.61	.73	.44	.30	.35	.33	.54	.45	.73	.73	.71	.73
HAG	6.84	7.44	5.44	4.48	5.04	4.08	4.82	4.94	3.46	3.66	6.68	4.50
	.84	.88	.88	.90	.87	.64	.54	.35	.65	.69	.57	.38
FAI	10.00	5.77	5.04	4.26	3.43	4.40	4.00	4.55	4.26	3.50	6.28	7.77
	.29	.35	.75	.67	.43	.44	.60	.19	.26	.20	.40	.42
SUN	6.25	5.87	3.41	4.92	4.44	4.71	5.30	4.97	3.77	4.46	5.62	5.52
	.50	.22	.41	.46	.69	.19	.48	.30	.31	.46	.27	.35
PIH	5.28	4.69	3.48	2.52	2.92	4.24	4.17	3.68	5.00	4.07	3.90	5.38
	.52	.69	.59	.56	.42	.52	.63	.29	.67	.57	.66	.77
IDA	5.80	6.08	4.04	2.67	4.13	3.40	4.17	4.13	4.63	3.53	3.90	4.54

	.36	.69	.63	.56	.54	.64	.73	.32	.67	.70	.62	.54
REX	4.43	4.43	3.44	3.38	4.12	3.91	4.11	4.00	4.45	2.83	3.92	5.20
	.33	.43	.52	.54	.65	.74	.64	.33	.55	.58	.21	.50
MLI	9.08	7.23	4.22	3.04	2.71	3.70	5.33	5.42	3.69	3.63	4.07	6.27
	.28	.50	.56	.37	.21	.39	.37	.19	.35	.33	.66	.65
SIA	.00	.00	.00	.00	5.58	6.18	5.00	5.45	4.93	4.37	4.29	6.44
	.00	.00	.00	.00	.00	.24	.14	.15	.33	.16	.33	.67

ZONE TEMPERATURE VERIFICATION

1989

MAX TEMPERATURES

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
SOG	8.73	8.29	7.18	5.08	3.50	4.13	3.13	4.36	3.15	4.42	5.24	8.85
	1.00	.68	.00	.35	.33	.46	.38	.27	.46	.23	.59	.96
SPT	3.41	6.69	4.12	3.32	4.00	2.00	3.26	2.67	3.88	3.57	3.63	2.90
	.53	.50	.41	.47	.46	.28	.42	.39	.13	.65	.38	.71
LWS	1.97	2.43	3.42	2.58	3.13	3.24	2.58	3.39	2.35	3.87	4.41	3.39
	.50	.32	.46	.62	.70	.40	.42	.61	.62	.77	.76	.64
SBO	4.10	3.68	4.85	3.42	3.87	3.96	3.22	3.96	3.08	3.84	4.14	3.96
	.27	.46	.38	.38	.47	.52	.61	.48	.46	.45	.43	.32
MOS	2.50	3.75	4.50	2.92	4.23	3.40	3.09	4.00	4.31	4.94	3.07	4.22
	.10	.32	.15	.46	.67	.48	.59	.50	.77	.65	.34	.52
SMN	4.47	3.50	4.54	3.70	4.07	3.54	4.96	3.68	3.31	4.42	4.72	6.35
	.20	.54	.46	.56	.47	.50	.75	.41	.54	.32	.45	.50
CHA	5.62	5.11	5.71	6.52	4.97	4.58	2.09	4.24	5.46	5.16	3.14	7.31
	.10	.61	.32	.19	.30	.21	.26	.19	.42	.39	.55	.73
STN	6.37	8.46	6.29	4.19	5.66	4.86	6.50	3.38	6.42	5.28	5.14	9.35
	.63	.61	.32	.22	.62	.77	.92	.71	.65	.41	.38	.92
LOW	4.00	7.61	7.46	4.23	4.27	4.92	4.08	4.83	3.62	3.55	7.41	9.18
	.33	.57	.04	.54	.27	.44	.58	.52	.38	.39	.83	.96
MYL	7.59	7.18	10.86	6.85	3.37	3.92	2.00	3.17	2.92	5.77	4.83	9.07
	.93	.71	.00	.07	.10	.36	.32	.30	.19	.06	.10	.96
IDC	5.76	5.86	7.19	3.41	3.07	3.60	4.48	3.18	3.40	3.35	5.86	6.00
	.31	.32	.00	.37	.52	.64	.78	.55	.72	.29	.03	.67
OND	5.23	5.82	5.93	2.70	3.23	4.16	2.83	2.83	2.88	2.97	5.31	6.07
	.27	.11	.21	.56	.37	.48	.29	.35	.35	.61	.55	.75
WEI	5.18	4.58	4.00	3.41	3.18	3.94	3.06	3.29	2.58	3.86	5.73	4.21
	.18	.37	.38	.65	.59	.39	.25	.14	.25	.24	.27	.64
EMT	4.21	4.62	4.54	2.70	2.69	3.68	2.88	2.55	2.50	3.00	4.70	6.61
	.41	.31	.46	.70	.55	.64	.67	.36	.17	.52	.52	.68
PAR	5.03	4.82	4.96	2.44	2.73	3.33	2.75	2.87	2.24	2.81	4.57	7.37
	.38	.14	.32	.59	.47	.46	.04	.26	.20	.61	.46	.74
CAL	5.27	5.39	4.00	2.81	3.27	3.72	4.52	3.30	2.85	3.23	4.14	8.52
	.63	.25	.39	.50	.43	.48	.13	.17	.15	.57	.55	.81
BOI	3.43	4.21	3.25	2.74	2.97	4.36	3.96	2.61	2.69	3.10	3.38	5.43
	.63	.50	.39	.59	.63	.72	.79	.48	.58	.52	.38	.86
MUD	4.79	4.00	4.58	2.54	2.72	3.25	4.50	2.90	3.54	3.47	2.48	7.96
	.76	.65	.19	.38	.45	.71	.77	.57	.58	.30	.48	.96
JER	4.14	4.86	4.93	4.04	5.03	5.33	4.04	3.77	4.48	4.61	4.22	4.85
	.41	.43	.32	.36	.30	.63	.54	.45	.70	.48	.67	.70
TWF	4.00	5.54	4.68	4.67	4.93	4.25	3.04	4.23	4.22	4.60	4.52	4.04
	.37	.57	.54	.37	.37	.46	.33	.32	.43	.30	.48	.63
BYI	4.23	3.93	4.29	4.04	3.93	4.52	4.17	2.91	4.17	3.84	3.56	5.85
	.80	.57	.21	.30	.47	.56	.63	.50	.91	.45	.63	.89
RUP	4.93	5.07	5.74	4.19	4.37	3.46	3.67	3.59	2.43	4.32	3.85	2.96
	.21	.11	.11	.26	.30	.38	.17	.36	.52	.13	.22	.30
HAG	3.70	5.68	5.04	4.00	4.40	4.84	2.67	2.64	4.83	5.61	4.30	3.87
	.43	.36	.46	.48	.70	.72	.63	.64	.83	.68	.52	.52
FAI	5.13	7.07	12.06	6.48	3.37	3.44	2.29	2.43	4.31	5.67	5.59	8.93
	.67	.39	.00	.11	.20	.36	.50	.39	.35	.23	.45	.96
SUN	5.50	8.00	7.92	2.75	4.14	3.08	2.48	3.45	4.41	5.82	4.46	4.52
	.70	.52	.04	.21	.54	.63	.43	.41	.36	.14	.46	.93

FIH	3.83	3.39	4.07	3.44	3.83	3.12	3.58	2.87	2.85	3.81	2.83	4.89
	.57	.25	.43	.56	.60	.60	.58	.65	.69	.45	.52	.89
IDA	5.53	4.61	6.46	4.00	3.50	3.60	2.96	3.17	3.58	3.74	4.21	3.32
	.43	.29	.36	.74	.67	.72	.58	.65	.81	.71	.62	.32
REX	3.39	4.70	5.24	3.96	3.46	4.21	3.41	2.91	3.30	3.43	3.60	3.12
	.48	.48	.28	.59	.65	.42	.36	.35	.50	.53	.48	.27

MLD	5.63	4.39	7.14	3.63	3.67	3.24	1.88	3.35	3.31	2.97	3.14	4.86
	.13	.43	.21	.41	.20	.24	.29	.35	.54	.45	.62	.71
SDA	3.94	4.50	7.35	4.65	4.83	3.59	2.77	3.92	2.55	3.30	3.85	4.62
	.56	.44	.18	.39	.22	.27	.23	.25	.35	.22	.41	.54

MIN TEMPERATURES


	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
S06	7.37	7.25	4.18	5.50	4.50	3.67	4.04	4.59	2.96	3.07	4.24	7.46
	.77	.61	.18	.13	.13	.08	.04	.05	.15	.48	.45	.85
SPT	4.53	6.00	3.22	4.70	2.42	3.63	3.61	3.00	4.19	4.05	3.21	3.95
	.41	.47	.39	.30	.50	.53	.44	.37	.25	.36	.63	.65
LWS	2.80	3.36	2.81	2.88	3.20	2.44	2.50	1.96	1.96	3.48	4.72	3.36
	.57	.46	.65	.81	.73	.80	.71	.61	.69	.81	.83	.82
S80	3.41	4.54	3.88	3.62	3.13	2.52	3.13	2.91	2.42	3.48	5.41	3.75
	.41	.46	.46	.54	.63	.60	.57	.35	.31	.81	.66	.64
MDS	2.80	4.54	3.24	2.23	2.13	3.29	3.74	4.17	2.08	3.77	3.72	4.26
	.57	.61	.36	.65	.43	.21	.22	.09	.42	.53	.79	.85
SMN	7.47	6.14	4.57	5.12	4.87	4.42	3.42	4.27	3.38	3.06	5.34	5.27
	.13	.39	.36	.23	.20	.25	.25	.14	.08	.23	.28	.15
CHA13	13.11	7.57	5.54	6.69	5.57	4.83	4.81	4.38	2.58	3.71	6.38	6.77
	.07	.21	.14	.31	.17	.17	.48	.14	.46	.23	.24	.23
STN	8.83	10.26	7.96	5.52	3.93	3.78	5.70	6.18	3.23	4.00	7.04	7.77
	.27	.44	.52	.30	.30	.17	.30	.09	.46	.52	.64	.69
LOW	7.00	6.36	3.38	3.27	2.27	2.28	2.79	2.87	3.00	4.19	12.79	15.96
	.90	.68	.38	.38	.53	.52	.63	.30	.36	.77	1.00	1.00
MYL	6.38	7.43	7.39	4.26	3.90	4.64	5.44	4.09	6.08	5.35	5.72	5.93
	.72	.50	.21	.37	.47	.52	.44	.39	.32	.55	.69	.79
IDC	4.66	3.89	6.32	4.52	3.86	3.44	3.63	3.59	3.84	6.00	3.97	3.57
	.34	.37	.84	.78	.69	.76	.58	.55	.72	.90	.69	.68
OND	6.52	5.64	5.89	5.41	4.90	4.48	5.08	4.52	5.38	4.21	4.00	3.59
	.21	.24	.52	.63	.63	.84	.75	.70	.50	.48	.25	.48
WEI	5.82	7.94	6.29	5.12	4.59	4.18	5.07	4.50	3.82	4.32	5.55	3.38
	.36	.25	.71	.65	.64	.71	.79	.57	.45	.37	.18	.23
EMT	4.97	3.96	4.04	2.93	1.93	2.84	4.46	3.00	3.04	4.00	2.36	2.37
	.34	.25	.37	.67	.48	.84	.79	.70	.62	.77	.39	.52
PAR	7.33	6.24	7.00	6.85	6.50	5.52	4.42	4.43	4.46	3.90	3.56	3.48
	.23	.16	.62	.74	.73	.92	.75	.65	.58	.59	.22	.41
CAL	6.52	5.28	4.67	3.80	4.07	3.25	3.87	3.13	4.00	4.03	3.48	2.36
	.24	.20	.48	.48	.77	.83	.78	.65	.62	.66	.11	.40
BOI	4.37	4.04	3.64	3.59	3.83	2.76	4.71	2.78	3.92	2.71	3.31	2.57
	.40	.25	.54	.48	.27	.52	.75	.52	.62	.65	.45	.21
MUG	3.59	4.42	5.15	3.68	3.00	2.58	4.78	3.55	3.36	3.90	4.78	4.22
	.24	.46	.15	.44	.59	.75	.83	.55	.40	.43	.30	.22

JER	4.13	4.15	3.04	3.15	2.27	3.40	3.21	2.41	4.09	4.32	3.85	2.27
	.13	.50	.41	.62	.40	.48	.71	.59	.65	.74	.58	.19
TWF	3.50	5.08	4.70	6.15	4.47	4.65	3.29	3.09	2.96	4.74	3.85	3.31
	.50	.85	.74	.85	.83	.74	.75	.68	.48	.87	.73	.67
BYI	3.87	5.32	4.11	4.37	3.87	3.92	2.88	2.55	3.57	4.68	4.15	5.11
	.57	.79	.68	.74	.73	.84	.63	.64	.74	.90	.85	.70
RUP	3.59	4.46	3.88	4.04	3.80	3.75	2.58	3.00	3.43	3.03	3.65	3.59
	.45	.62	.52	.64	.67	.79	.50	.59	.43	.81	.58	.52
HAG	5.37	5.50	8.52	8.72	8.32	5.76	3.67	3.27	3.13	6.00	6.19	5.67
	.23	.54	.93	.92	.93	.80	.58	.64	.39	.77	.54	.10
FAI	7.59	9.08	6.13	5.92	4.17	4.32	5.54	3.74	4.13	5.90	6.71	5.26
	.21	.28	.13	.64	.63	.44	.42	.22	.25	.65	.64	.67
SUN	7.48	5.25	6.12	5.71	4.66	4.33	5.32	4.23	4.40	6.12	5.04	5.13
	.31	.42	.24	.43	.66	.52	.45	.27	.55	.64	.33	.61
PIH	5.60	7.50	4.68	4.48	3.20	2.80	3.08	4.04	3.81	3.48	4.28	3.64
	.40	.75	.50	.67	.43	.40	.38	.35	.50	.58	.59	.46
IDA	7.87	7.14	5.32	4.96	4.20	3.20	3.25	3.35	3.32	4.71	4.72	5.50
	.20	.50	.36	.63	.63	.76	.54	.39	.56	.71	.52	.29
REX	7.30	7.12	5.43	4.15	3.96	3.00	2.86	3.14	4.00	3.83	4.79	3.88
	.35	.52	.13	.46	.38	.83	.64	.36	.33	.62	.67	.36
MLD	9.60	5.68	4.21	5.04	3.80	5.00	2.83	3.74	5.69	3.35	5.21	3.50
	.17	.64	.61	.56	.40	.32	.29	.30	.27	.29	.48	.46
SDA	7.41	5.35	5.55	4.00	3.96	3.79	4.50	3.75	4.44	4.29	4.73	6.27
	.47	.71	.30	.30	.35	.42	.29	.25	.61	.46	.50	.46


APPENDIX II

Graphics of mean absolute maximum and minimum temperature errors for each month for 1987-1989. (Unadjusted LFM MOS guidance used in the forecast equations.)


MULLAN MAE -- MAX TEMPS




SANDPOINT MAE -- MAX TEMPS




LEWISTON MAE -- MAX TEMPS




GRANGEVILLE MAE -- MAX TEMPS




MOSCOW MAE -- MAX TEMPS




SALMON MAE -- MAX TEMPS




CHALLIS MAE -- MAX TEMPS




LOWELL MAE -- MAX TEMPS




IDAHO CITY MAE -- MAX TEMPS




STANLEY MAE -- MAX TEMPS




MCCALL MAE -- MAX TEMPS




ONTARIO MAE -- MAX TEMPS




WEISER MAE -- MAX TEMPS




EMMETT MAE -- MAX TEMPS



PARMA MAE -- MAX TEMPS




CALDWELL MAE -- MAX TEMPS




II-4


BOISE MAE -- MAX TEMPS




MOUNTAIN HOME MAE -- MAX TEMPS




JEROME MAE -- MAX TEMPS




TWIN FALLS MAE -- MAX TEMPS




BURLEY MAE -- MAX TEMPS




RUPERT MAE -- MAX TEMPS




HAGERMAN MAE -- MAX TEMPS




FAIRFIELD MAE -- MAX TEMPS




SUN VALLEY MAE -- MAX TEMPS




POCATELLO MAE -- MAX TEMPS




IDAHO FALLS MAE -- MAX TEMPS




REXBURG MAE -- MAX TEMPS




MALAD MAE -- MAX TEMPS




SODA SPRINGS MAE -- MAX TEMPS




MULLAN MAE -- MIN TEMPS




SANDPOINT MAE -- MIN TEMPS




LEWISTON MAE -- MIN TEMPS




GRANGEVILLE MAE -- MIN TEMPS



MOSCOW MAE -- MIN TEMPS




SALMON MAE -- MIN TEMPS




STANLEY

MAE -- MIN TEMPS




CHALLIS

MAE -- MIN TEMPS




LOWELL

MAE -- MIN TEMPS



IDAHO CITY


MAE -- MIN TEMPS



01-11


MCCALL

MAE -- MIN TEMPS




ONTARIO

MAE -- MIN TEMPS




WEISER

MAE -- MIN TEMPS




EMMETT


MAE -- MIN TEMPS




PARMA MAE -- MIN TEMPS




CALDWELL MAE -- MIN TEMPS



BOISE MAE -- MIN TEMPS




MOUNTAIN HOME MAE -- MIN TEMPS




II-12


JEROME MAE -- MIN TEMPS




TWIN FALLS MAE -- MIN TEMPS




BURLEY MAE -- MIN TEMPS




RUPERT MAE -- MIN TEMPS




HAGERMAN MAE -- MIN TEMPS




FAIRFIELD MAE -- MIN TEMPS



SUN VALLEY MAE -- MIN TEMPS




POCATELLO MAE -- MIN TEMPS




II-14


IDAHO FALLS MAE -- MIN TEMPS




REXBURG MAE -- MIN TEMPS



MALAD MAE -- MIN TEMPS




SODA SPRINGS MAE -- MIN TEMPS




APPENDIX III

Graphics showing the percent of time that the mean absolute maximum and minimum temperature errors were less than or equal to five degrees fahrenheit. Shown by month for 1987 through 1989. (Unadjusted LFM MOS guidance used in the forecast equations.)


JANUARY '87-'89 PCT. FCSTS <= 5 DEGS F




JANUARY '87-'89 PCT. FCSTS <= 5 DEGS F



FEBRUARY '87-'89 PCT. FCSTS <= 5 DEGS F




FEBRUARY '87-'89 PCT. FCSTS <= 5 DEGS F




T-III


MARCH '87-'89 PCT. FCSTS ≤ 5 DEGS F




MARCH '87-'89 PCT. FCSTS ≤ 5 DEGS F




APRIL '87-'89 PCT. FCSTS ≤ 5 DEGS F




APRIL '87-'89 PCT. FCSTS ≤ 5 DEGS F




MAY '87-'89
PCT. FCSTS <= 5 DEGS F




MAY '87-'89
PCT. FCSTS <= 5 DEGS F




JUNE '87-'89
PCT. FCSTS <= 5 DEGS F




JUNE '87-'89
PCT. FCSTS <= 5 DEGS F




JULY '87-'89 PCT. FCSTS ≤ 5 DEGS F




JULY '87-'89 PCT. FCSTS ≤ 5 DEGS F




AUGUST '87-'89 PCT. FCSTS ≤ 5 DEGS F




AUGUST '87-'89 PCT. FCSTS ≤ 5 DEGS F




SEPTEMBER '87-'89 PCT. FCSTS <= 5 DEGS F




SEPTEMBER '87-'89 PCT. FCSTS <= 5 DEGS F




OCTOBER '87-'89 PCT. FCSTS <= 5 DEGS F




OCTOBER '87-'89 PCT. FCSTS <= 5 DEGS F




NOVEMBER '87-'89
PCT. FCSTS ≤ 5 DEGS F




NOVEMBER '87-'89
PCT. FCSTS ≤ 5 DEGS F



DECEMBER '87-'89
PCT. FCSTS ≤ 5 DEGS F



DECEMBER '87-'89
PCT. FCSTS ≤ 5 DEGS F



APPENDIX IV.

List of summer and winter forecast equations.

Legend: c= cloud cover w= wind speed and direction
 (usually from MOS forecast at the nearest key station)
 s= sine function for time of year= $(\sin(A))^2$
 cs= cosine function for time of year= $(\cos(A))^2$
 $A = ((30 \times M) + D + 150)/2/57.3$; Jan-Jun D= Day of month
 $A = ((30 \times M) + D - 210)/2/57.3$; Jul-Dec M= Month of year

Maximum temperature equation first; Minimum temperature equation second

$$\text{Mullan} = (\text{GEG} + \text{MSO})/2 - 2 - (2 \times c) + (7 \times s) - (4 \times w)$$

$$\text{Mullan} = (\text{GEG} + \text{MSO})/2 - (3 \times w) + (4 \times c)$$

$$\text{Sandpoint} = \text{GEG} + 1 + (1 \times w) - (3 \times c)$$

$$\text{Sandpoint} = \text{GEG} - 4 - (1 \times w) + (4 \times c)$$

$$\text{Lewiston} = \text{LWS MOS max}$$

$$\text{Lewiston} = \text{LWS MOS min}$$

$$\text{Grangeville} = \text{LWS} - (7 \times cs) - 92.5 \times w$$

$$\text{Grangeville} = \text{LWS} - 10 - (3.5 \times w) + (5 \times c)$$

$$\text{Moscow} = ((\text{LWS} + 3) + (\text{GEG} - (5 \times cs)))/2$$

$$\text{Moscow} = ((\text{LWS} + 4) + (\text{GEG} - 5))/2$$

$$\text{Lowell} = (\text{LWS} - 5) + (3 \times c)$$

$$\text{Lowell} = (\text{LWS} - 3) - (4 \times w) + (2 \times c)$$

$$\text{Salmon} = \text{MSO} + 4$$

$$\text{Salmon} = \text{MSO} + 3$$

$$\text{Stanley} = (\text{PIH} - 9 \times cs) - (5 \times c) - (3 \times w)$$

$$\text{Stanley} = (\text{PIH} - 15) + (8 \times c)$$

$$\text{Mccall} = (\text{BOI} - 10 \times cs) - (1 \times w) - (4 \times c)$$

$$\text{Mccall} = (\text{BOI} - 15) - (5 \times w) + (4 \times c)$$

$$\text{Idaho City} = (\text{BOI} - 4) + (5 \times s)$$

$$\text{Idaho City} = (\text{BOI} - 12) + (5 \times w)$$

$$\text{Challis} = (\text{PIH} - 5) + (6 \times w)$$

$$\text{Challis} = (\text{PIH} + 1) - (5 \times w)$$

$$\text{Ontario} = (\text{BOI} + 4 \times cs) + (2 \times w) - (4 \times c \times cs)$$

$$\text{Ontario} = (\text{BOI} - 2) + (5 \times w) + (4 \times c)$$

$$\text{Weiser} = \text{ONO} - (2 \times cs)$$

$$\text{Weiser} = \text{ONO} - 2 + (.9 \times w)$$

$$\text{Emmett} = \text{BOI} + 2 - (1 \times w)$$

$$\text{Emmett} = \text{BOI} - 2 - (1 \times w)$$

Parma= ONO - (1 x w)
Parma= ONO - 1 + (1 x w)

Caldwell= BOI + (4 x cs) + (2 x w) - (3 x c x cs)
Caldwell= (BOI - 2) + (1 x c) + (3 x w)

Boise= BOI MOS max
Boise= BOI MOS min

Mountain Home= (BOI + 3) - (1 x w)
Mountain Home= (BOI - 2) - (3 x w)

Burley= BYI MOS max
Burley= BYI MOS min

Jerome= BYI + (5 x cs) + (2 x w)
Jerome= BYI + 2 - (7 x c)

Twin Falls= BYI + 2 + (3 x w)
Twin Falls= BYI + (3 x w)

Rupert= BYI + 2
Rupert= BYI - 4 - (2 x w)

Hagerman= BYI + 6 + (1 x w) - (3 x c)
Hagerman= BYI + (6 x w) - (2 x c)

Fairfield= BOI - (8 x cs) + (3 x w)
Fairfield= ((BOI + PIH)/2) - 11 - (5 x w)

Sun Valley= (BOI - 10 x cs) + (3 x w)
Sun Valley= (BOI - 12) - (2 x w)

Pocatello= PIH MOS max
Pocatello= PIH MOS min

Idaho Falls= (PIH - 2) - (3 x s)
Idaho Falls= (PIH - 3) - (2 x w)

Rexburg= (PIH - 3) - (3 x s)
Rexburg= (PIH - 4) - (3 x s)

Malad= (PIH + 3 x cs) + (4 x c)
Malad= (PIH - 2) + (6 x c) + (4 x w)

Soda Springs= MLD - 5
Soda Springs= MLD - 4 - (4 x w)

Winter Equations -- only those listed that differ from the
summer equations.

Mullan= ((GEG + MSO)/2) - 2 - (4 x c)

$$\text{Mullan} = ((\text{GEG} + \text{MSO})/2) - 2 + (3 \times w)$$

$$\text{Sandpoint} = (\text{GEG} + 4) - (2 \times c)$$

$$\text{Sandpoint} = (\text{GEG} - 3) + (4 \times c)$$

$$\text{Grangeville} = (\text{LWS} - 9 \times cs) - (3 \times w)$$

$$\text{Grangeville} = (\text{LWS} - 8) - (3.5 \times w) + (5 \times c)$$

$$\text{Lowell} = (\text{LWS} - 3) - (4 \times w) + (2 \times c)$$

$$\text{Lowell} = (\text{LWS} - 5) + (3 \times c)$$

$$\text{Salmon} = \text{MSO} + 5$$

$$\text{Salmon} = \text{MSO} - 1 + (3 \times c)$$

$$\text{Stanley} = (\text{BOI} - 13) + (11 \times c)$$

$$\text{Stanley} = (\text{BOI} - 30) + (27 \times c) - (6 \times c)$$

$$\text{Mccall} = (\text{BOI} - 9) - (6 \times c)$$

$$\text{Mccall} = (\text{BOI} - 17) + (10 \times c) + (3 \times w)$$

$$\text{Idaho City} = (\text{BOI} + (2 \times w) + (2 \times c)$$

$$\text{Idaho City} = \text{BOI} - 14 + (12 \times c) + (1.5 \times w)$$

$$\text{Challis} = \text{PIH} - 3 + (4 \times w)$$

$$\text{Challis} = \text{PIH} + 1 + (5 \times w)$$

$$\text{Ontario} = (\text{BOI} - 3) + (3 \times w)$$

$$\text{Ontario} = (\text{BOI} - 3) + (4 \times w) - (2 \times c)$$

$$\text{Weiser} = \text{ONO} - 2$$

$$\text{Weiser} = \text{ONO} - 1$$

$$\text{Emmett} = (\text{BOI} + 1) - (1 \times w)$$

$$\text{Emmett} = (\text{BOI} - 1) - (1 \times w)$$

$$\text{Parma} = \text{ONO} + 1$$

$$\text{Parma} = \text{ONO} + 1$$

$$\begin{aligned} \text{Caldwell} &= (\text{BOI} - 3) + (3 \times w) \\ \text{Caldwell} &= (\text{BOI} - 2) + (1 \times w) + (3 \times c) \end{aligned}$$

$$\begin{aligned} \text{Mountain Home} &= (\text{BOI} - 1) - (2 \times w) \\ \text{Mountain Home} &= (\text{BOI} + 2) - (1 \times w) \end{aligned}$$

$$\begin{aligned} \text{Jerome} &= \text{BYI} + 3 - (2 \times w) \\ \text{Jerome} &= \text{BYI} + 2 - (2 \times w) \end{aligned}$$

$$\begin{aligned} \text{Twin Falls} &= (\text{BYI} + 3) + (2 \times w) \\ \text{Twin Falls} &= (\text{BYI} + 1) + (3 \times w) \end{aligned}$$

$$\begin{aligned} \text{Rupert} &= \text{BYI} + 3 \\ \text{Rupert} &= \text{BYI} - 1 + (2 \times w) \end{aligned}$$

$$\begin{aligned} \text{Hagerman} &= \text{BYI} + 10 + (2 \times w) - (3 \times c) \\ \text{Hagerman} &= \text{BYI} + 5 + (2 \times w) + (2 \times c) \end{aligned}$$

$$\begin{aligned} \text{Fairfield} &= \text{BOI} - 10 + (3 \times w) - (2 \times c) \\ \text{Fairfield} &= ((\text{BOI} + \text{PIH})/2) - 17 - (5 \times w) + (3 \times c) \end{aligned}$$

$$\begin{aligned} \text{Sun Valley} &= (\text{BOI} - 7) + (3 \times w) - (2 \times c) \\ \text{Sun Valley} &= (\text{BOI} - 15) - (3 \times w) + (3 \times c) \end{aligned}$$

$$\begin{aligned} \text{Idaho Falls} &= \text{PIH} - 2 \\ \text{Idaho Falls} &= \text{PIH} - 2 - (2 \times w) \end{aligned}$$

$$\begin{aligned} \text{Rexburg} &= \text{PIH} - 3 \\ \text{Rexburg} &= \text{PIH} - 4 + (2 \times w) \end{aligned}$$

$$\begin{aligned} \text{Malad} &= \text{PIH} + (4 \times c) \\ \text{Malad} &= \text{PIH} - 5 + (4 \times c) \end{aligned}$$

$$\begin{aligned} \text{Soda Springs} &= (\text{MLD} - 6) + (3 \times c) \\ \text{Soda Springs} &= (\text{MLD} - 5) + (4 \times w) \end{aligned}$$

- 142 The Usefulness of Data from Mountaintop Fire Lookout Stations in Determining Atmospheric Stability. Jonathan W. Corey, April 1979. (PB298899/AS)
- 143 The Depth of the Marine Layer at San Diego as Related to Subsequent Cool Season Precipitation Episodes in Arizona. Ira S. Brenner, May 1979. (PB298817/AS)
- 144 Arizona Cool Season Climatological Surface Wind and Pressure Gradient Study. Ira S. Brenner, May 1979. (PB298900/AS)
- 146 The BART Experiment. Morris S. Webb, October 1979. (PB80 155112)
- 147 Occurrence and Distribution of Flash Floods in the Western Region. Thomas L. Dietrich, December 1979. (PB80 160244)
- 149 Misinterpretations of Precipitation Probability Forecasts. Allan H. Murphy, Sarah Lichtenstein, Baruch Fischhoff, and Robert L. Winkler, February 1980. (PB80 174576)
- 150 Annual Data and Verification Tabulation - Eastern and Central North Pacific Tropical Storms and Hurricanes 1979. Emil B. Gunther and Staff, EPHC, April 1980. (PB80 220486)
- 151 NMC Model Performance in the Northeast Pacific. James E. Overland, PMEL-ERL, April 1980. (PB80 196033)
- 152 Climate of Salt Lake City, Utah. Wilbur E. Figgins (Retired) and Alexander R. Smith, Fourth Revision, March 1989. (PB89 180624/AS)
- 153 An Automatic Lightning Detection System in Northern California. James E. Rea and Chris E. Fontana, June 1980. (PB80 225592)
- 154 Regression Equation for the Peak Wind Gust 6 to 12 Hours in Advance at Great Falls During Strong Downslope Wind Storms. Michael J. Oard, July 1980. (PB91 108367)
- 155 A Raininess Index for the Arizona Monsoon. John H. Ten Harkel, July 1980. (PB81 106494)
- 156 The Effects of Terrain Distribution on Summer Thunderstorm Activity at Reno, Nevada. Christopher Dean Hill, July 1980. (PB81 102501)
- 157 An Operational Evaluation of the Scofield/Oliver Technique for Estimating Precipitation Rates from Satellite Imagery. Richard Ochoa, August 1980. (PB81 108227)
- 158 Hydrology Practicum. Thomas Dietrich, September 1980. (PB81 134033)
- 159 Tropical Cyclone Effects on California. Arnold Court, October 1980. (PB81 133779)
- 160 Eastern North Pacific Tropical Cyclone Occurrences During Intraseasonal Periods. Preston W. Leftwich and Gail M. Brown, February 1981. (PB81 205494)
- 161 Solar Radiation as a Sole Source of Energy for Photovoltaics in Las Vegas, Nevada, for July and December. Darryl Randerson, April 1981. (PB81 224503)
- 162 A Systems Approach to Real-Time Runoff Analysis with a Deterministic Rainfall-Runoff Model. Robert J.C. Burnash and R. Larry Ferral, April 1981. (PB81 224455)
- 163 A Comparison of Two Methods for Forecasting Thunderstorms at Luke Air Force Base, Arizona. LTC Keith R. Cooley, April 1981. (PB81 225393)
- 164 An Objective Aid for Forecasting Afternoon Relative Humidity Along the Washington Cascade East Slopes. Robert S. Robinson, April 1981. (PB81 23078)
- 165 Annual Data and Verification Tabulation, Eastern North Pacific Tropical Storms and Hurricanes 1980. Emil B. Gunther and Staff, May 1981. (PB82 230336)
- 166 Preliminary Estimates of Wind Power Potential at the Nevada Test Site. Howard G. Booth, June 1981. (PB82 127036)
- 167 ARAP User's Guide. Mark Mathewson, July 1981, Revised September 1981. (PB82 196783)
- 168 Forecasting the Onset of Coastal Gales Off Washington-Oregon. John R. Zimmerman and William D. Burton, August 1981. (PB82 127051)
- 169 A Statistical-Dynamical Model for Prediction of Tropical Cyclone Motion in the Eastern North Pacific Ocean. Preston W. Leftwich, Jr., October 1981. (PB82195298)
- 170 An Enhanced Plotter for Surface Airways Observations. Andrew J. Spry and Jeffrey L. Anderson, October 1981. (PB82 153883)
- 171 Verification of 72-Hour 500-MB Map-Type Predictions. R.F. Quiring, November 1981. (PB82 158098)
- 172 Forecasting Heavy Snow at Wenatchee, Washington. James W. Holcomb, December 1981. (PB82 177783)
- 173 Central San Joaquin Valley Type Maps. Thomas R. Crossan, December 1981. (PB82 196064)
- 174 ARAP Test Results. Mark A. Mathewson, December 1981. (PB82 198103)
- 176 Approximations to the Peak Surface Wind Gusts from Desert Thunderstorms. Darryl Randerson, June 1982. (PB82 253089)
- 177 Climate of Phoenix, Arizona. Robert J. Schmidli, April 1969 (Revised December 1986). (PB87 142063/AS)
- 178 Annual Data and Verification Tabulation, Eastern North Pacific Tropical Storms and Hurricanes 1982. E.B. Gunther, June 1983. (PB85 106078)
- 179 Stratified Maximum Temperature Relationships Between Sixteen Zone Stations in Arizona and Respective Key Stations. Ira S. Brenner, June 1983. (PB83 249904)
- 180 Standard Hydrologic Exchange Format (SHEF) Version 1. Phillip A. Pasteries, Vernon C. Bissel, David G. Bennett, August 1983. (PB85 106052)
- 181 Quantitative and Spatial Distribution of Winter Precipitation along Utah's Wasatch Front. Lawrence B. Dunn, August 1983. (PB85 106912)
- 182 500 Millibar Sign Frequency Teleconnection Charts - Winter. Lawrence B. Dunn, December 1983. (PB85 106276)
- 183 500 Millibar Sign Frequency Teleconnection Charts - Spring. Lawrence B. Dunn, January 1984. (PB85 111367)
- 184 Collection and Use of Lightning Strike Data in the Western U.S. During Summer 1983. Glenn Rasch and Mark Mathewson, February 1984. (PB85 110534)
- 185 500 Millibar Sign Frequency Teleconnection Charts - Summer. Lawrence B. Dunn, March 1984. (PB85 111359)
- 186 Annual Data and Verification Tabulation eastern North Pacific Tropical Storms and Hurricanes 1983. E.B. Gunther, March 1984. (PB85 109635)
- 187 500 Millibar Sign Frequency Teleconnection Charts - Fall. Lawrence B. Dunn, May 1984. (PB85 110930)
- 188 The Use and Interpretation of Isentropic Analyses. Jeffrey L. Anderson, October 1984. (PB85 132694)
- 189 Annual Data & Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1984. E.B. Gunther and R.L. Cross, April 1985. (PB85 187887AS)
- 190 Great Salt Lake Effect Snowfall: Some Notes and An Example. David M. Carpenter, October 1985. (PB86 119153/AS)
- 191 Large Scale Patterns Associated with Major Freeze Episodes in the Agricultural Southwest. Ronald S. Hamilton and Glenn R. Lussky, December 1985. (PB86 144474AS)
- 192 NWR Voice Synthesis Project: Phase I. Glen W. Sampson, January 1986. (PB86 145604/AS)
- 193 The MCC - An Overview and Case Study on Its Impact in the Western United States. Glenn R. Lussky, March 1986. (PB86 170651/AS)
- 194 Annual Data and Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1985. E.B. Gunther and R.L. Cross, March 1986. (PB86 170941/AS)
- 195 Radid Interpretation Guidelines. Roger G. Pappas, March 1986. (PB86 177680/AS)
- 196 A Mesoscale Convective Complex Type Storm over the Desert Southwest. Darryl Randerson, April 1986. (PB86 190998/AS)
- 197 The Effects of Eastern North Pacific Tropical Cyclones on the Southwestern United States. Walter Smith, August 1986. (PB87 106258AS)
- 198 Preliminary Lightning Climatology Studies for Idaho. Christopher D. Hill, Carl J. Gorski, and Michael C. Conger, April 1987. (PB87 180196/AS)
- 199 Heavy Rains and Flooding in Montana: A Case for Slantwise Convection. Glenn R. Lussky, April 1987. (PB87 185229/AS)
- 200 Annual Data and Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1986. Roger L. Cross and Kenneth B. Mielke, September 1987. (PB88 110895/AS)
- 201 An Inexpensive Solution for the Mass Distribution of Satellite Images. Glen W. Sampson and George Clark, September 1987. (PB88 114038/AS)
- 202 Annual Data and Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1987. Roger L. Cross and Kenneth B. Mielke, September 1988. (PB88 101936/AS)
- 203 An Investigation of the 24 September 1986 "Cold Sector" Tornado Outbreak in Northern California. John P. Monteverdi and Scott A. Braun, October 1988. (PB89 121287/AS)
- 204 Preliminary Analysis of Cloud-To-Ground Lightning in the Vicinity of the Nevada Test Site. Carven Scott, November 1988. (PB89 128649/AS)
- 205 Forecast Guidelines For Fire Weather and Forecasters - How Nighttime Humidity Affects Wildland Fuels. David W. Goens, February 1989. (PB89 162549/AS)
- 206 A Collection of Papers Related to Heavy Precipitation Forecasting. Western Region Headquarters, Scientific Services Division, August 1989. (PB89 230633/AS)
- 207 The Las Vegas McCarran International Airport Microburst of August 8, 1989. Carven A. Scott, June 1990. (PB90-240266)
- 208 Meteorological Factors Contributing to the Canyon Creek Fire Blowup, September 6 and 7, 1988. David W. Goens, June 1990. (PB90-245085)
- 209 Stratus Surge Prediction Along the Central California Coast. Peter Felsch and Woodrow Whitlatch, December 1990. (PB91-129239)
- 210 Hydrotools. Tom Egger, January 1991. (PB91-151787/AS)
- 211 A Northern Utah Soaker. Mark E. Struthwolf, February 1991. (PB91-168716)
- 212 Preliminary Analysis of the San Francisco Rainfall Record: 1849-1990. Jan Null, May 1991. (PB91-208439)

NOAA SCIENTIFIC AND TECHNICAL PUBLICATIONS

The National Oceanic and Atmospheric Administration was established as part of the Department of Commerce on October 3, 1970. The mission responsibilities of NOAA are to assess the socioeconomic impact of natural and technological changes in the environment and to monitor and predict the state of the solid Earth, the oceans and their living resources, the atmosphere, and the space environment of the Earth.

The major components of NOAA regularly produce various types of scientific and technical information in the following kinds of publications.

PROFESSIONAL PAPERS--Important definitive research results, major techniques, and special investigations.


CONTRACT AND GRANT REPORTS--Reports prepared by contractors or grantees under NOAA sponsorship.

ATLAS--Presentation of analyzed data generally in the form of maps showing distribution of rainfall, chemical and physical conditions of oceans and atmosphere, distribution of fishes and marine mammals, ionospheric conditions, etc.

TECHNICAL SERVICE PUBLICATIONS--Reports containing data, observations, instructions, etc. A partial listing includes data serials; prediction and outlook periodicals; technical manuals, training papers, planning reports, and information serials; and miscellaneous technical publications.

TECHNICAL REPORTS--Journal quality with extensive details, mathematical developments, or data listings.

TECHNICAL MEMORANDUMS--Reports of preliminary, partial, or negative research or technology results, interim instructions, and the like.



Information on availability of NOAA publications can be obtained from:

NATIONAL TECHNICAL INFORMATION SERVICE

U. S. DEPARTMENT OF COMMERCE

5285 PORT ROYAL ROAD

SPRINGFIELD, VA 22161