

NOAA Technical Memorandum NWS WR-94



---

CONDITIONAL PROBABILITY OF VISIBILITY LESS THAN ONE-HALF MILE  
IN RADIATION FOG AT FRESNO, CALIFORNIA

John D. Thomas  
Weather Service Office

Fresno, California  
August 1974

---

**noaa**

NATIONAL OCEANIC AND  
ATMOSPHERIC ADMINISTRATION

National Weather  
Service



NOAA TECHNICAL MEMORANDA  
National Weather Service, Western Region Subseries

The National Weather Service (NWS) Western Region (WR) Subseries provides an informal medium for the documentation and quick dissemination of results not appropriate, or not yet ready, for formal publication. The series is used to report on work in progress, to describe technical procedures and practices, or to relate progress to a limited audience. These Technical Memoranda will report on investigations devoted primarily to regional and local problems of interest mainly to personnel, and hence will not be widely distributed.

Papers 1 to 23 are in the former series, ESSA Technical Memoranda, Western Region Technical Memoranda (WRTM); papers 24 to 59 are in the former series, ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM). Beginning with 60, the papers are part of the series, NOAA Technical Memoranda NWS.

Papers 1 to 23, except for 5 (revised edition) and 10, are available from the National Weather Service Western Region, Scientific Services Division, P. O. Box 11188, Federal Building, 125 South State Street, Salt Lake City, Utah 84111. Papers 5 (revised edition), 10, and all others beginning with 24 are available from the National Technical Information Service, U.S. Department of Commerce, Sills Bldg., 5285 Port Royal Road, Springfield, Va. 22151. Price: \$3.00 paper copy; \$0.95 microfiche. Order by accession number shown in parentheses at end of each entry.

ESSA Technical Memoranda

- WRTM 1 Some Notes on Probability Forecasting. Edward D. Diemer, September 1965. (Out of print.)  
WRTM 2 Climatological Precipitation Probabilities. Compiled by Lucianne Miller, December 1965.  
WRTM 3 Western Region Pre- and Post-FP-3 Program, December 1, 1965 to February 20, 1966. Edward D. Diemer, March 1966.  
WRTM 4 Use of Meteorological Satellite Data. March 1966.  
WRTM 5 Station Descriptions of Local Effects on Synoptic Weather Patterns. Philip Williams, Jr., April 1966 (revised November 1967, October 1969). (PB-178000)  
WRTM 6 Improvement of Forecast Wording and Format. C. L. Glenn, May 1966.  
WRTM 7 Final Report on Precipitation Probability Test Programs. Edward D. Diemer, May 1966.  
WRTM 8 Interpreting the RAREP. Herbert P. Benner, May 1966 (revised January 1967). (Out of print.)  
WRTM 9 A Collection of Papers Related to the 1966 NMC Primitive-Equation Model. June 1966.  
WRTM 10 Sonic Boom. Loren Crow (6th Weather Wing, USAF, Pamphlet), June 1966. (Out of print.) (AD-479366)  
WRTM 11 Some Electrical Processes in the Atmosphere. J. Latham, June 1966.  
WRTM 12 A Comparison of Fog Incidence at Missoula, Montana, with Surrounding Locations. Richard A. Dightman, August 1966. (Out of print.)  
WRTM 13 A Collection of Technical Attachments on the 1966 NMC Primitive-Equation Model. Leonard W. Snellman, August 1966. (Out of print.)  
WRTM 14 Application of Net Radiometer Measurements to Short-Range Fog and Stratus Forecasting at Los Angeles. Frederick Thomas, September 1966.  
WRTM 15 The Use of the Mean as an Estimate of "Normal" Precipitation in an Arid Region. Paul C. Kangieser, November 1966.  
WRTM 16 Some Notes on Acclimatization in Man. Edited by Leonard W. Snellman, November 1966.  
WRTM 17 A Digitalized Summary of Radar Echoes Within 100 Miles of Sacramento, California. J. A. Youngberg and L. B. Overaas, December 1966.  
WRTM 18 Limitations of Selected Meteorological Data. December 1966.  
WRTM 19 A Grid Method for Estimating Precipitation Amounts by Using the WSR-57 Radar. R. Granger, December 1966. (Out of print.)  
WRTM 20 Transmitting Radar Echo Locations to Local Fire Control Agencies for Lightning Fire Detection. Robert R. Peterson, March 1967. (Out of print.)  
WRTM 21 An Objective Aid for Forecasting the End of East Winds in the Columbia Gorge, July through October. D. John Coperanis, April 1967.  
WRTM 22 Derivation of Radar Horizons in Mountainous Terrain. Roger G. Pappas, April 1967.  
WRTM 23 "K" Chart Applications to Thunderstorm Forecasts Over the Western United States. Richard E. Hambidge, May 1967.

ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM)

- WBTM 24 Historical and Climatological Study of Grinnell Glacier, Montana. Richard A. Dightman, July 1967. (PB-178071)  
WBTM 25 Verification of Operational Probability of Precipitation Forecasts, April 1966-March 1967. W. W. Dickey, October 1967. (PB-176240)  
WBTM 26 A Study of Winds in the Lake Mead Recreation Area. R. P. Augulis, January 1968. (PB-177830)  
WBTM 27 Objective Minimum Temperature Forecasting for Helena, Montana. D. E. Olsen, February 1968. (PB-177827)  
WBTM 28 Weather Extremes. R. J. Schmidli, April 1968 (revised July 1968). (PB-178928)  
WBTM 29 Small-Scale Analysis and Prediction. Philip Williams, Jr., May 1968. (PB-178425)  
WBTM 30 Numerical Weather Prediction and Synoptic Meteorology. Capt. Thomas D. Murphy, U.S.A.F., May 1968. (AD-673365)  
WBTM 31 Precipitation Detection Probabilities by Salt Lake ARTC Radars. Robert K. Belesky, July 1968. (PB-179084)  
WBTM 32 Probability Forecasting--A Problem Analysis with Reference to the Portland Fire Weather District. Harold S. Ayer, July 1968. (PB-179289)  
WBTM 33 Objective Forecasting. Philip Williams, Jr., August 1968. (AD-680425)  
WBTM 34 The WSR-57 Radar Program at Missoula, Montana. R. Granger, October 1968. (PB-180292)  
WBTM 35 Joint ESSA/FAA ARTC Radar Weather Surveillance Program. Herbert P. Benner and DeVon B. Smith, December 1968 (revised June 1970). (AD-681857)  
WBTM 36 Temperature Trends in Sacramento--Another Heat Island. Anthony D. Lentini, February 1969. (Out of print.) (PB-183055)  
WBTM 37 Disposal of Logging Residues Without Damage to Air Quality. Owen P. Cramer, March 1969. (PB-183057)  
WBTM 38 Climate of Phoenix, Arizona. R. J. Schmidli, P. C. Kangieser, and R. S. Ingram, April 1969. (Out of print.) (PB-184295)  
WBTM 39 Upper-Air Lows Over Northwestern United States. A. L. Jacobson, April 1969. (PB-184296)  
WBTM 40 The Man-Machine Mix in Applied Weather Forecasting in the 1970s. L. W. Snellman, August 1969. (PB-185068)  
WBTM 41 High Resolution Radiosonde Observations. W. S. Johnson, August 1969. (PB-185673)  
WBTM 42 Analysis of the Southern California Santa Ana of January 15-17, 1966. Barry B. Aronovitch, August 1969. (PB-185670)  
WBTM 43 Forecasting Maximum Temperatures at Helena, Montana. David E. Olsen, October 1969. (PB-185762)  
WBTM 44 Estimated Return Periods for Short-Duration Precipitation in Arizona. Paul C. Kangieser, October 1969. (PB-187763)  
WBTM 45/1 Precipitation Probabilities in the Western Region Associated with Winter 500-mb Map Types. Richard A. Augulis, December 1969. (PB-188248)

U. S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL WEATHER SERVICE

NOAA Technical Memorandum NWSTM WR-94

CONDITIONAL PROBABILITY OF VISIBILITY LESS THAN ONE-HALF MILE  
IN RADIATION FOG AT FRESNO, CALIFORNIA

John D. Thomas\*  
Weather Service Office  
Fresno, California

WESTERN REGION  
TECHNICAL MEMORANDUM NO. 94

SALT LAKE CITY, UTAH  
AUGUST 1974

\*Now at NESS SFSS, Suitland, Maryland



## TABLE OF CONTENTS

	<u>Page</u>
List of Figures and Tables	iii, iv
I. Introduction	1
II. Development on Probability Charts	1
III. Test on Independent Data	2
IV. Operational Use of Equations or Charts	3
V. Acknowledgments	3
VI. Reference	3

LIST OF FIGURES AND TABLES

	<u>Page</u>
Figure 1. Relationship between 1400 PST dry bulb and dew point temperatures and the occurrence of visibility less than one-half mile in radiation fog on clear, light-wind nights at Fresno, California, for the month of November. Lines are graphical solution of equation shown on chart.	4
Figure 2. Relationship between 1400 PST dry bulb and dew point temperatures and the occurrence of visibility less than one-half mile in radiation fog on clear, light-wind nights at Fresno for the month of December.	5
Figure 3. Relationship between 1400 PST dry bulb and dew point temperatures and the occurrence of visibility less than one-half mile in radiation fog on clear, light-wind nights at Fresno for month of January.	6
Figure 4. Relationship between 1400 PST dry bulb and dew point temperatures and the occurrence of visibility less than one-half mile in radiation fog on clear, light-wind nights at Fresno for month of February.	7
Figure 5. Relationship between 1400 PST dry bulb and dew point temperatures and the occurrence of visibility less than one-half mile in radiation fog on clear, light-wind nights at Fresno for month of March.	8
Figure 6. Relationship of estimates of Y from Figures 1 - 5 and the per cent frequency of occurrence of visibility less than one-half mile. Dots connected by dashed lines represent observed frequencies in categories of Y-estimates centered at 0, 10, 20%, etc., values. Solid curve represents parabola fitted to the dots.	9
Figure 7. Reliability graph of probability "forecast" from Figure 6, dependent data. Average deviation 3.7%.	10
Table 1. Frequency distribution of Y-estimates from Figures 1 - 5 for all cases and "fog" cases, and computed per cent frequency of occurrence of visibility less than one-half mile for categories of Y-estimates. Dependent or developmental data.	11

LIST OF FIGURES AND TABLES  
(Continued)

	<u>Page</u>	
Table 2	Frequency distribution of P-estimates from Figure 6 for all cases and "fog" cases, and computed per cent frequency of occurrence of visibility less than one-half mile for categories of P Developmental data.	12
Table 3	Comparison of various verification scores of "forecasts" of visibility of less than one-half mile in radiation fog at Fresno, California, from test and developmental data.	13

CONDITIONAL PROBABILITY OF VISIBILITY LESS THAN ONE-HALF MILE  
IN RADIATION FOG AT FRESNO, CALIFORNIA

I. INTRODUCTION

Radiation fog is very common in the San Joaquin valley of California in late fall and winter. Conditions are frequently ideal in this valley for formation of radiation fog<sup>[1]</sup> during these months, namely:

- a) Air of maritime origin that has become relatively stagnant over a cool land area.
- b) Light winds.
- c) Clear skies.
- d) Adequate condensation nuclei.

When these conditions are expected to prevail during the coming night, afternoon weather parameters most strongly associated with the formation of fog by the following morning are the dry-bulb and dew-point temperatures. The relationship of these parameters to fog formation could be expected to be dependent upon the number of hours of cooling, i.e., the length of the night.

It is the purpose of this study to determine the probability of fog at Fresno, California, during nighttime hours based upon afternoon dry-bulb and dew-point temperatures under "radiation" conditions listed above.

The Fresno airport is closed for landing of commercial passenger aircraft when the runway visual range drops below 2400 feet, so for the purposes of this study, "fog" at Fresno airport is defined as visibility less than one-half mile.

II. DEVELOPMENT OF PROBABILITY CHARTS

Data: Dates of clear nights with surface winds of five knots or less were extracted from the winter months (November through March) from November 1958 through March 1973. The 1400 PST dry-bulb and dew-point temperatures and whether or not the visibility was reduced to less than one-half mile during the ensuing night were then recorded on these dates. (The hour 1400 PST was selected to meet the forecast time frame.) The data were segregated by month in order to at least partially take into account the varying duration of darkness. Data from the years 1964 and 1969 were reserved for test purposes.

Procedures: Scatter diagrams using Fresno 1400 PST temperature and dew point as coordinates were plotted for each month with the subsequent occurrence of fog (i.e., visibility <1/2 mile) plotted as X,

and nonoccurrence of fog plotted as a dot. (See Figures 1 - 5.) Linear regression equations of the form  $Y = AX_1 + BX_2 + C$  were computed for each month relating the 1400 temperature and dew point to the occurrence or nonoccurrence of fog. These equations are shown on Figures 1 - 5 with the graphical solution of each equation being the set of parallel, equally spaced lines on each figure.

Estimates of Y from these equations (or from interpolation between the sets of lines) were obtained for each case. All estimates from all months were combined and the frequency of occurrence of fog determined for categories of estimated Y, as shown in Table 1 and plotted in Figure 6 as dots connected by dashed lines.

The relationship between the Y estimates and the per cent frequency of occurrence of fog is obviously not linear, and, in fact, strongly suggests a parabolic relationship. A parabola of the form  $P = A + BY + CY^2$  was, therefore, fitted to the plotted point, as shown by the solid curve in Figure 6. The equation for this parabola is:

$$P = 1.7513 + .4674Y + .008527Y^2$$

This equation, or the curve in Figure 6, gives the final conditional probability of visibility <1/2 mile based upon the afternoon temperature and dew point.

Values of P for each case of the developmental data were computed and the frequency of occurrence of fog determined for categories of the forecast probability, as shown in Table 2 and plotted in Figure 7. Figure 7 depicts the "reliability" of the probabilities. The average deviation from the "perfect reliability" line is 3.7%.

### III. TEST ON INDEPENDENT DATA

Exactly the same procedures were followed in testing the equations (or charts) on the two winters of independent data as were used in developing them. Only those dates were selected from the test months on which skies were clear during the night and winds were less than or equal to five knots. The 1400 PST dry bulb temperature and dew point temperature were recorded and the probability of the visibility dropping to below one-half mile computed using the appropriate equation (or graph) for the month (Figures 1 - 5) and the parabola (Figure 6).

A number of scores were computed both on the developmental and test data samples and are compared in Table 3. Categorical forecasts were obtained by using 45% probability as the "yes" or "no" discriminate value. Note that these scores are based on only the "clear, light-wind nights" samples of data and are for the five winter months combined. All scores from the test data are remarkably close to the scores from the developmental data, indicating the equations should be quite stable.



#### IV. OPERATIONAL USE OF EQUATIONS OR CHARTS

The use of these equations or charts operationally depends upon a forecast of cloud cover and wind for the ensuing night, so results from operational use cannot be expected to be quite as good as indicated in the previous section.

Although restricting the study to "good radiation" nights (which have to be forecast!) simplifies this study considerably, there still are several factors affecting the formation of radiation fog that are not included. For example: 1) Even though the sky is clear during the nighttime hours, there could be a deep enough layer of moisture aloft to slow down the radiational cooling at the surface. 2) Even though the winds might be light, there could be a gradual change in the air mass during the night which would make the afternoon dry bulb and dew point temperatures poor predictors of fog in such a situation. 3) Even though the surface temperature often drops many degrees lower than the previous afternoon's dew point, winds might be so nearly calm that the relative humidity hovers near 100% for many hours without significant fog formation.

These factors obviously prevent a definitive forecast of fog or no fog on many nights at Fresno, but the equations or charts developed do provide a highly reliable conditional probability which should be very useful in briefing pilots and airline personnel.

#### V. ACKNOWLEDGMENTS

The encouragement of Mr. Thomas Crossan, MIC, WSO, Fresno, California, and the assistance of Mr. Woodrow Dickey of SSD, WRH, in the analysis and statistical computations are gratefully acknowledged.

#### VI. REFERENCE

- [1] Hewson, E. Wendell, and Longley, R. W.; *Meteorology Theoretical and Applied*, Chapter 19, John Wiley & Sons, Inc., N. Y.




FIGURE 1. RELATIONSHIP BETWEEN 1400 PST DRY BULB AND DEW POINT TEMPERATURE AND THE OCCURRENCE OF VISIBILITY LESS THAN ONE-HALF MILE IN RADIATION FOG ON CLEAR, LIGHT-WIND NIGHTS AT FRESNO, CALIFORNIA, FOR MONTH OF NOVEMBER. LINES ARE GRAPHICAL SOLUTION OF EQUATION SHOWN ON CHART.




FIGURE 2. RELATIONSHIP BETWEEN 1400 PST DRY BULB AND DEW POINT TEMPERATURES AND THE OCCURRENCE OF VISIBILITY LESS THAN ONE-HALF MILE IN RADIATION FOG ON CLEAR, LIGHT-WIND NIGHTS AT FRESNO FOR MONTH OF DECEMBER.




FIGURE 3. RELATIONSHIP BETWEEN 1400 PST DRY BULB AND DEW POINT TEMPERATURES AND THE OCCURRENCE OF VISIBILITY LESS THAN ONE-HALF MILE IN RADIATION FOG ON CLEAR, LIGHT-WIND NIGHTS AT FRESNO FOR MONTH OF JANUARY.




FIGURE 4. RELATIONSHIP BETWEEN 1400 PST DRY BULB AND DEW POINT TEMPERATURES AND THE OCCURRENCE OF VISIBILITY LESS THAN ONE-HALF MILE IN RADIATION FOG ON CLEAR, LIGHT-WIND NIGHTS AT FRESNO FOR THE MONTH OF FEBRUARY.




FIGURE 5. RELATIONSHIP BETWEEN 1400 PST DRY BULB AND DEW POINT TEMPERATURES AND THE OCCURRENCE OF VISIBILITY LESS THAN ONE-HALF MILE IN RADIATION FOG ON CLEAR, LIGHT-WIND NIGHTS AT FRESNO FOR MONTH OF MARCH.




FIGURE 6. RELATIONSHIP OF ESTIMATES OF Y FROM FIGURES 1 - 5 AND THE PER CENT FREQUENCY OF OCCURRENCE OF VISIBILITY LESS THAN ONE-HALF MILE. DOTS CONNECTED BY DASHED LINES REPRESENT OBSERVED FREQUENCIES IN CATEGORIES OF Y-ESTIMATES CENTERED AT 0, 10, 20%, ETC., VALUES. SOLID CURVE REPRESENTS PARABOLA FITTED TO THE DOTS.




FIGURE 7. RELIABILITY GRAPH OF PROBABILITY "FORECAST" FROM FIGURE 6, DEPENDENT DATA, AVERAGE DEVIATION 3.7%.



TABLE 1

Frequency distribution of Y-estimates from Figures 1 - 5 for all cases and "fog" cases, and computed per cent frequency of occurrence of visibility less than one-half mile for categories of Y-estimates. Dependent or developmental data.

<u>Categories of Y-Estimates</u>	<u>Midpoint of Category</u>	<u>Total Cases</u>	<u>No. of Fogs</u>	<u>% Occurrence</u>
≤-5	≤-5	50	0	0
-4 to +4	0	58	1	2
+5 to +14	+10	48	2	4
+15 to +24	+20	67	10	15
+25 to +34	+30	58	11	19
+35 to +44	+40	53	21	40
+45 to +54	+50	58	25	43
+55 to +64	+60	46	28	61
+65 to +74	+70	38	31	82
+75 to +84	+80	14	13	93
≥85	≥85	17	17	100

TABLE 2

Frequency distribution of P-estimates from Figure 6 for all cases and "fog" cases, and computed per cent frequency of occurrence of visibility less than one-half mile for categories of P Developmental data.

<u>% Probability</u>	<u>Midpoint</u>	<u>Total Cases</u>	<u>No. of Fogs</u>	<u>% Occurrence</u>
0	0	50	0	0
1 - 4	2.5	50	1	2
5 - 14	10	73	7	10
15 - 24	20	87	14	16
25 - 34	30	30	7	23
35 - 44	40	52	24	46
45 - 54	50	42	19	45
55 - 64	60	32	20	63
65 - 74	70	26	18	69
75 - 84	80	17	16	94
85 - 99	92	17	15	88
100	100	18	18	100

TABLE 3

Comparison of various verification scores of "forecasts" of visibility of less than one-half mile in radiation fog at Fresno, California, from test and developmental data.

	PROBABILITY FORECASTS							CATEGORICAL FORECASTS				
	N	R	Bf	Bc	I(%)	Po	Pn	PF	PA	TS	%	Bias
Developmental	494	.32	.13	.22	39.88	59	20	.67	.70	.52	80	.96
Test	78	.26	.12	.19	39.91	59	18	.65	.68	.50	83	.95

N = Number of dates with clear nights and winds  $\leq 5$  kt.

R = Frequency of occurrence of visibility  $< 1/2$  mile in sample N.

Bf = Brier score of "forecasts" from Figures 1 - 6.

Bc = Climatological Brier Score based upon conditional climatology of vsby  $< 1/2$  mile on clear, light-wind nights.

I = Per cent improvement of Bf over Bc.  $I = \frac{Bc - Bf}{Bc} (100)$

Po = Average "forecast" probability for observed occurrences of vsby  $< 1/2$  mile.

Pn = Average "forecast" probability for non-occurrences of vsby  $< 1/2$  mile.

PF = Prefigurance (ratio of correct forecasts of occurrences to total number of occurrences).

PA = Post Agreement (ratio of correct forecasts of occurrences to number of forecasts of vsby  $< 1/2$  mile).

TS = Threat Score (ratio of correct forecasts of occurrences to number of observed and/or forecast vsbys  $< 1/2$  mile).

% = Per cent correct.

Bias = Ratio of number of occurrences to number of forecasts of vsby  $< 1/2$  mile.

Western Region Technical Memoranda: (Continued)

- No. 45/2 Precipitation Probabilities in the Western Region Associated with Spring 500-mb Map Types. Richard P. Augulis. January 1970. (PB-189434) (Out of Print.)
- No. 45/3 Precipitation Probabilities in the Western Region Associated with Summer 500-mb Map Types. Richard P. Augulis. January 1970. (PB-189414) (Out of Print.)
- No. 45/4 Precipitation Probabilities in the Western Region Associated with Fall 500-mb Map Types. Richard P. Augulis. January 1970. (PB-189435) (Out of Print.)
- No. 46 Applications of the Net Radiometer to Short-Range Fog and Stratus Forecasting at Eugene, Oregon. L. Yee and E. Bates. December 1969. (PB-190476)
- No. 47 Statistical Analysis as a Flood Routing Tool. Robert J. C. Burnash. December 1969. (PB-186744)
- No. 48 Tsunami. Richard A. Augulis. February 1970. (PB-190157)
- No. 49 Predicting Precipitation Type. Robert J. C. Burnash and Floyd E. Hug. March 1970. (PB-190962)
- No. 50 Statistical Report of Aeroallergens (Pollens and Molds) Fort Huachuca, Arizona 1969. Wayne S. Johnson. April 1970. (PB-191743)
- No. 51 Western Region Sea State and Surf Forecaster's Manual. Gordon C. Shields and Gerald B. Burdwell. July 1970. (PB-193102)
- No. 52 Sacramento Weather Radar Climatology. R. G. Pappas and C. M. Veliquette. July 1970. (PB-193347)
- No. 53 Experimental Air Quality Forecasts in the Sacramento Valley. Norman S. Benes. August 1970. (PB-194128)
- No. 54 A Refinement of the Vorticity Field to Delineate Areas of Significant Precipitation. Barry B. Aronovitch. August 1970.
- No. 55 Application of the SSARR Model to a Basin Without Discharge Record. Vail Schermerhorn and Donald W. Kuehl. August 1970. (PB-194394).
- No. 56 Areal Coverage of Precipitation in Northwestern Utah. Philip Williams, Jr., and Werner J. Heck. September 1970. (PB-194389)
- No. 57 Preliminary Report on Agricultural Field Burning vs. Atmospheric Visibility in the Willamette Valley of Oregon. Earl M. Bates and David O. Chilcote. September 1970. (PB-194710)
- No. 58 Air Pollution by Jet Aircraft at Seattle-Tacoma Airport. Wallace R. Donaldson. October 1970. (COM-71-00017)
- No. 59 Application of P.E. Model Forecast Parameters to Local-Area Forecasting. Leonard W. Snellman. October 1970. (COM-71-00016)
- NOAA Technical Memoranda NWS
- No. 60 An Aid for Forecasting the Minimum Temperature at Medford, Oregon. Arthur W. Fritz, October 1970. (COM-71-00120)
- No. 61 Relationship of Wind Velocity and Stability to SO<sub>2</sub> Concentrations at Salt Lake City, Utah. Werner J. Heck, January 1971. (COM-71-00232)
- No. 62 Forecasting the Catalina Eddy. Arthur L. Eichelberger, February 1971. (COM-71-00223)
- No. 63 700-mb Warm Air Advection as a Forecasting Tool for Montana and Northern Idaho. Norris E. Woerner. February 1971. (COM-71-00349)
- No. 64 Wind and Weather Regimes at Great Falls, Montana. Warren B. Price, March 1971.
- No. 65 Climate of Sacramento, California. Wilbur E. Figgins, June 1971. (COM-71-00764)
- No. 66 A Preliminary Report on Correlation of ARTCC Radar Echoes and Precipitation. Wilbur K. Hall, June 1971. (COM-71-00829)
- No. 67 Precipitation Detection Probabilities by Los Angeles ARTC Radars. Dennis E. Ronne, July 1971. (COM-71-00925)
- No. 68 A Survey of Marine Weather Requirements. Herbert P. Benner, July 1971. (COM-71-00889)
- No. 69 National Weather Service Support to Soaring Activities. Ellis Burton, August 1971. (COM-71-00956)
- No. 70 Predicting Inversion Depths and Temperature Influences in the Helena Valley. David E. Oisen, October 1971. (COM-71-01037)
- No. 71 Western Region Synoptic Analysis-Problems and Methods. Philip Williams, Jr., February 1972. (COM-72-10433)
- No. 72 A Paradox Principle in the Prediction of Precipitation Type. Thomas J. Weitz, February 1972. (COM-72-10432)
- No. 73 A Synoptic Climatology for Snowstorms in Northwestern Nevada. Bert L. Nelson, Paul M. Fransioli, and Clarence M. Sakamoto, February 1972. (COM-72-10338)
- No. 74 Thunderstorms and Hail Days Probabilities in Nevada. Clarence M. Sakamoto, April 1972. (COM-72-10554)
- No. 75 A Study of the Low Level Jet Stream of the San Joaquin Valley. Ronald A. Willis and Philip Williams, Jr., May 1972. (COM-72-10707)
- No. 76 Monthly Climatological Charts of the Behavior of Fog and Low Stratus at Los Angeles International Airport. Donald M. Gales, July 1972. (COM-72-11140)
- No. 77 A Study of Radar Echo Distribution in Arizona During July and August. John E. Hales, Jr., July 1972. (COM-72-11136)
- No. 78 Forecasting Precipitation at Bakersfield, California, Using Pressure Gradient Vectors. Earl T. Riddiough, July 1972. (COM-72-11146)
- No. 79 Climate of Stockton, California. Robert C. Nelson, July 1972. (COM-72-10920)
- No. 80 Estimation of Number of Days Above or Below Selected Temperatures. Clarence M. Sakamoto, October 1972. (COM-72-10021)
- No. 81 An Aid for Forecasting Summer Maximum Temperatures at Seattle, Washington. Edgar G. Johnson, November 1972. (COM-73-10150)
- No. 82 Flash Flood Forecasting and Warning Program in the Western Region. Philip Williams, Jr., Chester L. Glenn, and Roland L. Raetz, December 1972. (COM-73-10251)
- No. 83 A Comparison of Manual and Semiautomatic Methods of Digitizing Analog Wind Records. Glenn E. Rasch, March 1973. (COM-73-10669)
- No. 84 Southwestern United States Summer Monsoon Source--Gulf of Mexico or Pacific Ocean? John E. Hales, Jr., March 1973. (COM-73-10769)
- No. 85 Range of Radar Detection Associated with Precipitation Echoes of Given Heights by the WSR-57 at Missoula, Montana. Raymond Granger, April 1973. (COM-73-11030)
- No. 86 Conditional Probabilities for Sequences of Wet Days at Phoenix, Arizona. Paul C. Kangieser, June 1973. (COM-73-11264)
- No. 87 A Refinement of the Use of K-Values in Forecasting Thunderstorms in Washington and Oregon. Robert Y. G. Lee, June 1973. (COM-73-11276)
- No. 88 A Surge of Maritime Tropical Air--Gulf of California to the Southwestern United States. Ira S. Brenner, July 1973.
- No. 89 Objective Forecast of Precipitation Over the Western Region of the United States. Julia N. Paegle and Larry P. Kierulff, September 1973. (COM-73-11946/3AS)
- No. 90 A Thunderstorm "Warm Wake" at Midland, Texas. Richard A. Wood, September 1973. (COM-73-11845/AS)
- No. 91 Arizona "Fddy" Tornadoes. Robert S. Ingram, October 1973. (COM-74-10465)

NOAA Technical Memoranda NWSWR: (Continued)

- No. 92 Smoke Management in the Willamette Valley. Earl M. Bates, May 1974.
- No. 93 An Operational Evaluation of 500-mb Type Stratified Regression Equations. Alexander E. MacDonald, June 1974.