

# data report

## PHYSICAL, CHEMICAL AND BIOLOGICAL DATA

**CalCOFI Cruise 9602**  
**29 January – 16 February 1996**

**CalCOFI Cruise 9604**  
**15 April – 3 May 1996**

**SIO Reference 96-19**  
**8 October 1996**

UNIVERSITY OF CALIFORNIA, SAN DIEGO  
SCRIPPS INSTITUTION OF OCEANOGRAPHY  
LA JOLLA, CALIFORNIA 92093-0227


PHYSICAL, CHEMICAL AND BIOLOGICAL DATA

CalCOFI Cruise 9602  
29 January - 16 February 1996

CalCOFI Cruise 9604  
15 April - 3 May 1996

SIO Reference 96-19  
8 October 1996

**Approved for distribution:**



---

**Wolfgang H. Berger, Interim Director**

## CONTENTS

Introduction.....	3
Literature Cited.....	6
CalCOFI Cruise 9602	
Personnel.....	7
List of Figures.....	8
Tabulated Rosette Cast Data.....	19
Tabulated Primary Productivity Data.....	48
Tabulated Macrozooplankton Data.....	52
CalCOFI Cruise 9604	
List of Figures.....	53
Personnel.....	64
Tabulated Rosette Cast Data.....	65
Tabulated Primary Productivity Data.....	94
Tabulated Macrozooplankton Data.....	98

## INTRODUCTION

The data in this report were collected during cruises 9602\* and 9604 of the California Cooperative Oceanic Fisheries Investigations (CalCOFI) program aboard the NOAA ship RV *David Starr Jordan*. The CalCOFI program was organized in the late 1940's to study the causes of variations in population size of fishes of importance to the State of California. It is carried out by NOAA's National Marine Fisheries Service Southwest Fisheries Science Center, the California Department of Fish and Game, and the Marine Life Research Group (MLRG) at Scripps Institution of Oceanography (SIO). MLRG contributes to this program by investigations of the physical, chemical and biological structure of the California Current. Data from CalCOFI cruises 9602 and 9604 were collected and processed by personnel of the Marine Life Research Group and the Southwest Fisheries Science Center. Volunteers and other SIO staff members also assisted in the collection of data and chemical analyses at sea.

## STANDARD PROCEDURES

### *Rosette Cast Data*

At each station on cruises 9602 and 9604 a Sea-Bird Electronics, Inc., Conductivity-Temperature-Depth (CTD) instrument was deployed with a 24-place General Oceanics rosette. The rosette was equipped with 24 ten-liter plastic (PVC) bottles. The CTD/rosette cast usually sampled 20 depths to a maximum sampling depth of 525 meters, bottom depth permitting. Occasional stations have multiple bottles tripped at the same depth to provide more water for ancillary programs. Pressures and temperatures assigned to the water sample data were derived from the CTD signals recorded just prior to the bottle trip. Pressures have been converted to depths by the Saunders (1981) pressure-to-depth conversion technique. CTD temperatures reported with the bottle data have been rounded to the nearest hundredth of a degree Celsius. Salinity, oxygen and nutrients were determined at sea for all depths sampled. Chlorophyll-a and phaeopigments were determined at sea within the top 200 meters, bottom depth permitting.

Salinity samples were collected from all rosette bottles and analyzed at sea using a Guildline model 8410 Portasal salinometer. The results were compared with the CTD salinity in order to verify that the rosette bottle did not mis-trip or leak. The salinometer was standardized before and after each group of samples with substandard seawater. Periodic checks on the conductivity of the substandard were made by comparison with IAPSO Standard Seawater batch P127. Salinity values have been calculated from the algorithms for the Practical Salinity Scale, 1978 (UNESCO, 1981a) and were reported to three decimal places, provided that accepted standards were met. If only one determination per sample was obtained, or there was doubt concerning the accuracy of the analytical results, the salinities were reported to two decimal places.

Dissolved oxygen was determined by the Winkler method, as modified by Carpenter (1965), using the equipment and procedure outlined by Anderson (1971). Percent oxygen saturation was calculated from the equations of Weiss (1970).

Silicate, phosphate, nitrate and nitrite nutrients were determined at sea using an automated analyzer. The procedures used are similar to those described in Atlas *et al.* (1971).

Samples for chlorophyll-a and phaeopigments were filtered onto Whatman GF/F filters. The pigments were extracted with a cold extraction technique in 90% acetone (Venrick and Hayward, 1984), and the fluorescence determined before and after acidification with a Turner Designs fluorometer (Yentsch and Menzel, 1963; Holm-Hansen *et al.* 1965).

Evaluation of the data involved comparisons with the CTD cast profiles, adjacent stations and consideration of the variation of a property as a function of density or depth and the relationships with other properties (Klein, 1973). Estimates of precision of the standard techniques are given in SIO, 1991.

\* The first two digits represent the year and the last digits the month of the cruise.



### *Primary Productivity Sampling*

Primary productivity samples were taken each day shortly before local apparent noon (LAN). Primary production was estimated from  $^{14}\text{C}$  uptake using a simulated *in situ* technique. Light penetration was estimated from the Secchi depth (assuming that the 1% light level is three times the Secchi depth). The depths with ambient light intensities corresponding to light levels simulated by the on-deck incubators were identified and sampled on the up rosette cast. Occasionally an extra bottle or two were tripped in addition to the usual 20 levels sampled in the combined rosette-productivity cast in order to maintain the normal sampling depth resolution. The ten-liter bottles were equipped with epoxy-coated springs and Viton O-rings. Triplicate samples (two light and one dark control) were drawn from each productivity sample depth into 250 ml polycarbonate incubation bottles. Samples were inoculated with 10  $\mu\text{Ci}$  of  $^{14}\text{C}$  as  $\text{NaH}^{14}\text{CO}_3$  (200  $\mu\text{l}$  of 50  $\mu\text{Ci}/\text{ml}$  stock) prepared in a 0.3 g/liter solution of sodium carbonate (Fitzwater *et al.* 1982). Samples were incubated from LAN to civil twilight in seawater-cooled incubators with neutral-density screens which simulate *in situ* light levels. At the end of the incubation, the samples were filtered onto Millipore HA filters and placed in scintillation vials. One half ml of 10%  $\text{HCl}$  was added to each sample. The sample was then allowed to sit, without a cap, at room temperature for 12 hours (after Lean and Burnison, 1979). Following this, 10 ml of scintillation fluor were added to each sample and the samples were returned to SIO where the radioactivity was determined with a scintillation counter. Salinity, oxygen, nutrients, chlorophyll-a and phaeopigments were determined from all rosette productivity bottles.

### *Macrozooplankton Net Tows*

Macrozooplankton was sampled with a 71 cm mouth diameter paired net (bongo net) equipped with 0.505 mm plankton mesh. Bottom depth permitting, the nets were towed obliquely from 210 meters to the surface. The tow time for a standard tow was 21.5 minutes. Volumes filtered were determined from flowmeter readings and the mouth area of the net. Only one sample of each pair was retained and preserved. The biomass, as wet displacement volume, after removal of large (>5 ml) organisms, was determined in the laboratory ashore. These procedures are summarized in greater detail in Kramer *et al.* (1972).

### *Ancillary Programs*

Several ancillary programs produced data on these cruises which are not presented in this report. These programs include:

- 1) *ADCP*. Acoustic Doppler Current Profiler data were recorded continuously along the ship's cruise track.
- 2) *Avifauna Observation*. Sea birds were counted within a 300 meter wide strip off to one side of the ship. Counts were made while underway between stations during periods of daylight. These counts were summed over 20 nautical mile (nm) intervals, or the distance between consecutive stations, whichever was less.
- 3) *Benthic sampling*. Bottom samples were taken at two sites on cruise 9602 and three sites on 9604. Samples were preserved for subsequent analysis of benthic foraminifera, organic carbon analysis, and other faunal and geochemical analyses.
- 4) *Bio-optics*. On 9602 and 9604 Bio-optical profiles were measured almost daily using a variety of sensors, and spectral absorption by particulate and soluble fractions was measured. On 9602 the bio-optics program also included cyanobacteria microscopic counts by epifluorescence and phycoerythrin pigment concentration determined by fluorescence spectroscopy.
- 5) *Pigment studies*. These included measurement of  $^{14}\text{C}$  incorporation into pigments in incubated samples, phytoplankton pigment analyses of euphoric zone samples using high performance liquid chromatography, phytoplankton fluorescence measurements before and after DCMU addition, and nutrient enrichment experiments to assess changes in phytoplankton populations as indicated by pigment concentrations.
- 6) *Underway Data*. Continuous near surface measurements of temperature, salinity and chlorophyll fluorescence were made from water pumped through the ship, and the data were logged at one minute intervals. On 9604 sardine and anchovy eggs were collected underway with a separate large volume pump. This pump drew a continuous sample of approximately 640 liters per minute from which eggs were concentrated and collected by a 505 urn sieve system. Samples were sequentially collected from this system periodically for enumeration of sardine and anchovy eggs at sea and again ashore.

## TABULATED DATA

### *Rosette Cast Data*

The time reported is the Coordinated Universal Time (UTC) of the first rosette bottle trip on the up cast. The rosette bottles tripped on the up cast are reported as cast 2, where cast 1 is considered to be the down CTD cast. The sample number reported is the cast number followed by a two digit rosette bottle number. Bottom depths, determined acoustically, have been corrected using British Admiralty Tables (Carter, 1980) and are reported in meters. Weather conditions have been coded using WMO code 4501. Secchi depths and Forel water color scales are also reported for most daylight stations.

Observed data from individual CTD/rosette trip levels are interpolated and reported for standard depths. Interpolated or extrapolated standard level data are noted by the footnote "ISL" printed after the depth. Multiple bottles tripped at the same depth to provide water for ancillary programs are not used in the calculation of standard depth data. Density-related parameters have been calculated from the International Equation of State of Seawater 1980 (UNESCO, 1981, b). Computed values of potential temperature, sigma-theta, specific volume anomaly (SVA), and dynamic height or geopotential anomaly are included with both observed and interpolated standard depth levels.

On stations where primary productivity samples were drawn from six of the rosette bottles, a footnote appears after each productivity depth sampled. The corresponding primary productivity data are reported in a separate section following the tabulated rosette cast data.

### *Primary Productivity Data*

In addition to the normal hydrographic data also reported in the rosette cast data section, the tabulated data include: the *in situ* light levels at which the samples were collected, the uptake from each of the replicate light bottles, uptake 1 and uptake 2, (which have been corrected for dark uptake by subtracting the dark value), the mean of the two uptake values and the dark uptake. The uptake values are totals for the incubation period. Also shown are the times of LAN, civil twilight, and the value of the mean uptake integrated from the surface to the deepest sample, assuming the shallowest value continues to the surface and that negative values (when dark uptake exceeds light uptake) are zero. The uptake data have been presented to two significant digits (values <1.00) or one decimal (values >1.00). Precision of the higher production values may not warrant all of the digits presented. Incubation time, LAN, and civil twilight are given in local Pacific Standard Time (PST); to convert to UTC, add eight hours to the PST time. Incubation light intensities are listed in a footnote at the bottom of each page.

### *Macrozooplankton Data*

Macrozooplankton biomass volumes are tabulated as total biomass volume (cm<sup>3</sup>/1000m<sup>3</sup> strained) and as the total volume minus the volume of larger organisms under the heading "Small." Tow times are given in local PST (+8) time.

## FOOTNOTES

In addition to footnotes, special notations are used without footnotes because the meaning is always the same.

D: CTD salinity value listed in place of normal ship-board salinity analysis.

ISL: After a depth value indicates that this is an interpolated or extrapolated standard level.

U: Uncertain value. Values which are not used in interpolation because they seem to be in error without apparent reason.

## LITERATURE CITED

- Anderson, G. C., compiler, 1971. "Oxygen Analysis," Marine Technician's Handbook, SIO Ref. No. 71-8, Sea Grant Pub. No. 9.
- Atlas, E. L., J. C. Callaway, R. D. Tomlinson, L. I. Gordon, L. Barstow and P. K. Park, 1971. *A Practical Manual for Use of the Technicon<sup>R</sup> AutoAnalyzer\* in Sea Water Nutrient Analysis*; Revised. Oregon State University Technical Report 215, Reference No. 71-22.
- Carpenter, J. H., 1965. The Chesapeake Bay Institute technique for the Winkler dissolved oxygen method. *Limnol. Oceanogr.*, 10: 141-143.
- Carter, D. J. T., 1980. Echo-sounding correction tables. Third Edition. Hydrographic Department, Ministry of Defence, Taunton, U.K., NP 139: 150 pp.
- Fitzwater, S. E., G. A. Knauer and J. H. Martin, 1982. Metal contamination and its effect on primary production measurements. *Limnol. Oceanogr.*, 27: 544-551.
- Holm-Hansen, O., C. J. Lorenzen, R. W. Holmes and J. D. H. Strickland, 1965. Fluorometric determination of chlorophyll. *J. Cons. perm. int. Explor. Mer*, 30: 3-15.
- Klein, H. T., 1973. A new technique for processing physical Oceanographic data. SIO Ref. No. 73-14.
- Kramer, D., M. J. Kalin, E. G. Stevens, J. R. Thraillkill and J. R. Zweifel, 1972. Collecting and processing data on fish eggs and larvae in the California Current region. *NOAA Technical Report NMFS CIRC-370*: 38 pp.
- Lean, D. R. S. and B. K. Burnison, 1979. An evaluation of errors in the <sup>14</sup>C method of primary production measurement. *Limnol. Oceanogr.*, 24: 917-928.
- Reid, J. L. and A. W. Mantyla, 1976. The effect of the geostrophic flow upon coastal sea elevations in the northern North Pacific Ocean. *J. Geophys. Res.*, 81: 3100-3110.
- Saunders, P. M., 1981. Practical conversion of pressure to depth. *J. Phys. Oceanogr.*, 11: 573-574.
- Scripps Institution of Oceanography, University of California, 1991. Physical, Chemical and Biological Data, CalCOFI Cruises 9003 and 9004. SIO Ref. 91-4, 96 pp.
- UNESCO, 1981, a. Background papers and supporting data on the Practical Salinity Scale, 1978. *UNESCO Tech. Pap. in Mar. Sci.*, No. 37.
- UNESCO, 1981, b. Background papers and supporting data on the International Equation of State 1980. *UNESCO Tech. Pap. in Mar. Sci.*, No. 38.
- Venrick, E. L. and T. L. Hayward, 1984. Determining chlorophyll on the 1984 CalCOFI surveys. *CalCOFI Rep.*, Vol. XXV: 74-79.
- Weiss, R. F., 1970. The solubility of nitrogen, oxygen and argon in water and seawater. *Deep-Sea Res.*, 17: 721-735.
- Yentsch, C. S. and D. W. Menzel, 1963. A method for the determination of phytoplankton, chlorophyll and phaeophytin by fluorescence. *Deep-Sea Res.*, 10: TIX-ThX.

PERSONNEL

CalCOFI Cruise 9602

SHIP'S CAPTAIN

James M. Herkelrath, *RV David Starr Jordan*

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

		Participation (Leg)
Dotson, Ronald C. (Chief Scientist)	Fishery Biologist, NMFS	1,2,3
Abramenkoff, Dimitry N.	Fishery Biologist, NMFS	1,2
Fandino, Laura B.	Graduate Student, SIO	3
Flatau, Piotr J.	Assistant Research Physicist, SIO	1
Gruber, Dennis W.	Marine Technician, SIO	1,2,3
Hays, Amy E.	Biological Technician, NMFS	1,2,3
Larson, Amy A.	Lab Assistant, SIO	3
McGinnis, Jean L.	Staff Research Associate, SIO	1,2,3
Mitchell, B. Greg	Associate Research Biologist, SIO	1
Nisly, Barry J.	Development Engineer, SIO	1,2,3
Ramirez, Fernando	Staff Research Associate, SIO	1,2,3
Rathburn, Anthony E.	Post Graduate Researcher, SIO	3
Renger, Edward H.	Staff Research Associate, SIO	1,2,3
Santamaria, Andres P.	Student, UCSD	3
Subramaniam, Ajit	Bio-optical Scientist, NOAA	1
Veit, Richard R.	Research Scientist, University of Washington	1,2,3
Wilkinson, James R.	Programmer/Analyst, SIO	1,2,3

Leg 1: San Diego to Port Hueneme, Ca., 29 Jan.-10 Feb., 1996

Leg 2: Port Hueneme to Port San Luis, Ca., 10 Feb.-14 Feb., 1996

Leg 3: Port San Luis to San Diego, Ca., 14 Feb.-16 Feb., 1996

## FIGURES

### Cruise 9602

1. CalCOFI Cruise 9602, track and station positions.
2. Horizontal distribution of dynamic height anomaly (0 over 500m). In areas shallower than 500 m, the dynamic heights were extrapolated on the basis of the offshore deeper steric height as described in Reid and Mantyla (1976).
3. Horizontal distributions at 10 meters: A) chlorophyll-a; B) potential density; C) temperature; and D) salinity.
4. Horizontal distributions at 200 meters: A) dynamic height anomaly (200 over 500 m); B) potential density; C) temperature; and D) salinity.
5. Sections along CalCOFI line 87 (vertical exaggeration, 1000): A) potential density; B) temperature; C) salinity; D) silicate; E) nitrate; F) phosphate; G) chlorophyll-a; H) oxygen saturation; I) oxygen; J) nitrite; and K) phaeopigments.




FIGURE 1




FIGURE 2




FIGURE 3A




FIGURE 3B




FIGURE 3C




FIGURE 3D






FIGURE 4A




FIGURE 4B




FIGURE 4C




FIGURE 4D

# CALCOFI CRUISE 9602

6 - 8 FEBRUARY 1996

## POTENTIAL DENSITY ( $\sigma_\theta$ ) ALONG CALCOFI LINE 87




FIGURE 5A

DEPTH (m)

## TEMPERATURE ( $^{\circ}\text{C}$ ) ALONG CALCOFI LINE 87




FIGURE 5B

# CALCOFI CRUISE 9602

6 - 8 FEBRUARY 1996

## SALINITY ALONG CALCOFI LINE 87




FIGURE 5C

## SILICATE ( $\mu\text{M/l}$ ) ALONG CALCOFI LINE 87




FIGURE 5D

# CALCOFI CRUISE 9602

6 - 8 FEBRUARY 1996

## NITRATE ( $\mu\text{M/l}$ ) ALONG CALCOFI LINE 87




FIGURE 5E

DEPTH (m)

## PHOSPHATE ( $\mu\text{M/l}$ ) ALONG CALCOFI LINE 87




FIGURE 5F

# CALCOFI CRUISE 9602

6 - 8 FEBRUARY 1996

## CHLOROPHYLL-a ( $\mu\text{g/l}$ ) ALONG CALCOFI LINE 87




FIGURE 5G

DEPTH (m)

## OXYGEN SATURATION (%) ALONG CALCOFI LINE 87




FIGURE 5H



# CALCOFI CRUISE 9602

6 - 8 FEBRUARY 1996

## OXYGEN (m/l) ALONG CALCOFI LINE 87




FIGURE 5I

## NITRITE ( $\mu\text{M/l}$ ) ALONG CALCOFI LINE 87




FIGURE 5J

## PHAEOPIGMENTS ( $\mu\text{g/l}$ ) ALONG CALCOFI LINE 87




FIGURE 5K





LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
34 43i.3 N	121 32.9 W	14/02/96	1056	UTC	937 m	040	05 kn			1020.5 mb	14..4 C	14.0 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/ I	PCT	uM/ I	uM/ l	uM/ I	uM/ I	ug/ I	ug/ I	db	
0 ISL	13.60	13.60	33.285	24.945	300.0	0.000	6.03	101.9	6.8	0.66	3.7	0.12	0.49	0.16		0
1	13.60	13.60	33.285	24.945	300.0	0.003	6.03	101.9	6.8	0.66	3.7	0.12	0.49	0.16		1 220
10	12.86	12.86	33.341	25.136	282.1	0.029	5.86	97.6	6.7	0.71	4.3	0.14	0.55	0.25		10 219
20 ISL	12.00	12.00	33.479	25.409	256.4	0.056	5.13	84.0	10.4	1.03	9.0	0.26	0.64	0.32		20
21	11.91	11.91	33.494	25.438	253.7	0.059	5.04	82.3	10.9	1.07	9.6	0.27	0.64	0.33		21 218
30	11.11	11.11	33.576	25.648	233.8	0.081	4.14	66.5	15.5	1.39	15.1	0.34	0.46	0.34		30 217
40	10.82	10.82	33.642	25.751	224.2	0.104	3.80	60.7	18.2	1.55	17.4	0.37	0.22	0.31		40 216
50	10.52	10.51	33.671	25.827	217.3	0.126	3.54	56.2	20.3	1.66	19.2	0.21	0.15	0.30		50 215
60	10.10	10.09	33.685	25.910	209.6	0.147	3.36	52.8	22.0	1.74	20.8	0.05	0.09	0.23		60 214
70	10.00	9.99	33.765	25.989	202.2	0.168	3.00	47.1	24.2	1.87	22.5	0.03	0.05	0.18		70 213
75 ISL	9.77	9.76	33.770	26.032	198.3	0.178	3.03	47.3	24.7	1.88	22.9	0.03	0.04	0.17		75
85	9.32	9.31	33.770	26.106	191.4	0.197	3.15	48.7	25.6	1.90	23.5	0.02	0.02	0.15		85 212
100 ISL	9.33	9.32	33.839	26.158	186.7	0.225	2.85	44.1	27.9	2.00	24.8	0.01	0.02	0.14		101
101	9.33	9.32	33.843	26.161	186.4	0.227	2.83	43.8	28.1	2.01	24.9	0.01	0.02	0.14		102 211
120	8.90	8.89	33.866	26.248	178.5	0.262	2.93	44.9	29.4	2.02	25.6	0.01	0.01	0.14		121 210
125 ISL	8.91	8.90	33.897	26.271	176.4	0.271	2.79	42.8	30.3	2.07	26.1	0.01	0.01	0.14		126
140	9.02	9.00	33.998	26.333	170.9	0.297	2.30	35.4	33.2	2.22	27.5	0.01	0.02	0.13		141 209
150 ISL	8.97	8.95	34.031	26.367	167.9	0.314	2.17	33.3	34.5	2.27	28.0	0.01	0.02	0.13		151
169	8.77	8.75	34.068	26.428	162.4	0.345	2.04	31.2	37.0	2.34	28.8	0.01	0.01	0.13		170 208
199	8.32	8.30	34.129	26.545	151.7	0.392	1.72	26.1	42.4	2.50	30.9	0.01	0.01	0.09		200 207
200 ISL	8.31	8.29	34.131	26.548	151.4	0.394	1.71	25.9	42.5	2.50	31.0	0.01				201
229	8.19	8.17	34.169	26.597	147.3	0.437	1.43	21.6	46.1	2.60	32.2	0.01				230 206
250 ISL	8.01	7.98	34.182	26.634	144.1	0.468	1.30	19.6	48.8	2.66	33.0	0.00				252
269	7.82	7.79	34.187	26.666	141.3	0.495	1.22	18.3	51.3	2.71	33.7	0.00				271 205
300 ISL	7.51	7.48	34.190	26.714	137.2	0.538	1.12	16.7	55.0	2.79	34.7	0.00				302
319	7.33	7.30	34.192	26.741	134.8	0.564	1.06	15.7	57.2	2.83	35.2	0.00				321 204
377	6.93	6.89	34.219	26.818	128.1	0.640	0.80	11.7	63.4	2.95	36.9	0.00				380 203
400 ISL	6.65	6.61	34.213	26.851	125.1	0.669	0.74	10.8	66.7	3.00	37.8	0.00				403
437	6.21	6.17	34.208	26.905	120.1	0.715	0.65	9.4	72.2	3.07	39.1	0.00				440 202
500 ISL	5.90	5.86	34.275	26.998	111.9	0.788	0.40	5.7	80.4	3.21	40.5	0.00				504
515	5.83	5.79	34.291	27.019	110.0	0.804	0.34	4.9	82.3	3.24	40.8	0.00				519 201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
34 23i.4 N	122 14.6 W	14/02/96	0507	UTC	4013 m	170	05 kn			1021.2 mb	15..7 C	15.2 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/l	PCT	uM/ t	uM/ I	uM/ I	uM/ I	ug/ I	ug/ I	db	
0 ISL	14.97	14.97	33.217	24.605	332.4	0.000	5.94	103.2	3.4	0.37	0.0	0.01	0.28	0.09		0
2	14.97	14.97	33.217	24.605	332.5	0.007	5.94	103.2	3.4	0.37	0.0	0.01	0.28	0.09		2 220
10	14.75	14.75	33.204	24.642	329.1	0.033	5.95	102.9	3.3	0.37	0.0	0.01	0.27	0.10		10 219
20	14.51	14.51	33.226	24.711	322.9	0.066	5.98	103.0	3.3	0.37	0.0	0.01	0.34	0.15		20 218
30	14.28	14.28	33.251	24.779	316.7	0.098	5.99	102.7	3.3	0.37	0.0	0.03	0.69	0.30		30 217
40	14.15	14.14	33.256	24.810	314.0	0.129	5.94	101.5	3.4	0.40	0.2	0.11	0.74	0.34		40 216
50	13.86	13.85	33.264	24.877	307.9	0.160	5.85	99.4	3.6	0.44	0.8	0.11	0.45	0.28		50 215
60	12.87	12.86	33.328	25.126	284.4	0.190	5.36	89.3	5.8	0.68	4.7	0.14	0.21	0.16		60 214
70	11.84	11.83	33.353	25.342	263.9	0.217	4.81	78.4	9.1	0.98	9.7	0.04	0.12	0.12		70 213
75 ISL	11.40	11.39	33.374	25.440	254.8	0.230	4.61	74.4	10.6	1.09	11.5	0.04	0.10	0.11		75
85	10.66	10.65	33.431	25.616	238.1	0.255	4.28	68.0	13.7	1.28	14.5	0.03	0.07	0.09		85 212
100 ISL	9.91	9.90	33.553	25.839	217.1	0.289	3.79	59.3	18.7	1.56	19.0	0.02	0.02	0.05		100
101	9.87	9.86	33.561	25.852	215.9	0.291	3.76	58.8	19.0	1.58	19.3	0.02	0.02	0.05		101 211
120	9.26	9.25	33.671	26.039	198.5	0.331	3.62	55.9	22.9	1.71	21.6	0.01	0.01	0.01		121 210
125 ISL	9.14	9.13	33.696	26.077	194.9	0.340	3.58	55.1	23.8	1.74	22.2	0.01	0.01	0.01		126
139	8.84	8.83	33.759	26.174	185.9	0.367	3.47	53.1	26.2	1.83	23.6	0.01	0.00	0.03		140 209
150 ISL	8.63	8.61	33.806	26.244	179.4	0.387	3.42	52.1	27.9	1.88	24.4	0.01	0.00	0.03		151
170	8.30	8.28	33.877	26.350	169.6	0.422	3.31	50.1	30.9	1.95	25.6	0.01	0.00	0.03		171 208
199	7.93	7.91	33.938	26.453	160.2	0.470	3.02	45.3	35.4	2.08	27.6	0.01	0.00	0.03		200 207
200 ISL	7.93	7.91	33.941	26.456	160.0	0.472	3.00	45.0	35.6	2.09	27.7	0.01				201
229	7.78	7.76	34.010	26.532	153.2	0.517	2.45	36.6	40.3	2.26	29.9	0.01				230 206
250 ISL	7.49	7.47	34.016	26.579	149.0	0.549	2.42	35.9	43.3	2.33	30.8	0.01				251
269	7.19	7.16	34.009	26.616	145.7	0.577	2.39	35.3	46.0	2.37	31.5	0.01				271 205
300 ISL	6.82	6.79	34.010	26.667	141.0	0.621	2.25	32.9	50.4	2.45	32.8	0.00				302
318	6.63	6.60	34.013	26.695	138.5	0.646	2.13	31.0	53.3	2.50	33.6	0.00				320 204
377	5.98	5.95	34.043	26.803	128.7	0.725	1.47	21.1	65.7	2.79	37.4	0.00				379 203
400 ISL	5.79	5.76	34.066	26.845	124.8	0.754	1.23	17.6	70.1	2.89	38.6	0.00				403
438	5.54	5.50	34.107	26.908	119.1	0.801	0.88	12.5	76.9	3.03	40.2	0.00				441 202
500 ISL	5.23	5.19	34.167	26.993	111.6	0.872	0.56	7.9	86.2	3.19	41.8	0.00				503
517	5.14	5.10	34.183	27.016	109.5	0.891	0.47	6.6	88.8	3.23	42.2	0.00				521 201









Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD, AMT, TYPE. Includes depth data from 0 to 512 meters.

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD, AMT, TYPE. Includes depth data from 0 to 571 meters.

A) SANTA BARBARA BASIN STATION.

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD, AMT, TYPE. Includes depth data from 0 to 31 meters.

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD, AMT, TYPE. Includes data rows from 0 to 120 depth.

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD, AMT, TYPE. Includes data rows from 0 to 86 depth.

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD, AMT, TYPE. Includes data rows from 0 to 517 depth.

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.





Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD, AMT, TYPE. Includes data rows from 32 5\* .5 N to 516 5.76

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD, AMT, TYPE. Includes data rows from 32 3<.9 N to 516 6.19

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.







LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPI
32 59.1 N	120 20.6 W	07/02/96	0411	UTC	728 m	340	18 kn			1021.8 mb	16.3 C	15.0 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	S103	P04	N03	N02	CHL-A	PHAEO	PRES	SAKF
in	DEG C	DEG C		THETA			ml/l	PCT	uM/l	uM/l	uM/l	uM/l	ug/l	ug/l	db	
0 ISL	15.18	15.18	33.349	24.661	327.1	0.000	5.81	101.5	2.6	0.33	0.0	0.01	0.35	0.14	0	
2	15.18	15.18	33.349	24.661	327.1	0.007	5.81	101.5	2.6	0.33	0.0	0.01	0.35	0.14	2	22!
10	15.19	15.19	33.349	24.659	327.5	0.033	5.80	101.3	2.5	0.32	0.0	0.01	0.35	0.14	10	21!
20	15.09	15.09	33.352	24.684	325.5	0.065	5.81	101.3	2.3	0.33	0.0	0.01	0.40	0.17	20	21!
30	14.31	14.31	33.351	24.850	309.9	0.097	5.94	101.9	3.1	0.36	0.2	0.04	0.85	0.40	30	21!
40	14.16	14.15	33.358	24.887	306.7	0.128	5.89	100.8	3.1	0.39	0.6	0.08	0.73	0.37	40	21!
50	13.77	13.76	33.411	25.009	295.3	0.158	5.87	99.7	3.5	0.46	1.4	0.16	0.52	0.33	50	21!
60	13.52	13.51	33.425	25.071	289.7	0.187	5.82	98.3	3.6	0.51	2.0	0.23	0.33	0.26	60	21!
69	13.20	13.19	33.404	25.119	285.3	0.213	5.62	94.3	4.5	0.60	3.4	0.21	0.20	0.20	69	21!
75 ISL	12.82	12.81	33.435	25.219	276.0	0.230	5.40	89.9	6.2	0.74	5.4	0.26	0.15	0.18	75	
85	12.13	12.12	33.506	25.407	258.2	0.257	4.95	81.2	9.6	1.00	9.2	0.31	0.10	0.16	85	21!
100	11.38	11.37	33.544	25.576	242.4	0.294	4.19	67.7	13.8	1.25	14.1	0.07	0.07	0.14	100	21!
119	10.54	10.53	33.644	25.804	221.1	0.338	3.68	58.4	18.7	1.52	18.2	0.05	0.08	0.15	120	21!
125 ISL	10.34	10.33	33.713	25.892	212.8	0.351	3.36	53.1	21.2	1.65	19.9	0.04	0.07	0.14	126	21!
141	9.81	9.79	33.885	26.116	191.7	0.384	2.62	41.0	27.6	1.97	24.1	0.02	0.05	0.12	142	20!
150 ISL	9.41	9.39	33.903	26.196	184.2	0.401	2.74	42.5	29.5	1.98	25.3	0.02	0.04	0.11	151	21!
169	8.60	8.58	33.897	26.320	172.6	0.435	3.00	45.7	31.9	1.99	26.5	0.02	0.02	0.09	170	20!
199	7.85	7.83	33.956	26.479	157.7	0.484	3.17	47.5	35.5	2.01	27.2	0.02	0.01	0.05	200	20!
200 ISL	7.84	7.82	33.958	26.482	157.4	0.486	3.16	47.3	35.6	2.01	27.3	0.02			201	
228	7.57	7.55	33.998	26.553	151.1	0.529	2.76	41.1	40.3	2.17	29.3	0.01			229	20!
250 ISL	7.29	7.27	34.012	26.604	146.5	0.562	2.51	37.1	44.5	2.29	30.8	0.01			251	21!
268	7.07	7.04	34.021	26.642	143.1	0.588	2.31	34.0	47.9	2.38	32.0	0.01			270	20!
300 ISL	6.77	6.74	34.043	26.700	137.9	0.633	1.87	27.3	52.9	2.55	33.8	0.01			302	20!
318	6.66	6.63	34.061	26.729	135.3	0.657									320	20!
378	6.64	6.61	34.171	26.819	127.7	0.736	0.93	13.6	64.3	2.90	37.3	0.01			380	20!
400 ISL	6.46	6.42	34.190	26.858	124.3	0.764	0.79	11.5	67.9	2.98	38.2	0.01			403	
437	6.11	6.07	34.212	26.921	118.5	0.809	0.61	8.8	73.7	3.08	39.5	0.01			440	20!
500 ISL	5.79	5.75	34.245	26.988	112.7	0.882	0.43	6.1	80.3	3.17	40.7	0.01			503	
511	5.74	5.70	34.251	26.999	111.8	0.894	0.40	5.7	81.5	3.18	40.9	0.01			515	20!

\* 1  
& 1

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPI
32 39.4 N	121 2.0 W	07/02/96	1111	UTC	3789 m	340	17 kn			1020.9 mb	16.0 C	15.0 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	S103	P04	N03	N02	CHL-A	PHAEO	PRES	SAKF
in	DEG C	DEG C		THETA			ml/l	PCT	uM/l	uM/l	uM/l	uM/l	ug/l	ug/l	db	
0 ISL	15.98	15.98	33.331	24.469	345.3	0.000	5.70	101.2	2.5	0.29	0.1	0.00	0.13	0.05	0	
3	15.98	15.98	33.331	24.470	345.4	0.010	5.70	101.2	2.5	0.29	0.1	0.00	0.13	0.05	3	22!
10 ISL	15.98	15.98	33.331	24.470	345.6	0.035	5.71	101.3	2.5	0.29	0.1	0.00	0.13	0.04	10	
16	15.99	15.99	33.330	24.467	346.0	0.055	5.71	101.3	2.4	0.29	0.1	0.00	0.13	0.04	16	21!
20 ISL	15.99	15.99	33.330	24.467	346.1	0.069	5.71	101.3	2.4	0.29	0.1	0.00	0.13	0.04	20	
30	15.99	15.99	33.331	24.468	346.4	0.104	5.70	101.2	2.4	0.29	0.1	0.00	0.13	0.05	30	21!
46	15.37	15.36	33.368	24.635	330.9	0.158	5.76	101.0	2.5	0.31	0.1	0.00	0.29	0.19	46	21?
50 ISL	15.27	15.26	33.387	24.672	327.5	0.171	5.77	101.0	2.5	0.31	0.1	0.00	0.32	0.21	50	
56	15.05	15.04	33.406	24.735	321.7	0.191	5.79	100.9	2.7	0.31	0.1	0.01	0.37	0.25	56	21!
66	14.20	14.19	33.368	24.887	307.4	0.222	5.80	99.3	3.3	0.35	0.4	0.07	0.54	0.38	66	21!
75	13.63	13.62	33.445	25.065	290.7	0.249	5.48	92.8	4.2	0.48	2.6	0.04	0.32	0.27	75	214
84	12.21	12.20	33.314	25.243	273.8	0.274	5.16	84.7	6.7	0.73	6.3	0.02	0.18	0.17	84	213
93	11.63	11.62	33.361	25.388	260.1	0.298	4.91	79.7	8.8	0.91	9.2	0.02	0.09	0.11	93	212
100 ISL	11.08	11.07	33.411	25.527	247.0	0.316	4.65	74.6	11.4	1.08	12.0	0.02	0.06	0.08	100	
112	10.19	10.18	33.522	25.768	224.1	0.344	4.15	65.3	16.5	1.38	16.8	0.01	0.03	0.05	113	211
125 ISL	9.57	9.56	33.673	25.990	203.3	0.372	3.62	56.3	21.6	1.65	21.0	0.01	0.01	0.03	126	
130	9.41	9.40	33.726	26.057	196.9	0.382	3.44	53.3	23.3	1.73	22.2	0.01	0.01	0.03	131	210
146	9.19	9.17	33.815	26.163	187.2	0.413	3.16	48.7	26.6	1.87	24.2	0.01	0.00	0.03	147	20!
150 ISL	9.14	9.12	33.833	26.185	185.2	0.420	3.10	47.8	27.2	1.90	24.5	0.01	0.00	0.03	151	
171	8.88	8.86	33.906	26.284	176.1	0.458	2.89	44.3	29.8	2.00	25.8	0.01	0.00	0.03	172	20!
200	8.44	8.42	33.963	26.397	165.8	0.508	2.86	43.4	33.4	2.08	27.0	0.01	0.00	0.02	201	20?
227	7.98	7.96	33.996	26.492	157.1	0.551	2.82	42.4	37.2	2.13	28.1	0.01			228	206
250 ISL	7.56	7.54	33.993	26.551	151.7	0.587	2.83	42.1	40.3	2.16	29.0	0.01			251	
268	7.26	7.23	33.989	26.590	148.1	0.614	2.83	41.8	42.9	2.20	29.8	0.01			270	20!
300 ISL	6.98	6.95	34.017	26.651	142.7	0.661	2.39	35.1	48.6	2.37	32.1	0.01			302	
322	6.84	6.81	34.042	26.690	139.2	0.692	2.00	29.3	52.9	2.51	33.8	0.01			324	204
376	6.32	6.29	34.092	26.799	129.4	0.764	1.31	18.9	64.3	2.81	37.2	0.01			378	20!
400 ISL	6.10	6.06	34.117	26.847	125.0	0.795	1.08	15.5	69.4	2.92	38.4	0.01			403	
427	5.89	5.85	34.147	26.897	120.4	0.828	0.86	12.3	74.5	3.03	39.6	0.01			430	20!
500 ISL	5.69	5.65	34.236	26.993	112.2	0.913	0.47	6.7	82.4	3.18	41.0	0.01			503	
514	5.65	5.61	34.253	27.011	110.5	0.928	0.40	5.7	83.9	3.21	41.3	0.01			517	20!









LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 11.2 N	118 23.1 W	05/02/96	0659	UTC	1176 m	310	08 kn			1025.9 mb	16.0 C	15.8 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/l	PCT	uM/l	uM/l	uM/l	uM/l	ug/l	ug/l	db	
0 ISL	15.03	15 .03	33.395	24.729	320.6	0.000	5 .82	101.4	3.3	0.32	0.1	0.00	0.26	0.16	0	
1	15 .03	15 .03	33.395	24.729	320.6	0.003	5.82	101.4	3.3	0.32	0.1	0.00	0.26	0.16	1	220
10	15 .02	15.02	33.394	24.731	320.7	0.032	5 .82	101.4	2.7	0.32	0.1	0.00	0.28	0.16	10	219
20 ISL	14.96	14.96	33.399	24.748	319.4	0.064	5 .83	101 .4	3.0	0.31	0.0	0.00	0.39	0.24	20	
21	14.95	14.95	33.399	24.750	319.2	0.067	5 .83	101 .4	3.0	0.31	0.0	0.00	0.41	0.25	21	218
30 ISL	14.69	14.69	33.414	24.818	313.0	0.096	5.79	100.2	3.2	0.33	0.0	0.02	0.56	0.31	30	
31	14.64	14.64	33.416	24.830	311.9	0.099	5.79	100.1	3.2	0.33	0.0	0.02	0.58	0.32	31	217
40	13.89	13.88	33.435	25.002	295 .7	0.126	5.31	90.4	5 .1	0.54	2.7	0.24	0.62	0.37	40	21*
50	13.03	13.02	33.471	25.205	276.7	0.155	4.84	80.9	7.6	0.81	6.3	0.13	0.45	0.39	50	215
61	12.52	12.51	33.520	25.343	263.8	0.185	4.36	72.2	10.2	0.99	9.7	0.05	0.29	0.28	61	214
70	12.03	12.02	33.553	25.462	252.6	0.208	4.12	67.5	12.1	1.13	12.0	0.02	0.18	0.20	70	213
75 ISL	11 .82	11 .81	33.569	25.514	247.8	0.220	4.01	65.4	13.0	1 .20	13.1	0.02	0.14	0.16	75	
86	11 .37	11 .36	33.609	25.628	237.1	0.247	3.78	61 .1	15.3	1 .35	15.5	0.01	0.09	0.11	86	21!
100	10.65	10.64	33.681	25.813	219.8	0.279	3.40	54.1	19.4	1 .58	18.8	0.01	0.04	0.09	100	211
120	10.14	10.13	33.774	25.974	204.8	0.321	3.06	48.2	23.2	1 .79	21 .6	0.01	0.01	0.06	121	210
125 ISL	10.06	10.05	33.788	25.998	202.6	0.332	3.01	47.3	23.7	1 .82	22.0	0.01	0.01	0.06	126	
140	9.87	9.85	33.832	26.065	196.6	0.361	2.87	44.9	25.3	1 .90	23.0	0.00	0.01	0.06	141	209
150 ISL	9.79	9.77	33.895	26.128	190.8	0.381	2.64	41 .3	27.2	1 .99	24.1	0.00	0.01	0.06	151	
169	9.60	9.58	34.015	26.253	179.3	0.416	2.24	34.9	31 .0	2.15	26.2	0.00	0.00	0.05	170	208
199	8.97	8.95	34.092	26.416	164.3	0.468	2.20	33.8	35 .0	2.23	27.8	0.00	0.00	0.04	200	207
200 ISL	8.97	8.95	34.095	26.418	164.0	0.469	2.19	33.7	35.1	2.23	27.8	0.00			201	
229	8.90	8.88	34.171	26.489	157.9	0.516	1 .80	27.6	38.2	2.37	29.1	0.00			230	206
250 ISL	8.65	8.62	34.195	26.547	152.7	0.548	1 .55	23.7	41 .8	2.48	30.5	0.00			251	
268	8.38	8.35	34.204	26.596	148.2	0.576	1 .37	20.8	45.2	2.57	31 .7	0.00			270	205
300 ISL	7.94	7.91	34.216	26.672	141.4	0.622	1.17	17.6	50.3	2.69	33.2	0.00			302	
318	7.72	7.69	34.220	26.707	138.2	0.647	1 .10	16.4	52.9	2.74	33.8	0.00			320	204
378	7.24	7.20	34.234	26.787	131.3	0.728	0.87	12.9	59.4	2.88	35.6	0.00			380	203
400 ISL	7.04	7.00	34.240	26.820	128.4	0.757	0.77	11.3	62.4	2.93	36.4	0.00			403	
436	6.72	6.68	34.253	26.874	123.6	0.802	0.61	8.9	67.3	3.02	37.6	0.00			439	202
500 ISL	6.33	6.28	34.283	26.950	117.0	0.879	0.43	6.2	74.1	3.13	39.1	0.00			503	
514	6.24	6.19	34.290	26.967	115.5	0.895	0.39	5.6	75.6	3.16	39.4	0.00			518	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 55.2 N	118 55.7 W	05/02/96	0141	UTC	1700 m	290	05 kn	290 04 05i	1	1024.5 mb	16.6 C	15.9 C		3/8		CI
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/l	PCT	uM/l	uM/l	uM/l	uM/l	ug/l	ug/l	db	
0 ISL	15.32	15.32	33.443	24.703	323.1	0.000	5.82	102.0	2.8	0.30	0.0	0.00	0.29	0.10	0	
1	15.36	15.36	33.443	24.694	323.9	0.003									1	221
1	15.32	15.32	33.443	24.703	323.1	0.003									1	220
10	15.01	15.01	33.441	24.769	317.1	0.032	5.83	101.5	2.8	0.30	0.0	0.00	0.29	0.15	10	219
20	14.98	14.98	33.441	24.776	316.7	0.064	5.83	101 .5	2.8	0.30	0.0	0.00	0.33	0.16	20	218
30 ISL	14.97	14.97	33.445	24.781	316.5	0.095	5.83	101.5	2.7	0.30	0.0	0.00	0.38	0.19	30	
31	14.97	14.97	33.445	24.782	316.5	0.099	5 .83	101.5	2.7	0.30	0.0	0.00	0.38	0.19	31	217
40	14.52	14.51	33.464	24.893	306.1	0.127	5 .53	95.4	3.9	0.45	2.0	0.08	0.62	0.37	40	214
50	12.16	12.15	33.481	25.381	259.8	0.155	4.50	73.9	10.2	1 .01	10.4	0.08	0.39	0.33	50	211
60	11 .81	11 .80	33.515	25.473	251.2	0.180	4.30	70.1	11.6	1.13	12.2	0.05	0.24	0.27	60	214
70	11 .43	11 .42	33.557	25.576	241 .6	0.205	4.05	65.5	13.6	1 .25	14.1	0.04	0.21	0.25	70	213
75 ISL	11.24	11.23	33.575	25.625	237.1	0.217	3.95	63.6	14.5	1 .31	15.0	0.03	0.18	0.23	75	
86	10.81	10.80	33.626	25.742	226.2	0.243	3.71	59.2	16.8	1 .45	17.2	0.02	0.11	0.17	86	21!
100	10.27	10.26	33.732	25.918	209.7	0.273	3.25	51 .3	21 .3	1 .68	20.4	0.01	0.03	0.07	100	211
120	9.94	9.93	33.876	26.087	194.0	0.313	2.59	40.6	26.7	1 .97	23.9	0.01	0.01	0.05	121	210
125 ISL	9.90	9.89	33.903	26.115	191 .5	0.323	2.48	38.9	27.5	2.02	24.5	0.01	0.01	0.05	126	
140	9.83	9.81	33.968	26.178	185.9	0.351	2.24	35 .1	29.4	2.12	25.7	0.00	0.01	0.05	141	209
150 ISL	9.77	9.75	33.998	26.211	182.9	0.370	2.16	33.8	30.3	2.17	26.3	0.00	0.01	0.05	151	
170	9.65	9.63	34.055	26.276	177.1	0.406	2.01	31 .4	31.9	2.22	27.1	0.00	0.00	0.04	171	208
199	8.71	8.69	34.024	26.403	165.3	0.455	2.43	37.1	34.6	2.16	27.6	0.00	0.00	0.03	200	207
200 ISL	8.69	8.67	34.025	26.407	165.0	0.457	2.43	37.1	34.7	2.16	27.6	0.00			201	
229	8.35	8.33	34.076	26.500	156.6	0.504	2.21	33.5	39.0	2.28	29.2	0.00			230	206
250 ISL	8.10	8.07	34.094	26.552	151.9	0.536	2.06	31 .0	41 .9	2.36	30.2	0.00			251	
268	7.90	7.87	34.109	26.593	148.2	0.563	1 .90	28.5	44.5	2.43	31 .1	0.00			270	20!
300 ISL	7.66	7.63	34.170	26.676	140.8	0.609	1 .40	20.9	50.6	2.63	33.1	0.00			302	
319	7.53	7.50	34.206	26.724	136.6	0.636	1.11	16.5	54.3	2.75	34.2	0.00			321	204
378	7.00	6.96	34.236	26.822	127.8	0.714	0.75	11.0	63.0	2.93	36.3	0.00			380	20!
400 ISL	6.80	6.76	34.242	26.854	125.0	0.742	0.67	9.8	66.0	2.98	37.1	0.00			403	
437	6.50	6.46	34.254	26.904	120.6	0.787	0.56	8.1	70.8	3.05	38.2	0.00			440	202
500 ISL	6.14	6.10	34.297	26.985	113.4	0.861	0.37	5.3	77.7	3.16	39.5	0.00			503	
514	6.06	6.01	34.307	27.003	111.8	0.876	0.33	4.7	79.2	3.19	39.8	0.00			518	201







Table with columns: LATITUDE, LONGITUDE, DAY/HO/YR, TIME, 80TT0H, WIND, SPEED, WAVES, WEA, BAROHETER, DRY, WET, SECCHI/FOREL, CLD, AMT, TYPE. Includes data for depths 0 to 523m.

Table with columns: LATITUDE, LONGITUDE, DAY/HO/YR, TIME, 80TT0H, WIND, SPEED, WAVES, WEA, BAROHETER, DRY, WET, SECCHI/FOREL, CLD, AMT, TYPE. Includes data for depths 0 to 512m.













Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD, AMT, TYP. It contains a detailed log of oceanographic data including depth, temperature, salinity, and sigma-t values.

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD, ANT, TYPE. It contains a detailed log of oceanographic data for station 100, including depth, temperature, salinity, and sigma-t values.



PRIMARY PRODUCTIVITY CASTS

RV DAVID STARR JORDAN

CALCOFI CRUISE 9602

STATION 77 51

LATITUDE	LONGITUDE	DAY/HO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE
35 1.0 N	120 55.0 W	14/ 2/96	1818 UTC	7 m	07	1218 - 1809 PST	1218 PST	1809 PST	714.8 mg C/m <sup>2</sup>

DEPTH	TEHP	SALINITY	SIGMA	DISS	O2	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	ml/l	PCT		uH/l	uH/ I	uH/ I	uH/ I	ug/l	ug/l	PCT	1	2	MEAN	DARK
2	13.00	33.413	25.164	5.88	98.3	8.9	0.80	6.1	0.17	2.45	0.47	64. A	51.9	54.3	53.1	0.19	
5	12.95	33.414	25.175	5.86	97.8	8.8	0.80	6.1	0.17	2.45	0.65	33.	63.1	64.7	63.9	0.22	
9	12.89	33.425	25.195	5.86	97.7	8.8	0.81	6.1	0.17	2.58	0.68	14.	45.0	44.3	44.7	0.20	
14	12.70	33.426	25.234	5.68	94.3	9.2	0.86	6.8	0.21	1.95	0.66	4.6	15.4	16.0	15.7	0.09	
19	12.53	33.432	25.271	5.52	91.3	10.0	0.93	7.5	0.25	1.53	0.66	1.6	4.3	4.0	4.2	0.09	
26	12.11	33.515	25.416	5.03	82.5	11.7	1.10	9.1	0.33	0.56	0.67	0.33	0.11	0.12	0.12	0.08	

RV DAVID STARR JORDAN

CALCOFI CRUISE 9602

STATION 77 90

LATITUDE	LONGITUDE	DAY/HO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE
33 43.1 N	123 37.6 W	13/ 2/96	1831 UTC	56 m	01	1226 - 1817 PST	1228 PST	1817 PST	131.2 mg C/m <sup>2</sup>

DEPTH	TEHP	SALINITY	SIGMA	DISS	O2	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	ml/l	PCT		uH/l	uH/ I	uH/ I	uH/ I	ug/l	ug/l	PCT	1	2	MEAN	DARK
2	16.97	33.390	24.287	5.59	101.2	3.2	0.27	0.1	0.00	0.07	0.02	95. A	0.73	0.85	0.79	0.04	
19	16.87	33.390	24.311	5.60	101.2	3.2	0.27	0.1	0.00	0.08	0.02						
37	16.88	33.400	24.317	5.58	100.8	3.2	0.26	0.1	0.00	0.09	0.03	36.	0.95	1.0	0.97	0.08	
50	16.88	33.407	24.323	5.57	100.6	3.2	0.26	0.1	0.00	0.11	0.04						
61	15.99	33.418	24.536	5.68	100.9	3.3	0.28	0.1	0.00	0.17	0.10						
73	14.29	33.291	24.809	5.91	101.3	3.5	0.33	0.2	0.03	0.26	0.21	14.	1.9	1.9	1.9	0.05	
84	13.38	33.270	24.980	5.88	98.9	3.7	0.35	0.1	0.11	0.30	0.23						
95	12.71	33.256	25.102	5.80	96.2	4.1	0.43	1.0	0.08	0.25	0.21						
103	12.48	33.323	25.199	5.48	90.5	5.5	0.56	3.3	0.02	0.15	0.15						
113	11.80	33.347	25.346	5.38	87.6	6.3	0.65	5.0	0.02	0.09	0.09	4.5	0.21	0.19	0.20	0.03	
124	11.31	33.353	25.441	5.24	84.4	7.9	0.76	7.0	0.01	0.06	0.08						
136	10.29	33.464	25.707	4.78	75.4	12.9	1.10	12.7	0.01	0.02	0.04						
150	9.66	33.521	25.857	4.61	71.7	15.4	1.25	15.0	0.01	0.02	0.04	1.6	0.04	0.03	0.03	0.02	
181	8.77	33.741	26.172	3.91	59.7	24.5	1.69	22.0	0.01	0.00	0.02						
211	8.21	33.870	26.359	3.59	54.2	30.1	1.86	24.9	0.00			0.31	0.00	0.00	0.00	0.01	

RV DAVID STARR JORDAN

CALCOFI CRUISE 9602

STATION 80 51

LATITUDE	LONGITUDE	DAY/HO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE
34 26.9 N	120 31.3 W	11/ 2/96	1829 UTC	9 m	05	1215 - 1809 PST	1216 PST	1808 PST	391.7 mg C/m <sup>2</sup>

DEPTH	TEHP	SALINITY	SIGMA	DISS	O2	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	ml/l	PCT		uH/l	uH/ I	uH/ I	uH/ I	ug/l	ug/ I	PCT	1	2	MEAN	DARK
1	14.48	33.425	24.870	5.99	103.2	2.9	0.44	1.2	0.06	1.05	0.28	84. A	19.1	19.2	19.2	0.14	
7	14.16	33.425	24.938	6.00	102.7	2.9	0.44	1.2	0.06	1.17	0.49	30.	26.0	25.3	25.6	0.14	
13	14.07	33.424	24.956	5.99	102.3	3.2	0.46	1.4	0.07	1.32	0.31	11.1	17.0	17.9	17.5	0.15	
18	13.94	33.428	24.986	6.02	102.6	3.3	0.49	1.5	0.09	1.27	0.40	4.6	8.2	7.9	8.0	0.13	
24	13.65	33.434	25.051	6.02	102.0	4.2	0.54	2.3	0.12	1.32	0.45	1.7	2.6	2.6	2.6	0.13	
34	13.55	33.435	25.072	5.97	100.9	4.2	0.54	2.5	0.12	1.29	0.40	0.30	0.06	0.06	0.06	0.11	

RV DAVID STARR JORDAN

CALCOFI CRUISE 9602

STATION 80 80

LATITUDE	LONGITUDE	DAY/HO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE
33 28.7 N	122 35.5 W	12/ 2/96	1813 UTC	32 m	02	1224 - 1822 PST	1224 PST	1822 PST	145.2 mg C/m <sup>2</sup>

DEPTH	TEHP	SALINITY	SIGMA	DISS	O2	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	ml/ I	PCT		uH/l	uH/ I	uH/ I	uH/ I	ug/l	ug/l	PCT	1	2	MEAN	DARK
3	16.75	33.368	24.322	5.60	100.9	2.8	0.27	0.0	0.00	0.10	0.04	87. A	0.78	0.72	0.75	0.07	
11	16.74	33.366	24.323	5.60	100.9	2.8	0.27	0.0	0.00	0.11	0.03						
21	16.69	33.361	24.331	5.62	101.2	2.8	0.26	0.0	0.00	0.11	0.03	37.	1.5	1.4	1.5	0.08	
32	16.55	33.339	24.347	5.63	101.0	2.8	0.27	0.0	0.00	0.13	0.04						
43	15.97	33.195	24.369	5.70	101.0	2.7	0.30	0.0	0.00	0.15	0.07	13.	1.8	1.7	1.8	0.06	
54	15.57	33.110	24.393	5.76	101.2	2.7	0.31	0.0	0.00	0.21	0.08						
65	15.15	33.123	24.496	5.82	101.4	2.7	0.33	0.0	0.00	0.27	0.18	4.4	1.6	1.8	1.7	0.04	
75	14.02	33.287	24.862	5.99	102.1	3.1	0.33	0.0	0.01	0.29	0.26						
86	13.38	33.323	25.021	5.88	99.0	3.2	0.35	0.1	0.20	0.33	0.27	1.6	1.1	1.1	1.1	0.03	
96	12.73	33.268	25.107	5.82	96.6	3.6	0.40	0.7	0.06	0.22	0.29						
106	12.42	33.301	25.193	5.57	91.9	4.8	0.51	2.7	0.02	0.14	0.14						
114	12.37	33.403	25.282	5.42	89.3	5.5	0.58	4.2	0.02	0.09	0.11						
119	12.73	33.574	25.345	5.29	88.0	5.8	0.57	4.5	0.02	0.07	0.08	0.33	0.03	0.02	0.02	0.02	

A) INCUBATION LIGHT INTENSITIES WERE 93, 37, 13, 4.5, 1.6, 0.30 PERCENT RESPECTIVELY.

PRIMARY PRODUCTIVITY CASTS

RV DAVID STARR JORDAN

CALCOFI CRUISE 9602

STATION 83 55

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE								
33 45.0 N	120 25.8 W	10/ 2/96	1914 UTC	14 m	03	1214 - 1802 PST	1216 PST	1802 PST	616.2 mg C/m <sup>2</sup>								
DEPTH	TEMP	SALINITY	SIGMA	DISS	O <sub>2</sub>	OXY	S103	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE	C mg C / (m <sup>3</sup> )		
	DEG C		THETA	m l / l	PCT	uM / l	uM / l	uM / l	uM / l	uM / l	ug / l	ug / l	PCT	1	2	MEAN	DARK
2	13.72	33.452	25.049	6.12	103.8	1.8	0.44	1.4	0.07	1.49	0.51	80. A	19.8	19.3	19.5	0.12	
9	13.52	33.453	25.091	6.13	103.6	1.8	0.44	1.4	0.08	1.63	0.77	37.	32.0	30.1	31.0	0.17	
19	13.13	33.459	25.175	5.80	97.2	4.5	0.61	3.7	0.16	1.59	0.84	12.	17.7	18.2	18.0	0.11	
29	12.80	33.476	25.253	5.49	91.4	6.7	0.76	5.8	0.21	0.96	0.80	4.2	5.8	5.7	5.8	0.07	
38	11.90	33.529	25.467	4.71	76.9	11.1	1.08	10.9	0.28	0.41	0.47	1.6	0.84	0.84	0.84	0.05	
45	11.49	33.552	25.561	4.38	70.9	13.1	1.23	13.2	0.27	0.33	0.37						
53	11.03	33.580	25.666	4.07	65.3	15.2	1.34	15.3	0.18	0.20	0.33	0.30	0.03	0.04	0.03	0.04	

RV DAVID STARR JORDAN

CALCOFI CRUISE 9602

STATION 83 90

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE								
32 34.9 N	122 49.1 W	9/ 2/96	1841 UTC	41 m	01	1224 - 1813 PST	1225 PST	1813 PST	135.4 mg C/m <sup>2</sup>								
DEPTH	TEMP	SALINITY	SIGMA	DISS	O <sub>2</sub>	OXY	S103	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE	t mg C / (m <sup>3</sup> )		
m	DEG C		THETA	m l / L	PCT	uM / l	uM / l	uM / l	uM / l	uM / l	ug / l	ug / l	PCT	1	2	MEAN	DARK
2	16.09	33.262	24.392	5.70	101.3	2.5	0.29	0.0	0.00	0.10	0.03	93. A	1.6	1.5	1.5	0.05	
15	16.06	33.273	24.407	5.69	101.1	2.5	0.28	0.0	0.00	0.11	0.03						
27	16.04	33.310	24.441	5.69	101.1	2.5	0.28	0.0	0.00	0.12	0.03	36.	1.3	1.3	1.3	0.07	
40	16.00	33.311	24.451	5.69	101.0	2.5	0.28	0.0	0.00	0.12	0.06						
54	15.96	33.317	24.465	5.70	101.1	2.5	0.28	0.0	0.00	0.17	0.05	13.	1.0	0.96	0.99	0.06	
68	15.74	33.318	24.516	5.71	100.8	2.5	0.28	0.0	0.00	0.22	0.07						
83	15.43	33.304	24.574	5.73	100.5	2.5	0.30	0.0	0.00	0.41	0.21	4.5	1.3	1.4	1.4	0.01	
93	13.60	33.250	24.920	5.66	95.6	3.7	0.44	1.3	0.08	0.43	0.36						
102	12.74	33.246	25.089	5.59	92.8	4.5	0.51	2.6	0.03	0.29	0.26						
110	12.02	33.271	25.246	5.36	87.6	5.9	0.65	4.8	0.02	0.18	0.19	1.6	0.36	0.35	0.36	0.01	
125	11.71	33.430	25.427	4.96	80.6	8.3	0.84	8.2	0.01	0.09	0.10						
144	10.77	33.551	25.692	4.60	73.3	12.2	1.09	12.6	0.01	0.04	0.06						
155	9.91	33.610	25.885	4.24	66.4	16.1	1.32	16.2	0.01	0.02	0.04	0.30	0.00	0.00	0.00	0.01	

RV DAVID STARR JORDAN

CALCOFI CRUISE 9602

STATION 87 50

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE								
33 19.1 N	119 39.9 W	6/ 2/96	1847 UTC	16 m	04	1210 - 1801 PST	1213 PST	1802 PST	349.8 mg C/m <sup>2</sup>								
DEPTH	TEMP	SALINITY	SIGMA	DISS	O <sub>2</sub>	OXY	S103	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE	C mg C / (m <sup>3</sup> )		
m	DEG C		THETA	m l / l	PCT	uM / l	uM / l	uM / l	uM / l	uM / l	ug / l	ug / l	PCT	1	2	MEAN	DARK
2	14.32	33.369	24.861	5.86	100.6	3.6	0.43	1.1	0.05	0.68	0.28	83. A	7.9	8.1	8.0	0.07	
10	14.29	33.369	24.867	5.87	100.7	3.5	0.43	1.1	0.05	0.68	0.29	38.	13.5	14.6	14.1	0.07	
21	13.52	33.423	25.068	5.77	97.5	4.6	0.57	3.0	0.12	0.72	0.45	13.	9.9	10.0	10.0	0.05	
33	12.48	33.532	25.359	4.91	81.2	9.1	0.92	8.2.	0.17	0.57	0.68	4.2	3.2	3.5	3.4	0.05	
43	11.84	33.587	25.523	4.32	70.5	13.2	1.18	12.2	0.19	0.43	0.79	1.6	1.0	0.93	0.97	0.04	
52	11.71	33.596	25.555	4.21	68.5	14.1	1.23	13.0	0.19	0.43	0.75						
63	11.65	33.601	25.570	4.15	67.5	14.2	1.25	13.3	0.19	0.39	0.81	0.24	0.09	0.09	0.09	0.04	

RV DAVID STARR JORDAN

CALCOFI CRUISE 9602

STATION 87 80

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE								
32 19.0 N	121 42.9 W	7/ 2/96	1841 UTC	23 m	02	1220 - 1812 PST	1221 PST	1814 PST	202.1 mg C/m <sup>2</sup>								
DEPTH	TEMP	SALINITY	SIGMA	DISS	O <sub>2</sub>	OXY	S103	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE	C mg C / (m <sup>3</sup> )		
n	DEG C		THETA	m l / l	PCT	uM / l	uM / l	uM / l	uM / l	uM / l	ug / l	ug / l	PCT	1	2	MEAN	DARK
2	15.51	33.162	24.444	5.78	101.5	2.6	0.32	0.1	0.00	0.14	0.06	88. A	1.0	0.95	0.98	0.07	
15	15.49	33.160	24.448	5.79	101.6	2.6	0.32	0.1	0.00	0.15	0.05	37.	2.0	2.0	2.0	0.08	
32	15.42	33.158	24.462	5.80	101.7	2.6	0.32	0.1	0.00	0.17	0.06	12.	1.9	1.9	1.9	0.09	
46	14.33	33.256	24.773	5.92	101.6	3.1	0.37	0.2	0.05	0.61	0.32	4.6	4.9	5.0	5.0	0.07	
53	14.20	33.268	24.810	5.87	100.4	3.1	0.39	0.5	0.09	0.55	0.32						
63	14.10	33.290	24.848	5.86	100.1	3.0	0.39	0.5	0.10	0.54	0.30	1.5	2.7	2.6	2.7	0.02	
74	13.62	33.318	24.968	5.72	96.7	3.7	0.46	1.5	0.15	0.28	0.22						
87	12.53	33.304	25.174	5.65	93.4	4.1	0.48	2.3	0.03	0.16	0.16	0.30	0.13	0.12	0.12	0.01	

A) INCUBATION LIGHT INTENSITIES WERE 93, 37, 13, 4 5, 1.6, 3.30 PERCENT RESPECTIVELY.

PRIMARY PRODUCTIVITY CASTS

RV DAVID STARR JORDAN

CALCOFI CRUISE 9602

STATION 87 110

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
31 19.5 N	123 45.0 W	8/ 2/96	1836 UTC	28 m	02	1229 - 1821 PST	1229 PST	1821 PST	170.8 mg C/m <sup>2</sup>							
DEPTH	TEMP	SALINITY	SIGMA	DISS	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE (mg C /m <sup>3</sup> )			
m	DEG C		THETA	ml/l	PCT	uM/l	uM/l	uM/ I	uM/ I	ug/l	ug/l	PCT	1	2	MEAN	DARK
2	15.54	33.300	24.844	5.83	102.5	2.8	0.32	0.0	0.00	0.19	0.06	90. A	2.9	2.7	2.8	0.06
10	15.47	33.300	24.560	5.82	102.2	2.8	0.32	0.0	0.00	0.20	0.06					
18	15.46	33.300	24.562	5.83	102.4	2.7	0.32	0.0	0.00	0.20	0.06	37.	3.4	3.3	3.4	0.07
28	15.44	33.300	24.567	5.85	102.7	2.7	0.32	0.0	0.00	0.20	0.08					
37	15.34	33.302	24.591	5.83	102.1	2.6	0.32	0.0	0.00	0.22	0.09	13.	2.2	2.2	2.2	0.07
47	14.20	33.306	24.839	5.73	98.1	2.9	0.41	0.8	0.10	0.71	0.46					
57	13.27	33.324	25.043	5.45	91.5	4.7	0.61	4.2	0.03	0.31	0.25	4.4	1.7	1.8	1.7	0.02
66	12.24	33.324	25.244	5.31	87.3	6.0	0.71	5.7	0.01	0.17	0.16					
75	11.78	33.337	25.341	4.96	80.7	8.4	0.88	8.6	0.01	0.14	0.14	1.6	0.33	0.34	0.33	0.01
84	10.98	33.457	25.580	4.43	70.9	12.6	1.17	13.3	0.01	0.07	0.08					
95	10.78	33.489	25.640	4.34	69.2	13.6	1.23	14.3	0.01	0.06	0.07					
105	10.12	33.549	25.801	4.06	63.8	16.6	1.40	17.0	0.01	0.03	0.05	0.32	0.00	0.01	0.01	0.01

RV DAVID STARR JORDAN

CALCOFI CRUISE '9602

STATION 90 28

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
33 28.9 N	117 46.2 U	5/ 2/96	1822 UTC	9 m	05	1204 - 1754 PST	1205 PST	1754 PST	533.6 mg C/m <sup>2</sup>							
DEPTH	TEMP	SALINITY	SIGMA	DISS	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE (mg C /m <sup>3</sup> )			
m	DEG C		THETA	ml/l	PCT	uM/ I	uM/l	uM/ I	uM/l	ug/l	ug/l	PCT	1	2	MEAN	DARK
2	14.52	33.321	24.781	6.51	112.2	1.8	0.26	0.1	0.01	2.33	0.39	71. A	31.1	32.0	31.5	0.26
6	14.45	33.332	24.805	6.47	111.3	1.6	0.27	0.1	0.01	3.28	0.49	36.	52.3	49.2	50.7	0.38
13	14.48	33.403	24.854	6.09	104.9	1.1	0.27	0.1	0.01	1.03	0.37	11.	11.4	10.8	11.1	0.15
19	13.85	33.443	25.016	5.49	93.4	3.4	0.52	2.4	0.12	1.63	0.73	3.9	7.3	7.3	7.3	0.12
24	13.08	33.470	25.193	5.01	83.9	6.0	0.75	5.4	0.20	1.47	0.79	1.7	2.2	2.0	2.1	0.15
34	12.65	33.487	25.291	4.81	79.8	7.1	0.87	6.9	0.24	1.26	0.77	0.30	0.14	0.14	0.14	0.09

RV DAVID STARR JORDAN

CALCOFI CRUISE '9602

STATION 90 53

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 39.3 N	119 29.0 W	4/ 2/96	1920 UTC	16 m	04	1210 - 1756 PST	1212 PST	1756 PST	459.5 mg C/m <sup>2</sup>							
DEPTH	TEMP	SALINITY	SIGMA	DISS	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE (iC mg C /m <sup>3</sup> )			
m	DEG C		THETA	ml/l	PCT	uM/l	uM/l	uM/l	uM/l	ug/l	ug/l	PCT	1	2	MEAN	DARK
2	14.23	33.441	24.935	5.98	102.5	4.0	0.39	0.9	0.05	0.91	0.34	83. A	15.6	15.7	15.6	0.08
10	14.21	33.441	24.940	5.98	102.5	3.7	0.39	0.9	0.05	0.86	0.34	38.	17.4	16.3	16.8	0.08
21	14.11	33.441	24.961	5.95	101.7	3.8	0.40	0.9	0.06	0.95	0.42	13.	12.3	12.7	12.5	0.07
32	14.01	33.447	24.987	5.86	100.0	4.1	0.43	1.5	0.09	0.62	0.37	4.6	4.8	4.6	4.7	0.04
44	13.65	33.461	25.072	5.41	91.6	5.6	0.59	3.9	0.23	0.34	0.27	1.5	1.0	0.96	0.99	0.02
52	12.44	33.499	25.342	4.92	81.3	9.2	0.89	8.6	0.27	0.26	0.27					
61	12.10	33.517	25.421	4.59	75.3	11.0	1.03	10.9	0.12	0.18	0.23	0.29	0.05	0.04	0.05	0.03

RV DAVID STARR JORDAN

CALCOFI CRUISE '9602

STATION 90 90

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
31 25.1 N	121 59.0 W	3/ 2/96	1911 UTC	26 m	02	1221 - 1807 PST	1222 PST	1807 PST	101.5 mg C/m <sup>2</sup>							
DEPTH	TEMP	SALINITY	SIGMA	DISS	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE (it mg C/m <sup>3</sup> )			
.	DEG C		THETA	ml/l	PCT	uM/l	uM/l	uM/ I	uM/ I	ug/l	ug/l	PCT	1	2	MEAN	DARK
2	15.89	33.246	24.424	5.73	101.5	3.0	0.34	0.1	0.00	0.13	0.04	89. A	1.8	1.9	1.8	0.06
17	15.84	33.250	24.439	5.72	101.2	2.7	0.30	0.0	0.00	0.13	0.04	37.	2.0	1.9	2.0	0.07
35	15.59	33.250	24.496	5.77	101.5	2.7	0.32	0.0	0.00	0.17	0.07	13.	1.4	1.4	1.4	0.07
52	15.51	33.255	24.518	5.78	101.6	2.9	0.30	0.0	0.00	0.21	0.10	4.6	0.67	0.68	0.67	0.04
70	15.14	33.271	24.612	5.83	101.7	2.9	0.31	0.0	0.00	0.39	0.20	1.6	0.64	0.62	0.63	0.02
80	14.80	33.311	24.716	5.83	101.0	3.2	0.36	0.2	0.11	0.52	0.44					
88	13.85	33.331	24.932	5.78	98.2	3.6	0.45	1.4	0.22	0.34	0.27					
98	13.13	33.319	25.068	5.80	97.1	3.9	0.47	1.8	0.05	0.17	0.26	0.31	0.05	0.05	0.05	0.01

A) INCUBATION LIGHT INTENSITIES WERE 93, 37, 13, 4.5, 1.6,, 0.30 PERCENT RESPECTIVELY.

## PRIMARY PRODUCTIVITY CASTS

RV DAVID STARR JORDAN

CALCOFI CRUISE 9602

STATION 93 35

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 40.6 N	117 52.0 W	30/ 1/96	1847 UTC	22 m	03	1209 - 1750 PST	1204 PST	1750 PST	411.6 tig C/m2							
DEPTH	TEMP	SALINITY	SIGMA THETA	DISS 02	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE	INTEGRATED VALUE		
h	DEG C			m/l/l	PCT	uM/l	uM/l	uM/l	uM/l	ug/l	ug/l	PCT	1	2	(mg C/m3) MEAN DARK	
2	14.81	33.420	24.796	5.95	103.2	1.7	0.29	0.1	0.00	0.47	0.15	87. A	10.6	11.1	10.9	0.21
15	14.72	33.417	24.813	5.93	102.7	1.7	0.28	0.1	0.00	0.65	0.20	35.	12.0	12.9	12.5	0.19
30	14.54	33.412	24.848	5.82	100.4	2.0	0.32	0.1	0.01	0.81	0.41	12.	7.5	6.9	7.2	0.10
43	13.27	33.451	25.141	4.94	83.0	6.5	0.71	5.6	0.17	0.59	0.39	5.0	2.1	2.3	2.2	0.04
51	12.69	33.488	25.285	4.58	76.1	8.5	0.89	8.4	0.06	0.38	0.43					
59	12.26	33.525	25.396	4.35	71.6	10.2	1.02	10.6	0.03	0.24	0.29	1.6	0.57	0.53	0.55	0.02
66	11.81	33.577	25.522	4.21	68.7	11.7	1.13	12.4	0.03	0.16	0.21					
74	11.67	33.588	25.556	4.05	65.9	12.6	1.19	13.3	0.02	0.13	0.19					
83	11.16	33.627	25.680	3.86	62.1	14.7	1.32	15.3	0.02	0.08	0.13	0.31	0.02	0.02	0.02	0.02

RV DAVID STARR JORDAN

CALCOFI CRUISE 9602

STATION 93 60

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
31 50.1 N	119 34.0 W	31/ 1/96	1824 UTC	28 m	02	1211 - 1800 PST	1211 PST	1801 PST	227.2 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA THETA	DISS 02	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE	INTEGRATED VALUE		
●	DEG C			m/l/l	PCT	uM/l	uM/l	uM/l	uM/l	ug/l	ug/l	PCT	1	2	(mg C/m3) MEAN DARK	
2	15.54	33.407	24.626	5.73	100.8	2.3	0.32	0.1	0.00	0.20	0.08	90. A	1.7	1.6	1.6	0.05
10	15.52	33.405	24.630	5.74	101.0	2.3	0.32	0.1	0.00	0.20	0.08					
18	15.49	33.404	24.636	5.73	100.7	2.3	0.32	0.1	0.00	0.20	0.08	37.	2.9	2.8	2.8	0.06
27	15.42	33.398	24.647	5.76	101.1	2.3	0.32	0.1	0.00	0.23	0.09					
37	15.25	33.384	24.674	5.77	100.9	2.1	0.32	0.1	0.00	0.32	0.13	13.	3.8	3.8	3.8	0.04
47	14.14	33.355	24.889	5.73	98.0	3.2	0.40	0.7	0.11	0.50	0.29					
57	13.85	33.389	24.976	5.84	99.3	3.4	0.45	1.3	0.15	0.56	0.38	4.4	3.4	3.6	3.5	0.03
64	13.66	33.398	25.022	5.73	97.0	3.8	0.50	2.1	0.23	0.44	0.36					
75	13.06	33.339	25.097	5.59	93.5	4.7	0.56	3.2	0.27	0.28	0.23	1.6	0.83	0.86	0.85	0.03
85	12.33	33.323	25.227	5.29	87.1	6.1	0.72	5.8	0.08	0.14	0.21					
95	11.69	33.434	25.433	4.65	75.6	10.3	1.03	10.8	0.06	0.14	0.18					
106	11.05	33.499	25.601	4.27	68.5	13.5	1.23	14.3	0.06	0.10	0.13	0.30	0.05	0.05	0.05	0.02

RV DAVID STARR JORDAN

CALCOFI CRUISE 9602

STATION 93 90

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
30 50.8 N	121 35.6 W	1/ 2/96	1822 UTC	33 m	01	1220 - 1810 PST	1220 PST	1810 PST	146.3 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA THETA	DISS 02	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE	INTEGRATED VALUE		
h	DEG C			m/l/l	PCT	uM/l	uM/l	uM/l	uM/l	ug/l	ug/l	PCT	1	2	(mg C/m3) MEAN DARK	
2	16.66	33.484	24.431	5.62	101.2	2.3	0.29	0.0	0.00	0.16	0.05	91. A	1.3	1.1	1.2	0.03
11	16.66	33.484	24.432	5.62	101.2	2.3	0.29	0.0	0.00	0.15	0.06					
23	16.65	33.484	24.435	5.62	101.1	2.3	0.29	0.0	0.00	0.16	0.06	34.	2.1	2.1	2.1	0.03
33	16.64	33.484	24.437	5.61	100.9	2.1	0.28	0.0	0.00	0.17	0.05					
45	16.64	33.483	24.437	5.61	100.9	2.1	0.31	0.1	0.00	0.17	0.06	12.	1.6	1.7	1.6	0.02
55	16.62	33.486	24.444	5.62	101.1	2.1	0.29	0.0	0.00	0.20	0.08					
67	14.45	33.272	24.760	5.80	99.8	2.7	0.36	0.1	0.08	0.31	0.23	4.4	1.5	1.5	1.5	0.01
77	13.07	33.255	25.030	5.79	96.8	3.5	0.41	0.8	0.09	0.28	0.25					
90	12.50	33.271	25.154	5.66	93.5	4.0	0.48	2.0	0.03	0.22	0.22	1.5	0.58	0.59	0.58	0.01
100	11.87	33.276	25.278	5.47	89.1	5.5	0.62	4.3	0.02	0.14	0.14					
110	11.73	33.381	25.385	5.20	84.5	7.1	0.73	6.6	0.02	0.09	0.14					
124	11.80	33.625	25.562	4.39	71.6	10.4	1.03	11.3	0.01	0.07	0.13	0.31	0.04	0.04	0.04	0.00

RV DAVID STARR JORDAN

CALCOFI CRUISE 9602

STATION 93 120

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
29 51.4 N	123 35.6 W	2/ 2/96	1838 UTC	41 m	01	1227 - 1817 PST	1228 PST	1817 PST	101.5 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA THETA	DISS 02	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE	INTEGRATED VALUE		
m	DEG C			m/l/l	PCT	uM/l	uM/l	uM/l	uM/l	ug/l	ug/l	PCT	1	2	(mg C/m3) MEAN DARK	
2	17.41	33.579	24.328	5.54	101.3	2.8	0.26	0.1	0.00	0.08	0.02	93. A	1.0	1.0	1.0	0.05
15	17.36	33.578	24.339	5.53	101.0	2.8	0.25	0.1	0.00	0.08	0.03					
27	17.36	33.578	24.340	5.54	101.2	2.7	0.25	0.1	0.00	0.09	0.03	36.	1.5	1.1	1.3	0.05
40	17.63	33.691	24.362	5.52	101.4	2.7	0.24	0.1	0.00	0.10	0.04					
54	18.18	33.984	24.453	5.43	101.0	2.6	0.22	0.1	0.00	0.12	0.04	13.	0.58	0.59	0.59	0.06
68	18.27	34.036	24.471	5.43	101.2	2.6	0.22	0.1	0.00	0.15	0.07					
83	17.61	33.944	24.563	5.53	101.7	2.6	0.22	0.1	0.00	0.23	0.16	4.5	0.74	0.67	0.70	0.02
92	16.95	33.927	24.707	5.55	100.7	2.7	0.22	0.0	0.00	0.25	0.22					
101	16.80	34.025	24.818	5.48	99.2	2.8	0.22	0.1	0.04	0.27	0.27					
110	16.61	34.067	24.895	5.38	97.1	2.9	0.23	0.2	0.11	0.25	0.24	1.6	0.45	0.48	0.47	0.01
124	15.76	34.021	25.054	5.35	94.9	3.4	0.27	0.8	0.08	0.18	0.19					
140	14.68	33.891	25.191	5.32	92.3	3.7	0.35	1.9	0.03	0.10	0.11					
154	13.32	33.750	25.365	5.10	85.9	5.9	0.57	4.9	0.01	0.02	0.02	0.31	0.02	0.02	0.02	0.00

A) INCUBATION LIGHT INTENSITIES WERE 93, 37, 13, 4 5, 1.6, 0.30 PERCENT RESPECTIVELY.



## CalCOFI Cruise 9602

## MACROZOOPLANKTON BIOMASS

Net Mesh Size: 0.505mm

Line	Sta.	Latitude N	Longitude W	Date		Time (PST)		Water Volume Strained (m <sup>3</sup> )	Max. Tow Depth (m)	Volume per 1000 m <sup>3</sup> Strained	
				Mo/Day	Mo/Day	Start	End			Total (cm <sup>3</sup> )	Small (cm <sup>3</sup> )
77	49	35 05.1	120 46.2	02/14	02/14	1312	1318	119	52	712	595
77	51	35 01.1	120 54.8	02/14	02/14	1106	1128	381	214	428	331
77	55	34 54.1	121 12.8	02/14	02/14	0743	0805	403	213	127	114
77	60	34 43.9	121 32.6	02/14	02/14	0357	0419	410	211	171	171
77	70	34 23.7	122 13.8	02/13	02/13	2208	2230	422	212	1612	71
77	80	34 03.2	122 55.3	02/13	02/13	1637	1658	416	211	233	233
77	90	33 42.5	123 37.0	02/13	02/13	0920	0942	418	215	19	19
77	100	33 23.6	124 18.7	02/13	02/13	0335	0357	426	210	21	21
80	51	34 26.7	120 31.7	02/11	02/11	1213	1220	128	59	125	125
80	55	34 19.4	120 48.3	02/11	02/11	1517	1539	404	217	49	49
80	60	34 08.1	121 08.5	02/11	02/11	1915	1937	439	209	121	52
80	70	33 48.1	121 50.1	02/12	02/12	0116	0140	461	255	119	119
80	80	33 28.9	122 32.0	02/12	02/12	0915	0937	391	216	28	28
80	90	33 08.8	123 13.5	02/12	02/12	1610	1632	436	208	25	25
80	100	32 49.3	123 53.8	02/12	02/12	2147	2209	420	214	36	36
82	47	34 15.8	120 02.0	02/11	02/11	0803	0825	406	213	96	96
83	40.6	34 13.8	119 25.4	02/11	02/11	0148	0151	64	27	79	79
83	42	34 11.1	119 30.7	02/11	02/11	0340	0349	171	90	175	175
83	51	33 53.5	120 10.6	02/10	02/10	1508	1517	179	76	101	101
83	55	33 44.3	120 24.4	02/10	02/10	0840	0902	436	224	103	103
83	60	33 35.0	120 45.8	02/10	02/10	0515	0536	414	208	183	183
83	70	33 14.3	121 26.0	02/09	02/09	2306	2328	422	213	66	66
83	80	32 54.1	122 06.5	02/09	02/09	1709	1731	441	207	27	27
83	90	32 35.1	122 49.0	02/09	02/09	0823	0845	439	215	30	30
83	100	32 15.2	123 32.1	02/09	02/09	0037	0059	418	215	182	74
83	110	31 54.6	124 09.8	02/08	02/08	1744	1805	425	208	264	52
87	33	33 53.3	118 29.4	02/05	02/05	2059	2104	90	42	33	33
87	35	33 49.4	118 38.0	02/05	02/05	2329	2351	404	211	64	64
87	40	33 39.3	118 58.8	02/06	02/06	0328	0350	407	206	54	54
87	45	33 30.0	119 20.3	02/06	02/06	0746	0808	415	213	67	67
87	50	33 19.2	119 40.3	02/06	02/06	1235	1241	128	53	110	110
87	55	33 10.3	120 01.0	02/06	02/06	1704	1726	444	211	83	83
87	60	32 58.4	120 19.4	02/06	02/06	2142	2204	408	219	91	91
87	70	32 41.1	121 01.4	02/07	02/07	0442	0504	462	218	35	35
87	80	32 19.0	121 43.7	02/07	02/07	1234	1256	402	217	47	47
87	90	32 00.3	122 24.6	02/07	02/07	1920	1942	459	215	37	37
87	100	31 39.9	123 03.3	02/08	02/08	0135	0157	430	216	100	100
87	110	31 19.5	123 45.0	02/08	02/08	0820	0842	433	214	65	65
90	28	33 29.2	117 46.7	02/05	02/05	0855	0904	169	85	41	41
90	30	33 25.4	117 54.9	02/05	02/05	0655	0716	404	210	94	94
90	35	33 15.2	118 15.7	02/05	02/05	0245	0307	397	214	66	66
90	37	33 11.6	118 22.7	02/05	02/05	0008	0029	409	212	56	56
90	45	32 55.4	118 55.9	02/04	02/04	1853	1915	411	212	71	71
90	53	32 39.8	119 29.1	02/04	02/04	1301	1323	422	217	43	43
90	60	32 25.2	119 57.9	02/04	02/04	0718	0740	418	210	60	60
90	70	32 04.5	120 37.6	02/04	02/04	0115	0137	422	211	88	45
90	80	31 45.3	121 18.0	02/03	02/03	1910	1931	413	213	48	48
90	90	31 25.0	121 58.7	02/03	02/03	1240	1302	430	211	49	28
90	100	31 05.0	122 38.7	02/03	02/03	0615	0637	425	212	82	82
90	110	30 45.1	123 18.5	02/03	02/03	0043	0104	417	210	29	29
90	120	30 24.8	123 58.8	02/02	02/02	1847	1909	420	210	21	21
93	26.7	32 57.2	117 18.6	01/29	01/29	2216	2222	116	58	52	52
93	28	32 54.8	117 22.4	01/30	01/30	0110	0131	422	204	88	88
93	30	32 51.1	117 31.3	01/30	01/30	0430	0451	401	212	60	60
93	35	32 40.4	117 52.4	01/30	01/30	0828	0850	406	213	44	44
93	40	32 30.1	118 12.5	01/30	01/30	1631	1652	401	213	52	52
93	45	32 21.4	118 33.2	01/30	01/30	2043	2105	391	214	61	61
93	50	32 12.2	118 51.7	01/31	01/31	0135	0157	447	203	76	76
93	55	32 00.1	119 13.5	01/31	01/31	0655	0717	423	214	64	64
93	60	31 50.0	119 34.9	01/31	01/31	1215	1237	454	216	24	24
93	70	31 31.9	120 15.4	01/31	01/31	1939	2001	455	220	35	35
93	80	31 11.0	120 54.6	02/01	02/01	0315	0337	433	225	32	32
93	90	30 51.3	121 36.1	02/01	02/01	1120	1142	441	223	32	32
93	100	30 31.1	122 15.9	02/01	02/01	1844	1906	418	212	33	33
93	110	30 10.6	122 55.8	02/02	02/02	0057	0119	425	204	31	31

## FIGURES

Cruise9604

" }

1. CalCOFI Cruise 9604, track and station positions.
2. Horizontal distribution of dynamic height anomaly (0 over 500m). In areas shallower than 500 m, the dynamic heights were extrapolated on the basis of the offshore deeper steric height as described in Reid and Mantyla (1976).  
-\$
3. Horizontal distributions at 10 meters: A) chlorophyll-a; B) potential density; C) temperature; and D) salinity.
4. Horizontal distributions at 200 meters: A) dynamic height anomaly (200 over 500 m); B) potential density; C) temperature; and D) salinity.  
\*
5. Sections along CalCOFI line 87 (vertical exaggeration, 1000): A) potential density; B) temperature; C) salinity; D) silicate; E) nitrate; F) phosphate; G) chlorophyll-a; H) oxygen saturation; I) oxygen; J) nitrite; and K) phaeopigments.




FIGURE 1




FIGURE 2




FIGURE 3A




FIGURE 3B




FIGURE 3C




FIGURE 3D




FIGURE 4A




FIGURE 4B






FIGURE 4C




FIGURE 4D

# CALCOFI CRUISE 9604

22 - 25 APRIL 1996

## POTENTIAL DENSITY ( $\sigma_\theta$ ) ALONG CALCOFI LINE 87




FIGURE 5A

DEPTH (m)

## TEMPERATURE ( $^{\circ}\text{C}$ ) ALONG CALCOFI LINE 87




FIGURE 5B



# CALCOFI CRUISE 9604

22 - 25 APRIL 1996

## SALINITY ALONG CALCOFI LINE 87




FIGURE 5C

DEPTH (m)

## SILICATE ( $\mu\text{M/l}$ ) ALONG CALCOFI LINE 87




FIGURE 5D

# CALCOFI CRUISE 9604

22 - 25 APRIL 1996

## NITRATE ( $\mu\text{M/l}$ ) ALONG CALCOFI LINE 87




FIGURE 5E

DEPTH (m)

## PHOSPHATE ( $\mu\text{M/l}$ ) ALONG CALCOFI LINE 87




FIGURE 5F

# CALCOFI CRUISE 9604

22 - 25 APRIL 1996

## CHLOROPHYLL-a ( $\mu\text{g/l}$ ) ALONG CALCOFI LINE 87




FIGURE 5G

DEPTH (m)

## OXYGEN SATURATION (%) ALONG CALCOFI LINE 87




FIGURE 5H

# CALCOFI CRUISE 9604

22 - 25 APRIL 1996

## OXYGEN (ml/l) ALONG CALCOFI LINE 87




FIGURE 5I




FIGURE 5J




FIGURE 5K

PERSONNEL

CalCOFI Cruise 9604

SHIP'S CAPTAIN

Christopher S. Moore, *RV David Starr Jordan*

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

		Participation (Leg)
Griffith, David A. (Chief Scientist)	Fishery Biologist, NMFS	1,2,3
Abramenkoff, Dimitry N.	Fishery Biologist, NMFS	1, 2
Berwald, Juli M.	Graduate Student, USC	1, 2
Dibacco, Claudio	Graduate Student, SIO	3
Dotson, Ronald C.	Fishery Biologist, NMFS	1,2
Gruber, Dennis W.	Marine Technician, SIO	1,2,3
Hays, Amy E.	Biological Technician, NMFS	1,2,3
Hyrenbach, David	Graduate Student, SIO	2
Levin, Lisa A.	Professor, SIO	3
Masten, Douglas M.	Staff Research Associate, SIO	1,2,3
McGinnis, Jean L.	Staff Research Associate, SIO	1,2,3
Olaizola, Miguel	Post Doctoral Fellow, SIO	1,2,3
Perez, Maria E.	Graduate Student, SIO	3
Ramirez, Fernando	Staff Research Associate, SIO	1,2,3
Rathburn, Anthony E.	Post Graduate Researcher, SIO	3
Renger, Edward H.	Staff Research Associate, SIO	1,2,3
Santamaria, Andres P.	Student, UCSD	3
Tashiro, Mari	Volunteer	1,2,3
Wilkinson, James R.	Programmer/Analyst, SIO	1,2,3

Leg 1: San Diego to Dana Point, Ca., 15 Apr.-22 Apr., 1996

Leg 2: Dana Point to Port San Luis, Ca., 22 Apr.-01 May, 1996

Leg 3: Port San Luis to San Diego, Ca., 01 May-03 May, 1996

















LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
34 13.8 N	119 25.0 W	27/04/96	1856	UTC	37 m	250	08 kn	240 01 05	4	1013.9 mb	15 2 C	14 6 C	05m 06			8/8
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/l	PCT	uM/l	uM/l	uM/l	uM/l	ug/l	ug/l	db	
Q ISL	13.05	13.05	33.626	25.319	264.4	0.000	7.00	117.2	4.2	0.48	2.3	0.12	11.95	2.99	0	
1 A	13.05	13.05	33.626	25.319	264.4	0.003	7.00	117.2	4.2	0.48	2.3	0.12	11.95	2.99	1	207
3 A	12.68	12.68	33.631	25.396	257.2	0.008	6.98	116.0	3.8	0.46	2.6	0.12	12.78	3.03	3	206
6 A	12.15	12.15	33.659	25.520	245.5	0.015	6.61	108.7	3.6	0.55	4.6	0.13	17.35	3.39	6	205
10 A	11.88	11.88	33.670	25.579	239.9	0.025	6.33	103.5	4.9	0.64	6.1	0.14	14.55	4.74	10	204
14 A	11.73	11.73	33.676	25.612	236.9	0.035	5.72	93.2	8.2	0.92	8.6	0.18	6.08	3.06	14	203
19 A	11.47	11.47	33.676	25.660	232.4	0.046	5.31	86.0	10.7	1.11	10.5	0.20	2.92	2.83	19	202
20 ISL	11.42	11.42	33.679	25.672	231.4	0.049	5.17	83.7	11.4	1.15	11.1	0.20	2.69	2.71	20	
28	11.06	11.06	33.704	25.757	223.5	0.067	4.04	64.9	17.2	1.48	15.8	0.24	0.87	1.79	28	201

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
34 1C.9 N	119 30.5 W	27/04/96	1524	UTC	108 m	180	05 kn	170 01 05	4	1013.4 mb	14 2 C	13 5 C	08m 05			8/8
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	PRES	SABP
m	DEG C	DEG C		THETA			ml/l	PCT	uM/l	uM/l	uM/l	uM/l	ug/l	ug/l	db	
0 ISL	12.62	12.62	33.585	25.372	259.4	0.000	5.87	97.4	8.8	0.78	6.6	0.14	3.00	1.19	0	
1	12.62	12.62	33.585	25.372	259.4	0.003	5.87	97.4	8.8	0.78	6.6	0.14	3.00	1.19	1	210
10	12.36	12.36	33.638	25.464	250.9	0.026	5.91	97.6	8.1	0.78	7.4	0.15	8.26	1.97	10	209
20	11.69	11.69	33.660	25.607	237.5	0.050	5.32	86.6	10.5	1.05	10.3	0.20	3.83	2.27	20	208
30	11.62	11.62	33.667	25.626	236.0	0.074	5.44	88.4	10.1	1.05	10.2	0.20	4.38	2.77	30	207
40	11.52	11.51	33.680	25.655	233.5	0.097	5.39	87.4	10.6	1.07	10.7	0.20	4.25	2.19	40	206
49	11.28	11.27	33.690	25.707	228.8	0.118	5.01	80.8	12.5	1.19	12.2	0.21	2.89	1.86	49	205
50 ISL	11.26	11.25	33.693	25.713	228.2	0.120	4.95	79.8	12.9	1.21	12.5	0.22	2.76	1.85	50	
59	10.98	10.97	33.734	25.795	220.6	0.140	4.27	68.5	17.4	1.46	15.9	0.24	1.63	1.77	59	204
69	10.20	10.19	33.814	25.994	201.8	0.162	3.03	47.8	23.6	1.79	21.6	0.15	0.23	0.96	69	203
75 ISL	9.90	9.89	33.871	26.089	192.9	0.173	2.69	42.2	26.2	1.98	23.6	0.10	0.17	0.70	75	
84	9.61	9.60	33.945	26.195	182.9	0.190	2.47	38.5	28.9	2.18	25.4	0.05	0.07	0.51	84	202
100 ISL	9.49	9.48	33.982	26.244	178.6	0.219	2.37	36.8	30.2	2.10	26.1	0.03	0.06	0.43	101	
103	9.47	9.46	33.989	26.253	177.8	0.225	2.35	36.5	30.4	2.09	26.2	0.03	0.06	0.42	104	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 52.8 N	120 8.1 W	27/04/96	0913	UTC	95 m	070	08 kn			1013.5 mb	13 6 C	13 2 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/l	PCT	uM/l	uM/l	uM/l	uM/l	ug/l	ug/l	db	
0 ISL	11.86	11.86	33.675	25.587	238.9	0.000	5.80	94.8	11.7	0.98	10.1	0.19	6.65	1.54	0	
2	11.86	11.86	33.675	25.587	239.0	0.005	5.80	94.8	11.7	0.98	10.1	0.19	6.65	1.54	2	213
5	11.57	11.57	33.681	25.646	233.5	0.012									5	211
5	11.58	11.58	33.686	25.648	233.3	0.012	5.46	88.7	13.5	1.08	12.0	0.19	6.13	1.85	5	209
6	11.59	11.59	33.681	25.642	233.9	0.014									6	210
6	11.53	11.53	33.683	25.655	232.7	0.014										i 212
10 ISL	11.35	11.35	33.691	25.694	229.0	0.023	5.15	83.2	15.2	1.25	13.7	0.20	4.44	1.66	10	
11	11.33	11.33	33.691	25.697	228.7	0.026	5.11	82.6	15.4	1.28	13.9	0.20	4.09	1.62	11	208
20 ISL	11.19	11.19	33.702	25.732	225.7	0.046	4.87	78.4	16.6	1.37	15.1	0.20	3.38	1.50	20	
21	11.18	11.18	33.703	25.734	225.5	0.048	4.86	78.3	16.7	1.37	15.1	0.20	3.30	1.49	21	207
30 ISL	11.09	11.09	33.706	25.753	223.9	0.069	4.77	76.7	17.3	1.41	15.6	0.20	2.72	1.26	30	
31	11.08	11.08	33.706	25.755	223.7	0.071	4.77	76.7	17.3	1.41	15.6	0.20	2.68	1.24	31	206
41	11.07	11.06	33.712	25.761	223.3	0.093	4.76	76.5	17.6	1.42	15.9	0.20	2.69	1.18	41	205
50	10.87	10.86	33.725	25.807	219.2	0.113	4.54	72.6	18.9	1.49	16.9	0.20	1.90	1.12	50	204
61	10.84	10.83	33.739	25.824	217.9	0.137	4.47	71.5	19.6	1.53	17.3	0.19	1.86	1.08	61	203
70	10.70	10.69	33.760	25.865	214.1	0.157	4.19	66.8	20.9	1.58	18.1	0.19	1.84	1.07	70	202
75 ISL	10.54	10.53	33.785	25.913	209.7	0.167	3.90	62.0	22.5	1.66	19.2	0.18	1.52	0.99	75	
84	10.24	10.23	33.832	26.001	201.5	0.186	3.38	53.4	25.4	1.80	21.3	0.17	0.95	0.85	84	201





















LATITUDE	LONGITUDE	DAY/HO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 15.1 N	118 15.0 W	22/04/96	0926	UTC	299 m	170	04 kn			1017.4 mb	15.8 c	14.6 c				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	PRES	SAMP
D	DES C	DES C		THETA			ml/l	PCT	um/l	um/ I	um/ I	um/ I	ug/ I	ug/l	db	
0 ISL	16.35	16.35	33.522	24.532	339.3	0.000	6.14	109.9	3.0	0.23	0.0	0.00	0.46	0.12	0	
1	16.35	16.35	33.522	24.532	339.3	0.003	6.14	109.9	3.0	0.23	0.0	0.00	0.46	0.12	1	220
10 ISL	15.57	15.57	33.517	24.705	323.2	0.033	6.25	110.1	3.3	0.26	0.0	0.00	0.67	0.31	10	
19	14.23	14.23	33.516	24.994	295.9	0.061	6.36	109.1	3.6	0.29	0.0	0.01	1.04	0.57	19	215
20	14.60	14.60	33.514	24.914	303.6	0.064			3.7	0.28	0.0	0.00			20	219
20	14.47	14.47	33.514	24.942	300.9	0.064	6.36	109.6	3.5	0.28	0.0	0.01			20	216
20	14.45	14.45	33.515	24.947	300.5	0.064			3.4	0.28	0.0	0.00			20	217
20	14.48	14.48	33.515	24.940	301.1	0.064			3.7	0.28	0.0	0.01			20	218
20 ISL	14.09	14.09	33.514	25.021	293.3	0.064	6.28	107.4	3.9	0.32	0.2	0.03	1.12	0.60	20	
30 ISL	12.70	12.70	33.517	25.304	266.6	0.092	5.13	85.2	7.9	0.73	5.1	0.26	1.55	0.75	30	
31	12.56	12.56	33.520	25.334	263.8	0.095	4.98	82.5	8.4	0.78	5.8	0.28	1.56	0.75	31	214
40	11.54	11.53	33.593	25.583	240.3	0.117	3.68	59.7	14.6	1.32	15.2	0.27	0.74	0.50	40	213
50	10.87	10.86	33.680	25.772	222.5	0.141	3.32	53.1	18.8	1.56	18.8	0.04	0.20	0.27	50	212
60	10.70	10.69	33.701	25.819	218.3	0.163	3.20	51.0	20.0	1.62	19.6	0.03	0.14	0.22	60	211
70	10.40	10.39	33.755	25.913	209.5	0.184	3.04	48.1	22.0	1.73	21.1	0.01	0.05	0.14	70	210
75 ISL	10.29	10.28	33.773	25.946	206.5	0.194	2.98	47.1	22.6	1.77	21.6	0.01	0.04	0.12	75	
85	10.10	10.09	33.808	26.006	201.0	0.215	2.90	45.6	23.8	1.83	22.5	0.01	0.03	0.10	85	209
100	9.81	9.80	33.886	26.116	190.8	0.244	2.82	44.1	26.4	1.93	24.1	0.00	0.01	0.07	101	208
120	9.47	9.46	33.962	26.232	180.2	0.281	2.52	39.1	29.3	2.06	25.8	0.00	0.01	0.09	121	207
125 ISL	9.40	9.39	33.977	26.255	178.1	0.290	2.48	38.5	29.9	2.08	26.1	0.00	0.01	0.09	126	
140	9.21	9.19	34.021	26.321	172.1	0.316	2.37	36.6	31.6	2.13	26.9	0.00	0.01	0.10	141	206
150 ISL	9.09	9.07	34.054	26.366	168.0	0.333	2.26	34.8	33.2	2.18	27.6	0.00	0.01	0.09	151	
169	8.91	8.89	34.116	26.443	161.0	0.365	2.04	31.3	36.1	2.28	28.7	0.00	0.00	0.06	170	205
198	8.90	8.88	34.189	26.503	156.0	0.411	1.71	26.3	39.1	2.39	29.6	0.00	0.01	0.06	199	204
200 ISL	8.88	8.86	34.191	26.507	155.6	0.414	1.69	25.9	39.3	2.40	29.7	0.00			201	
228	8.57	8.55	34.212	26.573	149.8	0.457	1.49	22.7	42.9	2.50	31.0	0.00			229	203
250 ISL	8.26	8.23	34.232	26.636	144.1	0.489	1.29	19.5	47.1	2.61	32.2	0.00			252	
268	8.07	8.04	34.245	26.675	140.6	0.514	1.15	17.3	49.7	2.68	33.0	0.00			270	202
282	8.03	8.00	34.247	26.682	140.1	0.534	1.08	16.3	50.0	2.69	33.1	0.00			284	201

LATITUDE	LONGITUDE	DAY/HO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 11.1 N	118 23.1 V	22/04/96	0645	UTC	1177 m	320	05 kn			1017.3 mb	15.9 c	14.0 c				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/l	PCT	um/ I	um/ I	um/ I	um/l	ug/l	ug/l	db	
0 ISL	15.52	15.52	33.527	24.723	321.1	0.000	6.03	106.2	3.8	0.30	0.0	0.01	0.75	0.34	0	
2	15.52	15.52	33.527	24.723	321.2	0.006	6.03	106.2	3.8	0.30	0.0	0.01	0.75	0.34	2	220
10 ISL	15.16	15.16	33.526	24.802	313.9	0.032	6.05	105.7	4.1	0.34	0.3	0.02	1.26	0.47	10	
11	15.07	15.07	33.525	24.821	312.1	0.035	6.05	105.5	4.2	0.34	0.3	0.02	1.34	0.50	11	219
20 ISL	13.85	13.85	33.508	25.067	289.0	0.062	5.72	97.3	5.3	0.47	2.0	0.10	1.66	0.88	20	
21	13.69	13.69	33.507	25.099	286.0	0.065	5.65	95.8	5.5	0.50	2.4	0.11	1.67	0.92	21	218
30 ISL	12.54	12.54	33.533	25.348	262.5	0.090	4.66	77.2	10.0	0.90	8.5	0.28	1.31	0.89	30	
31	12.43	12.43	33.538	25.373	260.1	0.092	4.54	75.0	10.5	0.95	9.3	0.29	1.25	0.89	31	217
40	11.87	11.86	33.579	25.511	247.1	0.115	3.91	63.9	13.6	1.21	13.7	0.11	0.64	0.58	40	216
50	11.00	10.99	33.644	25.721	227.4	0.139	3.48	55.8	17.3	1.47	17.3	0.07	0.26	0.34	50	215
60	10.68	10.67	33.709	25.829	217.3	0.161	3.16	50.3	20.5	1.64	19.8	0.03	0.12	0.25	60	214
70	10.48	10.47	33.744	25.891	211.6	0.182	3.03	48.1	21.8	1.72	20.8	0.03	0.08	0.19	70	213
75 ISL	10.37	10.36	33.756	25.919	209.0	0.193	3.00	47.5	22.2	1.74	21.1	0.03	0.07	0.17	75	
84	10.17	10.16	33.779	25.972	204.2	0.212	2.97	46.8	23.1	1.77	21.7	0.02	0.05	0.15	84	212
99	9.81	9.80	33.846	26.085	193.8	0.241	2.92	45.7	25.5	1.89	23.3	0.02	0.02	0.11	100	211
100 ISL	9.79	9.78	33.853	26.094	192.9	0.243	2.90	45.3	25.7	1.90	23.4	0.02	0.02	0.11	101	
119	9.47	9.46	33.962	26.232	180.2	0.279	2.51	39.0	29.8	2.00	25.6	0.01	0.01	0.09	120	210
125 ISL	9.44	9.43	33.969	26.243	179.3	0.290	2.50	38.8	29.9	2.02	25.8	0.01	0.01	0.09	126	
139	9.40	9.38	33.976	26.255	178.4	0.315	2.49	38.6	30.1	2.06	25.9	0.01	0.01	0.08	140	209
150 ISL	9.26	9.24	34.014	26.307	173.6	0.334	2.39	37.0	31.7	2.12	26.6	0.01	0.01	0.07	151	
170	8.98	8.96	34.095	26.416	163.7	0.368	2.14	32.9	35.4	2.23	28.0	0.01	0.01	0.06	171	208
199	8.73	8.71	34.165	26.510	155.2	0.414	1.78	27.2	39.6	2.38	29.6	0.01	0.00	0.06	200	207
200 ISL	8.72	8.70	34.168	26.514	154.8	0.415	1.76	26.9	39.8	2.39	29.7	0.01			201	
229	8.46	8.44	34.233	26.606	146.6	0.459	1.33	20.2	45.4	2.58	31.5	0.01			230	206
250 ISL	8.28	8.25	34.248	26.645	143.2	0.490	1.18	17.9	48.0	2.65	32.3	0.01			252	
270	8.10	8.07	34.250	26.674	140.7	0.518	1.09	16.4	50.1	2.70	32.9	0.01			272	205
300 ISL	7.82	7.79	34.258	26.722	136.5	0.560	0.94	14.1	53.7	2.78	33.9	0.00			302	
318	7.65	7.62	34.261	26.750	134.2	0.584	0.86	12.8	55.9	2.83	34.5	0.00			320	204
378	7.17	7.13	34.270	26.825	127.7	0.662	0.65	9.6	62.6	2.95	36.3	0.00			380	203
400 ISL	6.99	6.95	34.270	26.851	125.5	0.690	0.60	8.8	65.0	2.99	37.0	0.00			403	
438	6.68	6.64	34.273	26.895	121.6	0.737	0.52	7.6	69.4	3.07	38.1	0.00			441	202
500 ISL	6.16	6.12	34.297	26.983	113.7	0.810	0.36	5.2	77.9	3.19	39.8	0.00			503	
513	6.05	6.00	34.303	27.001	112.0	0.825	0.33	4.7	79.7	3.21	40.2	0.00			517	201

















LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 Q.8 N	119 13.6 W	17/04/96	0233	UTC	1577 m	270	10 kn	270 05 07	1	1016.2 mb	16..9 C	16..0 C			1/8	CS
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	PRES	SAMP
m	DEG C	DEG C		THETA			ml/l	PCT	uM/I	uM/I	uM/I	uM/I	ug/l	ug/l	db	
0 ISL	16.10	16.10	33.438	24.525	340.1	0.000	5.81	103.4	3.1	0.30	0.0	0.00	0.16	0.05	0	
1	16.10	16.10	33.438	24.525	340.1	0.003	5.81	103.4	3.1	0.30	0.0	0.00	0.16	0.05	1	220
10 ISL	15.76	15.76	33.430	24.5 95	333.6	0.034	5.84	103.2	3.0	0.30	0.0	0.00	0.17	0.05	10	
15	15.51	15.51	33.425	24.647	328.8	0.050	5.87	103.3	3.0	0.30	0.0	0.00	0.19	0.06	15	219
20 ISL	15.47	15.47	33.424	24.656	328.2	0.067	5.88	103.3	3.0	0.30	0.0	0.00	0.21	0.07	20	
29	15.40	15.40	33.422	24.670	327.1	0.096	5.89	103.4	3.0	0.30	0.0	0.00	0.24	0.09	29	218
30 ISL	15.40	15.40	33.422	24.670	327.1	0.099	5.89	103.4	3.0	0.30	0.0	0.00	0.24	0.09	30	
45	15.36	15.35	33.421	24.678	326.8	0.149	5.86	102.8	2.9	0.30	0.0	0.00	0.31	0.14	45	217
50 ISL	15.24	15.23	33.419	24.703	324.5	0.165	5.84	102.2	3.0	0.31	0.1	0.00	0.46	0.21	50	
55	15.09	15.08	33.418	24.735	321.6	0.181	5.82	101.5	3.0	0.32	0.2	0.01	0.59	0.28	55	216
64	14.76	14.75	33.421	24.809	314.8	0.210	5.75	99.6	3.9	0.35	0.7	0.04	0.52	0.36	64	215
75	13.05	13.04	33.489	25.215	276.3	0.242	5.08	85.0	7.6	0.69	6.1	0.24	0.39	0.32	75	214
85	12.29	12.28	33.527	25.393	259.6	0.269	4.54	74.8	10.7	0.96	10.3	0.10	0.26	0.24	85	213
97	11.71	11.70	33.580	25.543	245.5	0.299	4.18	68.0	13.5	1.13	13.0	0.05	0.19	0.20	97	212
100 ISL	11.54	11.53	33.601	25.591	241.0	0.307	4.05	65.7	14.5	1.20	14.0	0.04	0.16	0.18	100	
109	11.03	11.02	33.664	25.733	227.7	0.328	3.67	58.9	17.4	1.40	16.9	0.02	0.09	0.14	109	211
124	10.35	10.34	33.721	25.896	212.3	0.361	3.41	53.9	20.7	1.56	19.5	0.01	0.04	0.10	125	210
125 ISL	10.32	10.31	33.725	25.905	211.5	0.363	3.39	53.6	20.9	1.57	19.6	0.01	0.04	0.10	126	
144	9.95	9.93	33.815	26.038	199.2	0.402	3.03	47.5	24.5	1.75	22.3	0.01	0.02	0.06	145	209
150 ISL	9.82	9.80	33.852	26.089	194.5	0.414	2.90	45.4	25.9	1.82	23.2	0.01	0.02	0.06	151	
168	9.44	9.42	33.959	26.236	180.8	0.447	2.53	39.3	30.0	2.02	25.7	0.00	0.01	0.05	169	208
198	8.82	8.80	34.057	26.412	164.5	0.499	2.25	34.5	35.4	2.17	28.0	0.00	0.01	0.04	199	207
200 ISL	8.79	8.77	34.061	26.420	163.8	0.502	2.23	34.1	35.7	2.18	28.1	0.00			201	
228	8.41	8.39	34.111	26.518	154.9	0.547	2.00	30.4	40.2	2.30	29.9	0.00			229	206
250 ISL	8.28	8.25	34.138	26.559	151.3	0.581	1.83	27.7	42.7	2.37	30.6	0.00			251	
268	8.19	8.16	34.155	26.586	149.1	0.608	1.70	25.7	44.6	2.42	31.1	0.00			270	205
300 ISL	7.82	7.79	34.178	26.659	142.5	0.654	1.43	21.4	49.5	2.56	32.6	0.00			302	
317	7.61	7.58	34.189	26.699	138.9	0.678	1.29	19.2	52.2	2.63	33.5	0.00			319	204
378	7.18	7.14	34.238	26.799	130.2	0.760	0.82	12.1	60.8	2.84	35.9	0.00			380	203
400 ISL	7.00	6.96	34.257	26.839	126.6	0.789	0.68	10.0	64.0	2.91	36.6	0.00			403	
434	6.71	6.67	34.282	26.898	121.3	0.831	0.51	7.4	68.8	3.01	37.6	0.00			437	202
500 ISL	6.15	6.11	34.285	26.974	114.4	0.909	0.39	5.6	76.9	3.13	39.7	0.00			503	
517	6.01	5.96	34.287	26.994	112.7	0.928	0.36	5.2	79.0	3.16	40.2	0.00			520	201

I !

LATITUDE	LONGITUDE	DAY/NO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
31 SCI.9 N	119 34.3 W	17/04/96	0632	UTC	1857 m	210	09 kn			1017.8 mb	17..0 C	16..2 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	PRES	SAHP
m	DEG C	DEG C		THETA			ml/l	PCT	uM/I	uM/I	uM/I	uM/I	ug/l	ug/I	db	
0 ISL	16.34	16.34	33.363	24.412	350.7	0.000	5.76	103.0	3.5	0.32	0.1	0.00	0.13	0.03	0	
1	16.34	16.34	33.363	24.412	350.8	0.004	5.76	103.0	3.5	0.32	0.1	0.00	0.13	0.03	1	220
10	16.17	16.17	33.355	24.445	347.9	0.035	5.78	103.0	3.4	0.30	0.0	0.00	0.12	0.03	10	219
20	15.64	15.64	33.361	24.569	336.4	0.069	5.85	103.1	3.4	0.30	0.0	0.00	0.13	0.03	20	218
30 ISL	14.90	14.90	33.308	24.691	325.1	0.102	5.99	104.0	3.6	0.32	0.0	0.00	0.17	0.07	30	
31	14.83	14.83	33.302	24.702	324.1	0.105	6.00	104.0	3.6	0.32	0.0	0.00	0.18	0.07	31	217
40	14.46	14.45	33.277	24.761	318.7	0.134	6.03	103.7	3.7	0.33	0.0	0.00	0.26	0.12	40	216
50	13.59	13.58	33.237	24.911	304.6	0.166	6.06	102.4	4.2	0.34	0.0	0.00	0.51	0.33	50	215
59	12.85	12.84	33.244	25.064	290.2	0.192	5.79	96.3	4.9	0.45	1.5	0.14	0.69	0.59	59	214
69	12.48	12.47	33.288	25.171	280.3	0.221	5.53	91.3	6.0	0.57	3.6	0.14	0.53	0.54	69	213
75 ISL	12.19	12.18	33.363	25.284	269.6	0.237	5.33	87.5	7.1	0.65	5.3	0.10	0.43	0.44	75	
84	11.72	11.71	33.474	25.459	253.2	0.261	5.05	82.1	9.0	0.78	7.9	0.04	0.30	0.28	84	212
99	11.03	11.02	33.506	25.609	239.1	0.298	4.73	75.8	11.9	1.00	11.4	0.02	0.17	0.16	99	211
100 ISL	10.98	10.97	33.511	25.622	237.9	0.300	4.71	75.4	12.1	1.02	11.6	0.02	0.16	0.15	100	
118	10.22	10.21	33.608	25.831	218.4	0.341	4.24	66.8	16.7	1.29	16.0	0.01	0.07	0.07	119	210
125 ISL	9.96	9.95	33.640	25.900	211.9	0.356	4.08	63.9	18.4	1.39	17.6	0.01	0.05	0.05	126	
139	9.51	9.49	33.711	26.030	199.8	0.385	3.73	57.9	22.0	1.59	20.5	0.01	0.02	0.04	140	209
150 ISL	9.25	9.23	33.801	26.142	189.2	0.407	3.37	52.0	25.5	1.75	22.8	0.01	0.01	0.04	151	
169	8.98	8.96	33.953	26.305	174.2	0.441	2.78	42.7	30.9	1.99	25.9	0.00	0.00	0.03	170	208
199	8.99	8.97	34.057	26.385	167.2	0.492	2.34	36.0	34.2	2.16	27.5	0.00	0.00	0.03	200	207
200 ISL	8.97	8.95	34.057	26.388	166.9	0.494	2.34	36.0	34.3	2.16	27.5	0.00			201	
229	8.35	8.33	34.062	26.489	157.6	0.541	2.42	36.7	38.1	2.21	28.7	0.00			230	206
250 ISL	8.17	8.14	34.110	26.554	151.8	0.573	2.10	31.7	41.5	2.34	30.0	0.00			251	
268	8.08	8.05	34.154	26.602	147.5	0.600	1.75	26.4	44.7	2.46	31.2	0.00			270	205
300 ISL	7.72	7.69	34.175	26.672	141.3	0.647	1.44	21.5	50.2	2.61	32.9	0.00			302	
319	7.49	7.46	34.180	26.709	137.9	0.673	1.30	19.3	53.5	2.69	33.9	0.00			321	204
379	6.91	6.87	34.239	26.837	126.4	0.752	0.74	10.9	64.0	2.94	36.8	0.00			381	203
400 ISL	6.77	6.73	34.255	26.869	123.6	0.779	0.62	9.1	66.6	3.00	37.5	0.00			403	
437	6.57	6.53	34.280	26.915	119.6	0.824	0.48	7.0	70.4	3.08	38.4	0.00			440	202
500 ISL	6.23	6.19	34.315	26.988	113.3	0.897	0.33	4.8	76.8	3.17	39.7	0.00			503	
515	6.15	6.10	34.323	27.005	111.8	0.914	0.30	4.3	78.3	3.19	40.0	0.00			518	201





Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD, AHT, TYPE. Rows include depth measurements (0-513) with various parameters like temperature, salinity, and sigma-t.

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD, AMT, TYPE. Rows include depth measurements (0-516) with various parameters like temperature, salinity, and sigma-t.



PRIMARY PRODUCTIVITY CASTS

RV DAVID STARR JORDAN

CALCOFI CRUISE '9604

STATION 77 70

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL								
34 23.0 N	122 14.5 W	30/ 4/96	1832 UTC	37 m	01	1206 - 1918 PST	1206 PST	1918 PST	209.2 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	ml/l	PCT	uM/l	uM/ I	uM/l	uM/l	ug/l	ug/ I	PCT	1	2	MEAN	DARK
1	15.92	33.157	24.349	5.79	102.5	3.0	0.31	0.0	0.00	0.08	0.02	96. A	1.6	1.6	1.6	0.03
12	15.76	33.160	24.388	5.80	102.4	3.0	0.31	0.0	0.00	0.09	0.02					
23	15.66	33.177	24.423	5.81	102.3	3.0	0.30	0.0	0.00	0.09	0.03	39.	2.3	2.2	2.3	0.06
35	15.64	33.176	24.428	5.82	102.5	3.0	0.29	0.0	0.00	0.09	0.03					
48	15.57	33.166	24.436	5.82	102.3	2.8	0.30	0.0	0.00	0.13	0.04	14.	2.2	2.1	2.1	0.06
57	14.97	33.084	24.504	5.92	102.8	2.8	0.32	0.0	0.00	0.17	0.05					
66	13.54	33.943	24.694	6.11	102.9	3.1	0.36	0.0	0.00	0.20	0.11					
74	13.63	33.027	24.741	6.06	102.3	3.4	0.36	0.0	0.01	0.23	0.12	4.6	1.8	1.9	1.8	0.06
84	13.35	33.177	24.914	5.86	98.5	4.1	0.44	0.8	0.11	0.42	0.23					
91	12.35	33.166	25.101	5.60	92.1	5.6	0.59	3.4	0.25	0.37	0.23					
100	11.70	33.274	25.307	5.40	87.7	6.8	0.68	5.5	0.09	0.30	0.23	1.6	1.1	1.1	1.1	0.03
109	11.10	33.361	25.484	4.95	79.4	9.7	0.90	9.4	0.05	0.21	0.17					
123	10.28	33.445	25.693	4.33	68.3	15.1	1.27	15.2	0.02	0.10	0.14					
138	10.06	33.528	25.796	4.16	65.3	17.0	1.37	16.9	0.01	0.05	0.08	0.33	0.02	0.03	0.02	0.02

RV DAVID STARR JORDAN

CALCOFI CRUISE <7604

STATION 80 70

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL								
33 48.9 N	121 50.2 W	28/ 4/96	1847 UTC	30 m	01	1203 - 1911 PST	1204 PST	1911 PST	203.6 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE (mg C / m3)			
m	DEG C		THETA	ml/l	PCT	uM/ I	uM/ I	uM/l	uM/ I	ug/l	ug/l	PCT	1	2	MEAN	DARK
2	15.75	33.221	24.437	5.81	102.6	3.2	0.28	0.0	0.00	0.13	0.05	90. A	1.6	1.6	1.6	0.08
9	15.71	33.222	24.447	5.80	102.3	3.2	0.28	0.0	0.00	0.12	0.04					
18	15.70	33.224	24.451	5.81	102.5	3.0	0.28	0.0	0.00	0.12	0.04	40.	2.3	2.4	2.4	0.10
30	15.68	33.222	24.454	5.80	102.2	3.0	0.28	0.0	0.00	0.11	0.04					
39	15.66	33.219	24.456	5.79	102.0	3.0	0.28	0.0	0.00	0.11	0.04	14.	1.8	1.7	1.8	0.09
50	15.63	33.215	24.460	5.80	102.1	3.0	0.28	0.0	0.00	0.13	0.04					
61	14.86	33.186	24.607	5.94	103.0	3.1	0.33	0.0	0.00	0.26	0.12	4.4	2.1	2.4	2.3	0.08
72	14.31	33.248	24.772	5.97	102.4	2.9	0.33	0.0	0.00	0.43	0.26					
79	13.39	33.314	25.012	5.65	95.1	5.0	0.55	2.8	0.24	0.59	0.46	1.8	2.4	2.3	2.3	0.08
91	12.73	33.354	25.174	5.33	88.5	7.4	0.70	5.7	0.23	0.40	0.33					
101	12.22	33.427	25.329	4.91	80.7	10.3	0.92	9.1	0.11	0.27	0.27	0.34	0.05	0.06	0.06	0.03
111	11.36	33.553	25.587	4.16	67.2	15.5	1.28	14.8	0.02	0.10	0.16					

RV DAVID STARR JORDAN

CALCOFI CRUISE <7604

STATION 80 100

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 49.0 N	123 54.1 W	29/ 4/96	1813 UTC	24 m	01	1213 - 1923 PST	1213 PST	1923 PST	34.2 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE (mg C/m3)			
fsl	DEG C		THETA	ml/l	PCT	uN/l	uM/l	uM/ I	uM/l	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	16.73	33.300	24.274	5.71	102.8	2.8	0.27	0.0	0.00	0.08	0.02	94. A	1.8	1.8	1.8	0.04
15	16.65	33.299	24.292	5.70	102.5	2.8	0.27	0.0	0.00	0.08	0.03	38.	2.2	2.1	2.1	0.05
32	16.55	33.275	24.297	5.71	102.4	2.8	0.27	0.0	0.00	0.09	0.03	13.	1.3	1.5	1.4	0.06
40	16.49	33.270	24.308	5.72	102.5	2.8	0.27	0.0	0.00	0.09	0.03					
48	16.38	33.232	24.304	5.74	102.6	2.8	0.27	0.0	0.00	0.10	0.03	4.6	0.58	0.64	0.61	0.05
57	14.80	33.083	24.540	5.97	103.3	2.8	0.31	0.0	0.00	0.12	0.04					
64	14.73	33.120	24.584	5.95	102.8	2.8	0.31	0.0	0.00	0.14	0.06	1.7	0.16	0.15	0.16	0.06
74	14.71	33.210	24.658	5.90	102.0	2.9	0.28	0.0	0.00	0.17	0.09					
82	13.28	33.083	24.855	5.95	99.8	3.5	0.37	0.2	0.04	0.29	0.16					
91	12.94	33.325	25.110	5.65	94.2	4.6	0.46	2.0	0.11	0.29	0.20	0.30	0.07	0.07	0.07	0.03

RV DAVID STARR JORDAN

CALCOFI CRUISE '9604

STATION 83 40.6

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
34 13.8 N	119 25.0 W	27/ 4/96	1856 UTC	5 m	06	1156 - 1911 PST	1156 PST	1911 PST	1658.9 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	ml/l	PCT	uM/ I	uM/l	uM/ I	uM/ I	ug/ I	ug/l	PCT	1	2	MEAN	DARK
1	13.05	33.626	25.319	7.00	117.2	4.2	0.48	2.3	0.12	11.95	2.99	74. A	186.8	196.2	191.5	0.74
3	12.68	33.631	25.396	6.98	116.0	3.8	0.46	2.6	0.12	12.78	3.03	40.	222.2	212.8	217.5	0.72
6	12.15	33.659	25.520	6.61	108.7	3.6	0.55	4.6	0.13	17.35	3.39	16.	160.9	156.5	158.7	0.46
10	11.88	33.670	25.579	6.33	103.5	4.9	0.64	6.1	0.14	14.55	4.74	4.6	37.4	40.2	38.8	0.23
14	11.73	33.676	25.612	5.72	93.2	8.2	0.92	8.6	0.18	6.08	3.06	1.4	4.5	4.9	4.7	0.14
19	11.47	33.676	25.660	5.31	86.0	10.7	1.11	10.5	0.20	2.92	2.83	0.29	0.11	0.13	0.12	0.10

A) INCUBATION LIGHT INTENSITIES WERE 94, 39, 13, 4.5, 1.6, 13.31 PERCENT RESPECTIVELY.

PRIMARY PRODUCTIVITY CASTS

RV DAVID STARR JORDAN

CALCOFI CRUISE 9604

STATION 83 70

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
33 14.8 N	121 26.7 W	26/ 4/96	1822 UTC	18 m	02	1203 - 1908 PST	1204 PST	1908 PST	359.4 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE C mg C/m3)			
m	DEG C		THETA	ml/l	PCT	um/ I	um/ I	um/ I	um/ I	ug/l	ug/ I	PCT	1	2	MEAN	DARK
2	14.69	33.166	24.626	5.97	103.1	3.1	0.31	0.1	0.00	0.36	0.16	85. A	5.9	5.7	5.8	0.07
12	14.65	33.169	24.637	5.99	103.4	3.1	0.31	0.1	0.00	0.25	0.10	38.	9.7	9.3	9.5	0.09
18	14.63	33.174	24.645	5.99	103.4	3.1	0.31	0.1	0.00	0.39	0.18					
24	14.60	33.173	24.651	5.99	103.3	3.1	0.31	0.2	0.01	0.43	0.21	14.	8.7	8.4	8.5	0.11
29	13.84	33.163	24.802	6.03	102.4	3.1	0.38	1.0	0.05	0.64	0.33					
36	13.74	33.145	24.809	6.01	101.8	3.2	0.43	1.5	0.07	0.67	0.43	5.5	5.2	6.3	5.8	0.10
40	13.63	33.147	24.833	5.99	101.2	3.4	0.44	1.7	0.08	0.61	0.46					
49	13.56	33.156	24.854	5.98	100.9	3.5	0.45	1.9	0.09	0.59	0.56	1.9	2.4	2.4	2.4	0.06
57	13.38	33.206	24.930	5.92	99.6	3.6	0.50	2.4	0.10	0.54	0.58					
68	12.19	33.304	25.238	5.52	90.6	6.7	0.69	5.8	0.16	0.31	0.51	0.41	0.13	0.17	0.15	0.04

RV DAVID STARR JORDAN

CALCOFI CRUISE '9604

STATION 83 100

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 14.9 N	123 29.7 W	25/ 4/96	1902 UTC	35 m	01	1212 - 1914 PST	1212 PST	1914 PST	140.2 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE Cmg C/m3)			
D	DEG C		THETA	ml/l	PCT	um/ I	um/1	um/1	um/ I	ug/l	ug/l	PCT	1	2	MEAN	DARK
2	17.22	33.461	24.282	5.65	102.8	2.9	0.23	0.1	0.00	0.08	0.02	92.	1.4	1.4	1.4	0.04
21	17.17	33.460	24.294	5.64	102.5	2.9	0.24	0.1	0.00	0.07	0.02	40.	2.2	2.1	2.2	0.04
34	16.95	33.455	24.343	5.66	102.4	2.8	0.23	0.1	0.00	0.08	0.02					
47	16.78	33.430	24.364	5.70	102.8	2.8	0.23	0.1	0.00	0.09	0.03	13.	1.4	1.6	1.5	0.08
57	16.63	33.420	24.391	5.71	102.7	2.8	0.23	0.1	0.00	0.11	0.03					
70	16.21	33.383	24.460	5.74	102.3	2.8	0.24	0.1	0.00	0.13	0.04	4.6	0.82	0.87	0.84	0.08
83	16.02	33.362	24.487	5.75	102.1	2.8	0.24	0.1	0.00	0.13	0.05					
94	15.87	33.358	24.518	5.74	101.6	2.7	0.25	0.1	0.00	0.18	0.08	1.6	0.50	0.51	0.51	0.06
105	15.57	33.329	24.563	5.76	101.4	2.7	0.25	0.1	0.00	0.21	0.10					
115	15.22	33.403	24.698	5.76	100.7	3.2	0.27	0.1	0.00	0.24	0.16					
121	14.58	33.504	24.914	5.72	98.8	3.5	0.28	0.1	0.02	0.26	0.23					
132	14.12	33.579	25.069	5.59	95.7	3.8	0.33	0.7	0.07	0.23	0.26	0.31	0.12	0.12	0.12	0.02

RV DAVID STARR JORDAN

CALCOFI CRUISE '9604

STATION 87 55

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
33 9.7 N	120 0.2 W	23/ 4/96	1841 UTC	12 m	03	1159 - 1905 PST	1158 PST	1904 PST	6 5 7.4 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE Cmg C/m3)			
m	DEG C		THETA	ml/l	PCT	um/ I	um/1	um/1	um/ I	ug/ I	ug/ I	PCT	1	2	MEAN	DARK
1	13.30	33.536	25.200	5.90	99.3	7.8	0.71	5.6	0.13	1.18	0.55	88. A	18.4	18.4	18.4	0.15
7	13.29	33.535	25.201	5.91	99.4	7.7	0.71	5.6	0.13	1.24	0.57	41.	31.5	33.4	32.5	0.25
16	13.24	33.534	25.211	5.90	99.2	7.7	0.71	5.5	0.13	1.40	0.67	13.	24.1	23.6	23.8	0.19
24	13.21	33.532	25.215	5.89	98.9	7.6	0.70	5.4	0.12	1.26	0.71	4.6	10.1	12.3	11.2	0.20
32	13.18	33.535	25.224	5.86	98.4	7.6	0.71	5.5	0.12	1.27	0.68	1.7	4.5	4.7	4.6	0.15
39	12.87	33.544	25.292	5.68	94.7	8.2	0.78	6.4	0.14	1.29	0.71					
44	12.62	33.543	25.341	5.45	90.4	8.9	0.85	7.5	0.17	1.03	0.64	0.36	0.31	0.40	0.35	0.08

RV DAVID STARR JORDAN

CALCOFI CRUISE 9604

STATION 87 90

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
31 59.7 N	122 23.5 W	24/ 4/96	1825 UTC	27 m	01	1204 - 1915 PST	1208 PST	1914 PST	108.3 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE it mg C/m3)			
m	DEG C		THETA	ml/l	PCT	um/ I	um/ I	um/ I	um/ I	ug/ I	ug/l	PCT	1	2	MEAN	DARK
2	16.03	33.244	24.391	5.78	102.6	2.9	0.29	0.0	0.00	0.09	0.02	89. A	2.0	1.9	1.9	0.05
17	15.96	33.237	24.402	5.79	102.6	2.9	0.29	0.0	0.00	0.09	0.02	38.	2.3	2.4	2.3	0.06
26	15.94	33.236	24.406	5.79	102.6	2.9	0.29	0.0	0.00	0.09	0.03					
35	15.92	33.234	24.410	5.78	102.4	2.9	0.29	0.0	0.00	0.09	0.03	14.	1.5	1.4	1.5	0.06
45	15.76	33.234	24.446	5.80	102.4	2.9	0.29	0.0	0.00	0.11	0.04					
54	15.75	33.236	24.450	5.81	102.6	2.8	0.29	0.0	0.00	0.13	0.04	4.6	0.76	0.93	0.85	0.08
64	15.78	33.243	24.449	5.80	102.4	2.8	0.29	0.0	0.00	0.14	0.04					
73	15.84	33.274	24.460	5.78	102.2	2.8	0.27	0.0	0.00	0.16	0.05	1.6	0.21	0.27	0.24	0.07
82	14.36	33.195	24.720	5.91	101.4	3.1	0.33	0.0	0.00	0.26	0.17					
93	13.99	33.378	24.939	5.77	98.4	3.6	0.35	0.4	0.08	0.34	0.28					
102	13.48	33.431	25.085	5.59	94.3	4.4	0.43	1.6	0.08	0.30	0.28	0.30	0.18	0.17	0.18	0.02

A) INCUBATION LIGHT INTENSITIES WERE 94, 39, 13, 4.5, 1.6, 0.31 PERCENT RESPECTIVELY.

PRIMARY PRODUCTIVITY CASTS

RV DAVID STARR JORDAN

CALCOFI CRUISE '9604

STATION 90 28

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL								
33 29.1 N	117 46.0 W	22/ 4/96	1820 UTC	13 m	05	1149 - 1859 PST	1 149 PST	1858 PST	785.1 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	ml/ l	PCT	uM/l	uM/ l	uM/ l	uM/ l	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	16.55	33.483	24.456	6.36	114.2	5.8	0.18	0.0	0.00	0.67	0.20	89. A	19.8	21.5	20.7	0.24
9	16.23	33.487	24.533	6.38	113.9	5.5	0.18	0.0	0.00	1.10	0.27	35.	30.6	28.6	29.6	0.44
17	15.38	33.481	24.719	6.05	106.2	6.6	0.24	0.0	0.03	2.25	0.82	13.	40.5	40.7	40.6	0.53
26	12.34	33.554	25.403	3.92	64.7	12.1	0.96	8.7	0.34	1.43	0.94	4.6	8.8	10.0	9.4	0.21
35	11.06	33.602	25.677	3.17	50.9	18.5	1.65	19.0	0.26	0.61	0.36	1.6	1.3	1.2	1.3	0.14
42	10.79	33.612	25.733	2.88	46.0	21.9	1.93	21.8	0.46	0.14	0.27					
49	10.74	33.641	25.765	2.85	45.4	22.0	1.92	21.6	0.41	0.12	0.30	0.31	0.03	0.02	0.02	0.14

RV DAVID STARR JORDAN

CALCOFI CRUISE '9604

STATION 90 80

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
31 44.7 N	121 18.8 W	20/ 4/96	1825 UTC	25 m	01	1204 - 1902 PST	1204 PST	1901 PST	87.5 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	ml/ l	PCT	uM/l	uM/ l	uH/ l	uM/ I	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	15.27	33.122	24.467	5.86	102.4	3.2	0.31	0.0	0.00	0.11	0.03	94. A	1.0	1.1	1.0	0.08
15	15.24	33.123	24.474	5.86	102.3	3.2	0.31	0.0	0.00	0.12	0.04	40.	1.7	1.8	1.8	0.07
33	15.18	33.121	24.486	5.87	102.4	3.2	0.31	0.0	0.00	0.12	0.04	13.	1.5	1.5	1.5	0.09
51	15.09	33.114	24.501	5.88	102.4	3.1	0.31	0.0	0.00	0.14	0.04	4.4	0.74	0.73	0.74	0.08
67	14.86	33.097	24.538	5.90	102.2	3.1	0.31	0.0	0.00	0.19	0.06	1.6	0.43	0.47	0.45	0.07
76	14.37	33.143	24.678	5.93	101.7	3.3	0.32	0.0	0.00	0.35	0.20					
85	14.16	33.322	24.860	5.84	99.9	3.5	0.31	0.0	0.01	0.40	0.35					
94	13.36	33.392	25.079	5.71	96.1	4.1	0.36	0.8	0.05	0.38	0.40	0.31	0.11	0.11	0.11	0.03

RV DAVID STARR JORDAN

CALCOFI CRUISE '9604

STATION 90 110

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL								
30 45.1 N	123 20.2 W	19/ 4/96	1832 UTC	33 m	01	1209 - 1906 PST	1212 PST	1906 PST	90.1 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE (mg C / m3)			
m	DEG C		THETA	ml/ l	PCT	uM/l	uM/ l	uM/ l	uM/ I	ug/l	ug/l	PCT	1	2	MEAN	DARK
2	17.63	33.623	24.309	5.59	102.6	2.7	0.21	0.1	0.00	0.07	0.02	91. A	1.2	1.2	1.2	0.06
10	17.62	33.623	24.311	5.58	102.4	2.5	0.21	0.1	0.00	0.08	0.02					
19	17.62	33.622	24.311	5.58	102.4	2.5	0.20	0.1	0.00	0.08	0.02	41.	1.6	1.5	1.6	0.05
31	17.60	33.625	24.318	5.59	102.6	2.3	0.20	0.0	0.00	0.09	0.01					
43	17.60	33.624	24.318	5.58	102.4	2.3	0.20	0.0	0.00	0.09	0.02	14.	1.1	0.98	1.0	0.07
54	17.60	33.627	24.321	5.57	102.2	2.3	0.20	0.0	0.00	0.08	0.02					
67	17.58	33.635	24.332	5.58	102.3	2.2	0.20	0.0	0.00	0.09	0.03	4.4	0.47	0.56	0.52	0.06
77	17.49	33.634	24.354	5.60	102.5	2.2	0.20	0.0	0.00	0.10	0.03					
88	17.28	33.639	24.408	5.60	102.1	2.2	0.20	0.0	0.00	0.13	0.02	1.7	0.27	0.28	0.27	0.04
97	16.55	33.622	24.566	5.63	101.2	2.3	0.21	0.0	0.00	0.17	0.06					
107	15.34	33.425	24.688	5.80	101.6	2.8	0.25	0.0	0.00	0.18	0.10					
116	14.66	33.407	24.822	5.80	100.2	3.0	0.28	0.0	0.00	0.19	0.18					
124	13.72	33.376	24.994	5.66	95.9	3.6	0.36	1.0	0.07	0.27	0.24	0.31	0.08	0.07	0.07	0.02

RV DAVID STARR JORDAN

CALCOFI CRUISE '9604

STATION 93 45

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 21.5 N	118 32.8 W	16/ 4/96	1827 UTC	18 m	03	1152 - 1854 PST	1154 PST	1853 PST	409.2 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	DISS O2	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE (mg C/m3)			
D	DEG C		THETA	ml/ l	PCT	uM/l	uM/ l	uM/ I	uM/ l	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	16.47	33.529	24.510	5.81	104.2	2.8	0.29	0.0	0.00	0.26	0.06	92. A	6.6	6.6	6.6	0.16
11	16.20	33.533	24.575	5.84	104.2	2.9	0.29	0.0	0.00	0.26	0.08	39.	7.5	7.4	7.4	0.22
17	15.83	33.518	24.648	5.91	104.7	3.2	0.27	0.0	0.00	0.28	0.11					
24	15.73	33.517	24.670	5.90	104.3	3.2	0.27	0.0	0.00	0.29	0.13	13.	5.3	4.4	4.3	0.23
30	15.63	33.517	24.692	5.92	104.4	2.9	0.27	0.0	0.00	0.38	0.19					
36	15.48	33.516	24.725	5.92	104.1	2.9	0.27	0.0	0.00	0.56	0.32	4.6	4.9	5.2	5.0	0.23
41	15.15	33.518	24.799	5.85	102.2	3.1	0.31	0.3	0.01	1.54	0.81					
49	14.06	33.525	25.037	5.51	94.2	4.8	0.50	2.8	0.08	2.56	1.34	1.5	10.3	10.0	10.2	0.17
58	13.24	33.541	25.217	5.31	89.2	5.8	0.60	4.5	0.11	2.17	1.36					
67	11.61	33.607	25.582	4.05	65.8	14.0	1.19	13.6	0.21	1.05	0.87	0.33	0.41	0.45	0.43	0.04

A) INCUBATION LIGHT INTENSITIES WERE 94, 39, 13, 4.5, 1.6, 13.31 PERCENT RESPECTIVELY.

PRIMARY PRODUCTIVITY CASTS

RV DAVID STARR JORDAN

CALCOFI CRUISE 9604

STATION 93 70

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE
31 31 .4 N	120 14.3 W	17/ 4/96	1835 UTC	32 m	01	1200 - 1858 PST	1201 PST	1858 PST	245.0 mg C/m2

DEPTH	TEMP	SALINITY	SIGMA	DISS	O2	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE (mg C / m3)			
m	DEG C		THETA	mL/l		PCT	uM/l	uM/ I	uH/ I	uM/l	ug/ I	ug/l	PCT	1	2	MEAN	DARK
1	16.05	33.255	24.395	5.80	103.0	3.1	0.31	0.0	0.00	0.08	0.02	95. A	1.7	1.8	1.7	0.06	
10	15.76	33.251	24.458	5.84	103.1	3.0	0.31	0.0	0.00	0.09	0.02						
20	15.56	33.240	24.494	5.85	102.9	3.0	0.30	0.0	0.00	0.09	0.03	38.	1.9	1.9	1.9	0.10	
31	15.52	33.262	24.520	5.86	103.0	3.0	0.29	0.0	0.00	0.11	0.04						
43	15.49	33.289	24.548	5.87	103.1	2.9	0.30	0.0	0.00	0.14	0.05	13.	1.8	1.9	1.8	0.11	
54	15.47	33.334	24.588	5.84	102.6	2.9	0.31	0.0	0.00	0.20	0.07						
64	14.24	33.296	24.823	5.95	101.9	3.3	0.33	0.0	0.01	0.45	0.28	4.6	3.8	4.1	4.0	0.07	
76	13.85	33.288	24.898	5.91	100.4	3.8	0.37	0.4	0.05	0.63	0.50						
86	12.31	33.293	25.208	5.57	91.6	5.6	0.53	3.3	0.08	0.41	0.51	1.6	2.2	2.2	2.2	0.03	
95	11.82	33.375	25.364	5.18	84.4	7.6	0.71	6.5	0.06	0.28	0.33						
103	11.28	33.465	25.533	4.70	75.7	10.9	0.98	10.9	0.03	0.19	0.23						
109	11.09	33.507	25.600	4.52	72.5	12.2	1.08	12.4	0.03	0.16	0.21						
119	10.75	33.530	25.678	4.35	69.3	14.0	1.18	14.0	0.02	0.11	0.16	0.33	0.07	0.07	0.07	0.01	

RV DAVID STARR JORDAN

CALCOFI CRUISE 9604

STATION 93 110

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL	INTEGRATED VALUE
30 10..7 N	122 56.0 W	18/ 4/96	1828 UTC	38 m	01	1211 - 1909 PST	1211 PST	1909 PST	140.6 mgI C/m2

DEPTH	TEMP	SALINITY	SIGMA	DISS	O2	OXY	SI03	P04	N03	N02	CHL-A	PHAEO	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/l		PCT	uM/l	uM/l	uM/l	uM/ I	ug/l	ug/ I	PCT	1	2	MEAN	DARK
2	17.92	33.579	24.205	5.56	102.6	2.8	0.25	0.1	0.00	0.07	0.01	92. A	1.4	1.3	1.4	0.04	
12	17.90	33.578	24.209	5.57	102.8	2.8	0.24	0.1	0.00	0.07	0.02						
23	17.86	33.575	24.217	5.56	102.5	2.7	0.23	0.1	0.00	0.08	0.02	39.	1.6	1.6	1.6	0.05	
37	17.69	33.563	24.250	5.58	102.5	2.7	0.24	0.0	0.00	0.07	0.02						
50	17.51	33.560	24.291	5.60	102.5	2.5	0.23	0.0	0.00	0.07	0.03	13.	0.93	0.88	0.90	0.08	
64	17.45	33.560	24.306	5.60	102.4	2.5	0.23	0.0	0.00	0.09	0.03						
76	16.77	33.485	24.409	5.70	102.8	2.6	0.25	0.0	0.00	0.13	0.04	4.6	0.64	0.81	0.73	0.07	
85	15.80	33.429	24.588	5.79	102.4	2.7	0.27	0.0	0.00	0.13	0.05						
95	14.60	33.400	24.828	5.80	100.1	3.2	0.30	0.0	0.00	0.16	0.10						
102	13.98	33.452	24.999	5.67	96.7	3.9	0.37	0.6	0.04	0.36	0.27	1.6	1.2	1.2	1.2	0.04	
112	13.51	33.486	25.122	5.42	91.5	4.9	0.46	2.6	0.09	0.33	0.32						
122	12.85	33.568	25.317	5.12	85.3	6.5	0.61	5.4	0.07	0.24	0.23						
131	12.24	33.589	25.452	4.92	81.0	8.4	0.74	7.9	0.03	0.17	0.17						
144	11.60	33.581	25.566	4.74	76.9	10.1	0.89	10.1	0.02	0.14	0.16	0.30	0.05	0.05	0.05	0.00	

A) INCUBATION LIGHT INTENSITIES WERE 94, 39, 13, 4.5, 1.6, 0.31 PERCENT RESPECTIVELY.

## CalCOFI Cruise 9604

## MACROZOOPLANKTON BIOMASS

Net Mesh Size: 0.505mm

Line	Sta.	Latitude N	Longitude W	Date Mo/Day	Time (PST)		Water Volume Strained (m <sup>3</sup> )	Max. Tow Depth (m)	Volume per 1000 m Strained	
					Start	End			Total (cm <sup>3</sup> )	Small (cm <sup>3</sup> )
77	49	35 05.9	120 47.0	05/01	0225	0231	119	55	1602	<b>1602</b>
77	51	35 01.8	120 55.8	05/01	0429	0452	426	226	409	<b>392</b>
77	55	34 53.7	121 12.6	04/30	2010	2031	281	208	360	<b>360</b>
77	60	34 43.5	121 33.4	04/30	1626	1647	400	<b>213</b>	115	<b>115</b>
77	70	34 23.2	122 15.0	04/30	0902	0923	387	<b>214</b>	<b>23</b>	<b>23</b>
77	80	34 03.8	122 56.6	04/30	0328	0350	421	<b>209</b>	<b>36</b>	<b>36</b>
77	90	33 43.9	123 37.7	04/29	2218	2239	397	<b>209</b>	<b>66</b>	<b>53</b>
77	100	33 23.6	124 20.0	04/29	1635	1656	412	<b>211</b>	<b>34</b>	34
80	51	34 26.8	120 31.8	04/27	1947	1954	130	64	<b>192</b>	192
80	55	34 19.9	120 48.3	04/27	2328	2350	423	213	<b>156</b>	156
80	60	34 09.6	121 09.3	04/28	0345	0407	434	211	<b>106</b>	106
80	70	33 49.1	12151.2	04/28	0857	0919	435	221	<b>23</b>	23
80	80	33 28.9	122 31.9	04/28	1705	1727	439	215	<b>14</b>	14
80	90	33 09.5	123 12.7	04/28	2303	2324	407	211	<b>22</b>	22
80	100	32 49.4	123 54.6	04/29	0823	0844	408	215	17	17
82	47	34 16.5	120 02.3	04/27	1543	1605	416	211	<b>259</b>	209
83	40.6	34 13.4	119 24.9	04/27	0927	0930	60	27	<b>670</b>	670
83	42	34 11.1	119 30.1	04/27	0810	0819	170	93	599	599
83	51	33 53.0	120 08.7	04/27	0157	0206	187	91	<b>567</b>	567
83	55	33 43.9	120 25.1	04/26	2237	2258	394	212	132	132
83	70	33 14.9	121 27.1	04/26	1130	1152	403	217	84	84
83	110	31 54.7	124 10.4	04/25	0419	0441	426	214	33	33
87	33	33 53.0	118 29.2	04/22	1641	1646	98	49	143	143
87	35	33 49.2	118 37.6	04/22	1903	1925	432	209	239	239
87	40	33 39.2	118 59.3	04/22	2249	2310	405	212	173	173
87	45	33 29.1	119 20.0	04/23	0227	0249	390	213	262	262
87	50	33 19.7	119 40.0	04/23	0548	0555	138	69	441	441
87	55	33 09.6	120 00.5	04/23	0850	0911	402	216	82	82
87	60	32 58.9	120 21.2	04/23	1503	1524	399	212	133	133
87	70	32 39.2	121 02.5	04/23	2108	2129	393	220	43	43
87	80	32 19.6	121 43.0	04/24	0257	0319	451	195	248	248
87	90	31 59.2	122 24.3	04/24	0849	0910	410	220	10	10
87	100	31 38.8	123 05.0	04/24	1628	1649	429	206	<b>12</b>	12
87	110	31 19.8	123 44.6	04/24	2211	2232	413	208	<b>17</b>	17
90	28	33 29.0	117 46.4	04/22	0750	0757	134	70	<b>157</b>	157
90	30	33 25.6	117 53.4	04/22	0610	0631	407	212	<b>54</b>	54
90	35	33 15.2	118 14.5	04/22	0220	0242	411	215	<b>100</b>	100
90	37	33 11.6	118 23.5	04/21	2345	2406	398	211	<b>121</b>	121
90	45	32 54.8	118 52.9	04/21	1848	1910	457	211	<b>116</b>	116
90	70	32 05.7	120 38.5	04/20	1702	1724	425	<b>220</b>	<b>66</b>	66
90	80	31 45.0	121 19.4	04/20	0823	0845	430	<b>22s</b>	<b>12</b>	12
90	90	31 24.7	121 59.0	04/19	2344	2406	428	<b>213</b>	<b>14</b>	14
90	100	31 04.8	122 39.5	04/19	1727	1748	413	<b>214</b>	<b>10</b>	10
90	110	30 45.3	123 20.7	04/19	0811	0833	446	<b>209</b>	9	9
90	120	30 25.1	124 00.0	04/19	0031	0053	428	219	9	9
93	26.7	32 56.7	117 17.9	04/15	1230	1234	75	34	<b>93</b>	93
93	28	32 54.6	117 23.6	04/15	1613	1634	419	212	<b>29</b>	29
93	30	32 50.6	117 31.4	04/15	1859	1921	387	224	<b>49</b>	49
93	35	3241.1	117 52.9	04/15	2301	2322	410	207	<b>49</b>	49
93	40	32 31.4	118 12.6	04/16	0321	0343	398	214	<b>75</b>	75
93	45	32 21.0	118 33.5	04/16	0733	0755	418	213	<b>31</b>	31
93	50	32 10.5	118 52.6	04/16	1501	1523	421	218	<b>69</b>	69
93	55	32 00.4	119 13.4	04/16	1933	1955	433	210	58	58
93	60	31 51.3	119 34.7	04/16	2333	2354	419	209	210	43
93	70	31 31.0	120 14.8	04/17	0543	0604	408	213	34	34
93	80	31 11.0	120 54.9	04/17	1715	1737	429	212	<b>49</b>	49
93	90	30 50.7	121 35.0	04/17	2315	2337	406	<b>221</b>	<b>17</b>	17
93	100	30 30.5	122 16.3	04/18	0525	0546	503	<b>190</b>	8	8
93	110	30 10.9	122 58.3	04/18	1208	1229	432	<b>212</b>	<b>16</b>	16
93	120	29 50.5	123 35.4	04/18	1755	1817	429	<b>210</b>	5	5