

**UNIVERSITY OF CALIFORNIA, SAN DIEGO  
SCRIPPS INSTITUTION OF OCEANOGRAPHY  
LA JOLLA, CALIFORNIA 92093-0227**

**PHYSICAL, CHEMICAL AND BIOLOGICAL DATA**

**CalCOFI Cruise 9807  
9 – 27 July 1998**

**CalCOFI Cruise 9808  
12 – 18 August 1998**

**CalCOFI Cruise 9809  
13 September – 1 October 1998**

**CalCOFI Cruise 9810  
16 – 22 October 1998**

**CalCOFI Cruise 9811  
18 – 24 November 1998**

**CalCOFI Cruise 9812  
10 – 15 December 1998**

**SIO Reference 99-18  
3 November 1999**

**Approved for distribution:**

---

**Charles F. Kennel, Director**

CONTENTS

Introduction .....4

Literature Cited .....8

CalCOFI Cruise 9807

    Personnel .....9

    List of Figures .....10

    Tabulated Rosette Cast Data .....21

    Tabulated Primary Productivity Data .....53

    Tabulated Macrozooplankton Data .....57

CalCOFI Cruise 9808

    Personnel .....58

    List of Figures .....59

    Tabulated Rosette Cast Data .....64

    Tabulated Macrozooplankton Data .....73

CalCOFI Cruise 9809

    List of Figures .....74

    Personnel .....85

    Tabulated Rosette Cast Data .....86

    Tabulated Primary Productivity Data .....116

    Tabulated Macrozooplankton Data .....120

CalCOFI Cruise 9810

    List of Figures .....121

    Personnel .....126

    Tabulated Rosette Cast Data .....127

    Tabulated Macrozooplankton Data .....135

CalCOFI Cruise 9811

Personnel .....	136
List of Figures .....	137
Tabulated Rosette Cast Data .....	142
Tabulated Macrozooplankton Data .....	151

CalCOFI Cruise 9812

Personnel .....	152
List of Figures .....	153
Tabulated Rosette Cast Data .....	158
Tabulated Macrozooplankton Data .....	165

CalCOFI Cruises 9807, 9809, 9810, and 9811 Avifauna

List of Figures .....	166
-----------------------	-----

## INTRODUCTION

The data in this report were collected during cruises 9807\*, 9808, 9809, 9810, 9811 and 9812 of the California Cooperative Oceanic Fisheries Investigations (CalCOFI) program aboard the RV *New Horizon* and the RV *Robert Gordon Sproul* of Scripps Institution of Oceanography, University of California, San Diego. The CalCOFI program was organized in the late 1940's to study the causes of variations in population size of fishes of importance to the State of California. It is carried out by NOAA's National Marine Fisheries Service Southwest Fisheries Science Center, the California Department of Fish and Game, and the Marine Life Research Group (MLRG) at Scripps Institution of Oceanography (SIO). MLRG contributes to this program by investigations of the physical, chemical and biological structure of the California Current. Cruises 9807 and 9809 were extended north of the normal cruise pattern to include CalCOFI lines 73, 70, and 67. The three lines were added to improve our ability to correctly estimate the standing biomass of Pacific sardine (*Sardinops sagax*). On cruise 9807 only underway measurements were made on the added lines except on line 70 the full suite of CalCOFI work was completed on the four inshore stations. On 9809 underway measurements and the full suite of CalCOFI work were done on lines 73, 70 and 67. Cruises 9808, 9810, 9811 and 9812 were part of a series of shorter cruises designed to monitor the response of the California Current to the 1997-1998 El Niño Southern Oscillation (ENSO) event. Data from all of the cruises were collected and processed by personnel of the Marine Life Research Group and the Southwest Fisheries Science Center. Volunteers and other SIO staff members also assisted in the collection of data and chemical analyses at sea. CalCOFI data presented in this report and collected on previous cruises can be accessed via the World Wide Web (<http://ww3 a8aI>)

On cruises 9807 and 9809 silicate, phosphate, nitrate and nitrite nutrients were determined at sea using an automated analyzer. The procedures used are similar to those described in Atlas *et al.* (1971).

Samples for chlorophyll-*a* and phaeopigments were collected in calibrated 138 ml polyethylene bottles and filtered onto Whatman GF/F filters. The pigments were extracted with a cold extraction technique in 90% acetone (Venrick and Hayward, 1984), and the fluorescence determined before and after acidification with a Turner Designs fluorometer (Yentsch and Menzel, 1963; Holm-Hansen *et al.*, 1965).

Evaluation of the water sample data involved comparisons with the CTD cast profiles, adjacent stations and consideration of the variation of a property as a function of density or depth and the relationships with other properties (Klein, 1973). Estimates of precision of the standard techniques are given in SIO (1991).

#### *Primary Productivity Sampling*

On cruises 9807 and 9809 primary productivity samples were taken each day shortly before local apparent noon (LAN). Primary productivity samples were not collected on cruises 9808, 9810, 9811 and 9812. Primary production was estimated from <sup>14</sup>C uptake using a simulated *in situ* technique. Light penetration was estimated from the Secchi depth (assuming that the 1% light level is three times the Secchi depth). The depths with ambient light intensities corresponding to light levels simulated by the on-deck incubators were identified and sampled on the up rosette cast. Occasionally an extra bottle or two were tripped in addition to the usual 20 levels sampled in the combined rosette-productivity cast in order to maintain the normal sampling depth resolution. The ten-liter bottles were equipped with epoxy-coated springs and Viton O-rings. Triplicate samples (two light and one dark control) were drawn from each productivity sample depth into 250 ml polycarbonate incubation bottles. Samples were inoculated with 10  $\mu$ Ci of <sup>14</sup>C as NaHCO<sub>3</sub> (200  $\mu$ l of 50  $\mu$ Ci/ml stock) prepared in a 0.3 g/liter solution of sodium carbonate (Fitzwater *et al.*, 1982). Samples were incubated from LAN to civil twilight in seawater-cooled incubators with neutral-density screens which simulate *in situ* light levels. At the end of the incubation, the samples were filtered onto Millipore HA filters and placed in scintillation vials. One half ml of 10% HCl was added to each sample. The sample was then allowed to sit, without a cap, at room temperature for 12 hours (after Lean and Burnison, 1979). Following this, 10 ml of scintillation fluor were added to each sample and the samples were returned to SIO where the radioactivity was determined with a scintillation counter. Salinity, oxygen, nutrients, chlorophyll-*a* and phaeopigments were determined from all rosette productivity bottles.

#### *Macrozooplankton Net Tows*

Macrozooplankton was sampled with a 71 cm mouth diameter paired net (bongo net) equipped with 0.505 $\mu$ m plankton mesh. Bottom depth permitting, the nets were towed obliquely from 210 meters to the surface. The tow time for a standard tow was 21.5 minutes. Volumes filtered were determined from flowmeter readings and the mouth area of the net. Only one sample of each pair was retained and preserved. The biomass, as wet displacement volume, after removal of large (>5 ml) organisms, was determined in the laboratory ashore. These procedures are summarized in greater detail in Kramer *et al.* (1972). On cruises 9807 and 9809 an Optical Plankton Counter (OPC) was routinely used in one side of the paired bongo net frame. The purpose of the OPC is to obtain information on the vertical distributions of size categories of zooplankton, using data from the counter, without affecting the ongoing time series of data obtained from the catches of the integrative bongo net.

#### *Avifauna Observations*

On cruises 9807, 9809, 9810 and 9811 sea birds were counted within a 300 meter wide strip off to one side of the ship. Counts were made while underway between stations during periods of daylight. These counts were summed over 20 nautical mile (nm) intervals, or the distance between consecutive stations, whichever was less. Included at the end of this report are individual maps of the most numerous bird species (individuals/nm).

#### *Ancillary Programs*

Several ancillary programs produced data on these cruises which are not presented in this report. These programs include:

- 1) *Underway Data.* On all the cruises continuous near surface measurements of temperature, salinity and chlorophyll fluorescence were made from water pumped through the ship, and the data were logged at one-minute intervals. Pelagic fish eggs were collected underway with a separate large volume pump throughout the entire CalCOFI pattern on cruise 9807 and 9809. This pump drew a continuous sample of approximately 640 liters per minute, which was concentrated and then collected by a 505 $\mu$ m sieve. Samples were taken at intervals ranging from 10 to 30 minutes, depending on the sample concentration, for enumeration of all retained fish eggs.
- 2) *ADCP.* Continuous profiles of ocean currents and acoustic backscatter between 20 and 400 meters deep were measured along the shiptrack from a hull-mounted 150 kHz Acoustic Doppler Current Profiler (ADCP). The ADCP data were averaged over 3-minute intervals. Sixty 8-meter depth bins were recorded.
- 3) *Bio-optics.* In-situ measurements of the apparent and inherent optical properties were obtained twice daily in the top 300 meters of the water column using a bio-optical package. Fast Repetition Rate Fluorometer (FRRF) measurements of chlorophyll-*a* variable fluorescence *in situ*, were also performed on discrete water samples to determine phytoplankton photosynthesis vs. irradiance relationships on 9807. When conditions were favorable, additional optical profiles were completed in coordination with SeaWiFS satellite orbital overpasses. Daily on deck measurements of polarized sky radiances and above-water ocean surface reflectance were also performed in support of NASA-sponsored research by Robert Frouin. Water samples obtained from the CTD/Rosette were collected and analyzed to determine particulate, detrital, and soluble spectral absorption, particulate organic carbon and nitrogen, and phytoplankton pigment concentrations using HPLC. Other measurements using discrete water samples included particle size distribution, and phycoerythrin sampling. Cyanobacteria samples were also collected on 9807.

## TABULATED DATA

### *CTD/Rosette Cast Data*

The time reported is the Coordinated Universal Time (UTC) of the first rosette bottle trip on the up cast. The rosette bottles tripped on the up cast are reported as cast 2, where cast 1 is considered to be the down CTD cast. The sample number reported is the cast number followed by a two digit rosette bottle number. Bottom depths, determined acoustically, have been corrected using British Admiralty Tables (Carter, 1980) and are reported in meters. Weather conditions have been coded using WMO code 4501. Secchi depths are also reported for most daylight stations on cruises 9807 and 9809. They were not recorded on cruises 9808, 9810, 9811 and 9812.

Observed data from individual CTD/rosette trip levels are interpolated and reported for standard depths. Interpolated or extrapolated standard level data are noted by the footnote "ISL" printed after the depth. Multiple bottles tripped at the same depth to provide water for ancillary programs are not used in the calculation of standard depth data. Density-related parameters have been calculated from the International Equation of State of Seawater 1980 (UNESCO, 1981b). Computed values of potential temperature, sigma-theta, specific volume anomaly (SVA), and dynamic height or geopotential anomaly are included with both observed and interpolated standard depth levels.

On stations where primary productivity samples were drawn a footnote appears after each productivity depth sampled. The corresponding primary productivity data are reported in a separate section following the tabulated rosette cast data.

### *Primary Productivity Data*

In addition to the normal hydrographic data also reported in the rosette cast data section, the tabulated data include: the *in situ* light levels at which the samples were collected, the uptake from each of the replicate light bottles, uptake 1 and uptake 2 (which have been corrected for dark uptake by subtracting the dark value), the mean of the two uptake values and the dark uptake. The uptake values are totals for the incubation period. Also shown are the times of LAN, civil twilight, and the value of the mean uptake integrated from the surface to the deepest sample, assuming the shallowest value continues to the surface and that negative values (when dark uptake exceeds light uptake) are zero. The uptake data have been presented to two significant digits (values <1.00) or one decimal (values >1.00). Precision of the higher production values may not warrant all of the digits presented. Incubation time, LAN, and civil twilight are given in local Pacific Standard Time (PST); to convert to UTC, add eight hours to the PST time. Incubation light intensities are listed in a footnote at the bottom of each page.

### *Macrozooplankton Data*

Macrozooplankton biomass volumes are tabulated as total biomass volume ( $\text{cm}^3/1000\text{m}^3$  strained) and as the total volume minus the volume of larger organisms under the heading "Small." Tow times are given in local PST (+8) time.

### FOOTNOTES

In addition to footnotes, special notations are used without footnotes because the meaning is always the same:

- D: CTD salinity value listed in place of normal shipboard salinity analysis.
- ISL: After a depth value indicates that this is an interpolated or extrapolated standard level.
- U: Uncertain value. Values which are not used in interpolation because they seem to be in error without apparent reason.

## LITERATURE CITED

- Anderson, G. C., compiler, 1971. "Oxygen Analysis," Marine Technician's Handbook, SIO Ref. No. 71-8, Sea Grant Pub. No. 9.
- Atlas, E. L., J. C. Callaway, R. D. Tomlinson, L. I. Gordon, L. Barstow and P. K. Park, 1971. *A Practical Manual for Use of the Technicon™ AutoAnalyzer™ in Sea Water Nutrient Analysis*; Revised. Oregon State University Technical Report 215, Reference No. 71-22.
- Carpenter, J. H., 1965. The Chesapeake Bay Institute technique for the Winkler dissolved oxygen method. *Limnol. Oceanogr.*, 10: 141-143.
- Carter, D. J. T., 1980. Echo-sounding correction tables. Third Edition. Hydrographic Department, Ministry of Defence, Taunton, U.K., NP 139: 150 pp.
- Fitzwater, S. E., G. A. Knauer and J. H. Martin, 1982. Metal contamination and its effect on primary production measurements. *Limnol. Oceanogr.*, 27: 544-551.
- Holm-Hansen, O., C. J. Lorenzen, R. W. Holmes and J. D. H. Strickland, 1965. Fluorometric determination of chlorophyll. *J. Cons. perm. int. Explor. Mer.*, 30: 3-15.
- Klein, H. T., 1973. A new technique for processing physical oceanographic data. SIO Ref. No. 73-14.
- Kramer, D., M. J. Kalin, E. G. Stevens, J. R. Thraillkill and J. R. Zweifel, 1972. Collecting and processing data on fish eggs and larvae in the California Current region. *NOAA Technical Report NMFS CIRC-370*: 38 pp.
- Lean, D. R. S. and B. K. Burnison, 1979. An evaluation of errors in the <sup>14</sup>C method of primary production measurement. *Limnol. Oceanogr.*, 24: 917-928.
- Reid, J. L. and A. W. Mantyla, 1976. The effect of the geostrophic flow upon coastal sea elevations in the northern North Pacific Ocean. *J. Geophys. Res.*, 81: 3100-3110.
- Parsons, T. R., Maita, Y., Lalli, C. M., 1984. *A Manual of Chemical and Biological Methods for Seawater Analysis*. Pergamon Press Ltd., 3-28.
- Saunders, P. M., 1981. Practical conversion of pressure to depth. *J. Phys. Oceanogr.*, 11: 573-574.
- Scripps Institution of Oceanography, University of California, 1991. Physical, Chemical and Biological Data, CalCOFI Cruises 9003 and 9004. SIO Ref. 91-4, 96 pp.
- UNESCO, 1981, a. Background papers and supporting data on the Practical Salinity Scale, 1978. *UNESCO Tech. Pap. in Mar. Sci.*, No. 37.
- UNESCO, 1981, b. Background papers and supporting data on the International Equation of State 1980. *UNESCO Tech. Pap. in Mar. Sci.*, No. 38.
- Venrick, E. L. and T. L. Hayward, 1984. Determining chlorophyll on the 1984 CalCOFI surveys. *CalCOFI Rep.*, Vol. XXV: 74-79.
- Weiss, R. F., 1970. The solubility of nitrogen, oxygen and argon in water and seawater. *Deep-Sea Res.*, 17: 721-735.
- Yentsch, C. S. and D. W. Menzel, 1963. A method for the determination of phytoplankton, chlorophyll and phaeophytin by fluorescence. *Deep-Sea Res.*, 10: 221-231.



PERSONNEL

CalCOFI Cruise 9807

SHIP'S CAPTAIN

John P. Manion, RV *New Horizon*

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

		Participation (Leg)
Renger, Edward H. (Chief Scientist)	Staff Research Associate, SIO	1,2
Anfuso, Stacey R.	Staff Research Associate, SIO	1,2
Cummings, Sherry L.	Staff Research Associate, SIO	1,2
Frame, Elizabeth R.	Graduate Student, SIO	1,2
Goetze, Erica	Graduate Student, SIO	2
Guerra, Omar J.	Volunteer	1,2
Hays, Amy E.	Fishery Biologist, NMFS	1,2
Hollems, Peter F.	Staff Research Associate, SIO	2
Hyrenbach, K. David	Graduate Student, SIO	1,2
Ireson, Kirk J.	Staff Research Associate, SIO	1,2
Mendez, Maria E.	Graduate Student, SIO	1
Nelson, Jessica K.	Graduate Student, SIO	1,2
Ramirez, Fernando	Staff Research Associate, SIO	1,2
Swenson, Daryl L.	Biological Technician, NMFS	1,2
Wieland, John D.	Staff Research Associate, SIO	1,2
Wilkinson, James R.	Programmer/Analyst, SIO	1,2

Leg 1: San Diego to Dana Point, Ca., 9 July – 15 July, 1998

Leg 2: Dana Point to Redwood City, Ca., 15 July – 27 July, 1998

## FIGURES

### Cruise 9807

1. CalCOFI Cruise 9807, track and station positions.
2. Horizontal distribution of dynamic height anomaly (0 over 500m). In areas shallower than 500 m, the dynamic heights were extrapolated on the basis of the offshore deeper steric height as described in Reid and Mantyla (1976).
3. Horizontal distributions at 10 meters: A) chlorophyll-*a*; B) potential density; C) temperature; and D) salinity.
4. Horizontal distributions at 200 meters: A) dynamic height anomaly (200 over 500 m); B) potential density; C) temperature; and D) salinity.
5. Sections along CalCOFI line 90 (vertical exaggeration, 1000): A) potential density; B) temperature; C) salinity; D) silicate; E) nitrate; F) phosphate; G) chlorophyll-*a*; H) oxygen saturation; I) oxygen; J) nitrite; and K) phaeopigments.

# CALCOFI CRUISE 9807

9 - 27 JULY 1998




FIGURE 1




FIGURE 2

# CALCOFI CRUISE 9807

9 - 27 JULY 1998




FIGURE 3A




FIGURE 3B

# CALCOFI CRUISE 9807

9 - 27 JULY 1998




FIGURE 3C




FIGURE 3D

# CALCOFI CRUISE 9807

9 - 27 JULY 1998




FIGURE 4A




FIGURE 4B

# CALCOFI CRUISE 9807

9 - 27 JULY 1998




FIGURE 4C




FIGURE 4D

# CALCOFI CRUISE 9807

13 - 15 JULY 1998

## POTENTIAL DENSITY ( $\sigma_\theta$ ) ALONG CALCOFI LINE 90 GEOSTROPHIC VELOCITY RELATIVE TO 500m (cm/s)




FIGURE 5A




FIGURE 5B



# CALCOFI CRUISE 9807

13- 15 JULY 1998

## SALINITY ALONG CALCOFI LINE 90




FIGURE 5C




FIGURE 5D

# CALCOFI CRUISE 9807

13 - 15 JULY 1998

## NITRATE ( $\mu\text{M/l}$ ) ALONG CALCOFI LINE 90




FIGURE 5E




FIGURE 5F

# CALCOFI CRUISE 9807

13 - 15 JULY 1998

## CHLOROPHYLL-a ( $\mu\text{g/l}$ ) ALONG CALCOFI LINE 90




FIGURE 5G




FIGURE 5H

# CALCOFI CRUISE 9807

13 - 15 JULY 1998

## OXYGEN (ml/l) ALONG CALCOFI LINE 90




FIGURE 5I

## NITRITE ( $\mu\text{M/l}$ ) ALONG CALCOFI LINE 90




FIGURE 5J

## PHAEOPIGMENTS ( $\mu\text{g/l}$ ) ALONG CALCOFI LINE 90




FIGURE 5K





















RV NEW HORIZON

CALCOFI CRUISE 9807

STATION 83 40.6

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
34 13.4 N	119 24.7 W	21/07/98	0135	UTC	36 m	150	06 kn	120 01 07	1	1013.9 mb	20.6 C	19.1 C	11m		3/8	AS
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	20.50	20.50	33.448	23.448	442.7	0.000	5.98	115.8	1.5	0.11	0.0	0.00	0.71	0.07	0	
1	20.50	20.50	33.448	23.448	442.7	0.004	5.98	115.8	1.5	0.11	0.0	0.00	0.71	0.07	1	205
5	20.25	20.25	33.464	23.526	435.4	0.022	6.14	118.3	1.7	0.09	0.0	0.01	0.90	0.08	5	204
10	19.24	19.24	33.422	23.756	413.7	0.043	6.40	121.0	2.3	0.13	0.0	0.00	1.30	0.25	10	203
20	16.56	16.56	33.321	24.330	359.2	0.082	6.21	111.5	3.7	0.27	0.1	0.02	1.74	0.51	20	202
30 ISL	13.94	13.94	33.417	24.978	297.7	0.115	5.32	90.6	7.4	0.66	3.6	0.32	0.70	0.52	30	
31	13.68	13.68	33.431	25.042	291.6	0.118	5.23	88.6	7.8	0.70	3.9	0.35	0.60	0.52	31	201

RV NEW HORIZON

CALCOFI CRUISE 9807

STATION 83 42

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
34 10.7 N	119 30.6 W	20/07/98	2333	UTC	145 m	130	05 kn	140 01 06	1	1014.6 mb	21.8 C	19.9 C	22m		4/8	ST
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	19.94	19.94	33.376	23.540	433.9	0.000	5.59	107.1	2.4	0.25	0.0	0.00	0.21	0.05	0	
1	19.95	19.95	33.376	23.538	434.2	0.004	5.59	107.1	2.4	0.25	0.0	0.00	0.21	0.05	1	213
1	19.94	19.94	33.376	23.540	433.9	0.004	5.59	107.1	2.4	0.25	0.0	0.00	0.21	0.05	1	212
1	19.94	19.94	33.376	23.540	433.9	0.004	5.59	107.1	2.4	0.25	0.0	0.00	0.21	0.05	1	211
10 ISL	18.88	18.88	33.354	23.795	409.9	0.042	5.80	108.9	2.5	0.25	0.0	0.00	0.27	0.09	10	
15	17.95	17.95	33.340	24.015	389.2	0.062	5.97	110.1	2.6	0.25	0.0	0.00	0.31	0.12	15	210
20 ISL	17.20	17.20	33.325	24.184	373.2	0.081	6.10	110.9	2.7	0.26	0.0	0.00	0.41	0.13	20	
30	15.72	15.72	33.301	24.506	342.8	0.117	6.23	110.0	3.2	0.29	0.0	0.00	0.67	0.21	30	209
45	13.69	13.68	33.291	24.932	302.5	0.166	5.79	98.1	4.4	0.50	1.9	0.08	1.12	0.56	45	208
50 ISL	13.24	13.23	33.374	25.088	287.8	0.180	5.33	89.5	6.2	0.66	4.4	0.15	0.92	0.62	50	
55	12.84	12.83	33.466	25.238	273.6	0.194	4.84	80.6	8.4	0.85	7.5	0.18	0.65	0.67	55	207
63	12.11	12.10	33.556	25.449	253.7	0.215	4.25	69.7	11.9	1.14	12.4	0.05	0.29	0.37	63	206
75	10.80	10.79	33.682	25.787	221.7	0.244	3.58	57.2	18.1	1.51	18.2	0.02	0.08	0.16	75	205
84	10.47	10.46	33.738	25.888	212.2	0.263	3.34	53.0	20.6	1.62	19.9	0.02	0.05	0.12	84	204
95	10.10	10.09	33.812	26.010	200.9	0.286	3.09	48.6	23.4	1.76	21.7	0.02	0.03	0.07	95	203
100 ISL	10.08	10.07	33.817	26.017	200.3	0.296	3.07	48.3	23.6	1.77	21.9	0.02	0.03	0.07	100	
111	10.03	10.02	33.827	26.034	198.9	0.318	3.03	47.6	24.1	1.79	22.2	0.02	0.02	0.08	112	202
125	10.00	9.99	33.839	26.048	197.9	0.346	2.99	47.0	24.5	1.81	22.4	0.02	0.02	0.07	126	201

RV NEW HORIZON

CALCOFI CRUISE 9807

STATION 83 51

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 53.2 N	120 8.9 W	20/07/98	1825	UTC	90 m	120	04 kn	150 02 07	1	1016.1 mb	20.2 C	18.7 C	20m		4/8	SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	18.59	18.59	33.388	23.893	400.2	0.000	5.66	105.7	2.7	0.27	0.0	0.00	0.22	0.06	0	
1 A	18.59	18.59	33.388	23.894	400.2	0.004	5.66	105.7	2.7	0.27	0.0	0.00	0.22	0.06	1	211
1	18.57	18.57	33.384	23.895	400.0	0.004	5.66	105.7	2.7	0.27	0.0	0.00	0.22	0.06	1	212
1	18.53	18.53	33.385	23.906	399.0	0.004	5.66	105.7	2.7	0.27	0.0	0.00	0.22	0.06	1	213
8	18.29	18.29	33.364	23.950	395.1	0.032	5.73	106.4	2.7	0.27	0.0	0.00	0.30	0.08	8	210
10 ISL	18.22	18.22	33.358	23.962	394.0	0.040	5.74	106.4	2.7	0.27	0.0	0.00	0.34	0.11	10	
15 A	18.06	18.06	33.344	23.991	391.4	0.059	5.76	106.5	2.7	0.28	0.1	0.01	0.44	0.17	15	209
20 ISL	15.61	15.61	33.363	24.578	335.6	0.077	5.59	98.5	5.1	0.50	2.6	0.05	1.09	0.45	20	
21	15.10	15.10	33.376	24.700	324.0	0.081	5.55	96.8	5.6	0.55	3.1	0.06	1.20	0.50	21	208
27 A	14.29	14.29	33.394	24.887	306.3	0.100	5.42	93.0	6.6	0.63	4.3	0.08	0.99	0.42	27	207
30 ISL	13.88	13.88	33.415	24.989	296.7	0.109	5.26	89.5	7.5	0.71	5.5	0.09	0.91	0.42	30	
37	13.20	13.19	33.460	25.162	280.4	0.129	4.92	82.6	9.4	0.86	7.8	0.11	0.78	0.41	37	206
43 A	13.17	13.16	33.463	25.170	279.7	0.146	4.91	82.4	9.5	0.87	8.0	0.11	0.73	0.41	43	205
50 ISL	12.88	12.87	33.482	25.243	273.0	0.165	4.79	79.9	10.3	0.93	9.0	0.12	0.69	0.41	50	
55 A	12.61	12.60	33.500	25.309	266.8	0.179	4.67	77.4	11.1	0.99	9.9	0.12	0.65	0.41	55	204
66	12.12	12.11	33.535	25.431	255.5	0.207	4.40	72.2	12.4	1.12	11.8	0.12	0.45	0.35	66	203
75 ISL	11.88	11.87	33.561	25.496	249.4	0.230	4.25	69.4	13.3	1.19	13.0	0.11	0.39	0.35	75	
77 A	11.83	11.82	33.567	25.510	248.2	0.235	4.22	68.8	13.6	1.21	13.3	0.11	0.38	0.35	77	202
86	11.55	11.54	33.604	25.591	240.6	0.257	4.04	65.5	15.3	1.30	14.7	0.11	0.33	0.34	86	201

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 45.2 N	120 24.8 W	20/07/98	1318	UTC	1007 m	130	06 kn	130 05 07	2	1014.2 mb	17.3 C	16.2 C	14m	8/8		SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0	17.93	17.93	33.471	24.119	378.7	0.000	5.83	107.6	1.2	0.23	0.0	0.00	0.43	0.09	0	221
10	15.49	15.49	33.582	24.772	316.8	0.035	6.43	113.2	0.8	0.30	0.1	0.02	1.69	0.47	10	220
20	14.53	14.53	33.586	24.984	296.9	0.065	5.63	97.2	3.8	0.58	3.8	0.18	5.23	1.61	20	219
30	11.76	11.76	33.662	25.596	238.8	0.092	4.13	67.3	15.2	1.23	13.3	0.40	0.97	0.68	30	217
40	10.94	10.94	33.718	25.789	220.7	0.115	3.49	55.9	19.5	1.55	18.5	0.16	0.29	0.38	40	216
50	10.00	9.99	33.790	26.009	200.0	0.136	3.19	50.1	23.1	1.74	21.7	0.02	0.06	0.18	50	215
60	9.95	9.94	33.823	26.043	196.9	0.156	3.04	47.7	24.1	1.79	22.4	0.02	0.05	0.12	60	214
70	9.79	9.78	33.889	26.121	189.7	0.175	2.77	43.3	26.5	1.91	23.8	0.03	0.03	0.15	70	213
75 ISL	9.71	9.70	33.903	26.146	187.5	0.185	2.76	43.1	27.1	1.93	24.1	0.03	0.03	0.13	75	
85	9.54	9.53	33.919	26.186	183.8	0.203	2.73	42.5	28.0	1.96	24.6	0.02	0.03	0.09	85	212
99	9.34	9.33	33.959	26.250	177.9	0.229	2.58	40.0	30.0	2.03	25.5	0.03	0.02	0.07	100	211
100 ISL	9.33	9.32	33.963	26.255	177.5	0.231	2.56	39.6	30.1	2.04	25.6	0.03	0.02	0.07	101	
119	9.25	9.24	34.028	26.319	171.8	0.264	2.27	35.1	32.5	2.15	26.8	0.04	0.02	0.06	120	210
125 ISL	9.22	9.21	34.045	26.338	170.2	0.274	2.19	33.8	33.2	2.18	27.1	0.03	0.01	0.07	126	
139	9.16	9.14	34.076	26.372	167.3	0.298	2.06	31.8	34.5	2.23	27.7	0.02	0.00	0.10	140	209
150 ISL	9.14	9.12	34.083	26.381	166.6	0.316	2.04	31.5	34.8	2.24	27.8	0.02	0.01	0.09	151	
169	9.07	9.05	34.091	26.398	165.3	0.347	2.01	31.0	35.5	2.26	28.1	0.02	0.02	0.06	170	208
200	8.66	8.64	34.146	26.506	155.5	0.397	1.74	26.6	40.3	2.40	29.7	0.02	0.01	0.05	201	207
228	8.40	8.38	34.179	26.573	149.7	0.440	1.55	23.5	43.6	2.49	30.8	0.01			229	206
250 ISL	8.24	8.21	34.192	26.608	146.7	0.473	1.45	21.9	45.7	2.55	31.4	0.01			252	
267	8.13	8.10	34.197	26.628	145.0	0.497	1.39	21.0	47.0	2.58	31.8	0.01			269	205
300 ISL	7.99	7.96	34.203	26.654	143.1	0.545	1.31	19.7	48.9	2.62	32.4	0.01			302	
318	7.91	7.88	34.207	26.669	141.9	0.571	1.25	18.8	50.2	2.65	32.7	0.01			320	204
378	7.39	7.35	34.252	26.781	132.1	0.653	0.82	12.2	59.2	2.86	35.0	0.01			381	203
400 ISL	7.27	7.23	34.264	26.807	129.9	0.682	0.72	10.7	61.4	2.91	35.6	0.01			403	
439	7.10	7.06	34.280	26.844	126.9	0.732	0.60	8.8	64.4	2.97	36.3	0.01			442	202
500 ISL	6.92	6.87	34.287	26.875	124.7	0.808	0.54	7.9	67.2	3.02	36.9	0.01			504	
517	6.87	6.82	34.289	26.883	124.2	0.830	0.52	7.6	68.0	3.03	37.1	0.01			521	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 34.8 N	120 45.3 W	20/07/98	0910	UTC	1364 m	340	03 kn			1014.3 mb	17.1 C	16.3 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0	16.48	16.48	33.544	24.519	340.6	0.000	5.98	107.3	0.8	0.35	0.1	0.00	0.29	0.08	0	220
10	15.95	15.95	33.545	24.641	329.3	0.033	6.00	106.5	1.6	0.36	0.1	0.02	0.56	0.25	10	219
20	13.91	13.91	33.479	25.032	292.3	0.065	5.82	99.1	3.9	0.61	2.9	0.09	0.82	0.42	20	218
30 ISL	13.36	13.36	33.548	25.198	276.8	0.093	5.38	90.6	7.6	0.84	5.7	0.24	1.02	0.60	30	
31	13.33	13.33	33.556	25.210	275.7	0.096	5.32	89.6	8.0	0.87	6.1	0.26	1.04	0.61	31	217
40	12.22	12.21	33.581	25.447	253.3	0.120	4.75	78.2	12.9	1.22	11.5	0.46	0.47	0.49	40	216
50	12.00	11.99	33.639	25.534	245.3	0.145	4.35	71.3	14.9	1.35	14.0	0.54	0.32	0.53	50	215
60	11.46	11.45	33.681	25.667	232.8	0.168	3.66	59.3	17.8	1.49	17.5	0.18	0.23	0.47	60	214
70	10.46	10.45	33.791	25.931	207.8	0.190	3.00	47.6	22.6	1.76	21.8	0.04	0.11	0.32	70	212
75 ISL	10.21	10.20	33.819	25.996	201.7	0.201	2.94	46.4	23.9	1.82	22.7	0.04	0.08	0.31	75	
85	9.97	9.96	33.846	26.058	196.1	0.221	2.81	44.1	25.3	1.88	23.5	0.04	0.06	0.29	85	213
99	9.76	9.75	33.868	26.110	191.3	0.248	2.75	43.0	26.6	1.92	24.2	0.05	0.04	0.22	100	211
100 ISL	9.74	9.73	33.871	26.116	190.8	0.250	2.74	42.8	26.7	1.92	24.3	0.05	0.04	0.22	101	
119	9.40	9.39	33.928	26.217	181.6	0.285	2.61	40.5	29.2	2.01	25.5	0.06	0.04	0.23	120	210
125 ISL	9.35	9.34	33.944	26.238	179.7	0.296	2.56	39.7	29.8	2.03	25.7	0.06	0.03	0.21	126	
140	9.22	9.20	33.977	26.285	175.5	0.322	2.48	38.3	31.1	2.07	26.3	0.05	0.02	0.17	141	209
150 ISL	8.99	8.97	33.989	26.331	171.3	0.340	2.51	38.6	32.2	2.08	26.8	0.04	0.02	0.18	151	
169	8.49	8.47	34.004	26.421	163.0	0.372	2.60	39.5	34.7	2.11	27.7	0.02	0.02	0.21	170	208
199	7.87	7.85	34.026	26.531	152.8	0.419	2.51	37.6	39.6	2.21	29.3	0.03	0.02	0.16	200	207
200 ISL	7.87	7.85	34.029	26.534	152.6	0.420	2.49	37.3	40.1	2.22	29.4	0.03			201	
228	7.94	7.92	34.118	26.594	147.5	0.462	1.81	27.2	52.4	2.57	33.3	0.01			229	206
250 ISL	7.58	7.56	34.120	26.648	142.5	0.494	1.74	25.9	52.3	2.57	33.4	0.01			252	
269	7.19	7.16	34.106	26.692	138.4	0.521	1.68	24.8	52.3	2.57	33.4	0.01			271	205
300 ISL	6.88	6.85	34.104	26.733	134.8	0.563	1.54	22.6	55.6	2.64	34.4	0.01			302	
318	6.74	6.71	34.107	26.755	133.0	0.588	1.43	20.9	58.4	2.70	35.2	0.01			320	204
378	6.22	6.19	34.165	26.869	122.7	0.664	0.86	12.4	69.7	2.95	38.2	0.01			380	203
400 ISL	6.05	6.02	34.172	26.897	120.2	0.691	0.75	10.8	72.8	3.01	39.1	0.01			403	
438	5.78	5.74	34.184	26.940	116.4	0.736	0.63	9.0	77.5	3.08	40.3	0.01			441	202
500 ISL	5.47	5.43	34.242	27.024	108.9	0.806	0.45	6.4	85.4	3.19	41.4	0.01			504	
517	5.39	5.35	34.258	27.047	107.0	0.824	0.40	5.7	87.6	3.22	41.7	0.01			521	201

A) SECOND FLUOROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPIGMENT CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.





LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 34.7 N	122 49.0 W	19/07/98	1249	UTC	4272 m	340	20 kn			1011.4 mb	18.1 C	16.7 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.74	17.74	33.265	24.008	389.3	0.000	5.53	101.5	1.7	0.23	0.1	0.00	0.12	0.02	0	
1	17.74	17.74	33.265	24.008	389.3	0.004	5.53	101.5	1.7	0.23	0.1	0.00	0.12	0.02	1	220
10 ISL	17.74	17.74	33.264	24.007	389.7	0.039	5.53	101.5	1.7	0.23	0.0	0.00	0.12	0.02	10	
15	17.74	17.74	33.263	24.007	389.9	0.058	5.53	101.5	1.7	0.23	0.0	0.00	0.12	0.02	15	219
20 ISL	17.75	17.75	33.274	24.013	389.5	0.078	5.53	101.5	1.7	0.23	0.0	0.00	0.12	0.02	20	
30	17.77	17.76	33.296	24.026	388.6	0.117	5.53	101.6	1.7	0.23	0.0	0.00	0.12	0.03	30	218
45	17.42	17.41	33.421	24.206	371.9	0.174	5.65	103.2	1.9	0.24	0.0	0.00	0.13	0.03	45	217
50 ISL	16.88	16.87	33.404	24.321	361.1	0.192	5.75	103.9	1.9	0.24	0.0	0.00	0.14	0.03	50	
60	15.76	15.75	33.360	24.543	340.2	0.227	5.91	104.4	2.0	0.25	0.0	0.00	0.15	0.04	60	216
75	15.23	15.22	33.375	24.672	328.3	0.277	5.87	102.6	2.1	0.26	0.0	0.00	0.18	0.06	75	215
85	15.69	15.68	33.599	24.744	321.9	0.310	5.77	101.9	2.2	0.22	0.0	0.00	0.20	0.08	85	214
94	15.48	15.47	33.620	24.807	316.1	0.339	5.73	100.8	2.4	0.22	0.0	0.00	0.21	0.12	94	213
100 ISL	15.08	15.06	33.596	24.876	309.6	0.357	5.71	99.7	2.5	0.23	0.0	0.00	0.28	0.23	100	
105	14.73	14.71	33.580	24.940	303.7	0.373	5.67	98.2	2.7	0.25	0.0	0.00	0.33	0.31	105	212
114	14.41	14.39	33.624	25.042	294.1	0.400	5.51	94.9	3.4	0.33	0.7	0.19	0.31	0.32	114	211
125	13.69	13.67	33.609	25.181	281.1	0.431	5.30	89.9	4.8	0.47	3.0	0.15	0.25	0.24	126	210
140	12.44	12.42	33.621	25.438	256.7	0.472	4.98	82.3	7.6	0.75	7.4	0.02	0.17	0.19	141	209
150 ISL	11.77	11.75	33.651	25.589	242.5	0.497	4.83	78.7	9.4	0.88	9.7	0.02	0.12	0.15	151	
165	10.90	10.88	33.710	25.793	223.3	0.531	4.63	74.1	12.4	1.06	12.7	0.01	0.07	0.09	166	208
194	9.42	9.40	33.836	26.143	190.1	0.591	4.17	64.6	20.8	1.45	19.1	0.00	0.01	0.03	195	207
200 ISL	9.26	9.24	33.861	26.189	185.9	0.603	4.12	63.7	22.0	1.49	19.8	0.00			201	
229	8.73	8.71	33.953	26.345	171.4	0.655	3.83	58.5	27.4	1.67	22.6	0.00			230	206
250 ISL	8.34	8.31	33.979	26.425	164.0	0.690	3.31	50.1	32.3	1.89	25.5	0.00			251	
268	8.04	8.01	33.990	26.479	159.1	0.719	2.86	43.0	36.5	2.08	27.9	0.00			269	205
300 ISL	7.60	7.57	34.018	26.565	151.2	0.768	2.51	37.4	42.0	2.25	30.1	0.00			302	
318	7.37	7.34	34.029	26.607	147.4	0.795	2.40	35.6	44.9	2.31	30.9	0.00			320	204
380	6.39	6.36	34.029	26.740	135.0	0.883	1.88	27.2	57.8	2.59	34.9	0.00			382	203
400 ISL	6.26	6.22	34.049	26.773	132.1	0.910	1.64	23.7	61.3	2.68	36.0	0.00			402	
439	6.09	6.05	34.095	26.831	127.0	0.960	1.19	17.1	67.7	2.84	37.9	0.00			442	202
500 ISL	5.72	5.68	34.148	26.920	119.1	1.035	0.79	11.3	77.2	3.02	40.0	0.00			503	
519	5.60	5.56	34.165	26.948	116.5	1.058	0.67	9.5	80.1	3.08	40.7	0.00			522	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 15.1 N	123 29.7 W	19/07/98	0635	UTC	4158 m	350	19 kn			1013.6 mb	18.9 C	17.5 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	18.04	18.04	33.408	24.044	385.8	0.000	5.55	102.6	1.8	0.23	0.1	0.00	0.11	0.02	0	
2	18.04	18.04	33.408	24.045	385.9	0.008	5.55	102.6	1.8	0.23	0.1	0.00	0.11	0.02	2	220
10 ISL	18.05	18.05	33.408	24.042	386.4	0.039	5.56	102.8	1.8	0.23	0.0	0.00	0.10	0.02	10	
15	18.05	18.05	33.408	24.043	386.5	0.058	5.57	103.0	1.8	0.23	0.0	0.00	0.10	0.02	15	219
20 ISL	18.04	18.04	33.409	24.046	386.4	0.077	5.56	102.8	1.8	0.23	0.0	0.00	0.10	0.02	20	
29	18.03	18.03	33.410	24.050	386.3	0.112	5.55	102.5	1.8	0.23	0.0	0.00	0.11	0.02	29	218
30 ISL	17.97	17.96	33.411	24.065	384.9	0.116	5.56	102.6	1.8	0.23	0.0	0.00	0.11	0.02	30	
45	16.84	16.83	33.420	24.342	358.9	0.172	5.78	104.4	1.9	0.24	0.0	0.00	0.14	0.04	45	217
50 ISL	16.41	16.40	33.404	24.429	350.7	0.189	5.84	104.6	1.9	0.25	0.0	0.00	0.15	0.04	50	
59	15.75	15.74	33.381	24.562	338.4	0.220	5.91	104.4	2.0	0.26	0.0	0.00	0.17	0.05	59	216
74	15.36	15.35	33.408	24.669	328.5	0.270	5.81	101.9	2.1	0.28	0.0	0.00	0.27	0.14	74	215
75 ISL	15.36	15.35	33.410	24.671	328.4	0.274	5.81	101.9	2.1	0.28	0.0	0.00	0.27	0.15	75	
83	15.33	15.32	33.433	24.696	326.3	0.300	5.80	101.6	2.1	0.27	0.0	0.00	0.27	0.22	83	214
94	15.15	15.14	33.495	24.783	318.3	0.335	5.65	98.7	2.7	0.31	0.1	0.05	0.47	0.45	94	213
100 ISL	15.10	15.08	33.558	24.843	312.8	0.354	5.53	96.5	3.0	0.34	0.5	0.12	0.43	0.45	100	
104	15.02	15.00	33.597	24.890	308.4	0.367	5.44	94.8	3.3	0.36	1.0	0.16	0.40	0.45	104	212
114	14.41	14.39	33.622	25.041	294.3	0.397	5.22	89.9	4.5	0.48	3.0	0.09	0.24	0.39	114	211
124	13.18	13.16	33.572	25.255	273.9	0.425	4.83	81.1	7.0	0.74	6.7	0.03	0.26	0.25	125	210
125 ISL	13.11	13.09	33.572	25.269	272.6	0.428	4.82	80.8	7.1	0.75	6.9	0.03	0.25	0.24	126	
138	12.50	12.48	33.589	25.402	260.2	0.463	4.72	78.1	8.7	0.86	8.8	0.02	0.12	0.17	139	209
150 ISL	11.82	11.80	33.602	25.541	247.0	0.493	4.52	73.7	10.8	1.01	11.2	0.01	0.09	0.13	151	
163	11.09	11.07	33.631	25.698	232.3	0.524	4.21	67.6	13.9	1.21	14.2	0.01	0.06	0.11	164	208
192	9.79	9.77	33.794	26.049	199.1	0.587	3.27	51.1	23.6	1.75	22.1	0.00	0.00	0.04	193	207
200 ISL	9.56	9.54	33.835	26.120	192.5	0.602	3.12	48.5	25.5	1.83	23.3	0.00			201	
229	8.94	8.92	33.962	26.319	174.0	0.656	2.71	41.6	31.2	2.04	26.3	0.00			230	206
250 ISL	8.59	8.56	34.037	26.433	163.5	0.691	2.42	36.9	35.6	2.18	28.0	0.01			251	
268	8.35	8.32	34.086	26.508	156.5	0.720	2.20	33.3	39.1	2.28	29.2	0.01			269	205
300 ISL	7.99	7.96	34.125	26.593	148.9	0.769	1.89	28.4	44.1	2.42	30.9	0.00			302	
320	7.79	7.76	34.135	26.630	145.5	0.798	1.73	25.9	46.9	2.50	31.8	0.00			322	204
379	7.24	7.20	34.170	26.737	136.1	0.881	1.26	18.6	55.7	2.74	34.5	0.01			381	203
400 ISL	7.03	6.99	34.182	26.776	132.6	0.909	1.10	16.2	59.4	2.82	35.5	0.01			402	
440	6.64	6.60	34.204	26.846	126.2	0.961	0.83	12.1	66.2	2.94	37.4	0.01			443	202
500 ISL	6.20	6.16	34.235	26.929	118.8	1.035	0.56	8.1	73.7	3.07	39.2	0.01			503	
510	6.13	6.08	34.240	26.942	117.7	1.046	0.52	7.5	75.0	3.09	39.5	0.01			513	201









LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
31 59.6 N	122 23.9 W	18/07/98	0135	UTC	4159 m	330	19 kn	300 07 06	1	1013.1 mb	18.0 C	16.9 C		6/8		SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.73	17.73	33.140	23.914	398.2	0.000	5.59	102.5	1.5	0.23	0.0	0.00	0.10	0.02	0	
1	17.73	17.73	33.140	23.914	398.2	0.004	5.59	102.5	1.5	0.23	0.0	0.00	0.10	0.02	1	220
10 ISL	17.74	17.74	33.144	23.916	398.4	0.040	5.60	102.7	1.6	0.23	0.0	0.00	0.11	0.02	10	
15	17.75	17.75	33.147	23.916	398.6	0.060	5.61	102.9	1.6	0.23	0.0	0.00	0.11	0.02	15	219
20 ISL	17.75	17.75	33.156	23.923	398.1	0.080	5.60	102.8	1.6	0.23	0.0	0.00	0.11	0.02	20	
30	17.76	17.75	33.174	23.934	397.3	0.119	5.59	102.6	1.6	0.23	0.0	0.00	0.10	0.03	30	218
45	16.59	16.58	33.342	24.340	359.1	0.176	5.86	105.2	1.8	0.24	0.0	0.00	0.14	0.04	45	217
50 ISL	16.21	16.20	33.360	24.441	349.6	0.194	5.88	104.8	1.8	0.25	0.0	0.00	0.15	0.04	50	
61	15.56	15.55	33.378	24.602	334.6	0.232	5.91	104.0	1.9	0.27	0.0	0.00	0.16	0.06	61	216
75	15.37	15.36	33.418	24.675	328.1	0.278	5.84	102.4	1.9	0.27	0.0	0.00	0.18	0.10	75	215
83	15.43	15.42	33.485	24.714	324.6	0.304	5.79	101.7	2.0	0.26	0.0	0.00	0.18	0.12	83	214
96	15.68	15.67	33.673	24.803	316.5	0.346	5.72	101.1	2.3	0.22	0.0	0.00	0.26	0.17	96	213
100 ISL	15.60	15.58	33.687	24.832	313.9	0.358	5.70	100.6	2.3	0.22	0.0	0.01	0.31	0.22	100	
104	15.51	15.49	33.717	24.875	309.9	0.371	5.66	99.7	2.4	0.22	0.0	0.02	0.35	0.27	104	212
114	14.43	14.41	33.680	25.081	290.4	0.401	5.40	93.1	3.6	0.38	1.5	0.24	0.26	0.28	114	211
125 ISL	13.13	13.11	33.605	25.290	270.6	0.432	5.08	85.2	6.2	0.65	5.7	0.05	0.17	0.20	126	
126	13.02	13.00	33.599	25.308	268.9	0.434	5.05	84.5	6.5	0.68	6.1	0.03	0.16	0.19	127	210
140	12.01	11.99	33.592	25.498	251.0	0.471	4.75	77.8	9.2	0.91	9.6	0.02	0.13	0.18	141	209
150 ISL	11.20	11.18	33.632	25.678	233.9	0.495	4.52	72.8	12.1	1.09	12.6	0.01	0.09	0.13	151	
162	10.32	10.30	33.700	25.886	214.1	0.522	4.26	67.3	15.8	1.30	16.0	0.01	0.04	0.07	163	208
194	9.26	9.24	33.819	26.156	188.9	0.586	3.75	57.9	23.4	1.64	21.4	0.01	0.01	0.04	195	207
200 ISL	9.11	9.09	33.842	26.198	185.0	0.598	3.67	56.5	24.7	1.69	22.2	0.01			201	
226	8.57	8.55	33.933	26.354	170.4	0.644	3.36	51.1	29.7	1.86	24.8	0.00			227	206
250 ISL	8.25	8.22	33.986	26.444	162.2	0.684	3.12	47.2	33.5	1.98	26.3	0.00			251	
265	8.07	8.04	34.007	26.488	158.2	0.708	2.97	44.7	35.8	2.05	27.1	0.00			266	205
300 ISL	7.52	7.49	34.033	26.589	149.0	0.761	2.54	37.8	42.7	2.25	29.9	0.00			302	
317	7.25	7.22	34.039	26.632	145.0	0.786	2.33	34.4	46.3	2.35	31.3	0.00			319	204
378	6.48	6.45	34.066	26.758	133.4	0.871	1.63	23.7	59.1	2.67	35.5	0.01			380	203
400 ISL	6.28	6.24	34.086	26.799	129.6	0.900	1.37	19.8	63.5	2.78	36.8	0.01			402	
435	6.02	5.98	34.120	26.860	124.2	0.945	0.99	14.2	70.0	2.93	38.6	0.01			438	202
500 ISL	5.63	5.59	34.170	26.948	116.3	1.023	0.64	9.1	79.3	3.08	40.5	0.01			503	
512	5.56	5.52	34.180	26.964	114.8	1.037	0.58	8.2	81.0	3.11	40.9	0.01			515	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
31 39.6 N	123 5.6 W	18/07/98	0844	UTC	4132 m	340	17 kn			1014.1 mb	18.2 C	17.1 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	18.45	18.45	33.544	24.047	385.5	0.000	5.47	102.0	1.8	0.22	0.1	0.00	0.09	0.02	0	
2	18.45	18.45	33.544	24.048	385.6	0.008	5.47	102.0	1.8	0.22	0.1	0.00	0.09	0.02	2	220
10 ISL	18.46	18.46	33.540	24.042	386.4	0.039	5.47	102.0	1.8	0.22	0.0	0.00	0.10	0.02	10	
15	18.46	18.46	33.539	24.042	386.6	0.058	5.47	102.0	1.8	0.22	0.0	0.00	0.10	0.02	15	219
20 ISL	18.46	18.46	33.545	24.047	386.3	0.077	5.47	102.0	1.8	0.22	0.0	0.00	0.10	0.02	20	
30	18.45	18.44	33.556	24.058	385.6	0.116	5.46	101.8	1.8	0.22	0.0	0.00	0.09	0.02	30	218
45	18.27	18.26	33.649	24.174	375.0	0.173	5.51	102.4	1.9	0.23	0.0	0.00	0.09	0.02	45	217
50 ISL	17.62	17.61	33.585	24.284	364.7	0.191	5.63	103.3	1.9	0.23	0.0	0.00	0.10	0.02	50	
60	16.26	16.25	33.452	24.501	344.2	0.227	5.87	104.8	2.0	0.24	0.0	0.00	0.13	0.04	60	216
75	15.65	15.64	33.434	24.625	332.8	0.278	5.84	103.0	2.1	0.25	0.1	0.00	0.16	0.07	75	215
85	15.42	15.41	33.424	24.669	328.9	0.311	5.80	101.8	2.1	0.26	0.1	0.00	0.16	0.11	85	214
95	15.36	15.35	33.494	24.736	322.8	0.343	5.70	100.0	2.3	0.26	0.0	0.00	0.23	0.21	95	213
100 ISL	15.36	15.34	33.525	24.760	320.7	0.359	5.66	99.3	2.4	0.26	0.0	0.01	0.31	0.26	100	
103	15.36	15.34	33.548	24.778	319.1	0.369	5.63	98.8	2.5	0.26	0.1	0.02	0.35	0.28	103	212
114	15.14	15.12	33.660	24.913	306.6	0.403	5.44	95.1	3.1	0.32	0.6	0.20	0.33	0.30	114	211
124	14.10	14.08	33.641	25.121	286.9	0.433	5.15	88.1	4.8	0.52	3.7	0.03	0.21	0.22	125	210
125 ISL	13.97	13.95	33.636	25.144	284.7	0.436	5.12	87.4	5.0	0.54	4.1	0.03	0.20	0.21	126	
140	12.12	12.10	33.587	25.473	253.4	0.476	4.69	77.0	9.2	0.91	9.6	0.01	0.11	0.15	141	209
150 ISL	11.26	11.24	33.603	25.645	237.0	0.501	4.39	70.8	12.4	1.13	13.0	0.00	0.07	0.11	151	
163	10.44	10.42	33.652	25.828	219.7	0.530	4.05	64.1	16.5	1.37	16.8	0.00	0.04	0.07	164	208
195	9.27	9.25	33.809	26.146	189.8	0.596	3.67	56.7	23.8	1.67	21.7	0.00	0.01	0.04	196	207
200 ISL	9.15	9.13	33.832	26.183	186.3	0.605	3.58	55.2	24.9	1.71	22.4	0.00			201	
231	8.62	8.60	33.947	26.357	170.2	0.661	3.07	46.8	31.1	1.95	25.8	0.00			232	206
250 ISL	8.43	8.40	33.987	26.418	164.8	0.692	2.86	43.4	33.6	2.04	27.0	0.00			251	
268	8.25	8.22	34.010	26.463	160.7	0.722	2.71	41.0	35.9	2.11	27.9	0.00			269	205
300 ISL	7.66	7.63	34.023	26.561	151.7	0.772	2.52	37.6	41.4	2.24	29.8	0.00			302	
318	7.31	7.28	34.026	26.613	146.8	0.799	2.40	35.5	45.0	2.32	31.0	0.00			320	204
378	6.51	6.48	34.070	26.757	133.5	0.883	1.56	22.7	58.5	2.68	35.6	0.00			380	203
400 ISL	6.31	6.27	34.092	26.800	129.5	0.912	1.30	18.8	63.1	2.79	36.9	0.00			402	
438	6.05	6.01	34.131	26.865	123.8	0.960	0.94	13.5	70.0	2.94	38.8	0.00			441	202
500 ISL	5.77	5.73	34.177	26.936	117.5	1.035	0.64	9.1	77.2	3.08	40.2	0.00			503	
515	5.70	5.66	34.188	26.954	116.0	1.052	0.57	8.1	79.0	3.11	40.6	0.00			518	201



LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 15.2 N	118 14.9 W	15/07/98	1449	UTC	297 m	330	02 kn	040 01 04	4	1011.7 mb	17.0 c	16.8 c	22m		8/8	
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	18.44	18.44	33.300	23.863	403.1	0.000	5.56	103.5	2.6	0.27	0.1	0.00	0.19	0.05	0	
1	18.44	18.44	33.300	23.864	403.1	0.004	5.56	103.5	2.6	0.27	0.1	0.00	0.19	0.05	1	217
10 ISL	17.75	17.75	33.333	24.058	384.9	0.039	5.62	103.2	2.7	0.27	0.0	0.00	0.17	0.05	10	
15	17.15	17.15	33.358	24.220	369.5	0.058	5.67	103.0	2.8	0.27	0.0	0.00	0.16	0.05	15	216
20 ISL	16.69	16.69	33.363	24.332	359.0	0.077	5.72	103.0	2.9	0.28	0.0	0.00	0.18	0.07	20	
30	15.83	15.83	33.361	24.527	340.7	0.112	5.81	102.8	3.1	0.29	0.0	0.00	0.25	0.10	30	215
46	14.75	14.74	33.345	24.752	319.7	0.164	5.77	99.9	2.4	0.31	0.0	0.00	0.49	0.40	46	214
50 ISL	14.45	14.44	33.379	24.843	311.2	0.177	5.67	97.6	2.9	0.35	0.5	0.12	0.71	0.54	50	
55	14.00	13.99	33.411	24.962	300.0	0.192	5.49	93.6	3.9	0.44	1.7	0.23	0.89	0.66	55	213
64	12.85	12.84	33.355	25.151	282.2	0.218	5.08	84.6	7.2	0.78	6.9	0.07	0.41	0.39	64	212
75	12.09	12.08	33.462	25.380	260.5	0.248	4.53	74.3	10.9	1.08	11.6	0.02	0.19	0.21	75	211
84	11.68	11.67	33.559	25.532	246.2	0.271	4.08	66.3	13.3	1.26	14.3	0.01	0.12	0.17	84	210
95	11.08	11.07	33.646	25.709	229.6	0.297	3.70	59.4	16.8	1.45	17.2	0.01	0.05	0.09	95	209
100 ISL	10.84	10.83	33.667	25.769	224.0	0.309	3.66	58.5	17.8	1.49	18.0	0.01	0.03	0.08	100	
110	10.42	10.41	33.703	25.870	214.5	0.331	3.61	57.2	19.5	1.56	19.2	0.01	0.02	0.07	110	208
125	9.88	9.87	33.786	26.027	199.8	0.362	3.27	51.2	23.0	1.73	21.7	0.01	0.01	0.05	125	207
144	9.40	9.38	33.903	26.198	183.9	0.398	2.87	44.5	27.6	1.92	24.5	0.01	0.00	0.05	144	206
150 ISL	9.23	9.21	33.919	26.238	180.2	0.409	2.87	44.3	28.6	1.94	25.0	0.01	0.00	0.05	150	
170	8.75	8.73	33.953	26.341	170.7	0.444	2.87	43.9	31.2	2.00	26.1	0.01	0.00	0.04	170	205
198	8.56	8.54	34.032	26.432	162.5	0.491	2.46	37.5	35.2	2.16	27.8	0.01	0.00	0.03	198	204
200 ISL	8.54	8.52	34.037	26.439	161.8	0.494	2.43	37.0	35.6	2.17	27.9	0.01			200	
228	8.24	8.22	34.091	26.528	153.9	0.538	2.13	32.0	40.1	2.32	29.6	0.01			228	203
250 ISL	8.11	8.08	34.110	26.563	150.9	0.572	2.00	30.2	42.0	2.37	30.2	0.01			250	
268	8.06	8.03	34.118	26.577	149.9	0.599	1.92	28.9	42.9	2.40	30.5	0.01			268	202
294	8.02	7.99	34.133	26.595	148.6	0.638	1.81	27.2	44.1	2.47	30.9	0.01			294	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 11.2 N	118 23.6 W	15/07/98	1154	UTC	1184 m	290	04 kn			1011.7 mb	17.2 c	16.4 c				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	18.63	18.63	33.398	23.891	400.4	0.000	5.54	103.5	2.5	0.27	0.0	0.00	0.21	0.05	0	
1	18.63	18.63	33.398	23.891	400.4	0.004	5.54	103.5	2.5	0.27	0.0	0.00	0.21	0.05	1	220
10 ISL	18.23	18.23	33.401	23.993	391.1	0.040	5.59	103.7	2.5	0.27	0.0	0.00	0.19	0.05	10	
15	17.79	17.79	33.398	24.098	381.2	0.059	5.61	103.2	2.5	0.27	0.0	0.00	0.18	0.05	15	219
20 ISL	17.25	17.25	33.387	24.219	369.8	0.078	5.70	103.7	2.5	0.28	0.0	0.00	0.22	0.09	20	
30	15.94	15.94	33.347	24.492	344.1	0.113	5.87	104.1	2.8	0.30	0.0	0.00	0.44	0.18	30	218
45	13.77	13.76	33.230	24.869	308.5	0.162	5.80	98.4	3.8	0.45	0.9	0.11	1.22	0.72	45	217
50 ISL	13.36	13.35	33.289	24.998	296.3	0.177	5.46	91.8	5.5	0.63	3.9	0.11	0.92	0.60	50	
55	13.03	13.02	33.362	25.120	284.8	0.192	5.08	84.9	7.2	0.81	7.1	0.10	0.55	0.44	55	216
64	12.46	12.45	33.439	25.291	268.7	0.217	4.66	77.0	9.0	0.98	9.8	0.03	0.33	0.31	64	215
74	12.27	12.26	33.519	25.390	259.6	0.243	4.32	71.1	10.8	1.13	12.1	0.02	0.20	0.23	74	214
75 ISL	12.21	12.20	33.525	25.406	258.1	0.246	4.29	70.5	11.0	1.15	12.4	0.02	0.19	0.22	75	
84	11.53	11.52	33.581	25.577	241.9	0.268	3.99	64.7	13.5	1.30	14.8	0.01	0.10	0.15	84	213
94	10.83	10.82	33.668	25.771	223.6	0.292	3.58	57.2	17.1	1.50	17.9	0.01	0.03	0.08	94	212
100 ISL	10.39	10.38	33.702	25.874	213.9	0.305	3.51	55.6	19.1	1.57	19.2	0.01	0.02	0.07	100	
110	9.78	9.77	33.751	26.016	200.5	0.326	3.46	54.0	22.0	1.67	21.0	0.01	0.01	0.06	110	211
124	9.47	9.46	33.832	26.131	189.9	0.353	3.14	48.7	25.3	1.83	23.2	0.01	0.01	0.05	124	210
125 ISL	9.46	9.45	33.836	26.135	189.4	0.355	3.12	48.4	25.4	1.84	23.3	0.01	0.01	0.05	125	
144	9.35	9.33	33.897	26.201	183.6	0.390	2.82	43.7	28.0	1.95	24.7	0.01	0.00	0.05	144	209
150 ISL	9.23	9.21	33.925	26.243	179.7	0.401	2.74	42.3	29.2	1.99	25.3	0.01	0.00	0.05	150	
169	8.81	8.79	34.015	26.380	167.0	0.434	2.51	38.4	33.1	2.12	27.0	0.01	0.00	0.04	169	208
199	8.49	8.47	34.100	26.497	156.4	0.483	2.12	32.2	38.0	2.28	28.9	0.00	0.00	0.03	199	207
200 ISL	8.47	8.45	34.099	26.499	156.2	0.484	2.12	32.2	38.1	2.28	28.9	0.00			200	
227	7.94	7.92	34.069	26.555	151.1	0.526	2.21	33.2	41.3	2.31	29.9	0.01			227	206
250 ISL	7.78	7.76	34.106	26.608	146.4	0.560	1.91	28.6	44.9	2.43	31.1	0.01			250	
268	7.71	7.68	34.145	26.649	142.8	0.586	1.60	23.9	48.0	2.54	32.2	0.01			268	205
300 ISL	7.39	7.36	34.173	26.717	136.7	0.631	1.30	19.3	53.3	2.68	33.8	0.01			300	
318	7.22	7.19	34.186	26.751	133.7	0.655	1.17	17.3	56.0	2.74	34.6	0.01			318	204
377	7.15	7.11	34.258	26.819	128.3	0.732	0.74	10.9	60.8	2.91	35.7	0.00			377	203
400 ISL	7.03	6.99	34.266	26.842	126.3	0.761	0.66	9.7	62.8	2.95	36.2	0.00			400	
437	6.79	6.75	34.270	26.878	123.3	0.808	0.57	8.3	66.5	3.01	37.1	0.01			437	202
500 ISL	6.33	6.28	34.295	26.959	116.1	0.883	0.41	5.9	74.4	3.12	38.8	0.01			500	
520	6.19	6.14	34.303	26.984	113.9	0.906	0.36	5.2	76.9	3.15	39.3	0.01			520	201











LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
30 25.1 N	124 0.2 W	13/07/98	0035	UTC		340	13 kn	350 03 07	2	1018.1 mb	19.0 C	17.1 C	27m	8/8		SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	18.09	18.09	33.479	24.086	381.8	0.000	5.55	102.7	1.9	0.22	0.1	0.00	0.11	0.03	0	
2	18.09	18.09	33.483	24.090	381.6	0.008									2	221
2	18.09	18.09	33.479	24.087	381.9	0.008	5.55	102.7	1.9	0.22	0.1	0.00	0.11	0.03	2	220
10 ISL	18.09	18.09	33.480	24.088	382.0	0.038	5.56	102.9	1.9	0.22	0.1	0.00	0.11	0.03	10	
13	18.09	18.09	33.480	24.088	382.1	0.050	5.56	102.9	1.9	0.22	0.1	0.00	0.11	0.03	13	219
20 ISL	18.09	18.09	33.496	24.100	381.2	0.076	5.56	102.9	1.9	0.22	0.1	0.00	0.12	0.03	20	
29	18.08	18.08	33.517	24.119	379.7	0.111	5.54	102.5	1.9	0.22	0.0	0.00	0.13	0.02	29	218
30 ISL	18.12	18.11	33.538	24.126	379.1	0.114	5.54	102.6	1.9	0.22	0.0	0.00	0.13	0.02	30	
45	18.58	18.57	33.886	24.279	365.1	0.170	5.49	102.8	2.0	0.19	0.0	0.00	0.12	0.03	45	217
50 ISL	18.48	18.47	33.970	24.368	356.8	0.188	5.55	103.8	2.0	0.18	0.0	0.00	0.14	0.04	50	
58	18.23	18.22	34.063	24.501	344.3	0.216	5.64	105.0	2.1	0.16	0.0	0.00	0.17	0.05	58	216
75 ISL	17.78	17.77	34.051	24.603	335.2	0.274	5.62	103.7	2.1	0.17	0.0	0.00	0.21	0.07	75	
76	17.76	17.75	34.048	24.606	335.0	0.277	5.62	103.7	2.1	0.17	0.0	0.00	0.21	0.07	76	215
86	17.56	17.55	34.084	24.682	328.1	0.311	5.58	102.6	2.2	0.17	0.0	0.00	0.29	0.12	86	214
95	17.40	17.38	34.107	24.739	323.0	0.340	5.57	102.1	2.2	0.16	0.0	0.00	0.31	0.14	95	213
100 ISL	17.34	17.32	34.125	24.767	320.4	0.356	5.55	101.6	2.2	0.16	0.0	0.00	0.30	0.17	100	
106	17.28	17.26	34.144	24.796	317.9	0.375	5.51	100.8	2.3	0.16	0.0	0.00	0.27	0.20	106	212
116	17.20	17.18	34.149	24.819	316.0	0.407	5.46	99.7	2.4	0.17	0.0	0.00	0.11	0.12	116	211
125	16.78	16.76	34.114	24.892	309.3	0.435	5.34	96.7	2.7	0.22	0.3	0.11	0.23	0.23	125	210
141	15.63	15.61	33.978	25.051	294.5	0.483	5.11	90.4	3.9	0.39	2.4	0.14	0.17	0.18	142	209
150 ISL	14.53	14.51	33.841	25.185	281.6	0.509	4.83	83.5	5.8	0.60	5.1	0.10	0.15	0.18	151	
165	12.74	12.72	33.667	25.417	259.6	0.550	4.34	72.2	9.6	0.97	10.0	0.01	0.12	0.17	166	208
194	11.40	11.38	33.748	25.733	229.8	0.621	3.93	63.6	14.7	1.27	15.0	0.00	0.04	0.07	195	207
200 ISL	11.06	11.04	33.758	25.802	223.2	0.634	3.89	62.5	15.9	1.33	16.0	0.00			201	
233	9.37	9.34	33.833	26.150	190.3	0.703	3.69	57.1	23.1	1.63	21.2	0.00			234	206
250 ISL	8.87	8.84	33.906	26.286	177.4	0.734	3.45	52.8	27.3	1.79	23.5	0.00			251	
268	8.48	8.45	33.978	26.404	166.5	0.765	3.17	48.2	31.8	1.94	25.7	0.00			269	205
300 ISL	7.84	7.81	34.021	26.533	154.4	0.816	2.82	42.2	38.5	2.13	28.5	0.00			302	
320	7.54	7.51	34.033	26.586	149.5	0.846	2.59	38.5	42.3	2.23	29.8	0.00			322	204
380	7.22	7.18	34.139	26.715	138.1	0.933	1.57	23.2	52.9	2.60	33.6	0.00			382	203
400 ISL	7.06	7.02	34.163	26.757	134.4	0.960	1.32	19.4	56.6	2.70	34.8	0.00			402	
440	6.73	6.69	34.198	26.829	127.8	1.012	0.93	13.6	63.5	2.87	36.8	0.00			443	202
500 ISL	6.29	6.25	34.222	26.907	121.0	1.087	0.67	9.7	71.1	3.02	38.6	0.00			503	
514	6.19	6.14	34.228	26.924	119.4	1.104	0.61	8.8	72.9	3.05	39.0	0.00			517	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 56.8 N	117 18.5 W	09/07/98	1825	UTC	71 m	290	08 kn	290 01 06	1	1013.5 mb	20.9 C	19.3 C	20m	6/8		CU
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	20.44	20.44	33.488	23.494	438.3	0.000	5.63	108.9	1.9	0.23	0.0	0.02	0.15	0.03	0	
1 B	20.44	20.44	33.488	23.494	438.3	0.004	5.63	108.9	1.9	0.23	0.0	0.02	0.15	0.03	1	209
1	20.61	20.61	33.515	23.470	440.7	0.004							0.23	0.07	1	210
8	17.45	17.45	33.132	23.976	392.6	0.034	5.83	106.4	2.2	0.28	0.0	0.02	0.17	0.05	8	208
10 ISL	16.54	16.54	33.091	24.158	375.3	0.041	5.94	106.4	2.3	0.30	0.0	0.02	0.18	0.06	10	
15 B	14.72	14.72	33.079	24.553	337.8	0.059	6.16	106.4	2.4	0.33	0.0	0.02	0.22	0.07	15	207
20 ISL	14.46	14.46	33.148	24.661	327.6	0.076	6.13	105.4	2.7	0.34	0.0	0.02	0.28	0.25	20	
22	14.35	14.35	33.153	24.688	325.1	0.082	6.12	105.0	2.8	0.34	0.0	0.02	0.29	0.32	22	206
28 B	13.88	13.88	33.381	24.963	299.1	0.101	5.61	95.4	5.6	0.57	2.6	0.13	0.48	0.34	28	205
30 ISL	13.56	13.56	33.427	25.064	289.6	0.107	5.33	90.1	6.6	0.68	4.5	0.14	0.52	0.33	30	
36	12.64	12.64	33.511	25.312	266.1	0.124	4.57	75.8	9.2	0.99	9.8	0.15	0.64	0.27	36	204
43 B	12.32	12.31	33.538	25.395	258.4	0.142	4.37	72.0	11.0	1.10	10.9	0.28	0.09	0.16	43	203
50 ISL	12.07	12.06	33.554	25.455	252.8	0.160	4.24	69.5	11.8	1.16	12.2	0.19	0.03	0.11	50	
53 B	11.98	11.97	33.559	25.476	250.9	0.167	4.19	68.6	12.1	1.18	12.7	0.14	0.00	0.10	53	202
65	11.74	11.73	33.589	25.544	244.6	0.197	3.94	64.2	14.1	1.28	14.0	0.17	0.00	0.03	65	201

A) SECOND FLUOROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPIGMENT CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

B) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

















PRIMARY PRODUCTIVITY CASTS

RV NEW HORIZON

CALCOFI CRUISE 9807

STATION 70 60

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
35 53.2 N	122 22.2 W	25/ 7/98	1949 UTC	20 m		1235 - 1953 PST	1216 PST	1952 PST	405.5 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
2	15.87	33.103	24.319	5.91	104.5	2.4	0.38	0.0	0.00	0.31	0.08	86. A	9.3	9.0	9.1	0.07
8	15.43	33.097	24.412	5.96	104.5	2.5	0.36	0.0	0.00	0.32	0.10					
14	15.06	33.097	24.493	6.04	105.1	2.6	0.37	0.0	0.00	0.31	0.17	34.	7.2	7.4	7.3	0.11
22	14.64	33.122	24.603	6.00	103.5	2.6	0.41	0.5	0.03	0.55	0.26					
28	13.08	33.077	24.889	5.74	95.9	4.0	0.59	2.4	0.22	0.65	0.41	12.	13.3	13.1	13.2	0.12
35	11.71	33.075	25.150	5.08	82.4	8.2	0.90	7.2	0.61	0.46	0.39					
43	11.44	33.274	25.354	4.80	77.5	11.4	1.09	11.2	0.33	0.47	0.40	3.7	2.8	3.0	2.9	0.07
53	10.95	33.350	25.501	4.44	71.0	13.1	1.22	13.9	0.16	0.31	0.30	1.7	0.65	0.59	0.62	0.05
64	10.32	33.501	25.729	4.00	63.1	18.0	1.48	18.1	0.08	0.15	0.31					
75	9.96	33.573	25.846	3.78	59.2	20.4	1.61	20.1	0.04	0.09	0.26	0.32	0.02	0.02	0.02	0.04

RV NEW HORIZON

CALCOFI CRUISE 9807

STATION 77 70

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
34 23.4 N	122 15.0 W	23/ 7/98	1857 UTC	23 m		1210 - 1945 PST	1215 PST	1944 PST	410.7 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
2	15.35	32.963	24.327	5.90	103.2	2.5	0.34	0.1	0.00	0.20	0.07	88. A	5.1	5.0	5.1	0.08
10	15.21	32.960	24.355	5.94	103.6	2.5	0.34	0.1	0.00	0.24	0.09					
18	15.08	33.085	24.480	6.03	104.9	2.7	0.37	0.1	0.00	0.31	0.12	30.	7.7	7.6	7.7	0.12
25	15.05	33.087	24.488	6.01	104.5	2.6	0.38	0.1	0.00	0.41	0.20					
32	14.98	33.090	24.506	5.99	104.0	2.7	0.39	0.2	0.02	0.65	0.27	12.	10.3	10.1	10.2	0.12
39	14.46	33.057	24.592	5.97	102.6	2.3	0.35	0.1	0.01	0.68	0.32					
50	13.83	33.093	24.751	5.77	97.9	2.8	0.43	0.7	0.14	0.55	0.34	3.6	3.9	4.2	4.0	0.05
56	13.54	33.094	24.811	5.68	95.8	3.3	0.50	1.5	0.20	0.36	0.26					
63	12.99	33.090	24.918	5.53	92.2	4.3	0.59	2.9	0.24	0.27	0.42	1.5	1.1	0.99	1.0	0.04
74	11.73	33.261	25.291	4.80	78.0	10.4	1.04	10.3	0.26	0.19	0.40					
87	10.78	33.376	25.552	4.43	70.6	13.7	1.24	14.4	0.04	0.13	0.14	0.30	0.03	0.05	0.04	0.02

RV NEW HORIZON

CALCOFI CRUISE 9807

STATION 80 60

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
34 9.2 N	121 9.0 W	21/ 7/98	1853 UTC	17 m		1212 - 1942 PST	1211 PST	1943 PST	617.1 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	16.86	33.503	24.399	5.92	107.0	0.7	0.29	0.0	0.00	0.41	0.13	91. A	14.9	13.3	14.1	0.09
13	16.20	33.492	24.544	5.99	106.9	0.8	0.32	0.1	0.01	0.56	0.22	31.	16.1	15.8	16.0	0.13
25	14.50	33.535	24.952	5.61	96.8	5.8	0.64	3.8	0.24	1.48	0.84	10.	22.6	22.7	22.7	0.23
36	12.87	33.602	25.337	4.82	80.4	13.0	1.11	10.8	0.72	0.81	0.69	3.9	5.3	5.7	5.5	0.11
47	11.51	33.661	25.642	3.88	62.9	17.4	1.45	17.3	0.08	0.21	0.38	1.4	0.35	0.33	0.34	0.06
56	10.72	33.745	25.850	3.22	51.4	21.1	1.68	20.7	0.05	0.11	0.26					
64	10.30	33.792	25.959	2.98	47.1	23.3	1.79	22.4	0.05	0.06	0.20	0.31	0.01	0.01	0.01	0.04

RV NEW HORIZON

CALCOFI CRUISE 9807

STATION 80 100

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 49.3 N	123 54.5 W	22/ 7/98	1911 UTC	27 m		1226 - 1954 PST	1222 PST	1952 PST	141.6 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
2	17.85	33.461	24.131	5.53	101.9	1.9	0.24	0.0	0.00	0.13	0.04	89. A	3.0	2.8	2.9	0.05
11	17.83	33.461	24.137	5.53	101.8	1.9	0.24	0.0	0.00	0.13	0.03					
21	17.83	33.461	24.137	5.54	102.0	2.0	0.25	0.0	0.00	0.14	0.03	30.	3.0	3.3	3.1	0.09
38	17.83	33.463	24.139	5.52	101.6	2.0	0.24	0.0	0.00	0.14	0.03	12.	1.7	1.7	1.7	0.07
48	17.39	33.477	24.256	5.60	102.2	1.9	0.22	0.0	0.00	0.19	0.04					
58	16.19	33.414	24.488	5.86	104.5	2.0	0.24	0.0	0.00	0.19	0.05	3.7	0.71	0.83	0.77	0.05
74	15.40	33.414	24.665	5.83	102.3	2.1	0.27	0.0	0.00	0.23	0.10	1.5	0.32	0.29	0.30	0.04
83	15.08	33.413	24.735	5.85	102.0	2.3	0.25	0.0	0.00	0.24	0.11					
92	15.15	33.569	24.840	5.75	100.5	2.5	0.24	0.0	0.00	0.28	0.20					
101	15.24	33.730	24.945	5.64	98.8	2.7	0.23	0.1	0.01	0.31	0.29	0.32	0.05	0.05	0.05	0.03

A) INCUBATION LIGHT INTENSITIES WERE 94, 31, 12, 3.8, 1.5, 0.30 PERCENT RESPECTIVELY.

## PRIMARY PRODUCTIVITY CASTS

RV NEW HORIZON		CALCOFI CRUISE 9807										STATION 83 51				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
33 53.2 N	120 8.9 W	20/ 7/98	1825 UTC	20 m		1205 - 1936 PST	1207 PST	1937 PST	831.0 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	18.59	33.388	23.894	5.66	105.7	2.7	0.27	0.0	0.00	0.22	0.06	93. A	8.4	8.6	8.5	0.07
8	18.29	33.364	23.950	5.73	106.4	2.7	0.27	0.0	0.00	0.30	0.08					
15	18.06	33.344	23.991	5.76	106.5	2.7	0.28	0.1	0.01	0.44	0.17	32.	22.9	21.6	22.3	0.16
21	15.10	33.376	24.700	5.55	96.8	5.6	0.55	3.1	0.06	1.20	0.50					
27	14.29	33.394	24.887	5.42	93.0	6.6	0.63	4.3	0.08	0.99	0.42	13.	23.6	24.3	24.0	0.20
37	13.20	33.460	25.162	4.92	82.6	9.4	0.86	7.8	0.11	0.78	0.41					
43	13.17	33.463	25.170	4.91	82.4	9.5	0.87	8.0	0.11	0.73	0.41	3.7	6.7	7.0	6.8	0.08
55	12.61	33.500	25.309	4.67	77.4	11.1	0.99	9.9	0.12	0.65	0.41	1.5	2.4	2.4	2.4	0.08
66	12.12	33.535	25.431	4.40	72.2	12.4	1.12	11.8	0.12	0.45	0.35					
77	11.83	33.567	25.510	4.22	68.8	13.6	1.21	13.3	0.11	0.38	0.35	0.27	0.10	0.09	0.10	0.05

RV NEW HORIZON		CALCOFI CRUISE 9807										STATION 83 80				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 54.5 N	122 8.4 W	19/ 7/98	1906 UTC	22 m		1214 - 1940 PST	1215 PST	1942 PST	141.8 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	17.19	33.155	24.055	5.62	102.0	1.7	0.21	0.0	0.00	0.17	0.06	93. A	3.5	3.4	3.5	0.05
18	17.20	33.154	24.052	5.61	101.9	1.7	0.22	0.0	0.00	0.16	0.04	28.	3.5	3.8	3.7	0.05
32	17.18	33.154	24.058	5.61	101.8	1.7	0.22	0.0	0.00	0.17	0.04	11.	2.3	2.2	2.2	0.05
47	16.08	33.254	24.389	5.85	104.0	1.9	0.26	0.0	0.00	0.21	0.07	3.8	0.89	0.95	0.92	0.03
60	15.35	33.273	24.567	5.93	103.9					0.23	0.09	1.5	0.33	0.35	0.34	0.03
72	15.06	33.294	24.647	5.86	102.1	2.1	0.28	0.0	0.00	0.22	0.12					
83	15.05	33.396	24.728	5.78	100.7	2.2	0.27	0.0	0.00	0.25	0.21	0.31	0.02	0.03	0.03	0.02

RV NEW HORIZON		CALCOFI CRUISE 9807										STATION 87 45				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
33 30.2 N	119 17.8 W	16/ 7/98	1812 UTC	25 m		1159 - 1939 PST	1203 PST	1938 PST	338.6 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	18.28	33.412	23.989	5.61	104.2	2.8	0.25	0.1	0.00	0.15	0.03	94. A	4.7	4.6	4.6	0.08
10	17.82	33.419	24.107	5.70	104.9	2.9	0.26	0.1	0.00	0.20	0.06					
19	16.43	33.387	24.411	5.90	105.7	3.3	0.29	0.1	0.00	0.25	0.07	31.	9.0	9.6	9.3	0.11
28	13.46	33.398	25.061	5.55	93.6	5.3	0.60	3.5	0.19	1.58	0.53					
34	12.55	33.466	25.294	4.73	78.3	9.3	0.96	9.6	0.13	0.68	0.53	12.	7.1	8.2	7.7	0.09
43	11.70	33.569	25.535	4.17	67.8	13.1	1.22	13.8	0.05	0.24	0.29					
52	10.97	33.634	25.719	3.85	61.7	16.2	1.39	16.6	0.02	0.10	0.15	4.1	0.50	0.50	0.50	0.04
60	10.83	33.670	25.772	3.63	58.0	18.0	1.51	18.2	0.02	0.07	0.14					
68	10.69	33.700	25.820	3.49	55.6	19.2	1.56	19.1	0.02	0.05	0.10	1.5	0.18	0.18	0.18	0.04
80	10.20	33.762	25.953	3.27	51.6	21.9	1.69	21.1	0.01	0.02	0.09					
94	9.81	33.799	26.048	3.18	49.7	23.8	1.76	22.3	0.01	0.01	0.06	0.31	-0.01	-0.01	-0.01	0.05

RV NEW HORIZON		CALCOFI CRUISE 9807										STATION 87 80				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 19.7 N	121 43.0 W	17/ 7/98	1845 UTC	31 m		1210 - 1945 PST	1213 PST	1943 PST	233.3 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	16.61	32.980	24.056	5.72	102.6	2.2	0.26	0.1	0.00	0.12	0.02	95. A	2.8	2.8	2.8	0.06
12	16.60	32.982	24.060	5.72	102.5	2.2	0.25	0.1	0.00	0.12	0.02					
24	16.43	32.984	24.101	5.74	102.5	2.2	0.25	0.1	0.00	0.14	0.04	30.	3.8	4.0	3.9	0.08
34	15.72	32.971	24.252	5.86	103.2	2.3	0.27	0.1	0.00	0.16	0.05					
45	15.15	33.031	24.424	5.94	103.5	2.4	0.29	0.1	0.00	0.17	0.06	11.	3.0	3.3	3.1	0.09
55	15.13	33.201	24.560	5.94	103.5	2.2	0.27	0.1	0.00	0.20	0.08					
65	15.39	33.381	24.642	5.85	102.6	2.1	0.27	0.1	0.00	0.22	0.12	4.0	1.5	1.6	1.5	0.05
76	15.48	33.455	24.679	5.79	101.8	2.3	0.25	0.1	0.00	0.23	0.14					
85	15.36	33.508	24.747	5.69	99.8	2.5	0.27	0.1	0.01	0.30	0.22	1.5	0.70	0.65	0.67	0.04
97	14.82	33.590	24.928	5.44	94.4	3.4	0.35	0.8	0.22	0.26	0.24					
107	14.09	33.596	25.087	5.21	89.1	4.8	0.51	3.3	0.20	0.20	0.25					
118	13.05	33.570	25.279	4.98	83.4	6.8	0.70	6.4	0.04	0.17	0.19	0.29	0.08	0.06	0.07	0.02

A) INCUBATION LIGHT INTENSITIES WERE 94, 31, 12, 3.8, 1.5, 0.30 PERCENT RESPECTIVELY.

## PRIMARY PRODUCTIVITY CASTS

RV NEW HORIZON		CALCOFI CRUISE 9807										STATION 87 110				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
31 19.5 N	123 44.3 W	18/ 7/98	1818 UTC	23 m		1220 - 1950 PST	1221 PST	1949 PST	167.9 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	18.53	33.392	23.911	5.47	102.0	2.3	0.21	0.1	0.00	0.13	0.03	94. A	2.8	2.1	2.5	0.03
19	18.52	33.394	23.916	5.49	102.4	1.7	0.21	0.1	0.00	0.12	0.02	28.	4.7	4.5	4.6	0.05
31	18.17	33.523	24.102	5.54	102.7	2.0	0.22	0.1	0.00	0.14	0.04	13.	3.2	3.5	3.3	0.08
47	15.90	33.312	24.474	5.93	105.0	2.1	0.25	0.1	0.00	0.17	0.06	4.3	1.2	1.3	1.2	0.11
62	15.31	33.308	24.603	5.89	103.1	2.0	0.27	0.1	0.00	0.20	0.09	1.6	0.42	0.47	0.45	0.08
75	15.38	33.408	24.665	5.81	101.9	2.2	0.27	0.1	0.00	0.22	0.11					
86	15.44	33.490	24.715	5.73	100.7	2.1	0.26	0.1	0.00	0.23	0.19	0.32	0.03	0.03	0.03	0.04

RV NEW HORIZON		CALCOFI CRUISE 9807										STATION 90 30				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
33 25.2 N	117 54.3 W	15/ 7/98	1854 UTC	25 m		1155 - 1937 PST	1158 PST	1934 PST	467.2 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
2	19.55	33.315	23.595	5.51	104.7	2.4	0.26	0.0	0.00	0.22	0.05	88. A	9.1	9.3	9.2	0.10
10	17.98	33.354	24.018	5.61	103.5	2.6	0.27	0.0	0.00	0.18	0.04					
18	16.84	33.381	24.311	5.75	103.8	2.8	0.27	0.0	0.00	0.22	0.07	33.	6.5	6.6	6.5	0.19
35	15.26	33.193	24.525	5.96	104.2	2.1	0.29	0.0	0.00	0.25	0.12	12.	4.5	4.4	4.5	0.18
44	14.54	33.226	24.705	5.85	100.8	2.3	0.32	0.0	0.00	0.56	0.43					
53	14.15	33.234	24.794	5.82	99.5	2.6	0.36	0.2	0.05	0.90	0.65	3.9	9.0	9.2	9.1	0.14
60	13.78	33.296	24.918	5.48	93.0	4.1	0.51	2.5	0.18	0.66	0.61					
67	13.57	33.428	25.063	5.23	88.4	5.3	0.61	4.5	0.09	0.43	0.43	1.6	2.0	2.1	2.1	0.06
76	12.87	33.459	25.228	5.00	83.3	7.0	0.76	6.9	0.05	0.28	0.33					
85	12.38	33.541	25.386	4.84	79.9	8.2	0.86	8.6	0.04	0.22	0.26					
94	11.48	33.588	25.592	4.51	73.0	11.8	1.09	12.4	0.02	0.14	0.16	0.31	0.06	0.02	0.04	0.07

RV NEW HORIZON		CALCOFI CRUISE 9807										STATION 90 60				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 25.0 N	119 57.5 W	14/ 7/98	1849 UTC	26 m		1208 - 1938 PST	1206 PST	1935 PST	401.7 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	15.36	33.033	24.378	5.89	103.1	2.2	0.30	0.0	0.00	0.29	0.06	94. A	8.1	8.4	8.2	0.07
10	15.30	33.034	24.392	5.90	103.1	2.2	0.30	0.0	0.00	0.17	0.02					
20	15.14	33.062	24.449	5.94	103.5	2.3	0.31	0.0	0.00	0.27	0.00	31.	6.4	6.1	6.2	0.08
28	14.96	33.083	24.505	5.94	103.1	2.2	0.32	0.0	0.00	0.27	0.12					
37	14.25	33.053	24.633	5.96	102.0	2.1	0.34	0.1	0.02	0.61	0.26	11.	7.8	7.7	7.8	0.08
46	14.02	33.065	24.690	5.90	100.5	2.4	0.38	0.3	0.07	0.57	0.45					
56	13.77	33.082	24.755	5.80	98.3	3.0	0.44	0.9	0.18	0.51	0.33	3.7	2.7	2.9	2.8	0.04
70	13.61	33.253	24.920	5.44	92.0	3.6	0.51	2.5	0.11	0.33	0.35	1.6	0.78	0.84	0.81	0.03
84	13.05	33.348	25.106	5.56	92.9	6.0	0.72	4.8	0.23	0.75	0.52					
97	12.42	33.440	25.301	4.97	82.0	8.8	0.94	8.5	0.20	0.58	0.35	0.33	0.04	0.07	0.06	0.05

RV NEW HORIZON		CALCOFI CRUISE 9807										STATION 90 100				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
31 6.7 N	122 40.2 W	13/ 7/98	1835 UTC	23 m		1220 - 1942 PST	1217 PST	1940 PST	139.0 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	18.20	33.379	23.983	5.53	102.5	4.1	0.21	0.1	0.00	0.15	0.04	94. A	4.0	3.7	3.8	0.11
17	18.20	33.375	23.981	5.52	102.3	2.7	0.20	0.1	0.00	0.14	0.03	32.	3.8	4.0	3.9	0.12
30	18.16	33.376	23.992	5.52	102.2	2.1	0.20	0.1	0.00	0.17	0.03	14.	2.3	2.2	2.2	0.13
49	17.74	33.770	24.396	5.70	105.0	2.5	0.21	0.1	0.00	0.19	0.04	3.8	0.66	0.79	0.72	0.11
61	17.28	33.786	24.520	5.70	104.0	3.3	0.20	0.1	0.00	0.20	0.05	1.7	0.09	0.08	0.09	0.09
74	16.39	33.640	24.616	5.78	103.6	4.4	0.21	0.1	0.00	0.22	0.08					
86	16.48	33.765	24.692	5.63	101.1	2.4	0.21	0.1	0.00	0.21	0.17	0.32	0.01	0.02	0.02	0.05

A) INCUBATION LIGHT INTENSITIES WERE 94, 31, 12, 3.8, 1.5, 0.30 PERCENT RESPECTIVELY.

## PRIMARY PRODUCTIVITY CASTS

RV NEW HORIZON

CALCOFI CRUISE 9807

STATION 93 26.8

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 56.8 N	117 18.5 W	9/ 7/98	1825 UTC	20 m		1155 - 1932 PST	1154 PST	1930 PST	512.8 mg C/m <sup>2</sup>							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	20.44	33.488	23.494	5.63	108.9	1.9	0.23	0.0	0.02	0.15	0.03	93. A	11.3	10.7	11.0	0.15
8	17.45	33.132	23.976	5.83	106.4	2.2	0.28	0.0	0.02	0.17	0.05					
15	14.72	33.079	24.553	6.16	106.4	2.4	0.33	0.0	0.02	0.22	0.07	32.	4.5	4.5	4.5	0.11
22	14.35	33.153	24.688	6.12	105.0	2.8	0.34	0.0	0.02	0.96	0.32					
28	13.88	33.381	24.963	5.61	95.4	5.6	0.57	2.6	0.13	0.48	0.34	12.	19.8	19.2	19.5	0.12
36	12.64	33.511	25.312	4.57	75.8	9.2	0.99	9.8	0.15	0.64	0.27					
43	12.32	33.538	25.395	4.37	72.0	11.0	1.10	10.9	0.28	0.09 A	0.16 A	3.7	6.3	6.9	6.6	0.06
53	11.98	33.559	25.476	4.19	68.6	12.1	1.18	12.7	0.14	0.00	0.10	1.7	1.8	1.7	1.7	0.04

A) SECOND FLUOROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPIGMENT CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

RV NEW HORIZON

CALCOFI CRUISE 9807

STATION 93 50

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 11.0 N	118 55.4 W	10/ 7/98	1847 UTC	13 m		1158 - 1938 PST	1201 PST	1935 PST	702.8 mg C/m <sup>2</sup>							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	17.32	33.536	24.316	5.76	105.1	4.3	0.28	0.0	0.00	0.52	0.08	89. A	16.0	17.0	16.5	0.17
10	17.27	33.545	24.335	5.77	105.2	4.3	0.27	0.0	0.00	0.56	0.10	31.	19.3	17.1	18.2	0.19
18	16.74	33.606	24.507	5.86	105.7	4.9	0.25	0.0	0.00	1.00	0.17	12.	21.2	19.3	20.3	0.27
27	14.95	33.580 D	24.890	5.95	103.6	5.2	0.27	0.1	0.00	1.86	0.27	4.1	17.0	17.8	17.4	0.33
36	13.30	33.652 D	25.290	5.55	93.4	7.9	0.52	2.6	0.07	3.12	0.87	1.4	11.2	12.1	11.6	0.21
42	12.19	33.694 D	25.540	4.41	72.6	12.9	1.01	9.9	0.27	1.85	0.60					
49	11.08	33.710	25.758	3.43	55.1	19.1	1.57	18.8	0.03	0.17	0.23	0.31	0.13	0.04	0.09	0.04

RV NEW HORIZON

CALCOFI CRUISE 9807

STATION 93 80

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
31 10.8 N	120 56.7 W	11/ 7/98	1804 UTC	27 m		1207 - 1940 PST	1209 PST	1940 PST	206.0 mg C/m <sup>2</sup>							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
3	17.64	33.174	23.962	5.59	102.4	4.0	0.22	0.0	0.00	0.13	0.03	84. A	3.3	2.9	3.1	0.10
12	17.64	33.176	23.964	5.60	102.6	20.6 U	0.22	0.0	0.00	0.14	0.03					
21	17.60	33.176	23.974	5.60	102.5	7.9 U	0.21	0.0	0.00	0.13	0.03	30.	4.9	4.7	4.8	0.08
38	17.28	33.632	24.401	5.72	104.3	3.5	0.23	0.0	0.00	0.16	0.04	12.	3.0	2.8	2.9	0.05
47	17.17	33.643	24.436	5.73	104.3	2.8	0.23	0.0	0.00	0.16	0.05					
57	16.96	33.642	24.485	5.74	104.0	3.1	0.23	0.0	0.00	0.17	0.04	3.9	1.1	1.3	1.2	0.03
75	16.16	33.571	24.616	5.78	103.1	4.7	0.23	0.0	0.00	0.21	0.07	1.4	0.46	0.44	0.45	0.03
82	15.99	33.559	24.645	5.78	102.7	7.8 U	0.23	0.0	0.00	0.23	0.08					
94	15.95	33.604	24.689	5.74	101.9	2.7	0.22	0.0	0.00	0.23	0.11					
103	15.73	33.601	24.737	5.76	101.8	3.8	0.22	0.0	0.00	0.23	0.15	0.29	0.01	0.00	0.00	0.05

RV NEW HORIZON

CALCOFI CRUISE 9807

STATION 93 120

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
29 51.1 N	123 36.4 W	12/ 7/98	1812 UTC	28 m		1222 - 1950 PST	1220 PST	1946 PST	117.4 mg C/m <sup>2</sup>							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	18.56	33.805	24.220	5.46	102.2	1.9	0.22	0.0	0.00	0.11	0.01	95. A	1.9	2.0	2.0	0.06
12	18.56	33.806	24.221	5.45	102.0	1.8	0.22	0.0	0.00	0.10	0.01					
21	18.56	33.813	24.227	5.45	102.0	1.8	0.22	0.0	0.00	0.10	0.02	32.	2.5	2.2	2.3	0.08
31	18.57	33.823	24.232	5.46	102.2	1.8	0.22	0.0	0.00	0.11	0.02					
39	18.60	33.922	24.301	5.48	102.7	1.9	0.19	0.0	0.00	0.12	0.03	12.	1.4	1.3	1.4	0.09
49	17.95	33.926	24.465	5.60	103.6	1.9	0.22	0.0	0.00	0.16	0.03					
60	17.68	33.911	24.520	5.61	103.3	1.9	0.24	0.0	0.00	0.18	0.05	3.7	0.69	0.83	0.76	0.04
68	17.52	33.917	24.563	5.59	102.6	1.9	0.22	0.0	0.00	0.20	0.09					
77	17.41	33.948	24.614	5.58	102.2	2.0	0.19	0.0	0.00	0.24	0.11	1.5	0.42	0.42	0.42	0.06
86	17.16	33.903	24.639	5.57	101.5	2.0	0.22	0.0	0.00	0.26	0.14					
96	16.99	33.949	24.715	5.51	100.1	2.1	0.22	0.0	0.00	0.29	0.29					
104	17.48	34.160	24.760	5.48	100.6	2.1	0.16	0.0	0.00	0.28	0.22	0.33	0.05	0.05	0.05	0.02

A) INCUBATION LIGHT INTENSITIES WERE 94, 31, 12, 3.8, 1.5, 0.30 PERCENT RESPECTIVELY.



## CalCOFI Cruise 9807

## MACROZOOPLANKTON BIOMASS

Net Mesh Size: 0.505mm

Line	Sta.	Latitude N	Longitude W	Date Mo/Day	Time (PST)		Water Volume Strained (m <sup>3</sup> )	Max. Tow Depth (m)	Volume per 1000 m <sup>3</sup> Strained	
					Start	End			Total (cm <sup>3</sup> )	Small (cm <sup>3</sup> )
70	51	36 10.3	121 45.4	07/25	2134	2155	440	200	134	134
70	55	36 03.3	122 00.3	07/25	1805	1827	432	211	65	65
70	60	35 53.9	122 23.7	07/25	1319	1341	449	202	245	245
70	65	35 42.7	122 43.4	07/25	0847	0908	446	201	103	103
77	49	35 05.8	120 47.1	07/24	0458	0505	146	61	48	48
77	51	35 01.8	120 56.2	07/24	0235	0257	455	203	143	112
77	55	34 54.1	121 12.8	07/23	2314	2336	425	207	174	174
77	60	34 43.2	121 33.4	07/23	1914	1936	437	207	87	87
77	70	34 23.8	122 15.8	07/23	1228	1250	413	210	77	77
77	80	34 04.1	122 56.4	07/23	0612	0634	454	199	46	46
77	90	33 43.9	123 38.9	07/23	0029	0051	452	201	35	35
77	100	33 23.8	124 20.2	07/22	1841	1903	474	206	53	53
80	51	34 27.1	120 31.4	07/21	0438	0444	136	60	52	52
80	55	34 19.2	120 49.7	07/21	0807	0829	486	200	47	47
80	60	34 09.4	121 09.7	07/21	1203	1225	451	212	55	55
80	70	33 49.1	121 51.1	07/21	1845	1907	450	207	31	31
80	80	33 29.4	122 33.2	07/22	0033	0055	468	199	28	28
80	90	33 09.4	123 14.2	07/22	0620	0642	476	201	36	36
80	100	32 50.4	123 54.8	07/22	1239	1300	465	198	19	19
82	47	34 18.4	120 02.7	07/21	0031	0053	428	204	122	122
83	40.6	34 13.4	119 24.6	07/20	1817	1820	70	25	14	14
83	42	34 10.9	119 30.5	07/20	1629	1639	214	87	19	19
83	51	33 53.1	120 08.7	07/20	0918	0928	217	88	32	32
83	55	33 45.3	120 24.4	07/20	0650	0712	484	205	50	50
83	60	33 35.9	120 45.7	07/20	0221	0243	505	183	119	119
83	70	33 15.3	121 28.6	07/19	2001	2022	437	206	66	66
83	80	32 55.8	122 08.4	07/19	1244	1305	458	195	41	41
83	90	32 35.2	122 49.8	07/19	0555	0617	489	203	18	18
83	100	32 16.1	123 30.0	07/18	2345	2407	490	201	22	22
83	110	31 55.7	124 12.1	07/18	1722	1745	561	190	18	18
87	33	33 52.9	118 30.6	07/15	2320	2325	101	35	59	59
87	35	33 49.2	118 38.6	07/16	0139	0201	447	204	119	92
87	40	33 39.9	118 57.9	07/16	0552	0613	448	208	20	20
87	45	33 29.7	119 18.6	07/16	0914	0935	463	199	13	13
87	50	33 19.7	119 39.9	07/16	1510	1518	170	70	29	29
87	55	33 09.7	120 01.0	07/16	1915	1937	438	217	135	135
87	60	32 59.1	120 21.8	07/16	2331	2352	470	207	94	94
87	70	32 39.7	121 01.6	07/17	0533	0554	476	217	59	59
87	80	32 20.8	121 43.9	07/17	1233	1255	504	194	42	42
87	90	32 00.8	122 24.9	07/17	1939	2000	498	209	24	24
87	100	31 39.9	123 06.7	07/18	0156	0218	545	188	26	26
87	110	31 18.6	123 43.6	07/18	0839	0900	449	212	16	16
90	28	33 29.0	117 46.2	07/15	1700	1707	149	60	13	13
90	30	33 25.0	117 55.0	07/15	1235	1257	455	206	24	24
90	35	33 15.5	118 15.3	07/15	0756	0817	422	199	21	21
90	37	33 11.5	118 23.3	07/15	0510	0532	450	210	29	29
90	45	32 55.5	118 57.0	07/14	2348	0009	466	199	112	112
90	53	32 39.2	119 30.1	07/14	1820	1842	442	214	61	61
90	60	32 25.2	119 57.7	07/14	1237	1259	424	212	28	28
90	70	32 05.9	120 39.2	07/14	0555	0616	469	203	60	60
90	80	31 45.9	121 19.2	07/13	2337	2359	488	214	27	27
90	90	31 26.3	122 00.7	07/13	1726	1748	490	210	37	37
90	100	31 04.9	122 39.7	07/13	0822	0843	488	206	16	16
90	110	30 46.2	123 20.2	07/13	0052	0114	482	206	27	27
90	120	30 26.5	124 01.2	07/12	1836	1858	467	210	19	19
93	26.7	32 56.7	117 18.8	07/09	1119	1126	167	70	162	30
93	28	32 53.8	117 24.7	07/09	1412	1434	459	214	4	4
93	30	32 50.2	117 32.0	07/09	1726	1747	463	211	6	6
93	35	32 41.4	117 52.8	07/09	2132	2153	442	216	36	36
93	40	32 31.4	118 13.4	07/10	0137	0159	457	212	57	57
93	45	32 20.5	118 34.1	07/10	0652	0714	461	214	26	26
93	50	32 11.1	118 54.5	07/10	0952	1014	466	205	26	26
93	55	32 00.3	119 14.7	07/10	1517	1539	497	201	52	52
93	60	31 49.9	119 35.9	07/10	1929	1951	472	209	36	36
93	70	31 30.4	120 16.6	07/11	0155	0217	510	207	27	27
93	80	31 10.6	120 55.3	07/11	0826	0847	494	210	12	12
93	90	30 51.1	121 36.6	07/11	1617	1639	489	210	14	14
93	100	30 31.6	122 16.9	07/11	2216	2237	483	210	21	21
93	110	30 11.0	122 56.9	07/12	0427	0449	490	210	20	20
93	120	29 50.6	123 35.4	07/12	0914	0935	489	204	10	10

PERSONNEL

CalCOFI Cruise 9808

SHIP'S CAPTAIN

Louis H. Zimm, RV *Robert Gordon Sproul*

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

Renger, Edward H. (Chief Scientist)	Staff Research Associate, SIO
Aljian, Corrie E.	Volunteer
Barnes, K'wasi H.	Volunteer
Gruber, Dennis W.	Staff Research Associate, SIO
Hays, Amy E.	Fishery Biologist, NMFS
McConnico, Laurie A.	Volunteer
Nelson, Matthew M.	Volunteer
Pillard, Eugene G.	Resident Technician, SIO
Ramirez, Fernando	Staff Research Associate, SIO
Schmitt, James A.	Senior Electronics Technician, SIO
Swensen, Daryl L.	Biological Technician, NMFS
Todd, Mary M.	Volunteer

## FIGURES

### Cruise 9808

1. CalCOFI Cruise 9808, track and station positions.
2. Sections along CalCOFI line 90 (vertical exaggeration, 1000): A) potential density and geostrophic velocity (+ = northward); B) temperature; C) salinity; D) oxygen saturation; E) oxygen; F) chlorophyll-*a*; and G) phaeopigments.




FIGURE 1

**CALCOFI CRUISE 9808**

12 - 15 AUGUST 1998

**POTENTIAL DENSITY ( $\sigma_\theta$ ) ALONG CALCOFI LINE 90  
GESTROPHIC VELOCITY RELATIVE TO 500m (cm/s)**




FIGURE 2A

# CALCOFI CRUISE 9808

12 - 15 AUGUST 1998

## TEMPERATURE (°C) ALONG CALCOFI LINE 90




FIGURE 2B




FIGURE 2C

# CALCOFI CRUISE 9808

12 - 15 AUGUST 1998

## OXYGEN SATURATION (%) ALONG CALCOFI LINE 90




FIGURE 2D

## OXYGEN (ml/l) ALONG CALCOFI LINE 90




FIGURE 2E

# CALCOFI CRUISE 9808

12 - 15 AUGUST 1998

## CHLOROPHYLL-a ( $\mu\text{g/l}$ ) ALONG CALCOFI LINE 90




FIGURE 2F

## PHAEOPIGMENTS ( $\mu\text{g/l}$ ) ALONG CALCOFI LINE 90




FIGURE 2G

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
34 13.4 N	119 24.5 W	17/08/98	1946	UTC	35 m	310	09 kn	260 01 07	2	1016.2 mb	19.8 C	18.3 C		8/8		ST
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	19.23	19.23	33.319	23.680	420.6	0.000	5.69	107.5					0.42	0.15	0	
1	19.23	19.23	33.319	23.680	420.6	0.004	5.69	107.5					0.42	0.15	1	205
7	18.25	18.25	33.299	23.910	398.9	0.029	5.83	108.1					0.36	0.17	7	204
10 ISL	17.83	17.83	33.299	24.012	389.2	0.041	5.87	108.0					0.43	0.20	10	
12	17.55	17.55	33.301	24.082	382.7	0.048	5.89	107.8					0.49	0.22	12	203
20	16.22	16.22	33.321	24.408	351.8	0.078	6.00	107.0					0.55	0.27	20	202
27	15.40	15.40	33.322	24.593	334.4	0.102	5.75	100.9					1.14	0.63	27	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
34 10.9 N	119 30.6 W	17/08/98	1738	UTC	107 m	320	07 kn	300 02 04	2	1016.3 mb	18.9 C	18.0 C		8/8		SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	20.08	20.08	33.327	23.466	441.0	0.000	5.55	106.5					0.33	0.12	0	
1	20.08	20.08	33.327	23.466	441.0	0.004	5.55	106.5					0.33	0.12	1	211
10	19.77	19.77	33.323	23.545	433.9	0.044	5.62	107.3					0.36	0.13	10	210
20	18.39	18.39	33.324	23.895	400.8	0.086	5.81	108.0					0.57	0.24	20	209
30 ISL	16.04	16.04	33.326	24.453	347.8	0.123	5.76	102.3					0.62	0.32	30	
31	15.81	15.81	33.330	24.508	342.6	0.126	5.75	101.7					0.63	0.32	31	208
41	14.73	14.72	33.381	24.784	316.5	0.159	5.41	93.6					0.54	0.33	41	207
50 ISL	14.24	14.23	33.411	24.911	304.7	0.187	5.24	89.8					0.51	0.39	50	
51	14.19	14.18	33.414	24.924	303.5	0.190	5.22	89.4					0.51	0.39	51	206
61	13.07	13.06	33.482	25.205	276.9	0.219	4.84	81.0					0.27	0.33	61	205
71	12.19	12.18	33.549	25.429	255.8	0.246	4.46	73.3					0.20	0.27	71	204
75 ISL	12.04	12.03	33.560	25.466	252.4	0.256	4.38	71.8					0.18	0.25	75	
81	11.88	11.87	33.571	25.504	248.8	0.271	4.29	70.1					0.16	0.22	81	203
88	11.55	11.54	33.593	25.583	241.5	0.288	4.14	67.1					0.11	0.17	88	202
99	11.21	11.20	33.636	25.678	232.6	0.314	3.89	62.6					0.08	0.18	99	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 52.6 N	120 8.1 W	17/08/98	1026	UTC	105 m	340	14 kn			1014.0 mb	16.5 C	15.2 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.43	17.43	33.328	24.130	377.6	0.000	5.80	105.9					0.56	0.21	0	
1	17.43	17.43	33.328	24.130	377.6	0.004	5.80	105.9					0.56	0.21	1	209
10	15.90	15.90	33.339	24.494	343.3	0.036	6.01	106.5					0.31	0.12	10	208
20	14.49	14.49	33.373	24.828	311.7	0.069	5.85	100.8					1.21	0.48	20	207
30	13.91	13.91	33.426	24.991	296.5	0.099	5.43	92.5					0.77	0.49	30	206
41	13.54	13.53	33.452	25.087	287.6	0.131	5.20	87.9					0.51	0.47	41	205
50 ISL	13.34	13.33	33.462	25.136	283.2	0.157	5.03	84.7					0.55	0.46	50	
51	13.30	13.29	33.464	25.145	282.4	0.160	5.00	84.1					0.55	0.46	51	204
61	12.24	12.23	33.544	25.415	256.9	0.187	4.49	73.9					0.26	0.26	61	203
71	11.79	11.78	33.579	25.527	246.4	0.212									71	202
75 ISL	11.55	11.54	33.603	25.590	240.5	0.222	4.10	66.5					0.16	0.19	75	
85	10.96	10.95	33.665	25.745	225.9	0.245	3.82	61.2					0.09	0.14	85	201



LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 44.8 N	120 25.1 W	17/08/98	0548	UTC	1001 m	310	17 kn			1014.8 mb	17.6 C	16.0 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	19.36	19.36	33.318	23.646	423.8	0.000	5.56	105.3					0.19	0.06	0	
1	19.36	19.36	33.318	23.646	423.9	0.004	5.56	105.3					0.19	0.06	1	220
9	19.34	19.34	33.319	23.652	423.6	0.038	5.57	105.5					0.22	0.07	9	219
10 ISL	19.31	19.31	33.319	23.660	422.9	0.042	5.57	105.4					0.22	0.07	10	
20 ISL	19.03	19.03	33.320	23.732	416.3	0.084	5.60	105.4					0.28	0.09	20	
21	19.00	19.00	33.320	23.740	415.6	0.088	5.60	105.3					0.28	0.09	21	218
30	16.79	16.79	33.373	24.317	360.8	0.123	6.02	108.6					0.65	0.34	30	217
39	14.54	14.53	33.417	24.852	310.0	0.154	5.81	100.2					1.69	0.81	39	216
49	13.47	13.46	33.481	25.124	284.3	0.183	5.03	84.9					1.04	0.68	49	215
50 ISL	13.34	13.33	33.488	25.156	281.3	0.186	4.95	83.3					0.98	0.66	50	
59	12.24	12.23	33.548	25.418	256.5	0.210	4.32	71.1					0.52	0.46	59	214
70	11.63	11.62	33.597	25.571	242.2	0.238	3.95	64.2					0.22	0.32	70	213
75 ISL	11.42	11.41	33.618	25.626	237.1	0.250	3.83	62.0					0.20	0.28	75	
85	11.04	11.03	33.656	25.724	227.9	0.273	3.67	58.9					0.16	0.22	85	212
99	10.43	10.42	33.703	25.868	214.4	0.304	3.57	56.6					0.05	0.17	99	211
100 ISL	10.41	10.40	33.709	25.876	213.7	0.306	3.54	56.1					0.05	0.17	100	
125 ISL	9.78	9.77	33.838	26.084	194.4	0.357	3.01	47.0					0.02	0.10	126	
130	9.65	9.64	33.860	26.123	190.8	0.367	2.94	45.8					0.02	0.09	131	210
138	9.30	9.28	33.878	26.194	184.1	0.382	3.01	46.6					0.01	0.06	139	209
150 ISL	9.03	9.01	33.948	26.292	174.9	0.403	2.79	42.9					0.01	0.06	151	
169	8.83	8.81	34.064	26.415	163.6	0.435	2.27	34.8					0.02	0.05	170	208
200	8.50	8.48	34.112	26.504	155.7	0.485	1.99	30.3					0.01	0.05	201	207
227	8.49	8.47	34.168	26.550	151.8	0.526	1.63	24.8							228	206
250 ISL	8.43	8.40	34.178	26.568	150.6	0.561	1.58	24.0							251	
267	8.35	8.32	34.177	26.579	149.8	0.587	1.54	23.4							269	205
300 ISL	8.15	8.12	34.192	26.622	146.3	0.636	1.42	21.4							302	
318	8.02	7.99	34.201	26.648	144.0	0.662	1.34	20.2							320	204
377	7.55	7.51	34.214	26.728	137.2	0.745	1.11	16.5							379	203
400 ISL	7.39	7.35	34.215	26.752	135.2	0.776	1.04	15.4							403	
436	7.10	7.06	34.215	26.793	131.6	0.824	0.93	13.7							439	202
500 ISL	6.30	6.25	34.221	26.905	121.2	0.905	0.74	10.7							503	
531	5.91	5.86	34.227	26.959	116.0	0.942	0.65	9.3							535	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 34.7 N	120 45.5 W	17/08/98	0036	UTC	1411 m	320	15 kn	340 05 09	1	1013.9 mb	17.8 C	16.0 C			7/8	sc
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.38	17.38	33.308	24.127	377.9	0.000	5.69	103.8					0.22	0.10	0	
2	17.38	17.38	33.308	24.127	378.0	0.008	5.69	103.8					0.22	0.10	2	220
9	17.36	17.36	33.309	24.133	377.7	0.034	5.67	103.4					0.24	0.09	9	219
10 ISL	17.35	17.35	33.309	24.135	377.5	0.038	5.67	103.3					0.24	0.09	10	
19	17.30	17.30	33.306	24.145	376.8	0.072	5.69	103.6					0.24	0.10	19	218
20 ISL	17.24	17.24	33.305	24.159	375.6	0.075	5.71	103.8					0.24	0.11	20	
29	16.22	16.22	33.259	24.361	356.6	0.108	5.86	104.4					0.27	0.16	29	217
30 ISL	15.98	15.98	33.239	24.400	352.9	0.112	5.87	104.1					0.32	0.19	30	
39	13.85	13.84	33.106	24.756	319.1	0.142	5.94	100.8					0.73	0.43	39	216
50	12.65	12.64	33.214	25.080	288.5	0.176	5.19	86.0					0.57	0.46	50	215
58	12.26	12.25	33.325	25.241	273.3	0.198	4.79	78.7					0.42	0.34	58	214
70	11.81	11.80	33.484	25.450	253.8	0.230	4.35	70.9					0.26	0.19	70	213
75 ISL	11.45	11.44	33.538	25.558	243.5	0.242	4.19	67.8					0.18	0.16	75	
83	10.85	10.84	33.610	25.722	228.0	0.261	3.99	63.8					0.08	0.14	83	212
99	10.23	10.22	33.687	25.890	212.3	0.296	3.91	61.7					0.05	0.10	99	211
100 ISL	10.19	10.18	33.693	25.902	211.2	0.298	3.91	61.6					0.05	0.10	100	
119	9.43	9.42	33.813	26.122	190.6	0.337	3.82	59.2					0.01	0.06	120	210
125 ISL	9.26	9.25	33.839	26.170	186.1	0.348	3.75	57.6					0.01	0.06	126	
139	8.94	8.93	33.886	26.258	178.0	0.373	3.50	53.7					0.00	0.06	140	209
150 ISL	8.77	8.75	33.919	26.311	173.1	0.393	3.42	52.3					0.00	0.05	151	
171	8.47	8.45	33.966	26.394	165.5	0.428	3.31	50.3					0.00	0.04	172	208
199	7.81	7.79	34.002	26.521	153.7	0.473	3.00	44.9					0.00	0.04	200	207
200 ISL	7.79	7.77	34.003	26.525	153.4	0.474	3.00	44.9							201	
229	7.38	7.36	34.008	26.588	147.7	0.518	2.93	43.4							230	206
250 ISL	7.19	7.17	34.012	26.618	145.1	0.549	2.72	40.1							251	
270	7.04	7.01	34.018	26.643	143.0	0.578	2.45	36.0							272	205
300 ISL	6.75	6.72	34.037	26.698	138.1	0.620	2.04	29.8							302	
318	6.59	6.56	34.053	26.732	135.0	0.644	1.79	26.0							320	204
376	6.21	6.18	34.127	26.840	125.3	0.720	1.05	15.1							378	203
400 ISL	6.05	6.02	34.143	26.874	122.4	0.750	0.89	12.8							403	
436	5.83	5.79	34.163	26.917	118.5	0.793	0.74	10.6							439	202
500 ISL	5.49	5.45	34.221	27.005	110.7	0.866	0.50	7.1							503	
527	5.34	5.30	34.246	27.043	107.3	0.896	0.40	5.7							531	201







LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 11.1 N	118 23.1 W	13/08/98	1035	UTC	1174 m	270	11 kn			1018.0 mb	21.0 C	20.2 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	20.98	20.98	33.331	23.231	463.5	0.000	5.44	106.2					0.13	0.05	0	
2	20.98	20.98	33.331	23.231	463.6	0.009	5.44	106.2					0.13	0.05	2	220
10 ISL	20.90	20.90	33.341	23.260	461.0	0.046	5.46	106.4					0.14	0.04	10	
15	20.85	20.85	33.347	23.279	459.5	0.069	5.47	106.5					0.15	0.03	15	219
20 ISL	19.76	19.76	33.341	23.561	432.6	0.092	5.66	108.0					0.23	0.05	20	
30	17.37	17.37	33.376	24.183	373.6	0.132	6.04	110.2					0.43	0.10	30	218
45	16.24	16.23	33.447	24.501	343.7	0.186	5.95	106.2					0.76	0.13	45	217
50 ISL	15.94	15.93	33.418	24.547	339.5	0.203	5.94	105.4					0.70	0.16	50	
55	15.67	15.66	33.391	24.587	335.8	0.220	5.94	104.8					0.64	0.18	55	216
65	15.15	15.14	33.438	24.738	321.7	0.253	5.83	101.8					0.04	0.08	65	215
75 ISL	14.52	14.51	33.499	24.921	304.5	0.284	5.44	93.8					0.02	0.06	75	
78	14.31	14.30	33.514	24.977	299.2	0.293	5.30	91.0					0.01	0.05	78	213
79	14.33	14.32	33.509	24.969	300.0	0.296	5.32	91.4					0.02	0.05	79	214
93	13.17	13.16	33.506	25.205	277.8	0.336	4.78	80.2					0.01	0.04	93	212
100 ISL	12.67	12.66	33.527	25.320	267.0	0.355	4.55	75.5					0.01	0.04	100	
110	12.04	12.03	33.570	25.474	252.5	0.381	4.25	69.6					0.00	0.03	110	211
124	11.35	11.33	33.631	25.650	236.0	0.416	3.86	62.3					0.00	0.03	125	210
125 ISL	11.31	11.29	33.639	25.663	234.7	0.418	3.82	61.7					0.00	0.03	126	
144	10.52	10.50	33.779	25.913	211.3	0.460	3.14	49.9					0.00	0.03	145	209
150 ISL	10.25	10.23	33.797	25.974	205.6	0.473	3.09	48.8					0.00	0.03	151	
169	9.52	9.50	33.848	26.136	190.3	0.510	3.00	46.6					0.01	0.02	170	208
199	9.04	9.02	34.058	26.378	167.9	0.564	2.32	35.7					0.01	0.03	200	207
200 ISL	9.02	9.00	34.059	26.382	167.5	0.566	2.32	35.7							201	
230	8.36	8.34	34.053	26.480	158.5	0.615	2.37	35.9							231	206
250 ISL	8.12	8.09	34.076	26.534	153.6	0.646	2.21	33.3							251	
267	7.98	7.95	34.099	26.573	150.1	0.672	2.03	30.5							268	205
300 ISL	7.66	7.63	34.120	26.637	144.5	0.720	1.79	26.7							302	
314	7.53	7.50	34.127	26.661	142.3	0.740	1.69	25.1							316	204
376	6.88	6.84	34.171	26.787	131.0	0.825	1.11	16.3							378	203
400 ISL	6.71	6.67	34.185	26.821	128.0	0.856	0.96	14.0							402	
438	6.50	6.46	34.207	26.867	124.1	0.904	0.76	11.0							441	202
500 ISL	6.22	6.18	34.260	26.946	117.2	0.979	0.52	7.5							503	
528	6.10	6.05	34.284	26.980	114.2	1.011	0.41	5.9							532	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 55.1 N	118 56.1 W	13/08/98	1647	UTC	1701 m	350	11 kn	350 02 05	1	1019.0 mb	20.0 C	19.1 C			5/8	SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	20.07	20.07	33.464	23.573	430.7	0.000	5.41	103.9					0.20	0.04	0	
1	20.07	20.07	33.464	23.574	430.8	0.004	5.41	103.9					0.20	0.04	1	220
10	19.08	19.08	33.460	23.826	407.0	0.042	5.62	106.0					0.21	0.05	10	219
20 ISL	18.28	18.28	33.447	24.016	389.2	0.082	5.71	106.0					0.25	0.07	20	
21	18.16	18.16	33.446	24.045	386.5	0.086	5.72	106.0					0.25	0.07	21	218
30	16.02	16.02	33.477	24.574	336.3	0.118	6.12	108.8					0.80	0.27	30	217
40	13.75	13.74	33.545	25.116	284.8	0.149	5.20	88.3					1.47	0.70	40	216
49	12.49	12.48	33.573	25.389	259.0	0.174	4.29	71.0					0.73	0.58	49	215
50 ISL	12.41	12.40	33.576	25.407	257.4	0.176	4.24	70.0					0.68	0.56	50	
59	11.83	11.82	33.604	25.539	245.0	0.199	3.95	64.5					0.39	0.41	59	214
69	11.12	11.11	33.657	25.710	228.9	0.223	3.63	58.4					0.13	0.24	69	213
75 ISL	10.92	10.91	33.678	25.762	224.0	0.236	3.54	56.7					0.11	0.18	75	
89	10.63	10.62	33.713	25.841	216.8	0.267	3.43	54.6					0.07	0.12	89	212
100	10.24	10.23	33.745	25.934	208.2	0.290	3.32	52.4					0.04	0.10	100	211
119	9.66	9.65	33.850	26.113	191.5	0.328	2.96	46.1					0.01	0.08	120	210
125 ISL	9.60	9.59	33.882	26.148	188.3	0.340	2.83	44.1					0.01	0.08	126	
136	9.53	9.51	33.934	26.201	183.5	0.360	2.61	40.6					0.01	0.08	137	209
150 ISL	9.35	9.33	33.981	26.267	177.5	0.386	2.45	38.0					0.01	0.07	151	
164	9.14	9.12	34.015	26.328	171.9	0.410	2.34	36.1					0.01	0.05	165	208
198	8.71	8.69	34.073	26.442	161.7	0.467	2.13	32.5					0.00	0.05	199	207
200 ISL	8.70	8.68	34.076	26.445	161.3	0.470	2.12	32.4							201	
228	8.57	8.55	34.116	26.497	156.9	0.514	1.91	29.1							229	206
250 ISL	8.38	8.35	34.140	26.546	152.7	0.549	1.77	26.9							251	
268	8.19	8.16	34.156	26.587	149.0	0.576	1.65	24.9							270	205
300 ISL	7.79	7.76	34.175	26.661	142.3	0.622	1.41	21.1							302	
320	7.54	7.51	34.187	26.707	138.1	0.650	1.25	18.6							322	204
375	6.98	6.94	34.240	26.828	127.2	0.723	0.76	11.2							377	203
400 ISL	6.81	6.77	34.258	26.865	123.9	0.755	0.62	9.1							403	
427	6.64	6.60	34.274	26.901	120.8	0.788	0.52	7.6							430	202
500 ISL	6.12	6.08	34.318	27.004	111.6	0.873	0.37	5.3							503	
512	6.03	5.98	34.325	27.021	110.1	0.886	0.35	5.0							516	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 39.1 N	119 28.9 W	13/08/98	2233	UTC	1317 m	300	15 kn	300 03 08	2	1017.2 mb	19.7 C	18.6 C		8/8		SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	18.23	18.23	33.049	23.723	416.4	0.000	5.57	103.1					0.09	0.02	0	
1	18.23	18.23	33.049	23.723	416.5	0.004	5.57	103.1					0.09	0.02	1	220
10 ISL	17.39	17.39	33.066	23.940	396.1	0.041	5.69	103.6					0.11	0.03	10	
15	16.71	16.71	33.087	24.116	379.5	0.060	5.79	104.1					0.12	0.03	15	219
20 ISL	16.27	16.27	33.101	24.228	369.0	0.079	5.86	104.4					0.12	0.03	20	
30	15.60	15.60	33.140	24.409	352.0	0.115	5.94	104.5					0.12	0.04	30	218
44	15.20	15.19	33.237	24.572	336.9	0.163	5.91	103.2					0.13	0.06	44	217
50 ISL	15.10	15.09	33.248	24.602	334.2	0.183	5.89	102.6					0.15	0.07	50	
54	15.02	15.01	33.257	24.627	332.0	0.197	5.88	102.3					0.16	0.08	54	216
65	14.60	14.59	33.352	24.790	316.7	0.232	5.69	98.2					0.66	0.47	65	215
75	13.69	13.68	33.375	24.998	297.1	0.263	5.33	90.3					0.44	0.40	75	214
86	13.29	13.28	33.417	25.112	286.5	0.295	5.11	85.9					0.29	0.27	86	213
96	12.10	12.09	33.463	25.380	261.1	0.322	4.67	76.6					0.16	0.17	96	212
100 ISL	11.77	11.76	33.496	25.467	252.8	0.353	4.55	74.1					0.13	0.15	100	
110	11.13	11.12	33.581	25.650	235.5	0.357	4.33	69.6					0.09	0.12	110	211
125	10.37	10.36	33.656	25.842	217.5	0.391	4.01	63.4					0.04	0.08	126	210
144	9.81	9.79	33.733	25.998	203.0	0.431	3.65	57.0					0.01	0.05	145	209
150 ISL	9.67	9.65	33.755	26.038	199.3	0.443	3.60	56.1					0.01	0.04	151	
170	9.29	9.27	33.833	26.161	187.9	0.482	3.41	52.7					0.00	0.03	171	208
200	8.88	8.86	33.984	26.345	170.9	0.536	2.57	39.4					0.00	0.05	201	207
230	8.09	8.07	33.988	26.469	159.3	0.585	2.92	44.0							231	206
250 ISL	8.04	8.01	34.068	26.540	153.0	0.616	2.40	36.1							251	
269	7.99	7.96	34.130	26.596	148.0	0.645	1.77	26.6							271	205
300 ISL	7.76	7.73	34.168	26.660	142.4	0.690	1.43	21.4							302	
318	7.60	7.57	34.171	26.686	140.1	0.715	1.36	20.3							320	204
377	7.06	7.02	34.152	26.748	134.9	0.797	1.28	18.8							379	203
400 ISL	6.95	6.91	34.167	26.775	132.6	0.827	1.15	16.9							402	
438	6.76	6.72	34.205	26.831	127.7	0.877	0.89	13.0							441	202
500 ISL	6.12	6.08	34.272	26.968	115.0	0.952	0.46	6.6							503	
515	5.96	5.91	34.289	27.002	111.8	0.969	0.36	5.2							518	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 25.1 N	119 57.5 W	14/08/98	0426	UTC	907 m	300	13 kn			1017.8 mb	18.2 C	17.3 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.90	17.90	33.037	23.795	409.6	0.000	5.59	102.8					0.09	0.02	0	
1	17.90	17.90	33.037	23.795	409.7	0.004	5.59	102.8					0.09	0.02	1	220
10 ISL	17.66	17.66	33.016	23.837	405.9	0.041	5.62	102.9					0.09	0.02	10	
15	17.39	17.39	33.001	23.890	401.0	0.061	5.63	102.5					0.09	0.02	15	219
20 ISL	17.01	17.01	32.995	23.975	393.1	0.081	5.71	103.2					0.10	0.02	20	
30	16.18	16.18	33.001	24.172	374.6	0.119	5.87	104.4					0.12	0.04	30	218
44	15.30	15.29	33.050	24.406	352.7	0.170	5.68	99.3	U				0.17	0.08	44	217
50 ISL	15.01	15.00	33.143	24.541	340.0	0.191	5.91	102.7					0.16	0.10	50	
54	14.84	14.83	33.199	24.621	332.5	0.204	5.92	102.6					0.16	0.11	54	216
65	14.36	14.35	33.194	24.719	323.4	0.240	5.86	100.6					0.32	0.31	65	215
74	14.35	14.34	33.326	24.823	313.7	0.269	5.62	96.5					0.40	0.33	74	214
75 ISL	14.33	14.32	33.339	24.838	312.4	0.272	5.60	96.1					0.40	0.33	75	
84	14.19	14.18	33.475	24.972	299.8	0.300	5.42	92.8					0.34	0.27	84	213
95	13.29	13.28	33.514	25.187	279.6	0.332	5.06	85.1					0.25	0.25	95	212
100 ISL	12.62	12.61	33.509	25.316	267.4	0.345	4.83	80.1					0.19	0.21	100	
108	11.57	11.56	33.518	25.521	247.8	0.366	4.50	73.0					0.11	0.14	108	211
124	10.64	10.63	33.675	25.810	220.5	0.403	4.32	68.7					0.06	0.12	125	210
125 ISL	10.59	10.58	33.681	25.824	219.3	0.406	4.30	68.3					0.06	0.12	126	
144	9.74	9.72	33.778	26.044	198.5	0.445	3.93	61.3					0.01	0.05	145	209
150 ISL	9.46	9.44	33.805	26.112	192.2	0.457	3.78	58.6					0.01	0.05	151	
171	8.71	8.69	33.899	26.305	174.1	0.495	3.19	48.7					0.00	0.03	172	208
198	8.64	8.62	34.023	26.413	164.3	0.541	2.44	37.2					0.00	0.06	199	207
200 ISL	8.61	8.59	34.027	26.421	163.6	0.544	2.42	36.9							201	
228	8.19	8.17	34.068	26.517	154.8	0.589	2.20	33.2							229	206
250 ISL	8.07	8.04	34.127	26.582	149.1	0.622	1.81	27.3							251	
268	7.98	7.95	34.170	26.629	144.9	0.649	1.49	22.4							269	205
300 ISL	7.55	7.52	34.173	26.694	139.0	0.694	1.33	19.8							302	
317	7.30	7.27	34.166	26.725	136.3	0.718	1.29	19.1							319	204
376	6.85	6.81	34.214	26.825	127.4	0.795	0.85	12.5							378	203
400 ISL	6.67	6.63	34.226	26.859	124.4	0.826	0.73	10.7							402	
438	6.40	6.36	34.245	26.910	119.9	0.872	0.58	8.4							441	202
500 ISL	6.07	6.03	34.292	26.990	112.9	0.944	0.40	5.8							503	
530	5.91	5.86	34.316	27.029	109.4	0.978	0.31	4.4							534	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 5.1 N	120 38.3 W	14/08/98	1151	UTC	3830 m	320	15 kn			1017.0 mb	17.2 C	17.1 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.53	17.53	33.111	23.940	395.7	0.000	5.63	102.9					0.20	0.05	0	
1	17.53	17.53	33.111	23.940	395.8	0.004	5.63	102.9					0.20	0.05	1	220
10 ISL	17.35	17.35	33.118	23.989	391.4	0.039	5.66	103.0					0.21	0.06	10	
16	17.05	17.05	33.109	24.053	385.5	0.063	5.70	103.2					0.22	0.07	16	219
20 ISL	16.71	16.71	33.070	24.103	380.9	0.078	5.74	103.2					0.22	0.07	20	
30 ISL	15.82	15.82	32.993	24.247	367.5	0.115	5.86	103.4					0.21	0.08	30	
31	15.73	15.73	32.987	24.262	366.0	0.119	5.87	103.4					0.21	0.08	31	218
46	14.97	14.96	33.080	24.501	343.7	0.172	5.98	103.8					0.36	0.19	46	217
50 ISL	14.85	14.84	33.111	24.551	339.0	0.186	5.97	103.4					0.41	0.25	50	
55	14.72	14.71	33.143	24.603	334.2	0.203	5.94	102.6					0.44	0.31	55	216
66	14.34	14.33	33.140	24.682	327.0	0.239	5.91	101.3					0.33	0.27	66	215
75 ISL	14.05	14.04	33.218	24.803	315.7	0.268	5.73	97.7					0.36	0.38	75	
76	14.02	14.01	33.228	24.817	314.4	0.271	5.71	97.3					0.37	0.39	76	214
86	13.78	13.77	33.298	24.921	304.8	0.302	5.53	93.8					0.34	0.45	86	213
96	12.64	12.63	33.420	25.243	274.2	0.331	5.00	82.9					0.22	0.34	96	212
100 ISL	12.21	12.20	33.450	25.349	264.2	0.342	4.81	79.0					0.19	0.28	100	
108	11.52	11.51	33.496	25.513	248.6	0.362	4.52	73.2					0.15	0.18	108	211
124	11.11	11.09	33.580	25.653	235.6	0.401	4.37	70.2					0.08	0.11	125	210
125 ISL	11.07	11.05	33.586	25.665	234.5	0.404	4.36	70.0					0.08	0.11	126	
144	10.30	10.28	33.698	25.888	213.6	0.446	4.19	66.2					0.03	0.07	145	209
150 ISL	10.07	10.05	33.728	25.950	207.7	0.459	4.12	64.8					0.02	0.06	151	
168	9.48	9.46	33.807	26.110	192.7	0.495	3.91	60.7					0.01	0.04	169	208
198	8.88	8.86	33.891	26.272	177.8	0.550	3.51	53.8					0.00	0.03	199	207
200 ISL	8.83	8.81	33.897	26.285	176.6	0.554	3.47	53.1							201	
227	8.23	8.21	33.974	26.438	162.4	0.600	2.99	45.2							228	206
250 ISL	7.84	7.82	34.007	26.521	154.6	0.636	2.73	40.9							251	
269	7.58	7.55	34.021	26.570	150.2	0.665	2.56	38.1							270	205
300 ISL	7.16	7.13	34.033	26.639	143.9	0.711	2.28	33.6							302	
320	6.96	6.93	34.046	26.677	140.5	0.739	2.06	30.2							322	204
378	6.85	6.81	34.187	26.804	129.4	0.817	0.97	14.2							380	203
400 ISL	6.60	6.56	34.189	26.839	126.2	0.845	0.89	13.0							402	
438	6.14	6.10	34.176	26.889	121.6	0.893	0.76	10.9							441	202
500 ISL	5.85	5.81	34.222	26.962	115.2	0.966	0.52	7.4							503	
519	5.76	5.72	34.236	26.985	113.3	0.988	0.45	6.4							522	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
31 45.1 N	121 18.9 W	14/08/98	1849	UTC	3670 m	220	11 kn	220 02 05	2	1017.9 mb	19.0 C	18.2 C			8/8	SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.94	17.94	33.007	23.762	412.8	0.000	5.54	101.9					0.13	0.03	0	
2	17.94	17.94	33.007	23.762	412.8	0.008	5.54	101.9					0.13	0.03	2	220
10 ISL	17.82	17.82	33.025	23.805	409.0	0.041	5.56	102.1					0.12	0.03	10	
15	17.74	17.74	33.036	23.833	406.5	0.062	5.57	102.1					0.12	0.03	15	219
20 ISL	17.36	17.36	33.043	23.930	397.4	0.082	5.63	102.5					0.14	0.03	20	
30 ISL	16.41	16.41	33.051	24.158	376.0	0.120	5.77	103.1					0.18	0.05	30	
31	16.30	16.30	33.051	24.183	373.6	0.124	5.79	103.2					0.18	0.05	31	218
45	15.05	15.04	33.030	24.445	349.0	0.175	5.94	103.3					0.21	0.11	45	217
50 ISL	14.81	14.80	33.046	24.509	343.0	0.192	5.94	102.8					0.22	0.14	50	
59	14.58	14.57	33.100	24.600	334.6	0.222	5.93	102.2					0.24	0.18	59	216
74	14.57	14.56	33.255	24.722	323.4	0.272	5.83	100.5					0.23	0.22	74	215
75 ISL	14.58	14.57	33.265	24.728	322.9	0.275	5.82	100.4					0.23	0.23	75	
85	14.66	14.65	33.390	24.807	315.6	0.307	5.72	98.9					0.25	0.31	85	214
95	14.66	14.65	33.581	24.955	301.9	0.338	5.52	95.5					0.24	0.30	95	213
100 ISL	14.45	14.44	33.632	25.039	294.0	0.353	5.42	93.4					0.21	0.27	100	
104	14.18	14.16	33.651	25.111	287.3	0.364	5.34	91.5					0.19	0.24	104	212
115	13.06	13.04	33.607	25.306	268.8	0.395	5.04	84.4					0.15	0.19	115	211
125	12.15	12.13	33.600	25.477	252.6	0.421	4.82	79.2					0.11	0.16	126	210
139	10.74	10.72	33.654	25.777	224.1	0.454	4.37	69.7					0.06	0.12	140	209
150 ISL	10.19	10.17	33.691	25.901	212.4	0.478	4.16	65.5					0.04	0.09	151	
164	9.81	9.79	33.735	26.000	203.2	0.507	3.99	62.4					0.02	0.06	165	208
193	9.03	9.01	33.859	26.224	182.3	0.563	3.73	57.3					0.00	0.04	194	207
200 ISL	8.89	8.87	33.883	26.265	178.5	0.576	3.64	55.8							201	
229	8.40	8.38	33.959	26.400	166.0	0.626	3.22	48.8							230	206
250 ISL	8.02	7.99	33.991	26.482	158.4	0.660	2.95	44.3							251	
268	7.70	7.67	34.009	26.544	152.8	0.688	2.72	40.6							269	205
300 ISL	7.18	7.15	34.032	26.635	144.3	0.736	2.28	33.6							302	
318	6.92	6.89	34.042	26.679	140.3	0.761	2.05	30.1							320	204
378	6.36	6.33	34.073	26.779	131.3	0.843	1.44	20.8							380	203
400 ISL	6.22	6.18	34.091	26.811	128.5	0.871	1.24	17.9							402	
437	6.01	5.97	34.125	26.865	123.7	0.918	0.94	13.5							440	202
500 ISL	5.63	5.59	34.187	26.961	115.0	0.993	0.58	8.3							503	
515	5.54	5.50	34.202	26.984	113.0	1.010	0.49	7.0							518	201

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD AMT, TYPE. Includes sub-headers for DEPTH, TEMP, POT TEMP, SALINITY, SIGMA, SVA, DYN HT, OXYGEN, OXY, SI03, P04, N03, N02, CHL-A, PHAE0, PRES, SAMP.

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD AMT, TYPE. Includes sub-headers for DEPTH, TEMP, POT TEMP, SALINITY, SIGMA, SVA, DYN HT, OXYGEN, OXY, SI03, P04, N03, N02, CHL-A, PHAE0, PRES, SAMP.



## CalCOFI Cruise 9808

## MACROZOOPLANKTON BIOMASS

Net Mesh Size: 0.505mm

Line	Sta.	Latitude N	Longitude W	Date Mo/Day	Time (PST)		Water Volume Strained (m <sup>3</sup> )	Max. Tow Depth (m)	Volume per 1000 m <sup>3</sup> Strained	
					Start	End			Total (cm <sup>3</sup> )	Small (cm <sup>3</sup> )
83	40.6	34 13.7	119 24.9	08/17	1228	1231	75	20	67	67
83	42	34 11.5	119 31.7	08/17	1031	1041	206	97	44	44
83	51	33 51.7	120 09.6	08/17	0330	0352	445	214	22	22
83	55	33 45.3	120 26.0	08/16	2250	2313	579	193	116	116
83	60	33 36.1	120 46.8	08/16	1806	1828	534	204	51	51
83	80	32 55.9	122 08.9	08/16	0400	0421	469	211	30	30
83	90	32 34.5	122 48.8	08/15	2026	2047	448	210	25	25
83	100	32 15.1	123 29.3	08/15	1337	1358	446	214	13	13
90	28	33 28.5	117 46.9	08/12	1939	2000	416	214	46	46
90	30	33 24.9	117 54.4	08/12	1644	1705	420	218	5	5
90	35	33 14.8	118 15.5	08/13	0055	0116	461	186	93	93
90	37	33 11.2	118 23.3	08/13	0409	0431	490	195	171	171
90	53	32 39.2	119 29.2	08/13	1545	1606	429	214	28	28
90	60	32 25.4	119 57.8	08/13	2143	2204	443	209	45	45
90	70	32 05.6	120 39.5	08/14	0508	0530	436	211	62	62
90	80	31 45.7	121 19.3	08/14	1200	1222	456	203	22	22
90	90	31 25.2	122 00.0	08/14	1854	1915	438	209	30	30
90	100	31 06.4	122 40.5	08/15	0155	0217	465	200	22	22

## FIGURES

### Cruise 9809

1. CalCOFI Cruise 9809, track and station positions.
2. Horizontal distribution of dynamic height anomaly (0 over 500m). In areas shallower than 500 m, the dynamic heights were extrapolated on the basis of the offshore deeper steric height as described in Reid and Mantyla (1976).
3. Horizontal distributions at 10 meters: A) chlorophyll-*a*; B) potential density; C) temperature; and D) salinity.
4. Horizontal distributions at 200 meters: A) dynamic height anomaly (200 over 500 m); B) potential density; C) temperature; and D) salinity.
5. Sections along CalCOFI line 90 (vertical exaggeration, 1000): A) potential density and geostrophic velocity (+ = northward); B) temperature; C) salinity; D) silicate; E) nitrate; F) phosphate; G) chlorophyll-*a*; H) oxygen saturation; I) oxygen; J) nitrite; and K) phaeopigments.

# CALCOFI CRUISE 9809

13 SEPTEMBER - 1 OCTOBER 1998




FIGURE 1




FIGURE 2




FIGURE 3A




FIGURE 3B




FIGURE 3C




FIGURE 3D




FIGURE 4A




FIGURE 4B




FIGURE 4C




FIGURE 4D

# CALCOFI CRUISE 9809

17-19 SEPTEMBER 1998

## POTENTIAL DENSITY ( $\sigma_\theta$ ) ALONG CALCOFI LINE 90

## GEOSTROPHIC VELOCITY RELATIVE TO 500m (cm/s)




FIGURE 5A




FIGURE 5B



# CALCOFI CRUISE 9809

17 - 19 SEPTEMBER 1998

## SALINITY ALONG CALCOFI LINE 90




FIGURE 5C

## SILICATE ( $\mu\text{M/l}$ ) ALONG CALCOFI LINE 90




FIGURE 5D

# CALCOFI CRUISE 9809

17 - 19 SEPTEMBER 1998

## NITRATE ( $\mu\text{M/l}$ ) ALONG CALCOFI LINE 90




FIGURE 5E




FIGURE 5F

# CALCOFI CRUISE 9809

17 - 19 SEPTEMBER 1998

## CHLOROPHYLL-a ( $\mu\text{g/l}$ ) ALONG CALCOFI LINE 90




FIGURE 5G




FIGURE 5H

# CALCOFI CRUISE 9809

17 - 19 SEPTEMBER 1998

## OXYGEN (ml/l) ALONG CALCOFI LINE 90




FIGURE 5I

## NITRITE ( $\mu\text{M/l}$ ) ALONG CALCOFI LINE 90




FIGURE 5J

## PHAEOPIGMENTS ( $\mu\text{g/l}$ ) ALONG CALCOFI LINE 90




FIGURE 5K

PERSONNEL

CalCOFI Cruise 9809

SHIP'S CAPTAIN

David B. Murline, RV *New Horizon*

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

		Participation (Leg)
Wilkinson, James R. (Chief Scientist)	Programmer/Analyst, SIO	1,2
Acuña, Elaine M.	Biological Technician, NMFS	2
Chen, Xi	Graduate Student, SIO	2
Cummings, Sherry L.	Staff Research Associate, SIO	1,2
Flatau, Piotr J.	Associate Research Oceanographer, SIO	1
Frame, Elizabeth R.	Graduate Student, SIO	1,2
Griffith, David A.	Fishery Biologist, NMFS	1,2
Hays, Amy E.	Fishery Biologist, NMFS	1,2
Hyrenbach, K. David	Graduate Student, SIO	1,2
Ireson, Kirk J.	Staff Research Associate, SIO	1
Martynov, Oleg V.	Assistant Research Scientist, Marine Hydro-Physical Institute, Sebastopol, Ukraine	1
Masten, Douglas M.	Staff Research Associate, SIO	1,2
Mitchell, B. Greg	Associate Research Oceanographer, SIO	1
Nelson, Jessica K.	Graduate Student, SIO	2
Ramirez, Fernando	Staff Research Associate, SIO	1
Swenson, Daryl L.	Biological Technician, NMFS	1,2
Toledo, Gerardo V.	Graduate Student, SIO	1,2
Venrick, Elizabeth L.	Research Oceanographer, SIO	1,2
Worden, Alexandra Z.	Graduate Student, Univ. of Georgia	1

Leg 1: San Diego to Dana Point, Ca., 13 Sept. – 19 Sept., 1998

Leg 2: Dana Point to San Diego, Ca., 19 Sept. – 1 Oct., 1998





Table with 16 columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD, AMT, TYPE. Rows show depth profiles from 0 to 520 meters.

Table with 16 columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD, AMT, TYPE. Rows show depth profiles from 0 to 517 meters.











RV NEW HORIZON

CALCOFI CRUISE 9809

STATION 83 40.6

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
34 13.5 N	119 24.9 W	24/09/98	1421	UTC	35 m	080	09 kn	250 02 07	1	1014.2 mb	16.2 c	14.9 c				SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	19.28	19.28	33.400	23.729	415.9	0.000	5.79	109.6	0.6	0.14	0.1	0.00	0.68	0.16	0	
1	19.28	19.28	33.399	23.728	416.0	0.004									1	206
1	19.28	19.28	33.400	23.729	416.0	0.004	5.79	109.6	0.6	0.14	0.1	0.00	0.68	0.16	1	205
5	19.29	19.29	33.397	23.724	416.5	0.021	5.83	110.3	0.6	0.13	0.1	0.00	0.68	0.15	5	204
10	17.45	17.45	33.356	24.147	376.3	0.041	6.02	110.0	1.6	0.22	0.1	0.00	1.57	0.26	10	203
20	15.65	15.65	33.361	24.567	336.6	0.076	5.78	101.9	3.2	0.34	0.2	0.02	0.88	0.26	20	202
30	14.79	14.79	33.388	24.776	316.9	0.109	5.49	95.2	4.6	0.50	0.8	0.08	0.56	0.34	30	201

RV NEW HORIZON

CALCOFI CRUISE 9809

STATION 83 42

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
34 10.7 N	119 30.6 W	24/09/98	1755	UTC	105 m	120	02 kn	270 02 06	1	1015.4 mb	19.1 c	15.9 c	18m			SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	19.17	19.17	33.396	23.754	413.5	0.000	5.77	108.9	1.2	0.17	0.1	0.00	1.38	0.12	0	
1	19.18	19.18	33.402	23.756	413.4	0.004									1	215
1 A	19.17	19.17	33.396	23.754	413.6	0.004	5.77	108.9	1.2	0.17	0.1	0.00	1.38	0.12	1	213
1	19.17	19.17	33.397	23.755	413.5	0.004									1	214
8	19.12	19.12	33.394	23.765	412.7	0.033	5.75	108.5	1.3	0.18	0.1	0.00	1.31	0.17	8	212
10 ISL	19.03	19.03	33.391	23.786	410.8	0.041	5.78	108.8	1.3	0.18	0.1	0.00	1.24	0.18	10	
14 A	18.76	18.76	33.384	23.849	405.0	0.058	5.83	109.2	1.3	0.19	0.1	0.00	1.12	0.22	14	211
20 ISL	18.19	18.19	33.378	23.986	392.1	0.082	5.79	107.3	1.7	0.23	0.3	0.01	1.41	0.35	20	
25 A	17.32	17.32	33.375	24.194	372.4	0.101	5.75	104.8	2.3	0.28	0.4	0.02	1.51	0.41	25	210
30 ISL	15.73	15.73	33.384	24.567	336.9	0.118	5.79	102.3	3.1	0.33	0.4	0.03	0.84	0.32	30	
32	15.08	15.08	33.400	24.723	322.1	0.125	5.80	101.1	3.5	0.37	0.4	0.03	0.57	0.28	32	209
37 A	14.04	14.03	33.459	24.990	296.8	0.140	5.18	88.5	5.1	0.56	2.4	0.22	0.39	0.33	37	208
48 A	13.41	13.40	33.482	25.137	283.1	0.172	4.92	82.9	6.9	0.74	6.0	0.11	0.28	0.41	48	206
48	13.41	13.40	33.479	25.135	283.3	0.172									48	207
50 ISL	13.32	13.31	33.487	25.159	281.0	0.178	4.86	81.8	7.2	0.77	6.5	0.10	0.27	0.41	50	
57	12.99	12.98	33.507	25.240	273.4	0.197	4.66	77.9	8.5	0.87	8.3	0.06	0.22	0.39	57	205
67 A	12.39	12.38	33.547	25.389	259.5	0.224	4.38	72.3	10.6	1.03	10.9	0.03	0.16	0.26	67	204
75	11.61	11.60	33.625	25.596	239.9	0.244	3.91	63.5	14.5	1.28	14.6	0.02	0.08	0.16	75	203
84	11.37	11.36	33.659	25.667	233.4	0.265	3.69	59.6	16.3	1.40	16.3	0.02	0.05	0.12	84	202
100	11.10	11.09	33.685	25.736	227.1	0.302	3.63	58.3	17.3	1.46	17.4	0.01	0.04	0.10	100	201

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

RV NEW HORIZON

CALCOFI CRUISE 9809

STATION 83 51

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 52.6 N	120 8.1 W	24/09/98	0747	UTC	102 m	300	16 kn			1014.6 mb	17.0 c	15.1 c				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0	18.17	18.17	33.413	24.016	388.5	0.000	5.79	107.3	0.7	0.22	0.1	0.01	1.96	0.29	0	210
10	17.98	17.98	33.417	24.066	384.1	0.039	5.75	106.2	1.1	0.23	0.2	0.02	1.91	0.28	10	209
20	17.24	17.24	33.406	24.236	368.2	0.076	5.71	103.9	2.0	0.30	0.6	0.03	2.27	0.53	20	208
30	16.48	16.48	33.389	24.401	352.8	0.112	5.73	102.7	2.2	0.34	0.6	0.03	2.46	0.49	30	207
39	15.50	15.49	33.420	24.646	329.6	0.143	5.44	95.7	4.1	0.48	2.4	0.08	1.63	0.57	39	206
50	15.14	15.13	33.440	24.741	320.9	0.179	5.22	91.1	5.4	0.57	3.6	0.11	1.31	0.55	50	205
60	14.41	14.40	33.461	24.915	304.7	0.210	5.03	86.5	6.7	0.68	5.1	0.13	1.03	0.45	60	204
69	13.67	13.66	33.464	25.071	290.0	0.237	4.92	83.4	7.3	0.74	5.8	0.17	0.59	0.42	69	203
75 ISL	12.88	12.87	33.521	25.274	270.8	0.254	4.56	76.0	10.1	0.93	9.0	0.14	0.36	0.35	75	
80	12.24	12.23	33.580	25.443	254.7	0.267	4.23	69.6	12.7	1.11	12.0	0.11	0.23	0.28	80	202
92	11.53	11.52	33.649	25.630	237.1	0.296	3.80	61.6	16.3	1.36	15.5	0.09	0.17	0.22	92	201



















LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
31 19.5 N	123 44.3 W	22/09/98	1059	UTC	4008 m	260	04 kn			1015.2 mb	18.7 C	14.6 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	19.19	19.19	33.751	24.020	388.2	0.000	5.42	102.6	1.8	0.20	0.0	0.00	0.08	0.01	0	
1	19.19	19.19	33.751	24.020	388.2	0.004	5.42	102.6	1.8	0.20	0.0	0.00	0.08	0.01	1	220
10 ISL	19.10	19.10	33.748	24.041	386.5	0.039	5.41	102.2	1.8	0.20	0.0	0.00	0.09	0.01	10	
14	19.05	19.05	33.746	24.052	385.6	0.054	5.41	102.1	1.8	0.20	0.0	0.00	0.09	0.01	14	219
20 ISL	19.03	19.03	33.747	24.058	385.2	0.077	5.41	102.1	1.8	0.20	0.0	0.00	0.09	0.01	20	
29	19.00	18.99	33.752	24.070	384.4	0.112	5.43	102.4	1.8	0.20	0.0	0.00	0.09	0.01	29	218
30 ISL	18.99	18.98	33.753	24.073	384.2	0.116	5.43	102.4	1.8	0.20	0.0	0.00	0.09	0.01	30	
44	18.89	18.88	33.763	24.107	381.5	0.169	5.49	103.3	1.9	0.20	0.0	0.00	0.11	0.02	44	217
50 ISL	18.52	18.51	33.799	24.227	370.2	0.192	5.60	104.7	1.9	0.19	0.0	0.00	0.11	0.03	50	
59	17.85	17.84	33.849	24.431	351.1	0.224	5.77	106.5	2.0	0.18	0.0	0.00	0.12	0.04	59	216
73	17.00	16.99	33.823	24.615	333.9	0.272	5.79	105.1	2.1	0.18	0.0	0.00	0.14	0.05	73	215
75 ISL	16.96	16.95	33.836	24.634	332.1	0.279	5.78	104.9	2.1	0.18	0.0	0.00	0.15	0.05	75	
84	16.83	16.82	33.904	24.717	324.5	0.309	5.73	103.7	2.2	0.17	0.0	0.00	0.18	0.08	84	214
94	16.57	16.55	33.940	24.806	316.4	0.341	5.66	102.0	2.4	0.17	0.0	0.00	0.25	0.15	94	213
100 ISL	16.47	16.45	33.964	24.848	312.6	0.359	5.62	101.1	2.4	0.17	0.0	0.00	0.24	0.22	100	
104	16.42	16.40	33.979	24.871	310.5	0.372	5.60	100.6	2.4	0.17	0.0	0.00	0.22	0.26	104	212
114	16.28	16.26	34.010	24.927	305.5	0.403	5.56	99.6	2.4	0.17	0.0	0.00	0.23	0.34	114	211
124	16.05	16.03	34.005	24.976	301.1	0.433	5.57	99.4	2.5	0.18	0.1	0.03	0.25	0.50	125	210
125 ISL	15.97	15.95	33.997	24.988	300.0	0.436	5.56	99.0	2.6	0.19	0.2	0.03	0.24	0.49	126	
140	14.43	14.41	33.851	25.214	278.6	0.479	5.24	90.4	4.2	0.40	2.7	0.02	0.13	0.27	141	209
150 ISL	13.47	13.45	33.771	25.351	265.6	0.507	5.06	85.5	5.8	0.57	5.1	0.01	0.10	0.18	151	
164	12.22	12.20	33.701	25.543	247.4	0.543	4.81	79.2	8.8	0.82	8.9	0.01	0.07	0.10	165	208
194	9.90	9.88	33.765	26.009	203.1	0.610	4.18	65.5	18.4	1.39	17.8	0.01	0.01	0.03	195	207
200 ISL	9.65	9.63	33.791	26.070	197.2	0.622	4.07	63.4	20.0	1.47	19.0	0.01			201	
228	8.92	8.90	33.905	26.277	177.9	0.675	3.62	55.5	26.7	1.73	23.0	0.01			229	206
250 ISL	8.51	8.48	33.961	26.385	167.9	0.713	3.30	50.2	31.1	1.90	25.3	0.01			251	
270	8.18	8.15	33.991	26.459	161.1	0.746	3.06	46.2	34.8	2.02	27.0	0.01			271	205
300 ISL	7.55	7.52	34.002	26.560	151.7	0.793	2.85	42.4	40.9	2.16	29.1	0.01			302	
320	7.17	7.14	34.005	26.616	146.4	0.822	2.70	39.8	44.9	2.25	30.4	0.01			322	204
381	6.68	6.65	34.071	26.735	135.8	0.908	1.73	25.2	56.4	2.62	34.8	0.01			383	203
400 ISL	6.56	6.52	34.098	26.773	132.4	0.934	1.45	21.1	60.1	2.73	35.9	0.01			402	
441	6.31	6.27	34.152	26.848	125.6	0.987	0.94	13.6	67.6	2.93	38.0	0.01			444	202
500 ISL	5.94	5.90	34.195	26.930	118.4	1.059	0.65	9.3	75.6	3.07	39.7	0.01			503	
519	5.82	5.78	34.209	26.956	116.0	1.081	0.56	8.0	78.2	3.12	40.3	0.01			522	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 29.0 N	117 45.8 W	19/09/98	1842	UTC	57 m	120	10 kn	100 01 10	2	1009.4 mb	18.9 C	17.2 C	13m		8/8	SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	18.69	18.69	33.339	23.831	406.2	0.000	6.21	116.2	2.6	0.21	0.1	0.00	1.78	0.06	0	
1	18.71	18.71	33.335	23.823	406.9	0.004									1	209
1	18.71	18.71	33.342	23.828	406.4	0.004									1	210
1 A	18.69	18.69	33.339	23.831	406.2	0.004	6.21	116.2	2.6	0.21	0.1	0.00	1.78	0.06	1	208
9 A	18.44	18.44	33.318	23.878	402.0	0.036	6.41	119.3	2.8	0.20	0.1	0.00	2.49	0.06	9	207
10 ISL	18.19	18.19	33.317	23.938	396.3	0.040	6.39	118.4	2.8	0.20	0.1	0.00	2.39	0.08	10	
18 A	15.97	15.97	33.338	24.478	345.1	0.070	6.05	107.3	2.8	0.27	0.1	0.00	1.47	0.31	18	206
20 ISL	15.65	15.65	33.328	24.542	339.0	0.077	5.85	103.1	3.3	0.33	0.1	0.01	1.63	0.35	20	
28 A	14.83	14.83	33.317	24.713	322.9	0.103	5.19	90.0	5.2	0.53	0.2	0.05	2.07	0.42	28	205
30 ISL	14.70	14.70	33.351	24.767	317.8	0.110	5.24	90.6	5.0	0.51	0.4	0.07	1.70	0.40	30	
36 A	14.42	14.41	33.456	24.908	304.6	0.128	5.43	93.4	4.3	0.46	1.4	0.12	0.55	0.33	36	204
42	14.15	14.14	33.478	24.982	297.7	0.147	5.24	89.7	5.1	0.56	2.6	0.18	0.49	0.36	42	203
48 A	13.46	13.45	33.494	25.136	283.2	0.164	4.71	79.5	8.3	0.84	6.4	0.21	0.33	0.37	48	201
49	13.46	13.45	33.495	25.137	283.1	0.167									49	202

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.









LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 4.8 N	120 38.6 W	18/09/98	0839	UTC	3819 m	330	23 kn			1015.6 mb	17.9 C	16.9 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	18.86	18.86	33.371	23.813	407.9	0.000	5.45	102.3	1.9	0.22	0.0	0.00	0.28	0.05	0	
1	18.86	18.86	33.371	23.813	407.9	0.004	5.45	102.3	1.9	0.22	0.0	0.00	0.28	0.05	1	220
10 ISL	18.86	18.86	33.370	23.813	408.3	0.041	5.46	102.5	1.9	0.23	0.0	0.00	0.27	0.05	10	
15	18.86	18.86	33.370	23.813	408.5	0.061	5.47	102.7	1.9	0.23	0.0	0.00	0.26	0.05	15	219
20 ISL	18.67	18.67	33.358	23.852	404.9	0.082	5.60	104.7	2.0	0.24	0.0	0.00	0.32	0.07	20	
30	17.81	17.80	33.324	24.037	387.5	0.121	5.87	107.9	2.2	0.27	0.0	0.00	0.44	0.15	30	218
45	15.01	15.00	33.320	24.677	326.9	0.175	5.96	103.7	2.8	0.33	0.0	0.00	0.46	0.34	45	217
50 ISL	14.62	14.61	33.359	24.791	316.2	0.191	5.82	100.5	3.1	0.37	0.2	0.04	0.57	0.43	50	
54	14.41	14.40	33.391	24.860	309.6	0.203	5.68	97.7	3.5	0.41	0.6	0.08	0.63	0.49	54	216
65	13.79	13.78	33.449	25.035	293.3	0.237	5.25	89.2	5.3	0.60	3.9	0.30	0.35	0.49	65	215
75	13.47	13.46	33.475	25.120	285.4	0.265	5.10	86.1	6.3	0.68	5.4	0.20	0.31	0.36	75	214
85	13.10	13.09	33.505	25.218	276.4	0.294	4.87	81.6	7.4	0.79	7.2	0.09	0.25	0.45	85	213
96	12.23	12.22	33.542	25.416	257.7	0.323	4.56	75.0	10.5	0.99	10.6	0.04	0.16	0.25	96	212
100 ISL	12.01	12.00	33.558	25.470	252.6	0.353	4.46	73.0	11.3	1.05	11.6	0.04	0.14	0.22	100	
107	11.65	11.64	33.590	25.563	243.9	0.351	4.28	69.6	12.7	1.16	13.2	0.03	0.10	0.18	107	211
123	10.64	10.63	33.695	25.826	219.0	0.388	3.68	58.6	18.3	1.48	18.0	0.02	0.05	0.08	124	210
125 ISL	10.56	10.55	33.706	25.849	216.9	0.392	3.64	57.8	18.8	1.51	18.4	0.02	0.04	0.08	126	
145	9.92	9.90	33.794	26.027	200.3	0.434	3.40	53.3	22.4	1.68	21.0	0.01	0.01	0.05	146	209
150 ISL	9.77	9.75	33.809	26.064	196.9	0.444	3.38	52.8	23.2	1.71	21.5	0.01	0.01	0.05	151	
169	9.25	9.23	33.865	26.193	184.8	0.480	3.28	50.7	26.4	1.81	23.3	0.01	0.01	0.04	170	208
200	8.71	8.69	33.987	26.374	168.1	0.535	2.82	43.1	32.5	2.04	26.4	0.01	0.00	0.03	201	207
230	8.28	8.26	34.044	26.485	158.0	0.583	2.50	37.8	37.6	2.19	28.4	0.01			231	206
250 ISL	8.00	7.97	34.062	26.541	152.9	0.615	2.32	34.9	40.8	2.28	29.6	0.01			251	
270	7.76	7.73	34.079	26.590	148.5	0.645	2.12	31.7	44.0	2.37	30.7	0.01			272	205
300 ISL	7.57	7.54	34.135	26.662	142.1	0.688	1.64	24.4	49.3	2.56	32.6	0.01			302	
319	7.48	7.45	34.169	26.702	138.6	0.715	1.34	19.9	52.6	2.67	33.8	0.01			321	204
379	7.00	6.96	34.200	26.794	130.5	0.796	0.97	14.3	60.4	2.85	36.0	0.01			381	203
400 ISL	6.75	6.71	34.199	26.827	127.5	0.823	0.91	13.3	63.6	2.91	36.9	0.01			402	
440	6.26	6.22	34.199	26.892	121.5	0.872	0.81	11.7	70.0	3.01	38.6	0.01			443	202
500 ISL	5.79	5.75	34.238	26.982	113.3	0.943	0.50	7.1	79.6	3.16	40.5	0.01			503	
513	5.69	5.65	34.247	27.002	111.5	0.958	0.43	6.1	81.7	3.19	40.9	0.01			516	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
31 45.0 N	121 19.3 W	18/09/98	0239	UTC	3721 m	330	19 kn	330 06 05	1	1014.8 mb	17.5 C	16.1 C		6/8		SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	18.00	18.00	33.173	23.874	402.0	0.000	5.49	101.2	2.2	0.23	0.1	0.00	0.12	0.03	0	
1	18.00	18.00	33.173	23.874	402.1	0.004	5.49	101.2	2.2	0.23	0.1	0.00	0.12	0.03	1	220
10 ISL	18.01	18.01	33.176	23.875	402.4	0.040	5.48	101.1	2.1	0.23	0.1	0.00	0.13	0.02	10	
15	18.01	18.01	33.178	23.876	402.4	0.060	5.48	101.1	2.0	0.23	0.1	0.00	0.13	0.02	15	219
20 ISL	18.00	18.00	33.177	23.878	402.4	0.080	5.48	101.1	2.0	0.23	0.1	0.00	0.13	0.03	20	
30	17.99	17.98	33.175	23.880	402.6	0.121	5.48	101.0	2.0	0.24	0.1	0.00	0.12	0.04	30	218
44	17.35	17.34	33.198	24.052	386.6	0.176	5.66	103.1	2.0	0.25	0.1	0.00	0.40	0.14	44	217
50 ISL	16.51	16.50	33.214	24.261	366.8	0.199	5.81	104.1	2.1	0.26	0.1	0.00	0.38	0.20	50	
55	15.86	15.85	33.240	24.428	350.9	0.216	5.91	104.6	2.2	0.26	0.1	0.00	0.35	0.24	55	216
65	15.59	15.58	33.320	24.551	339.6	0.251	5.89	103.7	2.2	0.25	0.1	0.00	0.35	0.24	65	215
75	15.20	15.19	33.333	24.647	330.7	0.285	5.86	102.4	2.3	0.26	0.1	0.00	0.27	0.28	75	214
85	14.89	14.88	33.427	24.787	317.6	0.317	5.71	99.2	2.5	0.26	0.1	0.05	0.25	0.36	85	213
94	14.44	14.43	33.512	24.949	302.4	0.345	5.49	94.5	3.4	0.34	1.0	0.19	0.20	0.33	94	212
100 ISL	14.11	14.10	33.545	25.044	293.5	0.363	5.36	91.7	4.0	0.41	2.1	0.15	0.18	0.31	100	
110	13.41	13.39	33.569	25.206	278.2	0.391	5.15	86.8	5.6	0.57	4.6	0.03	0.15	0.26	110	211
125	11.79	11.77	33.573	25.524	248.1	0.431	4.74	77.3	9.8	0.93	10.2	0.02	0.09	0.15	126	210
145	10.43	10.41	33.690	25.859	216.4	0.477	4.35	68.9	15.6	1.26	15.6	0.01	0.05	0.08	146	209
150 ISL	10.22	10.20	33.714	25.914	211.2	0.488	4.31	68.0	16.5	1.30	16.4	0.01	0.04	0.07	151	
170	9.61	9.59	33.801	26.084	195.3	0.529	4.12	64.1	20.1	1.45	18.9	0.01	0.01	0.04	171	208
200 ISL	8.91	8.89	33.938	26.304	174.8	0.584	3.33	51.1	28.6	1.83	24.1	0.01	0.00	0.04	201	
201	8.89	8.87	33.942	26.311	174.2	0.586	3.30	50.6	28.9	1.84	24.3	0.01	0.00	0.04	202	207
231	8.42	8.40	34.005	26.433	162.9	0.636	2.99	45.4	33.9	1.99	26.6	0.00			232	206
250 ISL	8.17	8.14	34.023	26.485	158.2	0.667	2.85	43.0	36.5	2.07	27.7	0.00			251	
268	7.93	7.90	34.028	26.525	154.7	0.695	2.74	41.1	38.9	2.14	28.6	0.00			269	205
300 ISL	7.35	7.32	34.017	26.600	147.7	0.743	2.63	38.9	43.8	2.25	30.2	0.00			302	
320	7.01	6.98	34.012	26.643	143.7	0.773	2.52	37.0	47.3	2.33	31.3	0.00			322	204
377	6.50	6.47	34.068	26.756	133.5	0.852	1.59	23.1	59.1	2.69	35.8	0.00			379	203
400 ISL	6.34	6.30	34.084	26.790	130.5	0.882	1.35	19.5	62.7	2.79	36.9	0.00			402	
435	6.11	6.07	34.107	26.838	126.3	0.927	1.08	15.5	67.8	2.90	38.3	0.00			438	202
500 ISL	5.65	5.61	34.157	26.935	117.5	1.006	0.71	10.1	78.1	3.07	40.4	0.00			503	
513	5.56	5.52	34.167	26.954	115.8	1.021	0.64	9.1	80.1	3.11	40.8	0.00			516	201







Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD, AMT, TYPE. Contains data for station 93 35 with depth measurements from 0 to 522 meters.

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND, SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI/FOREL, CLD, AMT, TYPE. Contains data for station 93 40 with depth measurements from 0 to 515 meters.









LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
30 50.8 N	121 35.1 W	15/09/98	2331	UTC	4073 m	300	09 kn	310 02 05	2	1013.4 mb	18.2 C	16.8 C	31m	8/8		SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	um/L	um/L	um/L	um/L	ug/L	ug/L	db	
0	18.61	18.61	33.178	23.728	416.0	0.000	5.44	101.5	2.1	0.25	0.1	0.00	0.12	0.03	0	220
10 ISL	18.50	18.50	33.179	23.757	413.6	0.041	5.44	101.3	2.0	0.24	0.1	0.00	0.13	0.04	10	
15	18.44	18.44	33.179	23.772	412.4	0.062	5.44	101.2	2.0	0.24	0.1	0.00	0.13	0.05	15	218
20 ISL	18.30	18.30	33.180	23.807	409.2	0.083	5.48	101.6	1.9	0.24	0.1	0.00	0.15	0.05	20	
30	17.83	17.82	33.196	23.934	397.3	0.123	5.60	102.9	1.9	0.24	0.0	0.00	0.21	0.05	30	217
45	16.53	16.52	33.288	24.313	361.7	0.180	5.84	104.7	2.2	0.27	0.1	0.00	0.36	0.17	45	219
50 ISL	16.10	16.09	33.329	24.443	349.5	0.198	5.86	104.2	2.3	0.26	0.1	0.00	0.35	0.23	50	
55	15.76	15.75	33.371	24.552	339.2	0.215	5.88	103.9	2.3	0.25	0.1	0.00	0.34	0.28	55	216
64	15.68	15.67	33.429	24.614	333.5	0.245	5.83	102.9	2.3	0.25	0.1	0.00	0.31	0.24	64	215
75	15.15	15.14	33.404	24.712	324.5	0.281	5.78	100.9	2.4	0.26	0.1	0.01	0.32	0.35	75	214
84	15.28	15.27	33.634	24.861	310.6	0.310	5.62	98.5	2.9	0.25	0.1	0.04	0.28	0.26	84	213
94	14.47	14.46	33.617	25.023	295.3	0.340	5.39	92.9	3.9	0.38	1.5	0.18	0.17	0.29	94	212
100 ISL	13.96	13.95	33.595	25.113	286.9	0.358	5.23	89.2	4.8	0.49	3.2	0.14	0.16	0.28	100	
109	13.16	13.15	33.575	25.261	273.0	0.383	5.00	83.9	6.6	0.67	6.1	0.04	0.15	0.25	109	211
124	11.77	11.75	33.633	25.574	243.3	0.422	4.71	76.8	10.2	0.92	10.3	0.01	0.09	0.17	125	210
125 ISL	11.69	11.67	33.638	25.593	241.5	0.424	4.69	76.3	10.5	0.94	10.6	0.01	0.09	0.16	126	
144	10.44	10.42	33.730	25.889	213.5	0.467	4.39	69.6	15.5	1.23	15.3	0.01	0.04	0.07	145	209
150 ISL	10.16	10.14	33.749	25.951	207.6	0.480	4.26	67.1	17.1	1.32	16.7	0.01	0.03	0.05	151	
170	9.45	9.43	33.805	26.114	192.5	0.520	3.87	60.0	22.1	1.57	20.4	0.00	0.01	0.03	171	208
198	8.86	8.84	33.924	26.301	175.0	0.571	3.57	54.7	27.4	1.75	23.3	0.00	0.00	0.03	199	207
200 ISL	8.83	8.81	33.928	26.309	174.3	0.575	3.54	54.2	27.7	1.76	23.5	0.00			201	
228	8.39	8.37	33.962	26.404	165.6	0.622	3.18	48.2	32.4	1.94	25.9	0.00			229	206
250 ISL	8.05	8.02	33.987	26.475	159.1	0.658	2.97	44.7	36.0	2.06	27.5	0.00			251	
268	7.78	7.75	34.005	26.529	154.2	0.686	2.81	42.0	39.1	2.15	28.7	0.00			269	205
300 ISL	7.33	7.30	34.030	26.613	146.5	0.734	2.42	35.8	45.2	2.33	30.9	0.00			302	
319	7.09	7.06	34.043	26.657	142.5	0.762	2.18	32.1	48.9	2.43	32.2	0.00			321	204
378	6.47	6.44	34.075	26.766	132.6	0.843	1.51	21.9	60.1	2.72	35.9	0.00			380	203
400 ISL	6.27	6.23	34.097	26.809	128.7	0.872	1.26	18.2	64.7	2.83	37.2	0.00			402	
437	5.96	5.92	34.139	26.882	122.0	0.918	0.88	12.6	72.1	2.99	39.1	0.01			440	202
500 ISL	5.58	5.54	34.202	26.979	113.3	0.992	0.57	8.1	81.3	3.14	40.8	0.00			503	
515	5.49	5.45	34.217	27.002	111.2	1.009	0.50	7.1	83.5	3.17	41.2	0.00			518	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
30 30.9 N	122 15.6 W	16/09/98	0515	UTC	4144 m	320	08 kn			1013.6 mb	18.8 C	16.0 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	um/L	um/L	um/L	um/L	ug/L	ug/L	db	
0 ISL	19.12	19.12	33.390	23.762	412.8	0.000	5.38	101.5	1.9	0.22	0.0	0.00	0.10	0.04	0	
1	19.12	19.12	33.390	23.762	412.8	0.004	5.38	101.5	1.9	0.22	0.0	0.00	0.10	0.04	1	220
10 ISL	19.13	19.13	33.390	23.760	413.3	0.041	5.38	101.5	2.0	0.21	0.0	0.00	0.09	0.03	10	
14	19.13	19.13	33.390	23.760	413.5	0.058	5.38	101.5	2.0	0.21	0.0	0.00	0.09	0.02	14	219
20 ISL	19.20	19.20	33.434	23.776	412.1	0.083	5.37	101.5	2.0	0.21	0.0	0.00	0.10	0.02	20	
29	19.31	19.30	33.500	23.799	410.3	0.120	5.36	101.5	2.0	0.20	0.0	0.00	0.13	0.03	29	218
30 ISL	19.22	19.21	33.510	23.829	407.4	0.124	5.39	101.9	2.0	0.20	0.0	0.00	0.13	0.03	30	
45	17.66	17.65	33.661	24.332	359.9	0.181	5.83	107.1	2.2	0.20	0.0	0.00	0.20	0.04	45	217
50 ISL	17.39	17.38	33.695	24.423	351.4	0.199	5.80	106.0	2.2	0.20	0.0	0.00	0.22	0.04	50	
60	17.00	16.99	33.721	24.536	341.0	0.234	5.75	104.3	2.2	0.20	0.0	0.00	0.25	0.07	60	216
75	16.33	16.32	33.627	24.620	333.4	0.284	5.70	102.0	2.2	0.23	0.0	0.00	0.33	0.19	75	215
85	16.27	16.26	33.680	24.675	328.5	0.317	5.66	101.2	2.3	0.22	0.0	0.00	0.24	0.37	85	214
95	16.20	16.18	33.717	24.720	324.6	0.350	5.62	100.4	2.4	0.22	0.0	0.01	0.24	0.39	95	213
100 ISL	16.19	16.17	33.761	24.756	321.3	0.366	5.57	99.5	2.4	0.22	0.1	0.02	0.23	0.38	100	
105	16.19	16.17	33.816	24.798	317.4	0.382	5.50	98.3	2.4	0.23	0.1	0.04	0.22	0.38	105	212
115	15.44	15.42	33.748	24.915	306.5	0.413	5.34	94.0	3.3	0.34	1.1	0.09	0.20	0.32	115	211
125	14.47	14.45	33.668	25.064	292.4	0.443	5.12	88.3	4.7	0.51	3.4	0.03	0.16	0.23	125	210
140	12.98	12.96	33.580	25.301	269.9	0.485	4.74	79.2	7.9	0.81	7.8	0.02	0.12	0.21	141	209
150 ISL	12.38	12.36	33.572	25.412	259.5	0.512	4.53	74.8	9.7	0.95	9.9	0.01	0.09	0.18	151	
165	11.68	11.66	33.600	25.566	245.0	0.550	4.25	69.1	12.4	1.13	12.7	0.01	0.05	0.12	166	208
194	10.08	10.06	33.746	25.964	207.4	0.615	3.73	58.6	19.9	1.52	19.1	0.01	0.01	0.03	195	207
200 ISL	9.81	9.79	33.780	26.035	200.6	0.628	3.64	56.9	21.6	1.59	20.2	0.01			201	
227	8.84	8.82	33.915	26.298	175.9	0.678	3.26	49.9	28.8	1.86	24.4	0.01			228	206
250 ISL	8.38	8.35	33.977	26.418	164.8	0.718	3.02	45.8	33.2	2.00	26.4	0.01			251	
267	8.14	8.11	34.002	26.474	159.6	0.745	2.86	43.1	36.0	2.08	27.5	0.01			268	205
300 ISL	7.61	7.58	34.031	26.574	150.4	0.796	2.59	38.6	41.7	2.23	29.6	0.01			302	
317	7.36	7.33	34.039	26.616	146.5	0.822	2.44	36.1	44.8	2.31	30.7	0.01			319	204
376	6.66	6.63	34.088	26.751	134.2	0.904	1.61	23.5	57.6	2.65	35.0	0.01			378	203
400 ISL	6.44	6.40	34.110	26.798	129.9	0.936	1.32	19.1	62.6	2.77	36.5	0.01			402	
436	6.17	6.13	34.148	26.863	124.0	0.982	0.95	13.7	69.4	2.93	38.4	0.01			439	202
500 ISL	5.97	5.93	34.238	26.960	115.6	1.058	0.57	8.2	76.6	3.10	39.8	0.01			503	
521	5.91	5.86	34.268	26.991	112.8	1.082	0.45	6.4	78.9	3.15	40.3	0.01			524	201



## PRIMARY PRODUCTIVITY CASTS

RV NEW HORIZON

CALCOFI CRUISE 9809

STATION 77 60

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE
34 43.6 N	121 33.1 W	27/ 9/98	1837 UTC	25 m		1151 - 1822 PST	1157 PST	1821 PST	642.8 mg C/m <sup>2</sup>

DEPTH m	TEMP DEG C	SALINITY	SIGMA THETA	OXYGEN mL/L	OXY PCT	SI03 uM/L	P04 uM/L	N03 uM/L	N02 uM/L	CHL-A ug/l	PHAE0 ug/l	LIGHT PCT	UPTAKE (mg C/m <sup>3</sup> )			
													1	2	MEAN	DARK
1	17.82	33.403	24.094	5.62	103.4	1.7	0.26	0.0	0.00	0.22	0.05	94. A	5.5	5.2	5.4	0.14
9	17.29	33.382	24.206	5.70	103.8	1.3	0.26	0.0	0.00	0.38	0.12					
18	16.53	33.361	24.368	5.84	104.8	1.4	0.28	0.0	0.00	0.46	0.14	33.	13.2	12.0	12.6	0.16
26	16.45	33.376	24.398	5.86	105.0	1.9	0.29	0.0	0.00	0.44	0.15					
34	16.09	33.383	24.486	5.91	105.1	1.8	0.30	0.0	0.00	0.90	0.30	12.	19.0	14.1	16.5	0.12
43	13.61	33.234	24.905	5.65	95.5	3.6	0.54	2.7	0.11	2.78	1.07					
52	12.37	33.330	25.224	5.02	82.7	8.7	0.92	9.0	0.09	0.75	0.73	4.1	4.8	4.8	4.8	0.06
59	12.12	33.414	25.337	4.63	75.9	10.5	1.03	11.0	0.05	0.40	0.60					
67	11.84	33.502	25.458	4.30	70.1	13.3	1.22	13.9	0.04	0.41	0.58	1.6	1.1	1.0	1.1	0.03
81	11.15	33.599	25.660	3.83	61.6	17.0	1.45	17.5	0.02	0.15	0.28					
95	10.67	33.649	25.784	3.68	58.6	18.5	1.52	18.7	0.02	0.09	0.16	0.29	0.02	0.02	0.02	0.02

RV NEW HORIZON

CALCOFI CRUISE 9809

STATION 77 100

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE
33 23.3 N	124 19.7 W	26/ 9/98	1754 UTC	32 m		1205 - 1830 PST	1208 PST	1832 PST	190.0 mg C/m <sup>2</sup>

DEPTH m	TEMP DEG C	SALINITY	SIGMA THETA	OXYGEN mL/L	OXY PCT	SI03 uM/L	P04 uM/L	N03 uM/L	N02 uM/L	CHL-A ug/l	PHAE0 ug/l	LIGHT PCT	UPTAKE (mg C/m <sup>3</sup> )			
													1	2	MEAN	DARK
1	18.03	33.131	23.835	5.59	103.1	1.7	0.27	0.1	0.00	0.14	0.03	95. A	2.3	2.2	2.3	0.10
12	17.99	33.128	23.843	5.54	102.1	1.7	0.27	0.1	0.00	0.13	0.04					
25	17.95	33.124	23.850	5.53	101.8	1.6	0.27	0.1	0.00	0.15	0.03	30.	2.7	2.7	2.7	0.10
34	17.81	33.108	23.872	5.62	103.2	1.6	0.27	0.1	0.00	0.17	0.04					
44	16.71	33.098	24.125	5.76	103.5	1.7	0.31	0.1	0.00			12.	2.9	2.8	2.8	0.06
56	16.74	33.468	24.403	5.88	106.0	1.8	0.21	0.1	0.00	0.34	0.15					
67	15.45	33.437	24.672	5.90	103.6	2.0	0.23	0.0	0.00	0.38	0.07	4.0	1.3	1.4	1.4	0.03
78	14.98	33.473	24.802	5.92	103.0	2.2	0.22	0.0	0.00	0.31	0.21					
86	14.66	33.538	24.922	5.96	103.1	2.3	0.22	0.0	0.00	0.26	0.30	1.6	0.55	0.44	0.50	0.01
97	14.28	33.545	25.008	5.86	100.6	2.5	0.25	0.1	0.01	0.24	0.39					
109	13.76	33.555	25.124	5.58	94.8	3.6	0.35	1.1	0.13	0.20	0.35					
119	12.61	33.485	25.299	5.13	85.0	6.3	0.68	6.0	0.03	0.17	0.23	0.33	0.05	0.04	0.05	0.01

RV NEW HORIZON

CALCOFI CRUISE 9809

STATION 80 70

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE
33 49.1 N	121 51.3 W	25/ 9/98	1824 UTC	18 m		1153 - 1826 PST	1157 PST	1828 PST	293.7 mg C/m <sup>2</sup>

DEPTH m	TEMP DEG C	SALINITY	SIGMA THETA	OXYGEN mL/L	OXY PCT	SI03 uM/L	P04 uM/L	N03 uM/L	N02 uM/L	CHL-A ug/l	PHAE0 ug/l	LIGHT PCT	UPTAKE (mg C/m <sup>3</sup> )			
													1	2	MEAN	DARK
1	17.82	33.433	24.117	5.56	102.3	1.7	0.26	0.1	0.00	0.27	0.07	92. A	3.5	3.3	3.4	0.15
13	17.82	33.433	24.118	5.59	102.9	1.7	0.26	0.1	0.00	0.29	0.05	33.	6.4	6.6	6.5	0.20
24	17.80	33.433	24.123	5.56	102.3	1.7	0.26	0.1	0.00	0.31	0.08	13.	4.8	4.8	4.8	0.17
37	17.62	33.426	24.161	5.56	101.9	1.8	0.27	0.1	0.00	0.56	0.22	4.3	4.1	4.2	4.2	0.10
48	14.48	33.459	24.898	5.34	92.0	5.5	0.65	4.6	0.19	1.65	0.86	1.7	5.6	5.9	5.8	0.11
58	12.08	33.561	25.458	4.23	69.4	13.4	1.23	13.9	0.07	0.71	0.75					
67	10.59	33.529	25.704	3.92	62.3	17.9	1.50	18.3	0.02	0.13	0.20	0.33	0.02	0.02	0.02	0.03

RV NEW HORIZON

CALCOFI CRUISE 9809

STATION 83 42

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE
34 10.7 N	119 30.6 W	24/ 9/98	1755 UTC	18 m		1144 - 1819 PST	1151 PST	1823 PST	546.4 mg C/m <sup>2</sup>

DEPTH m	TEMP DEG C	SALINITY	SIGMA THETA	OXYGEN mL/L	OXY PCT	SI03 uM/L	P04 uM/L	N03 uM/L	N02 uM/L	CHL-A ug/l	PHAE0 ug/l	LIGHT PCT	UPTAKE (mg C/m <sup>3</sup> )			
													1	2	MEAN	DARK
1	19.17	33.396	23.754	5.77	108.9	1.2	0.17	0.1	0.00	1.38	0.12	92. A	14.2	13.3	13.8	0.26
8	19.12	33.394	23.765	5.75	108.5	1.3	0.18	0.1	0.00	1.31	0.17					
14	18.76	33.384	23.849	5.83	109.2	1.3	0.19	0.1	0.00	1.12	0.22	30.	16.3	19.5	17.9	0.27
25	17.32	33.375	24.194	5.75	104.8	2.3	0.28	0.4	0.02	1.51	0.41	12.	16.0	15.4	15.7	0.15
32	15.08	33.400	24.723	5.80	101.1	3.5	0.37	0.4	0.03	0.57	0.28					
37	14.04	33.459	24.990	5.18	88.5	5.1	0.56	2.4	0.22	0.39	0.33	4.3	2.7	2.9	2.8	0.05
48	13.41	33.482	25.137	4.92	82.9	6.9	0.74	6.0	0.11	0.28	0.41	1.7	1.2	0.79	0.99	0.03
57	12.99	33.507	25.240	4.66	77.9	8.5	0.87	8.3	0.06	0.22	0.39					
67	12.39	33.547	25.389	4.38	72.3	10.6	1.03	10.9	0.03	0.16	0.26	0.33	0.05	0.05	0.05	0.03

A) INCUBATION LIGHT INTENSITIES WERE 94, 31, 12, 3.8, 1.5, 0.30 PERCENT RESPECTIVELY.

## PRIMARY PRODUCTIVITY CASTS

RV NEW HORIZON			CALCOFI CRUISE 9809										STATION 83 70			
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME				LAN	CIVIL TWILIGHT		INTEGRATED VALUE			
33 14.7 N	121 26.4 W	23/ 9/98	1803 UTC	20 m		1157 - 1823 PST				1158 PST	1822 PST		339.3 mg C/m <sup>2</sup>			
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	17.70	33.439	24.151	5.68U	104.3	1.9	0.27	0.0	0.00	0.29	0.09	93. A	4.7	5.1	4.9	0.15
15	17.60	33.439	24.175	5.56	101.9	1.9	0.26	0.0	0.00	0.34	0.07	32.	7.3	7.7	7.5	0.11
28	17.56	33.429	24.178	5.61	102.7	1.8	0.27	0.0	0.00	0.42	0.09	12.	6.4	6.5	6.4	0.11
42	14.03	33.101	24.716	5.97	101.7	2.4	0.36	0.0	0.00	0.90	0.45	4.0	6.0	6.3	6.2	0.12
48	13.59	33.158	24.850	5.87	99.1	2.8	0.45	1.0	0.25	1.16	0.74					
54	13.19	33.145	24.921	5.66	94.8	3.2	0.53	1.9	0.43	0.84	0.59	1.6	2.0	1.7	1.9	0.05
65	12.19	33.121	25.096	5.26	86.2	6.0	0.72	5.6	0.08	0.29	0.41					
75	11.36	33.318	25.403	4.56	73.5	11.0	1.09	11.9	0.02	0.13	0.24	0.32	0.05	0.05	0.05	0.02

RV NEW HORIZON			CALCOFI CRUISE 9809										STATION 83 110			
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME				LAN	CIVIL TWILIGHT		INTEGRATED VALUE			
31 55.0 N	124 9.6 W	22/ 9/98	1802 UTC	42 m		1208 - 1831 PST				1210 PST	1833 PST		224.3 mg C/m <sup>2</sup>			
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	19.15	33.572	23.893	5.39	101.8	1.9	0.23	0.0	0.00	0.08	0.01	96. A	1.7	1.7	1.7	0.06
17	19.09	33.573	23.910	5.39	101.7	1.9	0.22	0.0	0.00	0.08	0.02					
32	19.09	33.600	23.931	5.40	101.9	1.8	0.21	0.0	0.00	0.10	0.01	31.	2.4	2.3	2.3	0.07
45	19.36	33.830	24.039	5.40	102.6	1.8	0.19	0.0	0.00	0.16	0.03					
58	17.82	33.839	24.430	5.79	106.8	1.9	0.17	0.0	0.00	0.15	0.04	12.	2.0	1.9	2.0	0.08
69	17.11	33.810	24.579	5.86	106.6	2.0	0.18	0.0	0.00	0.17	0.06					
78	16.87	33.848	24.665	5.77	104.5	2.0	0.18	0.0	0.00	0.19	0.09					
88	16.71	33.928	24.764	5.63	101.7	2.0	0.18	0.0	0.00	0.24	0.18	4.0	1.4	1.4	1.4	0.06
97	16.59	33.991	24.840	5.57	100.4	2.2	0.18	0.0	0.00	0.22	0.35					
105	16.55	34.018	24.871	5.53	99.6	2.2	0.18	0.0	0.01	0.21	0.47					
115	16.25	33.997	24.924	5.57	99.7	2.4	0.18	0.0	0.05	0.21	0.40	1.5	1.1	0.99	1.0	0.01
126	16.04	34.001	24.976	5.52	98.4	2.5	0.20	0.0	0.11	0.19	0.36					
136	15.83	34.008	25.029	5.42	96.3	2.7	0.24	0.5	0.11	0.14	0.26					
147	14.89	33.908	25.160	5.22	90.9	3.7	0.39	2.4	0.02	0.11	0.19					
156	14.11	33.839	25.272	5.18	88.8	4.7	0.49	3.8	0.02	0.07	0.18	0.33	0.04	0.04	0.04	0.02

RV NEW HORIZON			CALCOFI CRUISE 9809										STATION 87 50			
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME				LAN	CIVIL TWILIGHT		INTEGRATED VALUE			
33 19.5 N	119 40.2 W	20/ 9/98	1835 UTC	22 m		1154 - 1827 PST				1152 PST	1825 PST		461.8 mg C/m <sup>2</sup>			
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	18.82	33.358	23.813	5.54	103.9	1.9	0.24	0.0	0.00	0.54	0.09	93. A	12.1	12.0	12.0	0.22
9	18.63	33.354	23.858	5.63	105.2	1.8	0.24	0.0	0.00	0.54	0.09					
17	15.98	33.287	24.436	5.84	103.6	2.4	0.29	0.1	0.01	0.86	0.18	31.	18.9	18.8	18.9	0.24
24	14.12	33.388	24.918	5.40	92.3	4.8	0.54	3.2	0.12	0.61	0.38					
30	12.98	33.462	25.207	4.94	82.5	7.5	0.78	7.0	0.11	0.39	0.44	12.	3.9	3.5	3.7	0.04
39	12.49	33.500	25.332	4.71	77.9	9.6	0.93	9.3	0.12	0.32	0.40					
47	12.04	33.535	25.445	4.51	73.9	11.1	1.03	10.9	0.13	0.25	0.34	3.8	1.5	1.5	1.5	0.05
54	11.61	33.574	25.556	4.28	69.5	13.3	1.17	13.2	0.10	0.16	0.24					
59	11.31	33.602	25.633	4.13	66.7	14.6	1.26	14.6	0.08	0.13	0.25	1.6	0.40	0.42	0.41	0.02

RV NEW HORIZON			CALCOFI CRUISE 9809										STATION 87 80			
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME				LAN	CIVIL TWILIGHT		INTEGRATED VALUE			
32 19.4 N	121 42.8 W	21/ 9/98	1753 UTC	28 m		1201 - 1830 PST				1200 PST	1834 PST		131.7 mg C/m <sup>2</sup>			
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	17.87	33.161	23.897	5.50	101.2	1.9	0.25	0.0	0.00	0.14	0.04	95. A	1.8	1.7	1.8	0.16
11	17.84	33.156	23.901	5.53	101.7	1.9	0.25	0.0	0.00	0.13	0.03					
21	17.83	33.153	23.901	5.55	102.0	1.9	0.25	0.0	0.00	0.13	0.04	32.	2.5	2.8	2.6	0.10
30	17.82	33.150	23.902	5.52	101.4	1.9	0.25	0.0	0.00	0.13	0.04					
38	17.82	33.155	23.906	5.55	102.0	1.8	0.25	0.0	0.00	0.15	0.03	12.	1.6	1.5	1.5	0.08
50	17.82	33.152	23.904	5.53	101.6	1.7	0.25	0.0	0.00	0.14	0.04					
60	16.47	33.335	24.363	5.89	105.5	1.9	0.25	0.0	0.00	0.39	0.10	3.7	1.1	1.1	1.1	0.08
67	15.74	33.316	24.514	5.93	104.7	1.9	0.25	0.0	0.00	0.22	0.13					
76	15.45	33.406	24.648	5.83	102.4	2.0	0.25	0.0	0.00	0.25	0.20	1.6	0.56	0.62	0.59	0.02
86	15.27	33.558	24.805	5.67	99.3	2.4	0.26	0.1	0.02	0.25	0.41					
97	14.90	33.652	24.958	5.51	95.8	3.1	0.32	0.5	0.20	0.20	0.34					
104	14.51	33.643	25.035	5.35	92.3	3.7	0.38	1.7	0.18	0.19	0.36	0.33	0.05	0.04	0.05	0.01

A) INCUBATION LIGHT INTENSITIES WERE 94, 31, 12, 3.8, 1.5, 0.30 PERCENT RESPECTIVELY.

## PRIMARY PRODUCTIVITY CASTS

RV NEW HORIZON		CALCOFI CRUISE 9809										STATION 90 28				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
33 29.0 N	117 45.8 W	19/ 9/98	1842 UTC	13 m		1143 - 1838 PST	1145 PST	1818 PST	1092.7 mg C/m <sup>2</sup>							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	18.69	33.339	23.831	6.21	116.2	2.6	0.21	0.1	0.00	1.78	0.06	89. A	43.3	41.4	42.3	0.46
9	18.44	33.318	23.878	6.41	119.3	2.8	0.20	0.1	0.00	2.49	0.06	35.	62.4	72.9	67.6	0.43
18	15.97	33.338	24.478	6.05	107.3	2.8	0.27	0.1	0.00	1.47	0.31	12.	21.6	21.2	21.4	0.75
28	14.83	33.317	24.713	5.19	90.0	5.2	0.53	0.2	0.05	2.07	0.42	3.7	9.3	9.5	9.4	0.41
36	14.42	33.456	24.908	5.43	93.4	4.3	0.46	1.4	0.12	0.55	0.33	1.4	1.7	1.8	1.8	0.04
42	14.15	33.478	24.982	5.24	89.7	5.1	0.56	2.6	0.18	0.49	0.36					
48	13.46	33.494	25.136	4.71	79.5	8.3	0.84	6.4	0.21	0.33	0.37	0.35	0.14	0.09	0.12	0.05

RV NEW HORIZON		CALCOFI CRUISE 9809										STATION 90 60				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 24.4 N	119 57.8 W	18/ 9/98	1801 UTC	21 m		1153 - 1822 PST	1153 PST	1826 PST	307.2 mg C/m <sup>2</sup>							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	18.01	33.262	23.940	5.54	102.2	2.0	0.24	0.1	0.00	0.22	0.05	93. A	2.3	2.2	2.2	0.12
16	18.01	33.265	23.943	5.54	102.2	1.9	0.24	0.1	0.00	0.24	0.07	31.	5.3	5.3	5.3	0.14
31	17.44	33.243	24.064	5.65	103.1	2.0	0.26	0.1	0.00	0.34	0.12	10.	5.3	5.4	5.3	0.11
45	15.35	33.243	24.544	5.77	101.0	2.7	0.31	0.3	0.02	0.81	0.58	3.7	6.2	6.3	6.3	0.08
51	14.86	33.256	24.660	5.73	99.4	2.9	0.34	0.5	0.03	0.85	0.61					
58	14.68	33.242	24.688	5.74	99.2	2.9	0.35	0.6	0.04	0.77	0.62	1.4	2.8	2.9	2.8	0.04
68	13.83	33.303	24.914	5.43	92.2	4.2	0.49	2.5	0.13	0.45	0.50					
78	12.94	33.506	25.250	4.86	81.1	7.6	0.78	7.3	0.05	0.20	0.35	0.33	0.09	0.09	0.09	0.02

RV NEW HORIZON		CALCOFI CRUISE 9809										STATION 90 90				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
31 25.0 N	121 59.6 W	17/ 9/98	1910 UTC	26 m		1210 - 1831 PST	1203 PST	1833 PST	129.2 mg C/m <sup>2</sup>							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	18.08	33.184	23.863	5.47	101.0	2.1	0.25	0.0	0.00	0.11	0.04	94. A	2.0	2.0	2.0	0.12
9	18.07	33.177	23.861	5.47	101.0	1.9	0.25	0.0	0.00	0.13	0.03					
20	18.04	33.176	23.868	5.48	101.1	1.8	0.25	0.0	0.00	0.12	0.03	31.	2.5	2.4	2.5	0.13
36	18.03	33.172	23.868	5.48	101.1	1.9	0.25	0.0	0.00	0.13	0.04	12.	1.6	1.5	1.5	0.12
46	17.95	33.168	23.885	5.51	101.5	1.9	0.25	0.0	0.00	0.19	0.07					
56	16.94	33.160	24.120	5.72	103.3	2.0	0.26	0.0	0.00	0.30	0.12	3.7	1.3	1.3	1.3	0.14
64	16.11	33.212	24.351	5.83	103.6	2.1	0.27	0.0	0.00	0.31	0.20					
70	15.53	33.310	24.556	5.85	102.9	2.0	0.27	0.0	0.00	0.34	0.27	1.6	0.75	0.67	0.71	0.04
80	15.34	33.385	24.656	5.79	101.5	2.1	0.26	0.0	0.00	0.31	0.39					
88	15.17	33.457	24.749	5.72	99.9	2.3	0.26	0.0	0.01	0.24	0.36					
97	14.65	33.598	24.970	5.44	94.1	3.4	0.34	1.1	0.18	0.18	0.29	0.33	0.05	0.06	0.06	0.01

RV NEW HORIZON		CALCOFI CRUISE 9809										STATION 93 26.7				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 57.4 N	117 18.4 W	13/ 9/98	1821 UTC	20 m		1145 - 1825 PST	1145 PST	1823 PST	977.0 mg C/m <sup>2</sup>							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	21.23	33.300	23.140	5.99	117.4	2.5	0.17	0.0	0.00	2.39	0.09	93. A	55.5	61.7	58.6	0.59
8	16.10	33.257	24.386	6.07	107.9	3.1	0.27	0.0	0.00	0.44	0.14					
15	15.10	33.279	24.625	5.78	100.7	3.3	0.35	0.0	0.00	0.53	0.19	32.	14.0	15.6	14.8	0.14
22	14.93	33.320	24.694	5.74	99.7	3.5	0.38	0.0	0.00	0.55	0.24					
27	14.66	33.384	24.801	5.71	98.7	3.6	0.39	0.0	0.01	0.99	0.43	13.	15.6	15.3	15.5	0.16
36	14.52	33.415	24.855	5.60	96.5	3.9	0.41	0.1	0.04	1.10	0.48					
43	14.37	33.472	24.931	5.24	90.1	5.1	0.53	0.9	0.19	1.18	0.42	3.7	6.3	6.7	6.5	0.37
55	14.00	33.496	25.027	4.78	81.6	7.5	0.74	4.4	0.42	0.39	0.35	1.5	1.4	1.3	1.3	0.07

A) INCUBATION LIGHT INTENSITIES WERE 94, 31, 12, 3.8, 1.5, 0.30 PERCENT RESPECTIVELY.

## PRIMARY PRODUCTIVITY CASTS

RV NEW HORIZON		CALCOFI CRUISE 9809										STATION 93 50				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 10.8 N	118 53.7 W	14/ 9/98	1823 UTC	27 m		1150 - 1832 PST	1152 PST	1829 PST	349.8 mg C/m <sup>2</sup>							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	20.25	33.475	23.535	5.25	101.2					0.20	0.04	94. A	6.4	5.5	5.9	0.08
11	20.18	33.467	23.547	5.26	101.2					0.21	0.05					
20	19.99	33.456	23.589	5.32	102.0	1.8	0.20	0.1	0.00	0.25	0.06	32.	5.3	5.3	5.3	0.12
38	16.07	33.465	24.553	6.11	108.7	2.2	0.28	0.1	0.00	0.42	0.22	12.	5.5	5.4	5.5	0.11
48	14.82	33.459	24.825	5.67	98.4	3.1	0.38	0.2	0.01	0.57	0.41					
57	14.21	33.480	24.971	5.37	92.0	4.1	0.50	1.3	0.12	0.66	0.50	3.9	3.3	3.7	3.5	0.04
66	13.41	33.459	25.120	5.02	84.6	6.2	0.70	5.6	0.20	0.50	0.50					
74	13.44	33.531	25.170	4.78	80.6	6.6	0.77	6.2	0.27	0.43	0.37	1.5	1.1	1.1	1.1	0.02
83	12.69	33.566	25.346	4.36	72.4	9.5	1.00	10.3	0.14	0.28	0.32					
91	12.08	33.601	25.490	4.10	67.3	11.9	1.18	12.9	0.06	0.20	0.23					
102	11.63	33.633	25.599	3.91	63.5	13.7	1.27	14.6	0.04	0.16	0.19	0.30	0.02	0.02	0.02	0.03

RV NEW HORIZON		CALCOFI CRUISE 9809										STATION 93 80				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
31 10.1 N	120 55.7 W	15/ 9/98	1826 UTC	23 m		1156 - 1834 PST	1159 PST	1838 PST	270.2 mg C/m <sup>2</sup>							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
1	17.70	33.278	24.027	5.54	101.6	2.3	0.28	0.1	0.00	0.22	0.04	94. A	4.8	5.1	5.0	0.22
18	17.53	33.299	24.085	5.58	102.0	2.2	0.27	0.1	0.00	0.28	0.08	30.	5.2	5.4	5.3	0.11
32	17.22	33.288	24.151	5.59	101.6	2.2	0.29	0.1	0.00	0.43	0.16	12.	5.3	5.5	5.4	0.10
40	16.43	33.239	24.298	5.72	102.3	2.3	0.30	0.1	0.00	0.45	0.27					
48	14.94	33.134	24.549	5.93	102.9	2.4	0.32	0.1	0.01	0.57	0.36	4.1	2.7	2.9	2.8	0.04
56	14.47	33.204	24.703	5.85	100.6	2.6	0.33	0.3	0.08	0.50	0.40					
62	14.73	33.366	24.773	5.75	99.5	2.7	0.28	0.3	0.04	0.35	0.39	1.6	0.85	0.91	0.88	0.01
75	14.40	33.432	24.895	5.76	99.1	2.8	0.26	0.2	0.04	0.26	0.27					
87	13.46	33.400	25.065	5.33	89.9	4.8	0.50	3.4	0.08	0.18	0.24	0.30	0.03	0.03	0.03	0.02

RV NEW HORIZON		CALCOFI CRUISE 9809										STATION 93 120				
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
29 50.8 N	123 35.9 W	16/ 9/98	1817 UTC	35 m		1205 - 1841 PST	1209 PST	1842 PST	183.8 mg C/m <sup>2</sup>							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m <sup>3</sup> )			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	PCT	1	2	MEAN	DARK
2	19.82	33.718	23.832	5.29	101.3	2.2	0.19	0.0	0.00	0.13	0.03	92. A	2.4	2.5	2.5	0.10
14	19.81	33.714	23.833	5.29	101.3	2.2	0.19	0.0	0.00	0.13	0.03					
27	19.82	33.722	23.837	5.31	101.7	2.2	0.20	0.1	0.00	0.13	0.04	31.	2.4	2.5	2.5	0.07
38	19.84	33.729	23.837	5.31	101.7	2.2	0.19	0.0	0.00	0.14	0.04					
49	19.63	33.734	23.896	5.37	102.5	2.2	0.19	0.0	0.00	0.23	0.06	12.	2.3	2.3	2.3	0.06
62	17.39	33.746	24.463	5.77	105.5	2.3	0.17	0.0	0.00	0.22	0.08					
75	16.72	33.734	24.612	5.77	104.1	2.4	0.18	0.0	0.00	0.24	0.08	3.7	0.82	0.92	0.87	0.02
85	16.52	33.757	24.677	5.69	102.3	2.5	0.18	0.0	0.00	0.29	0.16					
95	16.49	33.834	24.743	5.63	101.2	2.4	0.18	0.0	0.00	0.25	0.21	1.6	0.45	0.45	0.45	0.01
104	16.34	33.885	24.817	5.54	99.3	2.7	0.19	0.1	0.01	0.20	0.29					
114	15.54	33.812	24.942	5.38	94.9	3.2	0.27	0.5	0.11	0.18	0.33					
122	15.10	33.796	25.027	5.22	91.2	4.0	0.37	1.9	0.08	0.16	0.34					
132	13.93	33.689	25.193	5.02	85.6	5.5	0.54	4.3	0.03	0.14	0.20	0.31	0.04	0.03	0.04	0.01

A) INCUBATION LIGHT INTENSITIES WERE 94, 31, 12, 3.8, 1.5, 0.30 PERCENT RESPECTIVELY.

## CalCOFI Cruise 9809

## MACROZOOPLANKTON BIOMASS

Net Mesh Size: 0.505mm

Line	Sta.	Latitude N	Longitude W	Date Mo/Day	Time (PST)		Water Volume Strained (m <sup>3</sup> )	Max. Tow Depth (m)	Volume per 1000 m <sup>3</sup> Strained	
					Start	End			Total (cm <sup>3</sup> )	Small (cm <sup>3</sup> )
77	49	35 05.2	120 47.7	09/27	2135	2143	141	67	42	42
77	51	35 01.2	120 55.1	09/27	1918	1939	411	203	119	119
77	55	34 54.2	121 12.0	09/27	1614	1636	382	210	31	31
77	60	34 43.2	121 32.7	09/27	0934	0956	412	201	32	32
77	70	34 23.9	122 15.1	09/27	0444	0505	403	213	62	62
77	80	34 03.2	122 56.8	09/26	2253	2315	417	207	38	38
77	90	33 43.7	123 38.4	09/26	1713	1734	407	213	27	27
77	100	33 22.8	124 19.4	09/26	0845	0907	411	207	17	17
80	51	34 27.1	120 32.6	09/24	1903	1911	162	76	80	80
80	55	34 20.3	120 50.6	09/24	2216	2238	450	199	129	118
80	60	34 08.9	121 09.9	09/25	0211	0233	419	222	33	33
80	70	33 48.7	121 50.6	09/25	0839	0901	458	208	20	20
80	80	33 28.7	122 31.8	09/25	1659	1721	408	211	12	12
80	90	33 08.6	123 13.8	09/25	2234	2256	424	209	45	45
80	100	32 49.8	123 55.2	09/26	0414	0436	415	213	51	31
82	47	34 16.0	120 02.5	09/24	1502	1523	433	213	28	28
83	40.6	34 13.5	119 25.1	09/24	0652	0656	76	21	53	53
83	42	34 10.7	119 30.6	09/24	0757	0811	286	131	28	28
83	51	33 52.5	120 09.1	09/24	0026	0038	262	115	38	38
83	55	33 44.7	120 25.8	09/23	2120	2142	452	208	60	60
83	60	33 35.7	120 45.0	09/23	1739	1800	418	212	29	29
83	70	33 14.4	121 26.0	09/23	0909	0931	446	199	29	29
83	80	32 55.0	122 07.7	09/23	0433	0454	404	214	30	30
83	90	32 35.7	122 49.7	09/22	2239	2300	469	204	23	23
83	100	32 15.6	123 29.9	09/22	1646	1707	457	210	13	13
83	110	31 54.4	124 09.9	09/22	0901	0923	462	204	11	11
87	33	33 53.2	118 29.7	09/19	2022	2028	126	46	48	48
87	35	33 49.1	118 36.9	09/19	2253	2314	447	206	31	31
87	40	33 39.1	118 57.3	09/20	0308	0329	435	202	58	58
87	45	33 30.8	119 17.6	09/20	0722	0742	418	207	26	26
87	50	33 20.2	119 39.7	09/20	1208	1216	166	67	42	42
87	55	33 09.6	120 01.2	09/20	1647	1708	453	214	29	29
87	60	32 59.6	120 21.8	09/20	2047	2109	460	208	35	35
87	70	32 39.7	121 02.8	09/21	0239	0301	474	204	30	30
87	80	32 19.6	121 43.2	09/21	0723	0743	426	214	24	24
87	90	32 00.0	122 24.6	09/21	1647	1709	452	210	13	13
87	100	31 40.0	123 05.4	09/21	2226	2247	456	204	35	35
87	110	31 20.4	123 45.0	09/22	0417	0438	435	209	25	25
90	28	33 28.7	117 46.2	09/19	1125	1131	109	64	110	110
90	30	33 25.0	117 53.7	09/19	1435	1456	411	193	10	10
90	35	33 15.0	118 15.2	09/19	0549	0609	402	216	20	20
90	37	33 11.4	118 24.0	09/19	0252	0313	441	200	52	52
90	45	32 56.4	118 56.9	09/18	2142	2203	444	211	72	72
90	53	32 38.9	119 29.3	09/18	1602	1624	451	208	29	29
90	60	32 25.2	119 57.8	09/18	0704	0726	454	215	26	26
90	70	32 05.2	120 39.7	09/18	0145	0206	475	202	38	38
90	80	31 45.6	121 19.4	09/17	1938	1959	425	216	31	31
90	90	31 25.0	122 01.4	09/17	1329	1350	419	210	14	14
90	100	31 04.9	122 40.1	09/17	0612	0633	434	214	14	14
90	110	30 45.5	123 20.7	09/17	0023	0044	421	208	28	28
90	120	30 25.4	124 00.7	09/16	1844	1904	419	211	17	17
93	26.7	32 57.3	117 19.0	09/13	1159	1220	446	195	16	16
93	28	32 54.7	117 24.2	09/13	1453	1514	407	201	7	7
93	30	32 50.5	117 32.1	09/13	1826	1848	431	208	19	19
93	35	32 41.1	117 53.0	09/13	2216	2237	454	192	40	40
93	40	32 30.6	118 14.7	09/14	0216	0237	436	193	71	71
93	45	32 21.2	118 33.6	09/14	0723	0745	442	204	23	23
93	50	32 11.2	118 53.9	09/14	1257	1318	433	209	37	37
93	55	32 01.3	119 13.8	09/14	1743	1804	438	217	48	48
93	60	31 51.1	119 34.9	09/14	2145	2207	480	198	40	40
93	70	31 30.7	120 15.0	09/15	0339	0400	432	211	42	42
93	80	31 10.3	120 55.2	09/15	0822	0844	450	205	24	24
93	90	30 50.8	121 35.8	09/15	1638	1700	462	216	17	17
93	100	30 30.8	122 16.4	09/15	2211	2233	470	206	19	19
93	110	30 10.8	122 55.6	09/16	0316	0337	448	199	20	20
93	120	29 50.5	123 35.0	09/16	0922	0944	453	204	7	7



## FIGURES

### Cruise 9810

1. CalCOFI Cruise 9810, track and station positions.
2. Sections along CalCOFI line 90 (vertical exaggeration, 1000): A) potential density and geostrophic velocity (+ = northward); B) temperature; C) salinity; D) oxygen saturation; E) oxygen; F ) chlorophyll-*a*; and G) phaeopigments.




FIGURE 1

**CALCOFI CRUISE 9810**

16 - 19 OCTOBER 1998

**POTENTIAL DENSITY ( $\sigma_\theta$ ) ALONG CALCOFI LINE 90  
GEOSTROPHIC VELOCITY RELATIVE TO 500m (cm/s)**




FIGURE 2A

# CALCOFI CRUISE 9810

16 - 19 OCTOBER 1998

## TEMPERATURE (°C) ALONG CALCOFI LINE 90




FIGURE 2B




FIGURE 2C

# CALCOFI CRUISE 9810

16 - 19 OCTOBER 1998

## OXYGEN SATURATION (%) ALONG CALCOFI LINE 90




FIGURE 2D




FIGURE 2E

# CALCOFI CRUISE 9810

16 - 19 OCTOBER 1998

## CHLOROPHYLL-a ( $\mu\text{g/l}$ ) ALONG CALCOFI LINE 90




FIGURE 2F

## PHAEOPIGMENTS ( $\mu\text{g/l}$ ) ALONG CALCOFI LINE 90




FIGURE 2G

PERSONNEL

CalCOFI Cruise 9810

SHIP'S CAPTAIN

Louis H. Zimm, RV *Robert Gordon Sproul*

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

Renger, Edward H. (Chief Scientist)	Staff Research Associate, SIO
Allen, Theodore L.	Volunteer
Baiz, Shad L.	Resident Technician, SIO
Baldwin, Robert F.	Volunteer
Gruber, Dennis W.	Staff Research Associate, SIO
Hays, Amy E.	Fishery Biologist, NMFS
Hyrenbach, K. David	Graduate Student, SIO
Navarro, Carla A.	Volunteer
Ramirez, Fernando	Staff Research Associate, SIO
Swensen, Daryl L.	Biological Technician, NMFS
Toschiaddi, Ginger S.	Biological Technician, NMFS
Wells, James A.	Marine Technician, SIO



LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 34.8 N	120 45.0 W	20/10/98	2315	UTC	1277 m	300	05 kn	310 03 08	1	1012.5 mb	17.6 C	16.2 C				AS
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.25	17.25	33.464	24.277	363.6	0.000	5.62	102.3					0.54	0.16	0	
1	17.25	17.25	33.464	24.278	363.6	0.004	5.62	102.3					0.54	0.16	1	219
10	17.17	17.17	33.471	24.302	361.6	0.036	5.62	102.2					0.51	0.17	10	218
20	17.15	17.15	33.474	24.310	361.2	0.072	5.60	101.8					0.62	0.21	20	217
30 ISL	17.11	17.11	33.468	24.315	361.0	0.109	5.59	101.5					0.74	0.22	30	
31	17.11	17.10	33.467	24.314	361.1	0.112	5.59	101.5					0.75	0.22	31	216
41	16.68	16.67	33.468	24.416	351.7	0.148	5.50	99.0					0.67	0.22	41	215
50 ISL	14.37	14.36	33.394	24.871	308.5	0.177	5.03	86.4					0.45	0.29	50	
61	11.70	11.69	33.424	25.423	256.0	0.209	4.36	70.9					0.21	0.34	61	214
69	11.57	11.56	33.510	25.514	247.6	0.229	4.05	65.7					0.19	0.29	69	211
75 ISL	11.24	11.23	33.529	25.589	240.5	0.243	3.96	63.8					0.15	0.23	75	
85	10.65	10.64	33.558	25.717	228.5	0.267	3.82	60.8					0.07	0.13	85	213
100	10.34	10.33	33.720	25.897	211.7	0.300	3.21	50.8					0.05	0.11	100	212
119	9.13	9.12	33.840	26.192	183.9	0.337	3.05	47.0					0.00	0.05	120	210
125 ISL	9.08	9.07	33.883	26.233	180.1	0.348	2.96	45.6					0.00	0.05	126	
139	8.95	8.94	33.933	26.293	174.6	0.373	2.80	43.0					0.00	0.04	140	209
150 ISL	8.77	8.75	33.954	26.338	170.5	0.392	2.88	44.0					0.00	0.04	151	
169	8.40	8.38	33.972	26.409	164.0	0.424	3.04	46.1					0.00	0.04	170	208
199	7.73	7.71	34.019	26.546	151.3	0.471	2.70	40.3					0.00	0.03	200	207
200 ISL	7.72	7.70	34.020	26.548	151.1	0.473	2.69	40.2							201	
229	7.49	7.47	34.042	26.599	146.7	0.516	2.31	34.3							230	206
250 ISL	7.16	7.14	34.042	26.646	142.5	0.546	2.17	32.0							251	
267	6.88	6.86	34.041	26.683	139.0	0.570	2.08	30.5							269	205
300 ISL	6.62	6.59	34.054	26.729	135.1	0.615	1.80	26.2							302	
315	6.53	6.50	34.063	26.748	133.4	0.636	1.65	24.0							317	204
377	5.98	5.95	34.115	26.860	123.3	0.715	0.98	14.1							379	203
400 ISL	5.95	5.92	34.154	26.895	120.3	0.743	0.79	11.3							403	
436	5.92	5.88	34.214	26.947	115.9	0.786	0.57	8.2							439	202
500 ISL	5.51	5.47	34.249	27.025	108.9	0.858	0.38	5.4							503	
515	5.41	5.37	34.258	27.044	107.2	0.874	0.34	4.8							519	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 14.7 N	121 26.6 W	20/10/98	1612	UTC	3802 m	320	19 kn	320 04 05	1	1014.4 mb	16.7 C	15.7 C				SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.18	17.18	33.510	24.329	358.6	0.000	5.56	101.1					0.53	0.22	0	
2	17.18	17.18	33.510	24.329	358.7	0.007	5.56	101.1					0.53	0.22	2	220
10 ISL	17.18	17.18	33.510	24.330	359.0	0.036	5.57	101.3					0.54	0.23	10	
15	17.18	17.18	33.510	24.330	359.1	0.054	5.57	101.3					0.55	0.23	15	219
20 ISL	17.18	17.18	33.510	24.330	359.2	0.072	5.57	101.3					0.53	0.22	20	
30 ISL	17.18	17.18	33.510	24.331	359.5	0.108	5.56	101.1					0.48	0.20	30	
31	17.18	17.17	33.510	24.331	359.6	0.111	5.56	101.1					0.48	0.20	31	218
44	17.17	17.16	33.512	24.335	359.6	0.158	5.55	100.9					0.48	0.18	44	217
50 ISL	16.39	16.38	33.494	24.503	343.7	0.179	5.44	97.4					0.52	0.27	50	
55	15.36	15.35	33.494	24.735	321.7	0.196	5.17	90.7					0.54	0.35	55	216
66	11.88	11.87	33.659	25.572	242.0	0.227	3.64	59.5					0.37	0.44	66	215
75	10.85	10.84	33.711	25.801	220.4	0.248	3.10	49.6					0.18	0.32	75	214
85	10.50	10.49	33.750	25.892	211.8	0.269	2.92	46.3					0.12	0.22	85	213
95	10.03	10.02	33.818	26.026	199.3	0.290	2.72	42.7					0.05	0.13	95	212
100 ISL	9.89	9.88	33.842	26.068	195.3	0.300	2.66	41.7					0.04	0.11	100	
111	9.66	9.65	33.881	26.137	189.0	0.321	2.58	40.2					0.02	0.08	112	211
125 ISL	9.39	9.38	33.921	26.213	182.1	0.347	2.53	39.2					0.01	0.07	126	
126	9.37	9.36	33.924	26.219	181.5	0.349	2.53	39.2					0.01	0.07	127	210
144	9.13	9.11	33.972	26.295	174.6	0.381	2.48	38.2					0.01	0.08	145	209
150 ISL	9.06	9.04	33.985	26.317	172.7	0.391	2.44	37.6					0.01	0.08	151	
168	8.88	8.86	34.022	26.374	167.5	0.422	2.30	35.3					0.01	0.06	169	208
196	8.61	8.59	34.083	26.465	159.4	0.467	2.01	30.6					0.00	0.05	197	207
200 ISL	8.54	8.52	34.089	26.480	158.0	0.474	1.98	30.1							201	
227	8.03	8.01	34.116	26.579	148.9	0.515	1.76	26.5							228	206
250 ISL	7.69	7.67	34.131	26.641	143.3	0.549	1.60	23.9							251	
267	7.49	7.46	34.141	26.677	140.0	0.573	1.47	21.9							269	205
300 ISL	7.23	7.20	34.179	26.744	134.1	0.618	1.14	16.8							302	
318	7.10	7.07	34.198	26.778	131.1	0.642	0.97	14.3							320	204
375	6.48	6.45	34.222	26.881	121.8	0.714	0.67	9.7							377	203
400 ISL	6.14	6.10	34.218	26.922	118.0	0.744	0.59	8.5							403	
435	5.70	5.66	34.212	26.972	113.3	0.784	0.51	7.3							438	202
500 ISL	5.29	5.25	34.229	27.035	107.7	0.856	0.40	5.6							503	
515	5.19	5.15	34.233	27.050	106.3	0.872	0.37	5.2							519	201



LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 54.2 N	122 7.9 W	20/10/98	0858	UTC	4188 m	330	14 kn			1014.3 mb	15.3 C	13.9 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.19	16.19	33.207	24.327	358.9	0.000	5.75	102.4					0.23	0.08	0	
2	16.19	16.19	33.207	24.327	359.0	0.007	5.75	102.4					0.23	0.08	2	220
10 ISL	16.19	16.19	33.206	24.326	359.3	0.036	5.76	102.6					0.23	0.06	10	
15	16.19	16.19	33.206	24.326	359.4	0.054	5.77	102.7					0.23	0.05	15	219
20 ISL	16.18	16.18	33.212	24.333	358.9	0.072	5.76	102.5					0.23	0.06	20	
30	16.16	16.16	33.224	24.348	357.9	0.108	5.75	102.3					0.22	0.09	30	218
44	16.08	16.07	33.223	24.365	356.6	0.158	5.79	102.9					0.28	0.08	44	217
50 ISL	15.27	15.26	33.152	24.491	344.7	0.179	5.88	102.8					0.31	0.20	50	
54	14.69	14.68	33.109	24.583	336.0	0.192	5.93	102.4					0.33	0.28	54	216
64	13.93	13.92	33.099	24.735	321.8	0.225	5.84	99.3					0.37	0.29	64	215
75	13.32	13.31	33.170	24.914	304.9	0.260	5.61	94.2					0.44	0.38	75	214
84	12.67	12.66	33.260	25.113	286.3	0.286	5.17	85.7					0.26	0.32	84	213
95	12.23	12.22	33.385	25.294	269.2	0.317	4.90	80.5					0.16	0.31	95	212
100 ISL	11.81	11.80	33.421	25.401	259.1	0.330	4.70	76.6					0.13	0.25	100	
109	10.98	10.97	33.483	25.601	240.2	0.353	4.33	69.3					0.08	0.14	109	211
123	10.07	10.06	33.610	25.858	215.9	0.384	3.88	60.9					0.03	0.05	124	210
125 ISL	10.00	9.99	33.627	25.883	213.6	0.389	3.83	60.1					0.03	0.05	126	
144	9.55	9.53	33.773	26.072	195.9	0.428	3.45	53.6					0.01	0.02	145	209
150 ISL	9.41	9.39	33.814	26.127	190.8	0.439	3.27	50.7					0.01	0.02	151	
169	8.98	8.96	33.921	26.280	176.5	0.474	2.88	44.2					0.00	0.03	170	208
199	8.42	8.40	33.989	26.420	163.6	0.525	3.40	51.6					0.00	0.02	200	207
200 ISL	8.40	8.38	33.990	26.424	163.2	0.527	3.40	51.6							201	
228	7.87	7.85	33.999	26.510	155.3	0.571	3.12	46.8							229	206
250 ISL	7.56	7.54	34.004	26.559	150.9	0.605	2.94	43.7							251	
269	7.36	7.33	34.012	26.594	147.8	0.633	2.75	40.7							271	205
300 ISL	7.18	7.15	34.050	26.650	142.9	0.678	2.18	32.2							302	
317	7.10	7.07	34.072	26.678	140.5	0.703	1.86	27.4							319	204
378	6.51	6.48	34.107	26.786	130.8	0.785	1.26	18.3							380	203
400 ISL	6.35	6.31	34.130	26.825	127.2	0.814	1.06	15.3							403	
440	6.07	6.03	34.171	26.894	121.1	0.863	0.76	10.9							443	202
500 ISL	5.61	5.57	34.203	26.977	113.6	0.934	0.53	7.5							503	
526	5.41	5.37	34.218	27.013	110.3	0.963	0.43	6.1							530	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 34.2 N	122 48.7 W	20/10/98	0120	UTC	4290 m	330	16 kn	360 06 10	1	1014.2 mb	16.1 C	14.8 C			7/8	sc
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.22	17.22	33.166	24.056	384.7	0.000	5.59	101.5					0.11	0.04	0	
2	17.22	17.22	33.166	24.056	384.8	0.008	5.59	101.5					0.11	0.04	2	220
10 ISL	17.22	17.22	33.166	24.057	385.0	0.038	5.56	101.0					0.11	0.04	10	
15	17.22	17.22	33.166	24.057	385.1	0.058	5.55	100.8					0.12	0.04	15	219
20 ISL	17.20	17.20	33.164	24.060	385.0	0.077	5.56	101.0					0.13	0.04	20	
30	17.13	17.13	33.162	24.076	383.8	0.115	5.60	101.5					0.15	0.04	30	218
44	16.99	16.98	33.177	24.120	380.0	0.169	5.61	101.4					0.14	0.04	44	217
50 ISL	16.91	16.90	33.173	24.136	378.7	0.192	5.63	101.6					0.18	0.05	50	
59	16.72	16.71	33.170	24.179	374.9	0.226	5.67	102.0					0.25	0.07	59	216
75	16.09	16.08	33.218	24.360	358.1	0.284	5.78	102.7					0.34	0.15	75	215
82	15.28	15.27	33.279	24.588	336.5	0.309	5.94	103.9					0.34	0.18	82	214
93	14.32	14.31	33.200	24.733	322.9	0.345	5.87	100.6					0.38	0.27	93	213
100 ISL	13.62	13.61	33.223	24.896	307.5	0.367	5.64	95.3					0.35	0.32	100	
103	13.31	13.30	33.236	24.968	300.6	0.376	5.51	92.5					0.33	0.33	103	212
113	12.39	12.38	33.211	25.129	285.4	0.405	5.07	83.5					0.25	0.26	113	211
123	11.32	11.30	33.437	25.504	249.8	0.432	4.46	71.9					0.09	0.15	124	210
125 ISL	11.22	11.20	33.466	25.545	245.9	0.437	4.44	71.4					0.09	0.14	126	
139	10.86	10.84	33.596	25.711	230.4	0.470	4.29	68.5					0.06	0.09	140	209
150 ISL	10.48	10.46	33.668	25.833	218.9	0.495	4.20	66.6					0.04	0.07	151	
162	10.04	10.02	33.730	25.957	207.3	0.521	4.09	64.2					0.03	0.05	163	208
195	8.91	8.89	33.886	26.264	178.5	0.584	3.51	53.8					0.00	0.03	196	207
200 ISL	8.80	8.78	33.904	26.295	175.6	0.593	3.43	52.5							201	
228	8.34	8.32	33.979	26.425	163.6	0.641	3.03	45.9							229	206
250 ISL	8.06	8.03	34.018	26.498	157.0	0.676	2.72	40.9							251	
265	7.89	7.86	34.037	26.538	153.4	0.699	2.51	37.6							266	205
300 ISL	7.48	7.45	34.073	26.626	145.4	0.751	2.02	30.0							302	
315	7.32	7.29	34.084	26.657	142.6	0.773	1.83	27.1							317	204
375	6.74	6.71	34.111	26.759	133.5	0.856	1.34	19.6							377	203
400 ISL	6.48	6.44	34.121	26.801	129.7	0.889	1.19	17.3							402	
440	6.12	6.08	34.142	26.865	123.9	0.940	0.97	14.0							443	202
500 ISL	5.86	5.82	34.196	26.940	117.3	1.012	0.64	9.2							503	
512	5.81	5.77	34.207	26.955	116.0	1.026	0.58	8.3							515	201



LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 11.3 N	118 23.6 W	17/10/98	1130	UTC	1181 m	200	04 kn			1014.1 mb	18.9 C	15.2 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	19.62	19.62	33.476	23.700	418.7	0.000	5.51	105.0					0.35	0.15	0	
1	19.62	19.62	33.476	23.700	418.7	0.004	5.51	105.0					0.35	0.15	1	220
10	19.19	19.19	33.454	23.793	410.1	0.041	5.60	105.8					0.41	0.14	10	219
20 ISL	16.72	16.72	33.363	24.325	359.7	0.080	5.91	106.4					0.44	0.14	20	
21	16.45	16.45	33.358	24.384	354.1	0.084	5.94	106.4					0.44	0.14	21	218
29	15.35	15.35	33.370	24.641	329.9	0.111	5.91	103.6					0.55	0.22	29	217
30 ISL	15.30	15.30	33.373	24.654	328.6	0.114	5.88	103.0					0.62	0.26	30	
40	14.71	14.70	33.417	24.816	313.5	0.146	5.62	97.3					1.13	0.62	40	216
49	13.30	13.29	33.517	25.186	278.4	0.173	4.66	78.4					0.45	0.45	49	215
50 ISL	13.18	13.17	33.526	25.217	275.5	0.176	4.59	77.0					0.41	0.43	50	
60	12.25	12.24	33.590	25.449	253.6	0.202	4.10	67.5					0.19	0.23	60	214
69	11.82	11.81	33.619	25.552	243.9	0.225	3.89	63.5					0.12	0.17	69	213
75 ISL	11.56	11.55	33.647	25.623	237.4	0.239	3.75	60.9					0.10	0.15	75	
86	11.16	11.15	33.702	25.738	226.6	0.265	3.50	56.3					0.07	0.12	86	212
100 ISL	10.79	10.78	33.760	25.850	216.3	0.296	3.21	51.3					0.03	0.08	100	
102	10.74	10.73	33.769	25.866	214.8	0.300	3.17	50.6					0.03	0.07	102	211
121	10.27	10.26	33.897	26.047	197.9	0.339	2.67	42.2					0.00	0.04	122	210
125 ISL	10.20	10.19	33.910	26.070	195.9	0.347	2.63	41.5					0.00	0.04	126	
139	10.01	9.99	33.942	26.127	190.7	0.374	2.54	39.9					0.00	0.04	140	209
150 ISL	9.86	9.84	33.972	26.176	186.3	0.395	2.44	38.2					0.00	0.04	151	
167	9.62	9.60	34.015	26.250	179.5	0.426	2.29	35.7					0.00	0.03	168	208
196	9.06	9.04	34.063	26.379	167.8	0.476	2.20	33.9					0.00	0.03	197	207
200 ISL	9.01	8.99	34.071	26.393	166.4	0.483	2.17	33.4							201	
227	8.69	8.67	34.119	26.481	158.5	0.527	1.97	30.1							228	206
250 ISL	8.36	8.33	34.142	26.550	152.2	0.562	1.80	27.3							251	
268	8.10	8.07	34.153	26.598	147.9	0.589	1.68	25.3							270	205
300 ISL	7.76	7.73	34.167	26.660	142.4	0.636	1.49	22.3							302	
318	7.59	7.56	34.172	26.688	139.9	0.661	1.38	20.6							320	204
383	6.96	6.92	34.191	26.792	130.7	0.749	0.97	14.2							385	203
400 ISL	6.79	6.75	34.208	26.829	127.4	0.771	0.90	13.2							403	
436	6.45	6.41	34.248	26.906	120.3	0.816									439	202
500 ISL	6.09	6.05	34.287	26.984	113.5	0.891	0.46	6.6							503	
523	5.96	5.91	34.301	27.011	111.1	0.916	0.36	5.2							527	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 55.3 N	118 56.1 W	17/10/98	1736	UTC	1706 m	040	05 kn	050 02 06	0	1017.8 mb	19.4 C	17.8 C			0/8	
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.50	17.50	33.510	24.253	365.9	0.000	5.67	103.8					0.75	0.14	0	
1	17.50	17.50	33.510	24.253	365.9	0.004	5.67	103.8					0.75	0.14	1	220
10	17.26	17.26	33.507	24.308	361.0	0.036	5.73	104.4					0.89	0.17	10	219
19	13.87	13.87	33.475	25.037	291.8	0.066	5.18	88.2					3.21	0.99	19	218
20 ISL	13.81	13.81	33.477	25.051	290.5	0.069	5.14	87.4					3.08	0.98	20	
30 ISL	13.22	13.22	33.496	25.185	277.9	0.097	4.77	80.1					0.99	0.56	30	
31	13.16	13.16	33.498	25.199	276.7	0.100	4.74	79.5					0.71	0.49	31	217
39	12.64	12.63	33.525	25.323	265.1	0.122	4.45	73.8					0.37	0.39	39	216
50	11.38	11.37	33.632	25.643	234.8	0.149	3.84	62.1					0.15	0.21	50	215
60	10.73	10.72	33.688	25.803	219.8	0.172	3.61	57.6					0.07	0.12	60	214
70	10.52	10.51	33.717	25.863	214.3	0.193	3.43	54.5					0.06	0.11	70	213
75 ISL	10.36	10.35	33.734	25.904	210.5	0.204	3.43	54.3					0.05	0.09	75	
84	10.06	10.05	33.768	25.982	203.3	0.223	3.43	53.9					0.02	0.06	84	212
100	9.75	9.74	33.840	26.090	193.3	0.254	3.13	48.9					0.01	0.05	101	211
119	9.40	9.39	33.911	26.204	182.8	0.290	2.88	44.7					0.00	0.05	120	210
125 ISL	9.34	9.33	33.924	26.224	181.0	0.301	2.79	43.2					0.00	0.05	126	
139	9.21	9.19	33.948	26.264	177.5	0.326	2.61	40.3					0.00	0.05	140	209
150 ISL	9.07	9.05	33.974	26.307	173.6	0.345	2.52	38.8					0.00	0.05	151	
170	8.80	8.78	34.021	26.386	166.4	0.379	2.39	36.6					0.00	0.04	171	208
198	8.40	8.38	34.068	26.485	157.4	0.425	2.13	32.3					0.00	0.04	199	207
200 ISL	8.38	8.36	34.072	26.491	156.8	0.428	2.11	32.0							201	
229	8.10	8.08	34.118	26.570	149.8	0.472	1.83	27.6							230	206
250 ISL	7.87	7.84	34.133	26.616	145.7	0.503	1.70	25.5							251	
269	7.67	7.64	34.141	26.652	142.6	0.531	1.60	23.9							271	205
300 ISL	7.39	7.36	34.160	26.707	137.7	0.574	1.41	20.9							302	
318	7.25	7.22	34.172	26.736	135.1	0.599	1.29	19.1							320	204
377	6.81	6.77	34.222	26.837	126.2	0.676	0.79	11.6							379	203
400 ISL	6.66	6.62	34.234	26.867	123.6	0.705	0.68	9.9							403	
436	6.45	6.41	34.251	26.908	120.1	0.749	0.56	8.1							439	202
500 ISL	6.09	6.05	34.291	26.987	113.2	0.823	0.38	5.5							503	
513	6.02	5.97	34.299	27.002	111.9	0.838	0.34	4.9							517	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 39.1 N	119 28.6 W	17/10/98	2339	UTC	1307 m	350	09 kn	330 02 08	0	1015.3 mb	17.8 C	16.2 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.27	17.27	33.359	24.192	371.7	0.000	5.71	103.9					0.83	0.10	0	
1	17.27	17.27	33.359	24.192	371.7	0.004	5.71	103.9					0.83	0.10	1	220
10 ISL	16.88	16.88	33.354	24.281	363.6	0.037	5.72	103.3					0.87	0.14	10	
15	16.60	16.60	33.353	24.345	357.6	0.055	5.73	102.9					0.90	0.17	15	219
20 ISL	16.54	16.54	33.353	24.359	356.5	0.073	5.73	102.8					0.89	0.18	20	
30	16.41	16.41	33.365	24.399	353.0	0.108	5.72	102.4					0.87	0.20	30	218
44	14.95	14.94	33.207	24.603	333.9	0.156	5.68	98.7					0.91	0.32	44	217
50 ISL	14.06	14.05	33.113	24.719	323.0	0.176	5.62	95.8					0.71	0.39	50	
55	13.26	13.25	33.072	24.850	310.5	0.192	5.57	93.4					0.50	0.41	55	216
64	11.84	11.83	33.195	25.219	275.5	0.218	4.90	79.8					0.20	0.26	64	215
75	11.53	11.52	33.271	25.336	264.6	0.248	4.68	75.7					0.16	0.22	75	214
85	11.27	11.26	33.367	25.458	253.2	0.274	4.42	71.2					0.11	0.28	85	213
95	10.80	10.79	33.542	25.678	232.5	0.298	4.07	64.9					0.06	0.12	95	212
100 ISL	10.54	10.53	33.602	25.771	223.8	0.309	3.95	62.7					0.05	0.10	100	
110	10.03	10.02	33.701	25.935	208.2	0.331	3.71	58.3					0.03	0.07	110	211
124	9.47	9.46	33.842	26.138	189.1	0.359	3.23	50.1					0.01	0.04	125	210
125 ISL	9.44	9.43	33.849	26.149	188.2	0.361	3.22	50.0					0.01	0.04	126	
143	8.98	8.96	33.943	26.296	174.4	0.393	3.04	46.7					0.00	0.05	144	209
150 ISL	8.90	8.88	33.967	26.328	171.5	0.405	2.90	44.5					0.00	0.05	151	
169	8.75	8.73	34.011	26.386	166.3	0.438	2.52	38.5					0.01	0.04	170	208
198	8.38	8.36	34.058	26.480	157.9	0.485	2.28	34.6					0.00	0.03	199	207
200 ISL	8.35	8.33	34.061	26.487	157.2	0.488	2.26	34.3							201	
230	7.99	7.97	34.097	26.570	149.8	0.534	1.96	29.5							231	206
250 ISL	7.78	7.76	34.113	26.613	145.9	0.563	1.82	27.2							251	
274	7.56	7.53	34.131	26.660	141.8	0.598	1.65	24.6							276	205
300 ISL	7.36	7.33	34.158	26.710	137.4	0.634	1.39	20.6							302	
318	7.23	7.20	34.176	26.742	134.5	0.659	1.21	17.9							320	204
375	6.70	6.67	34.207	26.840	125.8	0.733	0.84	12.3							377	203
400 ISL	6.51	6.47	34.230	26.883	121.9	0.764	0.68	9.9							403	
434	6.28	6.24	34.261	26.938	117.1	0.804	0.50	7.2							437	202
500 ISL	5.82	5.78	34.289	27.019	109.9	0.879	0.36	5.1							503	
512	5.74	5.70	34.295	27.034	108.5	0.892	0.34	4.9							515	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 25.2 N	119 57.4 W	18/10/98	0509	UTC	872 m	320	17 kn			1016.1 mb	17.1 C	14.7 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0	17.83	17.83	33.429	24.112	379.4	0.000	5.54	102.0					0.22	0.05	0	220
10 ISL	17.46	17.46	33.407	24.184	372.8	0.038	5.60	102.3					0.28	0.07	10	
16	17.24	17.24	33.395	24.228	368.9	0.060	5.64	102.6					0.31	0.08	16	219
20 ISL	17.18	17.18	33.391	24.239	367.9	0.075	5.65	102.7					0.38	0.10	20	
30	17.03	17.03	33.380	24.266	365.7	0.111	5.67	102.7					0.60	0.15	30	218
45	15.39	15.38	33.378	24.639	330.6	0.163	5.82	102.1					0.92	0.52	45	217
50 ISL	14.80	14.79	33.407	24.790	316.3	0.180	5.67	98.3					0.84	0.55	50	
55	14.27	14.26	33.439	24.927	303.3	0.195	5.48	94.0					0.71	0.58	55	216
65	13.73	13.72	33.469	25.062	290.7	0.225	5.13	87.0					0.47	0.48	65	215
75	12.75	12.74	33.504	25.286	269.6	0.253	4.60	76.5					0.21	0.27	75	214
84	12.24	12.23	33.558	25.426	256.4	0.277	4.28	70.4					0.16	0.23	84	213
93	11.75	11.74	33.587	25.541	245.6	0.299	4.13	67.3					0.11	0.16	93	212
100 ISL	11.44	11.43	33.617	25.622	238.1	0.316	3.97	64.2					0.09	0.13	100	
107	11.16	11.15	33.647	25.696	231.1	0.332	3.82	61.5					0.07	0.11	107	211
124	10.41	10.40	33.698	25.868	215.0	0.370	3.70	58.6					0.00	0.10	125	210
125 ISL	10.37	10.36	33.703	25.879	214.0	0.373	3.68	58.2					0.00	0.10	126	
145	9.59	9.57	33.818	26.100	193.2	0.413	3.24	50.4					0.01	0.04	146	209
150 ISL	9.46	9.44	33.841	26.140	189.5	0.423	3.24	50.3					0.01	0.04	151	
168	9.10	9.08	33.909	26.251	179.2	0.456	3.26	50.2					0.01	0.03	169	208
198	8.63	8.61	33.994	26.392	166.3	0.508	2.90	44.2					0.00	0.04	199	207
200 ISL	8.60	8.58	33.996	26.398	165.8	0.511	2.88	43.9							201	
229	8.20	8.18	34.023	26.480	158.3	0.558	2.57	38.8							230	206
250 ISL	8.05	8.02	34.065	26.536	153.4	0.591	2.27	34.2							251	
270	7.93	7.90	34.105	26.586	149.0	0.621	1.97	29.6							272	205
300 ISL	7.62	7.59	34.138	26.657	142.6	0.665	1.61	24.0							302	
317	7.44	7.41	34.151	26.693	139.3	0.689	1.43	21.2							319	204
378	6.98	6.94	34.195	26.792	130.6	0.771	1.00	14.7							380	203
400 ISL	6.81	6.77	34.209	26.827	127.5	0.800	0.86	12.6							403	
445	6.44	6.40	34.236	26.898	121.2	0.856	0.61	8.9							448	202
500 ISL	5.97	5.93	34.274	26.988	112.9	0.920	0.42	6.0							503	
510	5.89	5.85	34.281	27.004	111.5	0.931	0.38	5.4							513	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 5.3 N	120 38.9 W	18/10/98	1237	UTC	3799 m	300	20 kn			1014.9 mb	16.2 C	14.4 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.98	17.98	33.443	24.086	381.9	0.000	5.51	101.7					0.22	0.05	0	
3	17.98	17.98	33.443	24.086	382.0	0.011	5.51	101.7					0.22	0.05	3	220
10 ISL	17.98	17.98	33.446	24.089	382.0	0.038	5.51	101.7					0.23	0.05	10	
16	17.99	17.99	33.449	24.089	382.1	0.061	5.50	101.6					0.24	0.05	16	219
20 ISL	17.99	17.99	33.447	24.087	382.4	0.076	5.49	101.4					0.24	0.05	20	
30	17.99	17.98	33.443	24.085	383.0	0.115	5.48	101.2					0.23	0.05	30	218
44	14.81	14.80	33.321	24.721	322.7	0.164	5.89	102.1					0.28	0.14	44	217
50 ISL	14.44	14.43	33.383	24.848	310.7	0.183	5.77	99.3					0.46	0.25	50	
56	14.25	14.24	33.452	24.941	302.0	0.201	5.52	94.7					0.61	0.34	56	216
65	13.49	13.48	33.484	25.123	284.9	0.228	5.00	84.4					0.48	0.34	65	215
74	12.77	12.76	33.445	25.236	274.3	0.253	4.85	80.7					0.35	0.39	74	214
75 ISL	12.70	12.69	33.446	25.251	272.9	0.256	4.83	80.2					0.33	0.39	75	
84	12.14	12.13	33.481	25.386	260.2	0.280	4.60	75.5					0.21	0.33	84	213
95	11.38	11.37	33.584	25.607	239.3	0.307	4.19	67.7					0.12	0.19	95	212
100 ISL	11.07	11.06	33.611	25.684	232.1	0.319	4.11	66.0					0.09	0.15	100	
110	10.51	10.50	33.658	25.820	219.3	0.342	3.99	63.3					0.05	0.10	110	211
124	9.92	9.91	33.752	25.994	203.0	0.371	3.63	56.9					0.02	0.05	124	210
125 ISL	9.88	9.87	33.759	26.006	201.9	0.373	3.61	56.5					0.02	0.05	125	
141	9.36	9.34	33.856	26.167	186.7	0.404	3.37	52.2					0.00	0.04	141	209
150 ISL	9.19	9.17	33.885	26.218	182.1	0.421	3.41	52.6					0.00	0.04	150	
171	8.91	8.89	33.922	26.292	175.4	0.458	3.52	54.0					0.00	0.03	171	208
198	8.49	8.47	33.972	26.396	165.9	0.504	3.05	46.3					0.00	0.03	198	207
200 ISL	8.45	8.43	33.976	26.405	165.0	0.508	3.02	45.8							200	
232	7.83	7.81	34.030	26.541	152.5	0.559	2.62	39.2							232	206
250 ISL	7.64	7.62	34.051	26.585	148.5	0.586	2.40	35.8							250	
271	7.47	7.44	34.070	26.624	145.0	0.616	2.14	31.8							271	205
300 ISL	7.19	7.16	34.099	26.687	139.4	0.658	1.75	25.8							300	
313	7.07	7.04	34.111	26.713	137.1	0.676	1.59	23.4							313	204
381	6.58	6.55	34.164	26.822	127.5	0.766	1.02	14.8							381	203
400 ISL	6.46	6.42	34.181	26.851	124.9	0.790	0.88	12.8							400	
438	6.26	6.22	34.216	26.905	120.2	0.836	0.64	9.2							438	202
500 ISL	6.00	5.96	34.277	26.987	113.1	0.909	0.41	5.9							500	
515	5.94	5.89	34.292	27.007	111.4	0.925	0.36	5.2							515	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
31 44.5 N	121 19.1 W	18/10/98	1938	UTC	3613 m	330	18 kn	340 06 04	1	1016.0 mb	16.8 C	15.9 C		5/8		SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.98	16.98	33.341	24.247	366.5	0.000	5.65	102.3					0.37	0.08	0	
1	16.98	16.98	33.341	24.247	366.5	0.004	5.65	102.3					0.37	0.08	1	220
10 ISL	16.96	16.96	33.341	24.252	366.3	0.037	5.64	102.0					0.36	0.08	10	
16	16.93	16.93	33.341	24.259	365.9	0.059							0.35	0.08	16	219
20 ISL	16.92	16.92	33.341	24.262	365.8	0.073	5.64	102.0					0.37	0.08	20	
30	16.89	16.89	33.339	24.268	365.5	0.110	5.63	101.7					0.44	0.09	30	218
44	16.84	16.83	33.337	24.278	365.0	0.161	5.63	101.6					0.47	0.12	44	217
50 ISL	16.83	16.82	33.336	24.280	365.0	0.183	5.63	101.6					0.53	0.13	50	
53	16.82	16.81	33.336	24.283	364.9	0.194	5.63	101.6					0.56	0.14	53	216
64	16.09	16.08	33.270	24.400	354.0	0.233	5.65	100.4					0.68	0.28	64	215
73	13.64	13.63	33.049	24.756	320.0	0.264	5.74	97.0					0.61	0.46	73	214
75 ISL	13.26	13.25	33.061	24.842	311.8	0.270	5.62	94.2					0.55	0.44	75	
84	12.13	12.12	33.212	25.179	279.9	0.297	4.99	81.7					0.28	0.29	84	213
94	11.82	11.81	33.382	25.369	262.0	0.324	4.71	76.7					0.17	0.23	94	212
100 ISL	11.53	11.52	33.478	25.497	249.9	0.339	4.46	72.3					0.12	0.18	100	
109	11.08	11.07	33.597	25.672	233.5	0.361	4.10	65.8					0.07	0.12	109	211
124	10.57	10.56	33.689	25.834	218.3	0.395	3.77	59.9					0.03	0.07	124	210
125 ISL	10.54	10.53	33.694	25.843	217.5	0.397	3.75	59.5					0.03	0.07	125	
144	9.93	9.91	33.779	26.014	201.5	0.437	3.32	52.0					0.01	0.05	144	209
150 ISL	9.77	9.75	33.805	26.061	197.2	0.449	3.24	50.6					0.01	0.05	150	
171	9.31	9.29	33.890	26.203	184.0	0.489	3.02	46.7					0.00	0.04	171	208
200 ISL	8.80	8.78	33.987	26.360	169.4	0.540	2.62	40.1					0.00	0.03	200	
202	8.77	8.75	33.992	26.369	168.7	0.543	2.59	39.6					0.00	0.03	202	207
231	8.41	8.39	34.054	26.473	159.2	0.591	2.28	34.6							231	206
250 ISL	8.15	8.12	34.084	26.536	153.4	0.621	2.11	31.8							250	
265	7.94	7.91	34.101	26.581	149.4	0.643	2.00	30.0							265	205
300 ISL	7.50	7.47	34.109	26.651	143.0	0.694	1.81	26.9							300	
318	7.31	7.28	34.112	26.681	140.4	0.720	1.70	25.2							318	204
374	6.96	6.92	34.182	26.785	131.2	0.796	1.04	15.3							374	203
400 ISL	6.58	6.54	34.171	26.828	127.3	0.830	0.93	13.5							400	
438	6.00	5.96	34.150	26.886	121.7	0.877	0.85	12.2							438	202
500 ISL	5.56	5.52	34.188	26.971	114.1	0.950	0.57	8.1							500	
515	5.45	5.41	34.198	26.992	112.1	0.967	0.50	7.1							515	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
31 24.9 N	121 59.4 W	19/10/98	0213	UTC	3862 m	330	18 kn			1015.1 mb	16.0 C	14.8 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.55	17.55	33.204	24.007	389.4	0.000	5.55	101.5					0.12	0.03	0	
2	17.55	17.55	33.204	24.007	389.5	0.008	5.55	101.5					0.12	0.03	2	220
10 ISL	17.55	17.55	33.205	24.008	389.6	0.039	5.57	101.9					0.11	0.02	10	
15	17.55	17.55	33.205	24.008	389.8	0.058	5.58	102.0					0.11	0.02	15	219
20 ISL	17.49	17.49	33.207	24.024	388.4	0.078	5.59	102.1					0.12	0.02	20	
29	17.33	17.33	33.220	24.073	384.1	0.113	5.60	102.0					0.14	0.03	29	218
30 ISL	17.32	17.32	33.223	24.077	383.7	0.116	5.60	101.9					0.14	0.03	30	
43	17.07	17.06	33.277	24.178	374.5	0.166	5.62	101.8					0.22	0.06	43	217
50 ISL	16.91	16.90	33.319	24.248	368.0	0.192	5.71	103.2					0.27	0.08	50	
59	16.53	16.52	33.362	24.370	356.7	0.224	5.83	104.6					0.32	0.11	59	216
75	15.09	15.08	33.368	24.698	325.8	0.279	5.88	102.5					0.29	0.21	75	215
85	14.63	14.62	33.398	24.820	314.4	0.311	5.83	100.7					0.30	0.28	85	214
94	14.71	14.70	33.517	24.895	307.6	0.339	5.73	99.2					0.27	0.27	94	213
100 ISL	14.59	14.58	33.551	24.947	302.8	0.357	5.67	98.0					0.26	0.29	100	
105	14.43	14.41	33.571	24.997	298.2	0.372	5.60	96.4					0.25	0.30	105	212
114	14.07	14.05	33.631	25.119	286.8	0.399	5.42	92.7					0.23	0.27	114	211
125	13.32	13.30	33.631	25.273	272.3	0.429	5.15	86.7					0.19	0.22	125	210
140	11.50	11.48	33.618	25.613	239.9	0.468	4.60	74.5					0.05	0.25	140	209
150 ISL	10.92	10.90	33.639	25.734	228.5	0.491	4.41	70.6					0.05	0.19	150	
164	10.45	10.43	33.684	25.851	217.5	0.522	4.22	66.9					0.04	0.08	164	208
193	9.26	9.24	33.824	26.160	188.5	0.581	3.66	56.5					0.01	0.02	193	207
200 ISL	9.11	9.09	33.855	26.208	184.0	0.594	3.65	56.2							200	
231	8.66	8.64	33.960	26.361	169.9	0.649	3.59	54.8							231	206
250 ISL	8.38	8.35	33.991	26.429	163.7	0.681	3.39	51.4							250	
275	8.00	7.97	34.014	26.504	156.8	0.721	3.01	45.2							275	205
300 ISL	7.57	7.54	34.036	26.584	149.4	0.759	2.54	37.8							300	
324	7.18	7.15	34.056	26.655	142.9	0.794	2.09	30.8							324	204
384	6.60	6.56	34.106	26.773	132.1	0.877	1.35	19.6							384	203
400 ISL	6.45	6.41	34.115	26.800	129.7	0.898	1.20	17.4							400	
434	6.16	6.12	34.134	26.853	124.9	0.941	0.95	13.7							434	202
500 ISL	5.66	5.62	34.176	26.949	116.2	1.021	0.61	8.7							500	
503	5.64	5.60	34.178	26.953	115.9	1.024	0.59	8.4							503	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
31 4.8 N	122 39.8 W	19/10/98	0850	UTC	3984 m	340	20 kn			1016.1 mb	17.1 C	14.5 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	18.07	18.07	33.285	23.943	395.5	0.000	5.51	101.8					0.11	0.03	0	
3	18.07	18.07	33.285	23.943	395.6	0.012	5.51	101.8					0.11	0.03	3	220
10 ISL	18.07	18.07	33.285	23.943	395.8	0.040	5.50	101.6					0.12	0.03	10	
14	18.07	18.07	33.285	23.944	395.9	0.055	5.49	101.4					0.12	0.03	14	219
20 ISL	18.07	18.07	33.286	23.945	396.0	0.079	5.49	101.4					0.12	0.03	20	
30	18.07	18.06	33.288	23.947	396.2	0.119	5.49	101.4					0.11	0.03	30	218
44	18.07	18.06	33.285	23.945	396.8	0.174	5.50	101.6					0.11	0.02	44	217
50 ISL	18.02	18.01	33.289	23.960	395.6	0.198	5.51	101.7					0.11	0.02	50	
60	17.94	17.93	33.295	23.985	393.6	0.238	5.53	101.9					0.11	0.03	60	216
75	15.72	15.71	33.431	24.607	334.5	0.292	5.93	104.7					0.19	0.07	75	215
85	15.26	15.25	33.500	24.763	320.0	0.325	5.88	102.9					0.21	0.10	85	214
94	15.17	15.16	33.641	24.891	308.0	0.353	5.77	100.9					0.26	0.24	94	213
100 ISL	15.11	15.09	33.719	24.965	301.2	0.371	5.68	99.3					0.31	0.30	100	
104	15.07	15.05	33.759	25.004	297.6	0.383	5.63	98.3					0.33	0.33	104	212
114	14.49	14.47	33.672	25.062	292.3	0.413	5.55	95.8					0.28	0.40	114	211
125 ISL	14.37	14.35	33.792	25.181	281.3	0.444	5.34	92.0					0.20	0.28	125	
126	14.35	14.33	33.804	25.194	280.1	0.447	5.32	91.6					0.19	0.26	126	210
140	13.10	13.08	33.745	25.405	260.1	0.485	5.03	84.4					0.12	0.17	140	209
150 ISL	12.03	12.01	33.699	25.577	243.7	0.510	4.76	78.0					0.08	0.12	150	
164	10.67	10.65	33.676	25.807	221.8	0.543	4.40	70.0					0.05	0.07	164	208
192	9.56	9.54	33.821	26.109	193.4	0.601	3.94	61.3					0.01	0.03	192	207
200 ISL	9.37	9.35	33.863	26.172	187.5	0.616	3.76	58.2							200	
228	8.89	8.87	33.982	26.343	171.7	0.666	3.17	48.6							228	206
250 ISL	8.54	8.51	34.020	26.427	164.0	0.703	2.98	45.3							250	
266	8.31	8.28	34.033	26.472	159.8	0.729	2.88	43.6							266	205
300 ISL	7.88	7.85	34.062	26.560	152.0	0.782	2.44	36.6							300	
316	7.70	7.67	34.074	26.595	148.7	0.806	2.21	33.0							316	204
377	7.08	7.04	34.140	26.735	136.0	0.893	1.39	20.5							377	203
400 ISL	6.92	6.88	34.166	26.778	132.2	0.924	1.15	16.9							400	
438	6.64	6.60	34.199	26.842	126.5	0.973	0.85	12.4							438	202
500 ISL	5.91	5.87	34.195	26.933	118.0	1.049	0.64	9.2							500	
528	5.58	5.54	34.196	26.975	114.1	1.081	0.55	7.8							528	201

## CalCOFI Cruise 9810

## MACROZOOPLANKTON BIOMASS

Net Mesh Size: 0.505mm

Line	Sta.	Latitude N	Longitude W	Date Mo/Day	Time (PST)		Water Volume Strained (m <sup>3</sup> )	Max. Tow Depth (m)	Volume per 1000 m <sup>3</sup> Strained	
					Start	End			Total (cm <sup>3</sup> )	Small (cm <sup>3</sup> )
83	40.6	34 13.1	119 24.0	10/21	0929	0933	92	28	54	54
83	42	34 10.4	119 29.9	10/21	0739	0752	220	135	27	27
83	51	33 53.3	120 10.8	10/21	0022	0034	281	110	50	50
83	55	33 44.9	120 25.7	10/20	2052	2113	450	210	102	102
83	60	33 35.1	120 45.5	10/20	1640	1701	467	200	32	32
83	70	33 15.6	121 27.0	10/20	0923	0943	450	204	47	47
83	80	32 53.8	122 08.8	10/20	0212	0233	447	208	27	27
83	90	32 34.3	122 49.4	10/19	1822	1843	457	213	20	20
90	28	33 29.3	117 46.8	10/16	2016	2025	200	67	45	45
90	30	33 24.9	117 55.1	10/16	1642	1704	447	210	22	22
90	35	33 15.5	118 15.6	10/17	0111	0131	429	202	56	56
90	37	33 11.8	118 24.7	10/17	0450	0510	443	208	36	36
90	45	32 55.7	118 56.6	10/17	1046	1106	422	213	59	59
90	53	32 39.3	119 28.6	10/17	1646	1708	452	219	35	35
90	60	32 25.6	119 57.6	10/17	2218	2239	457	213	52	52
90	80	31 44.4	121 19.8	10/18	1244	1305	445	213	61	61

PERSONNEL

CalCOFI Cruise 9811

SHIP'S CAPTAIN

Christopher H. Curl, RV *Robert Gordon Sproul*

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

Hayward, Thomas L. (Chief Scientist)	Research Oceanographer, SIO
Cummings, Sherry L.	Staff Research Associate, SIO
Griffith, David A.	Fishery Biologist, NMFS
Hays, Amy E.	Fishery Biologist, NMFS
Hyrenbach, K. David	Graduate Student, SIO
McConnico, Laurie A.	Volunteer
Ramirez, Fernando	Staff Research Associate, SIO
Renger, Edward H.	Staff Research Associate, SIO
Swensen, Daryl L.	Biological Technician, NMFS
Wells, James A.	Marine Technician, SIO
Wilson, Robert C.	Resident Technician, SIO
Wolgast, David M.	Staff Research Associate, SIO



## FIGURES

### Cruise 9811

1. CalCOFI Cruise 9811, track and station positions.
2. Sections along CalCOFI line 90 (vertical exaggeration, 1000): A) potential density and geostrophic velocity (+ = northward); B) temperature; C) salinity; D) oxygen saturation; E) oxygen; F ) chlorophyll-*a*; and G) phaeopigments.




FIGURE 1

**CALCOFI CRUISE 9811**

18 - 21 NOVEMBER 1998

**POTENTIAL DENSITY ( $\sigma_\theta$ ) ALONG CALCOFI LINE 90  
GESTROPHIC VELOCITY RELATIVE TO 500m (cm/s)**




FIGURE 2A

# CALCOFI CRUISE 9811

18 - 21 NOVEMBER 1998

## TEMPERATURE (°C) ALONG CALCOFI LINE 90




FIGURE 2B

## SALINITY ALONG CALCOFI LINE 90




FIGURE 2C

# CALCOFI CRUISE 9811

18 - 21 NOVEMBER 1998

## OXYGEN SATURATION (%) ALONG CALCOFI LINE 90




FIGURE 2D




FIGURE 2E

# CALCOFI CRUISE 9811

18 - 21 NOVEMBER 1998

## CHLOROPHYLL-a ( $\mu\text{g/l}$ ) ALONG CALCOFI LINE 90




FIGURE 2F

## PHAEOPIGMENTS ( $\mu\text{g/l}$ ) ALONG CALCOFI LINE 90




FIGURE 2G

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
34 13.5 N	119 24.8 W	23/11/98	2117	UTC	36 m	300	08 kn	300 02 07	1	1020.0 mb	16.9 C	15.0 C				CI
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.47	15.47	33.463	24.685	324.8	0.000	6.13	107.8					4.12	0.23	0	
1	15.47	15.47	33.463	24.685	324.8	0.003	6.13	107.8					4.12	0.23	1	205
6	15.33	15.33	33.462	24.715	322.1	0.019	6.11	107.1					3.32	0.38	6	204
10	15.22	15.22	33.462	24.740	319.9	0.032	6.10	106.7					2.52	0.39	10	203
20	14.38	14.38	33.459	24.918	303.2	0.063	5.26	90.5					3.29	0.68	20	202
30	13.71	13.71	33.487	25.079	288.1	0.093	4.52	76.7					1.76	0.58	30	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
34 10.8 N	119 31.0 W	23/11/98	1859	UTC	143 m	240	06 kn	300 03 06	1	1021.0 mb	16.3 C	14.9 C				CI
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.62	15.62	33.469	24.656	327.5	0.000	5.75	101.4					1.09	0.24	0	
1	15.62	15.62	33.469	24.656	327.5	0.003	5.75	101.4					1.09	0.24	1	212
10	15.11	15.11	33.480	24.777	316.3	0.032	5.52	96.4					1.19	0.41	10	211
20 ISL	13.54	13.54	33.526	25.144	281.6	0.062	4.53	76.6					0.71	0.38	20	
21	13.38	13.38	33.533	25.182	278.1	0.065	4.42	74.5					0.65	0.38	21	210
30 ISL	12.90	12.90	33.582	25.316	265.6	0.089	3.85	64.3					0.36	0.32	30	
31	12.88	12.88	33.586	25.323	264.9	0.092	3.81	63.6					0.34	0.31	31	209
41	12.56	12.55	33.599	25.396	258.2	0.118	3.79	62.8					0.34	0.33	41	208
50 ISL	12.27	12.26	33.628	25.474	251.0	0.141	3.66	60.3					0.26	0.27	50	
51	12.24	12.23	33.632	25.483	250.1	0.144	3.64	59.9					0.25	0.26	51	207
60	12.04	12.03	33.658	25.541	244.8	0.166	3.47	56.9					0.23	0.27	60	206
71	11.93	11.92	33.665	25.568	242.6	0.193	3.44	56.3					0.20	0.27	71	205
75 ISL	11.78	11.77	33.676	25.604	239.2	0.202	3.39	55.3					0.17	0.23	75	
85	11.34	11.33	33.716	25.717	228.7	0.226	3.23	52.2					0.09	0.12	85	204
100	10.89	10.88	33.788	25.854	215.9	0.259	3.00	48.0					0.04	0.11	101	203
115	10.50	10.49	33.860	25.979	204.3	0.291	2.91	46.2					0.02	0.08	116	202
125 ISL	10.43	10.42	33.880	26.007	201.9	0.311	2.74	43.5					0.02	0.09	126	
130	10.40	10.38	33.890	26.020	200.8	0.321	2.66	42.2					0.02	0.09	131	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 52.2 N	120 8.6 W	23/11/98	1151	UTC	145 m	310	18 kn			1018.1 mb	14.0 C	13.5 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.33	14.33	33.479	24.943	300.2	0.000	5.39	92.6					1.24	0.37	0	
2	14.33	14.33	33.479	24.944	300.2	0.006	5.39	92.6					1.24	0.37	2	210
10	13.74	13.74	33.512	25.092	286.3	0.029	5.10	86.6					1.40	0.50	10	209
20 ISL	13.34	13.34	33.533	25.190	277.3	0.058	4.91	82.7					1.17	0.50	20	
21	13.31	13.31	33.535	25.197	276.6	0.060	4.89	82.3					1.14	0.50	21	208
30	12.82	12.82	33.561	25.315	265.6	0.085	4.59	76.5					1.03	0.52	30	207
41	11.83	11.82	33.586	25.524	245.9	0.113	4.01	65.4					0.48	0.32	41	206
50 ISL	11.61	11.60	33.615	25.588	240.1	0.135	3.81	61.9					0.34	0.30	50	
51	11.59	11.58	33.620	25.596	239.4	0.137	3.79	61.5					0.33	0.30	51	205
61	10.87	10.86	33.729	25.811	219.1	0.160	3.30	52.8					0.09	0.17	61	204
74	10.61	10.60	33.772	25.890	211.8	0.188	3.13	49.8					0.05	0.12	74	203
75 ISL	10.56	10.55	33.782	25.907	210.3	0.190	3.09	49.1					0.05	0.12	75	
87	10.02	10.01	33.905	26.096	192.5	0.214	2.62	41.2					0.02	0.10	87	202
98	9.86	9.85	33.933	26.145	188.1	0.235	2.56	40.1					0.01	0.08	99	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE	
33 44.9 N	120 24.9 W	23/11/98	0726 UTC	1040 m	290	15 kn			1018.5 mb	13.5 C	13.0 C					
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.67	14.67	33.448	24.847	309.3	0.000	5.76	99.6					2.10	0.59	0	
2	14.67	14.67	33.448	24.848	309.3	0.006	5.76	99.6					2.10	0.59	2	220
9	14.53	14.53	33.451	24.880	306.5	0.028	5.75	99.2					2.31	0.55	9	219
10 ISL	14.50	14.50	33.452	24.887	305.8	0.031	5.75	99.1					2.37	0.56	10	
18	14.25	14.25	33.461	24.947	300.4	0.055	5.75	98.6					2.63	0.67	18	218
20 ISL	14.20	14.20	33.461	24.958	299.4	0.061	5.73	98.2					2.57	0.66	20	
29	13.79	13.79	33.461	25.043	291.5	0.088	5.36	91.1					1.85	0.60	29	217
30 ISL	13.62	13.62	33.468	25.083	287.7	0.091	5.25	88.9					1.69	0.57	30	
38	12.19	12.19	33.537	25.418	255.9	0.112	4.41	72.5					0.51	0.33	38	216
49	11.52	11.51	33.557	25.559	242.8	0.140	4.13	66.9					0.26	0.26	49	215
50 ISL	11.48	11.47	33.557	25.567	242.1	0.142	4.11	66.6					0.25	0.25	50	
59	11.08	11.07	33.580	25.657	233.7	0.164	3.93	63.1					0.16	0.21	59	214
70	10.16	10.15	33.712	25.921	208.8	0.188	3.43	54.0					0.05	0.15	70	213
75 ISL	10.15	10.14	33.775	25.972	204.0	0.198	3.24	51.0					0.04	0.13	75	
85	10.14	10.13	33.845	26.028	198.9	0.218	2.90	45.7					0.02	0.09	85	212
100 ISL	9.77	9.76	33.945	26.169	185.8	0.247	2.50	39.1					0.01	0.07	101	
102	9.71	9.70	33.955	26.187	184.1	0.251	2.46	38.4					0.01	0.07	103	211
119	9.44	9.43	33.994	26.262	177.3	0.282	2.34	36.3					0.00	0.07	120	210
125 ISL	9.34	9.33	34.006	26.288	175.0	0.292	2.30	35.6					0.00	0.07	126	
137	9.14	9.13	34.028	26.337	170.5	0.313	2.22	34.2					0.00	0.07	138	209
150 ISL	8.91	8.89	34.053	26.394	165.3	0.335	2.12	32.5					0.00	0.07	151	
167	8.66	8.64	34.082	26.456	159.7	0.362	2.01	30.7					0.00	0.06	168	208
200	8.47	8.45	34.104	26.503	155.8	0.414	1.95	29.6					0.00	0.06	201	207
226	8.20	8.18	34.125	26.561	150.7	0.454	1.75	26.4							227	206
250 ISL	8.01	7.98	34.143	26.603	147.0	0.490	1.59	23.9							252	
265	7.91	7.88	34.153	26.626	145.0	0.512	1.51	22.7							267	205
300 ISL	7.73	7.70	34.167	26.664	142.0	0.562	1.38	20.6							302	
318	7.64	7.61	34.173	26.682	140.6	0.588	1.32	19.7							320	204
381	7.18	7.14	34.205	26.773	132.7	0.674	1.01	14.9							384	203
400 ISL	6.95	6.91	34.214	26.812	129.1	0.699	0.89	13.1							403	
438	6.47	6.43	34.235	26.893	121.6	0.746	0.67	9.7							441	202
500 ISL	5.96	5.92	34.273	26.989	112.9	0.819	0.44	6.3							504	
511	5.87	5.83	34.280	27.006	111.3	0.831	0.40	5.7							515	201

A) FIRST FLUOROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPIGMENT CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE	
33 34.7 N	120 45.7 W	23/11/98	0222 UTC	1510 m	300	18 kn			1017.6 mb	14.1 C	13.7 C					
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.86	14.86	33.417	24.783	315.5	0.000	5.92	102.8					0.84	0.29	0	
1	14.86	14.86	33.417	24.783	315.5	0.003	5.92	102.8					0.84	0.29	1	220
9	14.86	14.86	33.417	24.783	315.7	0.028	5.88	102.1					0.84	0.29	9	219
10 ISL	14.86	14.86	33.417	24.783	315.7	0.032	5.88	102.1					0.84	0.29	10	
19	14.86	14.86	33.417	24.783	316.0	0.060	5.89	102.3					0.88	0.29	19	218
20 ISL	14.86	14.86	33.417	24.783	316.0	0.063	5.89	102.3					0.88	0.29	20	
30	14.79	14.79	33.418	24.800	314.8	0.095	5.89	102.1					0.90	0.32	30	217
39	14.68	14.67	33.431	24.833	311.8	0.123	5.85	101.2					0.77	0.36	39	216
50	13.86	13.85	33.441	25.014	294.9	0.156	5.40	91.9					0.30	0.24	50	215
57	12.19	12.18	33.447	25.349	263.0	0.176	4.40	72.3					0.11	0.22	57	214
69	11.28	11.27	33.519	25.574	241.8	0.206	4.32	69.6					0.06	0.16	69	213
75 ISL	10.95	10.94	33.570	25.673	232.5	0.220	4.03	64.5					0.04	0.13	75	
84	10.58	10.57	33.644	25.796	221.0	0.241	3.54	56.2					0.03	0.11	84	212
100 ISL	10.30	10.29	33.725	25.908	210.7	0.275	3.24	51.2					0.02	0.15	100	
102	10.27	10.26	33.733	25.919	209.7	0.279	3.22	50.8					0.02	0.15	103	211
122	9.49	9.48	33.808	26.109	191.9	0.320	3.03	47.0					0.01	0.09	123	210
125 ISL	9.44	9.43	33.827	26.132	189.8	0.325	2.96	45.9					0.01	0.09	126	
139	9.25	9.23	33.916	26.232	180.5	0.351	2.67	41.3					0.01	0.07	140	209
150 ISL	9.00	8.98	33.957	26.304	173.8	0.371	2.64	40.6					0.01	0.06	151	
170	8.54	8.52	34.003	26.412	163.8	0.404	2.59	39.4					0.00	0.06	171	208
199	8.18	8.16	34.038	26.495	156.4	0.451	2.43	36.7					0.00	0.05	200	207
200 ISL	8.16	8.14	34.039	26.499	156.1	0.452	2.42	36.5							201	
230	7.65	7.63	34.073	26.601	146.7	0.498	2.10	31.3							231	206
250 ISL	7.41	7.39	34.078	26.639	143.3	0.527	1.97	29.2							251	
271	7.22	7.19	34.078	26.666	141.0	0.557	1.86	27.5							273	205
300 ISL	7.05	7.02	34.087	26.697	138.4	0.597	1.70	25.0							302	
320	6.93	6.90	34.093	26.718	136.6	0.625	1.58	23.2							322	204
381	6.26	6.23	34.103	26.815	127.8	0.705	1.17	16.9							383	203
400 ISL	6.12	6.08	34.120	26.847	125.0	0.729	1.01	14.5							403	
435	5.89	5.85	34.158	26.906	119.7	0.772	0.74	10.6							438	202
500 ISL	5.48	5.44	34.217	27.003	110.9	0.847	0.46	6.5							503	
511	5.41	5.37	34.227	27.020	109.4	0.859	0.41	5.8							515	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 14.7 N	121 26.7 W	22/11/98	1931	UTC	3805 m	330	18 kn	320 04 06	4	1020.2 mb	15.0 C	14.5 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/l	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	db	
0 ISL	14.36	14.36	33.284	24.787	315.1	0.000	5.96	102.3					0.65	0.22	0	
2	14.36	14.36	33.284	24.787	315.1	0.006	5.96	102.3					0.65	0.22	2	220
10 ISL	14.36	14.36	33.285	24.788	315.3	0.032	5.98	102.7					0.69	0.22	10	
11	14.36	14.36	33.285	24.788	315.3	0.035	5.98	102.7					0.70	0.22	11	219
20 ISL	14.36	14.36	33.286	24.789	315.5	0.063	5.95	102.2					0.77	0.28	20	
22	14.36	14.36	33.286	24.789	315.5	0.069	5.94	102.0					0.77	0.29	22	218
29	14.36	14.36	33.286	24.789	315.7	0.091	5.94	102.0					0.67	0.23	29	217
30 ISL	14.35	14.35	33.285	24.791	315.6	0.095	5.94	102.0					0.67	0.23	30	
41	14.23	14.22	33.331	24.851	310.1	0.129	5.88	100.7					0.63	0.26	41	216
50	13.47	13.46	33.287	24.974	298.6	0.156	5.75	96.9					0.25	0.23	50	215
61	12.42	12.41	33.204	25.117	285.2	0.189	5.23	86.2					0.19	0.21	61	214
71	11.78	11.77	33.397	25.388	259.7	0.216	4.46	72.6					0.10	0.18	71	213
75 ISL	11.58	11.57	33.472	25.483	250.7	0.226	4.16	67.5					0.08	0.19	75	
86	11.11	11.10	33.636	25.696	230.6	0.252	3.51	56.4					0.05	0.23	86	212
100 ISL	10.48	10.47	33.710	25.865	214.8	0.284	3.32	52.7					0.04	0.19	100	
102	10.39	10.38	33.714	25.884	213.0	0.288	3.29	52.1					0.04	0.18	102	211
120	9.56	9.55	33.783	26.077	194.9	0.325	3.19	49.6					0.02	0.11	121	210
125 ISL	9.42	9.41	33.805	26.118	191.1	0.334	3.19	49.5					0.02	0.10	126	
136	9.17	9.16	33.851	26.194	184.0	0.355	3.19	49.2					0.01	0.09	137	209
150 ISL	8.94	8.92	33.901	26.270	177.1	0.380	3.30	50.6					0.00	0.07	151	
168	8.68	8.66	33.952	26.351	169.7	0.411	3.37	51.4					0.00	0.06	169	208
200	8.11	8.09	34.010	26.483	157.5	0.464	2.74	41.3					0.00	0.09	201	207
226	7.77	7.75	34.021	26.542	152.2	0.504	2.70	40.4							227	206
250 ISL	7.48	7.46	34.044	26.602	146.8	0.540	2.37	35.2							251	
270	7.25	7.22	34.065	26.651	142.3	0.569	2.03	30.0							272	205
300 ISL	6.92	6.89	34.085	26.713	136.8	0.611	1.66	24.3							302	
318	6.74	6.71	34.095	26.745	133.9	0.635	1.47	21.5							320	204
379	6.20	6.17	34.125	26.840	125.4	0.714	1.04	15.0							381	203
400 ISL	6.05	6.02	34.144	26.875	122.3	0.740	0.89	12.8							403	
439	5.81	5.77	34.184	26.936	116.8	0.787	0.65	9.3							442	202
500 ISL	5.52	5.48	34.238	27.015	109.9	0.856	0.43	6.1							503	
519	5.43	5.39	34.255	27.039	107.7	0.877	0.36	5.1							523	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 54.3 N	122 8.4 W	22/11/98	1204	UTC	4188 m	320	18 kn			1021.3 mb	16.5 C	15.0 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/l	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	db	
0 ISL	17.17	17.17	33.381	24.233	367.9	0.000	5.56	101.0					0.15	0.03	0	
2	17.17	17.17	33.381	24.233	367.9	0.007	5.56	101.0					0.15	0.03	2	220
10 ISL	17.18	17.18	33.382	24.232	368.3	0.037	5.57	101.2					0.16	0.03	10	
15	17.18	17.18	33.383	24.233	368.4	0.055	5.57	101.2					0.16	0.03	15	219
20 ISL	17.18	17.18	33.383	24.233	368.5	0.074	5.57	101.2					0.16	0.03	20	
30 ISL	17.18	17.18	33.382	24.232	368.9	0.111	5.56	101.0					0.15	0.03	30	
31	17.18	17.17	33.382	24.232	368.9	0.114	5.56	101.0					0.15	0.03	31	218
46	17.18	17.17	33.395	24.243	368.4	0.170	5.57	101.2					0.16	0.04	46	217
50 ISL	17.18	17.17	33.394	24.242	368.6	0.184	5.57	101.2					0.15	0.04	50	
57	17.18	17.17	33.391	24.240	369.1	0.210	5.56	101.0					0.14	0.04	57	216
66	17.17	17.16	33.388	24.241	369.3	0.243	5.58	101.4					0.15	0.04	66	215
75 ISL	15.26	15.25	33.262	24.579	337.2	0.275	5.85	102.3					0.32	0.20	75	
77	14.81	14.80	33.243	24.662	329.3	0.282	5.91	102.4					0.35	0.24	77	214
86	14.39	14.38	33.291	24.788	317.4	0.311	5.86	100.7					0.32	0.25	86	213
97	14.14	14.13	33.313	24.858	311.1	0.345	5.82	99.5					0.29	0.21	97	212
100 ISL	14.05	14.04	33.372	24.922	305.0	0.355	5.79	98.8					0.26	0.20	100	
110	13.65	13.63	33.564	25.153	283.3	0.384	5.64	95.6					0.17	0.17	110	211
124	12.73	12.71	33.538	25.317	267.9	0.423	5.24	87.1					0.11	0.13	125	210
125 ISL	12.68	12.66	33.539	25.328	266.9	0.425	5.21	86.5					0.11	0.13	126	
145	11.56	11.54	33.612	25.597	241.6	0.476	4.69	76.1					0.06	0.08	146	209
150 ISL	11.18	11.16	33.645	25.692	232.6	0.488	4.55	73.2					0.05	0.07	151	
170	9.75	9.73	33.797	26.058	197.8	0.531	4.04	63.1					0.01	0.03	171	208
198	8.88	8.86	33.941	26.312	174.1	0.583	3.70	56.7					0.00	0.01	199	207
200 ISL	8.83	8.81	33.946	26.323	172.9	0.587	3.66	56.0							201	
228	8.26	8.24	33.988	26.444	161.8	0.633	3.17	47.9							229	206
250 ISL	7.90	7.87	34.001	26.508	155.9	0.668	3.12	46.8							251	
272	7.57	7.54	34.005	26.559	151.3	0.702	3.06	45.5							273	205
300 ISL	7.16	7.13	34.005	26.617	146.0	0.744	2.80	41.3							302	
321	6.87	6.84	34.005	26.657	142.4	0.774	2.54	37.2							323	204
376	6.14	6.11	34.026	26.770	131.9	0.850	1.82	26.2							378	203
400 ISL	5.96	5.93	34.047	26.809	128.4	0.881	1.52	21.8							402	
437	5.75	5.71	34.084	26.865	123.4	0.927	1.12	16.0							440	202
500 ISL	5.38	5.34	34.143	26.957	115.2	1.003	0.71	10.0							503	
510	5.32	5.28	34.153	26.972	113.8	1.014	0.64	9.0							513	201



LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 34.7 N	122 48.9 W	22/11/98	0427	UTC	4252 m	350	15 kn			1021.5 mb	16.9 C	15.1 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.96	16.96	33.256	24.186	372.3	0.000	5.64	102.0					0.15	0.04	0	
1	16.96	16.96	33.256	24.187	372.3	0.004	5.64	102.0					0.15	0.04	1	220
10 ISL	16.96	16.96	33.255	24.186	372.6	0.037	5.63	101.8					0.15	0.04	10	
14	16.96	16.96	33.255	24.186	372.7	0.052	5.62	101.6					0.15	0.04	14	219
20 ISL	16.96	16.96	33.255	24.186	372.9	0.075	5.62	101.6					0.15	0.04	20	
29	16.96	16.96	33.258	24.189	373.0	0.108	5.62	101.6					0.16	0.04	29	218
30 ISL	16.96	16.96	33.258	24.189	373.0	0.112	5.62	101.6					0.16	0.04	30	
45	16.92	16.91	33.258	24.199	372.5	0.168	5.63	101.7					0.19	0.05	45	217
50 ISL	16.92	16.91	33.260	24.201	372.6	0.186	5.63	101.7					0.20	0.05	50	
60	16.92	16.91	33.263	24.203	372.6	0.224	5.62	101.5					0.21	0.06	60	216
75	16.19	16.18	33.210	24.332	360.8	0.279	5.71	101.7					0.33	0.16	75	215
85	14.91	14.90	33.059	24.499	345.0	0.314	5.87	101.8					0.33	0.21	85	214
94	13.82	13.81	33.071	24.737	322.4	0.344	5.79	98.2					0.25	0.23	94	213
100 ISL	13.73	13.72	33.098	24.777	318.8	0.363	5.80	98.2					0.23	0.21	100	
105	13.65	13.64	33.109	24.802	316.6	0.379	5.80	98.0					0.21	0.19	105	212
114	14.70	14.68	33.630	24.985	299.6	0.407	5.76	99.8					0.13	0.14	114	211
125	14.65	14.63	33.747	25.086	290.3	0.439	5.66	98.0					0.12	0.15	125	210
139	14.30	14.28	33.757	25.169	282.8	0.479	5.57	95.8					0.11	0.16	140	209
150 ISL	13.41	13.39	33.710	25.316	268.9	0.510	5.32	89.8					0.09	0.13	151	
163	12.15	12.13	33.662	25.526	248.9	0.543	4.94	81.2					0.06	0.09	164	208
194	10.06	10.04	33.747	25.968	207.0	0.614	4.13	64.9					0.02	0.04	195	207
200 ISL	9.80	9.78	33.780	26.037	200.5	0.626	4.02	62.8							201	
228	8.92	8.90	33.929	26.296	176.1	0.679	3.63	55.7							229	206
250 ISL	8.47	8.44	33.984	26.409	165.6	0.717	3.42	51.9							251	
267	8.20	8.17	34.004	26.466	160.4	0.744	3.30	49.8							268	205
300 ISL	7.65	7.62	34.011	26.553	152.4	0.796	3.07	45.8							302	
317	7.40	7.37	34.007	26.585	149.4	0.822	2.95	43.7							319	204
377	6.73	6.70	34.017	26.686	140.4	0.909	2.30	33.6							379	203
400 ISL	6.52	6.48	34.033	26.727	136.7	0.940	1.97	28.6							402	
435	6.24	6.20	34.065	26.788	131.1	0.987	1.47	21.2							438	202
500 ISL	5.81	5.77	34.141	26.903	120.7	1.069	0.84	12.0							503	
514	5.72	5.68	34.158	26.928	118.5	1.086	0.71	10.1							517	201

A) SECOND FLUOROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPIGMENT CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 14.7 N	123 29.5 W	21/11/98	2051	UTC	4135 m	330	16 kn	280 05 09	1	1023.1 mb	17.2 C	15.1 C			5/8	SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	17.30	17.30	33.477	24.276	363.8	0.000	5.61	102.3					0.14	0.03	0	
1	17.30	17.30	33.477	24.276	363.8	0.004	5.61	102.3					0.14	0.03	1	220
10 ISL	17.28	17.28	33.480	24.283	363.4	0.036	5.60	102.0					0.14	0.04	10	
15	17.26	17.26	33.482	24.290	363.0	0.055	5.60	102.0					0.14	0.04	15	219
20 ISL	17.26	17.26	33.481	24.289	363.2	0.073	5.59	101.8					0.14	0.04	20	
29	17.23	17.23	33.473	24.290	363.3	0.105	5.59	101.7					0.14	0.04	29	218
30 ISL	17.22	17.22	33.471	24.291	363.3	0.109	5.59	101.7					0.14	0.04	30	
44	17.06	17.05	33.442	24.307	362.2	0.160	5.62	101.9					0.19	0.06	44	217
50 ISL	17.04	17.03	33.441	24.312	362.0	0.182	5.67	102.8					0.19	0.05	50	
54	17.03	17.02	33.440	24.313	362.0	0.196	5.70	103.3					0.19	0.05	54	216
65	15.95	15.94	33.311	24.463	348.0	0.235	5.72	101.4					0.33	0.17	65	215
75 ISL	15.59	15.58	33.277	24.518	343.0	0.270	5.72	100.7					0.30	0.18	75	
76	15.56	15.55	33.278	24.525	342.3	0.273	5.72	100.6					0.30	0.18	76	214
84	14.92	14.91	33.317	24.695	326.3	0.300	5.83	101.3					0.26	0.21	84	213
93	14.49	14.48	33.478	24.912	305.9	0.328	5.75	99.1					0.17	0.15	93	212
100 ISL	14.20	14.19	33.499	24.989	298.7	0.349	5.67	97.1					0.18	0.17	100	
109	13.78	13.76	33.491	25.070	291.2	0.376	5.50	93.4					0.20	0.20	109	211
123	12.77	12.75	33.584	25.345	265.2	0.415	5.03	83.7					0.12	0.14	124	210
125 ISL	12.56	12.54	33.585	25.387	261.3	0.420	4.96	82.2					0.11	0.13	126	
145	10.57	10.55	33.629	25.787	223.2	0.469	4.08	64.8					0.04	0.06	146	209
150 ISL	10.31	10.29	33.686	25.877	214.8	0.480	3.71	58.6					0.03	0.05	151	
169	9.76	9.74	33.914	26.148	189.3	0.518	2.43	38.0					0.01	0.03	170	208
198	9.36	9.34	34.033	26.307	174.7	0.571	2.03	31.5					0.01	0.03	199	207
200 ISL	9.34	9.32	34.038	26.314	174.0	0.574	2.02	31.3							201	
230	9.04	9.01	34.086	26.400	166.4	0.625	1.87	28.8							231	206
250 ISL	8.88	8.85	34.117	26.450	162.0	0.658	1.76	27.0							251	
270	8.74	8.71	34.143	26.493	158.3	0.690	1.65	25.2							271	205
300 ISL	8.54	8.51	34.166	26.542	154.0	0.737	1.53	23.3							302	
323	8.37	8.34	34.175	26.576	151.2	0.772	1.46	22.1							325	204
375	7.90	7.86	34.183	26.653	144.5	0.849	1.33	20.0							377	203
400 ISL	7.67	7.63	34.189	26.691	141.1	0.885	1.23	18.4							402	
441	7.25	7.21	34.196	26.757	135.2	0.941	1.05	15.5							444	202
500 ISL	6.47	6.42	34.184	26.853	126.2	1.018	0.85	12.3							503	
514	6.28	6.23	34.182	26.877	124.0	1.036	0.80	11.6							517	201



LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 11.2 N	118 22.8 W	19/11/98	1107	UTC	1177 m	070	05 kn			1017.8 mb	16.0 C	14.0 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.98	16.98	33.498	24.367	355.0	0.000	5.66	102.5					0.29	0.06	0	
2	16.98	16.98	33.498	24.367	355.1	0.007	5.66	102.5					0.29	0.06	2	220
10 ISL	16.99	16.99	33.498	24.365	355.5	0.036	5.67	102.7					0.30	0.07	10	
16	17.00	17.00	33.497	24.363	356.0	0.057	5.67	102.8					0.31	0.08	16	219
20 ISL	16.44	16.44	33.467	24.470	345.9	0.071	5.66	101.4					0.37	0.10	20	
30 ISL	14.82	14.82	33.428	24.801	314.6	0.104	5.63	97.7					0.51	0.22	30	
31	14.64	14.64	33.427	24.839	311.1	0.107	5.63	97.3					0.53	0.23	31	218
45	13.34	13.33	33.557	25.209	276.1	0.148	4.50	75.8					0.59	0.53	45	217
50 ISL	12.98	12.97	33.570	25.291	268.4	0.162	4.33	72.4					0.44	0.51	50	
54	12.73	12.72	33.576	25.345	263.4	0.172	4.23	70.3					0.31	0.49	54	216
66	12.16	12.15	33.630	25.497	249.2	0.203	3.83	63.0					0.14	0.27	66	215
75 ISL	11.90	11.89	33.645	25.558	243.6	0.225	3.72	60.8					0.11	0.23	75	
76	11.87	11.86	33.648 D	25.566	242.9	0.228	3.70	60.4					0.11	0.23	76	214
85	11.25	11.24	33.723	25.739	226.6	0.249	3.31	53.4					0.05	0.11	85	213
95	10.54	10.53	33.767	25.899	211.5	0.271	3.24	51.5					0.03	0.12	95	212
100 ISL	10.34	10.33	33.777	25.941	207.5	0.281	3.23	51.1					0.02	0.11	100	
110	10.11	10.10	33.799	25.998	202.3	0.302	3.22	50.7					0.01	0.08	111	211
125	9.93	9.92	33.881	26.093	193.6	0.331	2.89	45.3					0.01	0.05	126	210
145	9.88	9.86	33.999	26.194	184.5	0.369	2.38	37.3					0.00	0.05	146	209
150 ISL	9.77	9.75	34.010	26.221	182.0	0.378	2.33	36.4					0.00	0.05	151	
167	9.37	9.35	34.031	26.303	174.4	0.409	2.25	34.9					0.00	0.04	168	208
199	9.05	9.03	34.107	26.415	164.4	0.463	1.99	30.6					0.00	0.04	200	207
200 ISL	9.03	9.01	34.108	26.419	164.0	0.465	1.99	30.6							201	
229	8.52	8.50	34.122	26.510	155.7	0.511	1.92	29.2							230	206
250 ISL	8.20	8.17	34.137	26.570	150.2	0.543	1.76	26.6							251	
268	7.95	7.92	34.151	26.619	145.8	0.570	1.60	24.0							270	205
300 ISL	7.56	7.53	34.170	26.691	139.3	0.615	1.36	20.3							302	
320	7.36	7.33	34.181	26.728	136.0	0.643	1.22	18.1							322	204
377	6.98	6.94	34.223	26.814	128.5	0.718	0.82	12.1							379	203
400 ISL	6.75	6.71	34.239	26.859	124.5	0.747	0.69	10.1							403	
437	6.39	6.35	34.264	26.926	118.3	0.792	0.51	7.4							440	202
500 ISL	6.02	5.98	34.301	27.004	111.6	0.865	0.36	5.2							503	
519	5.91	5.86	34.312	27.026	109.6	0.886	0.31	4.4							523	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 55.2 N	118 56.1 W	19/11/98	1706	UTC	1703 m	340	07 kn	260 03 06		1020.0 mb	15.1 C	14.5 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.00	15.00	33.377	24.722	321.3	0.000	6.05	105.3					1.01	0.57	0	
2	15.00	15.00	33.377	24.722	321.3	0.006	6.05	105.3					1.01	0.57	2	220
10	14.94	14.94	33.378	24.736	320.2	0.032	6.06	105.4					1.16	0.64	10	219
20	14.76	14.76	33.412	24.801	314.3	0.064	6.05	104.8					3.64	1.62	20	218
29	14.65	14.65	33.438	24.845	310.4	0.092	5.90	102.0					4.12	1.71	29	217
30 ISL	14.57	14.57	33.437	24.861	308.9	0.095	5.83	100.6					3.84	1.61	30	
41	13.44	13.43	33.415	25.079	288.4	0.128	5.05	85.2					0.49	0.44	41	216
50	12.56	12.55	33.392	25.235	273.7	0.153	4.70	77.8					0.16	0.35	50	215
60	11.54	11.53	33.479	25.495	249.1	0.179	4.21	68.2					0.11	0.29	60	214
70	10.99	10.98	33.545	25.646	234.9	0.204	3.97	63.6					0.08	0.23	70	213
75 ISL	10.81	10.80	33.603	25.724	227.7	0.215	3.81	60.8					0.07	0.20	75	
86	10.46	10.45	33.731	25.885	212.6	0.239	3.47	55.0					0.05	0.15	86	212
99	9.92	9.91	33.820	26.046	197.4	0.266	3.19	50.0					0.03	0.10	99	211
100 ISL	9.90	9.89	33.826	26.054	196.7	0.268	3.17	49.7					0.03	0.10	100	
119	9.58	9.57	33.919	26.180	185.1	0.304	2.76	43.0					0.03	0.08	120	210
125 ISL	9.44	9.43	33.948	26.226	180.8	0.315	2.66	41.3					0.03	0.08	126	
138	9.14	9.12	34.003	26.318	172.3	0.338	2.47	38.1					0.02	0.08	139	209
150 ISL	9.02	9.00	34.033	26.361	168.5	0.359	2.37	36.5					0.02	0.07	151	
169	8.89	8.87	34.061	26.403	164.8	0.390	2.25	34.5					0.01	0.06	170	208
198	8.44	8.42	34.100	26.504	155.6	0.437	2.05	31.1					0.01	0.05	199	207
200 ISL	8.40	8.38	34.103	26.513	154.8	0.440	2.03	30.8							201	
228	7.89	7.87	34.131	26.611	145.8	0.482	1.72	25.8							229	206
250 ISL	7.61	7.59	34.135	26.655	141.9	0.514	1.62	24.1							251	
267	7.44	7.41	34.134	26.679	139.8	0.537	1.56	23.2							269	205
300 ISL	7.13	7.10	34.145	26.731	135.2	0.583	1.36	20.0							302	
317	7.01	6.98	34.155	26.756	133.1	0.606	1.25	18.4							319	204
377	6.78	6.75	34.218	26.838	126.1	0.683	0.84	12.3							379	203
400 ISL	6.64	6.60	34.233	26.869	123.5	0.712	0.72	10.5							403	
439	6.39	6.35	34.254	26.918	119.1	0.759	0.55	8.0							442	202
500 ISL	6.05	6.01	34.289	26.990	112.8	0.830	0.38	5.5							503	
515	5.97	5.92	34.298	27.008	111.3	0.847	0.34	4.9							519	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 38.9 N	119 28.3 W	19/11/98	2310	UTC	1286 m	330	08 kn	340 04 09	1	1019.5 mb	16.1 C	14.6 C				AS
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.28	15.28	33.390	24.671	326.1	0.000	6.00	105.0					0.80	0.37	0	
2	15.28	15.28	33.390	24.671	326.2	0.007	6.00	105.0					0.80	0.37	2	220
10	15.03	15.03	33.388	24.724	321.4	0.032	6.04	105.2					0.81	0.41	10	219
20	14.99	14.99	33.388	24.733	320.8	0.065	6.00	104.4					0.89	0.52	20	218
30	15.00	15.00	33.402	24.742	320.2	0.097	5.97	103.9					1.72	0.82	30	217
41	14.91	14.90	33.445	24.795	315.5	0.132	5.87	102.0					1.99	0.83	41	216
50	14.14	14.13	33.421	24.940	301.9	0.159	5.58	95.5					1.45	0.78	50	215
60	12.33	12.32	33.301	25.209	276.4	0.188	4.89	80.5					0.25	0.34	60	214
70	12.08	12.07	33.399	25.333	264.8	0.215	4.76	78.0					0.18	0.35	70	213
75 ISL	11.75	11.74	33.458	25.441	254.7	0.228	4.61	75.0					0.15	0.30	75	
84	11.10	11.09	33.562	25.640	235.9	0.250	4.32	69.4					0.10	0.20	84	212
98	10.50	10.49	33.670	25.830	218.0	0.282	4.07	64.6					0.06	0.14	98	211
100 ISL	10.43	10.42	33.677	25.848	216.4	0.287	4.03	63.8					0.06	0.14	100	
119	9.85	9.84	33.734	25.991	203.1	0.326	3.65	57.1					0.04	0.12	120	210
125 ISL	9.62	9.61	33.768	26.056	197.0	0.338	3.54	55.1					0.03	0.11	126	
137	9.19	9.18	33.841	26.183	185.1	0.361	3.35	51.7					0.02	0.09	138	209
150 ISL	8.88	8.86	33.901	26.279	176.1	0.385	3.24	49.7					0.02	0.08	151	
169	8.55	8.53	33.963	26.379	166.9	0.417	3.13	47.6					0.01	0.06	170	208
200	8.11	8.09	34.011	26.484	157.4	0.468	2.89	43.5					0.01	0.04	201	207
227	7.84	7.82	34.040	26.547	151.8	0.509	2.53	37.9							228	206
250 ISL	7.58	7.56	34.066	26.605	146.5	0.544	2.20	32.8							251	
269	7.37	7.34	34.085	26.650	142.5	0.571	1.94	28.8							271	205
300 ISL	7.06	7.03	34.099	26.705	137.7	0.615	1.66	24.4							302	
318	6.89	6.86	34.105	26.733	135.2	0.639	1.52	22.3							320	204
377	6.45	6.42	34.143	26.822	127.3	0.717	1.07	15.5							379	203
400 ISL	6.25	6.21	34.168	26.868	123.1	0.745	0.88	12.7							403	
438	5.95	5.91	34.213	26.942	116.4	0.791	0.61	8.7							441	202
500 ISL	5.75	5.71	34.272	27.014	110.2	0.861	0.43	6.1							503	
517	5.70	5.66	34.288	27.033	108.6	0.880	0.38	5.4							521	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 24.9 N	119 57.2 W	20/11/98	0506	UTC	934 m	350	18 kn			1021.2 mb	16.0 C	13.8 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.65	15.65	33.325	24.539	338.7	0.000									0	
1	15.65	15.65	33.325	24.539	338.7	0.003									1	221
10	15.65	15.65	33.336	24.548	338.2	0.034									10	220
20	15.66	15.66	33.336	24.546	338.7	0.068									20	219
30	15.66	15.66	33.337	24.547	338.9	0.102									30	218
40	15.46	15.45	33.341	24.595	334.6	0.135									40	217
50	15.05	15.04	33.396	24.727	322.3	0.168									50	216
60	14.29	14.28	33.380	24.877	308.2	0.200									60	215
70	12.97	12.96	33.301	25.085	288.5	0.229									70	214
75 ISL	12.56	12.55	33.325	25.184	279.2	0.244									75	
79	12.31	12.30	33.357	25.257	272.4	0.255									79	213
95	11.83	11.82	33.469	25.435	255.8	0.297	4.64	75.6					0.11	0.22	95	212
100 ISL	11.38	11.37	33.527	25.563	243.7	0.309	4.42	71.4					0.09	0.17	100	
109	10.58	10.57	33.627	25.783	222.8	0.330	4.03	64.0					0.05	0.09	109	211
125	10.15	10.14	33.672	25.892	212.7	0.365	3.78	59.5					0.03	0.09	126	210
143	9.54	9.52	33.788	26.085	194.6	0.402	3.52	54.7					0.02	0.06	144	209
150 ISL	9.34	9.32	33.831	26.151	188.4	0.415	3.42	52.9					0.01	0.05	151	
168	8.90	8.88	33.927	26.297	174.8	0.448	3.13	48.0					0.00	0.03	169	208
199	8.43	8.41	34.022	26.444	161.3	0.500	2.56	38.9					0.00	0.03	200	207
200 ISL	8.42	8.40	34.023	26.447	161.1	0.502	2.56	38.9							201	
231	7.98	7.96	34.038	26.525	154.0	0.551	2.58	38.8							232	206
250 ISL	7.71	7.69	34.047	26.572	149.8	0.579	2.46	36.7							251	
265	7.52	7.49	34.056	26.606	146.7	0.602	2.31	34.3							267	205
300 ISL	7.29	7.26	34.093	26.668	141.3	0.652	1.86	27.5							302	
320	7.19	7.16	34.115	26.700	138.6	0.680	1.61	23.8							322	204
380	6.59	6.56	34.152	26.811	128.5	0.760	1.28	18.6							382	203
400 ISL	6.47	6.43	34.174	26.844	125.6	0.786	1.05	15.2							403	
434	6.30	6.26	34.210	26.895	121.1	0.827	0.67	9.7							437	202
500 ISL	5.85	5.81	34.234	26.972	114.3	0.905	0.49	7.0							503	
517	5.73	5.69	34.241	26.992	112.5	0.924	0.44	6.3							521	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 5.4 N	120 37.5 W	20/11/98	1214	UTC	3797 m	350	17 kn			1021.1 mb	15.0 C	13.0 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.54	15.54	33.318	24.558	336.9	0.000	5.71	100.4					0.41	0.14	0	
2	15.54	15.54	33.318	24.558	336.9	0.007	5.71	100.4					0.41	0.14	2	220
10 ISL	15.55	15.55	33.318	24.556	337.4	0.034	5.70	100.3					0.43	0.15	10	
16	15.55	15.55	33.318	24.556	337.5	0.054	5.70	100.3					0.45	0.15	16	219
20 ISL	15.55	15.55	33.318	24.556	337.6	0.067	5.71	100.5					0.44	0.15	20	
30 ISL	15.55	15.55	33.317	24.556	338.0	0.101	5.73	100.8					0.42	0.14	30	
31	15.55	15.55	33.317	24.556	338.0	0.105	5.73	100.8					0.42	0.14	31	218
46	15.55	15.54	33.317	24.557	338.4	0.155	5.70	100.3					0.43	0.14	46	217
50 ISL	15.54	15.53	33.316	24.558	338.4	0.169	5.71	100.4					0.44	0.14	50	
53	15.54	15.53	33.316	24.558	338.5	0.179	5.71	100.4					0.44	0.14	53	216
63	13.63	13.62	33.253 D	24.916	304.5	0.211	4.66 U	78.8 U					0.15 U	0.19 U	63	215
75	12.71	12.70	33.307	25.141	283.3	0.246	5.03	83.5					0.11	0.18	75	214
85	12.10	12.09	33.436	25.358	262.8	0.274	4.57	74.9					0.15	0.16	85	213
95	11.55	11.54	33.495	25.507	248.9	0.299	4.33	70.2					0.06	0.10	95	212
100 ISL	11.22	11.21	33.547	25.607	239.4	0.312	4.17	67.1					0.05	0.08	100	
111	10.60	10.59	33.663	25.808	220.5	0.337	3.84	61.0					0.03	0.05	111	211
125	10.27	10.26	33.740	25.925	209.6	0.367	3.58	56.5					0.02	0.05	125	210
145	9.73	9.71	33.819	26.078	195.4	0.407	3.26	50.9					0.01	0.03	145	209
150 ISL	9.66	9.64	33.849	26.113	192.1	0.417	3.15	49.1					0.01	0.03	151	
170	9.43	9.41	33.973	26.248	179.7	0.454	2.70	41.9					0.00	0.03	171	208
199	8.99	8.97	34.101	26.419	163.9	0.504	2.21	34.0					0.00	0.02	200	207
200 ISL	8.98	8.96	34.104	26.423	163.5	0.506	2.19	33.7							201	
229	8.72	8.70	34.183	26.527	154.2	0.552	1.71	26.2							230	206
250 ISL	8.40	8.37	34.203	26.592	148.3	0.584	1.52	23.1							251	
268	8.11	8.08	34.211	26.642	143.7	0.610	1.40	21.1							270	205
300 ISL	7.73	7.70	34.235	26.717	136.9	0.655	1.10	16.5							302	
319	7.55	7.52	34.248	26.754	133.7	0.681	0.93	13.9							321	204
379	7.14	7.10	34.275	26.833	126.9	0.759	0.65	9.6							381	203
400 ISL	6.98	6.94	34.286	26.865	124.2	0.785	0.55	8.1							403	
438	6.72	6.68	34.309	26.918	119.4	0.831	0.40	5.8							441	202
500 ISL	6.43	6.38	34.346	26.987	113.6	0.904	0.25	3.6							503	
510	6.38	6.33	34.352	26.998	112.7	0.915	0.23	3.3							513	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
31 44.9 N	121 19.1 W	20/11/98	1918	UTC	3676 m	340	22 kn	270 05 05	0	1023.5 mb	16.6 C	14.1 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.78	16.78	33.419	24.354	356.3	0.000	5.62	101.4					0.17	0.05	0	
2	16.78	16.78	33.419	24.354	356.4	0.007	5.62	101.4					0.17	0.05	2	220
10 ISL	16.77	16.77	33.410	24.349	357.1	0.036	5.62	101.3					0.17	0.05	10	
16	16.77	16.77	33.402	24.344	357.8	0.057	5.62	101.3					0.17	0.05	16	219
20 ISL	16.77	16.77	33.402	24.344	358.0	0.071	5.62	101.3					0.17	0.05	20	
30 ISL	16.77	16.77	33.401	24.343	358.3	0.107	5.62	101.3					0.18	0.05	30	
31	16.77	16.76	33.401	24.343	358.3	0.111	5.62	101.3					0.18	0.05	31	218
45	16.76	16.75	33.402	24.347	358.5	0.161	5.68	102.4					0.19	0.05	45	217
50 ISL	16.76	16.75	33.403	24.348	358.5	0.179	5.65	101.8					0.19	0.05	50	
55	16.76	16.75	33.404	24.349	358.6	0.197	5.60	100.9					0.19	0.05	55	216
63	16.29	16.28	33.376 D	24.436	350.5	0.225	5.50	98.2					0.28	0.19	63	215
74	14.28	14.27	33.290 D	24.810	315.0	0.262	5.31 U	91.0 U					0.34	0.29	74	214
75 ISL	14.28	14.27	33.309	24.825	313.6	0.265	5.39	92.4					0.33	0.29	75	
85	14.24	14.23	33.460 D	24.950	302.0	0.296	5.00 U	85.7 U					0.25	0.30	85	213
95	13.42	13.41	33.520	25.166	281.6	0.325	5.13	86.5					0.21	0.32	95	212
100 ISL	13.12	13.11	33.541	25.242	274.5	0.339	5.02	84.1					0.18	0.29	100	
110	12.55	12.54	33.571	25.378	261.7	0.366	4.79	79.3					0.13	0.22	110	211
125	11.48	11.46	33.604	25.605	240.3	0.403	4.47	72.4					0.09	0.13	125	210
143	10.47	10.45	33.692	25.854	216.8	0.444	4.02	63.7					0.04	0.07	143	209
150 ISL	10.17	10.15	33.723	25.929	209.7	0.459	3.96	62.4					0.03	0.06	151	
172	9.46	9.44	33.816	26.120	191.8	0.504	3.84	59.6					0.01	0.03	173	208
196	8.90	8.88	33.917	26.290	176.1	0.548	3.52	54.0					0.00	0.03	197	207
200 ISL	8.82	8.80	33.931	26.313	173.9	0.555	3.43	52.5							201	
229	8.33	8.31	34.010	26.451	161.2	0.603	2.79	42.2							230	206
250 ISL	7.99	7.96	34.034	26.521	154.8	0.636	2.57	38.6							251	
270	7.72	7.69	34.049	26.572	150.1	0.667	2.41	36.0							271	205
300 ISL	7.55	7.52	34.094	26.632	144.9	0.711	1.98	29.5							302	
321	7.46	7.43	34.124	26.669	141.7	0.741	1.68	25.0							323	204
379	6.85	6.81	34.170	26.790	130.7	0.820	1.14	16.7							381	203
400 ISL	6.70	6.66	34.192	26.828	127.3	0.847	0.95	13.9							402	
440	6.44	6.40	34.234	26.896	121.3	0.897	0.65	9.4							443	202
500 ISL	5.99	5.95	34.275	26.987	113.1	0.967	0.48	6.9							503	
512	5.90	5.86	34.284	27.005	111.4	0.981	0.45	6.4							515	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
31 25.4 N	121 58.9 W	21/11/98	0150	UTC	3910 m	350	20 kn			1022.9 mb	15.2 C	14.0 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.26	16.26	33.324	24.401	351.9	0.000	5.71	101.9					0.19	0.05	0	
2	16.26	16.26	33.324	24.401	351.9	0.007	5.71	101.9					0.19	0.05	2	220
10 ISL	16.26	16.26	33.323	24.400	352.2	0.035	5.70	101.7					0.20	0.05	10	
14	16.26	16.26	33.323	24.400	352.3	0.049	5.70	101.7					0.20	0.05	14	219
20 ISL	16.26	16.26	33.323	24.401	352.5	0.070	5.69	101.5					0.20	0.05	20	
30	16.27	16.27	33.324	24.399	353.0	0.106	5.67	101.2					0.19	0.05	30	218
46	16.27	16.26	33.322	24.398	353.6	0.162	5.70	101.7					0.22	0.07	46	217
50 ISL	16.24	16.23	33.323	24.406	352.9	0.176	5.70	101.7					0.23	0.08	50	
55	16.20	16.19	33.323	24.415	352.2	0.194	5.69	101.4					0.26	0.09	55	216
65	15.64	15.63	33.335	24.551	339.6	0.229	5.78	101.9					0.43	0.25	65	215
75	15.16	15.15	33.329 D	24.652	330.2	0.262	5.78	100.9					0.41	0.28	75	214
85	14.29	14.28	33.279 D	24.800	316.3	0.294	5.43 U	93.1 U					0.28	0.24	85	213
95	13.33	13.32	33.252	24.976	299.6	0.325	5.53	92.9					0.18	0.21	95	212
100 ISL	12.98	12.97	33.268	25.058	291.9	0.340	5.36	89.4					0.16	0.20	100	
109	12.43	12.42	33.325	25.210	277.6	0.366	5.03	83.0					0.13	0.17	109	211
125	11.45	11.43	33.469	25.505	249.7	0.408	4.52	73.1					0.06	0.10	126	210
143	10.87	10.85	33.668	25.765	225.4	0.451	4.44	71.0					0.04	0.08	144	209
150 ISL	10.57	10.55	33.713	25.853	217.1	0.466	4.35	69.1					0.03	0.06	151	
167	9.85	9.83	33.792	26.037	199.7	0.501	4.10	64.2					0.01	0.03	168	208
199	8.97	8.95	33.914	26.276	177.4	0.562	3.76	57.7					0.00	0.02	200	207
200 ISL	8.95	8.93	33.917	26.282	176.9	0.564	3.75	57.6							201	
227	8.35	8.33	33.986	26.429	163.3	0.610	3.34	50.6							228	206
250 ISL	7.95	7.92	34.013	26.510	155.8	0.646	3.00	45.0							251	
269	7.65	7.62	34.021	26.560	151.2	0.675	2.75	41.0							270	205
300 ISL	7.15	7.12	34.021	26.631	144.7	0.721	2.50	36.8							302	
316	6.92	6.89	34.021	26.663	141.8	0.744	2.37	34.7							318	204
378	6.37	6.34	34.076	26.780	131.2	0.829	1.48	21.4							380	203
400 ISL	6.20	6.16	34.092	26.814	128.1	0.857	1.27	18.3							402	
440	5.93	5.89	34.122	26.873	122.9	0.908	0.96	13.8							443	202
500 ISL	5.59	5.55	34.190	26.969	114.3	0.979	0.60	8.5							503	
517	5.49	5.45	34.209	26.996	111.8	0.998	0.50	7.1							520	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
31 5.3 N	122 39.3 W	21/11/98	0909	UTC	4030 m	050	20 kn			1023.9 mb	15.0 C	13.5 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.38	16.38	33.347	24.391	352.8	0.000	5.66	101.3					0.17	0.04	0	
3	16.38	16.38	33.347	24.391	352.9	0.011	5.66	101.2					0.17	0.04	3	220
10 ISL	16.39	16.39	33.348	24.390	353.2	0.035	5.66	101.3					0.16	0.04	10	
15	16.39	16.39	33.348	24.390	353.4	0.053	5.67	101.4					0.16	0.04	15	219
20 ISL	16.34	16.34	33.345	24.399	352.6	0.071	5.68	101.5					0.18	0.04	20	
30	16.15	16.15	33.334	24.434	349.6	0.106	5.69	101.3					0.21	0.05	30	218
44	15.68	15.67	33.304	24.517	342.1	0.154	5.79	102.1					0.38	0.13	44	217
50 ISL	15.49	15.48	33.291	24.550	339.2	0.175	5.78	101.5					0.43	0.17	50	
55	15.35	15.34	33.286	24.577	336.7	0.191	5.78	101.2					0.47	0.20	55	216
65	15.13	15.12	33.306	24.641	330.9	0.225	5.76	100.5					0.54	0.27	65	215
74	14.83	14.82	33.327 D	24.722	323.4	0.254	5.43 U	94.1 U					0.32	0.22	74	214
75 ISL	14.74	14.73	33.318	24.735	322.3	0.258	5.69	98.5					0.30	0.21	75	
85	13.81	13.80	33.235 D	24.866	310.0	0.289	5.14 U	87.2 U					0.14	0.15	85	213
95	13.23	13.22	33.262	25.004	297.0	0.319	5.54	92.9					0.14	0.18	95	212
100 ISL	12.98	12.97	33.280	25.068	291.0	0.334	5.38	89.8					0.14	0.17	100	
110	12.52	12.51	33.346	25.209	277.7	0.363	5.03	83.1					0.13	0.16	110	211
125	11.77	11.75	33.557	25.515	248.9	0.402	4.69	76.4					0.07	0.10	126	210
144	10.60	10.58	33.688	25.828	219.3	0.447	4.33	68.8					0.03	0.07	145	209
150 ISL	10.32	10.30	33.726	25.906	212.0	0.460	4.24	67.0					0.02	0.06	151	
170	9.61	9.59	33.838	26.113	192.5	0.500	4.02	62.6					0.01	0.02	171	208
200 ISL	9.06	9.04	33.959	26.297	175.5	0.555	4.04	62.2					0.00	0.02	201	
201	9.05	9.03	33.962	26.301	175.1	0.557	4.04	62.2					0.00	0.02	202	207
226	8.46	8.44	33.993	26.418	164.3	0.599	3.50	53.2							227	206
250 ISL	8.04	8.01	34.000	26.487	158.0	0.638	3.22	48.4							251	
268	7.77	7.74	33.999	26.526	154.5	0.666	3.07	45.9							269	205
300 ISL	7.25	7.22	34.009	26.608	147.0	0.714	2.66	39.3							302	
316	7.01	6.98	34.015	26.646	143.5	0.738	2.45	36.0							318	204
376	6.31	6.28	34.036	26.756	133.4	0.821	1.75	25.3							378	203
400 ISL	6.11	6.07	34.068	26.807	128.7	0.852	1.46	21.0							402	
436	5.88	5.84	34.124	26.880	122.1	0.897	1.06	15.2							439	202
500 ISL	5.58	5.54	34.200	26.978	113.4	0.973	0.57	8.1							503	
516	5.50	5.46	34.219	27.003	111.2	0.991	0.45	6.4							519	201

CalCOFI Cruise 9811

MACROZOOPLANKTON BIOMASS

Net Mesh Size: 0.505mm

Line	Sta.	Latitude N	Longitude W	Date Mo/Day	Time (PST)		Water Volume Strained (m <sup>3</sup> )	Max. Tow Depth (m)	Volume per 1000 m <sup>3</sup> Strained	
					Start	End			Total (cm <sup>3</sup> )	Small (cm <sup>3</sup> )
83	40.6	34 13.6	119 24.9	11/23	1346	1349	75	27	13	13
83	42	34 11.1	119 31.7	11/23	1130	1144	273	115	33	33
83	51	33 52.3	120 09.7	11/23	0437	0458	504	192	18	18
83	55	33 45.3	120 25.6	11/23	0038	0100	488	203	53	53
83	60	33 34.6	120 46.6	11/22	1933	1955	497	204	191	157
83	70	33 14.9	121 26.8	11/22	1223	1246	521	206	59	59
83	80	32 54.7	122 09.5	11/22	0510	0532	474	214	38	38
83	90	32 34.5	122 49.3	11/21	2136	2157	414	206	53	53
83	100	32 15.5	123 31.0	11/21	1423	1446	462	211	24	24
90	28	33 29.3	117 47.3	11/18	2030	2051	444	206	34	34
90	30	33 25.2	117 54.6	11/18	1756	1817	411	212	32	32
90	35	33 15.0	118 15.0	11/19	0110	0131	452	204	75	75
90	37	33 11.1	118 23.3	11/19	0406	0428	463	207	61	61
90	45	32 55.5	118 56.4	11/19	1005	1027	478	210	59	59
90	53	32 38.7	119 28.2	11/19	1616	1638	458	215	55	55

## PERSONNEL

### CalCOFI Cruise 9812

#### SHIP'S CAPTAIN

Wesley J. Hill, RV *Robert Gordon Sproul*

#### PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

Wilkinson, James R. (Chief Scientist)	Programmer/Analyst, SIO
Cummings, Sherry L.	Staff Research Associate, SIO
Dotson, Ronald C.	Fishery Biologist, NMFS
Gruber, Dennis W.	Staff Research Associate, SIO
Hays, Amy E.	Fishery Biologist, NMFS
Lipsky, Jessica D.	Volunteer
Rebstock, Ginger A.	Graduate Student, SIO
Rusk, Steven W.	Marine Technician
Swensen, Daryl L.	Biological Technician, NMFS
Wilson, Robert C.	Resident Technician, SIO
Wolgast, David M.	Staff Research Associate, SIO



## FIGURES

### Cruise 9812

1. CalCOFI Cruise 9812, track and station positions.
2. Sections along CalCOFI line 90 (vertical exaggeration, 1000): A) potential density and geostrophic velocity (+ = northward); B) temperature; C) salinity; D) oxygen saturation; E) oxygen; F ) chlorophyll-*a*; and G) phaeopigments.




FIGURE 1

**CALCOFI CRUISE 9812**

10 - 13 DECEMBER 1998

**POTENTIAL DENSITY ( $\sigma_\theta$ ) ALONG CALCOFI LINE 90  
GESTROPHIC VELOCITY RELATIVE TO 500m (cm/s)**




FIGURE 2A

# CALCOFI CRUISE 9812

10 - 13 DECEMBER 1998

## TEMPERATURE (°C) ALONG CALCOFI LINE 90




FIGURE 2B




FIGURE 2C

# CALCOFI CRUISE 9812

10 - 13 DECEMBER 1998

## OXYGEN SATURATION (%) ALONG CALCOFI LINE 90




FIGURE 2D




FIGURE 2E

# CALCOFI CRUISE 9812

10 - 13 DECEMBER 1998

## CHLOROPHYLL-a ( $\mu\text{g/l}$ ) ALONG CALCOFI LINE 90




FIGURE 2F

## PHAEOPIGMENTS ( $\mu\text{g/l}$ ) ALONG CALCOFI LINE 90




FIGURE 2G

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
34 13.6 N	119 24.8 W	15/12/98	1315	UTC	35 m	100	05 kn			1019.5 mb	12.9 C	10.6 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	13.40	13.40	33.555	25.194	276.3	0.000	5.72	96.5					1.44	0.41	0	
1	13.40	13.40	33.555	25.194	276.3	0.003	5.72	96.5					1.44	0.41	1	205
5	13.41	13.41	33.557	25.194	276.5	0.014	5.70	96.1					1.36	0.40	5	204
10	13.41	13.41	33.558	25.195	276.5	0.028	5.70	96.1					1.37	0.40	10	203
20 ISL	12.23	12.23	33.650	25.498	247.9	0.054	4.05	66.7					0.42	0.30	20	
21	12.10	12.10	33.661	25.531	244.8	0.056	3.87	63.5					0.32	0.29	21	202
30 ISL	12.06	12.06	33.673	25.548	243.4	0.078	3.94	64.6					0.29	0.35	30	
31	12.06	12.06	33.674	25.549	243.3	0.081	3.95	64.8					0.29	0.36	31	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
34 10.7 N	119 30.4 W	15/12/98	1056	UTC	130 m	340	17 kn			1019.0 mb	13.3 C	11.3 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	13.03	13.03	33.585	25.292	267.0	0.000	5.60	93.7					2.77	0.65	0	
2	13.03	13.03	33.585	25.292	267.1	0.005	5.60	93.7					2.77	0.65	2	211
10	12.95	12.95	33.591	25.312	265.3	0.027	5.41	90.4					2.60	0.65	10	210
20	12.47	12.47	33.621	25.429	254.4	0.053	4.20	69.5					0.55	0.32	20	209
28	12.15	12.15	33.645	25.510	247.0	0.073	3.81	62.6					0.38	0.26	28	208
30 ISL	12.09	12.09	33.649	25.524	245.7	0.078	3.75	61.6					0.34	0.24	30	
39	11.79	11.79	33.669	25.596	239.0	0.099	3.55	57.9					0.20	0.19	39	207
49	11.32	11.31	33.723	25.725	227.0	0.123	3.28	53.0					0.10	0.17	49	206
50 ISL	11.29	11.28	33.732	25.738	225.8	0.125	3.25	52.5					0.09	0.17	50	
59	10.95	10.94	33.812	25.861	214.3	0.145	2.95	47.3					0.05	0.12	59	205
67	10.50	10.49	33.853	25.972	203.8	0.162	2.77	44.0					0.03	0.10	67	204
75 ISL	10.13	10.12	33.911	26.081	193.6	0.177	2.55	40.2					0.03	0.08	75	
84	9.84	9.83	33.970	26.177	184.7	0.194	2.35	36.8					0.02	0.07	84	203
99	9.74	9.73	33.997	26.215	181.4	0.222	2.26	35.3					0.01	0.06	100	202
100 ISL	9.73	9.72	33.998	26.217	181.2	0.224	2.25	35.2					0.01	0.06	101	
125 ISL	9.43	9.42	34.023	26.286	175.1	0.268	2.11	32.8					0.01	0.07	126	
126	9.42	9.41	34.024	26.289	174.9	0.270	2.10	32.6					0.01	0.07	127	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 52.7 N	120 8.0 W	15/12/98	0342	UTC	100 m	350	18 kn			1021.5 mb	12.9 C	9.0 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	12.21	12.21	33.638	25.492	248.0	0.000	4.62	76.0					0.87	0.27	0	
2	12.21	12.21	33.638	25.492	248.0	0.005	4.62	76.0					0.87	0.27	2	210
10 ISL	12.19	12.19	33.639	25.497	247.7	0.025	4.55	74.8					0.84	0.27	10	
11	12.18	12.18	33.638	25.498	247.7	0.027	4.53	74.5					0.84	0.27	11	209
20	12.09	12.09	33.649	25.524	245.4	0.049	4.35	71.4					0.69	0.27	20	208
30	11.99	11.99	33.656	25.548	243.4	0.074	4.23	69.3					0.56	0.26	30	207
39	11.29	11.29	33.722	25.729	226.3	0.095	3.43	55.4					0.12	0.15	39	206
49	10.65	10.64	33.822	25.922	208.3	0.117	2.99	47.6					0.07	0.12	49	205
50 ISL	10.62	10.61	33.827	25.931	207.4	0.119	2.98	47.4					0.07	0.12	50	
60	10.44	10.43	33.847	25.978	203.1	0.139	2.90	46.0					0.05	0.10	60	204
71	10.37	10.36	33.858	25.999	201.4	0.162	2.83	44.8					0.05	0.10	71	203
75 ISL	10.32	10.31	33.866	26.014	200.1	0.170	2.80	44.3					0.05	0.10	75	
84	10.17	10.16	33.888	26.057	196.2	0.187	2.73	43.1					0.04	0.11	84	202
95	9.94	9.93	33.922	26.123	190.1	0.209	2.60	40.8					0.02	0.09	96	201



LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 25.1 N	117 54.3 W	11/12/98	0256	UTC	615 m	360	06 kn		0	1028.0 mb	14.5 c	12.0 c				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	um/L	um/L	um/L	um/L	ug/L	ug/L	db	
0 ISL	14.49	14.49	33.482	24.912	303.1	0.000	5.94	102.4					2.97	0.50	0	
2	14.49	14.49	33.482	24.912	303.2	0.006	5.94	102.4					2.97	0.50	2	220
10	14.49	14.49	33.482	24.912	303.4	0.030	5.91	101.9					3.08	0.51	10	219
20 ISL	14.48	14.48	33.482	24.915	303.5	0.061	5.91	101.9					2.95	0.50	20	
21	14.48	14.48	33.482	24.915	303.5	0.064	5.91	101.9					2.94	0.50	21	218
30	13.98	13.98	33.502	25.035	292.3	0.091	5.65	96.4					2.24	0.53	30	217
39	13.37	13.36	33.524	25.177	279.0	0.116	4.77	80.4					0.67	0.40	39	216
50	12.39	12.38	33.591	25.422	255.9	0.146	4.19	69.2					0.23	0.28	50	215
60	11.78	11.77	33.633	25.571	242.0	0.171	3.96	64.6					0.13	0.20	60	214
70	11.38	11.37	33.666	25.670	232.7	0.194	3.77	61.0					0.08	0.13	70	213
75 ISL	11.10	11.09	33.693	25.742	226.0	0.206	3.68	59.2					0.06	0.10	75	
84	10.65	10.64	33.751	25.867	214.3	0.226	3.48	55.4					0.04	0.07	84	212
99	10.46	10.45	33.851	25.979	204.0	0.257	2.96	47.0					0.01	0.05	100	211
100 ISL	10.44	10.43	33.857	25.987	203.2	0.259	2.93	46.5					0.01	0.05	101	
120	10.10	10.09	33.971	26.134	189.6	0.298	2.50	39.4					0.01	0.04	121	210
125 ISL	10.00	9.99	34.003	26.176	185.7	0.308	2.38	37.4					0.01	0.04	126	
139	9.71	9.69	34.085	26.289	175.2	0.333	2.08	32.5					0.00	0.03	140	209
150 ISL	9.53	9.51	34.121	26.347	169.9	0.352	1.94	30.2					0.00	0.03	151	
169	9.27	9.25	34.158	26.419	163.5	0.384	1.80	27.9					0.01	0.03	170	208
199	9.01	8.99	34.197	26.491	157.1	0.432	1.61	24.8					0.01	0.03	200	207
200 ISL	9.00	8.98	34.198	26.494	156.9	0.433	1.60	24.6							201	
228	8.76	8.74	34.210	26.542	152.8	0.477	1.48	22.7							229	206
250 ISL	8.49	8.46	34.208	26.582	149.3	0.510	1.45	22.1							251	
268	8.23	8.20	34.203	26.618	146.1	0.536	1.43	21.6							270	205
300 ISL	7.68	7.65	34.191	26.690	139.5	0.582	1.31	19.6							302	
318	7.39	7.36	34.188	26.729	135.9	0.607	1.21	18.0							320	204
377	6.89	6.85	34.231	26.833	126.7	0.684	0.81	11.9							379	203
400 ISL	6.69	6.65	34.250	26.875	122.9	0.713	0.66	9.6							403	
436	6.38	6.34	34.280	26.940	117.0	0.756	0.46	6.7							439	202
500 ISL	5.93	5.89	34.321	27.031	108.9	0.828	0.31	4.4							503	
531	5.71	5.66	34.342	27.075	104.9	0.862	0.24	3.4							535	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 15.0 N	118 15.1 W	11/12/98	0738	UTC	350 m	020	07 kn		0	1028.6 mb	14.8 c	11.7 c				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	um/L	um/L	um/L	um/L	ug/L	ug/L	db	
0 ISL	14.87	14.87	33.481	24.830	311.0	0.000	5.94	103.2					2.14	0.56	0	
2	14.87	14.87	33.481	24.830	311.0	0.006	5.94	103.2					2.14	0.56	2	218
10 ISL	14.88	14.88	33.479	24.827	311.6	0.031	5.92	102.9					2.09	0.55	10	
14	14.88	14.88	33.478	24.826	311.8	0.044	5.91	102.7					2.06	0.54	14	217
20 ISL	14.88	14.88	33.478	24.826	311.9	0.062	5.91	102.7					2.05	0.53	20	
30	14.87	14.87	33.478	24.829	312.0	0.093	5.91	102.7					2.04	0.50	30	216
45	14.18	14.17	33.473	24.972	298.8	0.139	5.35	91.6					1.52	0.44	45	215
50 ISL	13.26	13.25	33.475	25.162	280.8	0.154	4.84	81.3					0.88	0.39	50	
55	12.38	12.37	33.497	25.352	262.8	0.167	4.37	72.1					0.29	0.34	55	214
64	12.00	11.99	33.579	25.488	250.0	0.190	4.12	67.5					0.17	0.23	64	213
75	10.96	10.95	33.692	25.766	223.7	0.217	3.71	59.5					0.06	0.11	75	212
85	10.62	10.61	33.732	25.858	215.2	0.238	3.53	56.2					0.04	0.08	85	211
94	10.40	10.39	33.771	25.926	208.8	0.258	3.30	52.3					0.02	0.07	94	210
100 ISL	10.27	10.26	33.815	25.983	203.5	0.270	3.10	49.0					0.02	0.06	100	
110	10.09	10.08	33.884	26.068	195.7	0.290	2.81	44.2					0.01	0.04	111	209
124	9.94	9.93	33.920	26.121	190.9	0.317	2.71	42.5					0.01	0.04	125	208
125 ISL	9.93	9.92	33.926	26.128	190.3	0.319	2.69	42.2					0.01	0.04	126	
144	9.68	9.66	34.055	26.271	177.1	0.354	2.19	34.2					0.00	0.04	145	207
150 ISL	9.61	9.59	34.077	26.300	174.5	0.364	2.11	32.9					0.00	0.04	151	
169	9.42	9.40	34.119	26.364	168.7	0.397	1.94	30.1					0.00	0.03	170	206
199	9.10	9.08	34.171	26.457	160.4	0.446	1.71	26.4					0.00	0.03	200	205
200 ISL	9.08	9.06	34.172	26.461	160.1	0.448	1.70	26.2							201	
228	8.66	8.64	34.196	26.546	152.3	0.492	1.54	23.5							229	204
250 ISL	8.53	8.50	34.197	26.567	150.7	0.525	1.52	23.1							251	
268	8.40	8.37	34.192	26.584	149.4	0.552	1.50	22.8							270	203
300 ISL	7.68	7.65	34.193	26.692	139.3	0.598	1.27	19.0							302	
305	7.56	7.53	34.194	26.710	137.7	0.605	1.22	18.2							307	202
344	6.94	6.91	34.223	26.820	127.5	0.657	0.81	11.9							346	201



LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
33 11.1 N	118 23.0 W	11/12/98	1035	UTC	1175 m	090	10 kn			1028.1 mb	15.2 C	11.9 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.92	14.92	33.477	24.816	312.3	0.000	5.90	102.6					1.73	0.50	0	
2	14.92	14.92	33.477	24.816	312.3	0.006	5.90	102.6					1.73	0.50	2	220
10	14.93	14.93	33.477	24.814	312.8	0.031	5.91	102.8					1.60	0.52	10	219
19	14.90	14.90	33.478	24.822	312.3	0.059	5.88	102.2					1.60	0.51	19	218
20 ISL	14.85	14.85	33.480	24.834	311.2	0.062	5.86	101.8					1.66	0.52	20	
30	14.30	14.30	33.498	24.965	298.9	0.093	5.59	96.0					2.13	0.63	30	217
40	14.10	14.09	33.503	25.011	294.8	0.123	5.45	93.2					1.65	0.53	40	216
49	13.51	13.50	33.504	25.134	283.4	0.149	5.02	84.8					0.73	0.41	49	215
50 ISL	13.37	13.36	33.504	25.162	280.7	0.152	4.95	83.4					0.66	0.39	50	
60	12.03	12.02	33.540	25.452	253.3	0.178	4.33	70.9					0.17	0.24	60	214
70	11.47	11.46	33.627	25.623	237.2	0.203	4.01	64.9					0.10	0.15	70	213
75 ISL	11.18	11.17	33.659	25.701	229.9	0.214	3.87	62.3					0.07	0.12	75	
85	10.66	10.65	33.715	25.837	217.1	0.237	3.61	57.5					0.04	0.09	85	212
100	10.23	10.22	33.805	25.982	203.6	0.268	3.18	50.2					0.02	0.05	100	211
120	9.78	9.77	33.896	26.130	190.0	0.308	2.84	44.4					0.01	0.04	121	210
125 ISL	9.69	9.68	33.917	26.161	187.1	0.317	2.77	43.2					0.01	0.04	126	
141	9.43	9.41	33.977	26.251	178.8	0.346	2.58	40.0					0.00	0.04	142	209
150 ISL	9.29	9.27	34.009	26.299	174.4	0.362	2.48	38.4					0.00	0.04	151	
171	9.02	9.00	34.070	26.390	166.1	0.398	2.26	34.8					0.00	0.03	172	208
200 ISL	8.82	8.80	34.115	26.457	160.3	0.445	1.99	30.5					0.00	0.04	201	
201	8.81	8.79	34.116	26.460	160.1	0.447	1.98	30.3					0.00	0.04	202	207
229	8.65	8.63	34.176	26.532	153.7	0.491	1.67	25.5							230	206
250 ISL	8.31	8.28	34.177	26.585	148.9	0.523	1.59	24.1							251	
269	7.97	7.94	34.169	26.630	144.8	0.551	1.55	23.3							271	205
300 ISL	7.59	7.56	34.177	26.692	139.3	0.595	1.33	19.8							302	
318	7.41	7.38	34.185	26.724	136.4	0.619	1.19	17.7							320	204
380	7.01	6.97	34.219	26.807	129.3	0.702	0.85	12.5							382	203
400 ISL	6.83	6.79	34.234	26.844	126.0	0.727	0.73	10.7							403	
436	6.52	6.48	34.262	26.908	120.2	0.772	0.54	7.9							439	202
500 ISL	6.14	6.10	34.299	26.987	113.3	0.846	0.36	5.2							503	
520	6.02	5.97	34.311	27.012	111.1	0.869	0.31	4.5							524	201

A) FIRST FLUOROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPIGMENT CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 55.3 N	118 56.3 W	11/12/98	1639	UTC	1694 m	040	03 kn	290 02 07	1	1028.1 mb	14.8 C	13.2 C			1/8	CI
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.23	14.23	33.462	24.951	299.4	0.000	6.09	104.4					2.60	1.03	0	
2	14.23	14.23	33.462	24.951	299.4	0.006	6.09	104.4					2.60	1.03	2	220
8	14.19	14.19	33.462	24.960	298.8	0.024	6.07	104.0					2.61	1.10	8	219
10 ISL	14.17	14.17	33.462	24.964	298.5	0.030	6.06	103.8					2.66	1.09	10	
18	14.12	14.12	33.460	24.973	297.8	0.054	6.00	102.6					2.83	1.05	18	218
20 ISL	14.11	14.11	33.460	24.976	297.7	0.060	5.99	102.4					2.81	1.03	20	
29	14.09	14.09	33.458	24.978	297.7	0.087	5.96	101.9					2.70	0.95	29	217
30 ISL	14.09	14.09	33.458	24.979	297.7	0.089	5.95	101.7					2.67	0.95	30	
39	14.05	14.04	33.456	24.985	297.3	0.116	5.90	100.8					2.37	0.93	39	216
49	12.68	12.67	33.459	25.264	271.0	0.145	4.79	79.5					0.29	0.37	49	215
50 ISL	12.55	12.54	33.468	25.296	267.9	0.147	4.69	77.6					0.27	0.35	50	
60	11.55	11.54	33.595	25.584	240.7	0.173	3.87	62.8					0.10	0.23	60	214
69	11.24	11.23	33.700	25.722	227.8	0.194	3.40	54.8					0.07	0.16	69	213
75 ISL	11.02	11.01	33.726	25.782	222.2	0.207	3.34	53.6					0.06	0.13	75	
85	10.65	10.64	33.745	25.862	214.7	0.229	3.25	51.7					0.04	0.10	85	212
100	10.18	10.17	33.815	25.999	202.1	0.260	3.16	49.8					0.03	0.06	101	211
119	9.62	9.61	33.888	26.150	188.0	0.298	2.90	45.2					0.02	0.04	120	210
125 ISL	9.60	9.59	33.922	26.180	185.3	0.309	2.76	43.0					0.02	0.04	126	
138	9.56	9.54	33.981	26.233	180.5	0.333	2.48	38.6					0.01	0.04	139	209
150 ISL	9.41	9.39	34.013	26.282	176.0	0.354	2.37	36.8					0.00	0.04	151	
168	9.10	9.08	34.038	26.352	169.7	0.385	2.31	35.6					0.00	0.04	169	208
197	8.56	8.54	34.053	26.449	160.9	0.433	2.17	33.0					0.01	0.05	198	207
200 ISL	8.51	8.49	34.056	26.459	159.9	0.438	2.16	32.9							201	
228	8.10	8.08	34.092	26.550	151.7	0.481	1.99	30.0							229	206
250 ISL	7.96	7.93	34.130	26.600	147.2	0.514	1.76	26.4							251	
267	7.86	7.83	34.157	26.637	144.1	0.539	1.56	23.4							269	205
300 ISL	7.44	7.41	34.182	26.717	136.8	0.585	1.24	18.4							302	
317	7.22	7.19	34.191	26.755	133.3	0.608	1.09	16.1							319	204
376	6.79	6.76	34.233	26.848	125.1	0.685	0.73	10.7							378	203
400 ISL	6.61	6.57	34.245	26.882	122.2	0.714	0.65	9.5							403	
438	6.35	6.31	34.261	26.929	118.0	0.760	0.56	8.1							441	202
500 ISL	6.03	5.99	34.290	26.994	112.5	0.831	0.40	5.8							503	
539	5.83	5.78	34.309	27.034	109.0	0.875	0.30	4.3							543	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 39.1 N	119 28.9 W	11/12/98	2229	UTC	1315 m	330	13 kn	260 04 07	0	1026.0 mb	14.8 C	12.5 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.21	14.21	33.372	24.886	305.6	0.000	6.05	103.6					1.08	0.25	0	
1	14.21	14.21	33.372	24.886	305.6	0.003	6.05	103.6					1.08	0.25	1	220
10	14.19	14.19	33.369	24.888	305.7	0.031	6.05	103.6					1.12	0.26	10	219
20	13.83	13.83	33.395	24.983	296.9	0.061	5.93	100.8					1.23	0.45	20	218
30	13.55	13.55	33.409	25.052	290.7	0.090	5.91	99.9					1.01	0.46	30	217
40	13.08	13.07	33.414	25.150	281.6	0.119	5.43	90.9					0.29	0.25	40	216
50	12.81	12.80	33.397	25.191	278.0	0.147	5.26	87.5					0.20	0.33	50	215
60	11.99	11.98	33.409	25.357	262.3	0.174	4.76	77.8					0.10	0.15	60	214
68	11.55	11.54	33.460	25.479	250.9	0.194	4.56	73.9					0.09	0.14	68	213
75 ISL	11.17	11.16	33.511	25.588	240.7	0.211	4.29	69.0					0.07	0.14	75	
84	10.70	10.69	33.585	25.729	227.4	0.232	3.91	62.3					0.04	0.14	84	212
98	10.02	10.01	33.716	25.948	206.7	0.263	3.38	53.1					0.02	0.11	98	211
100 ISL	9.94	9.93	33.733	25.975	204.2	0.267	3.34	52.4					0.02	0.11	100	
119	9.33	9.32	33.860	26.175	185.5	0.304	3.11	48.1					0.01	0.07	120	210
125 ISL	9.19	9.18	33.885	26.217	181.6	0.315	3.08	47.5					0.01	0.07	126	
140	8.89	8.88	33.932	26.302	173.8	0.342	3.04	46.6					0.00	0.06	141	209
150 ISL	8.63	8.61	33.962	26.366	167.8	0.359	2.98	45.4					0.00	0.05	151	
169	8.20	8.18	34.006	26.466	158.6	0.390	2.86	43.2					0.00	0.04	170	208
200 ISL	8.02	8.00	34.026	26.509	155.0	0.438	2.67	40.2					0.00	0.03	201	
201	8.02	8.00	34.026	26.509	155.0	0.440	2.66	40.0					0.00	0.03	202	207
227	7.66	7.64	34.048	26.579	148.6	0.479	2.37	35.4							228	206
250 ISL	7.39	7.37	34.067	26.633	143.8	0.513	2.12	31.4							251	
268	7.21	7.18	34.082	26.670	140.5	0.539	1.93	28.5							270	205
300 ISL	6.96	6.93	34.111	26.728	135.4	0.583	1.55	22.8							302	
320	6.82	6.79	34.130	26.762	132.4	0.610	1.33	19.5							322	204
377	6.45	6.42	34.180	26.851	124.5	0.683	0.89	12.9							379	203
400 ISL	6.36	6.32	34.193	26.874	122.7	0.711	0.79	11.4							403	
435	6.22	6.18	34.214	26.909	119.8	0.754	0.67	9.7							438	202
500 ISL	5.84	5.80	34.282	27.011	110.6	0.828	0.39	5.6							503	
520	5.72	5.68	34.303	27.042	107.8	0.850	0.30	4.3							524	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 25.1 N	119 57.4 W	12/12/98	0404	UTC	909 m	330	11 kn			1026.3 mb	13.5 C	11.9 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.78	14.78	33.323	24.728	320.7	0.000	5.88	101.9					0.58	0.18	0	
1	14.78	14.78	33.323	24.728	320.7	0.003	5.88	101.9					0.58	0.18	1	220
9	14.78	14.78	33.323	24.728	321.0	0.029	5.91	102.4					0.59	0.17	9	219
10 ISL	14.78	14.78	33.323	24.728	321.0	0.032	5.91	102.4					0.59	0.17	10	
20	14.77	14.77	33.322	24.729	321.1	0.064	5.88	101.8					0.59	0.18	20	218
30	14.09	14.09	33.317	24.870	308.0	0.096	5.69	97.2					0.45	0.17	30	217
40	13.59	13.58	33.294	24.955	300.2	0.126	5.72	96.7					0.43	0.21	40	216
50	12.89	12.88	33.329	25.122	284.5	0.155	5.38	89.6					0.24	0.18	50	215
60	12.41	12.40	33.349	25.231	274.3	0.183	5.14	84.8					0.21	0.19	60	214
70	11.72	11.71	33.413	25.411	257.4	0.210	4.68	76.1					0.11	0.20	70	213
75 ISL	11.34	11.33	33.475	25.529	246.3	0.222	4.32	69.7					0.08	0.20	75	
83	10.79	10.78	33.578	25.708	229.4	0.241	3.78	60.3					0.04	0.21	83	212
99	10.20	10.19	33.670	25.882	213.1	0.277	3.49	55.0					0.02	0.17	99	211
100 ISL	10.16	10.15	33.675	25.893	212.1	0.279	3.48	54.8					0.02	0.17	100	
120	9.57	9.56	33.776	26.070	195.5	0.320	3.32	51.6					0.01	0.14	121	210
125 ISL	9.50	9.49	33.798	26.099	192.9	0.329	3.24	50.3					0.01	0.13	126	
137	9.36	9.34	33.846	26.160	187.4	0.352	3.07	47.5					0.01	0.09	138	209
150 ISL	9.18	9.16	33.883	26.218	182.1	0.376	3.11	48.0					0.01	0.06	151	
169	8.90	8.88	33.927	26.297	174.9	0.410	3.21	49.2					0.00	0.04	170	208
199	8.48	8.46	34.004	26.423	163.4	0.461	2.82	42.8					0.00	0.03	200	207
200 ISL	8.46	8.44	34.005	26.427	163.0	0.463	2.81	42.7							201	
229	7.98	7.96	34.031	26.519	154.5	0.509	2.64	39.7							230	206
250 ISL	7.68	7.66	34.038	26.569	150.0	0.541	2.57	38.3							251	
271	7.43	7.40	34.047	26.612	146.2	0.572	2.44	36.2							273	205
300 ISL	7.25	7.22	34.093	26.674	140.7	0.613	1.92	28.4							302	
315	7.17	7.14	34.116	26.703	138.1	0.634	1.63	24.0							317	204
376	6.55	6.52	34.129	26.798	129.7	0.716	1.22	17.7							378	203
400 ISL	6.45	6.41	34.154	26.831	126.8	0.747	1.04	15.1							403	
437	6.32	6.28	34.201	26.886	122.1	0.793	0.78	11.3							440	202
500 ISL	5.87	5.83	34.267	26.995	112.1	0.866	0.45	6.4							503	
520	5.73	5.69	34.289	27.030	109.0	0.889	0.35	5.0							524	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
32 5.1 N	120 38.3 W	12/12/98	1051	UTC	3787 m	320	14 kn			1024.9 mb	14.1 C	12.2 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.42	15.42	33.392	24.641	328.9	0.000	5.75	100.9					0.32	0.10	0	
2	15.42	15.42	33.392	24.641	329.0	0.007	5.75	100.9					0.32	0.10	2	220
10 ISL	15.42	15.42	33.393	24.642	329.1	0.033	5.75	100.9					0.32	0.11	10	
15	15.42	15.42	33.393	24.643	329.3	0.049	5.75	100.9					0.32	0.11	15	219
20 ISL	15.42	15.42	33.393	24.643	329.4	0.066	5.77	101.3					0.31	0.11	20	
29	15.42	15.42	33.393	24.643	329.7	0.095	5.79	101.6					0.31	0.10	29	218
30 ISL	15.42	15.42	33.393	24.643	329.7	0.099	5.79	101.6					0.31	0.10	30	
45	15.41	15.40	33.390	24.644	330.1	0.148	5.76	101.1					0.35	0.11	45	217
50 ISL	15.32	15.31	33.385	24.660	328.7	0.165	5.75	100.7					0.37	0.15	50	
55	15.21	15.20	33.376	24.677	327.2	0.181	5.73	100.1					0.38	0.19	55	216
64	14.98	14.97	33.350	24.707	324.6	0.210	5.71	99.3					0.32	0.16	64	215
73	14.34	14.33	33.320	24.821	313.9	0.239	5.55	95.3					0.21	0.15	73	214
75 ISL	14.19	14.18	33.325	24.856	310.6	0.245	5.50	94.1					0.21	0.17	75	
86	13.39	13.38	33.409	25.086	289.0	0.278	5.21	87.7					0.22	0.25	86	213
94	12.90	12.89	33.512	25.263	272.3	0.301	4.96	82.7					0.16	0.19	94	212
100 ISL	12.45	12.44	33.519	25.356	263.5	0.317	4.79	79.2					0.11	0.17	100	
107	11.94	11.93	33.510	25.446	255.0	0.335	4.60	75.2					0.07	0.15	107	211
124	11.16	11.14	33.620	25.676	233.5	0.377	4.23	68.0					0.05	0.08	125	210
125 ISL	11.11	11.09	33.626	25.689	232.2	0.379	4.21	67.6					0.05	0.08	126	
145	10.23	10.21	33.732	25.926	209.9	0.423	3.85	60.7					0.02	0.05	146	209
150 ISL	10.05	10.03	33.760	25.979	205.0	0.434	3.71	58.3					0.02	0.04	151	
169	9.50	9.48	33.861	26.149	189.1	0.471	3.19	49.6					0.01	0.02	170	208
198	9.09	9.07	33.980	26.309	174.4	0.524	2.81	43.3					0.00	0.02	199	207
200 ISL	9.07	9.05	33.989	26.319	173.4	0.527	2.77	42.6							201	
229	8.79	8.77	34.106	26.455	161.0	0.576	2.13	32.6							230	206
250 ISL	8.63	8.60	34.164	26.526	154.7	0.609	1.79	27.3							251	
268	8.48	8.45	34.198	26.576	150.2	0.636	1.57	23.9							269	205
300 ISL	8.07	8.04	34.220	26.656	143.0	0.683	1.29	19.4							302	
318	7.84	7.81	34.225	26.694	139.6	0.709	1.17	17.5							320	204
379	7.36	7.32	34.269	26.798	130.4	0.791	0.73	10.8							381	203
400 ISL	7.19	7.15	34.277	26.828	127.7	0.818	0.64	9.5							402	
440	6.88	6.84	34.289	26.881	123.1	0.868	0.52	7.6							443	202
500 ISL	6.45	6.40	34.323	26.966	115.6	0.940	0.35	5.1							503	
526	6.27	6.22	34.338	27.001	112.5	0.970	0.27	3.9							530	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
31 45.1 N	121 19.1 W	12/12/98	1803	UTC	3593 m	340	11 kn	340 05 06	1	1025.4 mb	15.8 C	13.8 C			1/8	CU
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.59	15.59	33.394	24.605	332.4	0.000	5.78	101.8					0.20	0.05	0	
2	15.59	15.59	33.394	24.605	332.4	0.007	5.78	101.8					0.20	0.05	2	220
10 ISL	15.58	15.58	33.394	24.608	332.4	0.033	5.77	101.6					0.21	0.06	10	
14	15.57	15.57	33.394	24.610	332.3	0.047	5.77	101.6					0.21	0.06	14	219
20 ISL	15.57	15.57	33.394	24.610	332.5	0.066	5.77	101.6					0.20	0.07	20	
30	15.57	15.57	33.394	24.611	332.8	0.100	5.77	101.6					0.20	0.08	30	218
44	15.57	15.56	33.394	24.611	333.2	0.146	5.76	101.4					0.24	0.08	44	217
50 ISL	15.57	15.56	33.394	24.611	333.3	0.166	5.79	101.9					0.21	0.09	50	
53	15.57	15.56	33.394	24.611	333.4	0.176	5.80	102.1					0.19	0.09	53	216
64	15.57	15.56	33.393	24.611	333.8	0.213	5.75	101.2					0.14	0.07	64	215
74	15.56	15.55	33.393	24.614	333.9	0.246	5.75	101.2					0.43	0.31	74	214
75 ISL	15.55	15.54	33.392	24.615	333.8	0.250	5.75	101.2					0.42	0.30	75	
84	15.32	15.31	33.378	24.655	330.2	0.280	5.70	99.8					0.26	0.17	84	213
94	14.71	14.70	33.378	24.788	317.8	0.312	5.63	97.4					0.24	0.18	94	212
100 ISL	14.20	14.19	33.401	24.914	305.9	0.331	5.48	93.8					0.16	0.14	100	
109	13.35	13.33	33.452	25.128	285.6	0.357	5.19	87.4					0.05	0.07	109	211
124	11.99	11.97	33.543	25.463	253.9	0.398	4.65	76.1					0.06	0.09	125	210
125 ISL	11.91	11.89	33.549	25.483	252.0	0.400	4.61	75.3					0.06	0.09	126	
145	10.65	10.63	33.672	25.807	221.4	0.448	3.94	62.7					0.02	0.06	146	209
150 ISL	10.44	10.42	33.696	25.862	216.2	0.459	3.86	61.2					0.01	0.06	151	
169	9.83	9.81	33.785	26.035	200.0	0.498	3.63	56.8					0.00	0.04	170	208
198	9.00	8.98	33.951	26.300	175.1	0.553	2.98	45.8					0.00	0.02	199	207
200 ISL	8.95	8.93	33.956	26.312	174.0	0.556	2.98	45.7							201	
229	8.28	8.26	34.000	26.450	161.2	0.605	2.92	44.2							230	206
250 ISL	7.93	7.90	34.022	26.520	154.8	0.638	2.75	41.3							251	
269	7.67	7.64	34.038	26.571	150.2	0.667	2.54	37.9							270	205
300 ISL	7.32	7.29	34.069	26.645	143.5	0.712	2.11	31.2							302	
316	7.17	7.14	34.085	26.679	140.4	0.735	1.87	27.6							318	204
378	6.66	6.63	34.156	26.805	129.1	0.819	1.09	15.9							380	203
400 ISL	6.48	6.44	34.174	26.843	125.7	0.847	0.91	13.2							402	
439	6.20	6.16	34.206	26.905	120.2	0.895	0.67	9.7							442	202
500 ISL	5.97	5.93	34.278	26.992	112.6	0.966	0.45	6.5							503	
521	5.89	5.84	34.303	27.022	110.0	0.989	0.37	5.3							524	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
31 25.1 N	121 59.4 W	13/12/98	0106	UTC	3858 m	340	12 kn	340 07 06	1	1023.0 mb	15.5 C	13.9 C		4/8		CU
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.74	15.74	33.373	24.556	337.1	0.000	5.77	101.9					0.31	0.09	0	
2	15.74	15.74	33.373	24.556	337.1	0.007	5.77	101.9					0.31	0.09	2	220
10 ISL	15.75	15.75	33.372	24.553	337.6	0.034	5.76	101.8					0.31	0.10	10	
15	15.75	15.75	33.372	24.553	337.8	0.051	5.76	101.8					0.31	0.10	15	219
20 ISL	15.73	15.73	33.372	24.558	337.5	0.068	5.76	101.7					0.31	0.10	20	
30	15.69	15.69	33.373	24.568	336.9	0.101	5.76	101.6					0.32	0.10	30	218
44	15.68	15.67	33.373	24.571	337.0	0.148	5.85	103.2 U					0.33	0.10	44	217
50 ISL	15.68	15.67	33.373	24.571	337.2	0.169	5.75	101.4					0.33	0.11	50	
59	15.68	15.67	33.373	24.571	337.5	0.199	5.74	101.3					0.32	0.13	59	216
74	15.38	15.37	33.348	24.619	333.4	0.249	5.73	100.5					0.32	0.10	74	215
75 ISL	15.26	15.25	33.346	24.644	331.0	0.253	5.73	100.2					0.32	0.10	75	
84	14.16	14.15	33.342	24.876	309.0	0.281	5.69	97.3					0.31	0.10	84	214
95	13.56	13.55	33.375	25.025	295.0	0.315	5.53	93.4					0.26	0.13	95	213
100 ISL	13.26	13.25	33.385	25.094	288.6	0.329	5.43	91.2					0.23	0.15	100	
104	12.97	12.96	33.401	25.164	282.0	0.341	5.31	88.6					0.20	0.16	104	212
114	11.92	11.91	33.526	25.463	253.6	0.367	4.75	77.6					0.14	0.17	114	211
123	11.29	11.27	33.622	25.654	235.6	0.389	4.57	73.7					0.09	0.12	124	210
125 ISL	11.15	11.13	33.639	25.692	231.9	0.394	4.52	72.7					0.08	0.11	126	
139	10.31	10.29	33.740	25.919	210.6	0.425	4.15	65.6					0.04	0.07	140	209
150 ISL	9.90	9.88	33.790	26.027	200.4	0.448	3.87	60.6					0.02	0.05	151	
165	9.52	9.50	33.844	26.133	190.6	0.477	3.47	53.9					0.01	0.04	166	208
192	9.01	8.99	33.977	26.319	173.3	0.526	2.70	41.5					0.00	0.03	193	207
200 ISL	8.83	8.81	33.997	26.363	169.2	0.540	2.69	41.2							201	
230	8.17	8.15	34.033	26.493	157.2	0.589	2.63	39.7							231	206
250 ISL	7.76	7.74	34.032	26.553	151.6	0.620	2.56	38.3							251	
267	7.47	7.44	34.032	26.594	147.8	0.645	2.45	36.4							268	205
300 ISL	7.22	7.19	34.090	26.676	140.5	0.693	1.90	28.1							302	
317	7.14	7.11	34.122	26.712	137.3	0.716	1.60	23.6							319	204
376	6.58	6.55	34.137	26.800	129.4	0.795	1.15	16.7							378	203
400 ISL	6.45	6.41	34.156	26.833	126.6	0.826	0.99	14.4							402	
438	6.27	6.23	34.189	26.883	122.3	0.873	0.77	11.1							441	202
500 ISL	5.83	5.79	34.234	26.974	114.1	0.946	0.51	7.3							503	
519	5.69	5.65	34.248	27.003	111.5	0.968	0.43	6.1							522	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI/FOREL	CLD	AMT	TYPE
31 5.1 N	122 39.7 W	13/12/98	0810	UTC	4010 m	320	13 kn			1023.3 mb	15.2 C	13.8 C				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.33	15.33	33.307	24.596	333.3	0.000	5.80	101.6					0.26	0.08	0	
2	15.33	15.33	33.307	24.596	333.3	0.007	5.80	101.6					0.26	0.08	2	220
10 ISL	15.34	15.34	33.309	24.595	333.6	0.033	5.80	101.6					0.27	0.09	10	
14	15.35	15.35	33.310	24.594	333.9	0.047	5.80	101.6					0.27	0.09	14	219
20 ISL	15.35	15.35	33.308	24.593	334.2	0.067	5.80	101.6					0.27	0.09	20	
30	15.35	15.35	33.305	24.591	334.7	0.100	5.79	101.4					0.28	0.08	30	218
46	15.34	15.33	33.303	24.592	335.0	0.154	5.79	101.4					0.29	0.10	46	217
50 ISL	15.24	15.23	33.302	24.613	333.1	0.167	5.78	101.0					0.33	0.12	50	
55	15.11	15.10	33.301	24.641	330.6	0.184	5.76	100.4					0.37	0.16	55	216
65	13.75	13.74	33.312	24.937	302.6	0.215	5.62	95.3					0.32	0.33	65	215
75	13.40	13.39	33.363	25.048	292.3	0.245	5.52	93.0					0.23	0.22	75	214
85	13.14	13.13	33.415	25.140	283.7	0.274	5.41	90.6					0.18	0.19	85	213
94	12.33	12.32	33.460	25.333	265.5	0.299	5.04	83.0					0.10	0.13	94	212
100 ISL	11.74	11.73	33.488	25.466	252.9	0.314	4.76	77.5					0.08	0.11	100	
110	10.90	10.89	33.540	25.659	234.6	0.339	4.36	69.7					0.06	0.08	110	211
123	10.39	10.38	33.615	25.807	220.8	0.368	4.11	65.0					0.02	0.04	124	210
125 ISL	10.32	10.31	33.627	25.828	218.8	0.373	4.07	64.3					0.02	0.04	126	
145	9.69	9.67	33.742	26.025	200.4	0.414	3.78	58.9					0.01	0.03	146	209
150 ISL	9.56	9.54	33.771	26.069	196.3	0.424	3.73	58.0					0.01	0.03	151	
170	9.10	9.08	33.874	26.224	181.9	0.462	3.57	55.0					0.00	0.02	171	208
199	8.67	8.65	33.957	26.357	169.7	0.513	3.39	51.7					0.00	0.02	200	207
200 ISL	8.65	8.63	33.959	26.361	169.3	0.515	3.38	51.5							201	
228	8.14	8.12	34.009	26.478	158.5	0.561	2.97	44.8							229	206
250 ISL	7.81	7.79	34.025	26.540	152.9	0.595	2.75	41.2							251	
269	7.54	7.51	34.031	26.584	148.9	0.624	2.58	38.4							270	205
300 ISL	7.09	7.06	34.041	26.655	142.4	0.669	2.23	32.8							302	
318	6.85	6.82	34.047	26.693	138.9	0.694	2.01	29.4							320	204
378	6.20	6.17	34.086	26.809	128.3	0.774	1.31	18.9							380	203
400 ISL	6.01	5.98	34.104	26.848	124.8	0.802	1.11	15.9							402	
439	5.71	5.67	34.137	26.911	119.0	0.850	0.82	11.7							442	202
500 ISL	5.37	5.33	34.188	26.993	111.7	0.920	0.55	7.8							503	
517	5.28	5.24	34.202	27.015	109.8	0.939	0.47	6.6							520	201

CalCOFI Cruise 9812

MACROZOOPLANKTON BIOMASS

Net Mesh Size: 0.505mm

Line	Sta.	Latitude N	Longitude W	Date Mo/Day	Time (PST)		Water Volume Strained (m <sup>3</sup> )	Max. Tow Depth (m)	Volume per 1000 m <sup>3</sup> Strained	
					Start	End			Total (cm <sup>3</sup> )	Small (cm <sup>3</sup> )
83	40.6	34 13.7	119 24.9	12/15	0543	0546	73	23	41	41
83	42	34 10.6	119 30.4	12/15	0334	0349	293	130	103	103
83	51	33 52.9	120 08.8	12/14	2025	2034	199	78	30	30
83	100	32 15.3	123 29.9	12/13	1311	1331	434	207	12	12
90	28	33 29.1	117 46.2	12/10	1707	1713	131	56	107	53
90	30	33 25.0	117 54.4	12/10	2010	2030	404	205	109	40
90	35	33 14.8	118 15.2	12/11	0037	0058	437	204	110	78
90	37	33 11.0	118 23.2	12/11	0342	0403	463	191	469	69
90	45	32 55.6	118 55.8	12/11	0939	1001	450	200	56	56
90	53	32 39.1	119 29.3	12/11	1539	1559	409	210	47	47
90	60	32 25.3	119 57.3	12/11	2109	2129	405	210	109	101
90	70	32 05.1	120 38.5	12/12	0410	0432	454	217	35	35
90	80	31 45.2	121 19.3	12/12	1107	1130	473	213	15	15
90	90	31 25.7	121 59.6	12/12	1819	1840	442	206	29	29
90	100	31 05.4	122 40.1	12/13	0128	0153	516	200	83	83

## FIGURES

### Avifauna Observations

#### CalCOFI Cruise 9807

- 1a. Cook's Petrel distribution.
- 1b. Western Gull distribution.
- 1c. Pink-footed Shearwater distribution.
- 1d. Leach's Storm-Petrel distribution.
- 1e. Sooty Shearwater distribution.
- 1f. Brown Pelican distribution.

#### CalCOFI Cruise 9809


- 2a. Black-vented Shearwater distribution.
- 2b. Western Gull distribution.
- 2c. Pink-footed Shearwater distribution.
- 2d. Leach's Storm-Petrel distribution.
- 2e. Sooty Shearwater distribution.
- 2f. Brown Pelican distribution.

#### CalCOFI Cruise 9810

- 3a. Western Gull distribution.
- 3b. Black-vented Shearwater distribution.
- 3c. Heermann's Gull distribution.
- 3d. Leach's Storm-Petrel distribution.
- 3e. California Gull distribution.
- 3f. Brown Pelican distribution.


- 4a. Western Gull distribution.
- 4b. Black-vented Shearwater distribution.
- 4c. Heermann's Gull distribution.
- 4d. Sooty Shearwater distribution.
- 4e. California Gull distribution.
- 4f. Red and Red-necked Phalarope distribution.

# CalCOFI Cruise 9807






# CalCOFI Cruise 9809



# CalCOFI Cruise 9810



# CalCOFI Cruise 9811

