

data report

PHYSICAL, CHEMICAL AND BIOLOGICAL DATA

**CalCOFI Cruise 0302
30 January – 15 February 2003**

**CC Reference 06-02
20 January 2006**

**UNIVERSITY OF CALIFORNIA, SAN DIEGO
SCRIPPS INSTITUTION OF OCEANOGRAPHY
LA JOLLA, CALIFORNIA 92093-0227**

PHYSICAL, CHEMICAL AND BIOLOGICAL DATA

**CalCOFI Cruise 0302
30 January - 15 February 2003**

**CC Reference 06-02
20 January 2006**

CONTENTS

Introduction	3
Literature Cited	7
CalCOFI Cruise 0302	
List of Figures	8
Personnel	19
Tabulated Rosette Cast Data	20
Tabulated Primary Productivity Data	50
Tabulated Macrozooplankton Data	53
CalCOFI Cruises 0302 Avifauna	
List of Figures	54

INTRODUCTION

The data presented in this report were collected during the 0302 cruise of the California Cooperative Oceanic Fisheries Investigations (CalCOFI) program aboard the NOAA ship RV *David Starr Jordan*. The CalCOFI program was organized in the late 1940's to study the causes of variations in population size of fishes of importance to the State of California. It is carried out by NOAA's National Marine Fisheries Service Southwest Fisheries Science Center, the California Department of Fish and Game, and the Integrative Oceanography Division (IOD) at Scripps Institution of Oceanography (SIO). IOD contributes to this program by investigations of the physical, chemical and biological structure of the California Current. Data from the cruises were collected and processed by personnel of the Integrative Oceanography Division and the Southwest Fisheries Science Center. Other SIO staff members and volunteers also assisted in the collection of data and chemical analyses at sea. CalCOFI data presented in this report and collected on previous cruises can be accessed at <http://www.calcofi.org>.

STANDARD PROCEDURES

CTD/Rosette Cast Data

A Sea-Bird Electronics, Inc., Conductivity-Temperature-Depth (CTD) instrument (Seabird 911, Serial number 1049) with a rosette was deployed at each station on these cruises. The rosette was equipped with 24 ten-liter plastic (PVC) bottles equipped with epoxy-coated springs and Viton O-rings. Each CTD/rosette cast usually sampled 20 depths to a maximum sampling depth of 525 meters, bottom depth permitting. Occasional stations have multiple bottles tripped at the same depth to provide more water for ancillary programs. The sample spacing was designed to sample depth intervals as close as 10 meters around the sharp upper thermocline features such as the chlorophyll, oxygen, nitrite maxima and the shallow salinity minimum. Salinity, oxygen and nutrients were determined at sea for all depths sampled. Chlorophyll-*a* and phaeopigments were determined at sea on samples from the top 200 meters, bottom depth permitting.

Pressures and temperatures assigned to the water sample data were derived from the CTD signals recorded just prior to the bottle trip. Pressures have been converted to depths by the Saunders (1981) pressure-to-depth conversion technique. CTD temperatures reported with the bottle data have been rounded to the nearest hundredth of a degree Celsius.

Salinity samples were collected from all rosette bottles and analyzed at sea using a Guildline model 8410 Portasal salinometer. Salinity samples were drawn into 200 ml Kimax high-alumina borosilicate bottles that were rinsed three times with sample prior to filling. The results were compared with the CTD salinity to verify that the rosette bottle did not mis-trip or leak. The salinometer was standardized before and after each group of samples with standardized seawater. Periodic checks on the conductivity of the standardized seawater were made by comparison with IAPSO Standard Seawater batch P134. Salinity values were calculated using the algorithms for the Practical Salinity Scale, 1978 (UNESCO, 1981a) and are reported to three decimal places, provided that accepted standards were met.

Dissolved oxygen samples were collected in calibrated 100 ml iodine flasks, allowing at least 200% overflow. The dissolved oxygen samples were analyzed at sea by the Winkler method, as modified by Carpenter (1965), using the equipment and procedure outlined by Anderson (1971). Percent oxygen saturation was calculated from the equations of Weiss (1970).

Nutrient samples were analyzed at sea by the Scripps Ocean Data Facility for dissolved silicate, phosphate, nitrate and nitrite using procedures similar to those described in Gordon et al., 1993. Samples were collected in 45 ml high-density polypropylene screw-capped tubes which were rinsed three times prior to filling. Standardizations were done at the beginning and end of each group of samples with a set of mid-concentration range standards prepared fresh for each run. Samples not analyzed immediately after collection were refrigerated and run the

* The first two digits represent the year and the last digits the month of the cruise.

following day. Sets of six different concentration standards were analyzed periodically to determine the deviation from linearity as a function of concentration, for the silicate, nitrate and phosphate analyses. Final sample concentrations were corrected for deviations from linearity using a second order polynomial.

Samples for chlorophyll-*a* and phaeopigments were collected in calibrated 138 ml polyethylene bottles and filtered onto Whatman GF/F filters. The pigments were extracted in cold 90% acetone (Venrick and Hayward, 1984) for a minimum of 24 hours. Chlorophyll *a* and phaeopigment concentrations were determined from fluorescence readings before and after acidification with a Turner Designs Fluorometer Model 10-AU-005-CE (Yentsch and Menzel, 1963; Holm-Hansen *et al.*, 1965).

Evaluation of the water sample data involved comparisons with the CTD data, adjacent stations and consideration of the variation of a property as a function of density or depth and the relationships with other properties (Klein, 1973). Precision estimates for routine analyses were made on CalCOFI cruise 9003 and are reported in SIO Ref. 91-4.

Primary Productivity Sampling

Primary productivity samples were taken each day shortly before local apparent noon (LAN). Primary production was estimated from ^{14}C uptake using a simulated *in situ* technique. Light penetration was estimated from the Secchi depth (assuming that the 1% light level is three times the Secchi depth). The depths with ambient light intensities corresponding to light levels simulated by the on-deck incubators were identified and sampled on the rosette up-cast. Occasionally an extra bottle or two were tripped in addition to the usual 20 levels sampled in the combined rosette-productivity cast in order to maintain the normal sampling depth resolution. Triplicate samples (two light and one dark control) were drawn from each productivity sample depth into 250 ml polycarbonate incubation bottles. Samples were inoculated with 10 μCi of ^{14}C as NaHCO_3 (200 μl of 50 $\mu\text{Ci/ml}$ stock) prepared in a 0.3 g/liter solution of sodium carbonate (Fitzwater *et al.*, 1982). Samples were incubated from LAN to civil twilight in seawater-cooled incubators with neutral-density screens which simulate *in situ* light levels. At the end of the incubation, the samples were filtered onto Millipore HA filters and placed in scintillation vials. One half ml of 10% HCl was added to each sample. The sample was then allowed to sit, without a cap, at room temperature for 12 hours (after Lean and Burnison, 1979). Following this, 10 ml of scintillation cocktail were added to each sample and the samples were returned to SIO where the radioactivity was determined with a scintillation counter. Salinity, oxygen, nutrients, chlorophyll-*a* and phaeopigments were determined from all rosette productivity bottles.

Macrozooplankton Net Tows

Macrozooplankton was sampled with a 71 cm mouth diameter paired net (bongo net) equipped with 0.505mm plankton mesh. Bottom depth permitting, the nets were towed obliquely from 210 meters to the surface. The tow time for a standard tow was 21.5 minutes. Volumes filtered were determined from flowmeter readings and the mouth area of the net. Only one sample of each pair was retained and preserved. The biomass, as wet displacement volume, after removal of large (>5 ml) organisms, was determined in the laboratory ashore. These procedures are summarized in greater detail in Kramer *et al.* (1972). An Optical Plankton Counter (OPC, Dave Checkley, SIO) was routinely used in one side of the paired bongo net frame. The purpose of the OPC is to obtain information on the vertical distributions of size categories of zooplankton, using data from the counter, without affecting the ongoing time series of data obtained from the catches of the integrative bongo net.

Avifauna Observations (Point Reys Bird Observatory)

Sea birds were counted within a 300-meter wide strip off to one side of the ship. Counts were made while underway between stations during periods of daylight. These counts were summed over 20 nautical mile (nm) intervals, or the distance between consecutive stations, whichever was less. Included at the end of this report are individual maps of the most numerous bird species (individuals/nm).

Ancillary Programs

Several ancillary programs produced data on these cruises that are not presented in this report. These programs include:

- 1) *Underway Data*. Continuous near surface measurements of temperature and salinity were recorded from seawater pumped through the ship's uncontaminated seawater system. Water was drawn from a depth of approximately 3 meters. The data were logged in one-minute averages using a Sea-Bird Electronics, Inc., SBE 21 TSG Thermosalinograph.
- 2) *ADCP*. Continuous profiles of ocean currents and acoustic backscatter between 20 and 500 meters deep were measured along the shiptrack from a hull-mounted 150 kHz Acoustic Doppler Current Profiler (ADCP). The ADCP data were averaged over 3-minute intervals. Sixty 8-meter depth bins were recorded. (T. Chereskin, SIO)
- 3) *Taxon-specific pigments*. Water samples were collected from a depth of 10 m for the analysis of taxon-specific pigments (chlorophylls and carotenoids) by high-pressure liquid chromatography (R. Goericke, SIO).
- 4) *Trace metals*. Surface seawater samples were obtained for iron analysis (dissolved and total iron) at 31 stations using a trace metal-clean pole sampler. Iron addition incubations were also performed at 3 stations to assay for iron limitation in the phytoplankton community. (K. Barbeau, SIO).

TABULATED DATA

CTD/Rosette Cast Data

The time reported is the Coordinated Universal Time (UTC) of the first rosette bottle trip on the up cast. The rosette bottles tripped on the up cast are reported as cast 2, where cast 1 is considered to be the down CTD profile. The sample number reported is the cast number followed by a two-digit rosette bottle number. Bottom depths, determined acoustically, have been corrected using British Admiralty Tables (Carter, 1980) and are reported in meters. Weather conditions have been coded using WMO code 4501. Secchi depths are reported for most daylight stations.

Data values from discrete sampled CTD rosette were interpolated and are reported for standard depths. Interpolated or extrapolated standard level data are noted by the footnote "ISL" printed after the depth. Multiple bottles tripped at the same depth to provide water for ancillary programs are not used in the calculation of standard depth data. Density-related parameters have been calculated from the International Equation of State of Seawater 1980 (UNESCO, 1981b). Computed values of potential temperature, sigma-theta, specific volume anomaly (SVA), and dynamic height or geopotential anomaly are included with both observed and interpolated standard depth levels.

On stations where primary productivity samples were drawn a footnote appears after each productivity depth sampled. The corresponding primary productivity data are reported in a separate section following the tabulated rosette cast data.

Primary Productivity Data

In addition to the normal hydrographic data that are reported in the rosette cast data section, the tabulated data include: the *in situ* light levels at which the samples were collected, the uptake from each of the replicate light bottles, uptake 1 and uptake 2 (which have been corrected for dark uptake by subtracting the dark value), the mean of the two uptake values and the dark uptake. The uptake values are totals for the incubation period. Also shown are the times of LAN, civil twilight, and the value of the mean uptake integrated from the surface to the deepest sample, assuming the shallowest value continues to the surface and that negative values (when dark uptake exceeds light uptake) are zero. The uptake data are reported to two significant digits (values <1.00) or one decimal (values >1.00). Incubation time, LAN, and civil twilight are given in local Pacific Standard Time (PST); to convert to UTC, add eight hours to the PST time. Incubation light intensities are listed in a footnote at the bottom of each page.

Macrozooplankton Data

Macrozooplankton biomass volumes are tabulated as total biomass volume ($\text{cm}^3/1000\text{m}^3$ strained) and as the total volume minus the volume of larger organisms under the heading "Small." Tow times are given in local PST (+8) time.

FOOTNOTES

In addition to footnotes, special notations are used without footnotes because the meaning is always the same:

- D: CTD salinity value listed in place of normal shipboard salinity analysis.
- ISL: After a depth value indicates that this is an interpolated or extrapolated standard level.
- U: Uncertain value. Values which are not used in interpolation because they seem to be in error without apparent reason.

LITERATURE CITED

- Anderson, G. C., compiler, 1971. "Oxygen Analysis," Marine Technician's Handbook, SIO Ref. No. 71-8, Sea Grant Pub. No. 9.
- Carpenter, J. H., 1965. The Chesapeake Bay Institute technique for the Winkler dissolved oxygen method. *Limnol. Oceanogr.*, 10: 141-143.
- Carter, D. J. T., 1980. Echo-sounding correction tables. Third Edition. Hydrographic Department, Ministry of Defence, Taunton, U.K., NP 139: 150 pp.
- Fitzwater, S. E., G. A. Knauer and J. H. Martin, 1982. Metal contamination and its effect on primary production measurements. *Limnol. Oceanogr.*, 27: 544-551.
- Gordon, L. I., J. C. Jennings, Jr., A. A. Ross, and J. M. Krest, 1993. A suggested protocol for continuous flow automated analysis of seawater nutrients (phosphate, nitrate, nitrite and silicic acid) in the WOCE Hydrographic Program and the Joint Global Ocean Fluxes Study. WOCE Operations Manual, Part 3.1.3 "WHP Operations and Methods," *WHP Office Report WHPO 91-1*.
- Holm-Hansen, O., C. J. Lorenzen, R. W. Holmes and J. D. H. Strickland, 1965. Fluorometric determination of chlorophyll. *J. Cons. perm. int. Explor. Mer*, 30: 3-15.
- Klein, H. T., 1973. A new technique for processing physical oceanographic data. SIO Ref. No. 73-14.
- Kramer, D., M. J. Kalin, E. G. Stevens, J. R. Thrailkill and J. R. Zweifel, 1972. Collecting and processing data on fish eggs and larvae in the California Current region. *NOAA Technical Report NMFS CIRC-370*: 38 pp.
- Lean, D. R. S. and B. K. Burnison, 1979. An evaluation of errors in the ¹⁴C method of primary production measurement. *Limnol. Oceanogr.*, 24: 917-928.
- Reid, J. L. and A. W. Mantyla, 1976. The effect of the geostrophic flow upon coastal sea elevations in the northern North Pacific Ocean. *J. Geophys. Res.*, 81: 3100-3110.
- Parsons, T. R., Y. Maita, C. M. Lalli, 1984. *A Manual of Chemical and Biological Methods for Seawater Analysis*. Pergamon Press Ltd., 3-28.
- Saunders, P. M., 1981. Practical conversion of pressure to depth. *J. Phys. Oceanogr.*, 11: 573-574.
- Scripps Institution of Oceanography, University of California, 1991. Physical, Chemical and Biological Data, CalCOFI Cruises 9003 and 9004. SIO Ref. 91-4, 96 pp.
- UNESCO, 1981, a. Background papers and supporting data on the Practical Salinity Scale, 1978. *UNESCO Tech. Pap. in Mar. Sci.*, No. 37.
- UNESCO, 1981, b. Background papers and supporting data on the International Equation of State 1980. *UNESCO Tech. Pap. in Mar. Sci.*, No. 38.
- Venrick, E. L. and T. L. Hayward, 1984. Determining chlorophyll on the 1984 CalCOFI surveys. *CalCOFI Rep.*, Vol. XXV: 74-79.
- Weiss, R. F., 1970. The solubility of nitrogen, oxygen and argon in water and seawater. *Deep-Sea Res.*, 17: 721-735.
- Yentsch, C. S. and D. W. Menzel, 1963. A method for the determination of phytoplankton, chlorophyll and phaeophytin by fluorescence. *Deep-Sea Res.*, 10: 221-231.

FIGURES

Cruise 0302

1. CalCOFI Cruise 0302 track and station positions.
2. Horizontal distribution of dynamic height anomaly (0 over 500m). In areas shallower than 500 m, the dynamic heights were extrapolated on the basis of the offshore deeper steric height as described in Reid and Mantyla (1976).
3. Horizontal distributions at 10 meters: A) chlorophyll-*a*; B) potential density; C) temperature; and D) salinity.
4. Horizontal distributions at 200 meters: A) dynamic height anomaly (200 over 500 m); B) potential density; C) temperature; and D) salinity.
5. Sections along CalCOFI line 90 (vertical exaggeration, 1000): A) potential density; B) temperature; C) salinity; D) silicate; E) nitrate; F) phosphate; G) chlorophyll-*a*; H) oxygen saturation; I) oxygen; J) nitrite; and K) phaeopigments.




FIGURE 1




FIGURE 2




FIGURE 3A




FIGURE 3B




FIGURE 3C




FIGURE 3D




FIGURE 4A




FIGURE 4B




FIGURE 4C




FIGURE 4D

CALCOFI CRUISE 0302

3 - 6 February 2003

POTENTIAL DENSITY (σ_{θ}) ALONG CALCOFI LINE 90




FIGURE 5A




FIGURE 5B

CALCOFI CRUISE 0302

3 - 6 February 2003

SALINITY ALONG CALCOFI LINE 90




FIGURE 5C




FIGURE 5D

CALCOFI CRUISE 0302

3 - 6 February 2003

NITRATE ($\mu\text{M/L}$) ALONG CALCOFI LINE 90




FIGURE 5E




FIGURE 5F

CALCOFI CRUISE 0302

3 - 6 February 2003

CHLOROPHYLL-a ($\mu\text{g/L}$) ALONG CALCOFI LINE 90




FIGURE 5G




FIGURE 5H

CALCOFI CRUISE 0302

3 - 6 February 2003

OXYGEN (mL/L) ALONG CALCOFI LINE 90




FIGURE 5I

NITRITE ($\mu\text{M/L}$) ALONG CALCOFI LINE 90




FIGURE 5J

PHAEOPIGMENTS ($\mu\text{g/L}$) ALONG CALCOFI LINE 90




FIGURE 5K

PERSONNEL

CalCOFI Cruise 0302

SHIP'S CAPTAIN

Chris Moore, RV *David Starr Jordan*

PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

		Participating (Legs)
Dotson, Ronald C. (Chief Scientist)	Fishery Biologist, NMFS	1,2,3
Andreassi, Valerie A.	Oceanographer, NMFS	1
Ramirez, Fernando	Staff Research Associate, SIO	1,2
Gardner, David	Seabird Biologist, Pt. Reyes Bird Observatory	1,2,3
Hays, Amy E.	Fishery Biologist, NMFS	1,2,3
Holtermann, Karie E.	Staff Research Associate, SIO	1,2
King, Andrew L.	Graduate Student, SIO	1,2
Manion, Susan M.	Fishery Biologist, NMFS	1,2,3
Masten, Douglas M.	Staff Research Associate, SIO	1,2
Powell, Jesse R.	Staff Research Associate, SIO	1,2
Sheldon, Jennifer L.	Scientific Aid, CDFG	2,3
Wilkinson, James R.	Programmer Analyst, SIO	1,2
Wolgast, David M.	Staff Research Associate, SIO	1,2

Leg 1: San Diego to Dana Point, California, 30 January - 5 February, 2003

Leg 2: Dana Point to Monterey, California, 5 – 18 February, 2003

Leg 3: Monterey to San Diego, California, 18 – 25 February , 2003

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
33 23.4 N	124 19.4 W	13/02/03	1906	UTC	4430 m	290	14 kn	300 03 06	1	1011.1 mb	16.1 c	15.1 c	20m	7/8		SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	db	
0 ISL	14.76	14.76	32.862	24.376	354.2	0.000	5.93	102.4	0.5	0.42	0.0	0.00	0.21	0.05		0
2 A	14.76	14.76	32.862	24.376	354.2	0.007	5.93	102.4	0.5	0.42	0.0	0.00	0.21	0.05		2 222
10 ISL	14.72	14.72	32.866	24.388	353.3	0.035	5.95	102.7	0.4	0.41	0.0	0.00	0.22	0.04		10
13 A	14.70	14.70	32.871	24.396	352.6	0.046	5.95	102.6	0.4	0.41	0.0	0.00	0.23	0.04		13 221
19	14.64	14.64	32.894	24.427	349.9	0.067	5.93	102.2	0.4	0.41	0.0	0.00	0.25	0.05		19 220
20 ISL	14.64	14.64	32.896	24.429	349.7	0.071	5.95	102.5	0.4	0.41	0.0	0.00	0.28	0.07		20
26	14.54	14.54	32.937	24.482	344.9	0.091										26 219
30 ISL	14.33	14.33	33.032	24.599	333.8	0.105	6.07	104.0	0.6	0.43	0.0	0.01	0.67	0.27		30
33	14.15	14.15	33.103	24.692	325.0	0.115	6.09	104.0	0.7	0.44	0.0	0.01	0.82	0.34		33 218
41 A	13.84	13.83	33.143	24.787	316.2	0.140	5.93	100.7	1.4	0.52	0.8	0.10	1.07	0.40		41 217
47	13.16	13.15	33.165	24.942	301.6	0.159	5.55	92.9	3.2	0.74	4.3	0.07	0.51	0.28		47 216
50 ISL	12.63	12.62	33.163	25.044	291.9	0.168	5.35	88.6	4.8	0.89	6.7	0.06	0.37	0.24		50
54 A	11.92	11.91	33.163	25.179	279.0	0.179	5.10	83.2	7.0	1.08	9.9	0.05	0.26	0.20		54 215
65	10.30	10.89	33.230	25.417	256.6	0.209	4.77	76.1	10.8	1.31	14.1	0.05	0.16	0.12		65 214
75 ISL	10.41	10.40	33.335	25.584	240.9	0.234	4.50	71.1	13.6	1.47	16.9	0.05	0.10	0.07		75
76 A	10.37	10.36	33.347	25.600	239.3	0.236	4.47	70.6	13.9	1.48	17.1	0.05	0.09	0.07		76 213
88	9.85	9.84	33.506	25.813	219.4	0.264	3.98	62.2	18.1	1.66	20.4	0.05	0.03	0.04		88 212
100	9.64	9.63	33.612	25.930	208.4	0.289	3.64	56.6	20.7	1.77	22.2	0.05	0.02	0.04		100 211
120	9.00	8.99	33.752	26.143	188.5	0.329	3.34	51.3	25.6	1.91	24.9	0.05	0.00	0.04		120 210
125 ISL	8.89	8.88	33.776	26.179	185.1	0.338	3.31	50.7	26.4	1.93	25.3	0.05	0.00	0.04		125
140	8.65	8.64	33.843	26.270	176.8	0.365	3.21	48.9	28.7	1.97	26.2	0.05	0.00	0.03		140 209
150 ISL	8.60	8.58	33.908	26.328	171.4	0.383	2.97	45.2	30.6	2.03	27.1	0.05	0.00	0.03		150
168	8.56	8.54	34.014	26.418	163.3	0.413	2.50	38.1	34.0	2.15	28.8	0.05	0.00	0.02		168 208
198	8.33	8.31	34.069	26.497	156.3	0.461	2.08	31.5	38.3	2.32	30.8	0.05	0.00	0.02		198 207
200 ISL	8.30	8.28	34.071	26.503	155.7	0.464	2.07	31.3	38.6	2.33	30.9	0.05				200
229	7.81	7.79	34.077	26.580	148.7	0.508	1.95	29.2	42.5	2.42	32.2	0.04				229 206
250 ISL	7.42	7.40	34.063	26.626	144.5	0.539	1.90	28.2	46.4	2.48	33.3	0.04				250
268	7.12	7.09	34.055	26.661	141.3	0.565	1.83	27.0	49.9	2.53	34.3	0.04				268 205
300 ISL	6.86	6.83	34.093	26.727	135.4	0.609	1.46	21.4	55.3	2.69	35.9	0.04				300
317	6.76	6.73	34.117	26.760	132.5	0.632	1.25	18.3	57.9	2.77	36.7	0.04				317 204
377	6.20	6.17	34.112	26.830	126.3	0.709	1.03	14.9	66.3	2.91	38.9	0.04				377 203
400 ISL	6.12	6.08	34.137	26.860	123.7	0.738	0.89	12.8	68.8	2.97	39.4	0.04				400
437	6.03	5.99	34.185	26.910	119.5	0.783	0.65	9.3	72.7	3.06	40.1	0.04				437 202
500 ISL	5.66	5.62	34.235	26.996	111.8	0.856	0.42	6.0	81.0	3.16	41.6	0.04				500
515	5.57	5.53	34.247	27.016	110.0	0.873	0.37	5.3	83.0	3.19	41.9	0.04				515 201

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
34 27.0 N	120 32.7 W	11/02/03	1142	UTC	83 m	330	27 kn			1011.5 mb	13.1 c	10.9 c				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	db	
0 ISL	14.60	14.60	33.389	24.817	312.2	0.000	5.90	101.9	3.0	0.42	0.4	0.04	0.77	0.25		0
1	14.60	14.60	33.389	24.817	312.2	0.003	5.90	101.9	3.0	0.42	0.4	0.04	0.77	0.25		1 209
5	14.60	14.60	33.395	24.822	311.9	0.016	5.88	101.5	3.1	0.42	0.4	0.04	0.79	0.23		5 208
10	14.60	14.60	33.392	24.819	312.2	0.031	5.92	102.2	3.2	0.42	0.4	0.04	0.78	0.25		10 207
20	14.46	14.46	33.414	24.867	308.1	0.062	5.87	101.1	3.6	0.45	0.8	0.04	0.86	0.09		20 206
30 ISL	14.43	14.43	33.414	24.873	307.7	0.093	5.83	100.3	3.8	0.47	1.0	0.05	0.69	0.25		30
31	14.43	14.43	33.414	24.873	307.8	0.096	5.83	100.3	3.8	0.47	1.0	0.05	0.66	0.27		31 205
41	13.94	13.93	33.416	24.978	298.1	0.126	5.44	92.7	5.7	0.66	3.6	0.18	0.28	0.22		41 204
50	12.49	12.48	33.423	25.273	270.1	0.152	4.57	75.5	9.7	1.06	10.0	0.12	0.21	0.24		50 203
60	12.55	12.54	33.424	25.262	271.4	0.179	4.65	77.0	9.6	1.05	9.8	0.14	0.20	0.23		60 202
73	12.34	12.33	33.436	25.312	266.9	0.214	4.56	75.1	10.4	1.10	10.6	0.14	0.21	0.26		73 201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
34 18.4 N	120 47.9 W	11/02/03	1514	UTC	747 m	330	37 kn	110 10 05	2	1017.9 mb	12.9 c	11.6 c		8/8		SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			ml/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/l	ug/l	db	
0 ISL	13.85	13.85	33.330	24.928	301.6	0.000	5.92	100.6	4.6	0.49	1.4	0.04	1.05	0.51		0
2	13.85	13.85	33.330	24.928	301.6	0.006	5.92	100.6	4.6	0.49	1.4	0.04	1.05	0.51		2 220
10 ISL	13.85	13.85	33.334	24.932	301.5	0.030	5.93	100.8	4.5	0.49	1.4	0.04	1.08	0.43		10
12	13.85	13.85	33.335	24.933	301.5	0.036	5.93	100.8	4.5	0.49	1.4	0.04	1.08	0.41		12 219
20 ISL	13.84	13.84	33.337	24.936	301.4	0.060	5.86	99.6	4.9	0.50	1.6	0.05	1.03	0.46		20
21	13.84	13.84	33.337	24.937	301.4	0.063	5.85	99.4	4.9	0.50	1.6	0.05	1.02	0.47		21 218
30	13.23	13.23	33.401	25.110	285.1	0.090	5.31	89.1	7.1	0.75	5.3	0.15	0.73	0.45		30 217
42	11.63	11.62	33.487	25.485	249.7	0.122	4.07	66.1	12.2	1.29	13.8	0.04	0.26	0.20		42 216
50 ISL	11.21	11.20	33.571	25.627	236.4	0.141	3.71	59.7	15.0	1.46	15.9	0.02	0.10	0.11		50
51	11.18	11.17	33.580	25.639	235.2	0.144	3.68	59.2	15.3	1.47	16.0	0.02	0.09	0.10		51 215
59	11.08	11.07	33.613	25.683	231.2	0.162	3.55	57.0	16.1	1.52	17.3	0.02	0.06	0.08		59 214
72	10.85	10.84														

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
34 8.5 N	121 9.0 W	12/02/03	0758	UTC	2182 m	120	25 kn			1009.5 mb	14.5 c	14.0 c				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.50	14.50	32.962	24.509	341.5	0.000	5.93	101.9	1.4	0.56	0.1	0.01	0.32	0.09	0	
1	14.50	14.50	32.962	24.509	341.6	0.003	5.93	101.9	1.4	0.56	0.1	0.01	0.32	0.09	1	220
10 ISL	14.50	14.50	32.963	24.510	341.7	0.034	5.95	102.3	1.3	0.55	0.0	0.01	0.31	0.08	10	
15	14.50	14.50	32.963	24.510	341.9	0.051	5.96	102.4	1.2	0.55	0.0	0.01	0.31	0.08	15	219
20 ISL	14.50	14.50	32.963	24.510	342.0	0.068	5.95	102.3	1.2	0.55	0.0	0.01	0.31	0.08	20	
30 ISL	14.50	14.50	32.963	24.510	342.3	0.103	5.92	101.7	1.1	0.55	0.0	0.00	0.31	0.09	30	
31	14.50	14.50	32.963	24.510	342.3	0.106	5.92	101.7	1.1	0.55	0.0	0.00	0.31	0.09	31	218
45	14.50	14.49	32.964	24.512	342.6	0.154	5.93	101.9	0.9	0.55	0.0	0.00	0.32	0.10	45	217
50 ISL	14.09	14.08	32.962	24.596	334.6	0.171	5.88	100.2	1.3	0.60	0.7	0.08	0.43	0.20	50	
56	13.42	13.41	32.949	24.723	322.7	0.191	5.82	97.8	2.0	0.68	1.8	0.15	0.53	0.31	56	216
65	12.31	12.30	32.887	24.892	306.7	0.219	5.75	94.4	3.3	0.83	4.1	0.08	0.38	0.31	65	215
75	11.43	11.42	32.942	25.098	287.2	0.249	5.45	87.8	6.1	1.07	8.3	0.02	0.20	0.20	75	214
86	10.69	10.68	33.103	25.355	262.9	0.279	5.05	80.2	9.9	1.31	12.9	0.01	0.11	0.08	86	213
96	10.31	10.30	33.192	25.490	250.2	0.305	4.82	75.9	11.9	1.43	15.0	0.01	0.07	0.05	96	212
100 ISL	10.22	10.21	33.230	25.535	246.0	0.314	4.73	74.4	12.6	1.47	15.7	0.01	0.06	0.05	100	
110	10.02	10.01	33.329	25.646	235.6	0.339	4.52	70.8	14.3	1.55	17.4	0.01	0.05	0.05	110	211
125 ISL	9.45	9.44	33.477	25.856	215.9	0.372	4.18	64.7	18.1	1.69	20.0	0.01	0.01	0.03	126	
127	9.37	9.36	33.499	25.886	213.1	0.377	4.13	63.8	18.7	1.71	20.4	0.01	0.01	0.03	128	210
145	9.03	9.01	33.754	26.141	189.2	0.413	3.39	52.1	24.5	1.92	24.1	0.01	0.00	0.02	146	209
150 ISL	8.99	8.97	33.803	26.185	185.1	0.422	3.21	49.3	25.8	1.97	24.9	0.01	0.00	0.02	151	
170	8.87	8.85	33.940	26.312	173.4	0.458	2.67	40.9	30.0	2.12	27.2	0.00	0.00	0.03	171	208
200 ISL	8.58	8.56	34.017	26.418	163.9	0.509	2.42	36.9	33.6	2.22	28.8	0.00	0.00	0.03	201	
202	8.56	8.54	34.019	26.422	163.5	0.512	2.41	36.7	33.8	2.22	28.9	0.00	0.00	0.03	203	207
229	8.31	8.29	34.051	26.486	157.9	0.555	2.21	33.5	36.9	2.31	30.2	0.00	0.00	0.03	230	206
250 ISL	7.95	7.92	34.051	26.540	153.0	0.588	2.18	32.7	39.9	2.35	31.0	0.00	0.00	0.03	251	
269	7.59	7.56	34.046	26.589	148.5	0.617	2.17	32.3	42.9	2.39	31.8	0.00	0.00	0.03	271	205
300 ISL	7.15	7.12	34.049	26.653	142.6	0.662	1.96	28.9	48.1	2.50	33.3	0.00	0.00	0.03	302	
319	6.93	6.90	34.054	26.687	139.5	0.689	1.79	26.3	51.2	2.58	34.3	0.00	0.00	0.03	321	204
381	6.48	6.45	34.085	26.773	132.0	0.773	1.28	18.6	59.6	2.79	37.0	0.00	0.00	0.03	383	203
400 ISL	6.40	6.36	34.107	26.801	129.6	0.798	1.11	16.1	62.1	2.86	37.6	0.00	0.00	0.03	403	
437	6.29	6.25	34.158	26.855	124.9	0.845	0.81	11.7	66.8	2.98	38.5	0.00	0.00	0.03	440	202
500 ISL	6.21	6.17	34.261	26.948	117.0	0.921	0.47	6.8	73.1	3.11	39.3	0.00	0.00	0.03	503	
511	6.20	6.15	34.279	26.964	115.7	0.934	0.41	5.9	74.2	3.13	39.4	0.00	0.00	0.03	515	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
33 49.6 N	121 48.3 W	12/02/03	1736	UTC	3612 m	150	14 kn	130 08 05	4	1004.0 mb	16.1 c	15.6 c	15m	8/8	ST	
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.30	14.30	32.978	24.563	336.4	0.000	6.03	103.2	0.8	0.41	0.1	0.01	0.43	0.10	0	
2 A	14.30	14.30	32.978	24.563	336.4	0.007	6.03	103.2	0.8	0.41	0.1	0.01	0.43	0.10	2	222
10 A	14.28	14.28	32.978	24.568	336.2	0.034	5.98	102.3	0.7	0.41	0.1	0.01	0.42	0.10	10	221
19 A	14.28	14.28	32.979	24.569	336.4	0.064	5.97	102.2	0.5	0.41	0.1	0.01	0.41	0.11	19	220
20 ISL	14.28	14.28	32.979	24.569	336.4	0.067	5.97	102.2	0.5	0.41	0.1	0.01	0.41	0.11	20	
30 A	14.27	14.27	32.980	24.572	336.4	0.101	5.98	102.3	0.4	0.41	0.1	0.01	0.45	0.10	30	219
41 A	14.18	14.17	32.989	24.598	334.2	0.138	5.95	101.6	0.5	0.43	0.4	0.03	0.48	0.13	41	218
50	12.21	12.20	32.937	24.949	300.8	0.166	5.69	93.2	3.0	0.75	4.7	0.14	0.44	0.29	50	217
58 A	11.33	11.32	32.933	25.109	285.8	0.190	5.53	88.9	5.1	0.92	7.7	0.05	0.27	0.27	58	216
65	11.01	11.00	32.992	25.212	276.1	0.209	5.38	85.9	6.6	1.04	9.9	0.03	0.19	0.23	65	215
70	10.71	10.70	33.046	25.307	267.1	0.223	5.23	83.0	8.1	1.14	11.7	0.02	0.17	0.13	70	214
75 ISL	10.52	10.51	33.128	25.404	258.0	0.236	5.03	79.6	9.8	1.25	13.5	0.01	0.14	0.11	75	
85	10.23	10.22	33.296	25.585	241.0	0.261	4.61	72.5	13.1	1.44	16.8	0.01	0.09	0.07	85	213
100 ISL	9.69	9.68	33.442	25.789	221.8	0.296	4.15	64.6	16.9	1.61	19.8	0.01	0.04	0.03	100	
101	9.66	9.65	33.450	25.800	220.8	0.298	4.12	64.1	17.1	1.62	19.9	0.01	0.04	0.03	101	212
120	9.35	9.34	33.643	26.002	201.9	0.338	3.58	55.4	21.2	1.78	22.6	0.00	0.01	0.03	121	211
125 ISL	9.31	9.30	33.684	26.041	198.4	0.348	3.45	53.3	22.1	1.82	23.2	0.00	0.01	0.03	126	
140	9.20	9.18	33.789	26.141	189.2	0.377	3.12	48.1	24.8	1.92	24.9	0.00	0.00	0.03	141	210
150 ISL	9.08	9.06	33.847	26.206	183.2	0.396	2.97	45.7	26.5	1.97	25.8	0.00	0.00	0.03	151	
170	8.83	8.81	33.940	26.318	172.8	0.432	2.72	41.6	29.7	2.06	27.3	0.00	0.00	0.02	171	209
199	8.53	8.51	34.027	26.433	162.4	0.480	2.35	35.8	33.9	2.20	29.4	0.00	0.00	0.03	200	208
200 ISL	8.52	8.50	34.029	26.436	162.1	0.482	2.34	35.6	34.1	2.21	29.5	0.00	0.00	0.03	201	
229	8.06	8.04	34.057	26.528	153.7	0.528	2.05	30.9	39.4	2.35	31.6	0.00	0.00	0.03	230	207
250 ISL	7.74	7.72	34.060	26.578	149.3	0.559	1.94	29.0	42.6	2.41	32.6	0.00	0.00	0.03	251	
269	7.45	7.42	34.057	26.617	145.7	0.587	1.88	27.9	45.4	2.46	33.3	0.00	0.00	0.03	271	206
300 ISL	6.98	6.95	34.058	26.683	139.6	0.632	1.76	25.8	50.6	2.56	34.6	0.00	0.00	0.03	302	
320	6.71	6.68	34.061	26.723	136.0	0.659	1.66	24.2	54.0	2.63	35.4	0.00	0.00	0.03	322	205
379	6.17	6.14	34.094	26.820	127.3	0.737	1.17	16.9	64.0	2.85	38.1	0.00	0.00			

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
33 28.7 N	122 31.7 W	12/02/03	2346	UTC	3983 m	150	14 kn	170 07 05	1	1012.7 mb	17.5 c	16.5 c	18m		2/8	ST
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.94	14.94	32.906	24.372	354.6	0.000	5.94	103.0	0.4	0.40	0.0	0.00	0.20	0.04	0	
3	14.94	14.94	32.906	24.372	354.7	0.011	5.94	103.0	0.4	0.40	0.0	0.00	0.20	0.04	3	220
10 ISL	14.91	14.91	32.904	24.377	354.4	0.035	5.92	102.6	0.1	0.40	0.0	0.00	0.20	0.05	10	
11	14.90	14.90	32.904	24.379	354.2	0.039			0.1	0.40	0.0	0.00	0.20	0.05	11	219
20	14.82	14.82	32.905	24.397	352.8	0.071	5.90	102.0	0.2	0.40	0.0	0.00	0.21	0.05	20	218
29	14.81	14.81	32.905	24.400	352.8	0.103	5.90	102.0	0.3	0.40	0.0	0.00	0.22	0.06	29	217
30 ISL	14.81	14.81	32.905	24.400	352.8	0.106	5.90	102.0	0.3	0.40	0.0	0.00	0.22	0.06	30	
40	14.80	14.79	32.906	24.403	352.8	0.141	5.90	102.0	0.1	0.40	0.0	0.00	0.25	0.06	40	216
50	14.47	14.46	32.926	24.489	344.9	0.176	5.92	101.6	0.3	0.42	0.1	0.01	0.43	0.24	50	215
60	13.09	13.08	32.909	24.758	319.4	0.209	5.85	97.6	1.7	0.60	1.9	0.12	0.47	0.35	60	214
70	12.22	12.21	32.877	24.901	305.9	0.241	5.72	93.7	3.2	0.76	4.5	0.05	0.28	0.32	70	213
75 ISL	11.68	11.67	32.886	25.009	295.7	0.256	5.62	91.0	4.3	0.85	6.2	0.04	0.21	0.25	75	
85	10.73	10.72	32.945	25.225	275.2	0.284	5.41	85.9	6.8	1.03	9.6	0.03	0.12	0.11	85	212
100	10.27	10.26	33.094	25.421	256.9	0.324	5.13	80.7	9.8	1.22	13.0	0.03	0.06	0.05	100	211
120	9.69	9.68	33.337	25.708	229.9	0.373	4.60	71.5	15.1	1.48	17.5	0.02	0.02	0.02	121	210
125 ISL	9.58	9.57	33.389	25.766	224.5	0.384	4.48	69.5	16.2	1.53	18.3	0.02	0.02	0.02	126	
140	9.30	9.28	33.536	25.927	209.5	0.417	4.09	63.1	19.3	1.65	20.6	0.02	0.01	0.02	141	209
150 ISL	9.18	9.16	33.645	26.031	199.7	0.437	3.74	57.6	21.9	1.76	22.4	0.02	0.01	0.02	151	
170	8.97	8.95	33.836	26.215	182.7	0.476	3.13	48.0	26.8	1.94	25.4	0.02	0.00	0.01	171	208
199	8.50	8.48	33.973	26.395	166.0	0.526	2.97	45.1	31.6	2.00	27.1	0.02	0.00	0.01	200	207
200 ISL	8.49	8.47	33.976	26.399	165.6	0.528	2.95	44.8	31.8	2.01	27.2	0.02			201	
229	8.18	8.16	34.045	26.501	156.4	0.574	2.22	33.5	38.4	2.29	30.8	0.02			230	206
250 ISL	7.87	7.85	34.053	26.553	151.6	0.607	2.14	32.1	41.6	2.36	31.9	0.02			251	
269	7.58	7.55	34.049	26.592	148.1	0.635	2.06	30.7	44.0	2.39	32.5	0.02			271	205
300 ISL	7.17	7.14	34.052	26.653	142.6	0.680	1.91	28.2	48.6	2.49	33.8	0.02			302	
319	6.94	6.91	34.055	26.687	139.6	0.707	1.79	26.3	51.5	2.56	34.6	0.02			321	204
378	6.39	6.36	34.083	26.783	131.0	0.787	1.27	18.4	60.9	2.79	37.4	0.02			380	203
400 ISL	6.18	6.14	34.096	26.820	127.6	0.815	1.13	16.3	64.8	2.86	38.3	0.02			403	
440	5.85	5.81	34.123	26.883	121.8	0.865	0.89	12.7	71.6	2.98	39.8	0.02			443	202
500 ISL	5.54	5.50	34.172	26.960	115.0	0.936	0.50	7.1	79.7	3.11	41.3	0.02			503	
510	5.49	5.45	34.180	26.973	113.9	0.948	0.44	6.2	81.1	3.13	41.6	0.02			513	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
33 9.0 N	123 13.3 W	13/02/03	0613	UTC	4239 m	220	08 kn			1005.1 mb	15.0 c	14.5 c				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.04	15.04	32.724	24.210	370.0	0.000	5.87	101.9	0.6	0.41	0.0	0.00	0.17	0.03	0	
2	15.04	15.04	32.724	24.210	370.1	0.007	5.87	101.8	0.6	0.41	0.0	0.00	0.17	0.03	2	220
10 ISL	15.04	15.04	32.724	24.210	370.3	0.037	5.86	101.7	0.7	0.41	0.0	0.00	0.16	0.04	10	
11	15.04	15.04	32.724	24.210	370.3	0.041	5.86	101.7	0.7	0.41	0.0	0.00	0.16	0.04	11	219
20	15.01	15.01	32.724	24.217	369.9	0.074	5.87	101.8	0.6	0.41	0.0	0.00	0.17	0.04	20	218
30	14.81	14.81	32.732	24.266	365.5	0.111	5.90	101.9	0.6	0.40	0.2	0.00	0.22	0.06	30	217
41	14.49	14.48	32.805	24.391	353.9	0.150	5.97	102.5	0.7	0.42	0.2	0.01	0.44	0.16	41	216
50 ISL	14.36	14.35	32.943	24.525	341.4	0.182	6.00	102.8	0.6	0.41	0.1	0.01	0.60	0.24	50	
51	14.35	14.34	32.958	24.539	340.2	0.185	6.00	102.8	0.6	0.41	0.1	0.01	0.61	0.24	51	215
61	14.37	14.36	33.032	24.592	335.4	0.219	5.94	101.8	0.6	0.42	0.3	0.03	0.43	0.18	61	214
70	12.70	12.69	32.799	24.749	320.4	0.248	5.88	97.2	2.3	0.66	3.2	0.09	0.27	0.26	70	213
75 ISL	12.04	12.03	32.763	24.847	311.2	0.264	5.85	95.4	3.1	0.74	4.4	0.07	0.20	0.23	75	
84	11.15	11.14	32.772	25.017	295.1	0.291	5.77	92.3	4.6	0.85	6.5	0.02	0.11	0.13	84	212
100	10.08	10.07	32.823	25.241	273.9	0.337	5.56	86.9	8.2	1.10	10.9	0.02	0.06	0.05	100	211
120	9.71	9.70	33.229	25.620	238.3	0.388	4.90	76.2	12.6	1.32	15.5	0.02	0.02	0.02	121	210
125 ISL	9.64	9.63	33.302	25.689	231.9	0.400	4.74	73.6	13.9	1.39	16.6	0.02	0.02	0.02	126	
138	9.48	9.46	33.462	25.840	217.7	0.429	4.31	66.8	17.5	1.56	19.5	0.02	0.01	0.02	139	209
150 ISL	9.30	9.28	33.597	25.975	205.1	0.455	3.90	60.2	20.8	1.70	21.8	0.02	0.01	0.02	151	
170	8.99	8.97	33.790	26.175	186.4	0.494	3.24	49.7	26.2	1.91	25.1	0.01	0.00	0.02	171	208
199	8.61	8.59	34.011	26.408	164.8	0.545	2.41	36.7	33.7	2.17	28.9	0.01	0.00	0.02	200	207
200 ISL	8.60	8.58	34.014	26.412	164.4	0.546	2.40	36.6	33.9	2.18	29.0	0.01			201	
229	8.32	8.30	34.057	26.489	157.6	0.593	2.15	32.6	38.0	2.29	30.4	0.01			230	206
250 ISL	7.96	7.93	34.065	26.549	152.1	0.625	2.01	30.2	41.8	2.38	31.6	0.01			251	
269	7.64	7.61	34.068	26.599	147.6	0.654	1.90	28.3	45.2	2.45	32.7	0.01			271	205
300 ISL	7.40	7.37	34.090	26.651	143.0	0.699	1.66	24.6	48.9	2.56	33.9	0.01			302	
319	7.27	7.24	34.101	26.678	140.7	0.726	1.52	22.5	51.0	2.62	34.6	0.01			321	204
378	6.48	6.45	34.095	26.780	131.3	0.806	1.23	17.9	61.1	2.80	37.3	0.01			380	203
400 ISL	6.42	6.38	34.127	26.814	128.4	0.835	1.04	15.1	63.7	2.87	37.8	0.01			403	
438	6.33	6.29	34.183	26.870	123.6	0.883	0.73	10.6	68.3	2.99	38.7	0.01			441	202
500 ISL	5.61	5.57	34.182	26.960	115.2	0.957	0.54	7.7	80.1	3.12	41.1	0.01			503	
509	5.50	5.46	34.182	26.973	113.9	0.967	0.51	7.2	81.8	3.14	41.4	0.01			512	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
34 13.3 N	119 24.7 W	10/02/03	1805 UTC	34 m	040 12 kn	330 01 06	2	1017.3 mb	15.5 c	12.1 c	21m	8/8	SC			
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.10	15.10	33.387	24.708	322.6	0.000	5.90	102.9	2.2	0.37	0.0	0.01	0.53	0.13	0	
1 B	15.10	15.10	33.387	24.708	322.6	0.003	5.90	102.9	2.2	0.37	0.0	0.01	0.53	0.13	1	205
5	15.06	15.06	33.388	24.717	321.8	0.016	5.94	103.5	2.1	0.37	0.0	0.01	0.51	0.13	5	204
10 ISL	15.06	15.06	33.389	24.718	321.9	0.032	5.92	103.2	2.1	0.37	0.0	0.01	0.50	0.14	10	
12 B	15.06	15.06	33.389	24.718	322.0	0.039	5.90	102.8	2.1	0.37	0.0	0.01	0.50 A	0.14 A	12	203
19	15.05	15.05	33.388	24.720	322.0	0.061	5.91	103.0	2.2	0.37	0.0	0.01	0.55	0.16	19	202
20 ISL	15.05	15.05	33.388	24.720	322.0	0.064	5.91	103.0	2.2	0.37	0.0	0.01	0.56	0.16	20	
26 B	15.05	15.05	33.388	24.720	322.2	0.084	5.90	102.8	2.1	0.37	0.0	0.01	0.60	0.18	26	201

A) FIRST FLUOROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPIGMENT CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

B) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
34 10.7 N	119 30.7 W	10/02/03	1506 UTC	129 m	290 02 kn	330 01 06	2	1017.2 mb	14.5 c	12.1 c	23m	8/8	SC			
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.23	15.23	33.366	24.663	326.8	0.000	5.91	103.3	2.1	0.36	0.1	0.01	0.29	0.09	0	
2	15.23	15.23	33.366	24.663	326.9	0.007	5.91	103.3	2.1	0.36	0.1	0.01	0.29	0.09	2	212
5	15.22	15.22	33.366	24.665	326.8	0.016	5.91	103.3	2.1	0.36	0.1	0.01	0.31	0.08	5	211
10 ISL	15.23	15.23	33.366	24.663	327.1	0.033	5.90	103.2	2.1	0.36	0.1	0.01	0.29	0.09	10	
11	15.23	15.23	33.366	24.663	327.1	0.036	5.90	103.2	2.1	0.36	0.1	0.01	0.28	0.09	11	210
20 ISL	15.23	15.23	33.366	24.664	327.4	0.065	5.91	103.3	2.1	0.36	0.1	0.01	0.29	0.08	20	
21	15.23	15.23	33.366	24.664	327.4	0.069	5.91	103.3	2.1	0.36	0.1	0.01	0.29	0.08	21	209
30 ISL	15.19	15.19	33.364	24.671	327.0	0.098	5.91	103.2	2.1	0.36	0.1	0.01	0.34	0.09	30	
31	15.19	15.19	33.364	24.671	327.0	0.101	5.91	103.2	2.1	0.36	0.1	0.01	0.35	0.09	31	208
40	13.69	13.68	33.272	24.918	303.7	0.130	5.77	97.7	3.6	0.54	1.6	0.10	0.72	0.28	40	207
50	12.83	12.82	33.255	25.077	288.8	0.159	5.26	87.5	5.8	0.83	6.2	0.14	0.50	0.35	50	206
60	12.44	12.43	33.262	25.158	281.3	0.188	5.13	84.6	6.6	0.92	7.7	0.10	0.42	0.31	60	205
70	11.75	11.74	33.376	25.377	260.7	0.215	4.60	74.8	9.8	1.14	11.6	0.05	0.19	0.19	70	204
75 ISL	11.59	11.58	33.451	25.465	252.4	0.228	4.27	69.3	11.5	1.25	13.3	0.05	0.13	0.15	75	
84	11.47	11.46	33.567	25.577	241.9	0.250	3.76	60.9	13.9	1.42	15.5	0.05	0.09	0.10	84	203
100 ISL	11.41	11.40	33.584	25.602	240.0	0.289	3.71	60.0	14.5	1.45	15.9	0.05	0.08	0.10	100	
102	11.40	11.39	33.586	25.605	239.7	0.293	3.70	59.8	14.5	1.45	15.9	0.05	0.08	0.10	102	202
121	10.96	10.95	33.714	25.784	223.0	0.337	3.18	51.0	18.4	1.66	19.0	0.05	0.04	0.08	122	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
33 52.7 N	120 8.4 W	10/02/03	0908 UTC	104 m	00 kn			1017.8 mb	13.2 c	11.9 c						
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.56	14.56	33.374	24.814	312.5	0.000	5.92	102.1	3.6	0.49	1.5	0.04	0.53	0.19	0	
2	14.56	14.56	33.374	24.814	312.5	0.006	5.92	102.1	3.6	0.49	1.5	0.04	0.53	0.19	2	211
5	14.54	14.54	33.373	24.818	312.3	0.016	5.83	100.5	3.6	0.49	1.5	0.04	0.49	0.19	5	210
10	14.45	14.45	33.372	24.836	310.7	0.031	5.79	99.7	3.8	0.52	1.7	0.04	0.54	0.20	10	209
20	14.19	14.19	33.365	24.885	306.3	0.062	5.69	97.4	4.1	0.54	2.1	0.05	0.56	0.22	20	208
30	13.22	13.22	33.345	25.069	289.1	0.092	5.32	89.3	6.3	0.78	5.7	0.11	0.71	0.34	30	207
40	12.53	12.52	33.390	25.239	273.0	0.120	4.86	80.4	8.6	0.99	8.9	0.11	0.53	0.31	40	206
50	12.12	12.11	33.438	25.355	262.3	0.147	4.59	75.3	10.4	1.11	10.9	0.10	0.37	0.25	50	205
60	11.75	11.74	33.433	25.421	256.2	0.173	4.42	71.9	11.1	1.20	12.5	0.09	0.32	0.26	60	204
69	11.71	11.70	33.436	25.431	255.5	0.196	4.40	71.5	11.3	1.21	12.7	0.09	0.33	0.23	69	203
75 ISL	11.64	11.63	33.459	25.462	252.7	0.211	4.32	70.1	12.0	1.24	13.1	0.09	0.28	0.23	75	
81	11.51	11.50	33.492	25.511	248.1	0.226	4.19	67.9	13.0	1.30	13.9	0.09	0.22	0.24	81	202
90	11.13	11.12	33.545	25.622	237.8	0.248	3.91	62.8	14.9	1.43	15.9	0.09	0.14	0.16	90	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
33 44.7 N	120 24.7 W	10/02/03	0511 UTC	979 m	330 08 kn			1018.5 mb	14.0 c	12.5 c						
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.59	14.59	33.367	24.802	313.6	0.000	6.04	104.3	2.9	0.40	0.1	0.02	0.66	0.19	0	
2	14.59	14.59	33.367	24.802	313.7	0.006	6.04	104.3	2.9	0.40	0.1	0.02	0.66	0.19	2	220
10	14.44	14.44	33.366	24.833	310.9	0.031	6.04	103.9	2.8	0.41	0.3	0.02	0.71	0.22	10	219
20	14.36	14.36	33.368	24.852	309.4	0.062	5.95	102.2	3.1	0.43	0.7	0.03	1.12	0.38	20	218
30	14.23	14.23	33.364	24.877	307.4	0.093	5.84	100.1	3.7	0.47	1.4	0.05	1.20	0.40	30	217
40	13.41	13.40	33.357	25.040	292.1	0.123	5.49	92.5	5.4	0.67	4.3	0.10	1.44 A	0.49 A	40	216
50 ISL	12.93	12.92	33.357	25.136	283.2	0.152	5.11	85.2	7.1	0.84	7.2	0.14	1.07	0.39	50	
51	12.86	12.85	33.359	25.151	281.7	0.155	5.06	84.3	7.3	0.86	7.6	0.14	1.01	0.38	51	215
60	11.51	11.50	33.438	25.469	251.6	0.179	4.35	70.4	11.5	1.22	13.2	0.06	0.55	0.32	60	214
70	11.31	11.30	33.490	25.546	244.5	0.203	4.15	66.9	12.9	1.30	14.7	0.05	0.24	0.20	70	213
75 ISL	11.06	11.05	33.546	25.635	236.2	0.215	3.94	63.2	14.5	1.39	16.1	0.04	0.22	0.18	75	
85	10.54	10.53	33.671	25.824	218.4	0.238	3.47	55.1	18.0	1.58	19.1	0.02	0.17	0.15	85	212
100	10.22	10.21	33.797	25.978	204.1	0.270	3.02	47.7	21.9	1.76	21.5	0.02	0.05	0.07	101	211
119	10.04	10.03	33.912	26.098	193.0	0.308	2.62	41.2	25.4	1.92	23.7	0.01	0.02 A	0.05 A	120	210
125 ISL	10.00	9.99	33.935	26.123	190.8	0.319	2.53	39.8	26.0	1.95	24.1	0.01	0.02	0.05	126	
140	9.92	9.90	33.983	26.174	186.2	0.347	2.35	36.9	27.3	2.01	24.9	0.01	0.01	0.06	141	209
150 ISL	9.85	9.83	34.019	26.214	182.6	0.366	2.21	34.6	28.5	2.06	25.6	0.01	0.01	0.05	151	
169	9.72	9.70	34.083	26.286	176.2	0.400	1.97	30.8	30.8	2.16	26.8	0.01	0.01	0.04	170	208
198	9.50	9.48	34.157	26.381	167.7	0.450	1.70	26.5	34.0	2.28	28.3	0.01	0.01	0.04	199	207
200 ISL	9.48	9.46	34.160	26.387	167.2	0.453	1.69	26.3	34.2	2.29	28.4	0.01			201	
227	9.20	9.18	34.195	26.460	160.7	0.497	1.54	23.8	37.1	2.38	29.4	0.02			228	206
250 ISL	9.03	9.00	34.224	26.510	156.4	0.534	1.36	20.9	39.3	2.46	30.2	0.02			251	
268	8.87	8.84	34.240	26.548	153.0	0.562	1.24	19.0	41.2	2.51	30.9	0.01			270	205
300 ISL	8.35	8.32	34.235	26.625	146.1	0.610	1.18	17.9	45.4	2.58	32.1	0.01			302	
318	8.03	8.00	34.226	26.667	142.3	0.636	1.17	17.6	47.9	2.62	32.8	0.01			320	204
378	7.31	7.27	34.206	26.755	134.4	0.719	1.02	15.1	55.5	2.74	34.9	0.01			380	203
400 ISL	7.10	7.06	34.217	26.794	131.0	0.748	0.89	13.1	58.7	2.81	35.8	0.01			403	
437	6.79	6.75	34.242	26.856	125.4	0.795	0.67	9.8	64.2	2.92	37.2	0.01			440	202
500 ISL	6.30	6.25	34.270	26.943	117.5	0.872	0.45	6.5	73.2	3.04	39.1	0.01			503	
515	6.18	6.13	34.277	26.964	115.6	0.889	0.40	5.8	75.3	3.07	39.5	0.01			519	201

A) FIRST FLUOROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPIGMENT CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD AMT	TYPE			
33 34.6 N	120 45.5 W	10/02/03	0051 UTC	1443 m	00 kn	240 01 08	2	1018.2 mb	15.9 c	13.3 c	12m					
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	14.77	14.77	33.364	24.761	317.5	0.000	6.11	105.9	2.5	0.40	0.1	0.01	0.83	0.20	0	
2	14.77	14.77	33.364	24.761	317.6	0.006	6.11	105.9	2.5	0.40	0.1	0.01	0.83	0.20	2	220
10	14.59	14.59	33.365	24.801	314.0	0.032	6.12	105.6	2.6	0.40	0.1	0.01	0.90	0.23	10	219
20	14.37	14.37	33.360	24.844	310.2	0.063	5.96	102.4	3.0	0.45	0.8	0.02	1.20	0.40	20	218
30	13.60	13.60	33.351	24.997	295.9	0.093	5.45	92.2	5.2	0.71	4.6	0.10	0.84	0.40	30	217
40	12.78	12.77	33.360	25.167	279.9	0.122	5.06	84.1	7.0	0.90	7.5	0.12	0.40 A	0.25 A	40	216
50	11.84	11.83	33.395	25.374	260.4	0.149	4.57	74.5	10.0	1.16	11.8	0.09	0.30	0.26	50	215
60	11.48	11.47	33.427	25.466	251.9	0.175	4.36	70.5	11.2	1.25	13.3	0.05	0.22	0.20	60	214
70	11.09	11.08	33.495	25.589	240.3	0.199	4.11	66.0	13.3	1.37	15.3	0.03	0.15	0.14	70	213
75 ISL	10.84	10.83	33.569	25.692	230.7	0.211	3.84	61.3	15.3	1.48	17.0	0.03	0.10	0.10	75	
85	10.40	10.39	33.716	25.883	212.7	0.233	3.30	52.2	19.2	1.69	20.2	0.02	0.03	0.05	85	212
99	10.19	10.18	33.774	25.965	205.2	0.262	3.09	48.7	21.3	1.79	21.5	0.01	0.03	0.06	99	211
100 ISL	10.19	10.18	33.781	25.970	204.7	0.264	3.07	48.4	21.4	1.80	21.6	0.01	0.03	0.06	101	
119	10.17	10.16	33.892	26.061	196.6	0.303	2.72	42.9	23.5	1.90	23.0	0.01	0.01	0.03	120	210
125 ISL	10.13	10.12	33.916	26.086	194.3	0.314	2.64	41.6	24.2	1.93	23.4	0.01	0.01	0.03	126	
140	10.00	9.98	33.965	26.147	188.8	0.343	2.48	39.0	25.9	2.01	24.4	0.01	0.00	0.03	141	209
150 ISL	9.87	9.85	33.992	26.190	184.9	0.362	2.40	37.6	27.2	2.06	25.1	0.01	0.00	0.03	151	
171	9.64	9.62	34.057	26.279	176.8	0.400	2.18	34.0	30.1	2.16	26.6	0.02	0.00	0.04	172	208
199	9.60	9.58	34.189	26.390	167.0	0.448	1.62	25.3	33.9	2.35	28.3	0.01	0.00	0.05	200	207
200 ISL	9.58	9.56	34.190	26.394	166.6	0.449	1.62	25.3	34.0	2.35	28.4	0.01			201	
229	9.07	9.05	34.202	26.486	158.2	0.497	1.54	23.7	38.2	2.46	29.9	0.01			230	206
250 ISL	8.87	8.84	34.229	26.540	153.5	0.529	1.33	20.4	40.8	2.54	30.8	0.00			251	
269	8.70	8.67	34.245	26.579	150.1	0.558	1.17	17.9	43.1	2.60	31.5	0.00			271	205
300 ISL	8.10	8.07	34.196	26.632	145.2	0.604	1.29	19.5	47.1	2.62	32.7	0.00			302	
318	7.76	7.73	34.165	26.658	142.9	0.630	1.39	20.8	49.3	2.63	33.4	0.00			320	204
378	7.36	7.32	34.203	26.746	135.3	0.713	1.03	15.3	54.8	2.78	34.9	0.00			380	203
400 ISL	7.15	7.11	34.215	26.785	131.8	0.743	0.90	13.3	58.2	2.85	35.7	0.00			403	
438	6.78	6.74	34.235	26.852	125.8	0.792	0.70	10.2	64.3	2.96	37.1	0.00			441	202
500 ISL	6.41	6.36	34.270	26.929	119.0	0.867	0.48	7.0	72.1	3.09	38.7	0.00			503	
516	6.32	6.27	34.279	26.948	117.4	0.886	0.42	6.1	74.1	3.12	39.1	0.00			520	201

A) FIRST FLUOROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPIGMENT CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
32 34.7 N	122 48.5 W	09/02/03	0716	UTC	4265 m	350	05 kn			1018.1 mb	14.0 c	12.1 c				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.33	15.33	32.857	24.249	366.3	0.000	5.84	102.0	0.5	0.40	0.1	0.00	0.15	0.04	0	
2	15.33	15.33	32.857	24.249	366.3	0.007	5.84	102.0	0.5	0.40	0.1	0.00	0.15	0.04	2	220
10 ISL	15.39	15.39	32.875	24.250	366.5	0.037	5.85	102.3	0.5	0.40	0.1	0.00	0.15	0.05	10	
16	15.48	15.48	32.900	24.250	366.7	0.059	5.85	102.5	0.5	0.40	0.1	0.00	0.15	0.05	16	219
20 ISL	15.55	15.55	32.937	24.263	365.6	0.073	5.83	102.3	0.4	0.40	0.1	0.00	0.15	0.05	20	
30	15.73	15.73	33.029	24.294	362.9	0.110	5.77	101.7	0.2	0.41	0.1	0.00	0.16	0.04	30	218
45	15.84	15.83	33.075	24.306	362.3	0.164	5.77	101.9	0.3	0.38	0.0	0.00	0.22	0.07	45	217
50 ISL	15.66	15.65	33.050	24.327	360.4	0.182	5.78	101.7	0.3	0.39	0.1	0.01	0.26	0.10	50	
55	15.40	15.39	33.013	24.356	357.8	0.200	5.80	101.5	0.3	0.40	0.1	0.01	0.30	0.14	55	216
65	14.70	14.69	32.924	24.439	350.1	0.236	5.84	100.7	0.3	0.42	0.0	0.00	0.32	0.22	65	215
75	13.99	13.98	32.888	24.560	338.7	0.270	5.86	99.6	0.8	0.48	0.4	0.12	0.38	0.23	75	214
85	12.16	12.15	32.777	24.836	312.5	0.303	5.93	96.9	2.5	0.62	2.2	0.09	0.25	0.23	85	213
95	11.07	11.06	32.699	24.974	299.4	0.333	5.88	93.9	4.3	0.83	5.7	0.02	0.14	0.14	95	212
100 ISL	10.78	10.77	32.712	25.035	293.6	0.348	5.83	92.5	5.1	0.89	6.9	0.02	0.11	0.11	100	
110	10.47	10.46	32.812	25.167	281.2	0.377	5.65	89.1	6.7	0.99	8.9	0.01	0.08	0.07	110	211
125	10.30	10.29	33.109	25.428	256.8	0.417	5.15	81.0	9.9	1.19	12.7	0.01	0.03	0.05	126	210
144	9.71	9.69	33.365	25.727	228.6	0.463	4.70	73.1	13.7	1.35	15.9	0.01	0.01	0.02	145	209
150 ISL	9.58	9.56	33.426	25.796	222.2	0.477	4.54	70.5	15.2	1.42	17.1	0.01	0.01	0.02	151	
169	9.25	9.23	33.593	25.980	205.0	0.517	4.01	61.8	20.2	1.65	20.9	0.01	0.00	0.03	170	208
199	8.76	8.74	33.866	26.271	177.8	0.575	3.28	50.1	27.7	1.90	25.2	0.00	0.00	0.02	200	207
200 ISL	8.75	8.73	33.872	26.278	177.2	0.576	3.26	49.8	27.9	1.91	25.3	0.00			201	
228	8.37	8.35	34.001	26.438	162.4	0.624	2.76	41.8	34.3	2.09	28.2	0.00			229	206
250 ISL	8.15	8.12	34.038	26.500	156.8	0.659	2.46	37.1	37.8	2.21	29.8	0.00			251	
268	7.98	7.95	34.047	26.533	154.0	0.687	2.27	34.1	40.3	2.29	30.8	0.00			269	205
300 ISL	7.62	7.59	34.062	26.597	148.2	0.735	2.00	29.8	44.9	2.42	32.4	0.00			302	
318	7.41	7.38	34.066	26.630	145.2	0.762	1.87	27.7	47.5	2.49	33.2	0.00			320	204
378	6.68	6.65	34.079	26.741	135.1	0.846	1.47	21.4	56.6	2.69	35.9	0.00			380	203
400 ISL	6.43	6.39	34.091	26.784	131.2	0.875	1.28	18.6	61.1	2.78	37.1	0.00			402	
438	6.05	6.01	34.115	26.852	125.0	0.924	0.98	14.1	68.8	2.93	38.9	0.00			441	202
500 ISL	5.67	5.63	34.156	26.932	117.8	0.999	0.70	10.0	77.4	3.06	40.4	0.00			503	
512	5.60	5.56	34.164	26.947	116.5	1.013	0.64	9.1	79.1	3.08	40.7	0.00			515	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
32 14.7 N	123 29.6 W	09/02/03	0114	UTC	4164 m	310	13 kn	290 02 09	1	1016.0 mb	15.0 c	12.1 c			5/8	sc
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.03	16.03	33.180	24.342	357.4	0.000	5.72	101.5	0.6	0.38	0.0	0.00	0.12	0.02	0	
2	16.03	16.03	33.180	24.342	357.5	0.007	5.72	101.5	0.6	0.38	0.0	0.00	0.12	0.02	2	220
10 ISL	16.03	16.03	33.180	24.343	357.7	0.036	5.73	101.7	0.6	0.38	0.0	0.00	0.11	0.03	10	
16	16.03	16.03	33.180	24.343	357.9	0.057	5.73	101.7	0.6	0.38	0.0	0.00	0.11	0.03	16	219
20 ISL	16.02	16.02	33.181	24.346	357.7	0.072	5.73	101.7	0.6	0.38	0.0	0.00	0.11	0.03	20	
30 ISL	16.01	16.01	33.184	24.351	357.6	0.107	5.72	101.5	0.7	0.38	0.0	0.00	0.12	0.03	30	
31	16.01	16.01	33.184	24.351	357.6	0.111	5.72	101.5	0.7	0.38	0.0	0.00	0.12	0.03	31	218
45	16.01	16.00	33.186	24.353	357.8	0.161	5.73	101.6	0.7	0.37	0.0	0.00	0.12	0.03	45	217
50 ISL	16.01	16.00	33.187	24.354	357.9	0.179	5.72	101.5	0.7	0.37	0.0	0.00	0.12	0.03	50	
55	16.00	15.99	33.188	24.357	357.8	0.197	5.72	101.4	0.7	0.38	0.0	0.00	0.13	0.04	55	216
65	15.90	15.89	33.203	24.391	354.8	0.232	5.74	101.6	0.8	0.39	0.0	0.00	0.16	0.07	65	215
75	14.74	14.73	33.171	24.621	333.1	0.267	5.85	101.1	1.7	0.45	0.2	0.05	0.32	0.19	75	214
85	13.10	13.09	32.910	24.757	320.1	0.299	5.92	98.8	2.2	0.57	1.1	0.18	0.29	0.26	85	213
95	12.93	12.92	33.108	24.944	302.6	0.331	5.65	94.1	3.6	0.66	2.9	0.09	0.19	0.19	95	212
100 ISL	12.35	12.34	33.061	25.020	295.4	0.346	5.59	91.9	4.5	0.76	4.7	0.06	0.15	0.16	100	
110	11.06	11.05	32.955	25.176	280.6	0.374	5.46	87.3	6.6	0.98	8.6	0.02	0.09	0.10	110	211
125	10.37	10.36	33.199	25.486	251.3	0.414	5.02	79.2	10.5	1.22	13.2	0.01	0.03	0.04	126	210
144	9.77	9.75	33.375	25.724	228.9	0.460	4.64	72.3	14.4	1.41	16.6	0.01	0.01	0.02	145	209
150 ISL	9.64	9.62	33.439	25.796	222.2	0.473	4.46	69.3	15.8	1.47	17.7	0.01	0.01	0.02	151	
169	9.34	9.32	33.631	25.995	203.6	0.514	3.89	60.1	20.2	1.65	20.8	0.01	0.00	0.02	170	208
199	9.06	9.04	33.818	26.187	185.9	0.572	3.35	51.5	25.1	1.82	23.9	0.01	0.00	0.02	200	207
200 ISL	9.05	9.03	33.824	26.193	185.4	0.574	3.33	51.2	25.3	1.83	24.0	0.01			201	
229	8.68	8.66	33.982	26.375	168.5	0.625	2.82	43.0	31.7	2.03	27.1	0.01			230	206
250 ISL	8.41	8.38	34.026	26.452	161.6	0.660	2.62	39.7	35.0	2.13	28.5	0.01			251	
269	8.18	8.15	34.041	26.498	157.4	0.690	2.49	37.6	37.6	2.20	29.4	0.01			270	205
300 ISL	7.85	7.82	34.060	26.562	151.7	0.738	2.29	34.3	41.5	2.31	30.8	0.01			302	
319	7.64	7.61	34.066	26.598	148.5	0.767	2.14	31.9	44.2	2.38	31.7	0.01			321	204
379	6.82	6.78	34.099	26.739	135.5	0.852	1.34	19.6	56.8	2.73	36.1	0.01			381	203
400 ISL	6.60	6.56	34.115	26.781	131.7	0.880	1.15	16.7	60.8	2.82	37.2	0.01			402	
438	6.26	6.22	34.147	26.851	125.3	0.929	0.87	12.6	67.7	2.95	38.7	0.00			441	202
500 ISL	5.81	5.77	34.199	26.949	116.4	1.004	0.57	8.1	77.7	3.10	40.5	0.00			503	
514	5.71	5.67	34.211	26.971	114.4	1.020	0.50	7.1	80.0	3.13	40.9	0.00			517	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
31 59.4 N	122 23.8 W	08/02/03	0113	UTC	4102 m	340	19 kn	340 02 09	1	1011.5 mb	14.1 c	11.2 c		4/8		SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.23	15.23	32.898	24.303	361.2	0.000	5.92	103.2	0.5	0.40	0.1	0.00	0.15	0.05	0	
2	15.23	15.23	32.898	24.303	361.2	0.007	5.92	103.2	0.5	0.40	0.1	0.00	0.15	0.05	2	220
10 ISL	15.23	15.23	32.898	24.303	361.4	0.036	5.92	103.2	0.5	0.40	0.1	0.00	0.15	0.04	10	
16	15.23	15.23	32.898	24.303	361.6	0.058	5.92	103.2	0.5	0.40	0.1	0.00	0.15	0.04	16	219
20 ISL	15.16	15.16	32.900	24.320	360.1	0.072	5.93	103.2	0.5	0.40	0.1	0.00	0.17	0.04	20	
30 ISL	14.97	14.97	32.905	24.365	356.1	0.108	5.96	103.4	0.4	0.40	0.1	0.00	0.22	0.06	30	
31	14.95	14.95	32.906	24.371	355.6	0.112	5.96	103.3	0.4	0.40	0.1	0.00	0.23	0.06	31	218
45	14.92	14.91	32.914	24.384	354.8	0.161	5.94	102.9	0.3	0.40	0.1	0.00	0.23	0.06	45	217
50 ISL	14.86	14.85	32.913	24.396	353.8	0.179	5.95	103.0	0.4	0.41	0.1	0.00	0.30	0.11	50	
55	14.80	14.79	32.912	24.408	352.8	0.197	5.96	103.0	0.4	0.41	0.1	0.01	0.36	0.17	55	216
65	13.13	13.12	32.848	24.703	324.8	0.231	5.89	98.3	1.8	0.60	1.8	0.15	0.34	0.29	65	215
75 ISL	12.19	12.18	32.795	24.844	311.5	0.262	5.83	95.4	3.1	0.75	3.9	0.06	0.21	0.25	75	
76	12.12	12.11	32.790	24.853	310.6	0.266	5.82	95.1	3.2	0.76	4.1	0.05	0.20	0.25	76	214
85	11.31	11.30	32.774	24.990	297.7	0.293	5.78	92.8	4.8	0.87	6.3	0.02	0.15	0.19	85	213
95	10.77	10.76	32.819	25.120	285.4	0.322	5.65	89.7	6.5	0.99	8.5	0.02	0.11	0.14	95	212
100 ISL	10.60	10.59	32.862	25.183	279.5	0.336	5.56	87.9	7.4	1.05	9.6	0.02	0.09	0.11	100	
110	10.31	10.30	32.985	25.329	265.8	0.363	5.33	83.8	9.4	1.17	11.9	0.02	0.06	0.06	110	211
125	9.75	9.74	33.253	25.632	237.2	0.401	4.88	75.9	13.9	1.40	16.2	0.01	0.02	0.03	126	210
145	9.22	9.20	33.536	25.940	208.3	0.446	4.20	64.7	20.1	1.65	20.8	0.01	0.01	0.02	146	209
150 ISL	9.16	9.14	33.581	25.985	204.1	0.456	4.07	62.6	21.1	1.68	21.4	0.01	0.01	0.02	151	
169	9.05	9.03	33.714	26.106	192.9	0.494	3.66	56.2	24.1	1.79	23.3	0.01	0.00	0.02	170	208
200	8.85	8.83	33.910	26.292	175.9	0.551	3.26	49.9	30.1	2.03	26.9	0.01	0.00	0.02	201	207
230	8.45	8.43	34.011	26.433	162.9	0.602	2.45	37.2	35.5	2.17	29.3	0.01			231	206
250 ISL	8.16	8.13	34.036	26.497	157.1	0.634	2.34	35.3	38.5	2.24	30.4	0.01			251	
268	7.88	7.85	34.043	26.544	152.8	0.662	2.25	33.7	41.2	2.30	31.2	0.01			269	205
300 ISL	7.37	7.34	34.053	26.626	145.4	0.709	2.00	29.6	46.9	2.44	32.9	0.01			302	
318	7.11	7.08	34.058	26.666	141.7	0.735	1.84	27.1	50.2	2.52	33.9	0.01			320	204
378	6.52	6.49	34.100	26.779	131.4	0.817	1.22	17.7	61.0	2.79	37.1	0.01			380	203
400 ISL	6.35	6.31	34.121	26.818	127.9	0.846	1.04	15.1	64.8	2.87	38.0	0.01			402	
439	6.09	6.05	34.156	26.879	122.4	0.895	0.79	11.4	71.0	2.99	39.3	0.01			442	202
500 ISL	5.72	5.68	34.189	26.952	116.0	0.967	0.57	8.1	78.8	3.09	40.7	0.01			503	
515	5.63	5.59	34.197	26.969	114.5	0.985	0.52	7.4	80.7	3.12	41.1	0.01			518	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
31 39.6 N	123 4.1 W	08/02/03	0706	UTC	4120 m	070	12 kn			1013.9 mb	14.0 c	11.0 c				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.01	16.01	33.110	24.293	362.1	0.000	5.75	102.0	0.6	0.40	0.0	0.01	0.17	0.05	0	
1	16.01	16.01	33.110	24.293	362.1	0.004	5.75	102.0	0.6	0.40	0.0	0.01	0.17	0.05	1	220
10 ISL	16.01	16.01	33.109	24.292	362.5	0.036	5.74	101.8	0.6	0.39	0.0	0.01	0.17	0.04	10	
15	16.01	16.01	33.109	24.293	362.6	0.054	5.74	101.8	0.6	0.39	0.0	0.01	0.17	0.04	15	219
20 ISL	16.01	16.01	33.109	24.293	362.8	0.072	5.74	101.8	0.6	0.39	0.0	0.01	0.17	0.04	20	
29	16.01	16.01	33.109	24.293	363.0	0.105	5.74	101.8	0.6	0.39	0.0	0.01	0.17	0.05	29	218
30 ISL	16.01	16.01	33.109	24.293	363.0	0.109	5.74	101.8	0.6	0.39	0.0	0.01	0.17	0.05	30	
45	16.01	16.00	33.108	24.293	363.5	0.163	5.72	101.4	0.6	0.39	0.0	0.01	0.17	0.05	45	217
50 ISL	16.01	16.00	33.108	24.293	363.7	0.181	5.72	101.4	0.6	0.39	0.0	0.01	0.18	0.05	50	
54	16.01	16.00	33.108	24.293	363.8	0.196	5.73	101.6	0.6	0.39	0.0	0.01	0.18	0.05	54	216
64	16.01	16.00	33.109	24.294	364.0	0.232	5.74	101.8	0.6	0.39	0.0	0.01	0.17	0.04	64	215
75	14.99	14.98	33.066	24.487	345.9	0.271	5.84	101.4	1.2	0.43	0.0	0.02	0.29	0.19	75	214
85	13.69	13.68	32.955	24.674	328.2	0.305	5.95	100.5	1.9	0.54	0.6	0.13	0.29	0.18	85	213
94	12.53	12.52	32.861	24.831	313.3	0.334	5.88	96.9	3.1	0.66	2.5	0.16	0.25	0.18	94	212
100 ISL	12.11	12.10	32.842	24.896	307.2	0.353	5.83	95.2	3.6	0.72	3.6	0.12	0.21	0.17	100	
110	11.65	11.64	32.870	25.003	297.1	0.383	5.69	92.1	4.7	0.82	5.6	0.03	0.14	0.14	110	211
125	10.89	10.87	33.039	25.271	271.8	0.426	5.33	84.9	7.6	1.03	9.8	0.02	0.07	0.08	126	210
144	10.26	10.24	33.307	25.589	241.8	0.474	4.80	75.6	12.1	1.29	14.5	0.02	0.02	0.04	145	209
150 ISL	10.03	10.01	33.367	25.675	233.8	0.489	4.65	72.9	13.6	1.36	15.8	0.02	0.02	0.04	151	
169	9.39	9.37	33.530	25.908	211.8	0.531	4.19	64.8	18.4	1.56	19.4	0.02	0.01	0.03	170	208
200	8.94	8.92	33.807	26.197	184.9	0.592	3.40	52.1	25.7	1.83	24.0	0.01	0.00	0.01	201	207
229	8.58	8.56	33.968	26.380	168.0	0.644	3.10	47.2	31.1	1.95	26.3	0.01			230	206
250 ISL	8.28	8.25	34.015	26.463	160.4	0.678	2.80	42.4	35.1	2.08	28.2	0.01			251	
269	8.01	7.98	34.032	26.516	155.5	0.708	2.50	37.6	38.8	2.21	29.9	0.01			270	205
300 ISL	7.58	7.55	34.064	26.604	147.5	0.755	2.06	30.7	45.0	2.40	32.2	0.01			302	
318	7.35	7.32	34.078	26.648	143.5	0.781	1.84	27.3	48.4	2.50	33.3	0.01			320	204
378	6.80	6.76	34.112	26.751	134.3	0.865	1.35	19.7	57.5	2.73	35.9	0.01			380	203
400 ISL	6.61	6.57	34.126	26.788	131.0	0.894	1.17	17.0	61.1	2.81	36.9	0.01			402	
437	6.32	6.28	34.151	26.846	125.8	0.941	0.90	13.0	67.0	2.94	38.5	0.01			440	202
500 ISL	5.92	5.88	34.204	26.939	117.5	1.018	0.58	8.3	76.1	3.09	40.2	0.01			503	
514	5.83	5.79	34.216	26.960	115.6	1.034	0.51	7.3	78.1	3.12	40.6	0.01			517	201

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE. Rows include depth (0-515 m), temperature, salinity, and other parameters.

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE. Rows include depth (0-516 m), temperature, salinity, and other parameters.

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
32 10.8 N	118 53.4 W	31/01/03	2111	UTC	1459 m	020	10 kn	310 02 07	1	1014.3 mb	19.5 c	18.0 c	27m	2/8		CI
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	NO3	NO2	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.20	15.20	33.244	24.576	335.2	0.000	5.95	103.9	2.5	0.39	0.0	0.00	0.18	0.03	0	
1	15.20	15.20	33.244	24.576	335.2	0.003	5.95	103.9	2.5	0.39	0.0	0.00	0.18	0.03	1	220
10 ISL	15.11	15.11	33.280	24.623	330.9	0.033	5.96	103.9	2.6	0.38	0.0	0.00	0.20	0.03	10	
11	15.09	15.09	33.285	24.632	330.2	0.037	5.96	103.9	2.6	0.38	0.0	0.00	0.20	0.03	11	219
20	14.98	14.98	33.281	24.653	328.4	0.066	5.97	103.8	2.6	0.38	0.0	0.00	0.22	0.04	20	218
30	14.55	14.55	33.252	24.723	322.0	0.099	6.06	104.4	2.5	0.39	0.0	0.00	0.27	0.08	30	217
41	14.32	14.31	33.242	24.764	318.4	0.134	6.02	103.3	2.7	0.44	0.2	0.05	0.68	0.22	41	216
50	13.67	13.66	33.189	24.858	309.7	0.162	5.78	97.8	3.8	0.57	2.2	0.20	0.60	0.31	50	215
60	12.52	12.51	33.105	25.021	294.3	0.192	5.50	90.8	5.7	0.78	5.6	0.08	0.35	0.27	60	214
70	11.97	11.96	33.132	25.146	282.6	0.221	5.30	86.5	7.2	0.92	7.9	0.04	0.20	0.23	70	213
75 ISL	11.85	11.84	33.185	25.210	276.6	0.235	5.12	83.4	8.2	0.99	9.0	0.04	0.17	0.21	75	
85	11.53	11.52	33.297	25.356	262.9	0.262	4.77	77.2	10.5	1.13	11.6	0.03	0.13	0.15	85	212
100	10.08	10.07	33.375	25.672	233.0	0.299	4.54	71.2	15.2	1.42	16.6	0.02	0.04	0.05	100	211
121	9.35	9.34	33.553	25.932	208.6	0.346	4.10	63.4	20.0	1.60	20.0	0.02	0.01	0.03	122	210
125 ISL	9.25	9.24	33.590	25.977	204.4	0.354	4.02	62.0	20.9	1.63	20.6	0.02	0.01	0.03	126	
141	8.93	8.91	33.735	26.141	189.0	0.386	3.70	56.7	24.6	1.74	22.7	0.01	0.00	0.01	142	209
150 ISL	8.84	8.82	33.809	26.214	182.3	0.402	3.45	52.8	26.8	1.83	24.0	0.01	0.00	0.01	151	
170	8.73	8.71	33.936	26.330	171.6	0.438	2.96	45.2	30.9	2.01	26.3	0.01	0.00	0.01	171	208
200	8.58	8.56	33.997	26.402	165.4	0.488	2.75	41.9	33.6	2.06	27.5	0.01	0.00	0.01	201	207
230	8.20	8.18	34.043	26.496	156.9	0.537	2.60	39.3	38.0	2.15	28.9	0.01			231	206
250 ISL	8.28	8.25	34.113	26.539	153.2	0.568	2.16	32.7	40.5	2.29	29.9	0.01			251	
268	8.39	8.36	34.179	26.575	150.3	0.595	1.70	25.8	42.7	2.43	30.7	0.01			270	205
300 ISL	8.24	8.21	34.249	26.653	143.4	0.642	1.18	17.9	47.6	2.63	32.2	0.01			302	
319	8.07	8.04	34.273	26.698	139.4	0.669	0.97	14.6	50.4	2.72	33.0	0.01			321	204
377	7.54	7.50	34.275	26.777	132.5	0.748	0.77	11.5	56.6	2.84	34.8	0.01			379	203
400 ISL	7.33	7.29	34.275	26.807	129.9	0.778	0.71	10.5	59.2	2.89	35.5	0.01			403	
437	7.01	6.97	34.277	26.854	125.8	0.825	0.61	9.0	63.6	2.96	36.5	0.01			440	202
500 ISL	6.56	6.51	34.301	26.934	118.7	0.902	0.42	6.1	71.2	3.07	38.4	0.01			503	
516	6.45	6.40	34.307	26.953	117.0	0.921	0.37	5.4	73.1	3.10	38.9	0.01			519	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
32 0.8 N	119 13.8 W	01/02/03	0121	UTC	1579 m	340	08 kn	330 02 07	1	1013.9 mb	17.5 c	16.9 c		3/8		CS

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
31 11.1 N	120 54.7 W	01/02/03	1830	UTC	3825 m	340	10 kn	310 03 06	2	1017.0 mb	15.0 c	14.9 c	24m	8/8		ST
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.43	15.43	33.180	24.476	344.7	0.000	5.87	102.9	0.8	0.38	0.0	0.00	0.16	0.03	0	
2 A	15.43	15.43	33.180	24.476	344.7	0.007	5.87	102.9	0.8	0.38	0.0	0.00	0.16	0.03	2	222
10 ISL	15.42	15.42	33.180	24.479	344.7	0.034	5.88	103.1	0.8	0.38	0.0	0.00	0.17	0.03	10	
15 A	15.41	15.41	33.181	24.482	344.6	0.052	5.89	103.2	0.8	0.38	0.0	0.00	0.17	0.03	15	221
20 ISL	15.41	15.41	33.187	24.486	344.3	0.069	5.90	103.4	0.8	0.38	0.0	0.00	0.19	0.04	20	
30 A	15.38	15.38	33.200	24.503	343.0	0.103	5.92	103.7	0.8	0.37	0.0	0.00	0.23	0.05	30	220
39	15.31	15.30	33.201	24.520	341.7	0.134	5.97	104.4	0.8	0.38	0.0	0.00	0.27	0.06	39	219
48 A	14.32	14.31	33.151	24.694	325.3	0.164	6.41	109.9	1.5	0.43	0.1	0.04	0.54	0.27	48	218
50 ISL	14.24	14.23	33.152	24.712	323.7	0.171	6.30	107.8	1.6	0.44	0.2	0.07	0.54	0.27	50	
56	14.02	14.01	33.153	24.758	319.4	0.190	5.89	100.3	2.0	0.48	0.7	0.17	0.55	0.26	56	217
65 A	13.26	13.25	33.111	24.880	307.9	0.218	5.74	96.2	3.2	0.62	2.7	0.22	0.28	0.21	65	216
74	12.24	12.23	33.025	25.013	295.4	0.245	5.63	92.3	4.7	0.79	5.5	0.05	0.17	0.19	74	215
75 ISL	12.11	12.10	33.009	25.025	294.3	0.248	5.62	91.9	4.9	0.81	5.8	0.05	0.16	0.19	75	
83	11.22	11.21	32.905	25.108	286.5	0.271	5.53	88.7	6.3	0.97	7.8	0.03	0.14	0.14	83	214
91 A	10.78	10.77	32.909	25.189	278.9	0.294	5.48	87.0	7.5	1.03	9.4	0.03	0.11	0.09	91	213
100 ISL	10.41	10.40	33.037	25.352	263.4	0.318	5.28	83.3	9.5	1.15	11.8	0.02	0.06	0.06	100	
101	10.38	10.37	33.056	25.372	261.5	0.321	5.25	82.7	9.7	1.16	12.1	0.02	0.05	0.06	101	212
111	10.18	10.17	33.236	25.547	245.1	0.346	4.96	77.9	11.9	1.28	14.3	0.02	0.02	0.03	111	211
125 ISL	9.80	9.79	33.372	25.717	229.2	0.380	4.58	71.4	15.3	1.44	17.3	0.02	0.01	0.02	126	
126	9.77	9.76	33.380	25.728	228.2	0.382	4.55	70.9	15.6	1.45	17.5	0.02	0.01	0.02	127	210
145	9.31	9.29	33.629	25.998	202.8	0.423	3.91	60.4	20.9	1.65	21.1	0.02	0.01	0.02	146	209
150 ISL	9.27	9.25	33.680	26.044	198.5	0.433	3.74	57.7	22.2	1.70	22.0	0.02	0.01	0.02	151	
170	9.12	9.10	33.820	26.178	186.2	0.471	3.12	48.0	26.4	1.88	24.8	0.02	0.00	0.02	171	208
200 ISL	9.45	9.43	34.083	26.332	172.4	0.525	2.44	37.9	30.2	2.09	26.2	0.02	0.00	0.02	201	
201	9.46	9.44	34.089	26.335	172.2	0.527	2.43	37.8	30.3	2.09	26.2	0.02	0.00	0.02	202	207
229	8.66	8.64	34.046	26.428	163.5	0.574	3.12	47.6	31.6	1.91	25.5	0.02	0.00	0.02	230	206
250 ISL	8.52	8.49	34.096	26.490	158.0	0.608	2.63	40.0	35.4	2.09	27.4	0.02	0.00	0.02	251	
268	8.47	8.44	34.145	26.536	154.0	0.636	2.03	30.9	39.4	2.31	29.5	0.02	0.00	0.02	269	205
300 ISL	7.83	7.80	34.126	26.617	146.5	0.684	1.93	28.9	45.1	2.43	31.4	0.02	0.00	0.02	302	
319	7.42	7.39	34.106	26.661	142.4	0.711	1.87	27.7	48.3	2.47	32.3	0.02	0.00	0.02	321	204
380	6.87	6.83	34.165	26.784	131.3	0.795	1.17	17.1	58.9	2.77	35.7	0.01	0.00	0.02	382	203
400 ISL	6.71	6.67	34.181	26.818	128.3	0.821	1.00	14.6	62.1	2.84	36.6	0.01	0.00	0.02	402	
436	6.44	6.40	34.206	26.874	123.3	0.866	0.74	10.7	67.5	2.95	38.0	0.01	0.00	0.02	439	202
500 ISL	6.06	6.02	34.249	26.957	115.9	0.943	0.48	6.9	75.7	3.09	39.6	0.01	0.00	0.02	503	
511	6.00	5.96	34.256	26.971	114.8	0.955	0.43	6.2	77.1	3.11	39.9	0.01	0.00	0.02	514	201

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
30 51.0 N	121 35.2 W	02/02/03	0057	UTC	4085 m	010	24 kn	350 05 06	2	1016.2 mb	15.2 c	14.8 c		8/8		SC
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	15.31	15.31	33.130	24.464	345.8	0.000	5.88	102.8	0.8	0.39	0.0	0.00	0.18	0.04	0	
2	15.31	15.31	33.130	24.464	345.9	0.007	5.88	102.8	0.8	0.39	0.0	0.00	0.18	0.04	2	220
10 ISL	15.32	15.32	33.131	24.463	346.2	0.035	5.87	102.7	0.8	0.39	0.0	0.00	0.18	0.03	10	
15	15.32	15.32	33.132	24.464	346.3	0.052	5.87	102.7	0.8	0.39	0.0	0.00	0.18	0.03	15	219
20 ISL	15.29	15.29	33.129	24.468	346.0	0.069	5.88	102.8	0.8	0.39	0.0	0.00	0.19	0.04	20	
30 ISL	15.23	15.23	33.123	24.477	345.5	0.104	5.89	102.8	0.9	0.38	0.0	0.01	0.23	0.05	30	
31	15.22	15.22	33.122	24.478	345.4	0.107	5.89	102.8	0.9	0.38	0.0	0.01	0.24	0.05	31	218
46	14.64	14.63	33.035	24.537	340.2	0.159	5.88	101.4	1.0	0.42	0.2	0.03	0.44	0.16	46	217
50 ISL	14.58	14.57	33.041	24.554	338.7	0.172	5.88	101.3	1.1	0.42	0.2	0.03	0.44	0.17	50	
55	14.50	14.49	33.063	24.588	335.6	0.189	5.89	101.3	1.2	0.42	0.2	0.04	0.43	0.19	55	216
64	14.23	14.22	33.128	24.696	325.6	0.219	5.81	99.4	1.5	0.47	0.4	0.17	0.58	0.34	64	215
73	13.97	13.96	33.143	24.761	319.6	0.248	5.86	99.7	2.2	0.51	0.9	0.16	0.36	0.20	73	214
75 ISL	13.55	13.54	33.082	24.800	315.9	0.254	5.84	98.5	2.6	0.56	1.6	0.14	0.32	0.18	75	
85	11.33	11.32	32.819	25.021	294.8	0.285	5.70	91.6	5.1	0.83	6.0	0.02	0.16	0.14	85	213
95	10.74	10.73	32.892	25.182	279.5	0.313	5.52	87.6	7.2	1.01	9.2	0.02	0.09	0.09	95	212
100 ISL	10.59	10.58	32.966	25.266	271.6	0.327	5.41	85.6	8.1	1.07	10.4	0.02	0.07	0.07	100	
110	10.41	10.40	33.137	25.431	256.2	0.354	5.14	81.1	10.0	1.17	12.6	0.01	0.04	0.04	110	211
125	10.19	10.18	33.368	25.649	235.8	0.391	4.61	72.5	13.6	1.35	15.6	0.02	0.03	0.04	126	210
144	9.40	9.38	33.601	25.962	206.3	0.433	3.95	61.1	19.9	1.61	20.4	0.01	0.01	0.02	145	209
150 ISL	9.36	9.34	33.657	26.012	201.6	0.445	3.80	58.8	21.0	1.65	21.2	0.01	0.01	0.02	151	
169	9.22	9.20	33.770	26.123	191.4	0.482	3.44	53.1	23.6	1.74	22.8	0.01	0.00	0.02	170	208
198	8.96	8.94	33.986	26.334	171.9	0.535	3.01	46.2	29.2	1.91	25.3	0.01	0.00	0.01	199	207
200 ISL	8.92	8.90	33.991	26.344	171.0	0.538	3.00	46.0	29.5	1.92	25.4	0.01	0.00	0.01	201	
228	8.40	8.38	34.027	26.453	161.0	0.585	2.89	43.8	34.2	2.02	27.4	0.01	0.00	0.01	229	206
250 ISL	8.13	8.10	34.059	26.520	155.0	0.619	2.60	39.2	38.0	2.15	28.9	0.01	0.00	0.01	251	
268	7.94	7.91	34.081	26.565	150.9	0.647	2.32	34.8	41.1	2.26	30.1	0.01	0.00	0.01	269	205
300 ISL	7.51	7.48	34.097	26.640	144.1	0.694	1.99	29.6	46.7	2.42	32.1	0.01	0.00	0.01	302	
318	7.27	7.24	34.101	26.678	140.7	0.720	1.83	27.1	49.8	2.50	33.1	0.01	0.00	0.01	320	204
377	6.63	6.60	34.121	26.781	131.3	0.800	1.31	19.1	59.7	2.72	36.1	0.01	0.00	0.01	379	203
400 ISL	6.39	6.35	34.137	26.826	127.3	0.830	1.10	15.9	64.6	2.82	37.3	0.01	0.00	0.01	402	
440	6.06	6.02	34.177	26.900	120.5	0.879	0.77	11.1	72.4	2.98	39.1	0.01	0.00	0.01	443	202
500 ISL	6.04	6.00	34.276	26.981	113.7	0.950	0.40	5.8	77.1	3.12	40.0	0.01	0.00	0.01	503	
515	6.03	5.98	34.301	27.002	111.9	0.967	0.31	4.5	78.3	3.16	4					

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
30 31.0 N	122 15.5 W	02/02/03	0708	UTC	4212 m	350	21 kn			1018.0 mb	14.5 c	14.1 c				
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	NO3	NO2	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.68	16.68	33.326	24.305	360.9	0.000	5.67	102.0	1.1	0.36	0.0	0.00	0.11	0.02	0	
1	16.68	16.68	33.326	24.305	361.0	0.004	5.67	102.0	1.1	0.36	0.0	0.00	0.11	0.02	1	219
10 ISL	16.68	16.68	33.326	24.306	361.2	0.036	5.66	101.8	1.0	0.36	0.0	0.00	0.12	0.03	10	
15	16.68	16.68	33.326	24.306	361.4	0.054	5.65	101.7	1.0	0.36	0.0	0.00	0.12	0.03	15	218
20 ISL	16.69	16.69	33.328	24.305	361.6	0.072	5.65	101.7	1.0	0.36	0.0	0.00	0.12	0.03	20	
29	16.71	16.71	33.330	24.303	362.2	0.105	5.66	101.9	1.1	0.36	0.0	0.00	0.11	0.03	29	217
30 ISL	16.71	16.71	33.331	24.303	362.1	0.108	5.66	101.9	1.1	0.36	0.0	0.00	0.11	0.03	30	
46	16.65	16.64	33.340	24.325	360.6	0.166	5.67	102.0	1.0	0.35	0.0	0.00	0.13	0.03	46	216
50 ISL	16.23	16.22	33.293	24.385	354.9	0.181	5.76	102.7	1.1	0.36	0.0	0.00	0.17	0.06	50	
54	15.75	15.74	33.240	24.453	348.6	0.195	5.85	103.3	1.2	0.38	0.0	0.00	0.22	0.10	54	215
65	14.52	14.51	33.118	24.627	332.2	0.232	5.90	101.5	1.8	0.46	0.2	0.03	0.36	0.19	65	214
75 ISL	13.28	13.27	33.027	24.812	314.7	0.264	5.82	97.6	2.9	0.58	1.8	0.11	0.34	0.19	75	
76	13.15	13.14	33.021	24.833	312.7	0.268	5.81	97.1	3.1	0.60	2.1	0.12	0.34	0.19	76	213
85	11.86	11.85	33.033	25.090	288.3	0.295	5.54	90.1	5.4	0.85	6.4	0.06	0.24	0.17	85	212
94	11.35	11.34	33.124	25.255	272.8	0.320	5.23	84.2	7.5	1.00	9.3	0.03	0.16	0.19	94	211
100 ISL	11.14	11.13	33.212	25.361	262.7	0.336	5.02	80.5	8.9	1.09	11.0	0.03	0.13	0.16	100	
109	10.87	10.86	33.348	25.515	248.3	0.359	4.69	74.8	11.1	1.22	13.3	0.02	0.10	0.09	109	210
125	10.27	10.26	33.527	25.759	225.4	0.397	4.12	65.0	15.8	1.46	17.2	0.01	0.05	0.06	126	209
145	10.49	10.47	33.799	25.934	209.3	0.440	3.14	49.8	20.2	1.70	20.7	0.01	0.04	0.05	146	208
150 ISL	10.30	10.28	33.808	25.974	205.6	0.451	3.18	50.3	21.1	1.72	21.2	0.01	0.03	0.04	151	
171	9.31	9.29	33.798	26.131	190.8	0.492	3.34	51.6	24.5	1.78	23.2	0.01	0.00	0.02	172	207
199	8.84	8.82	33.933	26.312	174.1	0.543	2.85	43.6	30.2	1.99	26.6	0.01	0.00	0.03	200	206
200 ISL	8.82	8.80	33.937	26.318	173.5	0.545	2.84	43.5	30.4	1.99	26.7	0.01			201	
229	8.42	8.40	34.029	26.452	161.1	0.594	2.66	40.4	35.2	2.09	28.1	0.01			230	205
250 ISL	8.21	8.18	34.079	26.523	154.7	0.627	2.50	37.8	38.0	2.17	29.0	0.01			251	
268	8.05	8.02	34.107	26.569	150.6	0.654									269	220
300 ISL	7.70	7.67	34.114	26.627	145.5	0.702	2.06	30.8	45.3	2.39	31.4	0.01			302	
318	7.47	7.44	34.109	26.656	142.9	0.728	1.89	28.1	48.1	2.47	32.3	0.01			320	204
379	6.50	6.47	34.119	26.797	129.8	0.811	1.30	18.9	61.4	2.76	36.4	0.01			381	203
400 ISL	6.36	6.32	34.140	26.832	126.6	0.838	1.10	15.9	64.8	2.84	37.3	0.01			402	
437	6.20	6.16	34.179	26.884	122.1	0.884	0.81	11.7	70.2	2.96	38.5	0.01			440	202
500 ISL	5.72	5.68	34.203	26.963	115.0	0.958	0.57	8.1	79.9	3.10	40.5	0.01			503	
509	5.65	5.61	34.207	26.975	113.9	0.969	0.54	7.7	81.3	3.12	40.8	0.01			512	201

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
30 10.9 N	122 55.5 W	02/02/03	1751	UTC	3754 m	020	19 kn	350 10 08	1	1019.0 mb	16.0 c	15.0 c	27m		7/8	CU
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	NO3	NO2	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.56	16.56	33.266	24.287	362.7	0.000	5.66	101.6	1.0	0.38	0.1	0.01	0.11	0.03	0	
2 A	16.56	16.56	33.266	24.287	362.7	0.007	5.66	101.6	1.0	0.38	0.1	0.01	0.11	0.03	2	222
10 ISL	16.55	16.55	33.266	24.290	362.7	0.036	5.66	101.5	1.1	0.37	0.1	0.00	0.12	0.02	10	
17 A	16.55	16.55	33.266	24.290	362.9	0.062	5.66	101.5	1.1	0.37	0.1	0.00	0.12	0.02	17	221
20 ISL	16.55	16.55	33.267	24.291	363.0	0.073	5.66	101.5	1.1	0.37	0.1	0.00	0.12	0.02	20	
26	16.55	16.55	33.267	24.291	363.1	0.094	5.66	101.5	1.0	0.37	0.0	0.00	0.11	0.02	26	220
30 ISL	16.56	16.56	33.267	24.289	363.5	0.109	5.66	101.6	0.9	0.37	0.0	0.00	0.11	0.02	30	
34 A	16.56	16.55	33.267	24.289	363.6	0.123	5.67	101.7	0.9	0.37	0.0	0.00	0.12	0.02	34	219
45	16.55	16.54	33.273	24.297	363.2	0.163	5.67	101.7	0.9	0.36	0.0	0.00	0.13	0.03	45	218
50 ISL	16.53	16.52	33.281	24.307	362.4	0.182	5.67	101.7	0.9	0.37	0.0	0.01	0.14	0.04	50	
54 A	16.52	16.51	33.287	24.314	361.8	0.196	5.68	101.8	1.0	0.37	0.0	0.01	0.15	0.04	54	217
65	16.06	16.05	33.312	24.439	350.3	0.235	5.72	101.6	1.3	0.37	0.0	0.00	0.25	0.11	65	216
73 A	14.95	14.94	33.210	24.606	334.5	0.263	5.87	101.9	2.0	0.44	0.2	0.03	0.33	0.23	73	215
75 ISL	14.55	14.54	33.170	24.661	329.3	0.269	5.86	100.9	2.3	0.48	0.6	0.05	0.33	0.22	75	
84	13.02	13.01	33.076	24.902	306.4	0.298	5.72	95.4	3.8	0.65	2.7	0.13	0.33	0.19	84	214
93	12.81	12.80	33.219	25.054	292.1	0.325	5.50	91.4	5.0	0.76	4.4	0.13	0.29	0.17	93	213
100 ISL	11.99	11.98	33.178	25.179	280.2	0.345	5.33	87.0	6.5	0.91	7.3	0.08	0.23	0.15	100	
102 A	11.76	11.75	33.172	25.217	276.6	0.350	5.26	85.5	7.0	0.96	8.2	0.06	0.21	0.15	102	212
114	11.93	11.92	33.515	25.452	254.6	0.382	4.48	73.2	10.1	1.17	11.6	0.04	0.14	0.14	114	211
124	10.15	10.14	33.353	25.644	236.2	0.407	4.61	72.4	13.6	1.36	15.8	0.02	0.04	0.05	125	210
125 ISL	10.12	10.11	33.365	25.658	234.9	0.409	4.60	72.2	13.9	1.37	16.1	0.02	0.04	0.05	126	
146	9.51	9.49	33.527	25.886	213.5	0.456	4.13	64.0	18.3	1.56	19.5	0.01	0.01	0.04	147	209
150 ISL	9.43	9.41	33.561	25.926	209.8	0.465	4.01	62.1	19.3	1.60	20.2	0.01	0.01	0.04	151	
169	9.21	9.19	33.735	26.097	193.9	0.503	3.42	52.7	23.9	1.79	23.3	0.01	0.00	0.02	170	208
199	9.32	9.30	34.068	26.341	171.5	0.558	2.76	42.8	29.1	1.96	25.1	0.01	0.00	0.01	200	207
200 ISL	9.31	9.29	34.072	26.346	171.1	0.560	2.74	42.4	29.3	1.97	25.2	0.01			201	
230	8.90	8.88	34.123	26.452	161.5	0.609	2.35	36.1	34.4	2.15	27.7	0.01			231	206
250 ISL	8.50	8.47	34.137	26.525	154.7	0.641	2.11	32.1	38.9	2.28	29.4	0.01			251	
268	8.12	8.09	34.140	26.585	149.1	0.668	1.93	29.1	42.9	2.38	30.7	0.01			269	205
300 ISL	7.59	7.56	34.126	26.652	143.0	0.715	1.79	26.7	47.4	2.47	32.3	0.01			302	
321	7.30	7.27	34.115	26.685	140.1	0.745	1.73	25.6	49.9	2.52	33.1	0.01			323	204
379	6.73	6.70	34.136	26.780	131.6	0.824	1.30	19.0	59.2	2.74	35.8	0.01			381	203
400 ISL	6.48	6.44	34.148	26.823	127.6	0.851	1.11	16.1	63.7	2.83	37.0	0.01			402	
438	6.05	6.01	34.174	26.899	120.6	0.898	0.80	11.5	71.8	2.97	39.0	0.01			441	202
500 ISL	5.66	5.62	34.220	26.984	112.9	0.970	0.52	7.4	80.6	3.10	40.8	0.01			503	
513	5.58	5.54	34.230	27.002	111.4	0.985	0.46	6.5	82.5	3.13	41.2	0.01			516	201

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND	SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE
29 50.8 N	123 35.2 W	02/02/03	2356	UTC	4070 m	030	25 kn	010 08 08	1	1017.3 mb	15.2 c	13.9 c	25m	6/8		ST
DEPTH	TEMP	POT TEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXY	SI03	P04	NO3	NO2	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	db	
0 ISL	16.69	16.69	33.218	24.220	369.0	0.000	5.68	102.1	0.8	0.39	0.0	0.00	0.11	0.02	0	
2	16.69	16.69	33.218	24.220	369.1	0.007	5.68	102.1	0.8	0.39	0.0	0.00	0.11	0.02	2	220
10 ISL	16.68	16.68	33.213	24.219	369.5	0.037	5.68	102.1	0.8	0.39	0.0	0.01	0.12	0.03	10	
16	16.67	16.67	33.209	24.219	369.7	0.059	5.68	102.1	0.7	0.39	0.0	0.01	0.13	0.03	16	219
20 ISL	16.63	16.63	33.201	24.222	369.6	0.074	5.68	102.0	0.7	0.39	0.0	0.01	0.13	0.03	20	
30 ISL	16.51	16.51	33.173	24.228	369.3	0.111	5.69	101.9	0.6	0.39	0.0	0.01	0.13	0.03	30	
31	16.49	16.49	33.170	24.231	369.1	0.115	5.69	101.9	0.6	0.39	0.0	0.01	0.13	0.03	31	218
46	16.25	16.24	33.118	24.246	368.0	0.170	5.74	102.3	0.5	0.39	0.0	0.01	0.18	0.05	46	217
50 ISL	16.27	16.26	33.142	24.260	366.8	0.184	5.72	102.0	0.6	0.39	0.0	0.01	0.19	0.05	50	
57	16.35	16.34	33.197	24.284	364.8	0.210	5.69	101.6	0.7	0.39	0.0	0.01	0.21	0.06	57	216
65	16.40	16.39	33.245	24.310	362.6	0.239	5.71	102.1	0.7	0.39	0.0	0.01	0.22	0.09	65	215
75 ISL	15.42	15.41	33.215	24.508	344.0	0.275	5.90	103.4	1.1	0.40	0.0	0.01	0.25	0.16	75	
76	15.29	15.28	33.210	24.532	341.6	0.278	5.92	103.5	1.2	0.40	0.0	0.01	0.25	0.17	76	214
86	14.36	14.35	33.174	24.704	325.4	0.311	5.87	100.7	1.7	0.46	0.3	0.06	0.28	0.22	86	213
95	13.39	13.38	33.078	24.830	313.6	0.340	5.80	97.5	2.1	0.55	1.3	0.11	0.26	0.20	95	212
100 ISL	13.09	13.08	33.059	24.875	309.3	0.356	5.76	96.2	2.2	0.58	1.8	0.10	0.23	0.19	100	
111	12.58	12.57	33.058	24.974	300.1	0.389	5.65	93.3	2.8	0.67	3.5	0.05	0.16	0.16	111	211
125	11.62	11.60	33.088	25.178	280.8	0.430	5.43	87.9	4.7	0.89	7.1	0.03	0.09	0.09	125	210
144	10.73	10.71	33.352	25.543	246.3	0.480	5.11	81.3	7.3	1.00	9.7	0.02	0.04	0.04	144	209
150 ISL	10.42	10.40	33.410	25.643	237.0	0.494	4.87	77.0	9.4	1.13	11.8	0.02	0.03	0.03	150	
170	9.54	9.52	33.575	25.919	210.9	0.539	4.07	63.2	16.8	1.59	18.8	0.02	0.01	0.01	170	208
198	9.01	8.99	33.819	26.195	185.1	0.595	3.61	55.4	22.7	1.81	22.5	0.01	0.00	0.01	198	207
200 ISL	8.99	8.97	33.831	26.208	183.9	0.598	3.58	55.0	23.2	1.82	22.7	0.01			200	
229	8.69	8.67	33.952	26.350	170.9	0.650	3.20	48.8	29.9	2.00	25.4	0.01			229	206
250 ISL	8.29	8.26	34.000	26.449	161.7	0.685	2.96	44.8	34.7	2.13	27.3	0.01			250	
269	7.89	7.86	34.024	26.528	154.4	0.715	2.77	41.5	38.9	2.25	28.9	0.01			269	205
300 ISL	7.36	7.33	34.033	26.611	146.7	0.761	2.55	37.8	44.6	2.39	30.8	0.01			300	
318	7.10	7.07	34.031	26.646	143.5	0.787	2.42	35.6	47.7	2.47	31.8	0.01			318	204
379	6.49	6.46	34.061	26.752	133.9	0.872	1.63	23.7	58.6	2.82	35.7	0.01			379	203
400 ISL	6.26	6.22	34.072	26.791	130.4	0.900	1.43	20.6	62.9	2.91	36.8	0.01			400	
437	5.88	5.84	34.095	26.857	124.3	0.947	1.15	16.5	70.4	3.05	38.6	0.01			437	202
500 ISL	5.39	5.35	34.139	26.952	115.6	1.023	0.78	11.0	81.7	3.23	40.8	0.01			500	
514	5.28	5.24	34.149	26.973	113.7	1.039	0.70	9.9	84.2	3.27	41.3	0.01			514	201

RV DAVID STARR JORDAN

CALCOFI CRUISE 0302

STATION 77 70

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
34 23.3 N	122 15.9 W	14/02/03	1719 UTC	15 m		1223 - 1813 PST	1223 PST	1813 PST	305.3 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	14.14	33.062	24.661	6.01	102.6	1.1	0.43	0.1	0.01	1.71	0.37	81. A	7.3	6.7	7.0	0.10
9	14.14	33.067	24.666	6.01	102.6	1.1	0.42	0.1	0.01	0.93	0.23	40.	14.1	12.9	13.5	0.11
19	14.13	33.062	24.664	6.01	102.6	1.0	0.42	0.1	0.01	0.97	0.25	14.	8.1	8.4	8.3	0.11
30	14.12	33.063	24.667	6.01	102.5	1.2	0.42	0.2	0.01	0.63	0.28	4.6	4.3	3.9	4.1	0.09
42	13.35	33.104	24.856	5.54	93.1	3.0	0.63	3.3	0.06	0.44	0.31	1.4	1.2	1.3	1.3	0.07
50	12.20	33.165	25.128	5.24	86.0	6.6	0.97	8.5	0.05	0.25	0.20					
57	11.42	33.219	25.315	4.90	79.1	9.5	1.18	12.0	0.03	0.17	0.16	0.29	0.02	0.03	0.03	0.05

RV DAVID STARR JORDAN

CALCOFI CRUISE 0302

STATION 77 100

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
33 23.4 N	124 19.4 W	13/02/03	1906 UTC	20 m		1231 - 1821 PST	1231 PST	1821 PST	185.4 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	14.76	32.862	24.376	5.93	102.4	0.5	0.42	0.0	0.00	0.21	0.05	86. A	2.7	2.9	2.8	0.08
13	14.70	32.871	24.396	5.95	102.6	0.4	0.41	0.0	0.00	0.23	0.04	37.	3.0	3.0	3.0	0.11
19	14.64	32.894	24.427	5.93	102.2	0.4	0.41	0.0	0.00	0.25	0.05					
26	14.54	32.937 D	24.482													
33	14.15	33.103	24.692	6.09	104.0	0.7	0.44	0.0	0.01	0.82	0.34					
41	13.84	33.143	24.787	5.93	100.7	1.4	0.52	0.8	0.10	1.07	0.40	4.3	4.6	4.6	4.6	0.10
47	13.16	33.165	24.942	5.55	92.9	3.2	0.74	4.3	0.07	0.51	0.28					
54	11.92	33.163	25.179	5.10	83.2	7.0	1.08	9.9	0.05	0.26	0.20	1.6	0.65	0.66	0.65	0.04
65	10.90	33.230	25.417	4.77	76.1	10.8	1.31	14.1	0.05	0.16	0.12					
76	10.37	33.347	25.600	4.47	70.6	13.9	1.48	17.1	0.05	0.09	0.07	0.29	0.01	0.02	0.02	0.03

RV DAVID STARR JORDAN

CALCOFI CRUISE 0302

STATION 80 70

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
33 49.6 N	121 48.3 W	12/02/03	1736 UTC	15 m		1220 - 1815 PST	1221 PST	1815 PST	180.4 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	14.30	32.978	24.563	6.03	103.2	0.8	0.41	0.1	0.01	0.43	0.10	81. A	3.2	3.4	3.3	0.09
10	14.28	32.978	24.568	5.98	102.3	0.7	0.41	0.1	0.01	0.42	0.10	36.	6.8	6.9	6.8	0.09
19	14.28	32.979	24.569	5.97	102.2	0.5	0.41	0.1	0.01	0.41	0.11	14.	5.3	5.4	5.3	0.10
30	14.27	32.980	24.572	5.98	102.3	0.4	0.41	0.1	0.01	0.45	0.10	4.6	2.8	2.7	2.8	0.08
41	14.18	32.989	24.598	5.95	101.6	0.5	0.43	0.4	0.03	0.48	0.13	1.5	1.3	1.4	1.3	0.06
50	12.21	32.937	24.949	5.69	93.2	3.0	0.75	4.7	0.14	0.44	0.29					
58	11.33	32.933	25.109	5.53	88.9	5.1	0.92	7.7	0.05	0.27	0.27	0.26	0.10	0.11	0.10	0.05

RV DAVID STARR JORDAN

CALCOFI CRUISE 0302

STATION 83 40.6

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
34 13.3 N	119 24.7 W	10/02/03	1805 UTC	21 m		1212 - 1802 PST	1212 PST	1802 PST	228.7 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
1	15.10	33.387	24.708	5.90	102.9	2.2	0.37	0.0	0.01	0.53	0.13	93. A	10.1	9.4	9.8	0.09
5	15.06	33.388	24.717	5.94	103.5	2.1	0.37	0.0	0.01	0.51	0.13					
12	15.06	33.389	24.718	5.90	102.8	2.1	0.37	0.0	0.01	0.50 B	0.14 B	42.	10.4		10.4	0.09
19	15.05	33.388	24.720	5.91	103.0	2.2	0.37	0.0	0.01	0.55	0.16					
26	15.05	33.388	24.720	5.90	102.8	2.1	0.37	0.0	0.01	0.60	0.18	15.	4.8	5.2	5.0	0.07

B) FIRST FLUOROMETER READING NOT RECORDED, CHLOROPHYLL AND PHAEOPIGMENT CALCULATED WITH ASSUMED ACID RATIO INTERPOLATED FROM ADJACENT LEVELS.

RV DAVID STARR JORDAN

CALCOFI CRUISE 0302

STATION 83 70

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
33 14.5 N	121 26.3 W	09/02/03	1846 UTC	25 m		1220 - 1810 PST	1220 PST	1812 PST	185.8 mg C/m2							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
1	14.85	33.013	24.474	5.91	102.3	0.5	0.40	0.1	0.00	0.25	0.05	94. A	1.8	1.7	1.8	0.09
16	14.76	33.013	24.493	5.91	102.1					0.25	0.07	37.	3.2	3.1	3.1	0.10
31	14.75	33.014	24.497	5.93	102.5	0.6	0.40	0.1	0.00	0.28	0.07	15.	2.7	3.1	2.9	0.11
40	14.76	33.017	24.497	5.90	102.0	0.6	0.40	0.1	0.00	0.33	0.10					
50	14.47	32.998	24.544	5.87	100.8	0.9	0.45	0.5	0.04	0.54	0.22	4.6	3.1	3.1	3.1	0.06
60	12.81	32.869	24.782	5.79	96.0	2.4	0.67	3.0	0.09	0.39	0.28					
68	11.71	32.826	24.957	5.71	92.5	4.2	0.84	5.9	0.03	0.23	0.25	1.5	0.70	0.82	0.76	0.04
77	11.06	32.814	25.065	5.64	90.1	5.6	0.95	7.6	0.02	0.17	0.17					
86	10.66	32.936	25.230	5.42	85.9	7.8	1.08	10.3	0.02	0.09	0.11					
95	10.37	33.050	25.369	5.23	82.4	9.6	1.17	12.3	0.01	0.06	0.07	0.29	0.02	0.02	0.02	0.03

A) INCUBATION LIGHT INTENSITIES WERE 94, 41, 15, 4.5, 1.6, 0.30 PERCENT RESPECTIVELY.

LATITUDE		LONGITUDE		DAY/MO/YR	CAST TIME	SECCHI	FOREL		INCUBATION TIME			LAN	CIVIL TWILIGHT		INTEGRATED VALUE	
31 54.6 N		124 10.2 W		08/02/03	1923 UTC	35 m			1231 - 1819 PST			1231 PST	1819 PST		155.4 mg C/m2	
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	15.59	32.771	24.126			0.6	0.40	0.1	0.00	0.16	0.04	92. A	1.4	1.4	1.4	0.06
12	15.51	32.764	24.139			0.6	0.40	0.0	0.00	0.16	0.05					
21	15.49	32.763	24.143	5.81	101.7	0.6	0.39	0.0	0.00	0.18	0.05	40.	2.2	2.2	2.2	0.07
32	15.49	32.763	24.143	5.80	101.6	0.6	0.39	0.0	0.00	0.17	0.05					
44	15.49	32.762	24.143	5.82	101.9	0.6	0.39	0.0	0.00	0.17	0.05	15.	1.6	1.7	1.7	0.06
53	15.49	32.762	24.143	5.79	101.4	0.6	0.40	0.0	0.00	0.17	0.05					
62	15.48	32.762	24.145	5.79	101.4	0.6	0.39	0.0	0.00	0.17	0.06					
70	15.48	32.762	24.146	5.81	101.7	0.6	0.39	0.0	0.00	0.19	0.05	4.6	0.94	0.93	0.93	0.05
78	15.05	32.760	24.238	5.80	100.7	0.8	0.41	0.1	0.03	0.25	0.16					
86	13.53	32.737	24.538	5.86	98.6	1.9	0.57	1.8	0.08	0.32	0.22					
95	11.95	32.695	24.811	5.96	96.9	3.4	0.76	4.2	0.02	0.22	0.18	1.6	1.2	0.60	0.89	0.04
107	10.31	32.615	25.041	5.92	92.9	5.7	0.94	7.3	0.02	0.10	0.08					
119	9.87	32.665	25.153	5.81	90.3	7.5	1.05	9.3	0.02	0.06	0.05					
132	10.20	33.025	25.379	5.29	83.0	8.7	1.06	10.6	0.02	0.04	0.04	0.31	0.02	0.00	0.01	0.04

LATITUDE		LONGITUDE		DAY/MO/YR	CAST TIME	SECCHI	FOREL		INCUBATION TIME			LAN	CIVIL TWILIGHT		INTEGRATED VALUE	
33 29.3 N		119 19.1 W		06/02/03	1900 UTC	19 m			1210 - 1805 PST			1211 PST	1805 PST		514.6 mg C/m2	
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
1	14.52	33.342	24.798	6.04	104.1	3.5	0.45	0.7	0.03	0.94	0.17	92. A	15.9	16.4	16.2	0.11
12	14.37	33.340	24.828	6.03	103.6	3.5	0.46	0.7	0.04	0.99	0.18	38.	20.3	19.3	19.8	0.14
19	13.48	33.338	25.011	5.55	93.6	5.4	0.68	4.2	0.11	0.73	0.27					
25	12.73	33.335	25.157	5.20	86.4	7.3	0.87	7.2	0.15	0.68	0.32	13.	8.2	8.3	8.2	0.10
32	12.61	33.335	25.181	5.11	84.6	7.7	0.92	7.9	0.15	0.65	0.35					
39	12.33	33.331	25.232	5.02	82.7	8.4	0.99	8.9	0.15	0.53	0.31	4.3	3.5	3.5	3.5	0.07
45	11.56	33.311	25.361	4.77	77.3	10.3	1.15	11.6	0.09	0.33	0.24					
52	11.35	33.376	25.450	4.57	73.7	11.3	1.23	13.1	0.09	0.27	0.21	1.5	0.81	0.85	0.83	0.06
62	10.83	33.358	25.529	4.50	71.8	12.5	1.31	14.4	0.06	0.20	0.17					
72	10.38	33.497	25.716	4.04	63.9	16.0	1.50	17.6	0.03	0.07	0.10	0.30	0.01	0.02	0.01	0.04

LATITUDE		LONGITUDE		DAY/MO/YR	CAST TIME	SECCHI	FOREL		INCUBATION TIME			LAN	CIVIL TWILIGHT		INTEGRATED VALUE	
32 19.6 N		121 42.6 W		07/02/03	1902 UTC	22 m			1220 - 1820 PST			1221 PST	1820 PST		162.3 mg C/m2	
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
1	14.91	32.902	24.375	5.89	102.0	0.6	0.40	0.0	0.00	0.18	0.05	93. A	2.2	2.3	2.3	0.09
14	14.73	32.974	24.470	5.94	102.6	0.7	0.40	0.0	0.00	0.23	0.06	38.	3.7	3.4	3.5	0.15
21	14.51	33.054	24.578	5.99	103.0	1.1	0.40	0.0	0.00	0.36	0.12					
29	14.48	33.070	24.597	5.99	103.0	1.2	0.40	0.0	0.00	0.50	0.14	13.	4.4	4.4	4.4	0.12
36	13.97	33.030	24.673	5.92	100.7	1.8	0.48	0.9	0.06	0.60	0.21					
45	12.06	32.827	24.892	5.75	93.8	3.5	0.78	4.6	0.06	0.37	0.28	4.3	1.4	1.4	1.4	0.06
53	11.54	32.834	24.994	5.70	92.0	4.6	0.87	6.2	0.03	0.24	0.25					
60	11.01	32.830	25.086	5.61	89.5	5.9	0.96	7.9	0.02	0.18	0.15	1.5	0.31	0.32	0.32	0.07
73	10.70	32.976	25.254	5.39	85.5	7.8	1.07	10.3	0.02	0.10	0.10					
83	10.54	33.174	25.437	5.08	80.4	10.0	1.19	12.7	0.01	0.05	0.05	0.31	0.01	0.01	0.01	0.04

LATITUDE		LONGITUDE		DAY/MO/YR	CAST TIME	SECCHI	FOREL		INCUBATION TIME			LAN	CIVIL TWILIGHT		INTEGRATED VALUE	
33 15.2 N		118 14.7 W		05/02/03	1838 UTC	27 m			1207 - 1802 PST			1207 PST	1802 PST		170.9 mg C/m2	
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	uM/L	uM/L	uM/L	uM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	15.82	33.386	24.548	5.84	103.3	2.0	0.36	0.1	0.00	0.22	0.06	89. A	1.3	1.3	1.3	0.06
8	15.81	33.386	24.550	5.83	103.1	1.8	0.36	0.1	0.00	0.21	0.04					
16	15.76	33.387	24.563	5.83	103.0	1.9	0.36	0.1	0.00	0.24	0.05	40.	2.7	2.7	2.7	0.06
25	15.41	33.347	24.610	5.88	103.2	2.0	0.39	0.1	0.00	0.39	0.16					
34	14.93	33.296	24.676	5.92	102.8	2.3	0.42	0.1	0.01	0.56	0.18	14.	4.1	4.5	4.3	0.07
44	14.19	33.214	24.770	5.94	101.6	2.7	0.49	0.6	0.03	0.76	0.22					
54	12.51	33.188	25.087	5.21	86.0	5.8	0.88	6.7	0.14	0.40	0.25	4.6	1.4	1.4	1.4	0.04
64	12.23	33.460	25.352	4.36	71.7	9.9	1.17	11.6	0.04	0.20	0.19					
73	12.04	33.491	25.412	4.18	68.5	10.7	1.23	12.6	0.03	0.16	0.15	1.6	0.26	0.31	0.29	0.04
88	11.63	33.566	25.547	3.91	63.5	12.8	1.37	14.8	0.02	0.08	0.11					
102	11.21	33.606	25.655	3.70	59.6	14.7	1.47	16.5	0.02	0.05	0.08	0.30	0.00	0.01	0.00	0.03

A) INCUBATION LIGHT INTENSITIES WERE 94, 41, 15, 4.5, 1.6, 0.30 PERCENT RESPECTIVELY.

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 5.7 N	120 38.6 W	04/02/03	1808 UTC	24 m		1215 - 1800 PST	1217 PST	1800 PST	217.1 mg C/m ²							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	ml/L	PCT	μM/L	μM/L	μM/L	μM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
1	15.04	33.077	24.482	5.90	102.6	0.6	0.41	0.0	0.00	0.19	0.05	94. A	2.7	2.3	2.5	0.05
8	14.96	33.064	24.489	5.90	102.4	0.9	0.41	0.0	0.00	0.22	0.06					
15	14.94	33.067	24.496	5.90	102.4	0.7	0.40	0.0	0.00	0.23	0.07	38.	3.5	3.4	3.4	0.08
23	14.91	33.072	24.507	5.90	102.3	0.7	0.40	0.0	0.00	0.30	0.10					
31	14.72	33.078	24.552	5.98	103.3	0.9	0.42	0.1	0.01	0.52	0.21	14.	4.9	5.2	5.0	0.06
39	14.05	33.202	24.789	5.85	99.8	1.8	0.51	0.7	0.07	0.81	0.54					
48	13.23	33.262	25.003	5.52	92.6	4.2	0.74	4.4	0.13	0.62	0.50	4.6	2.8	3.0	2.9	0.04
56	12.01	33.505	25.428	4.60	75.3	11.1	1.22	12.5	0.05	0.29	0.40					
65	11.07	33.553	25.638	4.20	67.4	14.4	1.42	16.2	0.03	0.20	0.31	1.6	0.67	0.65	0.66	0.02
78	9.90	33.648	25.915	3.56	55.7	20.4	1.72	21.4	0.02	0.07	0.08					
91	9.68	33.710	26.000	3.30	51.4	22.4	1.79	22.9	0.01	0.04	0.05	0.30	0.01	0.01	0.01	0.02

RV DAVID STARR JORDAN

CALCOFI CRUISE 0302

STATION 90 110

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
30 45.3 N	123 20.0 W	03/02/03	1741 UTC	28 m		1225 - 1810 PST	1227 PST	1814 PST	102.1 mg C/m ²							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	ml/L	PCT	μM/L	μM/L	μM/L	μM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	15.79	33.010	24.265	5.80	102.3	0.6	0.39	0.1	0.00	0.15	0.04	90. A	0.72	0.52	0.62	0.03
17	15.77	33.010	24.270	5.75	101.4	0.5	0.39	0.0	0.00	0.16	0.04	39.	2.1	2.1	2.1	0.04
27	15.77	33.009	24.270	5.76	101.6	0.5	0.39	0.0	0.00	0.15	0.04					
35	15.77	33.009	24.270	5.76	101.6	0.5	0.39	0.0	0.00	0.16	0.04	15.	1.5	1.6	1.5	0.04
47	15.77	33.010	24.271	5.76	101.6	0.4	0.40	0.0	0.00	0.16	0.04					
57	15.77	33.009	24.271	5.76	101.6	0.3	0.39	0.0	0.00	0.15	0.05	4.4	0.79	0.78	0.79	0.03
66	15.67	33.007	24.292	5.78	101.7	0.2	0.39	0.0	0.00	0.16	0.06					
77	15.16	33.134	24.502	5.82	101.5	0.9	0.42	0.1	0.03	0.23	0.14	1.5	0.58	0.63	0.60	0.02
86	12.87	32.865	24.768	5.95	98.8	2.0	0.56	1.0	0.19	0.19	0.21					
95	12.04	32.781	24.861	5.86	95.6	2.8	0.69	3.1	0.06	0.17	0.23					
106	11.51	32.813	24.984	5.71	92.1	4.0	0.80	5.6	0.03	0.12	0.15	0.30	0.04	0.00	0.02	0.02

RV DAVID STARR JORDAN

CALCOFI CRUISE 0302

STATION 93 45

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
32 21.0 N	118 33.4 W	31/01/03	1803 UTC	34 m		1205 - 1759 PST	1207 PST	1759 PST	334.6 mg C/m ²							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	ml/L	PCT	μM/L	μM/L	μM/L	μM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	16.15	33.418	24.498	5.79	103.2	2.8	0.35	0.0	0.00	0.19	0.04	91. A	3.1	3.2	3.2	0.05
11	16.09	33.412	24.507	5.78	102.8	2.8	0.35	0.0	0.00	0.20	0.04					
21	16.03	33.407	24.517	5.80	103.1	2.7	0.35	0.0	0.01	0.22	0.05	39.	4.0	4.5	4.2	0.06
32	15.60	33.345	24.566	5.85	103.0	2.8	0.37	0.0	0.01	0.32	0.11					
44	15.48	33.339	24.589	5.89	103.5	2.8	0.37	0.1	0.01	0.43	0.15	14.	4.5	4.7	4.6	0.06
51	14.69	33.281	24.716	5.82	100.6	3.4	0.44	0.2	0.03	0.79	0.23					
59	13.69	33.202	24.864	5.69	96.3	4.4	0.58	1.8	0.08	0.77	0.35					
68	13.12	33.181	24.963	5.50	92.0	5.4	0.70	3.7	0.11	0.67	0.41	4.6	3.5	3.3	3.4	0.03
80	12.44	33.305	25.192	4.89	80.7	8.2	0.97	8.4	0.05	0.33	0.34					
92	12.44	33.469	25.319	4.32	71.3	10.4	1.13	10.8	0.03	0.20	0.22	1.6	0.66	0.60	0.63	0.02
105	11.58	33.503	25.508	4.14	67.1	12.7	1.28	13.7	0.02	0.08	0.11					
116	10.87	33.581	25.697	3.95	63.1	15.3	1.41	16.3	0.02	0.03	0.05					
130	10.59	33.668	25.814	3.66	58.2	17.6	1.52	18.1	0.02	0.02	0.04	0.28	0.01	0.02	0.02	0.00

RV DAVID STARR JORDAN

CALCOFI CRUISE 0302

STATION 93 80

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
31 11.1 N	120 54.7 W	01/02/03	1830 UTC	24 m		1215 - 1802 PST	1218 PST	1802 PST	127.8 mg C/m ²							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	ml/L	PCT	μM/L	μM/L	μM/L	μM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	15.43	33.180	24.476	5.87	102.9	0.8	0.38	0.0	0.00	0.16	0.03	88. A	2.2	2.3	2.2	0.07
15	15.41	33.181	24.482	5.89	103.2	0.8	0.38	0.0	0.00	0.17	0.03	38.	2.3	2.3	2.3	0.07
30	15.38	33.200	24.503	5.92	103.7	0.8	0.37	0.0	0.00	0.23	0.05	15.	1.5	1.5	1.5	0.06
39	15.31	33.201	24.520	5.97	104.4	0.8	0.38	0.0	0.00	0.27	0.06					
48	14.32	33.151	24.694	6.41	109.9	1.5	0.43	0.1	0.04	0.54	0.27	4.6	2.2	2.3	2.3	0.04
56	14.02	33.153	24.758	5.89	100.3	2.0	0.48	0.7	0.17	0.55	0.26					
65	13.26	33.111	24.881	5.74	96.2	3.2	0.62	2.7	0.22	0.28	0.21	1.6	0.56	0.51	0.54	0.04
74	12.24	33.025	25.013	5.63	92.3	4.7	0.79	5.5	0.05	0.17	0.19					
83	11.22	32.905	25.108	5.53	88.7	6.3	0.97	7.8	0.03	0.14	0.14					
91	10.78	32.909	25.189	5.48	87.0	7.5	1.03	9.4	0.03	0.11	0.09	0.30	0.02	0.02	0.02	0.01

RV DAVID STARR JORDAN

CALCOFI CRUISE 0302

STATION 93 110

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	FOREL	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE							
30 10.9 N	122 55.5 W	02/02/03	1751 UTC	27 m		1225 - 1816 PST	1226 PST	1816 PST	96.5 mg C/m ²							
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m ³)			
m	DEG C		THETA	ml/L	PCT	μM/L	μM/L	μM/L	μM/L	ug/L	ug/L	PCT	1	2	MEAN	DARK
2	16.56	33.266	24.287	5.66	101.6	1.0	0.38	0.1	0.01	0.11	0.03	89. A	0.95	1.0	0.97	0.03
17	16.55	33.266	24.290	5.66	101.5	1.1	0.37	0.1	0.00	0.12	0.02	38.	1.9	1.9	1.9	0.04
26	16.55	33.267	24.291	5.66	101.5	1.0	0.37	0.0	0.00	0.11	0.02					
34	16.56	33.267	24.289	5.67	101.7	0.9	0.37	0.0	0.00	0.12	0.02	14.	1.2	1.2	1.2	0.04
45	16.55	33.273	24.297	5.67	101.7	0.9	0.36	0.0	0.00	0.13	0.03					
54	16.52	33.287	24.314	5.68	101.8	1.0	0.37	0.0	0.01	0.15	0.04	4.6	0.73	0.69	0.71	0.03
65	16.06	33.312	24.439	5.72	101.6	1.3	0.37	0.0	0.00	0.25	0.11					
73	14.95	33.210	24.606	5.87	101.9	2.0	0.44	0.2	0.03	0.33	0.23	1.6	0.83	0.88	0.85	0.03
84	13.02	33.076	24.902	5.72	95.4	3.8	0.65	2.7	0.13	0.33	0.19					
93	12.81	33.219	25.054	5.50	91.4	5.0	0									

CalCOFI Cruise 0302

MACROZOOPLANKTON BIOMASS

Net Mesh Size: 0.505mm

Line	Sta.	Latitude N	Longitude W	Date Mo/Day	Time (PST)		Water Volume Strained (m ³)	Max. Tow Depth (m)	Volume per 1000 m ³ Strained	
					Start	End			Total (cm ³)	Small (cm ³)
77	49	35 04.7	120 46.6	02/15	0233	0239	135	56	74	74
77	51	35 00.7	120 55.5	02/15	0003	0025	498	210	108	108
77	55	34 54.6	121 13.6	02/14	2021	2043	516	209	29	29
77	60	34 43.4	121 34.0	02/14	1558	1620	496	209	22	22
77	70	34 23.2	122 15.4	02/14	0827	0849	473	210	38	38
77	80	34 03.6	122 56.4	02/14	0106	0127	482	213	37	37
77	90	33 43.8	123 39.4	02/13	1830	1852	495	213	30	30
77	100	33 23.2	124 19.9	02/13	1209	1231	500	211	16	16
80	51	34 27.6	120 33.1	02/11	0446	0453	184	64	120	120
80	60	34 09.0	121 09.0	02/24	1548	1610	471	208	32	32
80	70	33 49.2	121 49.8	02/12	0833	0854	509	211	26	26
80	80	33 27.7	122 31.3	02/12	1700	1722	508	210	8	8
80	90	33 08.7	123 13.	02/12	2313	2334	477	213	42	42
80	100	32 49.5	123 54.3	02/13	0544	0605	450	212	73	73
82	47	34 16.3	120 01.0	02/10	2355	0017	437	220	43	43
83	40.6	34 14.0	119 24.4	02/10	0929	0932	62	20	32	32
83	42	34 11.2	119 30.7	02/10	0759	0809	222	101	77	77
83	51	33 53.1	120 09.2	02/10	0158	0208	230	96	74	74
83	55	33 44.6	120 26.0	02/09	2228	2250	466	214	32	32
83	60	33 34.8	120 46.6	02/09	1807	1828	458	210	52	52
83	70	33 14.6	121 25.4	02/09	1148	1209	449	213	33	33
83	80	32 55.5	122 07.0	02/09	0558	0620	468	210	53	53
83	90	32 35.0	122 47.6	02/09	0020	0042	472	212	32	32
83	100	32 15.3	123 29.4	02/08	1823	1845	454	210	46	46
83	110	31 55.2	124 09.8	02/08	1221	1243	453	216	29	29
87	33	33 53.5	118 29.0	02/06	0107	0112	118	49	42	42
87	35	33 49.6	118 37.5	02/06	0343	0404	448	210	47	47
87	40	33 39.3	118 59.7	02/06	0806	0828	435	214	37	37
87	45	33 29.1	119 18.7	02/06	1212	1233	437	213	39	39
87	50	33 20.3	119 38.8	02/06	1555	1604	166	67	54	54
87	55	33 09.1	119 58.8	02/06	2005	2027	469	214	34	34
87	60	32 58.9	120 20.6	02/07	0025	0046	443	214	68	68
87	70	32 38.3	121 02.2	02/07	0610	0631	470	209	53	53
87	80	32 19.0	121 42.1	02/07	1211	1233	472	210	25	25
87	90	31 59.7	122 24.7	02/07	1814	1836	489	223	27	27
87	100	31 40.2	123 04.8	02/08	0007	0029	475	213	40	40
87	110	31 19.7	123 44.5	02/08	0605	0627	458	213	46	46
90	28	33 29.1	117 47.2	02/05	1816	1838	463	211	136	125
90	30	33 25.1	117 54.7	02/05	1532	1553	459	211	20	20
90	35	33 15.2	118 14.8	02/05	1143	1204	455	210	20	20
90	37	33 11.2	118 23.1	02/05	0854	0916	438	214	50	50
90	45	32 55.8	118 57.0	02/05	0327	0348	454	212	24	24
90	53	32 38.4	119 29.0	02/04	2207	2229	463	211	67	67
90	60	32 25.3	119 57.1	02/04	1715	1737	449	210	51	51
90	70	32 05.5	120 39.2	02/04	1119	1141	466	211	26	26
90	80	31 45.0	121 19.2	02/04	0441	0502	462	210	37	37
90	90	31 24.6	121 58.8	02/03	2234	2256	460	216	46	46
90	100	31 05.2	122 39.3	02/03	1622	1643	474	210	40	40
90	110	30 45.8	123 20.5	02/03	0824	0846	473	212	19	19
90	120	30 25.9	123 59.5	02/03	0047	0108	490	212	27	27
93	26.7	32 57.9	117 19.1	01/30	1519	1541	478	209	33	33
93	28	32 54.6	117 23.8	01/30	1832	1854	461	211	28	28
93	30	32 50.6	117 32.3	01/30	2200	2222	476	211	67	67
93	35	32 41.1	117 53.3	01/31	0205	0227	467	213	47	47
93	40	32 31.0	118 12.7	01/31	0555	0616	461	210	46	46
93	45	32 21.1	118 34.0	01/31	0855	0917	452	210	35	35
93	50	32 10.5	118 53.3	01/31	1426	1448	472	228	17	17
93	55	32 00.9	119 14.1	01/31	1829	1850	466	209	28	28
93	60	31 51.3	119 34.2	01/31	2239	2301	451	214	38	38
93	70	31 31.6	120 14.7	02/01	0502	0524	476	212	92	92
93	80	31 11.6	120 54.4	02/01	1136	1158	434	215	16	16
93	90	30 51.2	121 35.3	02/01	1803	1825	501	222	26	26
93	100	30 31.1	122 16.0	02/02	0022	0043	519	206	42	42
93	110	30 11.4	122 56.2	02/02	0829	0851	497	217	22	22
93	120	29 51.0	123 35.9	02/02	1705	1727	477	217	19	19

FIGURES

Avifauna Observations

CalCOFI Cruise 0302

- 1a. Cassin's Auklet distribution.
- 1b. Black-vented Shearwater distribution.
- 1c. Common Murre distribution.
- 1d. Unidentified Gull distribution.
- 1e. Northern Fulmar distribution.
- 1f. Black-legged Kittiwake distribution.

CalCOFI Cruise 0302

