

# data report

**CalCOFI Cruise 1301**  
**11 January – 2 February 2013**

**CC Reference 14 -05**  
**25 June 2014**

**UNIVERSITY OF CALIFORNIA, SAN DIEGO  
SCRIPPS INSTITUTION OF OCEANOGRAPHY  
LA JOLLA, CALIFORNIA 92093-0227**

**PHYSICAL, CHEMICAL AND BIOLOGICAL DATA**

**CalCOFI Cruise 1301  
11 January – 2 February 2013**

**CC Reference 14-05  
25 June 2014**

## CONTENTS

Introduction .....	4
Literature Cited .....	9
CalCOFI Cruise 1301	
List of Figures .....	11
Personnel .....	22
Tabulated Rosette Cast Data .....	23
Tabulated Primary Productivity Data .....	60
Tabulated Macrozooplankton Data .....	63

## INTRODUCTION

The data presented in this report were collected during cruise 1301\* of the California Cooperative Oceanic Fisheries Investigations (CalCOFI) program aboard the NOAA vessel FSV *Bell M. Shimada*. The CalCOFI program was organized in the late 1940's to study the causes of variations in population size of fishes of importance to the State of California. It is carried out by NOAA's National Marine Fisheries Service Southwest Fisheries Science Center, the California Department of Fish and Wildlife, and the Integrative Oceanography Division (IOD) at Scripps Institution of Oceanography (SIO). IOD contributes to this program by investigations of the physical, chemical and biological structure of the California Current. Data from the cruises were collected and processed by personnel of the Integrative Oceanography Division and the Southwest Fisheries Science Center. CalCOFI data presented in this report and collected on previous cruises can be accessed at <http://www.calcofi.org>.

## STANDARD PROCEDURES

### *CTD/Rosette Cast Data*

A Sea-Bird Electronics, Inc., Conductivity-Temperature-Depth (CTD) instrument (Seabird 911, Serial number 3161-936) with a rosette was deployed at each station on these cruises. The rosette was equipped with 24 ten-liter plastic (PVC) bottles equipped with epoxy-coated springs and Viton O-rings. Each CTD/rosette cast usually sampled 20 depths to a maximum sampling depth of 525 meters, bottom depth permitting. Occasional stations have multiple bottles tripped at the same depth to provide more water for ancillary programs. The sample spacing was designed to sample depth intervals as close as 10 meters around the sharp upper thermocline features such as the chlorophyll, oxygen, nitrite maxima and the shallow salinity minimum. Salinity, oxygen and nutrients were determined at sea for all depths sampled. Chlorophyll-*a* and phaeopigments were determined at sea on samples from the top 200 meters, bottom depth permitting.

Pressures and temperatures assigned to the water sample data were derived from the CTD signals recorded just prior to the bottle trip. Pressures have been converted to depths by the Saunders (1981) pressure-to-depth conversion technique. CTD temperatures reported with the bottle data have been rounded to the nearest hundredth of a degree Celsius.

Salinity samples were collected from all rosette bottles and analyzed at sea using a Guildline model 8410 Portasal salinometer. Salinity samples were drawn into 200 ml Kimax high-alumina borosilicate bottles that were rinsed three times with sample prior to filling. The results were compared with the CTD salinity to verify that the rosette bottle did not mis-trip or leak. The salinometer was standardized before and after each group of samples with standardized seawater. Periodic checks on the conductivity of the standardized seawater were made by comparison with IAPSO Standard Seawater batch P152. Salinity values were calculated using the algorithms for the Practical Salinity Scale, 1978 (UNESCO, 1981a) and are reported to three decimal places, provided that accepted standards were met.

Dissolved oxygen analyses were performed with an Ocean Data Facility of Scripps Institution of Oceanography designed automated oxygen titrator using photometric end-point detection based on the absorption of 365nm wavelength ultra-violet light. A computer using PC software controlled the titration of the samples and the data logging. The method used a modified Winkler titration following the technique of Carpenter (1965) with modifications by Culberson (1991), but with higher concentrations of thiosulfate solution (50 g/l). Standard KIO3 solutions prepared ashore were run at the beginning of each run. Reagent and sea water blanks were determined to account for presence of oxidizing or reducing materials.

---

\* The first two digits represent the year and the last digits the month of the cruise.

Nutrient samples were analyzed at sea using a QuAAtro continuous flow analyzer (SEAL Analytical). Dissolved silicate, nitrate, and nitrite were analyzed using a modification of the method described by Armstrong (1967) and Gordon et al. (1992). Phosphate was measured with a modification of the Murphy and Riley (1962) protocol and ammonium was analyzed using a modified fluorometric method described by Kerouel and Aminot (1997). Samples were collected in 45ml high-density polypropylene screw top tubes which were acid washed and rinsed with sample three times prior to filling. Standardizations and cadmium-reduction coil efficiency determinations were performed at the beginning of every run. Drift corrections were performed in each run using a high standard inserted before and after sample sets. A sample of reference material for nutrients in seawater (RMNS), produced by KANSO technos ([www.kanso.co.jp](http://www.kanso.co.jp)) was included in one run per day to monitor the stability of the calibration standards and make adjustments to nitrate, nitrite, phosphate and silicate values if appropriate. Samples not analyzed immediately after collection were refrigerated and run the following day.

Samples for chlorophyll-*a* and phaeopigments were collected in calibrated 138 ml polyethylene bottles and filtered onto Whatman GF/F filters. The pigments were extracted in cold 90% acetone (Venrick and Hayward, 1984) for a minimum of 24 hours. Chlorophyll-*a* and phaeopigment concentrations were determined from fluorescence readings before and after acidification with a Turner Designs Fluorometer Model 10-AU-005-CE (Yentsch and Menzel, 1963; Holm-Hansen *et al.*, 1965).

Evaluation of the water sample data involved comparisons with the CTD data, adjacent stations and consideration of the variation of a property as a function of density or depth and the relationships with other properties (Klein, 1973). Precision estimates for routine analyses were made on CalCOFI cruise 9003 and are reported in SIO Ref. 91-4.

#### *Primary Productivity Sampling*

Primary productivity samples were taken each day shortly before local apparent noon (LAN). Primary production was estimated from  $^{14}\text{C}$  uptake using a simulated *in situ* technique. Light penetration was estimated from the Secchi depth (assuming that the 1% light level is three times the Secchi depth). The depths with ambient light intensities corresponding to light levels simulated by the on-deck incubators were identified and sampled on the rosette up-cast. Occasionally an extra bottle or two were tripped in addition to the usual 20 levels sampled in the combined rosette-productivity cast in order to maintain the normal sampling depth resolution. Triplicate samples (two light and one dark control) were drawn from each productivity sample depth into 250 ml polycarbonate incubation bottles. Samples were inoculated with 11.28  $\mu\text{Ci}$  of  $^{14}\text{C}$  as  $\text{NaHCO}_3$  (50 $\mu\text{l}$  of stock solution) prepared in a 0.3 g/liter solution of sodium carbonate (Fitzwater *et al.*, 1982). Samples were incubated from LAN to civil twilight in seawater-cooled incubators with neutral-density screens which simulate *in situ* light levels. At the end of the incubation, the samples were filtered onto Millipore HA filters and placed in scintillation vials. One half ml of 10% HCl was added to each sample. The sample was then allowed to sit, without a cap, at room temperature for 12 hours (after Lean and Burnison, 1979). Following this, 10 ml of scintillation cocktail were added to each sample and the samples were returned to SIO where the radioactivity was determined with a scintillation counter. Salinity, oxygen, nutrients, chlorophyll-*a* and phaeopigments were determined from all rosette productivity bottles.

#### *Macrozooplankton Net Tows*

Macrozooplankton was sampled with a 71 cm mouth diameter paired net (bongo net) equipped with 0.505mm plankton mesh. Bottom depth permitting, the nets were towed obliquely from 210 meters to the surface. The tow time for a standard tow was 21.5 minutes. Volumes filtered were determined from flowmeter readings and the mouth area of the net. Only one sample of each pair was retained and preserved. The biomass, as wet displacement volume, after removal of large (>5 ml) organisms, was determined in the laboratory ashore. These procedures are summarized in greater detail in Kramer *et al.* (1972).

### *Avifauna Observations (Farallon Institute of Advanced Ecosystem Research)*

Sea birds were counted within a 300-meter wide strip off to one side of the ship. Counts were made while underway between stations during periods of daylight. These counts were summed over 20 nautical mile (nm) intervals, or the distance between consecutive stations, whichever was less.

### *Ancillary Programs*

Several ancillary programs produced data on these cruises that are not presented in this report. These programs include:

- 1) *Underway Data*: Continuous near surface measurements of temperature, salinity and *in vivo* chlorophyll fluorescence were recorded from seawater pumped through the ship's uncontaminated seawater system. Water was drawn from a depth of approximately 3 meters. The data were logged in one-minute averages using a Sea-Bird Electronics, Inc., SBE 45 MicroTSG and SBE-21 TSG Thermosalinographs and a Turner Designs Fluorometer Model 10-AU-005-CE.
- 2) *ADCP*: Continuous profiles of ocean currents and acoustic backscatter between 20 and 500 meters deep were measured during CTD operations from a hull-mounted 150 kHz Acoustic Doppler Current Profiler (ADCP). The ADCP data were averaged over 3-minute intervals. Sixty 8-meter depth bins were recorded. (T. Chereskin, SIO)
- 3) *California Current Ecosystem Long Term Ecological Research Program*: The CCE-LTER program augments standard CalCOFI measurements to further characterize the lower trophic levels as well as the carbon system. These additional samples, taken at all CalCOFI stations, are for measurements of particulate organic carbon and nitrogen, dissolved organic carbon and nitrogen, taxon-specific phytoplankton pigments, flow-cytometric counts of bacteria and picoautotrophs, microscopic counts of nano- microplankton, determination of mesozooplankton size structure using a Laser Optical Plankton Counter, and mesozooplankton community structure with a Planktonic Rate Processes in Oligotrophic Ocean Systems (PRPOOS) net. (M. Ohman, SIO)
- 4) *SCCOOS Nearshore Observations*: The objective of these observations is to extend CalCOFI time series to the nearshore. Nearshore observations consist of 6 stations at the ends and interspersed with current CalCOFI lines on the 20 m isobath with a standard set of CalCOFI observations. (R. Goericke, SIO)
- 5) *Inorganic Carbon System*: The CalCOFI group collected samples for the characterization of the inorganic carbon system at selected locations along the cruise track. Total inorganic carbon and alkalinity will be measured which will allow the calculation of pH and pCO<sub>2</sub>. The objectives of these measurements are first the long-term characterization of the inorganic carbon system and its response to changing ocean climate and second measurements of pH in the coastal zone in order to monitor the impact of 'corrosive' waters on benthic ecosystems in the Southern California Bight. (R. Goericke, SIO)
- 6) *Marine Mammal Observations*: During daylight transits, visual line-transect surveys were conducted by marine mammal observers focusing on cetaceans. Acoustic line-transect surveys were performed using a towed hydrophone array which consists of multiple hydrophone elements that sample sounds up to 100 kHz allowing for localization of calling animals. Acoustic monitoring also takes place on individual stations using sonobuoys. (J. Hildebrand, SIO)
- 7) *Nitrate Isotope*: Seawater samples are acquired using the CTD-rosette and shipped frozen to Princeton University. The nitrogen and oxygen isotopic composition of nitrate is measured using strains of denitrifying bacteria that reduce nitrate to N<sub>2</sub>O. (P. Rafter, Princeton University)
- 8) *ALF (Advanced Laser Fluorometer)*: Continuous underway analysis of phytoplankton pigment groups and variable fluorescence (F<sub>v</sub>/F<sub>m</sub>). ALF, developed by A. Chekalyuk at Lamont-Doherty Earth Observatory, uses laser stimulated emission at 405 and 532 nm together with spectral deconvolution analysis to distinguish

fluorescence from three types of phycoerythrin, chlorophyll-*a*, and chromophoric dissolved organic matter (CDOM). The ALF is useful for differentiating the contribution of cyanobacteria and cryptophytes from other phytoplankton taxa present in natural phytoplankton assemblages, as well as for assessing phytoplankton photophysiological status.

9) *ARGO Drifter*: The international Argo program is a global array of over three thousand 2000m profiling floats (<http://www.argo.ucsd.edu/index.html>). Through NOAA funding, the IDG lab at SIO/UCSD is developing an Argo float to profile to 6000m. The first prototype will be deployed on the CalCOFI line 80 station 70, where it will perform 3-4 km profiles over a span of months before recovery and evaluation of its performance. The float is comprised of a 0.33 m diameter glass ball in a traditional plastic hard-hat, plus 0.36 m high antenna, and a SBE CTD mounted on the side. It weighs 26.5 kg in air, 0.9m high (including antenna and bottom mount), 0.6 x 0.6m wide, and is equipped with a short nylon lifting bridle. It will be deployed with the ship traveling at <2 knots, propellers dis-engaged, using either a crane or A-frame (to avoid the ship's side) equipped with an IDG-supplied quick-release system. Once released, the ship will let the float drift clear, and then slowly move away from the area (i.e. deploy 2 nm away from station 70, and then proceed to the station). An IDG-supplied Iridium phone will be used for communication between ship and shore. Status will be checked by IDG via Iridium messages from the float just prior to deployment, and immediately after deployment. (J. Sherman, SIO)

10) MBARI scientists collect samples for analysis of TCO<sub>2</sub> (DIC+DOC), Nutrients (Phosphate, Silicate, Nitrate, Nitrite, and Ammonium), Chlorophyll, C14 and N15 Primary Production, and surface Phytoplankton samples of A\*, HPLC, POC, FCM, and Quantitative Phytoplankton (QP) at stations occupied on CalCOFI line 66.7. From the underway surface water, pCO<sub>2</sub> and fluorometric samples are taken. These samples and the cruises they are collected on support the studies of physical, chemical and biological dynamics off the west coast of Central California and have resulted in a rich and consistent history of ocean dynamics, from seasonal variations to longterm trends, such as El Nino Southern Oscillation (ENSO) and the Pacific Decadal Oscillation (PDO). Cycles which have direct effects on the coastal marine life and economy. (M. Blum, MBARI)

11) *Underway Sea Surface xCO<sub>2</sub>*: Continuous measurements of the partial pressure of CO<sub>2</sub> were made from the ship's uncontaminated seawater system on CalCOFI line 66.7. The seawater was equilibrated in a diffusion chamber that was then analyzed with a Licor 6262 infrared CO<sub>2</sub>/H<sub>2</sub>O analyzer. One-minute averages were recorded and the mole fraction of CO<sub>2</sub> (xCO<sub>2</sub>) at sea surface temperature was calculated. The system was calibrated with standard gases traceable to CMDL every two hours; at that time absolute zero and atmospheric samples were also collected. (G. Friederich, MBARI)

## TABULATED DATA

### *CTD/Rosette Cast Data*

The time reported is the Coordinated Universal Time (UTC) of the first rosette bottle trip on the up cast. The rosette bottles tripped on the up cast are reported as cast 2, where cast 1 is considered to be the down CTD profile. The sample number reported is the cast number followed by a two-digit rosette bottle number. Bottom depths, determined acoustically, have been corrected using British Admiralty Tables (Carter, 1980) and are reported in meters. Weather conditions have been coded using WMO code 4501. Secchi depths are reported for most daylight stations.

Data values from discreet sampled CTD rosette were interpolated and are reported for standard depths. Interpolated or extrapolated standard level data are noted by the footnote "ISL" printed after the depth. Multiple bottles tripped at the same depth to provide water for ancillary programs are not used in the calculation of standard depth data. Density-related parameters have been calculated from the International Equation of State of Seawater 1980 (UNESCO, 1981b). Computed values of potential temperature, sigma-theta, specific volume anomaly (SVA), and dynamic height or geopotential anomaly are included with both observed and interpolated standard depth levels.

On stations where primary productivity samples were drawn a footnote appears after each productivity depth sampled. The corresponding primary productivity data are reported in a separate section following the tabulated rosette cast data.

#### *Primary Productivity Data*

In addition to the normal hydrographic data that are reported in the rosette cast data section, the tabulated data include: the *in situ* light levels at which the samples were collected, the uptake from each of the replicate light bottles, uptake 1 and uptake 2 (which have been corrected for dark uptake by subtracting the dark value), the mean of the two uptake values and the dark uptake. The uptake values are totals for the incubation period. Also shown are the times of LAN, civil twilight, and the value of the mean uptake integrated from the surface to the deepest sample, assuming the shallowest value continues to the surface and that negative values (when dark uptake exceeds light uptake) are zero. The uptake data are reported to two significant digits (values <1.00) or one decimal (values >1.00). Incubation time, LAN, and civil twilight are given in local Pacific Standard Time (PST); to convert to UTC, add eight hours to the PST time. Incubation light intensities are listed in a footnote at the bottom of each page.

#### *Macrozooplankton Data*

Macrozooplankton biomass volumes are tabulated as total biomass volume (cm<sup>3</sup>/1000m<sup>3</sup> strained) and as the total volume minus the volume of larger organisms under the heading "Small." Tow times are given in local PST (+8) time.

#### FOOTNOTES

In addition to footnotes, special notations are used without footnotes because the meaning is always the same:

D: CTD salinity value listed in place of normal shipboard salinity analysis.

ISL: After a depth value indicates that this is an interpolated or extrapolated standard level.

U: Uncertain value. Values which are not used in interpolation because they seem to be in error without apparent reason.



## LITERATURE CITED

- Anderson, G. C., compiler, 1971. "Oxygen Analysis," Marine Technician's Handbook, SIO Ref. No. 71-8, Sea Grant Pub. No. 9.
- Carpenter, J. H., 1965. The Chesapeake Bay Institute technique for the Winkler dissolved oxygen method. *Limnol. Oceanogr.*, 10: 141-143.
- Carter, D. J. T., 1980. Echo-sounding correction tables. Third Edition. Hydrographic Department, Ministry of Defence, Taunton, U.K., NP 139: 150 pp.
- Culberson, C. H. 1991. Dissolved oxygen. WHP Operations and Methods -- July 1991.
- Fitzwater, S. E., G. A. Knauer and J. H. Martin, 1982. Metal contamination and its effect on primary production measurements. *Limnol. Oceanogr.*, 27: 544-551.
- Gordon, L. I., J. C. Jennings, Jr., A. A. Ross, and J. M. Krest, 1993. A suggested protocol for continuous flow automated analysis of seawater nutrients (phosphate, nitrate, nitrite and silicic acid) in the WOCE Hydrographic Program and the Joint Global Ocean Fluxes Study. WOCE Operations Manual, Part 3.1.3 "WHP Operations and Methods," *WHP Office Report WHPO 91-1*.
- Holm-Hansen, O., C. J. Lorenzen, R. W. Holmes and J. D. H. Strickland, 1965. Fluorometric determination of chlorophyll. *J. Cons. perm. int. Explor. Mer*, 30: 3-15.
- Klein, H. T., 1973. A new technique for processing physical oceanographic data. SIO Ref. No. 73-14.
- Koroleff, F. 1969. Direct determination of ammonia in natural waters as Indophenol Blue. *Int. Con. Explor. Sea*, C.M. C: 9.
- Koroleff, F. 1970. The above paper revised, *Int. Con. Explor. Sea*, Information on techniques and methods for sea water analysis. Interlab Report No. 3, 19-22.
- Kramer, D., M. J. Kalin, E. G. Stevens, J. R. Thraikill and J. R. Zweifel, 1972. Collecting and processing data on fish eggs and larvae in the California Current region. *NOAA Technical Report NMFS CIRC-370*: 38 pp.
- Lean, D. R. S. and B. K. Burnison, 1979. An evaluation of errors in the  $^{14}\text{C}$  method of primary production measurement. *Limnol. Oceanogr.*, 24: 917-928.
- Reid, J. L. and A. W. Mantyla, 1976. The effect of the geostrophic flow upon coastal sea elevations in the northern North Pacific Ocean. *J. Geophys. Res.*, 81: 3100-3110.
- Parsons, T. R., Y. Maita, C. M. Lalli, 1984. *A Manual of Chemical and Biological Methods for Seawater Analysis*. Pergamon Press Ltd., 3-28.
- Saunders, P. M., 1981. Practical conversion of pressure to depth. *J. Phys. Oceanogr.*, 11: 573-574.
- Scripps Institution of Oceanography, University of California, 1991. Physical, Chemical and Biological Data, CalCOFI Cruises 9003 and 9004. SIO Ref. 91-4, 96 pp.
- UNESCO, 1981, a. Background papers and supporting data on the Practical Salinity Scale, 1978. *UNESCO Tech. Pap. in Mar. Sci.*, No. 37.
- UNESCO, 1981, b. Background papers and supporting data on the International Equation of State 1980. *UNESCO Tech. Pap. in Mar. Sci.*, No. 38.

- Venrick, E. L. and T. L. Hayward, 1984. Determining chlorophyll on the 1984 CalCOFI surveys. *CalCOFI Rep.*, Vol. XXV: 74-79.
- Weiss, R. F., 1970. The solubility of nitrogen, oxygen and argon in water and seawater. *Deep-Sea Res.*, 17: 721-735.
- Yentsch, C. S. and D. W. Menzel, 1963. A method for the determination of phytoplankton, chlorophyll and phaeophytin by fluorescence. *Deep-Sea Res.*, 10: 221-231.

## FIGURES

### Cruise 1301

1. CalCOFI Cruise 1301 track and station positions.
2. Horizontal distribution of dynamic height anomaly (0 over 500m). In areas shallower than 500 m, the dynamic heights were extrapolated on the basis of the offshore deeper steric height as described in Reid and Mantyla (1976).
3. Horizontal distributions at 10 meters: A) chlorophyll-*a*; B) potential density; C) temperature; and D) salinity.
4. Horizontal distributions at 200 meters: A) dynamic height anomaly (200 over 500 m); B) potential density; C) temperature; and D) salinity.
5. Sections along CalCOFI line 90 (vertical exaggeration, 1000): A) potential density; B) temperature; C) salinity; D) silicate; E) nitrate; F) phosphate; G) chlorophyll-*a*; H) oxygen saturation; I) oxygen; J) nitrite; and K) phaeopigments.




FIGURE 1




FIGURE 2




FIGURE 3A




FIGURE 3B




FIGURE 3C




FIGURE 3D




FIGURE 4A




FIGURE 4B




FIGURE 4C




FIGURE 4D



# CALCOFI CRUISE 1301

14 - 17 January 2013

## POTENTIAL DENSITY ( $\sigma_\theta$ ) ALONG CALCOFI LINE 90




FIGURE 5A




FIGURE 5B

# CALCOFI CRUISE 1301

14 - 17 January 2013

## SALINITY ALONG CALCOFI LINE 90




FIGURE 5C





FIGURE 5D


# CALCOFI CRUISE 1301

14 - 17 January 2013

## NITRATE ( $\mu\text{M/L}$ ) ALONG CALCOFI LINE 90



## PHOSPHATE ( $\mu\text{M/L}$ ) ALONG CALCOFI LINE 90



# CALCOFI CRUISE 1301

14 - 17 January 2013

## CHLOROPHYLL-a ( $\mu\text{g/L}$ ) ALONG CALCOFI LINE 90




FIGURE 5G




FIGURE 5H

# CALCOFI CRUISE 1301

14 - 17 January 2013

## OXYGEN (mL/L) ALONG CALCOFI LINE 90




FIGURE 5I

## NITRITE ( $\mu\text{M/L}$ ) ALONG CALCOFI LINE 90




FIGURE 5J

## PHAEOPIGMENTS ( $\mu\text{g/L}$ ) ALONG CALCOFI LINE 90




FIGURE 5K

## PERSONNEL

### CalCOFI Cruise 1301

#### SHIP'S CAPTAIN

Sirois, Scott, FSV Bell M. Shimada

#### PERSONNEL PARTICIPATING IN THE COLLECTION OF DATA

		Participating (Leg)
Griffith, David (Chief Scientist)	Fishery Biologist, NMFS	1-2
Blum, Marguerite	Oceanographer, MBARI	2
Breese, Dawn	Bird Observer, FIAER	1
Dovel, Shonna	Staff Research Associate, SIO	1
Faber, David	Staff Research Associate, SIO	1-2
Hays, Amy	Fishery Biologist, NMFS	1-2
Herzog, Marquerite	Volunteer	1
Jiorle, Ralph	Staff Research Associate, SIO	1
Manion, Sue	Fishery Biologist, NMFS	1-2
Miller, Melissa	Staff Research Associate, SIO	1-2
Renfree, Josiah	Fishery Acoustician	1-2
Roadman, Megan	Staff Research Associate, SIO	1
Roche, Lauren	Marine Mammal Acoustician, MPL	1
Whitaker, Katherine	Marine Mammal Observer, MPL	1-2
Wilkinson, James	Staff Research Associate, SIO	1
Wolgast, David	Staff Research Associate, SIO	1

San Diego to Santa Cruz, California, 11 – 28 January 2013

Santa Cruz to San Diego, 28 January - 2 February 2013



LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
36 27.3 N	122 46.5 W	30/01/2013	1749	UTC	2932 m	350 16 kn	330 08 12	1	1028.3 mb	11.9 c	10.5 c	14 m	2/8		CI	087		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	11.24	11.24	33.490	25.557	241.9	0.000	6.02	262.2	97.0						1.94	1.03	0	
3	11.24	11.24	33.490	25.557	241.9	0.007	6.02	262.2	97.0						1.94	1.03	3	12
5	11.24	11.24	33.501 D	25.565	241.1	0.012	6.09	266.0	98.1						2.29	0.77	5	11
10	11.23	11.23	33.501 D	25.568	241.0	0.024	6.00	262.1	96.6						2.20	0.82	10	10
20	11.18	11.18	33.518 D	25.590	239.1	0.048	6.01	262.5	96.7						2.85	1.06	20	09
29	11.17	11.17	33.520 D	25.594	239.0	0.070	6.02	262.8	96.8						3.27	1.24	29	08
30 ISL	11.17 D	11.17	33.521 D	25.594	239.0	0.073	5.98	D260.3 D	96.2						3.17	1.21	30	
39	10.88	10.84	33.556 D	25.680	231.1	0.094	5.35	233.9	85.6						2.21	0.95	39	07
50 ISL	10.32 D	10.32	33.631 D	25.831	217.0	0.119	3.97	D173.0 D	62.8						1.42	0.88	50	
61	10.18	10.17	33.656 D	25.875	213.0	0.143	3.82	167.0	60.2						0.62	0.81	62	06
75 ISL	9.88 D	9.87	33.717 D	25.974	203.9	0.172	3.33	D145.1 D	52.2						0.55	0.58	76	
80	9.80	9.79	33.732 D	26.000	201.6	0.182	3.19	139.2	49.8						0.53	0.50	81	05
100	9.41	9.39	33.789 D	26.109	191.6	0.222	2.93	127.8	45.3						0.26	0.36	101	04
125 ISL	8.98 D	8.96	33.907 D	26.271	176.7	0.268	2.48	D107.8 D	38.0						0.17	0.31	126	
150	8.73	8.71	33.977 D	26.365	168.2	0.312	2.23	97.4	34.1						0.08	0.26	151	03
200	8.21	8.19	34.044 D	26.499	156.4	0.394	1.86	81.1	28.0						0.05	0.22	202	02
250 ISL	7.64 D	7.62	34.097 D	26.623	145.2	0.470	1.41	D 61.4 D	21.1								252	
300 ISL	7.12 D	7.08	34.130 D	26.727	136.0	0.541	1.05	D 45.8 D	15.5								302	
400 ISL	6.59 D	6.55	34.209 D	26.862	124.5	0.672	0.54	D 23.4 D	7.8								403	
500 ISL	5.93 D	5.88	34.283 D	27.006	111.7	0.791	0.25	D 11.1 D	3.6								504	
600 ISL	5.42 D	5.37	34.315 D	27.096	104.0	0.900	0.20	D 8.9 D	2.9								605	
700 ISL	4.97 D	4.92	34.365 D	27.188	95.9	1.001	0.22	D 9.4 D	3.0								706	
800 ISL	4.49 D	4.42	34.406 D	27.276	87.9	1.094	0.26	D 11.4 D	3.6								808	
900 ISL	4.18 D	4.11	34.427 D	27.326	83.6	1.181	0.32	D 14.0 D	4.4								909	
1000 ISL	3.85 D	3.78	34.457 D	27.384	78.4	1.263	0.43	D 18.5 D	5.8								1010	
1024	3.81	3.74	34.463 D	27.393	77.7	1.282	0.46	D172.9 D	6.3								1034	01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
36 7.3 N	123 28.2 W	30/01/2013	2356	UTC	3566 m	350 18 kn	350 08 09	1	1026.7 mb	11.5 c	10.2 c	14 m	3/8		ST	088		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	11.73	11.73	33.228	25.263	269.8	0.000	6.28	273.6	102.1						0.93	0.35	0	
2	11.73	11.73	33.228	25.263	269.8	0.005	6.28	273.6	102.1						0.93	0.35	2	13
6	11.73	11.73	33.234 D	25.268	269.4	0.016	6.25	273.2	101.6						1.00	0.37	6	12
10	11.73	11.73	33.235 D	25.270	269.4	0.027	6.26	273.4	101.7						0.71	0.36	10	11
20	11.72	11.72	33.238 D	25.275	269.2	0.054	6.25	272.9	101.5						0.90	0.41	20	10
30	11.71	11.70	33.247 D	25.284	268.5	0.081	6.23	272.2	101.1						0.94	0.55	30	09
40	11.78	11.77	33.268 D	25.288	268.5	0.108	6.13	267.8	99.7						0.72	0.46	40	08
50 ISL	11.79 D	11.79	33.277 D	25.293	268.3	0.136	6.01	D261.8 D	97.8						0.56	0.39	50	
60	11.73	11.72	33.320 D	25.339	264.1	0.162	5.76	251.7	93.6						0.39	0.32	61	07
75 ISL	10.12 D	10.08	33.329 D	25.635	236.1	0.200	4.60	D200.5 D	72.2						0.17	0.26	76	
80	9.74	9.76	33.354 D	25.709	229.2	0.212	4.52	197.7	70.4						0.09	0.24	81	06
100 ISL	9.07 D	9.05	33.489 D	25.929	208.5	0.256	4.30	D187.1 D	66.0						0.07	0.19	101	
100	9.07	9.05	33.489 D	25.932	0.6	0.256	4.33	D	64.5								101	05
125 ISL	9.04 D	9.02	33.706 D	26.104	192.5	0.280	3.91	D170.3 D	60.1						0.04	0.13	126	
150 ISL	8.69 D	8.68	33.859 D	26.278	176.4	0.327	3.09	D134.5 D	47.2						0.01	0.07	151	
151	8.66	8.65	33.865 D	26.287	175.6	0.329	3.10	135.2	47.2						0.01	0.07	152	04
200 ISL	8.07 D	8.04	33.952 D	26.448	161.1	0.412	3.49	D151.7 D	52.5						0.01	0.05	202	
201	8.02	7.99	33.954 D	26.457	160.2	0.413	3.49	152.4	52.5						0.01	0.05	203	03
250 ISL	7.53 D	7.49	34.006 D	26.571	150.1	0.490	2.40	D104.2 D	35.6								252	
300 ISL	7.34 D	7.31	34.091 D	26.664	142.1	0.564	1.36	D 58.9 D	20.1								302	
400 ISL	6.16 D	6.13	34.116 D	26.843	125.8	0.699	0.85	D 36.8 D	12.2								403	
500 ISL	5.36 D	5.32	34.134 D	26.957	115.6	0.821	0.64	D 27.8 D	9.0								504	
600 ISL	5.05 D	5.00	34.241 D	27.079	105.0	0.932	0.30	D 13.0 D	4.2								605	
700 ISL	4.73 D	4.67	34.318 D	27.178	96.4	1.034	0.20	D 8.6 D	2.8								706	
800 ISL	4.42 D	4.35	34.388 D	27.269	88.4	1.127	0.24	D 10.3 D	3.3								808	
900 ISL	4.14 D	4.06	34.423 D	27.328	83.3	1.214	0.30	D 13.0 D	4.1								909	
1000 ISL	3.80 D	3.72	34.456 D	27.389	77.8	1.296	0.42	D 18.3 D	5.8								1010	
1026	3.75	3.67	34.447	27.387	78.1	1.415	0.42	18.3	5.7								1036	01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;



RV BELL M SHIMADA

CALCOFI CRUISE 1301

STATION 66.7 80.0

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD. Includes depth data from 0 to 1025 meters.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1301

STATION 66.7 90.0

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD. Includes depth data from 0 to 1023 meters.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CTD O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1301

STATION 70.0 55.0

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD. Includes depth data from 0 to 515 meters.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CTD O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1301

STATION 70.0 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
35 53.1 N	122 22.2 W	28/01/2013	0453	UTC	3053 m	320 25 kn			1022.7 mb	11.1 c	9.4 c					082		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	µmol/Kg	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	db	
0	12.37	12.37	33.370	25.254	270.7	0.000	5.95	259.2	98.1						0.46	0.15	0	
4	12.37	12.37	33.370	25.254	270.7	0.011	5.95	259.2	98.1						0.46	0.15	4	12
10	12.37	12.37	33.369 D	25.253	271.0	0.027	5.93	259.0	97.8						0.46	0.15	10	11
19	12.38	12.37	33.370 D	25.254	271.2	0.052	5.92	258.4	97.5						0.46	0.13	19	10
20 ISL	12.36 D	12.36	33.373 D	25.258	270.8	0.054	5.83	D254.0 D	96.1						0.46	0.15	20	
30	11.66	11.63	33.501 D	25.496	248.4	0.081	5.10	222.7	82.9						0.46	0.35	30	09
50	10.17	10.15	33.581 D	25.819	218.1	0.128	3.79	165.6	59.7						0.13	0.14	50	08
75	9.53	9.51	33.739 D	26.050	196.6	0.180	3.13	136.8	48.7						0.01	0.09	76	07
100 ISL	9.03 D	9.02	33.854 D	26.219	181.1	0.228	2.75	D119.7 D	42.3						0.01	0.07	101	
101	9.03	9.02	33.853 D	26.219	181.1	0.229	2.73	119.3	42.0						0.01	0.06	102	06
125 ISL	8.81 D	8.80	33.938 D	26.321	171.9	0.272	2.42	D105.1 D	37.0						0.00	0.05	126	
149	8.56	8.54	33.971 D	26.387	166.0	0.313	2.41	105.4	36.7						0.00	0.04	150	05
150 ISL	8.54 D	8.53	33.975 D	26.392	165.5	0.315	2.35	D102.2 D	35.7						0.00	0.04	151	
200 ISL	7.94 D	7.92	34.032 D	26.528	153.4	0.395	1.99	D 86.7 D	29.9						0.00	0.04	202	
201	7.92	7.89	34.032 D	26.532	153.1	0.397	2.05	89.3	30.7						0.00	0.04	203	04
250 ISL	7.52 D	7.50	34.081 D	26.629	144.6	0.470	1.40	D 60.7 D	20.8								252	
300 ISL	7.47 D	7.44	34.187 D	26.721	136.8	0.541	0.76	D 33.0 D	11.3								302	
301	7.47	7.44	34.187 D	26.722	136.8	0.542	0.78	33.9	11.5								303	03
400 ISL	6.64 D	6.61	34.228 D	26.869	123.8	0.673	0.48	D 21.0 D	7.0								403	
401	6.64	6.60	34.228 D	26.870	123.8	0.674	0.47	20.6	6.9								404	02
500 ISL	6.01 D	5.96	34.253 D	26.972	115.0	0.793	0.36	D 15.6 D	5.1								504	
516	5.94	5.89	34.260	26.987	113.8	0.805	0.31	13.3	4.4								520	01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1301

STATION 70.0 70.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
35 33.0 N	123 4.6 W	27/01/2013	2228	UTC	3828 m	350 25 kn	340 08 06	1	1023.2 mb	12.0 c	9.3 c	12 m		6/8	SC	081		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	µmol/Kg	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	db	
0	11.96	11.96	33.030	25.076	287.5	0.000	6.09	266.2	99.4						0.65	0.23	0	
3	11.96	11.96	33.030	25.076	287.6	0.009	6.09	266.2	99.4						0.65	0.23	3	12
10	11.96	11.96	33.042 D	25.076	287.8	0.029	6.10	266.5	99.5						0.69	0.23	10	11
20	11.95	11.95	33.060 D	25.093	286.5	0.058	6.08	265.6	99.1						0.69	0.22	20	10
30	11.03	10.96	33.123 D	25.322	264.9	0.086	5.39	235.4	86.2						0.12	0.10	30	09
50	10.16	10.15	33.283 D	25.588	240.0	0.137	4.89	213.7	76.9						0.13	0.09	50	08
75	10.11	10.10	33.671 D	25.899	211.1	0.194	3.50	152.9	55.1						0.15	0.36	76	07
100	9.59	9.58	33.770 D	26.063	196.0	0.245	2.99	130.6	46.6						0.06	0.27	101	06
125 ISL	9.21 D	9.20	33.860 D	26.197	183.8	0.293	2.64	D114.8 D	40.7						0.04	0.20	126	
149	8.88	8.86	33.921 D	26.298	174.5	0.336	2.54	110.7	38.9						0.02	0.13	150	05
150 ISL	8.88 D	8.86	33.921 D	26.298	174.6	0.338	2.50	D108.8 D	38.3						0.02	0.13	151	
199	8.28	8.26	34.035 D	26.480	158.2	0.420	1.99	87.1	30.2						0.01	0.08	201	04
200 ISL	8.28 D	8.26	34.035 D	26.480	158.2	0.422	1.95	D 84.8 D	29.5						0.01	0.08	202	
250 ISL	7.72 D	7.69	34.087 D	26.607	146.9	0.498	1.54	D 66.8 D	22.9								252	
300	7.32	7.30	34.156 D	26.717	137.1	0.570	0.92	D 40.0 D	13.7								302	03
400	6.71	6.67	34.237 D	26.867	124.1	0.702	0.48	20.9	7.0								403	02
500 ISL	5.83 D	5.79	34.293 D	27.026	109.7	0.820	0.27	D 11.7 D	3.8								504	
517	5.75	5.70	34.281	27.037	108.8	0.827	0.25	10.8	3.5								521	01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1301

STATION 70.0 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
35 12.6 N	123 47.6 W	27/01/2013	1612	UTC	4077 m	340 17 kn	320 08 09	1	1023.4 mb	11.5 c	9.0 c	13 m		6/8	SC	080		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	µmol/Kg	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	db	
0	12.74	12.74	32.878	24.801	313.8	0.000	6.14	267.5	101.7						0.51	0.13	0	
3	12.74	12.74	32.878	24.801	313.8	0.009	6.14	267.5	101.7						0.51	0.13	3	12
10	12.74	12.74	32.888 D	24.809	313.3	0.032	6.14	268.1	101.7						0.49	0.17	10	11
20	12.73	12.73	32.890 D	24.812	313.2	0.063	6.13	267.7	101.5						0.65	0.06	20	10
30	12.74	12.73	32.890 D	24.813	313.4	0.095	6.13	267.6	101.5						0.54	0.18	30	09
50	12.16	12.16	33.151 D	25.126	284.2	0.155	6.21	271.0	101.7						0.72	0.32	50	08
75 ISL	11.33 D	11.29	33.232 D	25.349	263.5	0.224	5.60	D243.9 D	90.1						0.22	0.18	76	
76	11.29	11.27	33.230 D	25.351	263.3	0.227	5.60	244.7	90.1						0.20	0.18	77	07
100	9.87	9.85	33.221 D	25.589	241.0	0.288	5.16	225.3	80.5						0.06	0.13	101	06
125 ISL	9.50 D	9.47	33.628 D	25.971	205.2	0.344	3.77	D164.2 D	58.5						0.03	0.08	126	
150 ISL	8.99 D	8.97	33.765 D	26.158	187.9	0.393	3.77	D164.2 D	57.9						0.00	0.03	151	
151	8.99	8.97	33.767 D	26.160	187.7	0.395	3.77	164.7	57.9						0.00	0.03	152	05
200 ISL	8.11 D	8.08	33.925 D	26.422	163.6	0.482	3.03	D131.7 D	45.6						0.00	0.02	202	
202	8.04	8.02	33.929 D	26.434	162.5	0.485	3.01	131.4	45.3						0.00	0.02	204	04
250 ISL	7.46 D	7.43	33.987 D	26.565	150.7	0.561	2.51	D109.2 D	37.3								252	
299	7.30	7.28	34.104 D	26.679	140.6	0.633	1.28	55.7	18.9								301	03
300 ISL	7.30 D	7.28	34.112 D	26.685	140.1	0.634	1.21	D 52.6 D	17.9								302	
399	6.69	6.65	34.223 D	26.859	124.9	0.767	0.51	22.4	7.5								402	02
400 ISL	6.69 D	6.65	34.224 D	26.860	124.7	0.768	0.50	D 21.9 D	7.4								403	
500 ISL	6.05 D	6.01	34.272 D	26.983	114.1	0.889	0.30	D 13.0 D	4.3								504	
516	5.99	5.94	34.266	26.985	114.0	0.900	0.29	12.5	4.1								520	01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED 02;







RV BELL M SHIMADA

CALCOFI CRUISE 1301

STATION 76.7 60.0

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD. Includes a detailed table with columns: DEPTH, TEMP, POTTEMP, SALINITY, SIGMA THETA, SVA, DYN HT, OXYGEN, OXYGEN, OXY, SIO3, P04, N03, N02, NH4, CHL-A, PHAEO, PRES, SAMP.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1301

STATION 76.7 70.0

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD. Includes a detailed table with columns: DEPTH, TEMP, POTTEMP, SALINITY, SIGMA THETA, SVA, DYN HT, OXYGEN, OXYGEN, OXY, SIO3, P04, N03, N02, NH4, CHL-A, PHAEO, PRES, SAMP.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1301

STATION 76.7 80.0

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD, DEPTH, TEMP, POTTEMP, SALINITY, SIGMA THETA, SVA, DYN HT, OXYGEN, OXYGEN, OXY, SIO3, P04, N03, N02, NH4, CHL-A, PHAEO, PRES, SAMP.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1301

STATION 76.7 90.0

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD, DEPTH, TEMP, POTTEMP, SALINITY, SIGMA THETA, SVA, DYN HT, OXYGEN, OXYGEN, OXY, SIO3, P04, N03, N02, NH4, CHL-A, PHAEO, PRES, SAMP.

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED O2;





LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
34 19.2 N	120 48.4 W	23/01/2013	0059	UTC	778 m	160 06 kn	330 02 06	1	1017.4 mb	15.2 c	12.4 c			8/8	AS	059		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	12.93	12.93	33.286	25.079	287.3	0.000	6.10	265.6	101.7	4.1	0.46	1.7	0.06	0.19	0.35	0.11	0	
2	12.93	12.93	33.286	25.079	287.3	0.006	6.10	265.6	101.7	4.1	0.46	1.7	0.06	0.19	0.35	0.11	2	22
10	12.84	12.84	33.269	25.084	287.0	0.029											10	21
10	12.84	12.84	33.271	25.086	286.9	0.029	6.10	265.9	101.6	4.0	0.44	1.5	0.06	0.15	0.42	0.10	10	20
15	12.61	12.61	33.276	25.135	282.3	0.043	6.03	262.9	99.9	4.4	0.49	2.2	0.08	0.15	0.43	0.11	15	19
20	12.13	12.13	33.347	25.282	268.5	0.057	5.69	248.0	93.4	7.1	0.73	5.7	0.16	0.23	0.48	0.24	20	18
30	11.69	11.69	33.379	25.389	258.5	0.083	5.41	235.5	87.9	8.8	0.89	8.2	0.28	0.15	0.59	0.31	30	17
41	10.36	10.36	33.419	25.658	233.2	0.110	4.46	194.3	70.5	14.1	1.32	15.3	0.05	0.00	0.13	0.12	41	16
50 ISL	10.29 D	10.29	33.474 D	25.713	228.2	0.120	4.22 D	183.7 D	66.6	15.4	1.40	16.7	0.03	0.00	0.09	0.10	50	
51	10.29	10.28	33.468	25.709	228.6	0.133	4.23	184.3	66.7	15.5	1.41	16.8	0.03	0.00	0.08	0.10	51	15
60	10.07	10.07	33.533	25.797	220.4	0.153	4.00	174.2	62.8	17.7	1.52	18.6	0.03	0.00	0.06	0.07	60	14
70	9.79	9.79	33.606	25.901	210.7	0.175	3.68	160.2	57.5	20.4	1.66	20.8	0.02	0.02	0.03	0.06	71	13
75 ISL	9.66 D	9.64	33.665 D	25.970	204.2	0.175	3.45 D	150.2 D	53.7	21.6	1.72	21.7	0.02	0.01	0.02	0.02	76	
84	9.59	9.58	33.699	26.009	200.8	0.204	3.26	142.1	50.8	23.9	1.83	23.3	0.02	0.00	0.01	0.06	85	12
100	9.41	9.40	33.750	26.078	194.6	0.235	3.07	133.8	47.6	25.6	1.90	24.4	0.01	0.01	0.01	0.05	101	11
120	9.18	9.17	33.824	26.173	185.9	0.273	2.82	122.7	43.5	28.2	1.99	25.8	0.00	0.02	0.01	0.05	121	10
125 ISL	9.14 D	9.13	33.840 D	26.191	184.3	0.272	2.77 D	120.7 D	42.8	28.5	2.00	25.9	0.00	0.02	0.01	0.05	126	
140	9.09	9.07	33.852	26.210	182.8	0.310	2.71	118.1	41.8	29.2	2.02	26.3	0.00	0.00	0.01	0.04	141	09
150 ISL	8.90 D	8.88	33.901 D	26.279	176.4	0.318	2.66 D	115.5 D	40.7	30.1	2.03	26.5	0.00	0.00	0.01	0.04	151	
171	8.72	8.70	33.924	26.325	172.4	0.365	2.54 D	110.6 D	38.8	32.0	2.06	27.0	0.00	0.01	0.00	0.04	172	08
200	8.57	8.55	33.989	26.400	165.9	0.414	2.27	98.9	34.6	35.5	2.18	28.4	0.00	0.00	0.00	0.04	202	07
230	8.47	8.45	34.106	26.508	156.2	0.462	1.52	66.3	23.2	41.7	2.43	30.8	0.00	0.00			232	06
250 ISL	8.23 D	8.21	34.137 D	26.570	150.7	0.483	1.34 D	58.3 D	20.3	44.4	2.50	31.7	0.00	0.00			252	
270	8.01	7.99	34.144	26.608	147.3	0.522	1.23	53.5	18.5	47.1	2.57	32.5	0.00	0.00			272	05
300 ISL	7.74 D	7.71	34.195 D	26.690	140.0	0.556	0.92 D	39.9 D	13.7	51.5	2.68	33.7	0.00	0.00			302	
321	7.55	7.52	34.192	26.714	138.0	0.595	0.84	36.5	12.5	54.6	2.75	34.6	0.00	0.00			324	04
381	6.99	6.95	34.214	26.812	129.3	0.675	0.62	26.8	9.1	62.8	2.90	36.5	0.00	0.00			384	03
400 ISL	6.73 D	6.69	34.232 D	26.861	124.8	0.690	0.54 D	23.3 D	7.8	65.4	2.94	37.0	0.00	0.00			403	
442	6.38	6.34	34.243	26.916	119.8	0.750	0.43	18.7	6.2	71.1	3.02	38.1	0.00	0.00			446	02
500 ISL	6.02 D	5.98	34.277 D	26.990	113.4	0.810	0.33 D	14.2 D	4.7	77.3	3.10	39.3	0.00	0.00			504	
517	5.97	5.93	34.273	26.993	113.3	0.837	0.30	12.9	4.3	79.2	3.12	39.6	0.00	0.00			521	01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
34 8.9 N	121 9.0 W	23/01/2013	0509	UTC	2183 m	100 05 kn			1017.7 mb	14.1 c	13.3 c					060		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	14.05	14.04	33.366	24.916	302.8	0.000	5.95	259.3	101.6	3.2	0.38	0.4	0.03	0.32	0.16	0.04	0	
2	14.05	14.04	33.366	24.916	302.8	0.006	5.95	259.3	101.6	3.2	0.38	0.4	0.03	0.32	0.16	0.04	2	21
10	13.49	13.49	33.265	24.952	299.7	0.030	6.03	262.7	101.7	3.2	0.38	0.5	0.04	0.15	0.29	0.08	10	19
10	13.49	13.49	33.269	24.955	299.4	0.031											10	20
20	13.22	13.22	33.222	24.974	297.8	0.060	6.01	261.8	100.7	3.4	0.42	0.9	0.06	0.36	0.44	0.14	20	18
30	12.93	12.92	33.238	25.045	291.4	0.090	5.79	252.4	96.5	4.2	0.51	2.4	0.14	0.06	0.52	0.21	30	17
40	12.87	12.87	33.306	25.109	285.6	0.118	5.89	256.4	98.0	4.0	0.49	2.1	0.17	0.18	0.53	0.28	40	16
50	12.76	12.75	33.338	25.157	281.3	0.147	5.66	246.4	94.0	4.9	0.60	3.6	0.20	0.18	0.32	0.20	50	15
60	12.01	12.01	33.337	25.299	268.0	0.174	5.37	233.7	87.8	6.8	0.78	6.5	0.24	0.10	0.19	0.16	60	14
70	11.30	11.29	33.379	25.463	252.5	0.200	4.69	204.0	75.5	10.5	1.10	11.8	0.09	0.04	0.13	0.13	71	13
75 ISL	11.06 D	11.05	33.438 D	25.553	244.1	0.199	4.43 D	193.0 D	71.1	12.6	1.23	13.8	0.07	0.04	0.10	0.11	76	
85	10.59	10.58	33.528	25.706	229.8	0.236	3.88	168.9	61.6	16.7	1.49	17.7	0.02	0.04	0.05	0.08	86	12
100	10.09	10.08	33.659	25.893	212.2	0.269	3.28	142.8	51.6	21.5	1.71	21.0	0.02	0.00	0.02	0.08	101	11
120	9.72	9.70	33.751	26.029	199.7	0.311	2.98	129.5	46.4	24.9	1.86	23.3	0.02	0.00	0.02	0.07	121	10
125 ISL	9.68 D	9.67	33.796 D	26.070	195.9	0.306	2.87 D	124.8 D	44.7	25.6	1.88	23.7	0.02	0.00	0.01	0.06	126	
140	9.44	9.42	33.822	26.131	190.4	0.350	2.75	119.7	42.7	27.5	1.95	24.8	0.02	0.00	0.01	0.06	141	09
150 ISL	9.37 D	9.35	33.872 D	26.181	185.9	0.354	2.60 D	113.2 D	40.3	28.9	2.01	25.5	0.01	0.00	0.01	0.06	151	
170	9.21	9.19	33.948	26.267	178.2	0.405	2.27 D	98.8 D	35.1	31.8	2.12	26.9	0.00	0.00	0.01	0.06	171	08
200	8.77	8.75	34.019	26.394	166.6	0.456	2.01	87.3	30.7	36.3	2.24	28.8	0.00	0.00	0.00	0.04	202	07
231	8.43	8.40	34.112	26.519	155.2	0.506	1.49	64.9	22.6	42.2	2.44	31.0	0.00	0.00			233	06
250 ISL	8.13 D	8.11	34.147 D	26.591	148.6	0.522	1.30 D	56.4 D	19.6	44.9	2.52	31.8	0.00	0.00			252	
270	8.07	8.04	34.161	26.613	146.9	0.565	1.14	49.5	17.2	47.8	2.60	32.7	0.00	0.00			272	05
300 ISL	7.65 D	7.62	34.186 D	26.695	139.5	0.595	0.92 D	40.0 D	13.7	52.7	2.70	34.0	0.00	0.00			302	
321	7.50	7.47	34.203	26.729	136.4	0.637	0.77	33.4	11.4	56.1	2.77	34.9	0.00	0.00			324	04
382	6.79	6.75	34.199	26.826	127.8	0.717	0.62	27.1	9.1	64.4	2.90	37.1	0.00	0.00			385	03
400 ISL	6.76 D	6.72	34.212 D	26.841	126.6	0.728	0.59 D	25.8 D	8.7	66.5	2.93	37.5	0.00	0.00			403	
441	6.35	6.31	34.215	26.899	121.4	0.791	0.49	21.3	7.1	71.1	2.99	38.5	0.00	0.00			445	02
500 ISL	5.87 D	5.83	34.255 D	26.991	113.0	0.849	0.35 D	15.4 D	5.1	78.5	3.08	39.7	0.00	0.00			504	
516	5.86	5.81	34.260	26.997	112.7	0.878	0.32	13.8	4.6	80.5	3.11	40.0	0.00	0.00			520	01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD, AMT, TYPE, ORD. Includes depth data from 0 to 514 meters.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD, AMT, TYPE, ORD. Includes depth data from 0 to 516 meters.

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY STA-CORRECTED O2;



LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
34 16.8 N	120 1.9 W	22/01/2013	1776	UTC	573 m	100 09 kn	340 01 06	1	1018.7 mb	15.2 c	12.3 c	09 m	2/8		CS	056		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	12.29	12.28	33.550	25.410	255.8	0.000	6.40	278.5	105.4	8.4	0.72	4.3	0.09	0.22	3.27	0.81	0	
1 A	12.29	12.28	33.550	25.410	255.8	0.003	6.40	278.5	105.4	8.4	0.72	4.3	0.09	0.22	3.27	0.81	1	24
6 A	12.24	12.24	33.550	25.418	255.2	0.015	6.35	276.5	104.5	8.3	0.70	4.4	0.09	0.04	3.13	0.78	6	23
8 A	12.21	12.20	33.549	25.424	254.6	0.021	6.32	275.3	103.9	8.3	0.72	4.7	0.09	0.07	2.77	0.77	8	22
10 ISL	12.13 D	12.13	33.557 D	25.445	252.8	0.026	6.14	D267.4	D100.8	8.4	0.76	5.3	0.11	0.06	2.42	0.81	10	
16 A	12.02	12.01	33.546	25.459	251.6	0.041	5.77	251.4	94.6	8.8	0.86	7.1	0.15	0.01	1.37	0.92	16	21
20 ISL	11.83 D	11.82	33.554 D	25.502	247.6	0.051	5.66	D246.3	D 92.2	9.3	0.95	8.6	0.22	0.06	1.04	0.70	20	
22	11.74	11.74	33.543	25.508	247.0	0.056	5.27	229.5	85.8	9.6	1.00	9.4	0.26	0.09	0.87	0.59	22	20
29 A	11.57	11.57	33.540	25.537	244.4	0.073	5.10	222.0	82.7	10.0	1.06	10.2	0.26	0.27	0.63	0.42	29	19
30 ISL	11.54 D	11.52	33.553 D	25.555	242.7	0.076	5.06	D220.3	D 82.0	10.4	1.08	10.6	0.27	0.26	0.59	0.43	30	
33 A	11.48	11.48	33.554	25.564	242.0	0.083	4.88	212.7	79.1	11.6	1.15	11.6	0.29	0.23	0.47	0.45	33	18
42	10.98	10.97	33.622	25.709	228.4	0.104	3.77	163.9	60.3	17.8	1.50	17.2	0.17	0.00	0.17	0.18	42	17
50 ISL	10.84 D	10.85	33.654 D	25.756	224.1	0.123	3.63	D158.2	D 58.1	18.8	1.54	17.7	0.21	0.00	0.14	0.19	50	
51	10.83	10.82	33.649	25.757	224.1	0.124	3.67	159.9	58.7	19.0	1.55	17.8	0.21	0.00	0.14	0.19	51	16
60	10.64	10.63	33.681	25.815	218.8	0.144	3.49	152.0	55.6	20.6	1.62	19.0	0.21	0.00	0.11	0.20	60	15
75	10.22	10.21	33.712	25.913	209.8	0.176	3.07	133.6	48.4	23.2	1.78	21.8	0.04	0.00	0.06	0.15	76	14
100	9.86	9.84	33.862	26.092	193.3	0.226	2.49	108.4	39.0	27.7	2.00	24.7	0.03	0.00	0.03	0.12	101	13
121	9.52	9.50	33.938	26.208	182.8	0.266	2.26	98.1	35.1	30.5	2.11	26.1	0.06	0.00	0.03	0.11	122	12
125 ISL	9.49 D	9.48	33.966 D	26.234	180.3	0.275	2.20	D 95.7	D 34.2	31.1	2.13	26.4	0.06	0.00	0.02	0.11	126	
140	9.31	9.30	33.995	26.287	175.6	0.300	2.05	89.3	31.8	33.3	2.19	27.3	0.05	0.00	0.02	0.11	141	11
150 ISL	9.18 D	9.16	34.036 D	26.340	170.7	0.319	1.97	D 85.7	D 30.4	34.2	2.22	27.7	0.04	0.00	0.02	0.10	151	
170	9.03	9.01	34.054	26.379	167.4	0.351	1.88	81.7	28.9	36.0	2.27	28.4	0.01	0.00	0.01	0.08	171	10
200 ISL	8.87 D	8.85	34.100 D	26.441	162.2	0.403	1.59	D 69.0	D 24.3	39.3	2.37	29.5	0.00	0.00	0.02	0.10	202	
201	8.84	8.82	34.090	26.438	162.4	0.402	1.61	69.9	24.6	39.4	2.37	29.5	0.00	0.00	0.02	0.10	203	09
230	8.73	8.70	34.128	26.486	158.5	0.449	1.24	D 53.9	D 18.9	42.9	2.48	30.6	0.00	0.00			232	08
250 ISL	8.65 D	8.63	34.185 D	26.543	153.5	0.483	0.91	D 39.4	D 13.8	47.9	2.63	31.4	0.00	0.00			252	
270	8.50	8.47	34.194	26.575	150.8	0.510	0.57	24.8	8.7	52.9	2.77	32.2	0.00	0.00			272	07
300 ISL	8.16 D	8.13	34.218 D	26.646	144.4	0.558	0.41	D 17.6	D 6.1	58.2	2.88	32.8	0.00	0.00			302	
320	7.92	7.89	34.214	26.679	141.6	0.583	0.33	14.3	4.9	61.8	2.95	33.2	0.00	0.00			323	06
380	7.38	7.35	34.228	26.768	133.8	0.666	0.20	8.7	3.0	71.6	3.11	32.8	0.00	0.00			383	05
400 ISL	7.08 D	7.04	34.222 D	26.806	130.3	0.696	0.32	D 14.1	D 4.8	76.0	3.19	31.7	0.00	0.00			403	
480	6.64	6.60	34.241	26.882	124.0	0.794	0.08	3.4	1.1	93.7	3.52	27.1	0.00	0.00			484	04
500 ISL	6.60 D	6.55	34.250 D	26.895	123.0	0.823	0.03	D 1.3	D 0.4	101.2	3.73	21.9	0.38	0.00			504	
514	6.58	6.53	34.242	26.891	123.6	0.836	0.00	0.0	0.0	106.3	3.87	18.3	0.64	0.00			518	03
568	6.53	6.48	34.240	26.897	123.8	0.903	0.02	0.7	0.3	108.3	3.91	17.6	0.00	0.00			573	02

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

B) SANTA BARBARA BASIN STATION.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
34 16.1 N	119 25.1 W	22/01/2013	1101	UTC	35 m	340 04 kn			1018.3 mb							054		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	12.52	12.52	33.552	25.366	260.0	0.000	5.97	260.2	98.9	8.5	0.74	5.1	0.18	0.00	1.40	0.74	0	
2	12.52	12.52	33.552	25.366	260.0	0.005	5.97	260.2	98.9	8.5	0.74	5.1	0.18	0.00	1.40	0.74	2	06
6	12.50	12.50	33.547	25.365	260.2	0.016	5.94	258.9	98.4	8.6	0.73	5.2	0.18	0.00	1.39	0.75	6	05
10	12.31	12.30	33.546	25.403	256.7	0.026	5.69	248.0	93.8	9.3	0.80	6.3	0.22	0.00	1.31	0.91	10	03
10	12.31	12.30	33.551	25.407	256.4	0.026											10	04
20	11.90	11.90	33.556	25.488	248.9	0.051	4.85	211.1	79.2	11.2	1.06	9.7	0.48	0.11	1.45	0.80	20	02
30	11.73	11.73	33.572	25.532	244.9	0.076	4.52	197.0	73.7	14.2	1.35	11.0	0.53	0.78	0.69	0.67	30	01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

LATITUDE	LONGITUDE	DAY/MO/YR	CAST	TIME	BOTTOM	WIND SPEED	WAVES	WEA	BAROMETER	DRY	WET	SECCHI	CLD	AMT	TYPE	ORD		
34 13.7 N	119 25.5 W	22/01/2013	0937	UTC	33 m	330 01 kn			1018.4 mb	14.8 c	10.4 c					053		
DEPTH	TEMP	POTTEMP	SALINITY	SIGMA	SVA	DYN HT	OXYGEN	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	PRES	SAMP
m	DEG C	DEG C		THETA			mL/L	μmol/Kg	PCT	μM	μM	μM	μM	μM	μg/L	μg/L	db	
0	12.69	12.68	33.542	25.326	263.8	0.000	6.31	275.0	104.9	6.2	0.58	2.8	0.09	0.04	2.28	0.96	0	
2	12.69	12.68	33.542	25.326	263.8	0.005	6.31	275.0	104.9	6.2	0.58	2.8	0.09	0.04	2.28	0.96	2	06
5	12.55	12.55	33.534	25.346	262.0	0.013	6.16	268.1	102.0	6.1	0.62	3.3	0.10	0.00	2.12	1.10	5	05
10	12.40	12.40	33.533	25.374	259.4	0.026											10	04
10	12.40	12.40	33.533	25.374	259.5	0.026	5.63	245.3	93.0	7.0	0.77	5.6	0.22	0.03	1.67	0.96	10	03
20	12.13	12.12	33.543	25.436	253.9	0.052	5.42	236.1	89.0	9.4	0.88	7.3	0.27	0.08	1.39	0.91	20	02
30	11.98	11.97	33.548	25.468	251.1	0.077	5.09	221.5	83.2	10.3	0.97	8.7	0.37	0.08	1.00	0.85	30	01

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;





Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD. Rows include depth measurements from 0 to 515 meters.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD. Rows include depth measurements from 0 to 516 meters.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;





RV BELL M SHIMADA CALCOFI CRUISE 1301 STATION 86.7 33.0
LATITUDE LONGITUDE DAY/MO/YR CAST TIME BOTTOM WIND SPEED WAVES WEA BAROMETER DRY WET SECCHI CLD AMT TYPE ORD
DEPTH TEMP POTTEMP SALINITY SIGMA SVA DYN HT OXYGEN OXYGEN OXY SIO3 P04 N03 N02 NH4 CHL-A PHAEO PRES SAMP

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CTD 02;

RV BELL M SHIMADA CALCOFI CRUISE 1301 STATION 86.7 35.0
LATITUDE LONGITUDE DAY/MO/YR CAST TIME BOTTOM WIND SPEED WAVES WEA BAROMETER DRY WET SECCHI CLD AMT TYPE ORD
DEPTH TEMP POTTEMP SALINITY SIGMA SVA DYN HT OXYGEN OXYGEN OXY SIO3 P04 N03 N02 NH4 CHL-A PHAEO PRES SAMP

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV BELL M SHIMADA CALCOFI CRUISE 1301 STATION 86.7 40.0
LATITUDE LONGITUDE DAY/MO/YR CAST TIME BOTTOM WIND SPEED WAVES WEA BAROMETER DRY WET SECCHI CLD AMT TYPE ORD
DEPTH TEMP POTTEMP SALINITY SIGMA SVA DYN HT OXYGEN OXYGEN OXY SIO3 P04 N03 N02 NH4 CHL-A PHAEO PRES SAMP

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;







RV BELL M SHIMADA

CALCOFI CRUISE 1301

STATION 86.7 100.0

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD, DEPTH, TEMP, POTTEMP, SALINITY, SIGMA THETA, SVA, DYN HT, OXYGEN, OXYGEN, OXY PCT, SI03, P04, N03, N02, NH4, CHL-A, PHAE0, PRES, SAMP db. Rows include depth data from 0 to 516 meters.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1301

STATION 86.7 110.0

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD, DEPTH, TEMP, POTTEMP, SALINITY, SIGMA THETA, SVA, DYN HT, OXYGEN, OXYGEN, OXY PCT, SI03, P04, N03, N02, NH4, CHL-A, PHAE0, PRES, SAMP db. Rows include depth data from 0 to 515 meters.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED 02;

RV BELL M SHIMADA

CALCOFI CRUISE 1301

STATION 86.8 32.5

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD, DEPTH, TEMP, POTTEMP, SALINITY, SIGMA THETA, SVA, DYN HT, OXYGEN, OXYGEN, OXY PCT, SI03, P04, N03, N02, NH4, CHL-A, PHAE0, PRES, SAMP db. Rows include depth data from 0 to 20 meters.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CTD 02;





Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD. Includes depth data from 0 to 515 meters.

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.
D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD. Includes depth data from 0 to 514 meters.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;





Table with 23 columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD, DEPTH, TEMP, POTTEMP, SALINITY, SIGMA THETA, SVA, DYN HT, OXYGEN, OXYGEN, OXY, SIO3, P04, N03, N02, NH4, CHL-A, PHAEO, PRES, SAMP.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

Table with 23 columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST, TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD, DEPTH, TEMP, POTTEMP, SALINITY, SIGMA THETA, SVA, DYN HT, OXYGEN, OXYGEN, OXY, SIO3, P04, N03, N02, NH4, CHL-A, PHAEO, PRES, SAMP.

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS.

D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;



RV BELL M SHIMADA

CALCOFI CRUISE 1301

STATION 90.0 120.0

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD. Includes data rows from 30 24.7 N 124 0.5 W 14/01/2013 1922 UTC to 514 6.32 6.27.

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS. D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

RV BELL M SHIMADA

CALCOFI CRUISE 1301

STATION 93.3 26.7

Table with columns: LATITUDE, LONGITUDE, DAY/MO/YR, CAST TIME, BOTTOM, WIND SPEED, WAVES, WEA, BAROMETER, DRY, WET, SECCHI, CLD AMT, TYPE, ORD. Includes data rows from 32 56.8 N 117 18.4 W 11/01/2013 1958 UTC to 60 10.75 10.74.

A) PRIMARY PRODUCTIVITY SAMPLES WERE TAKEN FROM THESE LEVELS. D) CTD DATA USED ON STANDARD LEVELS AND MISSING FIELDS; PRIMARY T; PRIMARY CORRECTED SALINITY; PRIMARY CRUISE-CORRECTED O2;

















## PRIMARY PRODUCTIVITY CASTS

RV BELL M SHIMADA				CALCOFI CRUISE 1301										STATION 93.3 26.7			
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME					LAN	CIVIL TWILIGHT	INTEGRATED VALUE		ORD			
32 56.8 N	117 18.4 W	11/01/2013	1958 UTC	06 m	1227 - 1730 PST					1157 PST	1730 PST	260.6 mg C/m2		001			
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	PCT	1	2	MEAN	DARK
2	13.56	33.498	25.117	5.70	96.4	3.4	0.56	2.5	0.18	0.51	2.84	0.25	60. A	20.1	20.9	20.5	0.20
4	13.56	33.516	25.131	5.840	98.8	3.4	0.54	2.4	0.18	0.51	3.03	0.35	36.	17.4	18.9	18.1	0.24
5	13.54	33.497	25.121	5.71	96.6	3.4	0.55	2.5	0.18	0.56	2.36	0.38	28.	17.3	16.4	16.9	0.23
11	13.44	33.496	25.140	5.65	95.4	3.5	0.55	2.7	0.17	0.48	2.15	0.44	6.0	15.9	15.2	15.6	0.23
19	12.24	33.482	25.368	4.79	78.8	7.8	0.88	7.9	0.22	0.25	0.71	0.27	0.77	0.30	0.99	0.64	0.10
22	12.05	33.499	25.416	3.93	64.4	13.1	1.27	13.8	0.12	0.03	0.33	0.26	0.36	0.23	0.26	0.24	0.09
RV BELL M SHIMADA				CALCOFI CRUISE 1301										STATION 93.3 50.0			
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME					LAN	CIVIL TWILIGHT	INTEGRATED VALUE		ORD			
32 11.5 N	118 52.9 W	12/01/2013	1813 UTC	15 m	1204 - 1740 PST					1204 PST	1741 PST	359.6 mg C/m2		007			
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	PCT	1	2	MEAN	DARK
2	14.41	33.512	24.952	5.77	99.4	1.9	0.36	0.5	0.05	0.07	0.82	0.28	81. A	8.3	8.9	8.6	0.08
10	14.41	33.515	24.956	5.80	99.8	1.9	0.34	0.5	0.05	0.04	0.83	0.30	36.	12.4	13.0	12.7	0.08
13	14.39	33.512	24.956	5.77	99.3	1.9	0.33	0.5	0.05	0.03	0.84	0.28	26.	8.5	11.1	9.8	0.11
19	14.39	33.512	24.957	5.77	99.3	1.9	0.34	0.5	0.05	0.02	0.85	0.29					
26	14.39	33.511	24.958	5.76	99.2	1.9	0.35	0.5	0.05	0.02	0.89	0.28	7.0	6.9	9.7	8.3	0.12
38	14.39	33.511	24.959	5.75	99.0	1.9	0.36	0.5	0.05	0.03	0.87	0.28					
48	14.39	33.512	24.960	5.77	99.3	1.9	0.36	0.5	0.05	0.03	0.85	0.28	0.74	1.3	0.41	0.86	0.10
56	14.36	33.511	24.966	5.77	99.2	1.9	0.35	0.5	0.05	0.06	0.84	0.27	0.32	0.43	0.62	0.53	0.10
RV BELL M SHIMADA				CALCOFI CRUISE 1301										STATION 93.3 90.0			
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME					LAN	CIVIL TWILIGHT	INTEGRATED VALUE		ORD			
30 51.8 N	121 33.4 W	13/01/2013	1957 UTC	23 m	1255 - 1755 PST					1215 PST	1754 PST	195.4 mg C/m2		012			
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	PCT	1	2	MEAN	DARK
3	15.07	33.392	24.719	5.79	100.9	2.5	0.32	0.0	0.02	0.00	0.29	0.09	82. A	3.5	3.2	3.3	0.06
8	15.06	33.394	24.723	5.73	99.8	2.5	0.32	0.0	0.02	0.00	0.27	0.09					
16	15.05	33.391	24.723	5.73	99.8	2.5	0.31	0.0	0.02	0.00	0.29	0.10	34.	3.7	3.4	3.5	0.05
20	15.05	33.391	24.723	5.73	99.8	2.5	0.32	0.0	0.02	0.00	0.29	0.09	26.	2.7	3.4	3.0	0.08
29	15.04	33.391	24.727	5.72	99.7	2.5	0.32	0.0	0.01	0.01	0.29	0.09					
41	15.04	33.393	24.729	5.72	99.6	2.5	0.31	0.0	0.02	0.02	0.31	0.10	6.5	2.9	3.0	3.0	0.07
57	15.02	33.390	24.730	5.71	99.4	2.5	0.32	0.1	0.02	0.00	0.31	0.10					
74	14.71	33.386	24.796	5.72	98.9	2.6	0.32	0.1	0.02	0.00	0.29	0.11	0.72	0.56	0.68	0.62	0.06
84	12.30	33.233	25.164	5.29	87.1	6.2	0.75	6.2	0.12	0.00	0.29	0.28	0.37	0.46	0.42	0.44	0.02
RV BELL M SHIMADA				CALCOFI CRUISE 1301										STATION 90.0 120.0			
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME					LAN	CIVIL TWILIGHT	INTEGRATED VALUE		ORD			
30 24.7 N	124 0.5 W	14/01/2013	1922 UTC	26 m	1240 - 1755 PST					1225 PST	1753 PST	106.2 mg C/m2		016			
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	PCT	1	2	MEAN	DARK
4	16.33	33.461	24.490	5.57	99.6	2.7	0.28	0.0	0.02	0.05	0.20	0.04	79. A	2.1	2.1	2.1	0.13
17	16.34	33.461	24.489	5.58	99.7	2.7	0.27	0.0	0.02	0.05	0.21	0.03	37.	2.0	2.2	2.1	0.06
22	16.34	33.463	24.491	5.57	99.6	2.7	0.31	0.0	0.02	0.04	0.22	0.05	27.	1.9	1.9	1.9	0.05
34	16.34	33.459	24.489	5.57	99.7	2.7	0.28	0.0	0.01	0.05	0.20	0.04					
45	16.33	33.458	24.491	5.57	99.6	2.7	0.27	0.0	0.02	0.04	0.19	0.05	7.0	1.2	1.1	1.2	0.08
58	16.31	33.454	24.494	5.58	99.7	2.7	0.27	0.0	0.01	0.03	0.21	0.05					
73	16.29	33.452D	24.475	5.59	99.9	2.7	0.28	0.0	0.01	0.03	0.20	0.06					
84	16.11	33.451	24.538	5.59	99.4	2.8	0.28	0.0	0.01	0.04	0.21	0.06	0.70	0.12	0.01	0.06	0.07
90	14.43	33.589	25.014	5.57	95.9	3.3	0.34	1.0	0.16	0.04	0.23	0.18					
96	13.79	33.557	25.122	5.42	92.1	4.2	0.45	2.7	0.04	0.02	0.16	0.11	0.35	0.13	0.08	0.10	0.04
RV BELL M SHIMADA				CALCOFI CRUISE 1301										STATION 90.0 90.0			
LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME					LAN	CIVIL TWILIGHT	INTEGRATED VALUE		ORD			
31 24.8 N	121 59.8 W	15/01/2013	1600 UTC	22 m	1217 - 1750 PST					1215 PST	1748 PST	166.2 mg C/m2		019			
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	mL/L	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	PCT	1	2	MEAN	DARK
2	14.92	33.315	24.692	5.73	99.5	2.8	0.30	0.0	0.02	0.03	0.18	0.06	86. A	1.8	1.9	1.8	0.11
14	14.90	33.318	24.699	5.72	99.4	2.7	0.30	0.0	0.02	0.02	0.18	0.06	37.	2.8	3.0	2.9	0.08
19	14.85	33.334	24.722	5.79	100.4	2.8	0.31	0.0	0.02	0.08	0.23	0.08	27.	3.5	3.2	3.4	0.12
29	14.81	33.343	24.737	5.74	99.4	2.7	0.31	0.0	0.03	0.03	0.24	0.08					
39	14.81	33.344	24.740	5.73	99.4	2.7	0.30	0.0	0.03	0.04	0.25	0.09	6.7	2.9	3.1	3.0	0.11
50	14.81	33.345	24.742	5.74	99.5	2.7	0.30	0.0	0.03	0.03	0.25	0.09					
61	14.81	33.349	24.746	5.74	99.5	2.7	0.31	0.0	0.03	0.04	0.26	0.09					
70	14.81	33.345	24.743	5.73	99.4	2.7	0.31	0.0	0.03	0.02	0.26	0.09	0.74	0.19	0.53	0.36	0.10
81	14.54	33.323	24.784	5.73	98.7	2.9	0.34	0.3	0.06	0.03	0.23	0.10	0.36	0.15	0.17	0.16	0.08

A) INCUBATION LIGHT INTENSITIES WERE 51.9, 34.8, 25.9, 6.5, 0.7 AND 0.35 PERCENT RESPECTIVELY.



RV BELL M SHIMADA CALCOFI CRUISE 1301 STATION 83.3 60.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
33 34.6 N	120 45.3 W	21/01/2013	1743 UTC	12 m	1210 - 1750 PST	1214 PST	1748 PST	879.9 mg C/m2	049								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	ml/L	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	PCT	1	2	MEAN	DARK
2	13.07	33.364	25.113	6.25	104.6	5.1	0.49	1.9	0.06	0.28	2.07	0.41	77. A	47.1	46.0	46.6	0.15
8	12.97	33.373	25.140	6.27	104.7	5.4	0.51	2.2	0.06	0.13	2.17	0.46	36.	52.4	51.7	52.0	0.15
11	12.73	33.379	25.191	6.16	102.3	5.6	0.53	2.7	0.07	0.02	1.64	0.49	24.	37.8	34.3	36.0	0.15
21	12.37	33.423	25.296	5.78	95.4	6.3	0.69	5.1	0.21	0.02	0.95	0.49	6.8	12.1	12.8	12.5	0.09
30	12.09	33.421	25.347	5.48	89.8	7.5	0.82	7.1	0.27	0.05	0.63	0.43					
39	12.07	33.464	25.386	5.45	89.3	7.3	0.84	7.2	0.35	0.19	0.31	0.28	0.68	0.18	0.52	0.35	0.05
44	11.80	33.455	25.430	5.08	82.7	8.9	0.97	9.4	0.27	0.15	0.19	0.19	0.36	0.14	0.15	0.14	0.05

RV BELL M SHIMADA CALCOFI CRUISE 1301 STATION 81.8 46.9

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
34 16.8 N	120 1.9 W	22/01/2013	1716 UTC	09 m	1210 - 1755 PST	1212 PST	1750 PST	1013.2 mg C/m2	056								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	ml/L	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	PCT	1	2	MEAN	DARK
1	12.29	33.550	25.410	6.40	105.4	8.4	0.72	4.3	0.09	0.22	3.27	0.81	84. A	71.3	73.0	72.2	0.23
6	12.24	33.550	25.418	6.35	104.5	8.3	0.70	4.4	0.09	0.04	3.13	0.78	36.	61.6	64.6	63.1	0.27
8	12.21	33.549	25.424	6.32	103.9	8.3	0.72	4.7	0.09	0.07	2.77	0.77	26.	68.0	57.9	62.9	0.27
16	12.02	33.546	25.459	5.77	94.6	8.8	0.86	7.1	0.15	0.01	1.37	0.92	6.5	20.4	21.0	20.7	0.18
22	11.74	33.543	25.508	5.27	85.8	9.6	1.00	9.4	0.26	0.09	0.87	0.59					
29	11.57	33.540	25.537	5.10	82.7	10.0	1.06	10.2	0.26	0.27	0.63	0.42	0.71	0.36	1.5	0.92	0.14
33	11.48	33.554	25.564	4.88	79.1	11.6	1.15	11.6	0.29	0.23	0.47	0.45	0.36	0.15	0.30	0.23	0.29

RV BELL M SHIMADA CALCOFI CRUISE 1301 STATION 80.0 80.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
33 29.5 N	122 32.4 W	23/01/2013	1729 UTC	16 m	1220 - 1805 PST	1222 PST	1804 PST	206.5 mg C/m2	062								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	ml/L	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	PCT	1	2	MEAN	DARK
2	14.28	33.348D	24.853	5.95		2.8	0.34	0.0	0.01	0.04	0.43	0.06	83. A	8.5	8.5	8.5	0.17
11	14.28	33.338	24.847	5.96	102.1	2.8	0.31	0.0	0.01	0.00	0.41	0.11	35.	6.8	6.5	6.7	0.13
13	14.28	33.340	24.848	5.96	102.2	2.8	0.32	0.0	0.01	0.00	0.39	0.09	29.	6.1	5.9	6.0	0.15
21	14.25	33.346	24.858	5.95	102.0	2.8	0.32	0.0	0.01	0.02	0.41	0.10					
28	14.23	33.350	24.867	5.96	102.1	2.8	0.32	0.0	0.01	0.00	0.53	0.24	6.8	2.9	3.2	3.1	0.16
41	14.19	33.373	24.892	5.90	101.0	2.8	0.33	0.1	0.02	0.03	0.43	0.11					
52	14.29	33.444	24.929	5.84	100.2	2.8	0.35	0.4	0.04	0.10	0.42	0.18	0.68	0.09	0.41	0.25	0.09
59	13.17	33.308	25.053	5.62	94.2	4.2	0.50	2.6	0.12	0.07	0.24	0.14	0.35	0.13	0.09	0.11	0.11

RV BELL M SHIMADA CALCOFI CRUISE 1301 STATION 76.7 90.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
33 43.2 N	123 38.5 W	24/01/2013	1745 UTC	20 m	1225 - 1800 PST	1227 PST	1759 PST	173.0 mg C/m2	066								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	ml/L	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	PCT	1	2	MEAN	DARK
2	14.28	33.207	24.745	5.92	101.4	2.8	0.32	0.1	0.01	0.04	0.19	0.06	86. A	4.2	4.1	4.2	0.12
14	14.28	33.208	24.747	5.89	101.0	2.8	0.31	0.0	0.01	0.07	0.19	0.07	34.	4.3	4.0	4.1	0.08
18	14.27	33.206	24.746	5.90	101.0	2.8	0.31	0.0	0.01	0.02	0.20	0.06	25.	3.7	3.6	3.7	0.06
27	14.25	33.205	24.750	5.89	100.9	2.8	0.31	0.0	0.01	0.01	0.20	0.07					
36	14.22	33.199	24.753	5.91	101.1	2.8	0.31	0.0	0.01	0.01	0.23	0.09	6.3	2.6	2.5	2.6	0.08
46	14.10	33.197	24.777	5.91	100.9	2.9	0.30	0.0	0.01	0.01	0.30	0.13					
56	14.04	33.201	24.794	5.92	100.9	2.8	0.31	0.0	0.01	0.03	0.32	0.15					
65	13.87	33.203	24.831	5.90	100.2	3.0	0.33	0.1	0.02	0.06	0.30	0.14	0.68	0.09	0.46	0.27	0.06
74	13.42	33.198	24.918	5.77	97.1	3.7	0.42	1.4	0.08	0.08	0.24	0.15	0.34	0.18	0.16	0.17	0.05

RV BELL M SHIMADA CALCOFI CRUISE 1301 STATION 76.7 51.0

LATITUDE	LONGITUDE	DAY/MO/YR	CAST TIME	SECCHI	INCUBATION TIME	LAN	CIVIL TWILIGHT	INTEGRATED VALUE	ORD								
35 1.7 N	120 54.9 W	25/01/2013	1927 UTC	16 m	1225 - 1800 PST	1216 PST	1753 PST	588.4 mg C/m2	071								
DEPTH	TEMP	SALINITY	SIGMA	OXYGEN	OXY	SI03	P04	N03	N02	NH4	CHL-A	PHAE0	LIGHT	UPTAKE (mg C/m3)			
m	DEG C		THETA	ml/L	PCT	µM	µM	µM	µM	µM	µg/L	µg/L	PCT	1	2	MEAN	DARK
2	13.18	33.194	24.959	6.09	102.0	3.6	0.36	0.9	0.05	0.11	1.05	0.13	83. A	21.5	21.5	21.5	0.19
11	12.69	33.264	25.110	6.02	99.8	5.6	0.50	2.9	0.08	0.09	0.90	0.28	35.	18.6	18.9	18.8	0.14
14	12.57	33.274	25.142	5.98	99.0	5.8	0.52	3.2	0.08	0.08	0.89	0.30	26.	17.1	16.7	16.9	0.12
21	11.98	33.410	25.359	5.66	92.6	8.9	0.76	6.8	0.16	0.11	0.79	0.47					
28	11.70	33.431	25.429	5.46	88.8	10.1	0.87	8.3	0.20	0.11	0.68	0.43	6.8	9.4	9.8	9.6	0.08
40	11.13	33.520D	25.564	5.00	80.3	12.6	1.08	11.7	0.27	0.04	0.55	0.35					
52	11.04	33.526	25.624	4.70	75.4	15.4	1.23	13.7	0.29	0.03	0.43	0.28	0.68	0.28	0.88	0.58	0.10
59	10.77	33.526	25.672	4.66	74.2	15.5	1.24	13.9	0.28	0.06	0.42	0.28	0.35	0.39	0.38	0.38	0.09

A) INCUBATION LIGHT INTENSITIES WERE 51.9, 34.8, 25.9, 6.5, 0.7 AND 0.35 PERCENT RESPECTIVELY.

## CalCOFI Cruise 1301SH

## MACROZOOPLANKTON BIOMASS

Net Mesh Size: 0.505mm

Line	Sta.	Latitude N	Longitude W	Date		Time (PST)		Water Volume Strained (m <sup>3</sup> )	Max. Tow Depth (m)	Volume per 1000 m <sup>3</sup> Strained	
				Mo/Day	Start	End	Total (cm <sup>3</sup> )			Small (cm <sup>3</sup> )	
66.7	50.0	36 45.2	122 05.4	01/28	1610	1630	479	209	92	92	
66.7	55.0	36 37.2	122 25.0	01/28	2019	2038	647	135	233	226	
66.7	60.0	36 27.3	122 46.2	01/30	1058	1118	437	193	242	231	
66.7	70.0	36 07.3	123 28.1	01/30	1711	1731	420	212	67	67	
66.7	80.0	35 47.5	124 11.7	01/30	2326	2346	505	205	50	50	
66.7	90.0	35 27.3	124 54.2	01/31	0632	0652	436	214	172	172	
70.0	60.0	35 53.2	122 21.8	01/27	2141	2201	601	185	191	191	
70.0	70.0	35 33.0	123 04.3	01/27	1532	1553	506	213	107	107	
70.0	80.0	35 12.8	123 46.7	01/27	0916	0936	575	196	70	70	
70.0	90.0	34 52.8	124 28.6	01/27	0309	0330	459	207	78	78	
73.3	50.0	35 37.7	121 16.2	01/25	2105	2111	123	68	665	665	
73.3	55.0	35 28.8	121 36.4	01/26	0030	0049	428	215	346	346	
73.3	60.0	35 19.0	121 57.1	01/26	0418	0438	408	226	250	250	
73.3	70.0	34 58.7	122 39.8	01/26	1011	1031	546	206	103	103	
73.3	80.0	34 38.8	123 21.3	01/26	1550	1610	514	202	181	181	
73.3	90.0	34 19.0	124 03.1	01/26	2120	2140	504	191	149	89	
76.7	49.0	35 05.2	120 46.8	01/25	1552	1557	100	49	240	240	
76.7	51.0	35 01.4	120 55.0	01/25	1338	1358	465	217	99	99	
76.7	55.0	34 53.3	121 11.9	01/25	0858	0918	473	206	197	197	
76.7	60.0	34 43.2	121 32.8	01/25	0455	0515	421	214	176	176	
76.7	70.0	34 23.3	122 14.9	01/24	2305	2325	465	217	185	185	
76.7	80.0	34 03.2	122 56.8	01/24	1652	1712	453	199	62	62	
76.7	90.0	33 43.2	123 37.9	01/24	1053	1113	539	206	169	98	
76.7	100.0	33 22.9	124 19.1	01/24	0427	0446	422	217	76	76	
80.0	50.5	34 27.9	120 30.5	01/22	1321	1324	60	30	365	365	
80.0	51.0	34 27.1	120 31.2	01/22	1451	1456	105	57	276	67	
80.0	55.0	34 19.1	120 48.1	01/22	1826	1846	398	214	158	158	
80.0	60.0	34 09.0	121 09.0	01/22	2238	2258	435	212	372	372	
80.0	70.0	33 49.0	121 50.5	01/23	0442	0501	404	215	257	257	
80.0	80.0	33 29.4	122 32.6	01/23	1051	1111	452	206	279	279	
80.0	90.0	33 09.2	123 13.2	01/23	1645	1705	428	208	56	56	
80.0	100.0	32 49.3	123 54.1	01/23	2246	2306	443	217	72	72	
81.7	43.5	34 23.3	119 48.5	01/22	0604	0608	90	34	199	199	
81.8	46.9	34 16.4	120 01.4	01/22	0812	0831	421	210	119	119	
83.3	39.4	34 16.1	119 25.0	01/22	0314	0316	59	18	237	237	
83.3	40.6	34 13.6	119 25.6	01/22	0227	0229	44	24	272	272	
83.3	42.0	34 10.7	119 30.5	01/22	0038	0046	162	88	136	136	
83.3	51.0	33 52.6	120 08.0	01/21	1842	1849	161	66	335	335	
83.3	55.0	33 44.9	120 24.4	01/21	1527	1546	400	221	200	200	
83.3	60.0	33 34.6	120 45.1	01/21	1110	1130	431	213	167	167	
83.3	70.0	33 14.6	121 26.7	01/21	0459	0519	402	212	164	125	
83.3	80.0	32 54.7	122 08.0	01/20	2248	2308	421	214	50	50	
83.3	90.0	32 34.7	122 48.8	01/20	1703	1723	415	216	181	154	
83.3	100.0	32 14.5	123 29.6	01/20	1119	1138	429	214	163	163	
83.3	110.0	31 54.5	124 09.9	01/20	0517	0537	401	212	45	45	
86.7	33.0	33 53.4	118 29.9	01/17	1709	1713	91	40	725	725	
86.7	35.0	33 49.4	118 37.5	01/17	1952	2011	460	194	165	165	
86.7	40.0	33 39.3	118 58.2	01/18	0021	0041	394	213	101	101	
86.7	45.0	33 29.4	119 18.9	01/18	0445	0504	396	206	190	190	
86.7	50.0	33 19.4	119 39.8	01/18	0836	0842	144	46	306	306	
86.7	55.0	33 09.3	120 00.4	01/18	1400	1420	436	209	135	135	
86.7	60.0	32 59.5	120 21.0	01/18	1818	1838	415	209	277	277	
86.7	70.0	32 39.5	121 02.0	01/19	0023	0043	400	213	115	115	
86.7	80.0	32 19.4	121 42.7	01/19	0558	0618	420	217	136	136	
86.7	90.0	31 59.1	122 23.5	01/19	1151	1211	407	208	49	49	
86.7	100.0	31 39.5	123 04.0	01/19	1748	1808	404	209	30	30	
86.7	110.0	31 19.5	123 44.4	01/19	2340	2359	387	213	49	49	
86.8	32.5	33 53.2	118 26.7	01/17	1530	1532	52	19	344	344	
88.5	30.1	33 40.0	118 05.0	01/17	1151	1152	40	13	428	428	
90.0	27.7	33 29.5	117 45.6	01/17	0447	0450	70	26	344	344	
90.0	28.0	33 28.9	117 45.8	01/17	0815	0821	129	53	156	156	
90.0	30.0	33 25.0	117 54.2	01/17	0258	0318	393	214	112	112	
90.0	35.0	33 15.1	118 14.9	01/16	2253	2313	404	206	243	243	
90.0	37.0	33 10.7	118 23.3	01/16	1952	2011	388	207	170	170	
90.0	45.0	32 53.3	119 00.6	01/16	1317	1337	411	215	97	97	
90.0	53.0	32 39.2	119 28.7	01/16	0757	0817	484	187	124	124	
90.0	60.0	32 25.0	119 57.3	01/16	0259	0319	415	215	321	321	
90.0	70.0	32 05.1	120 38.2	01/15	2047	2106	478	202	863	73	
90.0	80.0	31 44.9	121 19.1	01/15	1434	1454	432	202	150	150	
90.0	90.0	31 24.9	121 59.3	01/15	0652	0712	431	209	93	93	
90.0	100.0	31 05.2	122 39.7	01/15	0145	0205	414	212	84	84	
90.0	110.0	30 45.5	123 19.2	01/14	1939	2000	514	206	43	43	
90.0	120.0	30 24.7	123 59.8	01/14	1250	1310	454	219	15	15	
93.3	26.7	32 57.2	117 18.6	01/11	1411	1430	357	204	73	73	
93.3	28.0	32 54.8	117 23.6	01/11	1635	1655	494	212	41	41	
93.3	30.0	32 50.7	117 31.8	01/11	1927	1946	443	218	63	63	
93.3	35.0	32 41.1	117 52.3	01/11	2331	2351	552	199	94	94	
93.3	40.0	32 31.0	118 12.7	01/12	0327	0346	470	215	117	117	
93.3	45.0	32 21.0	118 33.1	01/12	0725	0745	463	204	121	121	
93.3	50.0	32 11.6	118 52.7	01/12	1124	1144	465	197	198	198	
93.3	55.0	32 00.9	119 13.7	01/12	1529	1549	437	210	37	37	
93.3	60.0	31 50.9	119 33.9	01/12	1930	1950	474	206	55	55	
93.3	70.0	31 30.9	120 14.6	01/13	0118	0138	434	224	51	51	
93.3	80.0	31 10.6	120 54.5	01/13	0731	0751	502	213	28	28	
93.3	90.0	30 52.1	121 33.0	01/13	1300	1320	450	206	40	40	
93.3	100.0	30 31.3	122 14.7	01/13	1914	1934	456	218	26	26	
93.3	110.0	30 11.0	122 55.1	01/14	0059	0118	461	216	43	43	
93.3	120.0	29 50.8	123 35.0	01/14	0634	0654	426	220	23	23	