

Zoom Video Communications Accessibility Conformance Report

International Edition

VPAT® Version 2.3

Name of Product/Version: Zoom Events

Product Description: Zoom administrative web pages consist of Account Users Management user interfaces, which allow users to start and join meetings, as well as manage personal profile and some of their own meeting settings; Account Administrators Management user interfaces, which allow the administrator to add, remove and edit users, as well as managing advanced features like API, SSO, and Meeting Connector; and Account Owners user interfaces, which allow the account owner to add, remove, and edit administrators, and restrict billing settings to only themselves.

Date: April 16, 2024

Contact information: access@zoom.us

Notes:

Evaluation Methods Used: The following testing was done on Chrome v96.0 with WAVE Extension for WCAG 2.1 compliance and WebAIM for section 508 compliance, Firefox v94.0 with FireEyes for WAI-ARIA and Microsoft Edge on Windows 10 with NV Access's NVDA screen reader v2021, JAWS 2021, Microsoft's Accessibility Display options (Filter keys and Display/Contrast settings) and standard Keyboard, on Safari on macOS Big Sur with Apples' Accessibility Display options (invert colors, use grayscale, color settings, contrast settings and transparency settings), Zoom options, VoiceOver options and standard Keyboard.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0, at http://www.w3.org/TR/2008/REC-WCAG20-20081211/	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1 at https://www.w3.org/TR/WCAG21/	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards as published by the U.S. Access Board in the Federal Register on January 18, 2017 Corrections to the ICT Final Rule as published by the US Access Board in the Federal Register on January 22, 2018	(Yes)
EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe, - V2.1.2 (2018-08) at https://www.etsi.org/deliver/etsi_en//301500_301599/301549/02.01.02_60/en_301549v020102p.pdf	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Supports with Exceptions:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Chapter 10 - Non-Web documents, Section 11.2.1- Non-Web Software (excluding closed functionality), and Section 11.2.2 - Non-Web Software (closed functionality).
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.1.1 (Web) ● 10.1.1.1 (Non-web document) ● 11.1.1.1.1 (Open Functionality Software) ● 11.1.1.1.2 (Closed Functionality Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports with Exceptions</p>	<p>Zoom Events provide text-alternatives to non-text content such as buttons, and graphics. Programmatic labeling techniques such as aria-labels and alt-text, are used to allow assistive technologies users to decipher the nature and purpose of non-text content.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> ● The addition of alt-text is not yet supported for user-submitted images for event details

<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.1 (Web) ● 10.1.2.1 (Non-web document) ● 11.1.2.1.1 (Open Functionality Software) ● 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports with Exceptions</p>	<p>Zoom Events allows users to embed YouTube videos to event details page. The embedded iFrame supports the displaying of captions if it is available on the Youtube video.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> ● The displaying of closed captions is not yet supported for the video recordings page ● Users cannot upload custom caption tracks to videos uploaded to events details page.
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.2 (Web) ● 10.1.2.2 (Non-web document) ● 11.1.2.2 (Open Functionality Software) ● 11.1.2.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports with Exceptions</p>	<p>Zoom Events allows users to embed YouTube videos to event details page. The embedded iFrame supports to displaying of captions. Recordings of events support automated captioning/transcription</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> ● Users cannot upload custom caption tracks to videos uploaded to events details page.
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.3 (Web) ● 10.1.2.3 (Non-web document) ● 11.1.2.3.1 (Open Functionality Software) 	<p>Supports with Exceptions</p>	<p>Zoom Events allows users to upload precoded mutlimedia content to event details page. Users can provide links to alternatives to the time-based media or upload a separate version of the content (such as a version with audio description). The product does not</p>

<ul style="list-style-type: none"> ● 11.1.2.3.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		<p>provide functionality to allow the upload of alternative audio tracks.</p>
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.1 (Web) ● 10.1.3.1 (Non-web document) ● 11.1.3.1.1 (Open Functionality Software) ● 11.1.3.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports</p>	<p>Zoom Events programmatically present the visual structure, context, and relationships between elements to assistive technologies.</p> <p>The following techniques are used:</p> <ul style="list-style-type: none"> ● Heading elements (h1-h6) are used to communicate content structure ● Id and headers attributes are used to associate data cells with header cells in data tables. ● Label elements are used to associate text labels with form controls. ● List elements (ol, ul, and dl) are used to semantically group elements together ● Scope attributes are used to associate header cells and data cells in data tables. ● ARIA landmarks are used to programmatically group relevant regions.
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.2 (Web) ● 10.1.3.2 (Non-web document) ● 11.1.3.2.1 (Open Functionality Software) ● 11.1.3.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) 	<p>Supports</p>	<p>Zoom Events employs a tab order that is logical and follows the visual order of elements. Ordering in the Document Object Model matches the visual order.</p>

<ul style="list-style-type: none"> ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>1.3.3 Sensory Characteristics (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.3 (Web) ● 10.1.3.3 (Non-web document) ● 11.1.3.3 (Open Functionality Software) ● 11.1.3.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Events does not rely solely on sensory characteristics such as shape, size, visual location, orientation, or sound to convey information about content and elements.
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.1 (Web) ● 10.1.4.1 (Non-web document) ● 11.1.4.1 (Open Functionality Software) ● 11.1.4.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Events convey information without solely using color differences.
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.2 (Web) ● 10.1.4.2 (Non-web document) ● 11.1.4.2 (Open Functionality Software) ● 11.1.4.2 (Closed Software) 	Supports	Zoom Events does not have automatically played audio.

<ul style="list-style-type: none"> ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.1.1 (Web) ● 10.2.1.1 (Non-web document) ● 11.2.1.1.1 (Open Functionality Software) ● 11.2.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports with Exception</p>	<p>Zoom Events provide keyboard support to the majority of elements.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> ● The Spatial view for Expos is not keyboard accessible. The Expo feature also has an alternative called “non-spatial” view that is fully keyboard accessible and provides the same level of functionality to the user. Event creators can set “non-spatial” view as the default starting view for users.
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.1.2 (Web) ● 10.2.1.2 (Non-web document) ● 11.2.1.2 (Open Functionality Software) ● 11.2.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports</p>	<p>Zoom Events allow for keyboard navigation throughout the application without keyboard trap.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> ● While using Firefox on Windows computer, a keyboard user may get trapped while navigating through an autoplaying video on the OnZoom landing page. This only occurs when the video receives mouse-over.

<p><u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.1.4 (Web) ● 10.2.1.4 (Non-web document) ● 11.2.1.4.1 (Open Functionality Software) ● 11.2.1.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Not applicable</p>	<p>Zoom Events does not support keyboard shortcuts</p>
<p><u>2.2.1 Timing Adjustable</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.2.1 (Web) ● 10.2.2.1 (Non-web document) ● 11.2.2.1 (Open Functionality Software) ● 11.2.2.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports</p>	<p>Zoom Events web does not have time-limited content.</p>
<p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.2.2 (Web) ● 10.2.2.2 (Non-web document) ● 11.2.2.2 (Open Functionality Software) ● 11.2.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) 	<p>Supports</p>	<p>Most Zoom Events pages do not have automatically playing content in most web pages.</p>

<ul style="list-style-type: none"> ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.3.1 (Web) ● 10.2.3.1 (Non-web document) ● 11.2.3.1 (Open Functionality Software) ● 11.2.3.1(Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Events does not have flashing content.
<p><u>2.4.1 Bypass Blocks</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.1 (Web) ● 10.2.4.1 (Non-web document) – Does not apply ● 11.2.4.1 (Open Functionality Software) – Does not apply ● 11.2.4.1 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Zoom Events supports “Skip to main content” links.
<p><u>2.4.2 Page Titled</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.2 (Web) 	Supports	Zoom Events pages are titled to convey the meaning of the page

<ul style="list-style-type: none"> ● 10.2.4.2 (Non-web document) ● 11.2.4.2 (Open Functionality Software) - Does not apply ● 11.2.4.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.3 (Web) ● 10.2.4.3 (Non-web document) ● 11.2.4.3 (Open Functionality Software) ● 11.2.4.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Events pages provide a focus order that is consistent with the visual order of the application.
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.4 (Web) ● 10.2.4.4 (Non-web document) ● 11.2.4.4 (Open Functionality Software) ● 11.2.4.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) 	Supports with Exceptions	<p>Zoom Events provides many links with clear text to allow the user to understand the purpose of each link. Aria-label attributes are used to describe when necessary.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> ● Some links contained within tooltips are not labeled with additional descriptive context.

<ul style="list-style-type: none"> ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>2.5.1 Pointer Gestures (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.1 (Web) ● 10.2.5.1 (Non-web document) ● 11.2.5.1 (Open Functionality Software) ● 11.2.5.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Zoom Events does not require any multi-point gestures in order to operate content.
<p>2.5.2 Pointer Cancellation (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.2 (Web) ● 10.2.5.2 (Non-web document) ● 11.2.5.2 (Open Functionality Software) ● 11.2.5.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Zoom Events does not use down-events to execute functions.
<p>2.5.3 Label in Name (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.3 (Web) ● 10.2.5.3 (Non-web document) ● 11.2.5.3 (Open Functionality Software) ● 11.2.5.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Zoom Events uses programmatic labels that match the visual label of elements.
<p>2.5.4 Motion Actuation (Level A 2.1 only)</p> <p>Also applies to:</p>	Supports	Zoom Events does not contain any functionality that is triggered by gestures or by moving a device.

<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.4 (Web) ● 10.2.5.4 (Non-web document) ● 11.2.5.4 (Open Functionality Software) ● 11.2.5.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.1.1 (Web) ● 10.3.1.1 (Non-web document) ● 11.3.1.1.1 (Open Functionality Software) ● 11.3.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Events supports the “lang” HTML tag to help assistive technologies identify the language of the page.
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.1 (Web) ● 10.3.2.1 (Non-web document) ● 11.3.2.1 (Open Functionality Software) ● 11.3.2.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Events does not initiate changes of context upon the focusing of elements. This is ensured by activating changes of context on “activate” and not on “focus”.

<p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.2 (Web) ● 10.3.2.2 (Non-web document) ● 11.3.2.2 (Open Functionality Software) ● 11.3.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports</p>	<p>Zoom Events does not initiate changes of context upon user input. This is ensured by providing submit buttons.</p>
<p>3.3.1 Error Identification (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.1 (Web) ● 10.3.3.1 (Non-web document) ● 11.3.3.1.1 (Open Functionality Software) ● 11.3.3.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports</p>	<p>Zoom Events use form fields with automatic error detection and error messages. Client-side validation is used to add error text to the DOM.</p>
<p>3.3.2 Labels or Instructions (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.2 (Web) ● 10.3.3.2 (Non-web document) ● 11.3.3.2 (Open Functionality Software) ● 11.3.3.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) 	<p>Supports</p>	<p>Zoom administrative web pages and support pages use visible form labels that are associated with form controls. Required fields are determined programmatically and identified with appropriate labels or legends.</p>

<ul style="list-style-type: none">● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none">● 501 (Web)(Software)● 504.2 (Authoring Tool)● 602.3 (Support Docs)		
---	--	--

<p>4.1.1 Parsing (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.4.1.1 (Web) ● 10.4.1.1 (Non-web document) ● 11.4.1.1.1 (Open Functionality Software) ● 11.4.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports</p>	<p>Zoom administrative web pages and support pages use HTML according to spec. Web pages are developed to ensure that ID attributes are unique, and that elements do not contain duplicate attributes.</p>
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.4.1.2 (Web) ● 10.4.1.2 (Non-web document) ● 11.4.1.2.1 (Open Functionality Software) ● 11.4.1.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports with Exceptions</p>	<p>Most of the elements in Zoom Events provide the necessary role, state, and value information to assistive technologies.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> ● The Spatial view for Expos is not screen. reader accessible. The Expo feature also has an alternative called “non-spatial” view that is properly labeled and provides the same level of functionality to the user. vent creators can set “non-spatial” view as the default starting view for users.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.4 (Web) ● 10.1.2.4 (Non-web document) ● 11.1.2.4 (Open Functionality Software) ● 11.1.2.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Events hosted on Zoom Events platform utilize the Zoom Meeting and Webinars application. The Zoom Meetings and Webinar application provides hosts with the ability to hire a manual caption typer to the meeting, or to turn on automated closed captioning.
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.5 (Web) ● 10.1.2.5 (Non-web document) ● 11.1.2.5 (Open Functionality Software) ● 11.1.2.5 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports with Exceptions	Zoom Events allows users to upload prerecorded multimedia content to event details page. Users can provide links to alternatives to the time-based media or upload a separate version of the content (such as a version with audio description). The product does not provide functionality to allow the upload of alternative audio tracks.
<p>1.3.4 Orientation (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.4 (Web) ● 10.1.3.4 (Non-web document) ● 11.1.3.4 (Open Functionality Software) ● 11.1.3.4 (Closed Software) 	Supports	Zoom Events does not restrict its view to a single display orientation

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
<p>1.3.5 Identify Input Purpose (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.5 (Web) ● 10.1.3.4 (Non-web document) ● 11.1.3.5 (Open Functionality Software) ● 11.1.3.5 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Does not support	Form fields on the Zoom Events pages do not yet make use of the autocomplete attribute.
<p>1.4.3 Contrast (Minimum) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.3 (Web) ● 10.1.4.3 (Non-web document) ● 11.1.4.3 (Open Functionality Software) ● 11.1.4.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Events follows the minimal color contrast ratio for the text over the background.
<p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.4 (Web) ● 10.1.4.4 (Non-web document) 	Supports with Exceptions	Zoom’s Events web pages use frameworks that support the resizing of text. The Zoom Events lobby user interface must be resized using the operating system defined

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 11.1.4.4.1 (Open Functionality Software) ● 11.1.4.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		scaling options since it is contained within a native desktop application.
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.5 (Web) ● 10.1.4.5 (Non-web document) ● 11.1.4.5.1 (Open Functionality Software) ● 11.1.4.5.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Events uses text rather than images of text to present information.
<p>1.4.10 Reflow (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.10 (Web) ● 10.1.4.10 (Non-web document) ● 11.1.4.10.1 (Open Functionality Software) ● 11.1.4.10.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	Zoom’s Events does not require scrolling in two dimensions to present content without loss of information.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.11 Non-text Contrast (Level AA 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.11 (Web) ● 10.1.4.11 (Non-web document) ● 11.1.4.11 (Open Functionality Software) ● 11.1.4.11 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	The product UI follows the 3:1 minimal contrast ratio for the visual presentation UI components against adjacent colors.
<p>1.4.12 Text Spacing (Level AA 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.12 (Web) ● 10.1.4.12 (Non-web document) ● 11.1.4.12 (Open Functionality Software) ● 11.1.4.12 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Zoom’s Events webpages support spacing changes without the loss of content.
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.13 (Web) ● 10.1.4.13 (Non-web document) ● 11.1.4.13 (Open Functionality Software) ● 11.1.4.13 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports with Exceptions	<p>Zoom’s Events utilizes content on hover or focus which are hoverable, and persistent.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> ● Tooltips are not dismissable by pressing the ESC key. They are dismissable upon moving the focus out of the tooltip.
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p>	Supports with Exceptions	The landing page for Zoom Events has a footer with a list of links. When signed-in, navigation for the Zoom Events

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 9.2.4.5 (Web) ● 10.2.4.5 (Non-web document) – Does not apply ● 11.2.4.5 (Open Functionality Software) – Does not apply ● 11.2.4.5 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 		portal for hosts and attendees is only available through the main navigational region.
<p><u>2.4.6 Headings and Labels</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.6 (Web) ● 10.2.4.6 (Non-web document) ● 11.2.4.6 (Open Functionality Software) ● 11.2.4.6 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Events provides descriptive labels and headings all throughout to help users understand the content structure of pages.
<p><u>2.4.7 Focus Visible</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.7 (Web) ● 10.2.4.7 (Non-web document) ● 11.2.4.7 (Open Functionality Software) ● 11.2.4.7 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) 	Supports	Zoom Events provides a visible focus indicator when elements receive keyboard focus.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>3.1.2 Language of Parts (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.1.2 (Web) ● 10.3.1.2 (Non-web document) ● 11.3.1.2 (Open Functionality Software) – Does not apply ● 11.3.1.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Events web support the HTML language attribute.
<p>3.2.3 Consistent Navigation (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.3 (Web) ● 10.3.2.3 (Non-web document) – Does not apply ● 11.3.2.3 (Open Functionality Software) – Does not apply ● 11.3.2.3 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Zoom’s Events pages have navigation bars that provide a list of links to reach other pages.
<p>3.2.4 Consistent Identification (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Supports	Zoom Events is designed with product component and visual style uniformity in mind.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 9.3.2.4 (Web) ● 10.3.2.4 (Non-web document) – Does not apply ● 11.3.2.4 (Open Functionality Software) – Does not apply ● 11.3.2.4 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 		
<p>3.3.3 Error Suggestion (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.3 (Web) ● 10.3.3.3 (Non-web document) ● 11.3.3.3 (Open Functionality Software) ● 11.3.3.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom’s Events uses form fields with automatic error detection and error descriptions.
<p>3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.4 (Web) ● 10.3.3.4 (Non-web document) ● 11.3.3.4 (Open Functionality Software) ● 11.3.3.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p>	Supports	Zoom’s Events identifies input errors for financial transactions.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p>4.1.3 Status Messages (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.4.1.3 (Web) 10.4.1.3 (Non-web document) – Does not apply 11.4.1.3 (Open Functionality Software) – Does not apply 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	<p>Zoom Events utilize alerts with the “role=alert” attributes to make the status message programmatically available to assistive technologies.</p> <p>Zoom’s support pages do not contain status messages</p>

Revised Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Supports with Exceptions	<p>The product provide functions that can be used by users without vision. The majority of the features and content in the product is keyboard and screen reader accessible.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> There are several instances where features can only be accessed with a mouse. (see 2.1.1 Keyboard)

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> There are several instances where elements' programmatic roles or values are inadequately communicated (see 4.1.2 Name, Role, Value)
302.2 With Limited Vision	Supports	The product is accessible to users with low vision.
302.3 Without Perception of Color	Supports	The product can be used without the perception of color.
302.4 Without Hearing	Supports with Exceptions	<p>The product can mostly be used without hearing.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> Captions are not yet available for recorded sessions hosted on Zoom Events (see 1.2.2 Captions (Prerecorded))
302.5 With Limited Hearing	Supports with Exceptions:	<p>The product can mostly be used with limited hearing. However captions are not yet available for recorded sessions hosted on Zoom Events.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> Captions are not yet available for recorded sessions hosted on Zoom Events (see 1.2.2 Captions (Prerecorded))
302.6 Without Speech	Supports	The product can be fully operated without the use of speech.
302.7 With Limited Manipulation	Supports with Exceptions	<p>The product provide keyboard-accessible functions to ensure that the product is usable with limited manipulation.</p> <p>Exceptions include</p> <ul style="list-style-type: none"> There are several instances where elements are currently only accessible with a mouse (See 2.1.1 Keyboard)
302.8 With Limited Reach and Strength	Supports	The product are fully functional with limited reach and strength.
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	The product are functional for users with limited language, cognitive, and learning abilities.

Chapter 4: Hardware

Notes: Not Applicable

Chapter 5: Software

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.x section	See information in WCAG section

Criteria	Conformance Level	Remarks and Explanations
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not applicable	The product is not platform software
502.2.2 No Disruption of Accessibility Features	Supports	The product do not disrupt or disable operating system accessibility features.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Supports with Exceptions	Most of the controls in The product use standard native HTML elements, and thus provide the necessary role, state, and value information to assistive technologies. Exceptions include: <ul style="list-style-type: none"> There are several instances where elements’ programmatic roles or values are inadequately communicated to assistive technologies (see 4.1.2 Name, Role, Value)
502.3.2 Modification of Object Information	Supports	The product provide assistive technologies with the ability to modify states and properties of all applicable objects.
502.3.3 Row, Column, and Headers	Supports	The product programmatically structures tables using HTML table elements, with proper row header association.
502.3.4 Values	Supports with Exceptions	All values can be programmatically determined by assistive technologies Exceptions include: <ul style="list-style-type: none"> There are several instances of elements not making the value property available to assistive technologies (see 4.1.2 Name, Role, Value)
502.3.5 Modification of Values	Supports	The product allow assistive technologies to modify values of all applicable objects.
502.3.6 Label Relationships	Supports	All controls are programmatically associated with their respective labels.
502.3.7 Hierarchical Relationships	Supports	The product expose all parent-child relationship programmatically to assistive technologies.
502.3.8 Text	Supports	The product ensure that all text can be programmatically determined by assistive technologies.
502.3.9 Modification of Text	Supports Supports	The product allow assistive technologies to modify all applicable texts.
502.3.10 List of Actions	Supports with Exceptions	The product utilize HTML semantic elements to ensure that most controls programmatically expose its list of information to assistive technologies. Exceptions include:

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> The product contains several instances where elements' programmatic roles or values are inadequately communicated to assistive technologies (see WCAG 4.1.2 Name, Role, Value)
502.3.11 Actions on Objects	Supports with Exceptions	<p>The product utilize HTML semantic elements to make available actions to assistive technologies.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> The product contains several instances where elements' programmatic roles or values are inadequately communicated to assistive technologies (see WCAG 4.1.2 Name, Role, Value)
502.3.12 Focus Cursor	Supports with Exceptions	<p>The product utilize visible focus indicators throughout the application to indicate where the keyboard focus is at all times.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> There are several instances of tab-list items that do not receive a visible focus indicator (see WCAG 2.4.7 Focus Visible)
502.3.13 Modification of Focus Cursor	Supports	The product allow assistive technologies to control the focus and selection cursor on all controls.
502.3.14 Event Notification	Supports	The product make notification information available to assistive technology users.
502.4 Platform Accessibility Features	Not applicable	This product is not platform software
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Supports	The product support user preferences from platform settings for color, contrast, font type, font size, and focus cursor.
503.3 Alternative User Interfaces	Not applicable	The product does not provide an alternate user interface that functions as an assistive technology.
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Supports	The product provide controls for live captioning.
503.4.2 Audio Description Controls	Does not support	The administrative web pages and support pages do not provide controls for audio descriptions
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See WCAG 2.x section	See information in WCAG section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not applicable	The product does not provide authoring tools to convert content from one format to another.

Criteria	Conformance Level	Remarks and Explanations
504.2.2 PDF Export	Not applicable	This product does not export to PDF.
504.3 Prompts	Does not support	The product provide users with the ability to add a closed captioning provider, and automatic transcripts for events. However, it does not prompt content creators to provide captioning.
504.4 Templates	Not applicable	The product do not provide templates for content creation.

Chapter 6: Support Documentation and Services

Notes: Full information about the accessibility of Zoom Support pages can be found on the Zoom Product Web Pages VPAT

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Supports	Product documentation regarding the product’s accessibility features can be found online at the Zoom Help Center and Zoom Accessibility page.
602.3 Electronic Support Documentation	See WCAG 2.x section	See information in WCAG section
602.4 Alternate Formats for Non-Electronic Support Documentation	Not applicable	Support documentation is provided in electronic format.
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	Product documentation regarding the product’s accessibility features can be found online at the Zoom Help Center and Zoom Accessibility page.
603.3 Accommodation of Communication Needs	Support	Zoom support services accommodate the diverse needs of individuals with disabilities.

EN 301 549 Report

Notes:

Chapter 4: [4.2 Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Supports with Exceptions	The product provide functions that can be used by users without vision. The majority of the features and content in the product is keyboard and screen reader accessible. Exceptions include: <ul style="list-style-type: none"> • There are several instances where features can only be accessed with a mouse. (see 2.1.1 Keyboard) • There are several instances where elements' programmatic roles or values are inadequately communicated (see 4.1.2 Name, Role, Value)
4.2.2 Usage with limited vision	Supports	The product is accessible to users with low vision.
4.2.3 Usage without perception of colour	Supports	The product can be used without the perception of color.
4.2.4 Usage without hearing	Supports	The product can mostly be used without hearing. Exceptions include: <ul style="list-style-type: none"> • Captions are not yet available for recorded sessions hosted on Zoom Events (see 1.2.2 Captions (Prerecorded))
4.2.5 Usage with limited hearing	Supports	The product can mostly be used with limited hearing. However captions are not yet available for recorded sessions hosted on Zoom Events. Exceptions include: <ul style="list-style-type: none"> • Captions are not yet available for recorded sessions hosted on Zoom Events (see 1.2.2 Captions (Prerecorded))
4.2.6 Usage without vocal capability	Supports	The product can be fully operated without the use of speech.
4.2.7 Usage with limited manipulation or strength	Supports	The product are fully functional with limited strength.
4.2.8 Usage with limited reach	Supports	The product are fully functional with limited reach.

Criteria	Conformance Level	Remarks and Explanations
4.2.9 Minimize photosensitive seizure triggers	Supports	The product do not contain flashing content that might trigger seizures.
4.2.10 Usage with limited cognition	Supports	The product are functional for users with limited language, cognitive, and learning abilities.
4.2.11 Privacy	Supports	The product have accessibility components that maintain the users' privacy.

Chapter 5: [Generic Requirements](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	[Not Applicable]	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required
5.1.3.1 General	Not applicable	The product is not closed software
5.1.3.2 Auditory output delivery including speech	Not applicable	The product is not closed software
5.1.3.3 Auditory output correlation	Not applicable	The product is not closed software
5.1.3.4 Speech output user control	Not applicable	The product is not closed software
5.1.3.5 Speech output automatic interruption	Not applicable	The product is not closed software
5.1.3.6 Speech output for non-text content	Not applicable	The product is not closed software
5.1.3.7 Speech output for video information	Not applicable	The product is not closed software
5.1.3.8 Masked entry	Not applicable	The product is not closed software
5.1.3.9 Private access to personal data	Not applicable	The product is not closed software
5.1.3.10 Non-interfering audio output	Not applicable	The product is not closed software
5.1.3.11 Private listening	Not applicable	The product is not closed software
5.1.3.12 Speaker volume	Not applicable	The product is not closed software

Criteria	Conformance Level	Remarks and Explanations
5.1.3.13 Volume reset	Not applicable	The product is not closed software
5.1.3.14 Spoken languages	Not applicable	The product is not closed software
5.1.3.15 Non-visual error identification	Not applicable	The product is not closed software
5.1.3.16 Receipts, tickets, and transactional outputs	Not applicable	The product is not closed software
5.1.4 Functionality closed to text enlargement	Not applicable	The product is not closed software
5.1.5 Visual output for auditory information	Not applicable	The product is not closed software
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Not applicable	The product is not closed software
5.2 Activation of accessibility features	Not applicable	The product is not closed software
5.3 Biometrics	Not applicable	The product does not use biometrics
5.4 Preservation of accessibility information during conversion	Not applicable	The product does not provide authoring tools to convert content from one format to another.
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not applicable	The product is not hardware
5.5.2 Operable parts discernibility	Not applicable	The product is not hardware
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Not applicable	The product is not hardware
5.6.2 Visual status	Not applicable	The product is not hardware
5.7 Key repeat	Not applicable	The product is not hardware
5.8 Double-strike key acceptance	Not applicable	The product is not hardware
5.9 Simultaneous user actions	Not applicable	The product is not hardware

Chapter 6: [ICT with Two-Way Voice Communication](#)

Notes: Not applicable

Chapter 7: [ICT with Video Capabilities](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
7.1 Caption processing technology	Heading cell – no response required	Heading cell – no response required
7.1.1 Captioning playback	Supports with exceptions	<p>The Zoom Client provides the ability to display closed captions.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> • Captions are not yet available for recorded sessions hosted on Zoom Events (see 1.2.2 Captions (Prerecorded))
7.1.2 Captioning synchronization	Supports	The Zoom Client the preserves the synchronization of captions with the live media.
7.1.3 Preservation of captioning	Supports with Exceptions	<p>The Zoom Client preserves captioning data.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> • Captions are not yet available for recorded sessions hosted on Zoom Events (see 1.2.2 Captions (Prerecorded))
7.2.1 Audio description playback	Does not support	The Zoom Client or web recordings player does not support the playback of alternate audio description tracks
7.2.2 Audio description synchronization	Does not support	The Zoom Client or web recordings player does not support the playback of alternate audio description tracks
7.2.3 Preservation of audio description	Does not support	The Zoom Client or web recordings player does not support the playback of alternate audio description tracks

Criteria	Conformance Level	Remarks and Explanations
7.3 User controls for captions and audio description	Supports with Exceptions	The Zoom Client or web recordings player supports control of captions but does not support the playback of alternate audio description tracks.

Chapter 8: [Hardware](#)

Notes: Not applicable

Chapter 9: [Web](#)

Notes: (See WCAG section)

Chapter 10: [Non-web Documents](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
10.0 General	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See WCAG 2.x section	See information in WCAG section
10.5 Caption positioning	Does not support	The Zoom Client or web recordings player does not yet support viewing of captions outside of the content area.
10.6 Audio description timing	Not applicable	The Zoom Client or web recordings player does not contain synchronized media with audio description

Chapter 11: [Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
11.0 General	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See WCAG 2.x section	See information in WCAG section

Criteria	Conformance Level	Remarks and Explanations
11.5 Interoperability with assistive technology	Heading cell – no response required	Heading cell – no response required
11.5.1 Closed functionality (informative)	Heading cell – no response required	Heading cell – no response required
11.5.2 Accessibility services	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.3.2.5 through 11.3.2.17	See information in 11.3.2.5 through 11.3.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.3.2.5 through 11.3.2.17	See information in 11.3.2.5 through 11.3.2.17
11.3.2.3 Use of accessibility services	See 11.3.2.5 through 11.3.2..17	
11.3.2.4 Assistive technology	Not applicable	This product is not an assistive technology
11.3.2.5 Object information	Supports with Exceptions	Most of the controls in The product use standard native HTML elements, and thus provide the necessary role, state, and value information to assistive technologies. Exceptions include: <ul style="list-style-type: none"> There are several instances where elements' programmatic roles or values are inadequately communicated to assistive technologies (see 4.1.2 Name, Role, Value)
11.3.2.6 Row, column, and headers	Supports	The product programmatically structure most tables using HTML table elements, with proper row header association.
11.3.2.7 Values	Supports with Exceptions	All values can be programmatically determined by assistive technologies Exceptions include: <ul style="list-style-type: none"> There are several instances of elements not making the value property available to assistive technologies (see 4.1.2 Name, Role, Value)
11.3.2.8 Label relationships	Supports	All controls are programmatically associated with their respective labels.
11.3.2.9 Parent-child relationships	Supports	The product expose all parent-child relationship programmatically to assistive technologies.

Criteria	Conformance Level	Remarks and Explanations
11.3.2.10 Text	Supports	The product ensure that all text can be programmatically determined by assistive technologies
11.3.2.11 List of available actions	Supports with Exceptions	<p>The product utilize HTML semantic elements to ensure that most controls programmatically expose its list of information to assistive technologies.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> • The product contains several instances where elements' programmatic roles or values are inadequately communicated to assistive technologies (see WCAG 4.1.2 Name, Role, Value)
11.3.2.12 Execution of available actions	Supports with Exceptions	<p>The product utilize HTML semantic elements to make available actions to assistive technologies.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> • The product contains several instances where elements' programmatic roles or values are inadequately communicated to assistive technologies (see WCAG 4.1.2 Name, Role, Value)
11.3.2.13 Tracking of focus and selection attributes	Supports with Exceptions	<p>The product utilize visible focus indicators throughout the application to indicate where the keyboard focus is at all times.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> • There are several instances of items that do not receive a visible focus indicator (see WCAG 2.4.7 Focus Visible)
11.3.2.14 Modification of focus and selection attributes	Supports	The product allow assistive technologies to control the focus and selection cursor on all controls.
11.3.2.15 Change notification	Supports	The product make notification information available to assistive technology users.

Criteria	Conformance Level	Remarks and Explanations
11.3.2.16 Modifications of states and properties	Supports with Exceptions	The product contain several instances where elements' programmatic roles or values are inadequately communicated to assistive technologies (see WCAG 4.1.2 Name, Role, Value) and thus do not afford the necessary state/property modifications.
11.3.2.17 Modifications of values and text	Supports	The product allow assistive technologies to modify all applicable texts.
11.4 Documented accessibility usage	Heading cell – no response required	Heading cell – no response required
11.4.1 User control of accessibility features	Not Applicable	The product is not platform software.
11.4.2 No disruption of accessibility features	Supports	The product support user preferences from platform settings for color, contrast, font type, font size, and focus cursor.
11.5 User preferences	Supports	The product support user preferences from platform settings for color, contrast, font type, font size, and focus cursor.
11.6 Authoring tools	Heading cell – no response required	Heading cell – no response required
11.6.1 Content technology	Heading cell – no response required	Heading cell – no response required
11.6.2 Accessible content creation (if not authoring tool, enter “not applicable”)	See WCAG 2.x section	See information in WCAG section
11.6.3 Preservation of accessibility information in transformations	Not applicable	Zoom product web pages do not provide authoring tools to convert content from one format to another.
11.6.4 Repair assistance	Does not support	Zoom product web pages do not offer accessibility repair assistance.
11.6.5 Templates	Not applicable	Zoom product web pages do not provide templates for content creation.

Chapter [12: Documentation and Support Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Supports	Product documentation regarding the product’s accessibility features can be found online at the Zoom Help Center and Zoom Accessibility page.
12.1.2 Accessible documentation	See WCAG 2.x section	See information in WCAG section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Supports	Product documentation regarding the product’s accessibility features can be found online at the Zoom Help Center and Zoom Accessibility page.
12.2.3 Effective communication	Supports	Zoom support services accommodate the diverse needs of individuals with disabilities.
12.2.4 Accessible documentation	See WCAG 2.x section	See information in WCAG section

Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Notes: Not Applicable

Legal Disclaimer (Company)

Include your company legal disclaimer here, if needed.