

Zoom Video Communications Accessibility Conformance Report

VPAT® Version 2.3

Name of Product/Version: Zoom Whiteboard

Product Description: With Zoom Whiteboard, you can brainstorm and collaborate on a persistent, expandable, digital canvas. In-person and remote teams can ideate from Zoom-enabled devices, providing you and your team with the intuitive features you need to collaborate.

Date: April 16, 2024

Contact information: access@zoom.us

Notes:

Evaluation Methods Used: The following testing was done on Chrome v103.0 on Windows 10 with NV Access's NVDA screen reader v2021, JAWS 2021, Microsoft Window's Accessibility options and standard Keyboard. Testing was also performed on Mac OS 12.4 (Monterey) with Apple's Accessibility display options, VoiceOver, and standard keyboard.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0, at http://www.w3.org/TR/2008/REC-WCAG20-20081211/	Level A (Yes)

	Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1 at https://www.w3.org/TR/WCAG21/	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards as published by the U.S. Access Board in the Federal Register on January 18, 2017 Corrections to the ICT Final Rule as published by the US Access Board in the Federal Register on January 22, 2018	(Yes)
EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe, - V2.1.2 (2018-08) at https://www.etsi.org/deliver/etsi_en//301500_301599/301549/02.01.02_60/en_301549v020102p.pdf	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Supports with Exceptions:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Chapter 10 - Non-Web documents, Section 11.2.1- Non-Web Software (excluding closed functionality), and Section 11.2.2 - Non-Web Software (closed functionality).

- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.1.1 (Web) ● 10.1.1.1 (Non-web document) ● 11.1.1.1.1 (Open Functionality Software) ● 11.1.1.1.2 (Closed Functionality Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports with Exceptions</p>	<p>The product provide text-alternatives to most non-text content. Programmatic labeling techniques such as aria-labels and alt-text, are used to allow assistive technologies users to decipher the nature and purpose of non-text content.</p> <p>Whiteboard authoring does not yet offer the ability to add alt-text to user uploaded images. Zoom is planning on supporting this in the near future.</p>

<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.1 (Web) ● 10.1.2.1 (Non-web document) ● 11.1.2.1.1 (Open Functionality Software) ● 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Not applicable</p>	<p>The product does not have audio-only or video-only content.</p>
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.2 (Web) ● 10.1.2.2 (Non-web document) ● 11.1.2.2 (Open Functionality Software) ● 11.1.2.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Not applicable</p>	<p>The product does not have audio-only or video-only content.</p>
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.3 (Web) ● 10.1.2.3 (Non-web document) ● 11.1.2.3.1 (Open Functionality Software) 	<p>Not applicable</p>	<p>The product does not have audio-only or video-only content.</p>

<ul style="list-style-type: none"> ● 11.1.2.3.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.1 (Web) ● 10.1.3.1 (Non-web document) ● 11.1.3.1.1 (Open Functionality Software) ● 11.1.3.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports with Exceptions</p>	<p>The product framework, such as toolbars and document portals, programmatically presents the visual structure, context, and relationships between elements to assistive technologies.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> ● Elements/annotations on the canvas can be focused with a keyboard and screen reader. Basic information such as the shape type and text value are announced to the screen reader. However, more complex metadata (such as shape dimensions, location, orientation, etc.) are not made available to assistive technologies.
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.2 (Web) ● 10.1.3.2 (Non-web document) ● 11.1.3.2.1 (Open Functionality Software) ● 11.1.3.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports with Exceptions</p>	<p>The product framework, such as toolbars and document portals, employ a tab order that is logical and follows the visual order of elements. Ordering in the Document Object Model matches the visual order.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> ● Elements and annotations on the whiteboard canvas itself are focusable with keyboard and screen readers. The order is based on when chronologically the element was placed on the canvas, and not on its visual positioning.

<p>1.3.3 Sensory Characteristics (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.3 (Web) ● 10.1.3.3 (Non-web document) ● 11.1.3.3 (Open Functionality Software) ● 11.1.3.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports with Exception</p>	<p>The product framework, such as toolbars and document portals, do not rely solely on sensory characteristics such as shape, size, visual location, orientation, or sound to convey information about content and elements.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> ● By nature, elements and annotations on the whiteboard canvas itself need to rely on shape, size, visual location, orientation to convey their meaning.
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.1 (Web) ● 10.1.4.1 (Non-web document) ● 11.1.4.1 (Open Functionality Software) ● 11.1.4.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports with Exception</p>	<p>The product framework, such as toolbars and document portal, do not convey information without solely using color differences.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> ● By nature, elements and annotations on the whiteboard canvas may need to rely on color to communicate information if the author decides to do so.
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.2 (Web) ● 10.1.4.2 (Non-web document) ● 11.1.4.2 (Open Functionality Software) ● 11.1.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) 	<p>Supports</p>	<p>The product does not have automatically played audio.</p>

<ul style="list-style-type: none"> ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.1.1 (Web) ● 10.2.1.1 (Non-web document) ● 11.2.1.1.1 (Open Functionality Software) ● 11.2.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports with Exception</p>	<p>The product framework, such as toolbars and document portals , provide keyboard support many elements such as the document portal and the whiteboard toolbars. Elements on the whiteboard canvas can be focused with a keyboard by pressing the TAB key.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> ● The pen and erase tools require the use of pointer gestures with a mouse ● The halo toolbar that appears on top of each element on the canvas is not keyboard accessible. Zoom is planning on adding support to it with a keyboard shortcut ● Certain shape transformations (such as resizing, rotating, and making connections) require the use of a mouse ● The template selection interface is not keyboard accessible ● The shape selection submenu in the main toolbar contains keyboard accessibility issues. ● Adding comments onto the canvas requires the use of a mouse
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.1.2 (Web) ● 10.2.1.2 (Non-web document) ● 11.2.1.2 (Open Functionality Software) ● 11.2.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) 	<p>Supports</p>	<p>The product allows for keyboard navigation throughout the application without keyboard trap.</p>

<p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>2.1.4 Character Key Shortcuts (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.1.4 (Web) ● 10.2.1.4 (Non-web document) ● 11.2.1.4.1 (Open Functionality Software) ● 11.2.1.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Does not support	The product supports a number of single character shortcut keys to add/edit/transform elements. The product does not provide the user ways to edit or disable those shortcuts.
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.2.1 (Web) ● 10.2.2.1 (Non-web document) ● 11.2.2.1 (Open Functionality Software) ● 11.2.2.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	The product does not have time-limited content.
<p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.2.2 (Web) ● 10.2.2.2 (Non-web document) ● 11.2.2.2 (Open Functionality Software) ● 11.2.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) 	Supports	The product does not have automatically playing content that cannot be paused.

<ul style="list-style-type: none"> ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>2.3.1 Three Flashes or Below Threshold (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.3.1 (Web) ● 10.2.3.1 (Non-web document) ● 11.2.3.1 (Open Functionality Software) ● 11.2.3.1(Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	The product does not have flashing content.
<p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.1 (Web) ● 10.2.4.1 (Non-web document) – Does not apply ● 11.2.4.1 (Open Functionality Software) – Does not apply ● 11.2.4.1 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 	Not applicable	The product does not have repeated blocks of content across multiple pages.

<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.2 (Web) ● 10.2.4.2 (Non-web document) ● 11.2.4.2 (Open Functionality Software) - Does not apply ● 11.2.4.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports</p>	<p>The product pages are titled to convey the meaning of the page</p>
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.3 (Web) ● 10.2.4.3 (Non-web document) ● 11.2.4.3 (Open Functionality Software) ● 11.2.4.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports with Exceptions</p>	<p>The product pages provide a focus order that is consistent with the visual order of the application. Please see WCAG 2.1.1 Keyboard for more information about keyboard accessibility support.</p>
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.4 (Web) ● 10.2.4.4 (Non-web document) ● 11.2.4.4 (Open Functionality Software) ● 11.2.4.4 (Closed Software) ● 11.8.2 (Authoring Tool) 	<p>Supports</p>	<p>The product provides links with clear text to allow the user to understand the purpose of each link. Aria-label attributes are used to describe when necessary.</p>

<ul style="list-style-type: none"> ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>2.5.1 Pointer Gestures (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.1 (Web) ● 10.2.5.1 (Non-web document) ● 11.2.5.1 (Open Functionality Software) ● 11.2.5.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports with Exceptions	<p>The product framework, such as toolbars and the document portals, do not require any pointer gestures in order to operate content.</p> <p>Exceptions Include:</p> <ul style="list-style-type: none"> ● By nature, pointer gestures are required to draw and edit shapes on the whiteboard canvas
<p>2.5.2 Pointer Cancellation (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.2 (Web) ● 10.2.5.2 (Non-web document) ● 11.2.5.2 (Open Functionality Software) ● 11.2.5.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	<p>By nature of drawing shapes, the product requires pointer gestures to execute a function on a down-event. Users can use the undo function to undo the function after completion.</p>
<p>2.5.3 Label in Name (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.3 (Web) ● 10.2.5.3 (Non-web document) ● 11.2.5.3 (Open Functionality Software) ● 11.2.5.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) 	Supports	<p>The product uses programmatic labels that match the visual label of elements.</p>

<ul style="list-style-type: none"> ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p>2.5.4 Motion Actuation (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.4 (Web) ● 10.2.5.4 (Non-web document) ● 11.2.5.4 (Open Functionality Software) ● 11.2.5.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	The product does not contain any functionality that is triggered by gestures or by moving a device.
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.1.1 (Web) ● 10.3.1.1 (Non-web document) ● 11.3.1.1.1 (Open Functionality Software) ● 11.3.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	The product supports the “lang” HTML tag to help assistive technologies identify the language of the page. Please note the product is not yet localized to other languages.
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.1 (Web) ● 10.3.2.1 (Non-web document) ● 11.3.2.1 (Open Functionality Software) ● 11.3.2.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) 	Supports	The product does not initiate changes of context upon the focusing of elements. This is ensured by activating changes of context on “activate” and not on “focus”.

<p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.2 (Web) ● 10.3.2.2 (Non-web document) ● 11.3.2.2 (Open Functionality Software) ● 11.3.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	The product frame does not initiate changes of context upon user input. However, by nature of live whiteboard collaboration, changes on the whiteboard are automatically saved upon user input.
<p>3.3.1 Error Identification (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.1 (Web) ● 10.3.3.1 (Non-web document) ● 11.3.3.1.1 (Open Functionality Software) ● 11.3.3.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	The product use form fields with automatic error detection and error messages. Client-side validation is used to add error text to the DOM.
<p>3.3.2 Labels or Instructions (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.2 (Web) ● 10.3.3.2 (Non-web document) 	Supports with Exceptions	The product uses visible form labels that are associated with form controls. Required fields are determined programmatically and identified with appropriate labels or legends. Exceptions Include:

<ul style="list-style-type: none">● 11.3.3.2 (Open Functionality Software)● 11.3.3.2 (Closed Software)● 11.8.2 (Authoring Tool)● 12.1.2 (Product Docs)● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none">● 501 (Web)(Software)● 504.2 (Authoring Tool)● 602.3 (Support Docs)		<ul style="list-style-type: none">● Commenting, revisions have unlabeled fields and elements (only applies to web-based whiteboard)
---	--	---

<p>4.1.1 Parsing (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.4.1.1 (Web) ● 10.4.1.1 (Non-web document) ● 11.4.1.1.1 (Open Functionality Software) ● 11.4.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports</p>	<p>The product uses HTML according to spec. Web pages are developed to ensure that ID attributes are unique, and that elements do not contain duplicate attributes.</p>
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.4.1.2 (Web) ● 10.4.1.2 (Non-web document) ● 11.4.1.2.1 (Open Functionality Software) ● 11.4.1.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports with Exceptions</p>	<p>Many of the elements in the product framework, such as toolbars and documents portal, provide the necessary role, state, and value information to assistive technologies.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> ● Elements on the whiteboard canvas can be focused by screen readers. Upon focus, elements provide basic information to screen readers. However, some other contextual information are not yet programmatically perceivable: <ul style="list-style-type: none"> ○ Tables and table cells can be perceived by screen readers. However, row and column information are not perceivable ○ Mind maps can be perceived by screen readers. However, the levels of each node and their spatial relationship to one another are not perceivable. ○ Screen readers can perceive the shape type, however, other information such as size, color, orientation, and location are not perceivable.

		<ul style="list-style-type: none"> There are a few elements in the comments and revisions interface that do not programmatically provide the name, role, value information.
--	--	--

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.4 (Web) 10.1.2.4 (Non-web document) 11.1.2.4 (Open Functionality Software) 11.1.2.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not applicable	The product does not contain live media.
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.5 (Web) 10.1.2.5 (Non-web document) 11.1.2.5 (Open Functionality Software) 11.1.2.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 	Not applicable	The product does not contain live media.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 602.3 (Support Docs) <p>1.3.4 Orientation (Level AA 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.4 (Web) ● 10.1.3.4 (Non-web document) ● 11.1.3.4 (Open Functionality Software) ● 11.1.3.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	The product does not restrict its view to a single display orientation
<p>1.3.5 Identify Input Purpose (Level AA 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.5 (Web) ● 10.1.3.4 (Non-web document) ● 11.1.3.5 (Open Functionality Software) ● 11.1.3.5 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Does not support	Form fields on the the product pages do not yet make use of the autocomplete attribute.
<p>1.4.3 Contrast (Minimum) (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.3 (Web) ● 10.1.4.3 (Non-web document) ● 11.1.4.3 (Open Functionality Software) ● 11.1.4.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) 	Supports	The product follows the minimal color contrast ratio for the text over the background.

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<u>1.4.4 Resize text</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.1.4.4 (Web) ● 10.1.4.4 (Non-web document) ● 11.1.4.4.1 (Open Functionality Software) ● 11.1.4.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports with Exceptions	The product web pages use frameworks that support the resizing of text. The The product desktop client interface must be resized using the operating system defined scaling options since it is contained within a native desktop application.
<u>1.4.5 Images of Text</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.1.4.5 (Web) ● 10.1.4.5 (Non-web document) ● 11.1.4.5.1 (Open Functionality Software) ● 11.1.4.5.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	The product uses text rather than images of text to present information.
<u>1.4.10 Reflow</u> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.1.4.10 (Web) 	Supports with Exceptions	The product framework, such as toolbars and document portals, do not require scrolling in two dimensions to present content without loss of information.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 10.1.4.10 (Non-web document) ● 11.1.4.10.1 (Open Functionality Software) ● 11.1.4.10.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		However, due to the nature of whiteboards, the whiteboard canvas may require two dimensional scrolling to perceive all the content.
<p>1.4.11 Non-text Contrast (Level AA 2.1 only)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.1.4.11 (Web) ● 10.1.4.11 (Non-web document) ● 11.1.4.11 (Open Functionality Software) ● 11.1.4.11 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	The product UI follows the 3:1 minimal contrast ratio for the visual presentation UI components against adjacent colors.
<p>1.4.12 Text Spacing (Level AA 2.1 only)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.1.4.12 (Web) ● 10.1.4.12 (Non-web document) ● 11.1.4.12 (Open Functionality Software) ● 11.1.4.12 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	The product webpages support spacing changes without the loss of content.
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 only)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.1.4.13 (Web) ● 10.1.4.13 (Non-web document) ● 11.1.4.13 (Open Functionality Software) ● 11.1.4.13 (Closed Software) 	Supports	The product utilizes content on hover or focus which are hoverable, and persistent.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
<p>2.4.5 Multiple Ways (Level AA)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.2.4.5 (Web) ● 10.2.4.5 (Non-web document) – Does not apply ● 11.2.4.5 (Open Functionality Software) – Does not apply ● 11.2.4.5 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	The product only contains a few pages, where links are provided in the home page
<p>2.4.6 Headings and Labels (Level AA)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.2.4.6 (Web) ● 10.2.4.6 (Non-web document) ● 11.2.4.6 (Open Functionality Software) ● 11.2.4.6 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	The product provides descriptive labels and headings all throughout to help users understand the content structure of pages.
<p>2.4.7 Focus Visible (Level AA)</p> Also applies to:	Supports with Exceptions	The product provides a visible focus indicator when elements receive keyboard focus. Please see WCAG 2.1.1 Keyboard for more information about keyboard accessibility support.

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.2.4.7 (Web) ● 10.2.4.7 (Non-web document) ● 11.2.4.7 (Open Functionality Software) ● 11.2.4.7 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.3.1.2 (Web) ● 10.3.1.2 (Non-web document) ● 11.3.1.2 (Open Functionality Software) – Does not apply ● 11.3.1.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	The product support the HTML language attribute.
3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.3.2.3 (Web) ● 10.3.2.3 (Non-web document) – Does not apply ● 11.3.2.3 (Open Functionality Software) – Does not apply ● 11.3.2.3 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) 	Supports	The product pages have navigation bars that provide a list of links to reach other pages.

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 		
3.2.4 Consistent Identification (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.3.2.4 (Web) ● 10.3.2.4 (Non-web document) – Does not apply ● 11.3.2.4 (Open Functionality Software) – Does not apply ● 11.3.2.4 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	The product is designed with product component and visual style uniformity in mind.
3.3.3 Error Suggestion (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.3.3.3 (Web) ● 10.3.3.3 (Non-web document) ● 11.3.3.3 (Open Functionality Software) ● 11.3.3.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	The product uses form fields with automatic error detection and error descriptions.
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.3.3.4 (Web) 	Supports	The product identifies input errors for financial transactions.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 10.3.3.4 (Non-web document) ● 11.3.3.4 (Open Functionality Software) ● 11.3.3.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>4.1.3 Status Messages (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.4.1.3 (Web) ● 10.4.1.3 (Non-web document) – Does not apply ● 11.4.1.3 (Open Functionality Software) – Does not apply ● 11.4.1.3 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	The product utilizes some alerts with the “role=alert” attributes to make the status message programmatically available to assistive technologies.