

POLAR[®]



POLAR
V650

V650

.....	2
.....	6
Polar V650	6
.....	6
V650	6
USB	6
Bluetooth® Smart *	6
Polar FlowSync	7
Polar Flow	7
V650	7
Polar Flow	7
.....	8
.....	9
.....	9
.....	9
.....	10
.....	11
V650	12
.....	13
.....	13
.....	13
.....	14
GPS	14
.....	14
.....	14
.....	14
.....	14
PIN	15
.....	15
.....	16
.....	16
V650	16
.....	16
.....	17
.....	17
.....	17
.....	17
.....	17
GPS	17
.....	18
.....	18
.....	18

.....	40
.....	40
.....	41
GPS	41
.....	41
.....	41
.....	41
.....	42
.....	42
.....	44
V650	44
.....	45
Strava Live Segments®	45
Strava Live Segments Strava.com Polar Flow	45
Strava Live Segments Polar Flow V650	46
Polar V650 Strava Live Segments®	46
Strava Live Segments	47
.....	50
Smart Coaching	51
Polar	51
.....	53
.....	53
.....	55
Polar Flow	56
Polar Flow	57
.....	58
FlowSync Flow	58
Flow	58
V650	60
Polar V650	60
.....	60
Bluetooth® Smart	60
Bluetooth® Smart	60
.....	61
.....	61
.....	62
.....	62
.....	62
H6	62
H10	63
.....	64
.....	64
.....	64
-	65
.....	65
Polar V650	65

	66
Polar FlowSync	67
Polar Flow	67
Polar	67
Polar	68
	69
	69

POLAR V650

V650

V650

www.polar.com/en/support/v650



V650

USB

USB

FlowSync

V650

Polar Flow

BLUETOOTH® SMART

*

V650

*

V650

V650

POLAR FLOWSYNC

Flowsync

flow.polar.com/start

USB

Polar FlowSync

V650

Flow

POLAR FLOW

polar.com/flow

V650

Polar Flow

V650

Flow

V650

Polar Flow

POLAR FLOW

1. flow.polar.com/start Polar FlowSync V650
Flow
- 2.
3. FlowSync Polar
4. V650
5. USB V650 USB USB
6. Flow Polar ()
Smart Coaching
7. FlowSync V650 V650
FlowSync



Polar Flow

Dansk() **Deutsch**() **English**()
Español() **Français**() **Italiano**() **Nederlands**() **Norsk**
() Polski() **Português**() **Русский**() **Suomi**()
Svenska()

V650 USB V650 USB USB
 V650 V650

1.) Español() Français() Dansk() Deutsch() English() Italiano() Nederlands() Norsk() Português () Suomi () Svenska()



2. (kg/cm) (lb/ft)
3. GPS V650 GPS (UTC)
4. 12 UTC 12 /24 (1) AM PM



- 5.
- 6.
- 7.
- 8.
- 9.
10. V650



V650

USB

USB

V650

- 1.
- 2.
- 3.
- 4.

USB

USB

)

USB

USB

(

"output 5Vdc"

5V)

500mA

USB

(

"LPS" "Limited Power

Supply"

)

"UL listed"(UL

)

"CE"



9

Polar

9

Polar

10

V650



- 1.
- 2.
- 3.
- 4.

Strava LiveSegments®

Flow

"

"



V650

Strava

- 5.
- 6.



V650

(1)

-
-
-
-
-

V650

(2)



/



V650

V650

V650

Bluetooth Smart ®

V650



>

•

•

•

GPS

•

•

•

•

• **Pin**

•

•

•

•

V650



()

V650

V650

V650

V650



1. > > >

2.

(450 x 450)



V650

FlowSync

V650

Flow

/

GPS

V650

GPS

UTC

(UTC)

(GPS)



12

12 / 24 ()
AM PM

Dansk Deutsch English Español Français Italiano Nederlands Norsk Português
Suomi, Svenska

PIN

V650 PIN

PIN

PIN



V650

PIN



PIN

V650

V650


1. V650 USB Polar FlowSync Polar FlowSync
Polar Flow
- 2.
3. Polar Flow (flow.polar.com/V650)


V650

*

V650

*





15

/ 15
)

(V650

V650

V650 ID

>

-
-
-
-
-
-
-

(GPS)

-
-
-
-

()



- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.

1 2 3 4 5 6

()



1-5

%() bpm()

km/h min/km

GPS

GPS /

/



- (W) / (W/kg) FTP
- FTP (W) FTP 60 600
- 3 10 30
- 1-99
-

>

1 2 3 4

()

()



1

4

2

(ETRTO)



ETRTO	()	()
25-559	26 x 1.0	1884
23-571	650 x 23C	1909
35-559	26 x 1.50	1947
37-622	700 x 35C	1958
47-559	26 x 1.95	2022
20-622	700 x 20C	2051
52-559	26 x 2.0	2054

ETRTO	()	()
23-622	700 x 23C	2070
25-622	700 x 25C	2080
28-622	700 x 28	2101
32-622	700 x 32C	2126
42-622	700 x 40C	2189
47-622	700 x 47C	2220
55-622	29 x 2.2	2282
55-584	27.5 x 2.2	2124



Polar

>

-
-
-
-
-
-
- **VO2max**



()

(220-)

HR_{max}
 HR_{max}

HR_{max}

HR_{max}

(HR_{rest})

30 bpm

HR_{rest}

HR_{rest} HR_{rest}
60-80 bpm

VO2 MAX

VO2max: ($VO2_{max}$)

$VO2_{max}$

($VO2$)

$VO2_{max}$ ()

VO_{2max}) (VO_{2max} Polar

VO_{2max} (ml/min = ml ■ min-1)
(ml/kg/min = ml ■ kg-1 ■ min-1)

, (VO₂) (HR)
VO_{2max} HR_{max} %HR_{max} =
(%VO_{2max} + 28.12)/1.28

VO_{2max}

V650 USB FlowSync V650 USB
V650 FlowSync

V650

V650

- Flow
- FlowSync
- Flow V650

flow.polar.com/start Polar Flow Polar FlowSync

1. USB V650
2. FlowSync
- 3.
4. V650

V650 Flow

Polar	Bluetooth® Smart	23
	V650	23
Polar	Bluetooth® Smart	23
	V650	23
Polar	Bluetooth® Smart	24
	V650	24

POLAR

BLUETOOTH® SMART

Polar
V650

()

V650

1. _____ > > >
2. V650
- 3.

POLAR

BLUETOOTH® SMART

-
-
-

V650

1. > > V650

2.



30

3. V650

V650

4.

5.

1

2

3

4

6.



V650

V650

POLAR

BLUETOOTH® SMART



V650

1. > > V650

2.



30

3. V650

V650

4.

5.

1

2

3

4



V650

V650

Polar

1. /


2. POLAR

3. O /




4. V650

V650



- 1.
- 2.
- 3.
- 4.


Polar



			1	2	3
4					
	V650	(GPS) V650		GPS	
GPS		V650	30	60	
		GPS			

V650
GPS

V650



1. (GPS)
- 2.
- 3.
- 4.
- 5.



V650

()

V650

Flow

V650



V650



-
-
-

V650



-

)

> (

-

-
-
-


()

V650



)

(



$1/2, 1/4, 1/8$	
$1/2, 1/4, 1/8$	
$1/2, 1/4, 1/8$	

$1/2, 1/4, 1/8$	
$1/2$  , $1/4$ 	
	/

1/2,1/4,1/8	
1/1  , 1/2 	
1/2,1/4,1/8	
1/2,1/4,1/8	/
1/2,1/4  , 1/8	%
1/1 	<p>V650</p> <p>1/8</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p> <p>•</p>
1/1 	<p>Flow</p> <p>•</p>

	<ul style="list-style-type: none"> • • •
--	---

1/2,1/4,1/8	
1/2,1/4,1/8	(BPM) (%)
1/1  , 1/2 	
1/2  , 1/4 	
1/2,1/4,1/8	
1/2,1/4,1/8	

1/2,1/4,1/8	
1/2,1/4,1/8	

1/2,1/4,1/8	
1/2,1/4,1/8	

/ 1/2,1/4,1/8	(km/h mph)
/	(km/h mph)

1/2,1/4,1/8	
/ 1/2  , 1/4 	(km/h mph)
VAM 1/2,1/4,1/8	/

1/2,1/4,1/8	
1/2,1/4,1/8	
1/2,1/4,1/8	




%(_____)

W() W/kg(/) FTP

1/2,1/4,1/8	
1/2,1/4,1/8	

1/2,1/4,1/8	
1/2,1/4,1/8	
1/2,1/4,1/8	
1/1  , 1/2 	
1/2  , 1/4 	
1/2,1/4,1/8	
1/2,1/4,1/8	
/ 1/2  , 1/4  , 1/8	(%)
/	(%)

<p>1/2 , 1/4 , 1/8</p>	
<p>/</p> <p>1/2 , 1/4 , 1/8</p>	
 <p>1/2 </p>	<p>•</p> <p>•</p>
<p>1/1 </p>	<p>•</p> <p>•</p> <p>•</p> <p>(%)</p> <p>Kéo Power Essential Bluetooth® Smart()</p> <p>•</p> <p>•</p> <p>/3 10 30 1-99()</p> <p>•</p> <p>•</p> <p>•</p>
<p>1/2, 1/4, 1/8</p>	<p>()</p>

1/2,1/4,1/8	()
NP NP	NORMALIZED POWER (NP)
IF IF	INTENSITY FACTOR (IF) IF
TSS TSS	TRAINING STRESS SCORE (TSS)

/



/

V650

GPS

- " "
- V650
-
- V650



V650



GPS

GPS



•
•
①

V650

>

V650

>

-
-

USB

FlowSync

Polar Flow

>

-
-
-
-
-

1

2

3

4



GPS

V650

GPS

V650

GPS

Flow

-
-
-
-

V650

V650

(/)

-
-
-
-

GPS

VAM(

)

()

V650

()

6



1.2
V650

“OpenStreetMap”

>

() /

(1 2 3 4 5

6)



> >

(450 x 450)

-
-
-
-

V650

FlowSync

V650


Flow

/




()





Flow

V650



-
-
-
-

STRAVA LIVE SEGMENTS®

Strava Live Segments

[Strava.com](https://www.strava.com)

Strava

Strava

/

(KOM/QOM)

Strava Premium		Polar V650	Strava Live Segments®
V650	60	Strava Premium	
Strava Premium		V650	Flow
Strava Premium			

STRAVA LIVE SEGMENTS

STRAVA.COM

POLAR FLOW

- Polar Flow Polar Flow Strava Polar Flow

Polar Flow > > **Strava** >

Polar Flow > > **Strava**()
- Strava.com Polar Flow

Star	Category	Name	Location
★	1	Muro di Sormano Climb	Sormano, Lombardy, Italy
★	3	Muro Di Sormano	



Strava.com
V650


Strava Live
V650

V650
Strava Live Segments

3
Polar Flow

- 3. Polar Flow
Polar Flow

Strava Live Segments



STRAVA LIVE SEGMENTS

POLAR FLOW

V650

FlowSync	USB	Polar Flow	V650
Polar Flow		Strava.com	Strava Live Segments
20 "	"	V650	
V650	20 "	Flow	"
"	20	V650	20 "
		"	"

POLAR V650

STRAVA LIVE SEGMENTS®

- 1. Strava Live Segments V650
- 2. Strava Live Segments
- 3. (PR) KOM/QOM
- 4. Strava Live Segments



STRAVA LIVE SEGMENTS

1. GPS () V650
Strava segments® ()



2. Strava V650



3.

(PR)

V650



4. Strava Live Segment

V650

Strava segment



KOM/QOM

()

/ PR /

5.

V650

PR

KOM/QOM



V650

[Strava.com](https://www.strava.com)

Strava Segments

[Strava](https://www.strava.com)

Strava Live Segments Strava, Inc.

V650 1.5.4

V650

NORMALIZED POWER® (NP®) INTENSITY FACTOR® (IF®) TRAINING STRESS SCORE® (TSS®)

• **NORMALIZED POWER (NP)**

• **INTENSITY FACTOR (IF)**

IF

• **TRAINING STRESS SCORE (TSS)**

TRAINING STRESS SCORE

Polar

V650

>

SMART COACHING

Smart Coaching

V650 Smart Coaching

- Polar
-
- V650


POLAR

Polar

	%* bpm		
	90-100% 171-190 bpm	5	
	80-90% 152-172 bpm	2-10	

	%* bpm		
			
	70-80% 133-152 bpm	10-40	
	60-70% 114-133 bpm	40-80	
	50-60% 104-114 bpm	20-40	

HRmax = (220 -) 30 220-30=190 bpm



-
-
-
-
-
-

(HR_{max})

(HR_{rest})

(VO_{2max})



V650 VO_{2max} HR_{max} ()

10

Maximum training+()	
Maximum training()	
Maximum & Tempo training()	
Tempo & Maximum training()	
Tempo training+()	
Tempo training()	
Tempo & Steady state training()	
Steady state & Tempo training()	
Steady state training+()	
Steady state training()	
Steady state & Basic training, long(())	
Steady state & Basic training()	
Basic & Steady state training, long(())	
Basic & Steady state training()	
Basic training, long(())	
Basic training()	
Recovery training()	

Polar Flow

“ ”

Polar Flow

()

POLAR FLOW

Polar Flow

Flow



Polar

Flow

flow.polar.com/start

Polar

Flow

polarpersonaltrainer.com

FlowSync

V650

Flow

“ ”

“ ”

“ ”

“ ”



Flow

www.polar.com/en/support/flow

POLAR FLOW

Polar Flow

Flow

V650

Flow

Polar V650

iOS

Android

Polar Flow

3.0

USB

V650
V650

1.4.5

Polar FlowSync

Flow

Flow

-
-
-
-
-
-
-
-
-

/

%



Flow

flow.polar.com/start

V650

Flow

V650

V650

V650

Flow

Polar Flow

Flow

App Store

Google Play

www.polar.com/en/support/Flow_app

V650

V650

Flow

FlowSync USB V650 Polar Flow
Bluetooth Smart® V650 Flow
Polar FlowSync flow.polar.com/start Polar Flow
Polar FlowSync App Store Google Play
Flow

V650

FLOWSYNC FLOW

Flow
flow.polar.com/start

FlowSync

1. USB USB
2. FlowSync
3. FlowSync
- 4.

V650 Polar FlowSync Polar Flow
(Mac OS X) FlowSync FlowSync (Windows)

V650 Flow V650 FlowSync
V650



FlowSync

www.polar.com/en/support/FlowSync

FLOW

- Polar Flow
- Flow V650 FlowSync
-

iOs

1. Polar Flow
2. V650
3. **iOS** **Android** **iOS**
4. V650

Android

1. Polar Flow
2. Android Flow Polar Flow
3. V650 > V650 V650
4. **iOS** **Android** **Android**
- 5.
6. V650 V650 PIN **XXXXXX** V650
7. V650



Flow

V650

Flow

> **V650** iOS / Android

Polar Flow

www.polar.com/en/support/Flow_app

V650

Polar V650

POLAR V650

) (

USB /



GPS

()

USB

USB



BLUETOOTH® SMART
BLUETOOTH® SMART

()

()

V650

()

V650

/

Polar

Polar Electro

Polar

Polar

www.polar.com/support



Polar

Polar

polarpersonaltrainer.com Polar

Polar V650

300

Polar

Polar *Bluetooth Smart*®

Bluetooth Smart®

Bluetooth Smart®

Polar

Polar

Polar

/

www.shoppolar.com

/

Polar

Polar

H6

1.

2.


()

3.

(CR 2025)

(-)

4.



H10

- 1.
- 2.
3. (CR2025) (+)
- 4.



WLAN

(LED)

- 1.
- 2.
- 3.

support.polar.com/zh-hans

“ ”


- 5
-
-
-
-
-
-
-
-

Polar

Polar

Polar

Polar



-

Polar

(H10 H9)

2

POLAR V650

	1900 mAh
	10
	-20 °C +50 °C / -4 °F 122 °F
V650	- (ABS) (PC) Asahi Dragontrail () (PA)
	(POM)
	25 °C / 77 °F ± 0.5 /

Bluetooth® Smart

POLAR FLOWSYNC

FlowSync

USB

Microsoft Windows Mac

support.polar.com

POLAR FLOW

support.polar.com

POLAR

Polar

Polar

Polar Polar
Polar ISO 22810 IEC60529 Polar
Polar Polar

			()	()	
IPX7	-	-	-	-	IEC60529
IPX8			-	-	IEC60529

20/30/50			-	-	ISO22810
100 ()				-	ISO22810

POLAR

- Polar Electro Oy Polar
Polar Electro, Inc.
- Polar Electro Oy/Polar Electro Inc. Polar /
(2)
(1)
- () Polar /
-
-
- / Polar Central Service
- Polar Electro Oy/Inc. /
-
- Polar Electro Oy/Inc. /

Polar Electro Oy, Professorintie 5, FI-90440 KEMPELE www.polar.com

Polar Electro Oy ISO 9001:2015

© 2021 Polar Electro Oy, FI-90440 KEMPELE

Polar Electro Oy

® Polar Electro Oy Windows Microsoft Corporation
 Mac OS Apple Inc Bluetooth® Bluetooth SIG Inc.
 Polar Electro Oy

	<p>2014/53/EU, 2011/65/EU 2015/863/EU www.polar.com/zh-hans/regulatory_information</p>
 	<p>(WEEE) 2006 9 Polar</p> <p>Polar 2012/19/EU /</p> <p>2006/66/EC Polar</p>

V650

>

>

V650

•

•

Polar Electro Inc./Polar Electro Oy

•

Polar Electro Inc./Polar Electro Oy

Polar Electro Oy

Professorintie 5

FI-90440 KEMPELE

+358 8 5202 100

+358 8 5202 300

www.polar.com

1.6 CHNS 10/2019