



1
2
3
4

Document Number: DSP0257

Date: 2022-01-01

Version: 1.0.1

5
6

Platform Level Data Model (PLDM) for FRU Data Specification

7
8
9
10
11
12

Supersedes: 1.0.0

Document Type: Specification

Document Status: DMTF Standard

Document Language: en-US

13 Copyright notice

14 Copyright © 2011, 2022 Distributed Management Task Force, Inc. (DMTF). All rights reserved.

15 DMTF is a not-for-profit association of industry members dedicated to promoting enterprise and systems
16 management and interoperability. Members and non-members may reproduce DMTF specifications and
17 documents, provided that correct attribution is given. As DMTF specifications may be revised from time to
18 time, the particular version and release date should always be noted.

19 Implementation of certain elements of this standard or proposed standard may be subject to third party
20 patent rights, including provisional patent rights (herein "patent rights"). DMTF makes no representations
21 to users of the standard as to the existence of such rights, and is not responsible to recognize, disclose,
22 or identify any or all such third party patent right, owners or claimants, nor for any incomplete or
23 inaccurate identification or disclosure of such rights, owners or claimants. DMTF shall have no liability to
24 any party, in any manner or circumstance, under any legal theory whatsoever, for failure to recognize,
25 disclose, or identify any such third party patent rights, or for such party's reliance on the standard or
26 incorporation thereof in its product, protocols or testing procedures. DMTF shall have no liability to any
27 party implementing such standard, whether such implementation is foreseeable or not, nor to any patent
28 owner or claimant, and shall have no liability or responsibility for costs or losses incurred if a standard is
29 withdrawn or modified after publication, and shall be indemnified and held harmless by any party
30 implementing the standard from any and all claims of infringement by a patent owner for such
31 implementations.

32 For information about patents held by third-parties which have notified the DMTF that, in their opinion,
33 such patent may relate to or impact implementations of DMTF standards, visit
34 <http://www.dmtf.org/about/policies/disclosures.php>.

35 PCI-SIG, PCIe, and the PCI HOT PLUG design mark are registered trademarks or service marks of PCI-
36 SIG.

37 All other marks and brands are the property of their respective owners.

38

CONTENTS

39 Foreword 5
 40 Introduction 6
 41 Document conventions 6
 42 1 Scope 7
 43 2 Normative references 7
 44 3 Terms and definitions 8
 45 4 Symbols and abbreviated terms 8
 46 5 Conventions 9
 47 6 PLDM for FRU Data version 9
 48 7 PLDM for FRU record data format 9
 49 7.1 FRU Record Set Identifier 9
 50 7.2 FRU Record Type 9
 51 7.3 Number of FRU fields 9
 52 7.4 FRU Encoding Types 9
 53 7.5 FRU Field Type, Length, and Value 10
 54 8 FRU Record Set PDR 12
 55 9 PLDM for FRU Data Transfer 12
 56 9.1 PLDM Representation of FRU Record Data 12
 57 9.2 PLDM Commands for FRU Data Transfer 14
 58 10 PLDM for FRU Data Transfer Examples 17
 59 10.1 Multipart Transfers 18
 60 10.2 FRU Record Table Transfer between Endpoints Example 18
 61 10.3 GetFRURecordByOption Examples 19
 62 ANNEX A (informative) Notation and conventions 23
 63 ANNEX B (informative) Change log 24
 64

65 Tables

66 Table 1 – PLDM FRU Data Types 9
 67 Table 2 – PLDM FRU Record Data Format 10
 68 Table 3 – PLDM FRU Record Data Table Format 11
 69 Table 4 – FRU Record Types 11
 70 Table 5 – General FRU Record Field Types 11
 71 Table 6 – OEM FRU Record Field Types 12
 72 Table 7 – PLDM Representation of FRU Record Data 13
 73 Table 8 – PLDM for FRU Data Transfer Command Codes 14
 74 Table 9 – GetFRURecordTableMetadata Command Format 14
 75 Table 10 – GetFRURecordTable Command Format 15
 76 Table 11 – SetFRURecordTable Command Format 16
 77 Table 12 – GetFRURecordByOption Command Format 17
 78 Table 13 – Sample FRU Record Table 19
 79 Table 14 – Get FRU Record Set Identifier Response Data (Example 1) 20
 80 Table 15 – Get FRU Record Type Response Data (Example 2) 21
 81 Table 16 – Get FRU Field Type Response Data (Example 3) 22
 82

83 **Figures**

84 Figure 1 – Multipart FRU Record Table transfer using the GetFRURecordTable Command..... 18

85 Figure 2 – Example of FRU Record Table transfer using the SetFRURecordTable Command..... 19

86

87

Foreword

88 The Platform Management Components Intercommunications (PMCI) Working Group of the DMTF
89 prepared the *Platform Level Data Model (PLDM) for FRU Data Specification* (DSP0257).

90 DMTF is a not-for-profit association of industry members dedicated to promoting enterprise and systems
91 management and interoperability. For information about the DMTF, see <http://www.dmtf.org>.

92 **Acknowledgments**

93 The DMTF acknowledges the following individuals for their contributions to this document:

94 **Editors**

- 95 • Phil Chidester – Dell Technologies
- 96 • Eliel Louzoun – Intel Corp.

97 **Contributors**

- 98 • Alan Berenbaum – SMSC
- 99 • Bob Stevens – Dell Technologies
- 100 • Hoan Do – Broadcom Inc.
- 101 • Ed Klodnicki – IBM
- 102 • John Leung – Intel Corporation
- 103 • Hemal Shah – Broadcom Inc.
- 104 • Tom Slaight – Intel Corporation

105

Introduction

106 The *Platform Level Data Model (PLDM) FRU Data Specification* defines messages, data structures, and
107 data types used for FRU (Field Replaceable Unit) Data access and representation. FRU Data typically
108 includes the serial number, part number and manufacturer for a field replaceable unit.

109 Document conventions

110 Typographical conventions

111 The following typographical conventions are used in this document:

- 112 • Document titles are marked in *italics*.
- 113 • Important terms that are used for the first time are marked in *italics*.
- 114 • Terms include a link to the term definition in the [Terms and definitions](#) clause, enabling easy
115 navigation to the term definition.
- 116 • ABNF rules are in `monospaced font`.

117 ABNF usage conventions

118 Format definitions in this document are specified using ABNF (see [RFC5234](#)), with the following
119 deviations:

- 120 • Literal strings are to be interpreted as case-sensitive Unicode characters, as opposed to the
121 definition in [RFC5234](#) that interprets literal strings as case-insensitive US-ASCII characters.

122 Reserved and unassigned values

123 Unless otherwise specified, any reserved, unspecified, or unassigned values in enumerations or other
124 numeric ranges are reserved for future definition by the DMTF.

125 Unless otherwise specified, numeric or bit fields that are designated as reserved shall be written as 0
126 (zero) and ignored when read.

127 Other Conventions

128 See **Error! Reference source not found.** for other conventions.

129 Platform Level Data Model (PLDM) for FRU Data Specification

130 1 Scope

131 DSP0257, *Platform Level Data Model for FRU Data Specification*, defines a FRU data format that
132 provides platform asset information including part number, serial number and manufacturer. The FRU
133 Record Table typically resides in a non-volatile memory accessible by the management controller and
134 contains one or more FRU records. This document describes Platform Level Data Model (PLDM) data
135 structures and commands for transferring FRU data between the components of a platform management
136 subsystem.

137 This document meets the following objectives:

- 138 • Specifies PLDM representations of FRU Record Table and FRU Record Data Format
- 139 • Specifies a set of commands for transferring FRU record data information

140 2 Normative references

141 The following referenced documents are indispensable for the application of this document. For dated or
142 versioned references, only the edition cited (including any corrigenda or DMTF update versions) applies.
143 For references without a date or version, the latest published edition of the referenced document
144 (including any corrigenda or DMTF update versions) applies.

145 ANSI/IEEE Standard 754-1985, *Standard for Binary Floating Point Arithmetic*

146 DMTF DSP0240, *Platform Level Data Model (PLDM) Base Specification 1.2*
147 http://www.dmtf.org/sites/default/files/standards/documents/DSP0240_1.2.pdf

148 DMTF DSP0245, *Platform Level Data Model (PLDM) IDs and Codes Specification 1.0*,
149 http://www.dmtf.org/standards/published_documents/DSP0245_1.0.pdf

150 DMTF DSP0248, *Platform Level Data Model (PLDM) for Platform Monitoring and Control Specification*
151 *1.0*, http://www.dmtf.org/sites/default/files/standards/documents/DSP0248_1.2.pdf

152 IETF RFC2781, *UTF-16, an encoding of ISO 10646*, February 2000, <http://www.ietf.org/rfc/rfc2781.txt>

153 IETF RFC3629, *UTF-8, a transformation format of ISO 10646*, November 2003,
154 <http://www.ietf.org/rfc/rfc3629.txt>

155 IETF RFC4122, *A Universally Unique Identifier (UUID) URN Namespace*, July 2005,
156 <http://www.ietf.org/rfc/rfc4122.txt>

157 IETF RFC4646, *Tags for Identifying Languages*, September 2006, <http://www.ietf.org/rfc/rfc4646.txt>

158 IETF RFC5234, *Augmented BNF for Syntax Specifications: ABNF*,
159 <https://datatracker.ietf.org/doc/html/rfc5234>

160 ISO 8859-1, *Final Text of DIS 8859-1, 8-bit single-byte coded graphic character sets -- Part 1: Latin*
161 *alphabet No. 1*, February 1998

162 ISO/IEC Directives, Part 2, *Rules for the structure and drafting of International Standards*,
163 <http://isotc.iso.org/livelink/livelink.exe?func=ll&objId=4230456&objAction=browse&sort=subtype>

164 3 Terms and definitions

165 In this document, some terms have a specific meaning beyond the normal English meaning. Those terms
166 are defined in this clause.

167 The terms "shall" ("required"), "shall not," "should" ("recommended"), "should not" ("not recommended"),
168 "may," "need not" ("not required"), "can" and "cannot" in this document are to be interpreted as described
169 in [ISO/IEC Directives, Part 2](#), Annex H. The terms in parenthesis are alternatives for the preceding term,
170 for use in exceptional cases when the preceding term cannot be used for linguistic reasons. Note that
171 [ISO/IEC Directives, Part 2](#), Annex H specifies additional alternatives. Occurrences of such additional
172 alternatives shall be interpreted in their normal English meaning.

173 The terms "clause," "subclause," "paragraph," and "annex" in this document are to be interpreted as
174 described in [ISO/IEC Directives, Part 2](#), Clause 5.

175 The terms "normative" and "informative" in this document are to be interpreted as described in [ISO/IEC](#)
176 [Directives, Part 2](#), Clause 3. In this document, clauses, subclauses, or annexes labeled "(informative)" do
177 not contain normative content. Notes and examples are always informative elements.

178 See [DSP0240](#) for terms and definitions that are used across the PLDM specifications. For the purposes
179 of this document, the following additional terms and definitions apply.

180 3.1

181 Platform Descriptor Record

182 PDR

183 A set of data that is used to provide semantic information about sensors, effecters, monitored or controller
184 entities, and functions and services within a PLDM implementation

185 **Note 1 to entry:** PDRs are mostly used to support PLDM monitoring and control and platform events. This
186 information also describes the relationships (associations) between sensor and control functions, the physical or
187 logical entities that are being monitored or controlled, and the semantic information associated with those elements.

188 4 Symbols and abbreviated terms

189 See [DSP0240](#) for symbols and abbreviated terms that are used across the PLDM specifications. For the
190 purposes of this document, the following additional symbols and abbreviated terms apply.

191 4.1

192 CIM

193 Common Information Model

194 4.2

195 EID

196 Endpoint ID

197 4.3

198 FRU

199 Field Replaceable Unit

200 4.4

201 IANA

202 Internet Assigned Numbers Authority

203 5 Conventions

204 See [DSP0240](#) for conventions, notations, and data types that are used across the PLDM specifications.
 205 The data types listed in Table 1 are also defined for use in this specification.

206 **Table 1 – PLDM FRU Data Types**

Data type	Interpretation
ASCII	Characters are encoded using the 8-bit ISO8859-1 "ASCII + Latin1" character set encoding. ASCII strings are limited to a maximum of 255 bytes.
UTF-8	UTF-8 encoded string per RFC3629. UTF-8 defines a variable length for Unicode encoded characters where each individual character may require one to four bytes. UTF-8 encoded unicode strings are limited to a maximum of 255 bytes.
UTF-16	UTF-16 encoded string with Byte Order Mark (BOM) per RFC2781. UTF-16 defines an encoding for Unicode characters where each individual character requires two bytes. UTF-16 encoded unicode strings are limited to a maximum of 255 bytes.
UTF-16LE	UTF-16, "little endian" encoded string per RFC2781. UTF-16LE defines an encoding for Unicode characters where each individual character requires two bytes. UTF16LE encoded unicode strings are limited to a maximum of 255 bytes.
UTF-16BE	UTF-16, "big-endian" encoded string per RFC2781. UTF-16BE defines an encoding for Unicode characters where each individual character requires two bytes. UTF16BE encoded unicode strings are limited to a maximum of 255 bytes.

207 6 PLDM for FRU Data version

208 The version of this *Platform Level Data Model (PLDM) for FRU Data Specification* shall be 1.0.0 (major
 209 version number 1, minor version number 0, update version number 0, and no alpha version).

210 For the GetPLDMVersion command described in [DSP0240](#), the version of this specification is reported
 211 using the encoding as 0xF1F0F000.

212 7 PLDM for FRU record data format

213 All PLDM FRU record data is represented by the fields in the following subclauses.

214 7.1 FRU Record Set Identifier

215 The FRU Record Set Identifier is a unique number that identifies the FRU record set.

216 7.2 FRU Record Type

217 The FRU Record Type identifies the FRU record and is defined in Table 4.

218 7.3 Number of FRU fields

219 The Number of FRU fields indicated the number of fields that are included in a FRU record.

220 7.4 FRU Encoding Types

221 String values types for a specific FRU record are defined in the Encoding Type field of the FRU. The
 222 Encoding Type shall apply for all FRU fields in a FRU Record with a sting format. The FRU Encoding
 223 Types are defined in Table 2.

224 All strings shall be preceded by a length variable where a length of zero indicates that the field is not used
 225 in this specific FRU. String lengths shall be in bytes. Strings are not null terminated and are limited to a
 226 255-byte size. FRU record set identifiers and their associated record types shall be contiguous in the
 227 table.

228 7.5 FRU Field Type, Length, and Value

229 All FRU fields are defined by a Type, Length and Value (TLV). The Type is defined in Table 5, which also
 230 defines the Field format and length ranges. The Field Value is defined by the manufacturer.

231 Table 2 specifies the data format for the PLDM FRU record.

232 **Table 2 – PLDM FRU Record Data Format**

Size	Type	Field
2 bytes	uint16	FRU Record Set Identifier
1 byte	uint8	FRU Record Type
1 byte	uint8	Number of FRU fields
1 byte	uint8	Encoding Type for FRU fields 0 = Unspecified 1 = ASCII 2 = UTF8 3 = UTF16 4 = UTF16-LE 5 = UTF16-BE 6-255 = reserved
1 byte	uint8	FRU Field Type #1
1 byte	uint8	FRU Field Length #1
Up to 255 bytes (see Table 5)	Determined by FRU Field Type (see Table 5)	FRU Field #1 Value
1 byte	uint8	FRU Field #2 Type
1 byte	uint8	FRU Field #2 Length
Up to 255 bytes (see Table 5)	Determined by FRU Field Type / Length (see Table 5)	FRU Field #2 Value
....
1 byte	uint8	FRU Field #n Type
1 byte	uint8	FRU Field #n Length
Up to 255 bytes (see Table 5)	Determined by FRU Field Type / Length (see Table 5)	FRU Field #n Value

233
234

235 Table 3 specifies the data table format for the PLDM FRU record.

236 **Table 3 – PLDM FRU Record Data Table Format**

Field
FRU Record Data #1 (See Table 2)
FRU Record Data #2
FRU Record Data #3
....
FRU Record Data #n

237 Table 4 defines the FRU record types.

238 **Table 4 – FRU Record Types**

Record type	Description
0	Reserved
1	General FRU Record
2 – 253	Reserved
254	OEM FRU Record
255	Reserved

239 Table 5 defines the General FRU record field types.

240 **Table 5 – General FRU Record Field Types**

Field type number	Field type description	Field format	Length
0	Reserved	N/A	N/A
1	Chassis Type	String	1-255 bytes
2	Model	String	1-255 bytes
3	Part Number	String	
4	Serial Number	String	
5	Manufacturer	String	
6	Manufacture Date	Timestamp ¹⁰⁴	13 bytes
7	Vendor	String	
8	Name	String	
9	SKU	String	
10	Version	String	
11	Asset Tag	String	
12	Description	String	
13	Engineering Change Level	String	
14	Other Information	String	

Field type number	Field type description	Field format	Length
15	Vendor IANA	uint32	4 bytes
16 – 255	Reserved	N/A	

241 Table 6 defines the OEM FRU record field types.

242 When the record type is set to $OEM = 254$, that record shall contain one field of field type 1 that contains
243 the vendor IANA. The OEM defines the other field types, 2 to 254.

244

Table 6 – OEM FRU Record Field Types

Field type number	Field type description	Field format
0	Reserved	N/A
1	Vendor IANA	uint32
2 to 254	OEM specific field types	OEM specific
255	Reserved	N/A

245 8 FRU Record Set PDR

246 The FRU Record Set PDR is used to describe characteristics of the PLDM FRU Record Set Data. The
247 information can be used to locate a Terminus that holds FRU Record Set Data in order to access that
248 data. The PDR also identifies the particular Entity that is associated with the FRU information.

249 The FRU Record Set PDR is defined in [DSP0248](#).

250 9 PLDM for FRU Data Transfer

251 This clause defines the data representations and PLDM commands for FRU data transfer.

252 9.1 PLDM Representation of FRU Record Data

253 In the PLDM messages for FRU data transfers, the FRU Record Data representation, which Table 7
254 shows.

255

Table 7 – PLDM Representation of FRU Record Data

Byte	Type	Field
Variable	–	<p>FRU Record Data (one or more) See Table 2 for the PLDM representation of PLDM FRU Record Data.</p>
Variable	uint8[]	<p>Pad 0 to 3 number of pad bytes. The value stored in each pad byte is 0x00. The transmitter can compute the number of pad bytes from the FRU Data by using the following algorithm: Let L be the total number of bytes in the FRU Record Data excluding the pad and the integrity checksum. if (L modulo 4 = 0) then NumPadBytes = 0; else NumPadBytes = 4 – L modulo 4; The receiver can compute the number of pad bytes from the FRU Record Data by using the following algorithm. In the algorithm, the receiver parses FRU Record Data until the remaining bytes are less than 8. When it reaches that stage, the remaining bytes contain the pad bytes and four bytes of data integrity checksum. Let L be the total number of bytes in the FRU Record Data including the pad and the integrity checksum.</p> <pre> RemBytes = L; i = 0; while (RemBytes >= 8) { Process the ith FRU Record Data in the FRU Record Table; RemBytes = RemBytes - 4 – Total length of ith FRU Record Data including the formatted and unformatted areas; i = i+1; } NumPadBytes = RemBytes modulo 4; </pre>
	uint32	<p>FRUDataStructureIntegrityChecksum Integrity checksum on the FRU Data including the pad bytes (if any). It is calculated starting at the first byte of the PLDM representation of FRU Data. For this specification, the CRC-32 algorithm with the polynomial $x^{32} + x^{26} + x^{23} + x^{22} + x^{16} + x^{12} + x^{11} + x^{10} + x^8 + x^7 + x^5 + x^4 + x^2 + x + 1$ (same as the one used by IEEE 802.3) shall be used for the integrity checksum computation. The CRC computation involves processing a byte at a time with the least significant bit first.</p>

256

257 **9.2 PLDM Commands for FRU Data Transfer**258 **9.2.1 Overview**

259 Table 8 defines the PLDM command codes defined in the following subclause for the PLDM for FRU data
 260 transfer. The PLDM FRU messages have their own PLDM message type, which [DSP0245](#) defines.

261 **Table 8 – PLDM for FRU Data Transfer Command Codes**

Command	Code value	Requirement	Section
GetFRURecordTableMetadata	0x01	Mandatory	See 9.2.2.
GetFRURecordTable	0x02	Mandatory	See 9.2.3.
SetFRURecordTable	0x03	Conditional	See 9.2.4.
GetFRURecordByOption	0x04	Optional	See 9.2.5.

262 The requirements specified in Table 4 are relative to the services provided by the PLDM terminus.

263 **9.2.2 Get FRURecordTableMetadata**

264 The GetFRURecordTableMetadata command, described in Table 9, is used to get the FRU Record Table
 265 metadata information that includes the FRU Record major version, the FRU Record minor version, the
 266 size of the largest FRU Record data, total length of the FRU Record Table, total number of FRU Record
 267 Data structures, and the integrity checksum on the FRU Record Table data.

268 **Table 9 – GetFRURecordTableMetadata Command Format**

Byte	Type	Request data
–	–	No Request Data
Byte	Type	Response data
0	enum8	CompletionCode Possible values: { PLDM_BASE_CODES, NO_FRU_DATA_STRUCTURE_TABLE_METADATA=0x83 }
1	uint8	FRUDATAMajorVersion The major version of the FRU DATA specification with which the FRU Record Table. For an implementation compliant with this specification, the FRUDATAMajorVersion shall be set to 0x01.
2	uint8	FRUDATAMinorVersion The minor version of the FRU DATA specification with which the FRU Record Table. For an implementation compliant with this specification, the FRUDATAMinorVersion shall be set to 0x00.
3:6	uint32	FRURecordTableMaximumSize The maximum number of data bytes that can be stored in the FRU Record Table using the SetFRURecordTable command. A value of 0x00000000 in this field means that SetFRURecordTable command is not supported. A value of 0xffffffff in this field means unknown and cannot be specified.

Byte	Type	Request data
7:10	uint32	FRUTableLength Total length of the FRU table in bytes
11:12	uint16	Total number of Record Set Identifiers in table
13:14	uint16	Total number of records in table
15:18	uint32	FRU DATAstructureTableIntegrityChecksum (CRC-32) Integrity checksum shall be computed on the FRU Record Table data as shown in Table 7 excluding pad bytes. See Table 7 for more information about this integrity checksum.

269 **9.2.3 GetFRURecordTable**

270 The GetFRURecordTable command, described in Table 10, is used to get the FRU Record Table data.
 271 This command is defined to allow the FRU Record Table data to be transferred using a sequence of one
 272 or more command/response messages. When more than one command is used to transfer the FRU
 273 Record Table, the response messages contain the non-overlapping contiguous portions of FRU Record
 274 Table as defined in Table 7. By combining the portions of FRU Record Table from the response
 275 messages, the entire FRU Record Table can be reconstructed.

276 **Table 10 – GetFRURecordTable Command Format**

Byte	Type	Request data
0:3	uint32	DataTransferHandle A handle that is used to identify an FRU Record Table data transfer. This handle is ignored by the Responder when the TransferOperationFlag is set to GetFirstPart.
4	enum8	TransferOperationFlag The operation flag that indicates whether this is the start of the transfer. Possible values: {GetNextPart=0x00, GetFirstPart=0x01}
Byte	Type	Response data
0	enum8	CompletionCode Possible values: { PLDM_BASE_CODES, INVALID_DATA_TRANSFER_HANDLE=0x80, INVALID_TRANSFER_OPERATION_FLAG=0x81, FRU_DATA_STRUCTURE_TABLE_UNAVAILABLE=0x85 }
1:4	uint32	NextDataTransferHandle A handle that is used to identify the next portion of the transfer
5	enum8	TransferFlag The transfer flag that indicates what part of the transfer this response represents Possible values: {Start=0x01, Middle=0x02, End=0x04, StartAndEnd = 0x05}
Variable	–	Portion of FRU Record Table This data is a portion of the overall FRU Record Table format shown in Table 3. The portion that is returned is determined by the combination of the DataTransferHandle and TransferOperationFlag fields passed in the request.

277 **9.2.4 SetFRURecordTable**

278 The SetFRURecordTable command, described in Table 11, is used to write the FRU Record Table. This
 279 command is defined to allow the FRU Record Table to be transferred using a sequence of one or more
 280 command/response messages. When more than one command is used to transfer the FRU Record
 281 Table, the request messages contain the non-overlapping contiguous portions of FRU Record Table as
 282 defined in Table 7. By combining the portions of FRU record table from the request messages, the entire
 283 FRU Record Table can be reconstructed.

284 **Table 11 – SetFRURecordTable Command Format**

Byte	Type	Request data
0:3	uint32	DataTransferHandle A handle that is used to identify FRU Record Table transfer. This handle is ignored by the responder when the TransferFlag is set to Start or StartAndEnd.
4	enum8	TransferFlag The transfer flag that indicates what part of the transfer this request represents Possible values: {Start=0x01, Middle=0x02, End=0x04, StartAndEnd = 0x05}
Variable	–	Portion of FRU Record Table See Table 7 for the format.
Byte	Type	Response data
0	enum8	CompletionCode Possible values: { PLDM_BASE_CODES, INVALID_DATA_TRANSFER_HANDLE=0x80, INVALID_TRANSFER_FLAG=0x82, INVALID_DATA_INTEGRITY_CHECK=0x84 }
1:4	uint32	NextDataTransferHandle A handle that is used to identify the next portion of the transfer

285 **9.2.5 GetFRURecordByOption**

286 The GetFRURecordByOption command, described in Table 12, is used to get the FRU records by record
 287 handle and length. This command is defined to allow the FRU Record Table to be transferred using a
 288 sequence of one or more command/response messages. When more than one command is used to
 289 transfer the FRU Record Table, the response messages contain the non-overlapping contiguous portions
 290 of FRU Record Data as defined in Table 7. By combining the portions of FRU Record Data from the
 291 response messages, the entire FRU Record Table can be reconstructed.

292

Table 12 – GetFRURecordByOption Command Format

Byte	Type	Request data
0:3	uint32	DataTransferHandle A handle that is used to identify FRU Record Data transfer. This handle is ignored by the responder when the TransferOperationFlag is set to GetFirstPart.
4:5	uint16	FRUTableHandle A handle that is used to identify FRU DATA records.
6:7	uint16	Record Set Identifier Possible values: {All record sets=0x0000, Specific record set=0x0001 - 0xffff}
8	uint8	Record Type Possible values: {All record types=0x00, Specific record types=0x01 - 0xff}
9	uint8	Field Type Possible values: {All record field types=0x00, Specific field types=0x01 - 0xff} If field type is non-zero, the record type shall also be non-zero.
10	enum8	TransferOperationFlag The operation flag that indicates whether this is the start of the transfer Possible values: {GetNextPart=0x00, GetFirstPart=0x01}
Byte	Type	Response data
0	enum8	CompletionCode Possible values: { PLDM_BASE_CODES, INVALID_DATA_TRANSFER_HANDLE=0x80, INVALID_TRANSFER_OPERATION_FLAG=0x81, FRU_DATA_STRUCTURE_TABLE_UNAVAILABLE=0x85 }
1:4	uint32	NextDataTransferHandle A handle that is used to identify the next portion of the transfer
5	enum8	TransferFlag The transfer flag that indicates what part of the transfer this response represents Possible values: {Start=0x01, Middle=0x02, End=0x04, StartAndEnd = 0x05}
Variable	–	FRU DATAStructureData See Table 7 for the format.

293 **10 PLDM for FRU Data Transfer Examples**

294 This clause provides examples of PLDM communications using the PLDM commands defined in this
295 specification.

296 10.1 Multipart Transfers

297 The commands defined in clause 9 for transferring FRU Record Table data support multipart transfers.
 298 The Get* and Set* commands use flags and data transfer handles to perform multipart transfers. For a
 299 data transfer for initiating a data transfer (or getting the first part of data) using a Get* command, the
 300 TransferOperationFlag shall be set to GetFirstPart in the request of the Get* command.

- 301 • For transferring a part other than the first part of data by using a Get* command, the
 302 TransferOperationFlag shall be set to GetNextPart and the DataTransferHandle shall be set to
 303 the NextDataTransferHandle that was obtained in the response of the previous Get* command
 304 for this data transfer.
- 305 • The TransferFlag specified in the request of a Set* command or the response of a Get*
 306 command has the following meanings:
 - 307 – Start, which is the first part of the data transfer
 - 308 – Middle, which is neither the first nor the last part of the data transfer
 - 309 – End, which is the last part of the data transfer
 - 310 – StartAndEnd, which is the first and the last part of the data transfer
- 311 • The requester shall consider a data transfer complete and ignore the NextDataTransferHandle
 312 when the TransferFlag in the response of a Get* command is set to End or StartAndEnd.
- 313 • The responder shall consider a data transfer complete when the TransferFlag in the request of
 314 a Set* command is set to End or StartAndEnd.

EID 1

EID 2




315

316 **Figure 1 – Multipart FRU Record Table transfer using the GetFRURecordTable Command**

317 10.2 FRU Record Table Transfer between Endpoints Example

318 In this example, the EID 1 sets the FRU Record Table on the EID 2. EID1 first queries the FRU Record
 319 Table metadata by using the GetFRURecordTableMetadata command. The response from the EID 2 to
 320 this command indicates that the EID 2 does not have the latest FRU Record Table.

321 Upon finding that the EID 2 does not have the latest FRU Record Table, EID 1 transfers the FRU Record
 322 Table to EID 2 by using the SetFRURecordTable command. After transferring the latest FRU Record
 323 Table, EID 1 reads the FRU Record Table metadata on the EID 2 by using the
 324 GetFRURecordTableMetadata command to confirm that the FRU records were correctly set. This
 325 example can be used in a push model where EID 2 is maintaining a copy of the FRU Record Table
 326 provided by EID 1 and EID 1 pushes to EID 2 a copy of the FRU Record Table by using
 327 SetFRURecordTable command. Figure 2 shows the data transfer.



328
 329 **Figure 2 – Example of FRU Record Table transfer using the SetFRURecordTable Command**

330 **10.3 GetFRURecordByOption Examples**

331 The following examples show three **GetFRURecordByOption** commands and their respective
 332 responses.

333 Table 13 describes a sample FRU Record Table that has two FRU record set identifiers that include two
 334 FRU fields with part number and serial number FRU field types.

335 The second record set identifier also contains an OEM FRU Record.

336 **Table 13 – Sample FRU Record Table**

Field	Value
FRU Record Set Identifier #1	1030
FRU Record Type #1	1 = General FRU Record
Number of FRU fields	2
Encoding Type for FRU fields	1 = ASCII
FRU Field #1 Type	3 = Part Number
FRU Field #1 Length	6
FRU Field #1 Value	“123456”
FRU Field #2 Type	4 = Serial Number
FRU Field #2 Length	7

Field	Value
FRU Field #2 Value	“SN12345”
FRU Record Set Identifier #2	2040
FRU Record Type #2	1 = General FRU Record
Number of FRU fields	2
Encoding Type for FRU fields	1 = ASCII
FRU Field #1 Type	3 = Part Number
FRU Field #1 Length	6
FRU Field #1 Value	“345678”
FRU Field #2 Type	0x04 = Serial Number
FRU Field #2 Length	0x07
FRU Field #2 Value	“SN34567”
FRU Record Set Identifier #2	2040
FRU Record Type #3	254 = OEM FRU Record
Number of FRU fields	2
Encoding Type for FRU fields	1 = ASCII
FRU Field #1 Type	1 = vendorIANA
FRU Field #1 Length	4
FRU Field #1 Value	3704
FRU Field #2 Type	2 = OEM
FRU Field #2 Length	6
FRU Field #2 Value	“Fusion”

337 **EXAMPLE 1:** This example returns all data for FRU record set identifier #1 = 1030.

338 In the **GetFRURecordByOption** command:

339 **Record Set Identifier = 1030, Record Type =0 and Field Type = 0**

340 This results in the data shown in Table 14.

341 **Table 14 – Get FRU Record Set Identifier Response Data (Example 1)**

Field	Value
FRU Record Set Identifier #1	1030
FRU Record Type #1	1 = General FRU Record
Number of FRU fields	2
Encoding Type for FRU fields	1 = ASCII
FRU Field #1 Type	3 = Part Number
FRU Field #1 Length	6
FRU Field #1 Value	“123456”

Field	Value
FRU Field #2 Type	4 = Serial Number
FRU Field #2 Length	7
FRU Field #2 Value	“SN12345”

342 **EXAMPLE 2:** This example returns all FRU Record type 1 records (get all General FRU Records).

343 In the **GetFRURecordByOption** command:

344 **Record Set Identifier = 0, Record Type =1 and Field Type = 0**

345 This results in the data shown in Table 15.

346 **Table 15 – Get FRU Record Type Response Data (Example 2)**

Field	Value
FRU Record Set Identifier #1	1030
FRU Record Type #1	1 = General FRU Record
Number of FRU fields	2
Encoding Type for FRU fields	1 = ASCII
FRU Field #1 Type	3 = Part Number
FRU Field #1 Length	6
FRU Field #1 Value	“123456”
FRU Field #2 Type	4 = Serial Number
FRU Field #2 Length	7
FRU Field #2 Value	“SN12345”
FRU Record Set Identifier #2	2040
FRU Record Type #2	1 = General FRU Record
Number of FRU fields	2
Encoding Type for FRU fields	1 = ASCII
FRU Field #1 Type	3 = Part Number
FRU Field #1 Length	6
FRU Field #1 Value	“345678”
FRU Field #2 Type	4 = Serial Number
FRU Field #2 Length	7
FRU Field #2 Value	“SN34567”

347

348

349 **EXAMPLE 3:** This example returns all FRU Record type / FRU field type = 4 fields (all General FRU
 350 Record serial number fields).

351 In the **GetFRURecordByOption** command:

352 **Record Set Identifier = 0, Record Type = 1 and Field Type = 4**

353 This results in the data shown in Table 16.

354 **Table 16 – Get FRU Field Type Response Data (Example 3)**

Field	Value
FRU Record Set Identifier #1	1030
FRU Record Type #1	1 = General FRU Record
Number of FRU fields	1
Encoding Type for FRU fields	1 = ASCII
FRU Field #2 Type	4 = Serial Number
FRU Field #2 Length	7
FRU Field #2 Value	“SN12345”
FRU Record Set Identifier #2	2040
FRU Record Type #2	1 = General FRU Record
Number of FRU fields	1
Encoding Type for FRU fields	1 = ASCII
FRU Field #2 Type	4 = Serial Number
FRU Field #2 Length	7
FRU Field #2 Value	“SN34567”

355

356
357
358

ANNEX A (informative) Notation and conventions

359 A.1 Notations

360 Examples of notations used in this document are as follows:

- 361 • 2:N In field descriptions, this will typically be used to represent a range of byte offsets
362 starting from byte two and continuing to and including byte N. The lowest offset is on
363 the left; the highest is on the right.
- 364 • (6) Parentheses around a single number can be used in message field descriptions to
365 indicate a byte field that may be present or absent.
- 366 • (3:6) Parentheses around a field consisting of a range of bytes indicates the entire range
367 may be present or absent. The lowest offset is on the left; the highest is on the right.
- 368 • [PCle](#) Underlined, blue text is typically used to indicate a reference to a document or
369 specification called out in "Normative references" clause or to items hyperlinked within
370 the document.
- 371 • rsvd This case-insensitive abbreviation is for "reserved."
- 372 • [4] Square brackets around a number are typically used to indicate a bit offset. Bit offsets
373 are given as zero-based values (that is, the least significant bit [LSb] offset = 0).
- 374 • [7:5] This notation indicates a range of bit offsets. The most significant bit is on the left; the
375 least significant bit is on the right.
- 376 • 1b The lowercase "b" following a number consisting of 0s and 1s is used to indicate the
377 number is being given in binary format.
- 378 • 0x12A A leading "0x" is used to indicate a number given in hexadecimal format.

379
380
381

ANNEX B (informative) Change log

Version	Date	Description
1.0.0	2011-10-26	DMTF Standard
1.0.1	2022-01-01	Fixed footer (Mantis 2977) Added Annex A.

382