



1
2
3
4

Document Number: DSP1027

Date: 2016-08-03

Version: 2.0.1

5 **Power State Management Profile**

- 6 **Supersedes: 2.0.0**
- 7 **Document Class: Normative**
- 8 **Document Status: Published**
- 9 **Document Language: en-US**

10 Copyright Notice

11 Copyright © 2008-2009, 2016 Distributed Management Task Force, Inc. (DMTF). All rights reserved.

12 DMTF is a not-for-profit association of industry members dedicated to promoting enterprise and systems
13 management and interoperability. Members and non-members may reproduce DMTF specifications and
14 documents, provided that correct attribution is given. As DMTF specifications may be revised from time to
15 time, the particular version and release date should always be noted.

16 Implementation of certain elements of this standard or proposed standard may be subject to third party
17 patent rights, including provisional patent rights (herein "patent rights"). DMTF makes no representations
18 to users of the standard as to the existence of such rights, and is not responsible to recognize, disclose,
19 or identify any or all such third party patent right, owners or claimants, nor for any incomplete or
20 inaccurate identification or disclosure of such rights, owners or claimants. DMTF shall have no liability to
21 any party, in any manner or circumstance, under any legal theory whatsoever, for failure to recognize,
22 disclose, or identify any such third party patent rights, or for such party's reliance on the standard or
23 incorporation thereof in its product, protocols or testing procedures. DMTF shall have no liability to any
24 party implementing such standard, whether such implementation is foreseeable or not, nor to any patent
25 owner or claimant, and shall have no liability or responsibility for costs or losses incurred if a standard is
26 withdrawn or modified after publication, and shall be indemnified and held harmless by any party
27 implementing the standard from any and all claims of infringement by a patent owner for such
28 implementations.

29 For information about patents held by third-parties which have notified the DMTF that, in their opinion,
30 such patent may relate to or impact implementations of DMTF standards, visit
31 <http://www.dmtf.org/about/policies/disclosures.php>.

32 This document's normative language is English. Translation into other languages is permitted.

CONTENTS

34	Foreword	5
35	Introduction.....	6
36	1 Scope	7
37	2 Normative references	7
38	3 Terms and definitions	7
39	4 Symbols and abbreviated terms.....	9
40	5 Synopsis	9
41	6 Description	11
42	7 Implementation.....	11
43	7.1 CIM_PowerManagementService	12
44	7.2 CIM_PowerManagementCapabilities	12
45	7.3 CIM_AssociatedPowerManagementService.PowerState.....	13
46	7.4 Representing power state changes	13
47	7.5 Representing In-Progress power state transitions.....	14
48	7.6 Representing available requested power states.....	14
49	8 Methods.....	15
50	8.1 CIM_PowerManagementService.RequestPowerStateChange().....	15
51	8.2 Profile conventions for operations	19
52	8.3 CIM_PowerManagementService	20
53	8.4 CIM_PowerManagementCapabilities	20
54	8.5 CIM_AssociatedPowerManagementService	20
55	8.6 CIM_ElementCapabilities	20
56	8.7 CIM_HostedService	21
57	9 Use cases.....	21
58	9.1 Object diagrams.....	21
59	9.2 Determine the power state of the computer system	24
60	9.3 Find the power management service for a computer system.....	24
61	9.4 Find all the computer systems for a power management service	24
62	9.5 Change the power state of the computer system	25
63	9.6 Determine whether the power cycle is supported for a computer system.....	25
64	9.7 Execute Power Cycle (Off–Soft) within a given time	25
65	9.8 Execute Power Cycle (Off–Soft Graceful)	25
66	9.9 Display power states that can potentially be requested	26
67	9.10 Determine the available power states that can be requested.....	26
68	9.11 Change the power state of the computer system based on available power states	26
69	10 CIM Elements.....	27
70	10.1 CIM_PowerManagementCapabilities	27
71	10.2 CIM_PowerManagementService	27
72	10.3 CIM_AssociatedPowerManagementService	28
73	10.4 CIM_ElementCapabilities	28
74	10.5 CIM_HostedService	29
75	10.6 CIM_RegisteredProfile.....	29
76	ANNEX A (informative) Change log.....	30
77		

78 **Figures**

79	Figure 1 – Power State Management Profile: Class diagram.....	11
80	Figure 2 – Registered Profile	22
81	Figure 3 – Power control instance diagram: Monolithic system.....	22
82	Figure 4 – Power control instance diagram: Monolithic system with service processor.....	23
83	Figure 5 – Power control instance diagram: Modular system with chassis service processor.....	24

84

85

86 **Tables**

87

88	Table 1 – Related profiles	11
89	Table 2 – PowerStatesSupported and PowerChangeCapabilities values	12
90	Table 3 – PowerState values and ACPI states	13
91	Table 4 – CIM_PowerManagementService.RequestPowerStateChange() Method: Return code values.	15
92	Table 5 – CIM_PowerManagementService.RequestPowerStateChange() method: Parameters	16
93	Table 6 – PowerState parameter values.....	17
94	Table 7 – Operations: CIM_AssociatedPowerManagementService.....	20
95	Table 8 – Operations: CIM_ElementCapabilities	21
96	Table 9 – Operations: CIM_HostedService	21
97	Table 10 – CIM Elements: Power State Management Profile	27
98	Table 11 – Class: CIM_PowerManagementCapabilities	27
99	Table 12 – Class: CIM_PowerManagementService	27
100	Table 13 – Class: CIM_AssociatedPowerManagementService	28
101	Table 14 – Class: CIM_ElementCapabilities.....	28
102	Table 15 – Class: CIM_HostedService	29
103	Table 16 – Class: CIM_RegisteredProfile.....	29

104

105

Foreword

106 The *Power State Management Profile* (DSP1027) was prepared by the Physical Platform Profiles Working
107 Group and the Server Management Working Group of the DMTF.

108 DMTF is a not-for-profit association of industry members dedicated to promoting enterprise and systems
109 management and interoperability.

110 **Acknowledgments**

111 The DMTF acknowledges the following individuals for their contributions to this document:

- 112 • Mike Dutch – Symantec
- 113 • Jon Hass – Dell
- 114 • Jeff Hilland – Hewlett Packard Enterprise
- 115 • RadhaKrishna R. Dasari – Dell
- 116 • Richard Landau – Dell
- 117 • John Leung – Intel
- 118 • Jeff Lynch – IBM
- 119 • Aaron Merkin – IBM
- 120 • Khachatur Papanyan – Dell
- 121 • Hemal Shah – Broadcom Corporation
- 122 • Christina Shaw – Hewlett Packard Enterprise
- 123 • Perry Vincent – Intel

124

Introduction

125 The information in this specification should be sufficient for a provider or consumer of this data to identify
126 unambiguously the classes, properties, methods, and values that must be instantiated and manipulated to
127 describe and control the power state and hardware management for a computer system using the DMTF
128 Common Information Model (CIM) core and extended model definitions. The target audience for this
129 specification is implementers who are writing CIM-based providers or consumers of management
130 interfaces that represent the component described in this document.

131

Power State Management Profile

132 1 Scope

133 The *Power State Management Profile* describes the classes, associations, properties, and methods used
134 to manage the power of a computer system.

135 2 Normative references

136 The following referenced documents are indispensable for the application of this document. For dated or
137 versioned references, only the edition cited (including any corrigenda or DMTF update versions) applies.
138 For references without a date or version, the latest published edition of the referenced document
139 (including any corrigenda or DMTF update versions) applies.

140 *Advanced Configuration and Power Interface Specification*, 3.0, September 2, 2004,
141 <http://www.acpi.info/DOWNLOADS/ACPIspec30.pdf>

142 DMTF DSP0004, *CIM Infrastructure Specification 2.5*,
143 http://www.dmtf.org/standards/published_documents/DSP0004_2.5.pdf

144 DMTF DSP0200, *CIM Operations over HTTP 1.3*,
145 http://www.dmtf.org/standards/published_documents/DSP0200_1.3.pdf

146 DMTF DSP0223, *Generic Operations 1.0*
147 http://www.dmtf.org/standards/published_documents/DSP0223_1.0.pdf

148 DMTF DSP1001, *Management Profile Specification Usage Guide 1.0*,
149 http://www.dmtf.org/standards/published_documents/DSP1001_1.0.pdf

150 DMTF DSP1033, *Profile Registration Profile 1.0*,
151 http://www.dmtf.org/standards/published_documents/DSP1033_1.0.pdf

152 ISO, ISO/IEC Directives, Part 2, *Rules for the structure and drafting of International Standards*,
153 <http://isotc.iso.org/livelink/livelink.exe?func=ll&objId=4230456&objAction=browse&sort=subtype>

154 3 Terms and definitions

155 In this document, some terms have a specific meaning beyond the normal English meaning. Those terms
156 are defined in this clause.

157 The terms "shall" ("required"), "shall not", "should" ("recommended"), "should not" ("not recommended"),
158 "may", "need not" ("not required"), "can" and "cannot" in this document are to be interpreted as described
159 in [ISO/IEC Directives, Part 2](#), Annex H. The terms in parentheses are alternatives for the preceding term,
160 for use in exceptional cases when the preceding term cannot be used for linguistic reasons. Note that
161 [ISO/IEC Directives, Part 2](#), Annex H specifies additional alternatives. Occurrences of such additional
162 alternatives shall be interpreted in their normal English meaning.

163 The terms "clause", "subclause", "paragraph", and "annex" in this document are to be interpreted as
164 described in [ISO/IEC Directives, Part 2](#), Clause 5.

165 The terms "normative" and "informative" in this document are to be interpreted as described in [ISO/IEC](#)
166 [Directives, Part 2](#), Clause 3. In this document, clauses, subclauses, or annexes labeled "(informative)" do
167 not contain normative content. Notes and examples are always informative elements.

168 The terms defined in [DSP0004](#), [DSP0223](#), and [DSP1001](#) apply to this document. The following additional
169 terms are used in this document.

170 **3.1**

171 **can**

172 used for statements of possibility and capability, whether material, physical, or causal

173 **3.2**

174 **cannot**

175 used for statements of possibility and capability, whether material, physical, or causal

176 **3.3**

177 **conditional**

178 indicates requirements to be followed strictly in order to conform to the document when the specified
179 conditions are met

180 **3.4**

181 **mandatory**

182 indicates requirements to be followed strictly in order to conform to the document and from which no
183 deviation is permitted

184 **3.5**

185 **may**

186 indicates a course of action permissible within the limits of the document

187 **3.6**

188 **need not**

189 indicates a course of action permissible within the limits of the document

190 **3.7**

191 **optional**

192 indicates a course of action permissible within the limits of the document

193 **3.8**

194 **referencing profile**

195 indicates a profile that owns the definition of this class and can include a reference to this profile in its
196 "Referenced Profiles" table

197 **3.9**

198 **shall**

199 indicates requirements to be followed strictly in order to conform to the document and from which no
200 deviation is permitted

201 **3.10**

202 **shall not**

203 indicates requirements to be followed strictly in order to conform to the document and from which no
204 deviation is permitted

- 205 **3.11**
206 **should**
207 indicates that among several possibilities, one is recommended as particularly suitable, without
208 mentioning or excluding others, or that a certain course of action is preferred but not necessarily required
- 209 **3.12**
210 **should not**
211 indicates that a certain possibility or course of action is deprecated but not prohibited
- 212 **3.13**
213 **unspecified**
214 indicates that this profile does not define any constraints for the referenced CIM element or operation
- 215 **3.14**
216 **Immediate Power State Change**
217 indicates the power state transition that will be initiated immediately
- 218 **3.15**
219 **Pending Power State Change**
220 indicates the power state transition that will be initiated sometime in the future

221 **4 Symbols and abbreviated terms**

222 The following abbreviations are used in this document.

- 223 **4.1**
224 **ACPI**
225 Advanced Configuration and Power Interface
- 226 **4.2**
227 **CIM**
228 Common Information Model

229 **5 Synopsis**

- 230 **Profile Name:** Power State Management
231 **Version:** 2.0.1
232 **Organization:** DMTF
233 **CIM Schema Version:** 2.23
234 **Central Class:** CIM_PowerManagementService
235 **Scoping Class:** CIM_ComputerSystem

236 The *Power State Management Profile* extends the management capability of the referencing profiles by
237 adding the capability to describe and manage the power state of computer systems.

238 CIM_PowerManagementService shall be the Central Class of this profile. The instance of
239 CIM_PowerManagementService shall be the Central Instance of this profile. CIM_ComputerSystem shall
240 be the Scoping Class of this profile. The instance of CIM_ComputerSystem with which the Central
241 Instance is associated through an instance of CIM_HostedService or
242 CIM_AssociatedPowerManagementService shall be the Scoping Instance of this profile.

243 Table 1 identifies profiles on which this profile has a dependency.

244

Table 1 – Related profiles


Profile Name	Organization	Version	Requirement	Description
Profile Registration	DMTF	1.0	Mandatory	

245 6 Description

246 The *Power State Management Profile* defines the behavior of the power management service and related
 247 classes used to describe and control power state and hardware reset management for a computer
 248 system. The profile describes the classes, property values, and methods that constitute a Pending Power
 249 State Change and an Immediate Power State Change.

250 The CIM_ComputerSystem class is not part of this profile but is shown for clarification in all the class and
 251 instance diagrams.

252 Figure 1 represents the class schema of the *Power State Management Profile* and shows the elements of
 253 the *Power State Management Profile*, as well as the dependent relationships between the elements of
 254 *Power State Management Profile* and the referencing profiles. For simplicity, the prefix CIM_ has been
 255 removed from the names of the classes.



256

257 **Figure 1 – Power State Management Profile: Class diagram**

258 7 Implementation

259 This clause details the requirements related to the arrangement of instances and their properties for
 260 implementations of this profile. Methods are listed in clause 8 (“Methods”), and properties are listed in
 261 clause 10 (“CIM Elements”).

262 7.1 CIM_PowerManagementService

263 At least one instance of CIM_PowerManagementService shall be associated with one or more instances
 264 of CIM_ComputerSystem through an instance of CIM_AssociatedPowerManagementService. The
 265 managed system that is hosting the power management service, represented by an instance of
 266 CIM_ComputerSystem, shall be associated with CIM_PowerManagementService through the
 267 CIM_HostedService association.

268 7.1.1 CIM_PowerManagementService.ElementName

269 The ElementName property shall be formatted as a free-form string of variable length (pattern “.*”).

270 7.2 CIM_PowerManagementCapabilities

271 One CIM_PowerManagementCapabilities instance shall be associated with one or more instances of
 272 CIM_PowerManagementService through the CIM_ElementCapabilities association.

273 7.2.1 CIM_PowerManagementCapabilities.PowerChangeCapabilities

274 The PowerChangeCapabilities property array is used to represent the power state related capabilities of
 275 the instances of CIM_ComputerSystem associated with the CIM_PowerManagementService instances
 276 with which the CIM_PowerManagementCapabilities instance is associated. This property is also used to
 277 indicate support for client management of the power state through the
 278 CIM_PowerManagementService.RequestPowerStateChange() method. When the
 279 RequestPowerStateChange() method is supported, the PowerChangeCapabilities property array shall
 280 contain the value 3 (Power State Settable).

281 When the PowerStatesSupported property contains the value in the “PowerStatesSupported Value”
 282 column, the PowerChangeCapabilities property shall contain the value specified in the
 283 “PowerChangeCapabilities Value” column.

284 **Table 2 – PowerStatesSupported and PowerChangeCapabilities values**

PowerStatesSupported Value	PowerChangeCapabilities Value
5 (Power Cycle (Off - Soft))	4 (Power Cycling Supported)
9 (Power Cycle (Off-Hard))	6 (Off Hard Power Cycling Supported)
10 (Master Bus Reset)	7 (HW Reset Supported)
11 (Diagnostic Interrupt (NMI))	7 (HW Reset Supported)
12 (Off - Soft Graceful)	8 (Graceful Shutdown Supported)
13 (Off - Hard Graceful)	8 (Graceful Shutdown Supported)
14 (Master Bus Reset Graceful)	7 (HW Reset Supported) and 8 (Graceful Shutdown Supported)
15 (Power Cycle (Off - Soft Graceful))	4 (Power Cycling Supported) and 8 (Graceful Shutdown Supported)
16 (Power Cycle (Off - Hard Graceful))	6 (Off Hard Power Cycling Supported) and 8 (Graceful Shutdown Supported)

285 7.2.2 CIM_PowerManagementCapabilities.ElementName

286 The ElementName property shall be formatted as a free-form string of variable length (pattern “.*”).

287 **7.2.3 CIM_PowerManagementCapabilities.PowerStatesSupported**

288 The PowerStatesSupported property array is used to represent the power states that are supported by
 289 the associated computer system.

290 **7.2.4 CIM_PowerManagementCapabilities.RequestedPowerStatesSupported**

291 The RequestedPowerStatesSupported property is an array that contains the supported requested power
 292 states for the instance of CIM_PowerManagementService. This property shall contain the values to be
 293 used as the PowerState parameter in the RequestPowerStateChange() (see 8.1). This property
 294 represents a subset of the power states modeled by the property PowerStatesSupported.

295 **7.3 CIM_AssociatedPowerManagementService.PowerState**

296 The PowerState property indicates the current power state of the associated computer system
 297 represented by an instance of CIM_ComputerSystem. The PowerState property shall have one of the
 298 values specified in the PowerStatesSupported property of the instance of
 299 CIM_PowerManagementCapabilities that is associated with the instance of
 300 CIM_PowerManagementService that is referenced by the CIM_AssociatedPowerManagementService
 301 association.

302 The RequestPowerStateChange() method of the CIM_PowerManagementService shall be used to
 303 change the value of the PowerState property.

304 **7.3.1 Power states values**

305 Table 3 specifies the correspondence between CIM_AssociatedPowerManagementService.PowerState
 306 property values and standard ACPI power states. The value of the PowerState property shall have the
 307 same meaning as the corresponding ACPI state in Table 3. Note that it is not necessary for the managed
 308 system to actually support the ACPI specification. The PowerState values not represented in Table 3 do
 309 not have any corresponding ACPI power states.

310 **Table 3 – PowerState values and ACPI states**

PowerState enum Value	Description	Corresponding ACPI State
2 (On)	System is fully on.	G0 (S0)
3 (Sleep - Light)	System is in Standby or Sleep state.	G1 (S1 or S2)
4 (Sleep -Deep)	System is in Standby or Sleep state.	G1 (S3)
6 (Off - Hard)	System is powered off except for the real-time clock, power consumption is zero.	G3
7 (Hibernate (Off - Soft))	System is in hibernation. System context and OS image was written to non-volatile storage. System and devices are powered off.	G1 (S4)
8 (Off - Soft)	System is powered off where the system consumes a minimal amount of power..	G2 (S5)

311 **7.4 Representing power state changes**

312 The CIM_AssociatedPowerManagementService.RequestedPowerState property indicates the requested
 313 power state of the associated computer system.

314 The CIM_AssociatedPowerManagementService.PowerOnTime property indicates the date-time that the
 315 power state change indicated by the RequestedPowerState property was or will be initiated. When the
 316 PowerOnTime property is non-Null, the value shall be a date-time and shall not specify a time interval. A

317 value of Null for the PowerOnTime property shall indicate that the last power state change was initiated
318 immediately or shall indicate that the last requested time to initiate the power state change is unknown.

319 When the Pending Power State Change exists for the instance of CIM_ComputerSystem that is
320 referenced by the CIM_AssociatedPowerManagementService association, the RequestedPowerState
321 property shall have the value of 2 (On), 3 (Sleep - Light), 4 (Sleep -Deep), 5 (Power Cycle (Off - Soft)), 6
322 (Off - Hard), 7 (Hibernate (Off - Soft)), 8 (Off - Soft), 9 (Power Cycle (Off-Hard)), 10 (Master Bus Reset),
323 11 (Diagnostic Interrupt (NMI)), 12 (Off - Soft Graceful), 13 (Off - Hard Graceful), 14 (Master Bus Reset
324 Graceful), 15 (Power Cycle (Off - Soft Graceful)), or 16 (Power Cycle (Off - Hard Graceful)) and the value
325 of the PowerOnTime property shall identify a date-time in the future.

326 When a Power State Change is in progress for the instance of CIM_ComputerSystem that is referenced
327 by the CIM_AssociatedPowerManagementService association, the TransitioningToPowerState property
328 shall have the value of 2 (On), 3 (Sleep - Light), 4 (Sleep -Deep), 5 (Power Cycle (Off - Soft)), 6 (Off -
329 Hard), 7 (Hibernate (Off - Soft)), 8 (Off - Soft), 9 (Power Cycle (Off-Hard)), 10 (Master Bus Reset), 11
330 (Diagnostic Interrupt (NMI)), 12 (Off - Soft Graceful), 13 (Off - Hard Graceful), 14 (Master Bus Reset
331 Graceful), 15 (Power Cycle (Off - Soft Graceful)), or 16 (Power Cycle (Off - Hard Graceful)).

332 The RequestedPowerState, TransitioningToPowerState, and PowerOnTime properties are affected by
333 the invocation of the CIM_PowerManagementService.RequestPowerStateChange() method; see 8.1.

334 The difference between 14 (Master Bus Reset Graceful) and 15 (Power Cycle (Off-Soft Graceful)) may
335 not be discernible and should be treated as equivalent.

336 7.5 Representing In-Progress power state transitions

337 The representation of In-Progress power state transitions can be optionally supported. The
338 TransitioningToPowerState property is used to represent current power state transition in progress.

339 If the In-Progress power state transitions are not modeled, then the
340 CIM_AssociatedPowerManagementService.TransitioningToPowerState property shall be NULL.

341 If the In-Progress power state transitions are modeled, then the
342 AssociatedPowerManagementService.TransitioningToPowerState shall be non-NULL.

343 If the CIM_AssociatedPowerManagementService.TransitioningToPowerState is non-NULL, and a power
344 state transition is not in progress, the
345 CIM_AssociatedPowerManagementService.TransitioningToPowerState property shall have the value 19
346 (No Change).

347 If the CIM_AssociatedPowerManagementService.TransitioningToPowerState is non-NULL, does not
348 have the value 19 (No Change) which represents a state transition in progress, the
349 CIM_AssociatedPowerManagementService.PowerState property shall have the value 0 (Unknown).

350 7.6 Representing available requested power states

351 The representation of available requested power states can be optionally supported. The
352 AvailableRequestedPowerStates property is an array that contains the currently available power states
353 that can be used as the PowerState parameter of the
354 CIM_PowerManagementService.RequestPowerStateChange() method for the instance of
355 CIM_PowerManagementService.

356 If available requested power states are not modeled, then the
357 CIM_AssociatedPowerManagementService.AvailableRequestedPowerStates property shall be NULL.

358 If available requested power states are modeled, then the
 359 CIM_AssociatedPowerManagementService.AvailableRequestedPowerStates property shall be non-
 360 NULL.

361 If CIM_AssociatedPowerManagementService.AvailableRequestedPowerStates is non-NULL, it shall
 362 contain zero or more of the values contained in the
 363 CIM_PowerManagementCapabilities.RequestedPowerStatesSupported property of the instance of
 364 CIM_PowerManagementCapabilities associated with the CIM_PowerManagementService instance,
 365 where zero number of values indicates that there are no available requested power states.

366 The CIM_AssociatedPowerManagementService.AvailableRequestedPowerStates shall not contain any
 367 values that are not contained in the
 368 CIM_PowerManagementCapabilities.RequestedPowerStatesSupported property of the instance of
 369 CIM_PowerManagementCapabilities associated with the CIM_PowerManagementService instance.

370 Each value shall be contained in the
 371 CIM_AssociatedPowerManagementService.AvailableRequestedPowerStates property only if an
 372 invocation of the CIM_PowerManagementService.RequestPowerStateChange() method where the
 373 PowerState parameter equals the value would complete successfully.

374 **8 Methods**

375 This clause details the requirements for supporting intrinsic operations and extrinsic methods for the CIM
 376 elements defined by this profile.

377 **8.1 CIM_PowerManagementService.RequestPowerStateChange()**

378 The RequestPowerStateChange() method is used to set the power state that the user wants for the
 379 target computer system and when that system should be put into the new state. The
 380 PowerChangeCapabilities property array of the associated instance of
 381 CIM_PowerManagementCapabilities is used to represent the capabilities of the
 382 RequestPowerStateChange() method. When this method is supported, the PowerChangeCapabilities
 383 property shall contain the value 3 (Power State Settable).

384 RequestPowerStateChange() method return code values shall be as specified in Table 4.
 385 RequestPowerStateChange() method parameters are specified in Table 5.

386 Invoking the RequestPowerStateChange() method multiple times could result in earlier requests being
 387 overwritten or lost.

388 No standard messages are defined for this method.

389 **Table 4 – CIM_PowerManagementService.RequestPowerStateChange() Method: Return code**
 390 **values**

Value	Description
0	The initiation of Pending/Immediate Power State Change was successful.
1	Method is not supported in the implementation.
2	Error occurred
4096	Job started: REF returned to started CIM_ConcreteJob

391 **Table 5 – CIM_PowerManagementService.RequestPowerStateChange() method: Parameters**

Qualifiers	Name	Type	Description/Values
IN	PowerState	uint16	See 8.1.3.
IN	ManagedElement	CIM_ComputerSystem REF	See 8.1.4.
IN	Time	Datetime	See 8.1.5.
OUT	Job	CIM_ConcreteJob REF	See 8.1.6.
IN	TimeoutPeriod	Datetime	See 8.1.7.

392 **8.1.1 Establishing a Pending Power State Change**

393 The RequestPowerStateChange() method can be invoked with the Time parameter specified, which will
 394 result in establishing the Pending Power State Change. The Pending Power State Change will be
 395 reflected in the PowerOnTime and RequestedPowerState properties of the instance of
 396 CIM_AssociatedPowerManagementService that references the CIM_PowerManagementService and the
 397 instance of CIM_ComputerSystem that is represented by the ManagedElement parameter.

398 The TimeoutPeriod and Time parameters shall not be supported for the same invocation of the
 399 RequestPowerStateChange() method. When the TimeoutPeriod and Time parameters are specified for
 400 the same method invocation, the method shall return a value of 2.

401 When the method invocation is to establish the Pending Power State Change, the method may return the
 402 Job output parameter and return a value of 4096. When the method invocation returns the Job output
 403 parameter, the status of the referenced CIM_Job instance shall reflect the status of the attempt to
 404 establish the Pending Power State Change. When the method invocation does not return the Job output
 405 parameter, the method completion shall be synchronous with the establishment of the Pending Power
 406 State Change.

407 **8.1.2 Initiating an Immediate Power State Change**

408 The RequestPowerStateChange() method may be invoked without the Time parameter, which will result
 409 in the immediate initiation of a power state change. This clause describes requirements for when the
 410 Time parameter is not specified.

411 When the method invocation is to initiate the Immediate Power State Change, the method may return the
 412 Job output parameter and a return code value of 4096. When the method invocation returns the Job
 413 output parameter, the status of the referenced CIM_Job instance shall reflect the status of the initiated
 414 power state change request. When the method invocation does not return the Job output parameter, the
 415 method completion shall be synchronous with the initiation of the Immediate Power State Change.

416 **8.1.3 PowerState**

417 The PowerState parameter indicates the desired power state of the computer system. When the value
 418 used for the PowerState parameter is not equal to one of the values in the PowerStatesSupported
 419 property array of the associated instance of CIM_PowerManagementCapabilities, the method shall return
 420 2. When the value used for the PowerState parameter is not equal to one of the values in the
 421 RequestedPowerStatesSupported property of the associated instance of
 422 CIM_PowerManagementCapabilities, the method shall return 2.

423 When the value 5 (Power Cycle (Off - Soft)) or the value 15 (Power Cycle (Off - Soft Graceful)) is
 424 supported for the PowerState parameter, the PowerChangeCapabilities property array of the associated
 425 instance of CIM_PowerManagementCapabilities shall contain the value 4 (Power Cycling Supported).

426 When the value 9 (Power Cycle (Off-Hard)) or the value 16 (Power Cycle (Off-Hard Graceful)) is
 427 supported for the PowerState parameter, the PowerChangeCapabilities property array of the associated
 428 instance of CIM_PowerManagementCapabilities shall contain the value 6 (Off Hard Power Cycling
 429 Supported).

430 When the values 10 (Master Bus Reset) or 11 (Diagnostic Interrupt (NMI)) are supported for the
 431 PowerState parameter, the PowerChangeCapabilities property array of the associated instance of
 432 CIM_PowerManagementCapabilities shall contain the value 7 (HW Reset Supported).

433 When the value 12 (Power Off - Soft Graceful), 13 (Power Off - Hard Graceful), 14 (Master Bus Reset
 434 Graceful), 15 (Power Cycle (Off - Soft Graceful)), or 16 (Power Cycle (Off - Hard Graceful)), is supported
 435 for the PowerState parameter, the PowerManagementCapabilities property array of the associated
 436 instance of CIM_PowerManagementCapabilities shall contain the value 8 (Graceful Shutdown
 437 Supported).

438 When the CIM_PowerManagementService.RequestPowerStateChange() method returns a value of 0 or
 439 4096, the RequestedPowerState property of the instance of CIM_AssociatedPowerManagementService
 440 that references the CIM_PowerManagementService instance and the CIM_ComputerSystem instance
 441 indicated by the ManagedElement parameter shall be set to the value of the PowerState parameter of the
 442 method.

443 The values of CIM_PowerManagementService.RequestPowerStateChange() method PowerState
 444 parameter shall have the meaning specified in Table 6.

445 **Table 6 – PowerState parameter values**

446

PowerState enum Value	Description
2 (Power On)	Initiate the transition of the system to full on state (corresponding ACPI state G0/S0).
3 (Sleep - Light)	Initiate the transition of the system to standby or sleep state (corresponding ACPI state G1/S1 or G1/S2).
4 (Sleep - Deep)	Initiate the transition of the system to standby or sleep state (corresponding ACPI state G1/S3).
5 (Power Cycle (Off Soft))	Transition the system to off state (corresponding ACPI state G2/S5), in which the system consumes a minimal amount of power, followed by a transition to on state (corresponding ACPI state G0/S0).

PowerState enum Value	Description
6 (Power Off - Hard)	Initiate the transition of the system to power off state (corresponding ACPI state G3), in which the power consumption is zero except for the real-time clock.
7 (Hibernate)	Transition the system to hibernation state (corresponding ACPI state G1/S4) – write system context to non-volatile storage, power off the system and devices.
8 (Power Off - Soft)	Initiate the transition of the system to off state (corresponding ACPI state G2/S5), in which the system consumes a minimal amount of power.
9 (Power Cycle (Off Hard))	Transition the system to power off state (corresponding ACPI state G3), in which the power consumption is zero except for the real-time clock, followed by a transition to on state (corresponding ACPI state G0/S0).
10 (Master Bus Reset)	Perform hardware reset on the system.
11 (Diagnostic Interrupt (NMI))	Assert an NMI on the system.
12 (Power Off - Soft Graceful)	Perform an orderly transition to power off state (corresponding ACPI state G2/S5), in which the system consumes a minimal amount of power.
13 (Power Off - Hard Graceful)	Perform an orderly transition to power off state (corresponding ACPI state G3), in which the power consumption is zero except for the real-time clock.
14 (Master Bus Reset Graceful)	Perform an orderly shutdown of the system followed by hardware reset.
15 (Power Cycle (Off - Soft Graceful))	Perform an orderly transition of the system to power off state (corresponding ACPI state G2/S5), in which the system consumes a minimal amount of power, followed by a transition to on state (corresponding ACPI state G0/S0).
16 (Power Cycle (Off - Hard Graceful))	Perform an orderly transition of the system to power off state (corresponding ACPI state G3), in which the power consumption is zero except for the real-time clock, followed by a transition to on state (corresponding ACPI state G0/S0).

447

448 **8.1.4 ManagedElement**

449 The ManagedElement parameter indicates the reference to the instance of CIM_ComputerSystem that
450 represents the target computer system whose power state is to be set.

451 If the instance of CIM_ComputerSystem is not associated with the instance of
452 CIM_PowerManagementService through the CIM_AssociatedPowerManagementService association, the
453 RequestPowerStateChange() method shall return 2 (Error Occurred).

454 8.1.5 Time

455 The Time parameter is used to set the power state of the managed system at a certain time and can be
456 used only to set the power state to On or Power Cycle. The Time parameter shall be supported when the
457 PowerChangeCapabilities property array of the associated instance of
458 CIM_PowerManagementCapabilities contains the value 5 (Timed Power On Supported). The Time
459 parameter shall not be supported when the PowerState parameter has any value other than 2 (Power
460 On), 5 (Power Cycle (Off Soft)) 9 (Power Cycle (Off Hard)), 15 (Power Cycle (Off-Soft Graceful)), or 16
461 (Power Cycle (Off-Hard Graceful)). When the Time parameter is specified and is not supported, the
462 method shall return a value of 2.

463 When the Time parameter is specified and the method returns a value of 0, the PowerOnTime property of
464 the CIM_AssociatedPowerManagementService association that references the CIM_ComputerSystem
465 instance identified by the ManagedElement parameter and references the
466 CIM_PowerManagementService instance shall have the date-time value that indicates when the
467 computer system will undergo the power state change indicated by the PowerState parameter. When the
468 Time parameter complies with the interval format of the Datetime data type, the interval value indicated
469 by the Time parameter shall be interpreted relative to the current date-time and the calculated absolute
470 date-time shall be the value of the PowerOnTime property. When the Time parameter complies with the
471 timestamp format of the Datetime data type, the PowerOnTime property shall have the value of the Time
472 parameter.

473 When the Time parameter is either Null or 0, an immediate initiation of the power state change shall
474 occur.

475 8.1.6 Job

476 The Job is an OUT parameter. It is a reference to the instance of CIM_Job that represents the job or task
477 that may be started by the invocation of the RequestPowerStateChange() method.

478 The method may return the Job output parameter and a return code value of 4096 when the parameters
479 for the method have been validated, regardless of whether the method will create a Pending Power State
480 Change or an Immediate Power State Change.

481 8.1.7 TimeoutPeriod

482 The TimeoutPeriod parameter specifies the maximum amount of time that the client allows the
483 RequestPowerStateChange() method to complete execution.

484 If the TimeoutPeriod parameter is specified and the value is not in the interval format of the Datetime data
485 type, the method shall return a value of 2. If the TimeoutPeriod parameter is specified and the
486 implementation is able to determine if the power state change will take more time than the TimeoutPeriod
487 parameter, the method shall return a value of 2. A value of 0 or Null for the TimeoutPeriod shall indicate
488 that no timeout requirements exist.

489 8.2 Profile conventions for operations

490 For each profile class (including associations), the implementation requirements for operations, including
491 those in the following default list, are specified in class-specific subclauses of this clause.

492 The default list of operations is as follows:

- 493 • GetInstance
- 494 • Associators
- 495 • AssociatorNames
- 496 • References

- 497 • ReferenceNames
- 498 • EnumerateInstances
- 499 • EnumerateInstanceNames

500 **8.3 CIM_PowerManagementService**

501 All operations in the default list in 8.2 shall be implemented as defined in [DSP0200](#).

502 NOTE: Related profiles may define additional requirements on operations for the profile class.

503 **8.4 CIM_PowerManagementCapabilities**

504 All operations in the default list in 8.2 shall be implemented as defined in [DSP0200](#).

505 NOTE: Related profiles may define additional requirements on operations for the profile class.

506 **8.5 CIM_AssociatedPowerManagementService**

507 Table 7 lists implementation requirements for operations. If implemented, these operations shall be
508 implemented as defined in [DSP0200](#). In addition, and unless otherwise stated in Table 7, all operations in
509 the default list in 8.2 shall be implemented as defined in [DSP0200](#).

510 NOTE: Related profiles may define additional requirements on operations for the profile class.

511 **Table 7 – Operations: CIM_AssociatedPowerManagementService**

Operation	Requirement	Messages
ModifyInstance	Optional. See 8.5.1.	None
Associators	Unspecified	None
AssociatorNames	Unspecified	None
References	Unspecified	None
ReferenceNames	Unspecified	None

512 **8.5.1 CIM_AssociatedPowerManagementService—ModifyInstance**

513 When the ModifyInstance operation is supported for an instance of
514 CIM_AssociatedPowerManagementService, the ModifyInstance operation shall not modify the following
515 properties:

- 516 • PowerState
- 517 • OtherPowerState
- 518 • PowerOnTime
- 519 • RequestedPowerState

520 These properties can be affected by the invocation of the RequestPowerStateChange() method; see 8.1.

521 **8.6 CIM_ElementCapabilities**

522 Table 8 lists implementation requirements for operations. If implemented, these operations shall be
523 implemented as defined in [DSP0200](#). In addition, and unless otherwise stated in Table 8, all operations in
524 the default list in 8.2 shall be implemented as defined in [DSP0200](#).

525 NOTE: Related profiles may define additional requirements on operations for the profile class.

526

Table 8 – Operations: CIM_ElementCapabilities

Operation	Requirement	Messages
Associators	Unspecified	None
AssociatorNames	Unspecified	None
References	Unspecified	None
ReferenceNames	Unspecified	None

527 **8.7 CIM_HostedService**

528 Table 9 lists implementation requirements for operations. If implemented, these operations shall be
 529 implemented as defined in [DSP0200](#). In addition, and unless otherwise stated in Table 9, all operations in
 530 the default list in 8.2 shall be implemented as defined in [DSP0200](#).

531 NOTE: Related profiles may define additional requirements on operations for the profile class.

532

Table 9 – Operations: CIM_HostedService

Operation	Requirement	Messages
Associators	Unspecified	None
AssociatorNames	Unspecified	None
References	Unspecified	None
ReferenceNames	Unspecified	None

533 **9 Use cases**


534 This clause contains object diagrams and use cases for the *Power State Management Profile*.

535 **9.1 Object diagrams**

536 This clause contains object diagrams for the *Power State Management Profile*. For simplicity, the prefix
 537 CIM_ has been removed from the names of the classes in the diagrams.

538 **9.1.1 Advertising the profile conformance**

539 Figure 2 represents a possible instantiation of the *Power State Management Profile*. In this instantiation,
 540 the managed system, system1, hosts a power management service, pwrmgtsvc1. system1 is also the
 541 scoping instance for pwrmgtsvc1. Thus, following the CIM_ElementConformsToProfile association to
 542 profile1 and then the referenced CIM_ReferencedProfile association to profile2, the client can retrieve
 543 profile2. profile2 will show the version of the current *Power State Management Profile* implementation.




544

545

Figure 2 – Registered Profile

546 **9.1.2 Monolithic system**

547 Figure 3 shows the CIM instances required to control power for a single, monolithic system, system1.
 548 system1 hosts the power management service, pwrmgtsvc1, which manages the power for system1.



549


550

Figure 3 – Power control instance diagram: Monolithic system

551 **9.1.3 Monolithic system with service processor**

552 Figure 4 shows the CIM instances required to control power for a monolithic system with an attached
 553 service processor. The power management service, pwrmtgsvc1, hosted by the service processor, sp1, is
 554 responsible for managing the power of the system, system1. Optionally, the service processor may host
 555 another power management service, pwrmtgsvc2, to control its own power.

556 A service processor in this sense may be an add-in remote management component or an integrated
 557 baseboard management controller.




558

559 **Figure 4 – Power control instance diagram: Monolithic system with service processor**

560 9.1.4 Modular system with chassis service processor

561 Figure 5 shows the CIM instances required to represent a modular computer system. The chassis
 562 manager, `chassismgr1`, hosts one or more power management services (`pwrmtgsvc2`) to control the
 563 power of all the blade systems. Optionally, the chassis manager may host another power management
 564 service (`pwrmtgsvc1`) to control its own power.



565

566 **Figure 5 – Power control instance diagram: Modular system with chassis service processor**

567 9.2 Determine the power state of the computer system

568 A client can determine the power state of the computer system as follows:

569 For the instance of `CIM_ComputerSystem` that represents the given computer system, select the
 570 referencing instance of `CIM_AssociatedPowerManagementService`.

571 The `PowerState` property of the referencing instance of `CIM_AssociatedPowerManagementService`
 572 represents the power state of the computer system.

573 9.3 Find the power management service for a computer system

574 A client can find the power management service for a computer system as follows:

575 For the instance of `CIM_ComputerSystem` that represents the given computer system, select the instance
 576 of `CIM_PowerManagementService` that represents the power management service for the computer
 577 system through the `CIM_AssociatedPowerManagementService` association.

578 9.4 Find all the computer systems for a power management service

579 A client can find all the computer systems for a power management service as follows:

580 For the instance of `CIM_PowerManagementService` that represents the given power management
 581 service, select all of the instances of `CIM_ComputerSystem` that are associated with it through the
 582 `CIM_AssociatedPowerManagementService` association.

583 9.5 Change the power state of the computer system

584 A client can change the power state of the computer system as follows:

- 585 1) Navigate from the target instance of CIM_ComputerSystem to the instance of
586 CIM_PowerManagementService that represents the service that manages that system by using
587 the CIM_AssociatedPowerManagementService association.
- 588 2) Invoke the RequestPowerStateChange() method of the instance of
589 CIM_PowerManagementService with an argument that contains the PowerState action
590 appropriate to the operation.

591 9.6 Determine whether the power cycle is supported for a computer system

592 A client can determine whether Power Cycle is supported for a computer system as follows:

- 593 1) Navigate from the target instance of CIM_ComputerSystem to the instance of
594 CIM_PowerManagementService using the CIM_AssociatedPowerManagementService
595 association.
- 596 2) Using the instance of CIM_PowerManagementService, navigate to the instance of
597 CIM_PowerManagementCapabilities through the CIM_ElementCapabilities association.

598 If the PowerChangeCapabilities property array contains the value 4 (Power Cycling Supported), Power
599 Cycle shall be supported for the computer system.

600 9.7 Execute Power Cycle (Off–Soft) within a given time

601 A client can execute Power Cycle (Off–Soft) within a given time as follows:

- 602 1) Navigate from the target instance of CIM_ComputerSystem to the instance of
603 CIM_PowerManagementService using the CIM_AssociatedPowerManagementService
604 association.
- 605 2) Invoke the RequestPowerStateChange() method of the instance of
606 CIM_PowerManagementService with the Power State argument set to 5 (Power Cycle (Off–
607 Soft)) and the TimeoutPeriod argument set to “t”.

608 9.8 Execute Power Cycle (Off–Soft Graceful)

609 A client can determine whether Power Cycle and Graceful Shutdown is supported for a computer system
610 as follows:

- 611 1) Navigate from the target instance of CIM_ComputerSystem to the instance of
612 CIM_PowerManagementService using the CIM_AssociatedPowerManagementService
613 association.
- 614 2) Using the instance of CIM_PowerManagementService, navigate to the instance of
615 CIM_PowerManagementCapabilities through the CIM_ElementCapabilities association.

616 If the PowerChangeCapabilities property array contains the value 4 (Power Cycling Supported) and 8
617 (Graceful Shutdown Supported), Power Cycle and Graceful Shutdown shall be supported for the
618 computer system.

619 If the Power Cycle and Graceful Shutdown is supported, then a client can execute Power Cycle (Off–Soft
620 Graceful) as follows:

- 621 1) Navigate from the target instance of CIM_ComputerSystem to the instance of
622 CIM_PowerManagementService using the CIM_AssociatedPowerManagementService
623 association.
- 624 2) Invoke the RequestPowerStateChange() method of the instance of
625 CIM_PowerManagementService with the Power State argument set to 15 (Power Cycle (Off–
626 Soft Graceful))

627 **9.9 Display power states that can potentially be requested**

628 A client can display the potential power states that can be requested on the computer system as follows:

- 629 1) For the instance of CIM_ComputerSystem that represents the given computer system, select
630 the referencing instance of CIM_AssociatedPowerManagementService.
- 631 2) Using the instance of CIM_PowerManagementService, navigate to the instance of
632 CIM_PowerManagementCapabilities through the CIM_ElementCapabilities association.
- 633 3) The RequestedPowerStatesSupported property of the instance of
634 CIM_PowerManagementCapabilities represents the power states that can potentially be
635 requested on the computer system.
- 636 4) The CIM_AssociatedPowerManagementService.AvailableRequestedPowerStates property
637 contains a subset of power state values from the
638 CIM_PowerManagementCapabilities.RequestedPowerStatesSupported property. This subset
639 represents currently available power state values for power state change requests, and it may
640 change dynamically based on the current state of the computer system. A client application
641 should use these properties to provide some visible differentiation between the available and
642 unavailable power state values.

643 **9.10 Determine the available power states that can be requested**

644 A client can determine the available power states that that can be requested on the computer system as
645 follows:

- 646 1) For the instance of CIM_ComputerSystem that represents the given computer system, select
647 the referencing instance of CIM_AssociatedPowerManagementService.
- 648 2) The AvailableRequestedPowerStates property of the referencing instance of
649 CIM_AssociatedPowerManagementService represents the power states that can be currently
650 requested on the computer system.

651 **9.11 Change the power state of the computer system based on available power 652 states**

653 A client can change the power state of the computer system based on the current power state and the
654 available power states that can be requested as follows:

- 655 1) For the instance of CIM_ComputerSystem that represents the given computer system, select
656 the referencing instance of CIM_AssociatedPowerManagementService.
- 657 2) Navigate from the target instance of CIM_ComputerSystem to the instance of
658 CIM_PowerManagementService that represents the service that manages that system by using
659 the CIM_AssociatedPowerManagementService association.
- 660 3) Invoke the RequestPowerStateChange() method of the instance of
661 CIM_PowerManagementService with an argument that contains the PowerState with a value

662 that is one of the values in the AvailableRequestedPowerStates property of the
 663 CIM_AssociatedPowerManagementService instance.

664 **10 CIM Elements**

665 Table 10 shows the instances of CIM Elements for this profile. Instances of the CIM Elements shall be
 666 implemented as described in Table 10. Clauses 7 (“Implementation”) and 8 (“Methods”) may impose
 667 additional requirements on these elements.

668 **Table 10 – CIM Elements: Power State Management Profile**

Element Name	Requirement	Description
Classes		
PowerManagementCapabilities	Mandatory	See 7.2 and 10.1.
PowerManagementService	Mandatory	See 7.1 and 10.2.
AssociatedPowerManagementService	Mandatory	See 10.3.
ElementCapabilities	Mandatory	See 10.4.
HostedService	Mandatory	See 10.5.
RegisteredProfile	Mandatory	See 10.6.
Indications		
None defined in this profile		

669 **10.1 CIM_PowerManagementCapabilities**

670 CIM_PowerManagementCapabilities represents the power management capabilities of a computer
 671 system. Table 11 contains the requirements for elements of this class.

672 **Table 11 – Class: CIM_PowerManagementCapabilities**

Elements	Requirement	Notes
InstanceID	Mandatory	Key
PowerChangeCapabilities	Mandatory	See 7.2.1.
ElementName	Mandatory	See 7.2.2.
PowerStatesSupported	Mandatory	See 7.2.3.
RequestedPowerStatesSupported	Mandatory	See 7.2.4.

673 **10.2 CIM_PowerManagementService**

674 CIM_PowerManagementService represents the power management service responsible for controlling
 675 the power of a computer system. Table 12 contains the requirements for elements of this class.

676 **Table 12 – Class: CIM_PowerManagementService**

Elements	Requirement	Notes
CreationClassName	Mandatory	Key
Name	Mandatory	Key
ElementName	Mandatory	See 7.1.1.
RequestPowerStateChange()	Conditional	See 8.1.

677 **10.3 CIM_AssociatedPowerManagementService**

678 CIM_AssociatedPowerManagementService associates the CIM_ComputerSystem instance that
 679 represents the target computer system with the CIM_PowerManagementService instance that represents
 680 the service responsible for controlling the power of a computer system. Table 13 contains the
 681 requirements for elements of this class.

682 **Table 13 – Class: CIM_AssociatedPowerManagementService**

Elements	Requirement	Notes
ServiceProvided	Mandatory	Key Cardinality 1
UserOfService	Mandatory	Key Cardinality *
PowerState	Mandatory	See 7.3.
RequestedPowerState	Conditional	See 7.4.
PowerOnTime	Conditional	See 7.4.
TransitioningToPowerState	Optional	See 7.5.
AvailableRequestedPowerStates	Optional	See 7.6.

683 **10.4 CIM_ElementCapabilities**

684 CIM_ElementCapabilities associates the CIM_PowerManagementService instance that represents the
 685 service responsible for controlling the power of a computer system with the
 686 CIM_PowerManagementCapabilities instance that represents the power management capabilities of a
 687 computer system. Table 14 contains the requirements for elements of this class.

688 **Table 14 – Class: CIM_ElementCapabilities**

Elements	Requirement	Notes
ManagedElement	Mandatory	This property shall be a reference to the instance of CIM_PowerManagementService. Cardinality 1..*
Capabilities	Mandatory	This property shall be a reference to the instance of CIM_PowerManagementCapabilities. Cardinality 1

689 **10.5 CIM_HostedService**

690 CIM_HostedService associates the CIM_ComputerSystem instance with the
 691 CIM_PowerManagementService instance that it hosts. Table 15 contains the requirements for elements
 692 of this class.

693 **Table 15 – Class: CIM_HostedService**

Elements	Requirement	Notes
Antecedent	Mandatory	This property shall be a reference to the instance of CIM_ComputerSystem. Cardinality 1..*
Dependent	Mandatory	This property shall be a reference to the instance of CIM_PowerManagementService. Cardinality *

694 **10.6 CIM_RegisteredProfile**

695 CIM_RegisteredProfile is defined by the [Profile Registration Profile](#). The requirements denoted in
 696 Table 16 are in addition to those mandated by the [Profile Registration Profile](#).

697 **Table 16 – Class: CIM_RegisteredProfile**

Elements	Requirement	Notes
RegisteredName	Mandatory	This property shall have a value of "Power State Management".
RegisteredVersion	Mandatory	This property shall have a value of "2.0.1".
RegisteredOrganization	Mandatory	This property shall have a value of 2 (DMTF).

698 NOTE Previous versions of this document included the suffix "Profile" for the RegisteredName value. If
 699 implementations querying for the RegisteredName value find the suffix "Profile", they should ignore the suffix, with
 700 any surrounding white spaces, before any comparison is done with the value as specified in this document.

701
702
703
704**ANNEX A
(informative)****Change log**

Version	Date	Description
1.0.0	2008-04-11	
1.0.2	2008-12-12	Added RequestedPowerStatesSupported property to PowerManagementCapabilities.
2.0.0	2009-12-14	Added TransitioningToPowerState and AvailableRequestedPowerStates properties to CIM_AssociatedPowerManagementService. Fixed Table 3 on ACPI to PowerState property mapping. Added a table on the meaning of PowerState parameter of RequestPowerStateChange() method. Addressed PPP WG ballot and TC ballot comments.
2.0.1	2016-04-24	Add clarification in clause 7.4 on the discernibility between 14 (Master Bus Reset Graceful) and 15 (Power Cycle (Off-Soft Graceful)). Allow scope from either.

705
706