

TITLE II
AIR QUALITY

CHAPTER 20

SCOPE OF TITLE DEFINITIONS

~~567—20.1(455B,17A) Scope of title. The department has jurisdiction over the atmosphere of the state to prevent, abate and control air pollution, by establishing standards for air quality and by regulating potential sources of air pollution through a system of general rules or specific permits. The construction and operation of any new or existing stationary source which emits or may emit any air pollutant requires a specific permit from the department, unless exempted by the department.~~

~~This chapter provides general definitions applicable to this title.~~

~~567—Chapter 21 contains the provisions requiring compliance schedules, allowing for variances, and setting forth the emission reduction program, identification of air pollution emergency episodes and the preplanned abatement strategies, and specifies the qualifications for an observer for reading visible emissions. 567—Chapter 22 contains the standards and procedures for the permitting of emission sources and identifies the state ambient air quality standards. 567—Chapter 23 contains the air emission standards for contaminants. 567—Chapter 24 provides for the reporting of excess emissions and the equipment maintenance and repair requirements. 567—Chapter 25 contains the testing and sampling requirements for new and existing sources. 567—Chapter 26 identifies air pollution emergency episodes and the preplanned abatement strategies. 567—Chapter 27 sets forth the conditions political subdivisions must meet in order to secure acceptance of a local air pollution control program. 567—Chapter 28 identifies the state ambient air quality standards. 567—Chapter 29 sets forth the qualifications for an observer for reading visible emissions. 567—Chapter 30 sets forth requirements to pay fees for specified activities. 567—Chapter 31 contains rules for the nonattainment major new source review (NSR) program and general conformity. 567—Chapter 32 specifies requirements for conducting the animal feeding operations field study. 567—Chapter 33 contains special regulations and construction permit requirements for major stationary sources and includes the requirements for prevention of significant deterioration (PSD). 567—Chapter 34 contains provisions for air quality emissions trading programs. 567—Chapter 35 specifies the requirements for the department to provide financial assistance to eligible applicants for the purpose of reducing air pollution emissions.~~

~~All dates specified in reference to the Code of Federal Regulations (CFR) are the dates of publication of the last amendments to the portion of the CFR being cited.~~

~~567—20.2(455B) Definitions. For the purpose of these rules, the following terms shall have the meaning indicated in this chapter. The definitions set out in Iowa Code section 455B.411 shall be considered to be incorporated verbatim in these rules.~~

~~“Ambient air” means that portion of the atmosphere, external to buildings, to which the general public has access. Ambient air does not include the atmosphere over land owned or controlled by the source and to which public access is precluded by a fence or other physical barriers~~

~~“Anaerobic lagoon,” for purposes of air quality rules contained in 567—Chapters 20 through 35, means an impoundment, the primary function of which is to store and stabilize organic wastes. The impoundment is designed to receive wastes on a regular basis and the design waste loading rates are such that the predominant biological activity in the impoundment will be anaerobic. An anaerobic lagoon does not include:~~

~~a. A runoff control basin which collects and stores only precipitation induced runoff from an open feedlot feeding operation; or~~

~~b. A waste slurry storage basin which receives waste discharges from confinement feeding operations and which is designed for complete removal of accumulated wastes from the basin at least semiannually; or~~

Commented [PC1]: This chapter will be rescinded and reserved. See comments below for details.

Commented [PC2]: The definitions to be retained are being moved to new Chapters 21, 22, and 23.

Commented [PC3]: The information in the Scope of Title is no longer needed and is generally covered in the earlier administrative chapters of 567 Iowa Administrative Code (i.e. chapters 1-19)

Commented [PC4]: As noted above, all definitions are being moved out of Ch. 20 and placed in new Chapters 21, 22, or 23. Unless otherwise noted, the definition is being moved to new Ch. 22. If a definition is no longer needed, it will be deleted entirely, as explained in the comments below.

~~e. Any anaerobic treatment system which includes collection and treatment facilities for all off-gases.~~

~~“ASME” means the American Society of Mechanical Engineers.~~

~~“ASTM” means the American Society for Testing and Materials.~~

~~“Auxiliary fuel firing equipment” means equipment to supply additional heat, by the combustion of an auxiliary fuel, for the purpose of attaining temperatures sufficient to dry and ignite the waste material, to maintain ignition thereof, and to promote complete combustion of combustible gases, solids and vapors.~~

~~“Backyard burning” means the disposal of residential waste by open burning on the premises of the property where such waste is generated.~~

~~“Biodiesel fuel” means a renewable, biodegradable, mono alkyl ester combustible liquid fuel derived from agricultural plant oils or animal fat such as, but not limited to, soybean oil. For purposes of this definition, “biodiesel fuel” must also meet the specifications of American Society for Testing and Material Specifications (ASTM) D 6751-02, “Standard Specification for Biodiesel Fuel (B100) Blend Stock for Distillate Fuels,” and be registered with the U.S. Environmental Protection Agency as a fuel and a fuel additive under Section 211(b) of the Clean Air Act, 42 U.S.C. Sections 7401, et seq. as amended through November 15, 1990~~

~~“Btu” means British thermal unit, the quantity of heat required to raise the temperature of one pound of water from 59°F to 60°F.~~

~~“Carbonaceous fuel” means any form of combustible matter (whether solid, liquid, vapor or gas) consisting primarily of carbon containing compounds in either fixed or volatile form, and which is burned primarily for its heat content.~~

~~“Chimney or stack” means any flue, conduit or duct permitting the discharge or passage of air contaminants into the open air, or constructed or arranged for this purpose.~~

~~“COH/1,000 linear feet” means coefficient of haze per 1,000 linear feet, which is a measure of the optical density of a filtered deposit of particulate matter as given in ASTM Standard D 1704-61, and indicated by the following formula:~~

$$\begin{array}{ccccccc} - & - & - & - & - & - & - \\ - & \text{COH/1,000} & - & (\text{Area-tape, ft}^2)(100,000) & - & 100 & - \\ - & \text{linear-feet} & = & \frac{\quad}{\quad} & \frac{1}{e} & \frac{\quad}{\quad} & - \\ - & - & - & (\text{Volume of air sample, ft}^3) & - & \% \text{ transmission} & - \end{array}$$

~~“Combustion for indirect heating” means the combustion of fuel to produce usable heat that is to be transferred through a heat conducting materials barrier or by a heat storage medium to a material to be heated so that the material being heated is not contacted by, and adds no substance to, the products of combustion.~~

~~“Control equipment” means any equipment that has the function to prevent the formation of or the emission to the atmosphere of air contaminants from any fuel burning, incinerator or process equipment.~~

~~“Country grain elevator” shall have the same definition as “country grain elevator” set forth in 567 subrule 22.10(1).~~

~~“Criteria” means information used as guidelines for decisions when establishing air quality goals, air quality standards and the various air quality levels, and which in no case is to be confused or used interchangeably with air quality goals or standards.~~

~~“Diesel fuel” means a low sulfur fuel oil that complies with the specifications for grade 1-D or 2-~~

Commented [PC[5]]: These acronyms are spelled out in the appropriate rules and are no longer needed.

Commented [PC[6]]: This term is not used in the rules and the definition can be deleted.

Commented [PC[7]]: This definition is being moved to the open burning rules in Ch. 23.

Commented [PC[8]]: This is a common engineering unit of measurement and the definition is no longer needed.

Commented [PC[9]]: This term is not used in the air quality rules and the definition is no longer needed.

Commented [PC[10]]: This definition is no longer needed because the DNR uses the provisions provided in the federal reference methods.

Commented [PC[11]]: This term is not used in the air quality rules and the definition is no longer needed.

D, as defined by the American Society of Testing and Materials (ASTM) D 975-02, "Standard Specification for Diesel Fuel Oils," grade 1-GT or 2-GT, as defined by ASTM D 2880-00, "Standard Specification for Gas Turbine Fuel Oils," or grade 1 or 2, as defined by ASTM D 396-02, "Standard Specification for Fuel Oils."

— 1. For purposes of the air quality rules contained in Title II, and unless otherwise specified, diesel fuel may contain a blend of up to 2.0 percent biodiesel fuel, by volume, as "biodiesel fuel" is defined in this rule.

— 2. The department shall consider air pollutant emissions calculations for the biodiesel fuel blends specified in numbered paragraph "1" to be equivalent to the air pollutant emissions calculations for unblended diesel fuel.

— 3. Construction permits or operating permits issued under 567 Chapter 22 which restrict equipment fuel use to diesel fuel shall be considered by the department to include the biodiesel fuel blends specified in numbered paragraph "1," unless otherwise specified in 567 Chapter 22 or in a permit issued under 567 Chapter 22.

"Director" means the director of the department of natural resources or the director's designee.

"Electric furnace" means a furnace in which the melting and refining of metals are accomplished by means of electrical energy.

"Electronic format," "electronic submittal," and "electronic submittal format," for purposes of the rules in 567 Chapters 20 through 35, mean a software, Internet-based, or other electronic means specified by the department for submitting air quality information or fees to the department related to, but not limited to, applications, certifications, determination requests, emissions inventories, forms, notifications, payments, permit applications and registrations. References to these information submittal methods in 567 Chapters 20 through 35 may, as specified by the department, include electronic submittal as stated in the applicable administrative rules.

"Emergency generator" means any generator of which the sole function is to provide emergency backup power during an interruption of electrical power from the electric utility. An emergency generator does not include:

- 1. Peaking units at electric utilities; or
- 2. Generators at industrial facilities that typically operate at low rates, but are not confined to emergency purposes; or
- 3. Any standby generators that are used during time periods when power is available from the electric utility.

An emergency is an unforeseeable condition that is beyond the control of the owner or operator.

"Emission limitation" and "emission standard" mean a requirement established by a state, local government, or the administrator which limits the quantity, rate or concentration of emissions of air pollutants on a continuous basis, including any requirements which limit the level of opacity, prescribe equipment, set fuel specifications or prescribe operation or maintenance procedures for a source to ensure continuous emission reduction.

"EPA conditional method" means any method of sampling and analyzing for air pollutants that has been validated by the administrator but that has not been published as an EPA reference method.

"EPA reference method" means the following methods used for performance tests and continuous monitoring systems:

— 1. Performance test (stack test). A stack test shall be conducted according to EPA reference methods specified in 40 CFR 51, Appendix M (as amended or corrected through October 7, 2020); 40 CFR 60, Appendix A (as amended or corrected through February 16, 2021); 40 CFR 61, Appendix B (as amended or corrected through October 7, 2020); and 40 CFR 63, Appendix A (as amended or corrected through December 2, 2020).

— 2. Continuous monitoring systems. Minimum performance specifications and quality assurance procedures for performance evaluations of continuous monitoring systems are as specified in 40 CFR

Commented [PC12]: This definition is duplicative of Iowa Code and is being deleted.

60, Appendix B (as amended or corrected through October 7, 2020); 40 CFR 60, Appendix F (as amended or corrected through October 7, 2020); 40 CFR 75, Appendix A (as amended or corrected through August 30, 2016); 40 CFR 75, Appendix B (as amended or corrected through August 30, 2016); and 40 CFR 75, Appendix F (as amended or corrected through August 30, 2016).

~~“Equipment” means equipment capable of emitting air contaminants to produce air pollution such as fuel burning, combustion or process devices or apparatus including but not limited to fuel burning equipment, refuse burning equipment used for the burning of fuel or other combustible material from which the products of combustion are emitted; and including but not limited to apparatus, equipment or process devices which generate heat and may emit products of combustion, and manufacturing, chemical, metallurgical or mechanical apparatus or process devices which may emit smoke, particulate matter or other air contaminants.~~

Commented [PC13]: This definition is being moved to Ch. 21 and shortened. Equipment examples are being removed from the definition because they are not inclusive.

~~“Excess emission” means any emission which exceeds any applicable emission standard prescribed in 567 Chapter 23 or rule 567 22.4(455B), 567 22.5(455B), 567 31.3(455B), or 567 33.3(455B) or any emission limit specified in a permit or order.~~

Commented [PC14]: This definition is being moved to new Ch. 21.

~~“Existing equipment” means equipment, machines, devices or installations that are in operation prior to September 23, 1970.~~

Commented [PC15]: This definition is being moved to new Ch. 21.

~~“Foundry cupola” means a stack type furnace used for melting of metals consisting of, but not limited to, the furnace proper, tuyeres, fans or blowers, tapping spout, charging equipment, gas cleaning devices and other auxiliaries.~~

~~“Fugitive dust” means any airborne solid particulate matter emitted from any source other than a flue or stack.~~

~~“Garbage” means all solid and semisolid putrescible and nonputrescible animal and vegetable wastes resulting from the handling, preparing, cooking, storing and serving of food or of material intended for use as food, but excluding recognized industrial by products.~~

Commented [PC16]: This definition is being moved to the Ch. 23 open burning rules.

~~“Gas cleaning device” means a facility designed to remove air contaminants from gases exhausted from equipment as defined herein.~~

Commented [PC17]: This is an obsolete term that is no longer used in the air quality rules and will be deleted.

~~“Goal” means a level of air quality which is expected to be obtained.~~

Commented [PC18]: This term is not used in the air quality rules and will be deleted.

~~“Grain processing” means the equipment, or the combination of different types of equipment, used in the processing of grain to produce a product primarily for wholesale or retail sale for human or animal consumption, including the processing of grain for production of biofuels, except for “feed mill equipment,” as “feed mill equipment” is defined in rule 567 22.10(455B).~~

~~“Grain storage elevator” means any plant or installation at which grain is unloaded, handled, cleaned, dried, stored, or loaded and that is located at any wheat flour mill, wet corn mill, dry corn mill (human consumption), rice mill, or soybean oil extraction plant which has a permanent grain storage capacity (grain storage capacity which is inside a building, bin, or silo) of more than 35,200 m³ (ca. 1 million U.S. bushels).~~

~~“Greenhouse gas” means carbon dioxide, methane, nitrous oxide, hydrofluorocarbons, perfluorocarbons, and sulfur hexafluoride.~~

~~“Heating value” means the heat released by combustion of one pound of waste or fuel measured in Btu on an as received basis. For solid fuels, the heating value shall be determined by use of ASTM Standard D2015-66.~~

~~“Incinerator” means a combustion apparatus designed for high temperature operation in which solid, semisolid, liquid or gaseous combustible refuse is ignited and burned efficiently, and from which the solid residues contain little or no combustible material.~~

~~“Initiation of construction, installation or alteration” means significant permanent modification of a site to install equipment, control equipment or permanent structures. Not included are activities incident to preliminary engineering, environmental studies, or acquisition of a site for a facility.~~

~~“Landscape waste” means any vegetable or plant wastes except garbage. The term includes trees,~~

Commented [PC19]: This definition is being moved to the Ch. 23 open burning rules.

tree trimmings, branches, stumps, brush, weeds, leaves, grass, shrubbery and yard trimmings.

~~“Level” means a certain specified degree, quality or characteristic.~~

~~“Malfunction” means any sudden and unavoidable failure of control equipment or of a process to operate in a normal manner. Any failure that is caused entirely or in part by poor maintenance, careless operation, lack of an adequate maintenance program, or any other preventable upset condition or preventable equipment breakdown shall not be considered a malfunction.~~

~~“Maximum achievable control technology (MACT)” means the following regarding regulated hazardous air pollutant sources:~~

~~— 1. For existing sources, the emissions limitation reflecting the maximum degree of reduction in emissions that the administrator or the department, taking into consideration the cost of achieving such emission reduction, and any non-air quality health and environmental impacts and energy requirements, determines is achievable by sources in the category of stationary sources, that shall not be less stringent than the MACT floor.~~

~~— 2. For new sources, the emission limitation which is not less stringent than the emission limitation achieved in practice by the best controlled similar source and which reflects the maximum degree of reduction in emissions that the administrator or the department, taking into consideration the cost of achieving such emission reduction, and any non-air quality health and environmental impacts and energy requirements, determines is achievable by the affected source.~~

~~“Maximum achievable control technology (MACT) floor” means the following:~~

~~— 1. For existing sources, the average emission limitation achieved by the best 12 percent of the existing sources in the United States (for which the administrator or the department has or could reasonably obtain emissions information), excluding those sources that have, within 18 months before the emission standard is proposed or within 30 months before such standard is promulgated, whichever is later, first achieved a level of emission rate or emission reduction which complies, or would comply if the source is not subject to such standard, with the lowest achievable emission rate applicable to the source category and prevailing at the time, for categories and subcategories of stationary sources with 30 or more sources in the category or subcategory, or the average emission limitation achieved by the best performing five sources in the United States (for which the administrator or the department has or could reasonably obtain emissions information), for a category or subcategory of stationary sources with fewer than 30 sources in the category or subcategory.~~

~~— 2. For new sources, the emission limitation achieved in practice by the best controlled similar source.~~

~~“New equipment” means except for any equipment or modified equipment to which 567 subrule 23.1(2) applies, any equipment or control equipment not under construction or for which components have not been purchased on or before September 23, 1970, and any equipment which is altered or modified after such date, which may cause the emission of air contaminants or eliminate, reduce or control the emission of air contaminants.~~

~~“Number 1 fuel oil” and “number 2 fuel oil,” also known as “distillate oil,” mean fuel oil that complies with the specifications for fuel oil number 1 or fuel oil number 2, as defined by the American Society of Testing and Materials (ASTM) D 396-02, “Standard Specification for Fuel Oils.”~~

~~— 1. For purposes of the air quality rules contained in Title II, and unless otherwise specified, number 1 fuel oil or number 2 fuel oil may contain a blend of up to 2.0 percent biodiesel fuel, by volume, as “biodiesel fuel” is defined in this rule.~~

~~— 2. The department shall consider air pollutant emissions calculations for the biodiesel fuel blends specified in numbered paragraph “1” to be equivalent to the air pollutant emissions calculations for unblended number 1 fuel oil or unblended number 2 fuel oil.~~

~~— 3. Construction permits or operating permits issued under 567 Chapter 22 which restrict equipment fuel use to number 1 fuel oil or number 2 fuel oil shall be considered by the department to include the biodiesel fuel blends specified in numbered paragraph “1,” unless otherwise~~

Commented [PC[20]: This term is not used in the air quality rules and will be deleted.

Commented [PC[21]: This definition is being moved to new Ch. 21.

Commented [PC[22]: This definition is being moved to Ch. 23, to the rules for 40 CFR Part 63 NESHAP provisions, as specified in subrule 23.1(4).

Commented [PC[23]: See previous comment.

Commented [PC[24]: This definition is being moved to new Ch. 21.

specified in 567—Chapter 22 or in a permit issued under 567—Chapter 22.

One-hour period means any 60-minute period commencing on the hour.

Opacity means the degree to which emissions reduce the transmission of light and obscure the view of an object in the background (See 567—Chapter 29).

Open burning means any burning of combustible materials where the products of combustion are emitted into the open air without passing through a chimney or stack.

Particulate matter (except for the purposes of new source performance standards as defined in 40 CFR 60) means any material, except uncombined water, that exists in a finely divided form as a liquid or solid at standard conditions and includes gaseous emissions that condense to liquid or solid form as measured by EPA approved reference methods.

Parts per million (PPM) means a term which expresses the volumetric concentration of one material in one million unit volumes of a carrier material.

Plan documents means the reports, proposals, preliminary plans, survey and basis of design data, general and detail construction plans, profiles, specifications and all other information pertaining to equipment.

PM₁₀ means particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers as measured by an EPA approved reference method.

PM_{2.5} means particulate matter as defined in this rule with an aerodynamic diameter less than or equal to a nominal 2.5 micrometers as measured by an EPA approved reference method.

Potential to emit means the maximum capacity of a stationary source to emit any air pollutant under its physical and operational design. Any physical or operational limitation on the capacity of a source to emit an air pollutant, including air pollution control equipment and restrictions on hours of operation or on the type or amount of material combusted, stored, or processed, shall be treated as part of its design if the limitation is enforceable by the administrator. This term does not alter or affect the use of this term for any other purposes under the Act, or the term “capacity factor” as used in Title IV of the Act or the regulations relating to acid rain.

For the purpose of determining potential to emit for country grain elevators, the provisions set forth in 567—subrule 22.10(2) shall apply.

For purposes of calculating potential to emit for emergency generators, “maximum capacity” means one of the following:

- 1. 500 hours of operation annually, if the generator has actually been operated less than 500 hours per year for the past five years;
- 2. 8,760 hours of operation annually, if the generator has actually been operated more than 500 hours in one of the past five years; or
- 3. The number of hours specified in a state or federally enforceable limit.

If the source is subject to new source construction permit review, then potential to emit is defined as stated above or as established in a federally enforceable permit.

Privileged communication means information other than air pollutant emissions data the release of which would tend to affect adversely the competitive position of the owner or operator of the equipment.

Process means any action, operation or treatment, and all methods and forms of manufacturing or processing, that may emit smoke, particulate matter, gaseous matter or other air contaminant.

Process weight means the total weight of all materials introduced into any source operation. Solid fuels charged will be considered as part of the process weight, but liquid and gaseous fuels and combustion air will not.

Process weight rate means continuous or long run steady state source operations, the total process weight for the entire period of continuous operation or for a typical portion thereof, divided by the number of hours of such period or portion thereof; or for a cyclical or batch source operation, the

Commented [PC[25]: This definition is being moved to new Ch. 21.

Commented [PC[26]: This definition is being moved to the Ch 23 open burning rules.

Commented [PC[27]: The EPA reference methods already defines PPM by volume, so the PPM is known in the standard. This definition is obsolete and is being deleted.

total process weight for a period that covers a complete operation or an integral number of cycles, divided by the number of hours of actual process operation during such a period. Where the nature of any process or operation, or the design of any equipment is such as to permit more than one interpretation of this definition, the interpretation that results in the minimum value for allowable emission shall apply.

~~“Refuse” means garbage, rubbish and all other putrescible and nonputrescible wastes, except sewage and water-carried trade wastes.~~

~~“Residential waste” means any refuse generated on the premises as a result of residential activities. The term includes landscape waste grown on the premises or deposited thereon by the elements, but excludes garbage, tires, trade wastes, and any locally recyclable goods or plastics.~~

~~“Rubbish” means all waste materials of nonputrescible nature.~~

~~“Shutdown” means the cessation of operation of any control equipment or process equipment or process for any purpose.~~

~~“Six minute period” means any one of the ten equal parts of a one hour period.~~

~~“Smoke” means gas-borne particles resulting from incomplete combustion, consisting predominantly, but not exclusively, of carbon, and other combustible material, or ash, that form a visible plume in the air.~~

~~“Smoke monitor” means a device using a light source and a light detector which can automatically measure and record the light-obscuring power of smoke at a specific location in the flue or stack of a source.~~

~~“Source operation” means the last operation preceding the emission of an air contaminant, and which results in the separation of the air contaminant from the process materials or in the conversion of the process materials into air contaminants, but is not an air pollution control operation.~~

~~“Standard conditions” means a temperature of 68°F and a pressure of 29.92 inches of mercury absolute.~~

~~“Standard cubic foot (SCF)” means the volume of one cubic foot of gas at standard conditions.~~

~~“Standard metropolitan statistical area (SMSA)” means an area which has at least one city with a population of at least 50,000 and such surrounding areas as geographically defined by the U.S. Bureau of the Budget (Department of Commerce).~~

~~“Startup” means the setting into operation of any control equipment or process equipment or process for any purpose.~~

~~“Stationary source” means any building, structure, facility or installation which emits or may emit any air pollutant.~~

~~“Theoretical air” means the exact amount of air required to supply the required oxygen for complete combustion of a given quantity of a specific fuel or waste.~~

~~“Total suspended particulate” means particulate matter as defined in this rule.~~

~~“Trade waste” means any refuse resulting from the prosecution of any trade, business, industry, commercial venture (including farming and ranching), or utility or service activity, and any governmental or institutional activity, whether or not for profit.~~

~~“12-month rolling period” means a period of 12 consecutive months determined on a rolling basis with a new 12-month period beginning on the first day of each calendar month.~~

~~“Untreated” as it refers to wood or wood products includes only wood or wood products that have not been treated with compounds such as, but not limited to, paint, pigment stain, adhesive, varnish, lacquer, or resin or that have not been pressure treated with compounds such as, but not limited to, chromate copper acetate, pentachlorophenol or creosote. “Untreated” as it refers to seeds, pellets or other vegetative matter includes only seeds, pellets or other vegetative matter that has not been treated with pesticides or fungicides.~~

~~“Urban area” means any Iowa city of 100,000 or more population in the current census and all~~

Commented [PC[28]: These definitions are being moved to the Ch. 23 open burning rules.

Commented [PC[29]: This definition is being moved to new Ch. 21.

Commented [PC[30]: This is an obsolete term and is being deleted.

Commented [PC[31]: This definition is being moved to new Ch. 21.

Commented [PC[32]: This is a standard technical definition not used in the air quality rule and can be deleted.

Commented [PC[33]: This definition is being moved to the Ch. 23 open burning rules.

~~Iowa cities contiguous to such city.~~

~~“Variance” means a temporary waiver from rules or standards governing the quality, nature, duration or extent of emissions granted by the commission for a specified period of time.~~

~~“Volatile organic compounds” or “VOC” means any compound included in the definition of “volatile organic compounds” found at 40 CFR Section 51.100(s) as amended through November 28, 2018.~~

~~567 20.3(455B) Air quality forms generally. Rescinded ARC 1913C, IAB 3/18/15, effective 4/22/15.~~