

# Index

**This index should be cited as:**

IPCC, 2013: Index. In: *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* [Stocker, T.F., D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.

Note: \* indicates the term also appears in the Glossary (Annex III). Bold page numbers indicate page spans for entire chapters. Italicized page numbers denote tables, figures and boxed material.

## A

- Abrupt climate change\***, 70-72, 151, 386-387, 432-435, 1114-1119  
 abrupt glacial events, 483  
 paleoclimate\*, 386-387, 432-435, 434  
 permafrost thawing and, 530-531  
 projections, 88, 1005, 1033, 1114-1119  
 summary, 1005, 1115
- Aerosols\***, 151, 174-180, 571-657  
 absorption on snow and ice, 574, 617-618, 685, 685  
 aerosol-climate feedbacks, 574, 605-606  
 aerosol-cloud interactions\*, 127, 573, 578, 606-614, 607, 618-621, 623, 625-626, 683-685  
 aerosol optical depth (AOD), 161, 174-176, 176, 179, 596-599, 599, 692, 757, 794-795, 794-795, 1429-1430  
 aerosol-radiation interactions\*, 574, 576, 578, 604-605, 614-618, 615, 617, 622, 682-683, 683  
 aviation contrails, 574, 592-594, 686  
 carbonaceous\*, 606  
 climate relevant properties, 573, 602-604, 622-623  
 cloud condensation nuclei (CCN)\*, 603-604, 609, 886  
 composition and mixing state, 602-603  
 effective radiative forcing (ERF), 574, 576-578, 577-578, 614-624, 619-621, 1404-1409  
 feedbacks, 574, 576-578, 577, 605-606  
 formation and types, 595  
 general concepts, 595-606, 595, 597, 622-623  
 glaciation effect, 578  
*in situ* surface measurements, 176-180, 177  
 lifetime effects, 578, 609-610  
 mineral dust (MDA), 394, 600, 605, 617  
 models, 16, 608-609, 744, 752, 757, 794-795  
 new terminology, 578, 578  
 observations, 161, 175, 595-599, 596, 598  
 organic\*, 1048-1050, 1052, 1419, 1428  
 paleoclimate\*, 394  
 precipitation effects, 624-627  
 projections, 1000-1001, 1002-1003, 1007-1008, 1048-1050, 1052  
 radiative forcing\*, 13-14, 14, 127, 186, 574, 576-578, 577, 614-621, 662, 675, 682-686, 1007, 1048-1050, 1052, 1404-1409  
 sea spray, 599-601, 605  
 size and optical properties, 603  
 sources, 599-601  
 thermodynamic effect, 578  
 volcanic aerosols, 14, 662, 691-693  
 See also specific aerosols
- Africa**, 1266-1268, 1267  
 African monsoon, 1234, 1235  
 climate indices, changes in, 211-212  
 projections, 106, 1281-1282, 1288, 1358-1365
- Air quality**, 684-685, 955, 1001-1002  
 climate-driven changes, 999-1000, 1005-1006  
 extreme weather and, 1005  
 projections, 24, 88-89, 957, 996-1004
- Aircraft**. See Aviation
- Albedo\***, 126  
 cloud albedo effect, 578, 610, 1048-1050  
 snow, 321, 358, 359, 757  
 surface, 628, 662, 686-687, 687, 819  
 urban, 687
- Altimetry\***, 286, 287, 348-349
- Ammonia**, 1418
- Ammonium**, 605-606
- Annular modes\***, 233-235, 900-901, 900, 1243-1246  
 projections, 108, 1220, 1288-1289
- Antarctic ice sheet**, 9, 25, 29, 137, 320, 351-353, 909  
 dynamical change, 1172-1174  
 ice loss, 351-353, 352-353, 367, 381-382  
 irreversible changes, 71-72, 356, 1174  
 mass balance\*, 348, 1139, 1170-1171  
 models, 753, 1171  
 observed changes, 351-353, 352-353  
 paleoclimate\*, 387, 428-431, 1174  
 polar amplification, 397  
 sea level equivalent, 320, 321, 352-354  
 sea level rise and, 1139, 1154-1155, 1170-1176, 1177-1179, 1182  
 West Antarctic (WAIS), 320, 332, 349, 352-354, 357, 1174, 1175
- Antarctic region**, 151, 939, 1276-1277  
 bottom water, 279-280  
 circulation, 284  
 ice shelves, 320, 353, 367  
 oceans, 279-280  
 paleoclimate\*, 387, 420, 459-460  
 polar amplification, 385, 396-398  
 projections, 106, 1277, 1285, 1289, 1390-1393  
 Weddell Sea, 280
- Antarctic sea ice**, 9, 25, 69, 319, 330-335  
 changes in, 333-334, 368, 906-909, 908, 931  
 drift, 332  
 extent and concentration, 330, 331, 332  
 models, 787-790, 787-789  
 projections, 1089, 1092  
 seasonality and trends, 332-335
- Anthropogenic climate change\***. See Detection and attribution of climate change
- Aragonite**, 94-95, 533
- Arctic region**  
 anthropogenic influence, 19, 956  
 climate projections, 956, 1031, 1062-1064  
 ocean salinity, 271-273  
 polar amplification, 385, 396-398, 1031, 1062-1064  
 projections, 106, 1257-1258, 1278, 1288, 1322-1324  
 temperature, 9, 10, 20, 931, 956, 1062-1064, 1257-1258, 1278
- Arctic sea ice**, 9, 10, 69, 136-137, 319, 323-330  
 attribution of changes, 19, 870, 906-909, 908, 931, 938  
 changes in, 333-334, 367, 368  
 decadal trends, 329-330  
 drift, 328-329  
 extent and concentration, 324-326, 325, 326  
 irreversible changes, 1115, 1117-1118  
 models, 16, 18, 744, 787-790, 787-789  
 projections, 24-25, 956, 1032, 1087-1092, 1089-1091  
 salinity effects on, 271-273  
 seasonality, 329  
 summary, 9, 10, 319, 367  
 thickness and volume, 319, 327-328, 328
- Asia**  
 climate indices, changes in, 211-212  
 precipitation extremes, 211-212  
 projections, 106, 1268-1273, 1278, 1282-1284, 1288-1289, 1366-1381
- Asian-Australian monsoon**, 1227-1232, 1230-1231
- Atlantic Meridional Mode (AMM)**, 802, 1224
- Atlantic Meridional Overturning Circulation (AMOC)**, 8, 282-284, 782-783  
 irreversibility and, 70, 433-435, 1115-1116, 1115  
 paleoclimate\*, 386-387, 433-435, 456  
 projections, 24, 956, 973-974, 995, 1033, 1094-1095  
 variability, 801, 802, 806
- Atlantic Multi-decadal Oscillation/Variability (AMO/AMV)\***, 230, 233-235, 801, 802, 806, 869, 1254-1255  
 impacts, 1224  
 projections, 108, 971-973, 972, 1220
- Atlantic Niño**, 233, 803, 806, 1224, 1239-1240
- Atlantic Ocean**  
 carbon storage, 495  
 hurricanes, 809  
 modes, 1239-1240  
 salinity, 271, 280  
 temperature, 280  
 tropical, models, 787  
 variability, 233-235  
 water mass properties, 279
- Atlantic Ocean Multidecadal Variability**, 233-234
- Atmosphere\***, 5, 159-254  
 free\*, 197-198, 197-200  
 global reanalyses\*, 185-186  
 models, 144, 746, 747, 748-750, 756-757, 760-777  
 observations, 5, 6, 159-254  
 projections, 19-24, 28, 980-993  
 radiation budget, 161, 180-186  
 summary of observations, 5, 130, 161-163  
 temperature, 4-5, 6, 66-68, 161-162, 187-201, 984  
 See also Hydrological cycle; Temperature
- Atmospheric chemistry**, 669-675
- Atmospheric circulation**, 163, 223-232, 899-901, 899-900  
 attribution of changes, 871, 899-901, 899-900, 937-938  
 geopotential height, 223, 223, 226  
 jets, storm tracks and weather types, 229-230  
 projections, 88, 90, 956, 972-975, 988-990, 989-990, 1032, 1071-1074, 1071-1072  
 sea level pressure (SLP), 223-224, 223-224, 1071-1072, 1071

- stratospheric circulation, 230  
 surface wind speed, 224-226, 225  
 teleconnections\*, 233, 805, 1224, 1243, 1243  
 tropical circulation, 226-230, 899-900, 989-990, 989, 1073  
 upper-air winds, 226  
 variability in, 163, 230-232, 231-235
- Atmospheric composition**, 126, 161, 165-180  
 aerosols\*, 161, 174-180, 576  
 clouds, 576  
 gases, 161, 165-170, 166  
 models, 17-18  
 observed changes, 165-180  
 projections, 996-1004  
*See also specific constituents*
- Attribution of climate change**. *See* Detection and attribution
- Australia and New Zealand**, 106, 1273-1275, 1274, 1284, 1289, 1382-1385  
 monsoon, 1230-1231, 1232
- Aviation contrails/cloud effect**, 574, 592-594, 686
- B**
- Baseline/reference\***, 1034
- Bayesian method/approach\***, 83, 755
- Biogeochemical cycles**, 11-12, 465-570  
 before fossil fuel era, 480-486  
 carbon removal/storage techniques, 546-552  
 connections of carbon, nitrogen, and oxygen cycles, 475-480, 477-479  
 ocean, 259, 291-301, 312  
 overview, 11-12, 470-480  
 projections, 93-95, 96-97, 468-469, 514-539  
 since industrial revolution, 474-475, 486-514  
*See also* Carbon cycle
- Biological pump\***, 472
- Biomass\* burning**, 507, 509, 600-601, 616, 663, 671, 714
- Black carbon\***, 600, 616, 685, 685, 1432  
 global warming potential, 740  
 metrics, 718  
 projections, 955, 1048-1050, 1419  
 radiative forcing\*, 1048-1050, 1052, 1404-1409
- Blocking\***, 229-230, 796, 1220, 1224, 1246-1248
- Brewer-Dobson circulation\***, 90, 163, 230, 1073-1074, 1248
- Bromocarbons**, 733
- Budgets**. *See* Energy budget; Radiation budget
- C**
- Carbon**  
 cumulative emissions, 1108-1109, 1109, 1112-1113, 1114  
 dissolved inorganic carbon (DIC), 95, 472, 497, 546-552  
 land storage, 26, 93  
 models, 502-504  
 oceanic, 259, 291-293, 294, 300, 301, 472  
 organic, 1048-1050, 1052, 1419, 1431  
 permafrost\*, 480, 526-528  
 sinks\*, 93, 468, 470-472, 471, 480, 495-503, 503, 519-523, 538-539, 543, 551-552  
 total, 178  
 transient climate response to emissions (TCRE), 16-17, 1108-1109  
*See also* Black carbon
- Carbon cycle\***, 11-12, 96-97, 470-480, 502-504  
 before fossil fuel era, 480-486  
 carbon removal/storage techniques, 469, 546-552, 547  
 climate-carbon cycle feedback\*, 514-523, 515, 516-518, 551-552  
 in climate models, 16, 468, 516-518, 751-752, 792-794  
 commitments, 543-546  
 feedbacks, 26, 475-480, 477-478, 514-523, 515-518, 520  
 geoengineering and, 469, 546-552  
 global, 470-473, 471  
 long-term, 543-546, 543  
 models, 502-504, 514-528, 516-518, 520-522, 524-529, 744, 751-752, 757, 792-794, 793-794  
 nitrogen cycle and, 475-480, 476-479, 537-539, 538  
 observations, 11-12, 12, 50-53  
 ocean carbon balance, 498-499  
 paleoclimate\*, 468  
 perturbations and uncertainties, 96-97  
 projections, 26-27, 93-95, 96-97, 468-469, 523-528, 542-546, 1033, 1096-1099, 1097-1098  
 regional fluxes, 499-502, 500-501  
 sensitivity of, 503-504, 504-505  
 since industrial revolution, 474-475, 486-504  
 sinks\*, 468, 470-472, 471, 480, 495-503, 503, 519-523  
 summary, 11-12, 467-469  
 terrestrial processes and feedbacks, 502-504, 503-505
- Carbon dioxide (CO<sub>2</sub>)\***, 166-167  
 air-sea fluxes, 497, 498, 499-501, 500-501  
 airborne fraction\*, 495  
 atmosphere-to-land fluxes, 501-502  
 atmospheric concentration, 11-12, 12, 28, 161, 166-167, 166-167, 467, 476, 1401-1402  
 atmospheric, growth rate, 491-494, 493-494  
 atmospheric, residence times, 472-473  
<sup>13</sup>C/<sup>12</sup>C ratio, 476  
 carbon cycle and, 470-473  
 climate change commitment and, 27-28, 28, 1033  
 compatible emissions\*, 523-528, 526-529  
 current rate of rise as unprecedented, 385  
 emissions, 486-488, 487, 544-545, 1108-1109, 1109, 1410  
 emissions metrics, 716-717, 731  
 emissions, natural, 1421  
 feedbacks, 26  
 fertilization\*, 475, 501, 502  
 glacial-interglacial changes, 385, 480-483, 482, 483  
 global budget, 488-494  
 industrial era, 474-475  
 lifetime and radiative efficiency, 731  
 observations, 50-52  
 observed changes, 11-12, 12, 132-134, 132, 161, 165-167, 166, 467  
 observed changes, last millennium, 485-486, 486  
 ocean absorption of, 11, 12, 26-27, 291-293, 295-300, 300, 472, 472-473, 495-499  
 ocean sink for, 495-499, 496, 519-520  
 paleoclimate\*, 385, 391-394, 399-400, 400, 457, 459-460, 468, 483-484, 483  
 permafrost\*, 27, 530-531  
 projections, 19, 26-27, 27-28, 28, 148, 156, 468, 514-528, 524, 662, 1048-1050, 1096-1097, 1097, 1422  
 proxy methods and data, 394, 457  
 radiative forcing\*, 13, 14, 126, 165, 661, 676-678, 678, 1048-1050, 1404-1409, 1433  
 rapid adjustments\* to, 590  
 regional budgets, 503  
 summary, 11-12, 12  
 temperature and, 398-399  
 timescale of persistence in atmosphere, 469
- Carbon Dioxide Removal (CDR)\***, 29, 469, 546-551, 547  
 methods, 547-550, 548-549, 632-633  
 side effects, 633  
 summary, 552
- Carbon monoxide (CO)**, 13, 14, 174, 1416  
 lifetime and global warming potential, 718, 740  
 radiative forcing\*, 662
- Carbon tetrachloride (CCl<sub>4</sub>)**, 169-170, 678, 733
- Caribbean region**. *See* Central America and Caribbean
- Cement production**, 489
- Central America and Caribbean**, 106, 1260-1261, 1260, 1280, 1288, 1338-1341
- Central and North Asia**, 106, 1268-1269, 1269
- Chaotic system\***, 955, 959, 1033
- Chlorocarbons**, 733
- Chlorofluorocarbons (CFCs)**, 161, 169-170, 672, 1403, 1427  
 lifetime and radiative efficiency, 731  
 radiative forcing\*, 127, 661, 678, 679, 1048-1050
- Chloroform**, 733
- Circulation**  
 atmospheric, 163, 223-232, 899-901, 899-900, 937-938, 956, 1032  
 models, 773-774, 782-784, 810-813  
 oceanic, 258, 281-285, 283, 433-435, 481, 995, 1094-1095  
 planetary-scale overturning circulations, 1072-1074  
 projections, 90, 956, 972-975, 989-991, 989-990, 995, 1071-1074, 1071-1074, 1094-1095
- Clathrates\***, 70-71, 1115, 1116-1117
- Clausius-Clapeyron equation/relationship\***, 208, 1083
- Climate\***  
 key concepts, 123-129  
 weather and, 123-126, 914-917
- Climate change\***  
 baseline period\*, 1034  
 direct observations of, 124, 130  
 drivers of, 13-14, 14, 124, 126, 170-174, 1033

- general concepts, 119-158, 124-125  
 historical overview of assessments, 124-125  
 indicators of, 130-137, 130, 164  
 irreversible aspects of, 28, 70-72, 129, 386-387, 433-435, 469, 1033  
 long-term, 19-20, 89-93, **1029-1136**  
 multiple lines of evidence for, 121, 129-130  
 near-term, 85-89, **953-1029**  
 observations, summarized, 4-12, 130  
 sun and, 394-395, 885-886  
 timescales, 28, 125, 128-129, 128, 1033, 1105-1107  
 21st century projections, 1054-1102  
 weather vs., 123-126
- Climate change commitment\***, 27-29, 28, 105, 128-129, 129, 1033, 1102-1105, 1103  
 constant composition, 1103  
 stabilization scenarios, 102-105, 1107-1113  
 zero emission commitment, 1104, 1104, 1106-1107
- Climate change projections.** See Climate projections
- Climate feedbacks\***. See Feedbacks
- Climate forcing.** See Radiative forcing
- Climate forecast.** See Climate predictions
- Climate indices\***, 1223  
 extreme events, 221-222  
 indices of climate variability, 230-232, 231-235  
 regional changes in, 209-213, 211-212
- Climate models\***, 15-16, 75-76, **741-866**  
 advances in, 121-122, 142-150, 748-753, 749-750, 824-825  
 aerosols, 744, 752, 794-795  
 assumptions, 146, 754, 755  
 atmosphere models, 748-750, 760-777  
 Atmosphere-Ocean General Circulation Models (AOGCMs)\*, 83, 405, 516, 746, 747, 810-813, 822-823, 822-823, 919, 1144  
 Atmospheric Chemistry and Climate Model Intercomparison Project (ACCMIP), 958, 1052-1054  
 Atmospheric General Circulation Models (AGCMs), 813  
 capabilities of, 143-145, 144-150  
 carbon cycle, 516-518, 751-752, 792-794  
 chemistry-climate interactions, 752, 1052  
 climate sensitivity and feedbacks, 745, 817-821, 817-819  
 climate simulations, 122, 147-150, 743, 767-809, 959-961, 1013-1014  
 climate variability and, 61-62, 129, 142-143, 230-232, 743, 769-770, 795-806  
 comparison of, 16, 27, 29, 523-526, 1099-1102, 1099-1101  
 comparison with observations, 74, 146, 822-823, 1013-1014  
 confidence in, 743-745, 762, 768, 769-772, 793, 806, 813, 822, 824-825  
 Coupled Model Intercomparison Project Phase 5 (CMIP5), 19-20, 21, 79-81, 146, 514-523, 516-518, 521-522, 670, 745, 747-748, 756-759, 759-760, 766, 818-819, 822-823, 968-969, 971-978, 1031, 1035, 1047-1052, 1048-1050, 1099-1102  
 development and tuning, 144, 749-750  
 downscaling\*, 744, 810-817  
 drift\*, 967-970, 978  
 dynamic global vegetation, 752, 791  
 Earth System Models\*, 16, 19, 26-27, 146, 468, 516, 518, 520, 523-526, 524-529, 743-745, 746, 747, 751-753, 822-823, 822-823  
 Earth System Models of Intermediate Complexity (EMICs)\*, 744-745, 746-748, 748  
 emergent constraints, 826-827  
 ensemble\*, 146, 754-755, 793, 966, 1041-1043  
 evaluation, 15-16, 75-76, **741-866**  
 evaluation, limitations of, 755-756  
 evaluation, observations used in, 756-758  
 experimental strategies and intercomparisons, 128, 759-760, 759  
 extremes, 806-809  
 flux adjustments\*, 825  
 global, 810-814, 811-813  
 initialization\*, 754, 760, 770, 796, 958  
 land, 750-751, 752, 790-791  
 long-term simulations, 15  
 model errors, 62-63, 771-772, 809-810, 815, 1039  
 multi-model ensembles (MMEs), 755, 817-819, 967, 970, 1039  
 new components of, 751-753  
 ocean, 750, 751-752, 777-787  
 overview, 746-753, 1036-1037  
 parameterizations\*, 748, 750  
 performance, assessment of, 753-758, 809-810, 821-827, 822-825  
 performance, climate sensitivity and, 820-821  
 performance metrics, 765-766, 766-767  
 perturbed-parameter, 755, 1040  
 process-based\*, 98-99, 806, 1144-1145  
 projections from, 19-29, 79-81, 127-128, 523-528, 825-827, 958, 978, 997-998, 1014-1015, 1035-1044, 1047-1052  
 proxy methods\*, 388, 394, 404, 457  
 reanalyses\*, 143-144, 185-186, 756-758, 760  
 recent and longer-term records in, 760-795  
 regional-scale, 15, 748, 810-817, 816, 1013-1014  
 resolution\*, 57, 753, 809  
 sea ice, 744, 751, 787-790  
 semi-empirical\*, 99-100, 1140, 1144-1145  
 summary, 15-16, 18, 743-746, 822-823  
 temperature, 743, 760-761, 767-773, 777-778  
 top-down vs. bottom up, 886  
 trend models, 179-180  
 uncertainties\*, 139-142, 140-141, 809-810, 815, 1035-1040, 1038, 1197-1198  
 vegetation, 752, 791  
 See also specific topics and models
- Climate patterns\***, 232-235, 1224
- Climate penalty**, 685
- Climate phenomena**, 105-108, 106, **1217-1308**  
 See also Regional climate change
- Climate predictions\***, **953-1028**  
 concepts and terms, 959-961  
 decadal prediction, 955, 958, 966-978  
 hindcasts\*, 965, 967, 970, 973-974, 975  
 initialization, 85, 961-962, 968-969, 975, 975  
 near-term, 963-978  
 predictability studies, 962-965, 963  
 probability and, 961-962, 974-975  
 quality/skill\*, 85-86, 86, 958, 960-961, 964-965, 966-978, 976-977, 1008-1009  
 retrospective, 85  
 scientific basis for, 958  
 summary, 955, 1011-1012, 1011  
 temperature, 973, 975, 977-978, 977  
 See also Climate projections
- Climate projections\***, 19-29, 79-108, 125, **953-1136**  
 abrupt change\*, 1033, 1114-1119  
 air quality, 957, 996-1004  
 atlas of, 1311-1393  
 atmosphere and land surface, 980-994, 996-1004  
 atmospheric circulation, 90, 956, 972-975, 988-990, 989-990, 1032, 1033, 1071-1074, 1071-1072  
 carbon cycle, 93-95, 96-97, 514-534, 1033, 1096-1099, 1097-1098  
 climate models and, 79-81, 958, 978, 997-998, 1013-1014, 1035-1044, 1036-1037, 1047-1052  
 climate models, consistency and differences, 1099-1102, 1099-1101  
 climate stabilization and targets, 27-29, 102-105, 1033, 1107-1113  
 clouds, 1070-1071, 1070  
 commitment and irreversibility, 1033, 1102-1119, 1106-1107, 1114-1119  
 comparison with observations, 64-65  
 cryosphere\*, 92, 92-93, 956, 995-996, 1087-1093, 1088-1092  
 data sources and, 155-158, 155-157  
 energy budget\*, 1069-1071, 1069-1070  
 ensemble\*, 1041-1043  
 equilibrium climate sensitivity, 1033, 1105-1107, 1110-1112  
 extremes, 956, 990-993, 990-991, 1003-1004, 1064-1068, 1067-1068  
 global, 19-29, 1054-1058  
 global projections, 1318-1321  
 greenhouse gases, 955, 998-1000, 1006-1007, 1048-1050  
 hydrological cycle, 44-45, 88, 91-92, 91, 956, 984-988, 985, 987, 1032, 1074-1087  
 initialization, 85, 960-961, 968-969  
 joint multivariate projections, 1044  
 key concepts, 959-962, 1036-1037, 1084-1085, 1106-1107, 1256-1257  
 long-term, **1029-1136**  
 long-term, 21st century, 1054-1102  
 long-term, beyond 2100, 1102-1119  
 long-term projections, 89-93  
 model agreement, 1041-1043  
 near-term, 978-1012  
 near-term projections, 85-89  
 oceans, 93, 956, 993-995, 993-994, 1033, 1093-1095  
 pattern scaling, 1058-1062, 1061  
 precipitation, 7, 956, 984-986, 985, 992-993, 992, 1014-1015, 1032, 1278-1287  
 precipitation, long-term, 91-92, 91, 1032, 1055-1057, 1057, 1076-1079, 1078  
 probability in, 961-962  
 quality/skill\*, 85-86, 86, 958, 960-961, 976-977  
 radiative forcing\*, 79-80, 700-701, 701, 955,

- 1005-1010, 1006-1007, 1046-1052, 1048-1050  
reference period, 958, 1034, 1313  
regional projections, 956, 957, 1001-1002, 1001-1003, 1014-1015, 1217-1308, 1288-1289, 1322-1393  
scenarios, 955, 956, 997, 1031, 1034, 1045-1047  
sea level change\*, 7, 25-26, 26, 98-101, 125, 1140, 1150-1191  
sensitivity of, 979, 1007  
summary, 19-29, 955-957, 1009-1012, 1011-1012, 1031-1033  
temperature, 7, 955-956, 973-974, 980-984, 981-983, 1006, 1006, 1010-1012, 1012-1014, 1278-1287  
temperature, long-term, 89-90, 1031-1032, 1054-1057, 1054-1056, 1062-1068, 1063  
transient climate response, 1033, 1110-1112  
tropical cyclones, 993-994, 993  
uncertainties\*, 115, 955, 978-1039, 979, 1004-1012, 1034, 1035-1040, 1038, 1057-1058, 1058  
vs. predictions, 978  
See also Regional climate change; *specific topics*
- Climate regime\***, 1225
- Climate scenarios\***, 29, 131-132, 147-150, 1031, 1034, 1036-1037, 1045-1047  
comparison of, 1047  
tables, 1395-1445  
uncertainty\*, 1038-1039, 1038  
See also Emissions scenarios
- Climate sensitivity\***, 82-85, 164, 745, 817-821  
equilibrium climate sensitivity (ECS), 16, 81, 82-85, 385, 405-407, 405-406, 817-819, 817, 821, 920-926, 925, 1110-1112  
probability density functions (PDFs)\*, 134-135, 134  
transient climate response (TCR), 16-17, 84-85, 128, 817-818, 821, 920-921, 925, 1110-1112
- Climate simulations**, 122, 147-150, 743, 767-795, 959-961, 1013-1014
- Climate stabilization**, 27-29, 102-105, 1033, 1107-1113
- Climate system\***, 15, 15-19, 60-78, 871, 920-931  
climate models, 15-16  
environmental data, 1437-1445  
historical data, 1401-1409  
nonlinear, chaotic nature of, 955, 960, 1033  
observed changes, 4-12, 37-52  
quantification of responses, 16-17  
responses of, 16-17, 81, 1004  
scenario tables, 1395-1445  
transient climate response, 16-17, 920-921, 925  
warming of, 4-5, 5, 6-7, 198-199
- Climate targets**, 102-105, 1033, 1107-1113
- Climate variability\***, 121, 138, 142-143, 164, 232-235, 795-806, 959  
indices of, 230-232, 231-235  
interannual-to-centennial, 799-806, 806  
internal, 61-62, 769-770, 919, 923, 959  
modes of\*, 415-416, 744, 801-803, 1220, 1222-1223, 1223-1225, 1288-1289  
patterns of\*, 232-235, 900-901, 900, 1243-1246
- Clouds**, 208, 571-657  
aerosol-cloud interactions\*, 164, 573, 578, 606-614, 607, 618-623, 623, 625-626, 683-685  
anthropogenic sources of moisture, 592-595  
aviation-induced cloudiness, 574, 592-594, 686  
cloud albedo effect, 578, 610, 1048-1050  
cloud condensation nuclei (CCN)\*, 603-604, 608, 886  
cloud convection effects, 573, 585  
cloud feedbacks\*, 587-592, 819-820  
cloud lifetime effect, 1048-1050  
cloud radiative effect (CRE)\*, 580-582, 582, 585-586, 764, 765  
cold clouds, 611-612  
cosmic ray effects on, 613-614, 691  
effects on Earth's radiation budget, 580-582, 582  
feedbacks, 573-574, 576-578, 577, 587-592  
formation and types, 576, 578-580, 579-581  
general concepts, 578-595, 593-594  
geoengineering methods, 628  
ice clouds, 585  
lifetime effects, 578, 609-610  
liquid clouds, 585, 609-611  
mixed-phase clouds, 585  
models, 16, 573, 582-587, 591-592, 592, 608-611, 743, 762-766, 764  
observations, 578-595  
opacity, 590  
precipitation effects, 624-627  
in present-day climate system, 578-582  
processes, 582-587, 592  
projections, 1070-1071, 1070  
radiative forcing (CRF)\*, 126, 126, 576-578, 577, 618-621, 682-684  
sea-ice interactions, 590  
water vapour feedbacks, 574
- Cold days/cold nights\***, 162, 210-212, 221  
projections, 86, 956, 990, 1065-1066, 1067
- Commitment**. See Climate change commitment
- Compatible emissions\***, 523-528, 526-529, 1104
- Confidence\***, 4, 36, 139-142, 142
- Contrails**, 574, 592-594, 686
- Cosmic rays**, 573, 613-614, 691
- Cryosphere\***, 9, 69, 317-382  
area, volume, and sea level equivalents, 321-322  
attribution of changes, 870, 906-910, 931, 936-937  
components, 321, 321, 322  
feedbacks, 27, 321, 358, 359, 757  
frozen ground\*, 320, 362-366, 367  
glaciers\*, 319, 335-344, 367  
ice sheets\*, 320, 344-357, 367  
impact of changes in, 321-323  
irreversible changes, 71-72  
lake and river ice, 320, 361-362, 367  
observation methods, 323, 335-338, 338, 368  
observations, 9, 10, 136-137, 317-382  
projections, 24-25, 88, 323, 956, 995-996  
projections, long-term, 92, 92-93, 1032-1033, 1087-1093, 1088-1092  
sea ice\*, 319, 323-335, 367, 870  
seasonal snow, 320, 358-361, 358-360  
summary, 319-320, 367-368, 367
- Cyclones**, 110, 162, 1220, 1248-1253  
attribution of changes, 871, 913-914, 938  
extratropical\*, 113, 217-220, 743, 913, 1220, 1251-1253, 1288-1289  
models, 743, 807  
observations, 7  
projections, 7, 107-108, 108, 110, 113, 956, 992-993, 993, 1219, 1249-1253, 1250, 1288-1289  
tropical, 7, 107-108, 108, 113, 162, 216-217, 216, 807, 871, 913-914, 938, 956, 992-993, 993, 1220, 1248-1251, 1288-1289
- D**
- Dansgaard-Oeschger (DO) events\***, 432-433
- Deforestation\***, 50, 55, 1008
- Detection and attribution of climate change\***, 7, 17-19, 125, 867-952  
anthropogenic radiative forcings, 13-14, 14, 17, 146, 617, 661-662, 675-688, 932-934, 1005-1008  
atmosphere and surface, 878-901  
atmospheric circulation, 871, 899-901, 899-900, 931, 937-938  
atmospheric temperatures, 869-870, 878-893  
climate models and, 825, 869, 872, 875-876  
climate system properties, 871, 920-927  
combination of evidence, 871, 924-926, 931  
context, 151, 872-874  
cryosphere\*, 870, 906-910, 931, 936-937  
definition, 872-873  
Earth system properties, 926-927  
extremes, 110, 871, 910-917, 911  
fingerprinting, 873-874, 877-878, 894-895  
greenhouse gases, 127, 150, 869, 887, 932  
human attribution, 7, 17-19, 121, 125, 127, 869-871, 927-931, 932-939  
hydrological cycle, 72, 870, 895-899, 931, 935-936  
irreversibility and, 28  
lessons from the past, 919-920  
methods, 872-878, 875-876, 894-895  
models, 825, 869, 872, 875-876  
multi-century to millennia, 917-920, 938  
multi-variable approaches, 878, 927  
null hypothesis, 878  
ocean properties, 293-294, 870, 901-906, 926, 934-935  
precipitation, 72, 870, 871, 896-897, 897-898  
regional changes, 888-891, 889, 919, 938-939  
scaling factors, 873-874  
sea level change, 870, 905, 1156, 1176-1179  
single-step and multi-step attribution, 878  
solar irradiance and forcing, 885-886  
summary, 869-871, 893, 927-931, 932-939  
temperature, 17-19, 60, 869-870, 871, 878-893, 918-920, 930, 932-934  
time series methods, 874-877, 887-888, 895, 1223  
weather and climate events, 914-917  
whole climate system, 927-931, 930
- Dimethyl sulphide (DMS)**, 601
- Direct air capture\***, 550
- Diurnal temperature range (DTR)**. See Temperature
- Doha Amendment**, 169
- Downscaling\***. See Climate models
- Drivers of climate change**, 13-14, 53-59, 392-393  
long-term, 1033

- near-term, 170-174, 668  
summary, 13-14, 14, 124, 126  
uncertainties, 114
- Droughts\***, 110, 112, 212, 214-215, 1118  
attribution of changes, 912-913  
megadroughts, 110, 112, 422, 423-424  
models, 807-809  
observations, 7, 162, 211-212, 212  
paleoclimate\*, 386, 422-425, 423-424  
projections, 7, 91-92, 110, 986, 1086, 1118
- Dust**, 394, 600, 605, 1048-1050
- E**
- Earth system**  
energy budget, 1069-1071, 1069-1070, 1140, 1159-1161  
properties, 926-927  
responses and feedbacks, 388, 395, 398-415
- El Niño-Southern Oscillation (ENSO)\***, 106-107, 232, 233-235, 1240-1243  
Atlantic Niño, 233, 803, 806, 1224, 1239-1240  
changes, 1240-1242, 1242  
impacts, 1224  
indices, 231, 232, 233-234  
models, 15, 744, 803-805, 804, 806, 1220  
paleoclimate\*, 386, 415-416, 416  
projections, 23, 106-107, 1240-1243, 1242, 1259, 1288-1289  
tropical Pacific mean state, 1240, 1241  
variability, 129, 744, 806
- Electromagnetic spectrum\***, 126
- Emission metrics**, 17, 58-59, 59, 662-663, 710-720, 731-738  
application of, 716-720  
concepts, 710-716, 710-712  
by sector, 719-720, 720
- Emissions scenarios\***, 516-517, 523-528, 662-663, 997, 1106-1107, 1410-1421  
compatible emissions\*, 523-528, 526-529, 1104  
Representative Concentration Pathways (RCPs)\*, 79-81, 147-150, 468, 523-526, 524-529, 1045-1047, 1100  
SRES scenarios\*, 131-132, 146-147, 149-150, 955, 997, 1045, 1100  
zero emission commitment, 1104, 1104, 1106-1107
- Energy budget of the Earth\***, 67-68, 1140, 1159-1161  
glaciers and, 344  
projections, 1069-1071, 1069-1070
- Energy inventory (global)**, 257, 264-265
- Equilibrium climate experiment\***, 128
- Equilibrium climate sensitivity (ECS)**, 16, 81, 82-85, 385, 405-407, 405-406, 817-819, 817, 821, 920-926, 925, 1110-1112  
projections, 81, 1033, 1105-1107  
summary, 1110-1112
- Europe and Mediterranean**, 1264-1266, 1265  
climate indices, changes in, 211-212  
flood frequency, 424, 915-916, 915  
precipitation extremes, 211-212, 213, 991  
projections, 106, 991, 1264-1266, 1265, 1281, 1288, 1350-1357  
severe storms, 217  
temperature, 939, 991  
wind speeds, 217, 220
- Evaporation**, 205, 269-270  
projections, 91-92, 573, 986-988, 1032, 1081-1082, 1082
- Extratropical circulation**, 415-416, 773
- Extratropical cyclones\***, 113, 217-220, 743, 913, 1220, 1251-1253, 1288-1289
- Extremes**, 72-73, 109-113, 121, 134-136, 162-163, 209-222  
air pollution and, 1005  
attribution of changes, 110, 871, 910-917, 911, 931  
changes in, 209-222, 218-219  
confidence levels, 134-136, 135  
cyclones, 113, 217  
extratropical storms, 217-220, 1074, 1075  
fraction of attributable risk, 47  
hydrological cycle, 110-112, 213-216, 912-913, 1082-1087  
indices of, 221-222  
models, 15, 744, 758, 806-809, 808  
observations, 46-50, 110, 162-163, 164, 209-222  
precipitation, 23, 110-112, 211-212, 626-627, 807, 808, 871, 912, 956, 991, 992  
probability density functions (PDFs)\*, 134-135, 134  
projections, 956, 990-993, 990-991, 1003-1004, 1031-1032, 1064-1068, 1067-1068, 1082-1087  
regional, 211-212  
sea level, 7, 101, 110, 258, 290-291, 290, 1140, 1200-1204  
severe local weather, 216  
small-scale, 163  
SREX, 7, 110, 209, 212-214, 217  
temperature, 109-112, 209-212, 209-212, 211-212, 218-219, 871, 910-912, 931, 990-992, 990-991, 1031-1032, 1064-1068, 1067-1068  
tropical storms, 216-217, 216  
waves, 1141
- F**
- Feedbacks\***, 16, 57-58, 82-85, 127, 128  
carbon cycle\*, 26, 475-480, 477-478, 514-523, 515-518, 520  
climate\*, 57-58, 817-821, 817-819  
climate-carbon cycle, 514-523, 515, 516-518, 551-552  
climate-vegetation, 752, 791  
cloud and aerosol, 573-574, 576-578, 577, 587-592, 593-594, 605-606  
cryosphere\*, 27, 321, 358, 359, 757  
distinguished from forcing and rapid adjustments, 576-578  
Earth System (global and hemispheric scales), 388, 395, 398-415  
models, 16, 19, 26, 514-521, 516-518, 817-821, 818  
permafrost-climate, 27  
projections, 24  
snow-albedo, 321, 358, 359, 757  
timescales of, 128-129, 128, 1105-1107  
water vapour, 586-587, 587, 667, 819
- Fingerprints\***, 873-874, 877-878, 894-895
- Fires**, 542, 693, 752
- Floods**, 112, 214, 290, 915-916, 915  
paleoclimate, 386, 422-425, 424
- Forests\***, 543, 1115, 1117  
deforestation\*, 50, 55, 1008  
potential irreversible changes, 70-71
- Fossil fuel emissions\***, 467, 477, 489, 616  
compatible emissions, 93, 94, 523-528, 526-529
- Frequently Asked Questions (FAQs)**  
Are climate models getting better, and how would we know?, 824-825  
Are glaciers in mountain regions disappearing?, 345-346  
Climate is always changing. How do we determine the causes of observed changes?, 894-895  
Could geoenvironmental counteract climate change and what side effects might occur?, 632-634  
Could rapid release of methane and carbon dioxide from thawing permafrost or ocean warming substantially increase warming?, 530-531  
Do improvements in air quality have an effect on climate change?, 684-685  
Have there been any changes in climate extremes?, 218-219  
How are future projections in regional climate related to projections of global means?, 1256-1257  
How do aerosols affect climate and climate change?, 622-623  
How do clouds affect climate and climate change?, 593-594  
How do volcanic eruptions affect climate and our ability to predict climate?, 1008-1009  
How do we know the world has warmed?, 198-199  
How does anthropogenic ocean acidification relate to climate change, 297-298  
How important is water vapour to climate change?, 666-667  
How is climate change affecting monsoons?, 1228-1229  
How is sea ice changing in the Arctic and Antarctic?, 333-334  
How unusual is current sea level rate of change?, 430-431  
How will the Earth's water cycle change?, 1084-1085  
If understanding of the climate system has increased, why hasn't the range of temperature projections been reduced?, 140-141  
If you cannot predict the weather next month, how can you predict climate for the coming decade?, 964-965  
Is the ocean warming?, 266-267  
Is the Sun a major driver of recent changes in climate?, 392-393  
Is there evidence for changes in the Earth's water cycle?, 269-270

- What happens to carbon dioxide after it is emitted to the atmosphere?, 544-545
- What would happen to future climate if we stopped emissions today?, 1106-1107
- When will human influence on climate become obvious on local scales?, 928-929
- Why are so many models and scenarios used to project climate change?, 1036-1037
- Why does local sea level change differ from the global average?, 1148-1149
- Will the Greenland and Antarctic ice sheets contribute to sea level change over the rest of the century?, 1177-1179
- Freshwater ice**, 320, 361-362
- Frozen ground\***, 320, 362-366, 367
- permafrost\*, 320, 362-364, 362-363
- seasonally frozen, 320, 364-366, 365-366
- ## G
- Geoengineering\***, 29, 98, 546-552, 632, 632-634
- Carbon Dioxide Removal (CDR)\*, 469, 547-551, 548-549, 632-633
- carbon sequestration in ocean, 549-550
- climate response and, 629-635, 629-631
- side effects and risks, 29, 575, 627-628, 632-634
- Solar Radiation Management (SRM)\*, 29, 469, 574-575, 627-635, 629-631, 633-634, 693
- volcanic eruptions as analogues for, 693
- Geopotential height**, 223, 223, 226
- Glaciation**
- future, 387, 435
- glacial-interglacial cycles\*, 385, 399-402, 480-483, 482-483
- last glacial termination, 389, 400-401, 428-432
- Glaciers\***, 319, 335-344, 345-346, 367
- abrupt glacial events, 483
- anthropogenic influence, 19
- attribution of changes, 870, 909-910, 931
- calving\*, 335, 336, 337, 342, 343
- current area and volume, 335, 336-337
- deglaciation\*, 385, 400
- dynamic change potential, 1164-1165
- equilibrium line\*, 338, 345-346
- greenhouse gases and, 480-483
- mass balance/budget\*, 319, 341-344, 343, 1151, 1153
- measurement methods, 335-338, 338
- models, 1145, 1163-1164
- observed changes, 9, 319, 338-344, 339-340
- paleoclimate, 385, 421
- projections, 24, 25, 1145, 1164-1165
- sea level change and, 367, 1139, 1151-1153, 1151, 1163-1165, 1164-1165, 1182
- sea level equivalent, 319, 321
- summary, 9, 24, 137, 319, 367
- volume and mass changes, 338-344, 339-344
- Global Damage Potential (GDP)**, 715
- Global dimming\***, 161, 183-184, 794
- Global Positioning System (GPS)**, 143, 196, 207
- Global Temperature Change Potential (GTP)**, 17, 663, 712-714, 714-715, 720
- Global Warming Potential (GWP)\***, 17, 663, 710-714, 711-712
- GRACE satellite mission**, 349, 351-353, 380, 1156, 1157
- Gravity field**. See GRACE satellite mission
- Greenhouse effect\***, 124, 127, 666-667
- Greenhouse gases (GHGs)\***, 126, 127, 161, 165-170, 385
- anthropogenic\*, 17, 27-28, 391, 869, 887, 932, 1410-1420
- commitment and irreversibility, 1033
- emissions scenarios, 516-517, 523-528, 662-663, 997-1001, 1410-1421
- feedbacks, 17, 128, 667
- glacial-interglacial changes, 385, 480-483, 482, 483
- global trends, 164
- lifetimes, 128-129, 128
- observed changes, 4, 11-12, 132-134, 132-133, 164, 165-170
- observed changes, last millennium, 485-486, 486
- paleoclimate\*, 385, 391-398, 483-484, 483
- projections, 19, 27-28, 148, 955, 997-1001, 1006-1007, 1410-1420, 1422-1427
- radiative forcing\*, 13-14, 14, 126, 164, 165, 391-398, 470, 661, 675-676, 1404-1409
- since industrial revolution, 486-514
- spectral properties, 675-676
- well-mixed, 165-170, 166, 661, 668, 676-679, 677-678, 1006-1007
- See also Emissions; specific gases
- Greenland ice sheet**, 9, 137, 320, 349-351, 397, 909
- attribution of changes, 870, 909, 931
- dynamical change, 1168-1169
- loss of (possibility), 71-72, 353, 363, 1140, 1169-1170
- mass balance\*, 347, 380-381, 1139, 1153-1155, 1154-1155, 1165-1168, 1166
- models, 753, 1166-1168
- observed changes, 349-351, 350, 357, 367, 368
- paleoclimate\*, 387, 1170
- projected loss of, 29
- projections, 25, 1140, 1165-1170
- sea level equivalent, 320, 321, 350, 353-354
- sea level rise and, 1139, 1140, 1153-1154, 1154-1155, 1165-1170, 1177-1179, 1182
- thresholds and irreversibility, 71-72, 1169-1170
- ## H
- Hadley Circulation\***, 226-229, 227, 871, 899-900, 899
- projections, 90, 956, 989-990, 989, 1032, 1073
- Halocarbons\***, 13, 14, 675, 717
- radiative forcing\*, 678-679, 678
- Halogenated alcohols and ethers**, 734-737
- Halons**, 733
- Heat flux**, 182, 274-275, 786
- Heat waves\***, 5, 7, 110, 211-212, 212
- attribution of changes, 915, 916, 939
- projections, 110, 1066
- Russia (2010), 212, 915, 916
- Texas (2011), 212, 916
- Hindcasts\***, 965, 970, 973-974, 975
- precipitation, 976
- sea surface temperature\*, 967
- Holocene\***. See Paleoclimate
- Human effects on climate**, 7, 17-19, 121, 127, 928-929
- carbon cycle, 467-468
- detection and attribution studies, 867-952
- irreversible aspects of, 28, 469
- ocean acidification, 293-294, 295-298
- oceanic carbon dioxide, 292-293, 293
- radiative forcing\*, 13, 14, 17, 146, 617, 661-662, 675-688
- See also Detection and attribution
- Humidity**, 162, 201, 205-208, 206, 870
- in climate models, 819
- projections, 956, 987, 988, 1032, 1076, 1076
- relative\*, 987, 988, 1076
- specific\*, 206, 206, 956, 987, 988, 1032
- surface, 205-206, 206
- tropospheric, 206-208
- Hurricanes**, 809, 994
- See also Cyclones
- Hydrochlorofluorocarbons (HCFCs)**, 161, 170, 1403, 1427
- lifetime and radiative efficiency, 661, 731
- Hydrofluorocarbons (HFCs)**, 168-169, 998, 1402
- atmospheric concentration, 161, 168-169, 168
- lifetime and radiative efficiency, 732-733
- projections, 1414-1416, 1424-1427
- radiative forcing\*, 678, 679, 1434
- Hydrological cycle\***, 17, 72, 162, 201-208
- abrupt/irreversible changes, 1115, 1118-1119
- attribution of changes, 17, 72, 870, 895-899, 931, 935-936
- changes in, 42-45, 269-270, 273
- extremes, 110-112, 213-216, 912-913, 1082-1087, 1083, 1086
- greenhouse effect and, 666
- land water storage, 1151, 1155-1156, 1176-1179, 1182
- observations, 40-46, 42-45, 162, 164, 201-208
- oceans and, 265, 273
- paleoclimate\*, 386, 421-422
- projections, 20-23, 88, 956, 984-988, 985, 987, 1084-1085
- projections, long-term, 44-45, 91-92, 91, 1032, 1074-1087, 1082-1087, 1083, 1086
- proxy data, 421-422
- radiative forcing\*, 624-625
- surface hydrology, 790-791, 897-899
- See also Precipitation; Water vapour
- ## I
- Ice**, 136-137, 319-320
- aerosol absorption on, 574
- annual melt rates, 264
- freshwater ice, 320, 361-362, 367
- river and lake ice, 320, 361-362, 367
- sea ice\*, 319, 323-335, 367, 870

See also Glaciers

**Ice age\***, 386, 389, 413

**Ice clouds**, 585

**Ice cores\***, 391-394, 432, 485

**Ice nuclei**, 604

**Ice sheets\***, 320, 344-357, 367, 1177-1179

Antarctic, 9, 25, 29, 137, 320, 321, 351-353, 352-353, 356-357, 368, 909, 1170-1176

attribution of changes, 870, 909-910, 931

basal lubrication\*, 354-355

calving\*, 355

causes of changes, 353-355

climate-ice sheet interactions, 402-403

dynamics and stability, 25, 1159, 1168-1169, 1172-1174, 1175-1176, 1179

Greenland, 9, 25, 29, 137, 320, 321, 349-351, 350, 357, 870, 909, 1165-1170

grounding line\*, 347, 351, 353, 357

ice loss, 320, 349-353, 353-354, 380-382

irreversible changes, 29, 71-72, 355-356, 433, 1115, 1116, 1169-1170, 1174

marine ice-sheet instability hypothesis (MISI), 1175-1176

mass balance/budget\*, 344-353, 347-348, 380-382, 1139

measurement techniques, 347-349, 347-348

models, 25-26, 753, 1145

observed changes, 9, 70, 320, 346-353, 347-348

ocean interactions, 354, 355, 356-357

paleoclimate\*, 387, 426-431, 1170, 1174

polar amplification, 397, 907

processes, 354-355

projections, 25, 29, 1145, 1165-1176

rapid changes, 355-357

sea level change and, 29, 355, 367, 1139, 1145, 1151, 1153-1155, 1154-1155, 1165-1176, 1177-1179, 1182

sea level equivalents, 321, 352-354, 353

subsurface melting, 356-357

summary, 320, 353-354, 367

**Ice shelves\***, 320, 353, 367

**Indian Ocean**, 233-235, 280, 495

models, 787

projections, 1219

**Indian Ocean Dipole (IOD)\***, 233-235, 1220, 1237-1239

impacts, 1224

models, 744, 805, 806

projections, 1237-1239, 1238-1239

**Indonesian Throughflow**, 284-285

**Industrial Revolution\***, 474-475, 486-514, 697-698

**Insolation\***, 794-795

**Inter-Tropical Convergence Zone (ITCZ)\***, 387, 786, 1077, 1219, 1236

**Iron fertilization\***, 481, 543

**Irreversibility\***, 27-29, 70-72, 129, 386-387, 433-435, 469

ice sheets\*, 29, 71-72, 355-356, 433, 1115, 1116, 1154, 1169-1170

long-term projections, 1033, 1114-1119

paleoclimate perspective, 386-387, 433-435

sea level and, 29

**Islands**. See Pacific islands

## K

**Kyoto Protocol\***, 715

**Kyoto Protocol gases**, 161, 166-170, 997, 1005, 1401-1402

## L

**Lake ice**, 320, 361-362, 367

**Land carbon storage**, 26, 93

**Land surface**, 790-791

**Land surface air temperature\***, 162, 164, 187-189, 187

**Land use and land use change\***, 127, 162, 188-189, 686-688

carbon dioxide emissions, 467, 474-475, 489-491, 490-492

future scenarios, 523

land cover, 686-687

land water storage, 1151, 1155-1156, 1176-1179, 1182

models, 752, 791

projections, 1006-1007, 1038, 1048-1050, 1052, 1099

radiative forcing\*, 662, 686-688, 687, 1048-1050, 1052, 1404-1409

urban effects, 162, 188-189

**Land water storage**, 1151, 1155-1156, 1176-1179, 1182

**Lapse rate\***, 586-587, 587, 819

**Likelihood\***, 36, 139-142

See also Confidence; Uncertainty

**Long-term climate change**, 19-20, 89-93, 1029-1136

See also Climate projections

## M

**Madden-Julian Oscillation (MJO)\***, 796-798, 798, 1220, 1224, 1237

**Mediterranean region**. See Europe and Mediterranean

**Meridional Overturning Circulation (MOC)**. See Atlantic Meridional Overturning Circulation

**Methane (CH<sub>4</sub>)\***, 11, 165, 167, 385, 486, 508-510

anthropogenic, 509, 663, 955, 1411

atmospheric changes, 505-508

atmospheric concentration, 156, 161, 166-167, 167, 1401-1402

clathrates\*, 70-71, 1115, 1116-1117

couplings and feedbacks, 674-675

glacial, 482-483, 483

global budget, 505-510, 507-508

growth rate, 385, 506, 506

industrial era, 475

lifetime and radiative efficiency, 731, 1432

methane cycle, 473-474, 474, 752

models, 509-510, 752

natural sources, 508-509

observed changes, 11, 133, 134, 161, 165-166, 166, 167, 467, 505-508

paleoclimate, 385, 485

permafrost\*, 508, 530-531, 541-542

projections, 24, 27, 148, 156, 468-469, 539-542, 540, 997-998, 999, 1048-1050, 1411, 1422

radiative forcing\*, 13, 14, 126, 661, 662, 674-675, 677, 678, 1048-1050, 1433

**Methane hydrate**, 542

**Methyl chloroform (CH<sub>3</sub>CCl<sub>3</sub>)**, 678, 733

**Methylene chloride (CH<sub>2</sub>Cl<sub>2</sub>)**, 733

**Metrics\***

emission metrics, 17, 58-59, 59, 662-663, 710-720, 731-738

model performance metrics, 765-766, 766-767

**Microwave Sounding Unit (MSU)**, 194-196, 195

**Mineral dust aerosol (MDA)**, 394, 600, 605, 617

**Mitigation\***, 27-29

**Models**. See Climate models

**Modes of climate variability\***, 415-416, 744, 801-803, 1222-1223

definitions and impacts, 1223-1225

projections, 1220, 1288-1289

regional impacts, 1224

responses to climate change, 1222-1223

**Monsoons\***, 105, 1222, 1225-1235, 1228-1229, 1288-1289

abrupt/irreversible changes, 1115, 1118-1119

African, 1234, 1235

American, 1232-1234, 1233

Asian-Australian, 1227-1232, 1230-1231

East Asian, 1230-1231, 1231-1232

Indian, 1229-1231

models, 15, 798-799, 799, 1219

observations, 163, 227

overview, 1225-1227, 1226-1227

paleoclimate\*, 387, 401-402, 401, 421-422

projections, 23, 105, 107, 1118-1119, 1219, 1225-1235, 1288-1289

**Montreal Protocol\***, 661, 672, 678

**Montreal Protocol gases**, 161, 170, 678, 1403, 1427, 1435

## N

**Natural forcings**, 13-14, 14

**Near-term climate change**, 85-89, 953-1029

See also Climate projections

**Near-term climate forcers (NTCFs)\***, 668, 717-718

**New Zealand**. See Australia and New Zealand

**Nitrate aerosols**, 605-606, 616-617, 1048-1050

**Nitrogen**, 93, 127, 468, 535-539, 538

global budgets, 510-514, 511-512

**Nitrogen cycle**, 475-480, 477-479

projections, 535-539, 536-540

**Nitrogen dioxide (NO<sub>2</sub>)**, 174, 174

**Nitrogen fertilizers**, 469, 510, 512, 535-536, 536

**Nitrogen fixation**, 475, 477, 511, 514, 1419-1420

**Nitrogen oxides**, 717-718, 739

**Nitrogen trifluoride (NF<sub>3</sub>)**, 169, 678, 679, 733

**Nitrous oxide (N<sub>2</sub>O)\***, 11, 167-168, 475

atmosphere burden and growth rate, 385, 510-512, 511-513



- atmospheric concentration, 161, 167-168, 168, 476, 1401-1402
- feedbacks and sensitivity, 512-514, 513
- glacial, 482-483, 483
- global budget, 510-514, 511-512
- global warming potential, 717
- lifetime and radiative efficiency, 731, 1433
- observed changes, 11, 133, 134, 161, 166, 167-168, 467-468, 486
- paleoclimate\*, 385, 485
- projections, 148, 157, 469, 535-537, 537, 998, 1048-1050, 1412, 1423
- radiative forcing\*, 13, 14, 126, 127, 661, 675, 677-678, 678, 1048-1050
- Non-methane volatile organic compounds (NMVOCs)\***, 13, 14, 174, 996, 1000, 1417
- Nonlinearity\***, 955, 960, 1033
- North America**
- climate indices, changes in, 211-212, 212
- cyclones, 217
- monsoon, 1233, 1233
- precipitation extremes, 211-212, 213
- projections, 106, 1258-1260, 1259, 1279, 1288, 1334-1337
- North Atlantic Oscillation (NAO)\***, 230, 231, 233-235, 354, 1244-1245
- impacts, 1224
- models, 744, 801, 806
- paleoclimate\*, 386, 415-416
- projections, 989, 1220, 1244-1245, 1245
- summary, 806
- North Pacific Oscillation (NPO)**, 801, 1224
- Northern Annular Mode (NAM)\***, 233-234, 900, 900, 1244
- impacts, 1224
- models, 415, 806
- paleoclimate\*, 415-416
- projections, 108, 989, 1245, 1245
- summary, 806
- O**
- Observations.** *See specific topics*
- Oceans, 8, 255-315**
- acidification\*, 11, 12, 12, 52, 69, 136, 259, 295-296, 300, 751, 870, 905-906
- acidification, anthropogenic influence, 293-294, 295-298
- acidification projections, 22, 27, 94, 105, 469, 528-532, 532
- attribution of changes, 870, 901-906, 926, 934-935
- biogeochemical changes, 259, 291-301
- carbon balance, 300, 301, 498-499
- carbon dioxide absorption, 11, 12, 26, 51-52, 93, 259, 291-293, 293, 295-300, 300, 472, 495-499, 751, 870
- CDR methods and, 549-550, 551
- circulation, 258, 281-285, 283, 481, 956
- circulation, projections, 994-995, 1094-1095
- deep and bottom waters, 263, 279-280
- evaporation, 274-275, 275, 276
- fluxes, 258, 273-278
- freshwater content, 257, 272, 273
- freshwater fluxes, 275-276, 276, 994
- heat content, 17, 18, 257, 260-263, 262, 264, 266, 301, 779-781, 782, 901-903, 902
- heat content, modeling, 743
- heat content, projections, 1162
- heat fluxes, 274-275, 786
- heat uptake\*, 93, 267, 821, 1161-1163, 1162
- human influences, 17, 292-294, 293
- inertia and, 958
- iron deposition/fertilization\*, 481, 543
- irreversible changes, 433-435
- mass observations, 1156, 1157
- models, 750, 751-752, 753, 758, 777-787
- nitrogen concentration, 475
- nutrients, 298-300
- observations, 8, 10, 22, 255-315, 302
- observations, capabilities and methods, 144, 302, 311-316
- ocean-atmosphere coupling, 753, 1118-1119
- ocean heating rate (OHR), 182, 183
- oxygen concentrations, 259, 294-298, 300-301, 300, 469, 535, 870, 905-906
- oxygen projections, 532-534, 534-535
- paleoclimate\*, 433-435, 456, 484, 783-784
- precipitation and, 275-276, 276
- projections, 24, 88, 468, 469, 519-520, 528-532, 956, 993-995, 993-994
- projections, long-term, 93, 1033, 1093-1095
- salinity, 8, 257, 265-273, 280, 301, 870, 903-905, 904, 994, 994, 1094, 1094
- solubility/biological pumps\*, 472
- summary, 257-259, 301-302, 302
- surface temperature, 5, 6, 777-779, 778-780
- temperature, 5, 6, 68-69, 257, 260-265, 266-267, 901-903, 902, 993-995, 993-994
- temperature projections, 24
- thermal expansion\*, 99, 99, 1139, 1143, 1150-1151, 1159, 1161-1163, 1180, 1182
- thermal forcing, 354
- upper ocean salinity, 268-273
- upper ocean temperature, 257, 258, 261-262, 261, 263, 265, 301, 870, 901
- warming (observed), 8, 10, 17, 24, 257, 260-265, 280
- warming rates, 263, 263
- water exchange between ocean basins, 284-285
- water mass properties\*, 258, 278-281
- wave heights, 258, 277-278
- wind stress, 276-278, 784-785, 784-785
- See also* Sea level; Sea level change
- Optimal fingerprinting**, 877-878
- Orbital forcing**, 385-388, 399, 400
- Oxygen (O<sub>2</sub>)**
- atmospheric concentration, 476, 480, 1437
- dissolved in oceans, 95, 259, 294-298, 300-301, 300, 469, 905-906
- feedbacks, 480
- oceanic, projections, 532-534, 534-535
- Ozone\***, 1000
- depletion, 739, 869, 937, 998-999, 1000, 1078
- long-term trends, 172-173
- models, 744, 752, 757, 774-775, 775
- monitoring sites, 173
- ozone hole\*, 171, 752
- projections, 24, 542, 957, 997, 1000, 1001-1002, 1048-1050, 1428, 1438-1442
- radiative forcing\*, 13, 17, 127, 661-662, 670-672, 672, 679-681, 1048-1050, 1404-1409, 1434
- stratospheric, 161, 171-172, 172, 672-674, 681-682, 681, 774-775, 999, 1048-1050, 1078, 1428
- tropospheric, 161, 172-173, 670-672, 672-673, 679-681, 680-681, 684, 775, 998-999, 1048-1050, 1428-1429
- Ozone-depleting substances**, 161, 169-170
- P**
- Pacific Decadal Oscillation (PDO)\***, 230, 231, 233-235, 1253
- impacts, 1224
- models, 806, 806, 1253
- predictions, 971, 972
- Pacific Decadal Variability\***, 233-235, 972
- Pacific Islands region**, 106, 1275-1276, 1285, 1289, 1386-1389
- Pacific/North American (PNA) pattern\***, 231, 233-235, 806, 1224, 1253
- Pacific Ocean**, 271, 280, 495
- circulation systems, 281-282
- tropical, mean state, 743, 786-787
- Pacific/South American (PSA) index**, 231, 233-235
- Pacific/South American (PSA) pattern**, 1221, 1224, 1253
- Paleoclimate\***, 124, 383-464
- 8.2 ka event, 389, 434
- abrupt change and irreversibility, 386-387, 432-435, 434
- carbon dioxide, 385, 391-394, 399-400, 400, 457, 459-460, 468, 483-484, 483
- droughts\*, 386, 422, 423-424
- Earth system responses and feedbacks, 388, 395, 398-415
- equilibrium climate sensitivity, 923-924
- floods, 386, 422-425, 424
- glacial-interglacial cycles, 385, 399-402, 480-483, 482-483
- greenhouse gases, 385, 391-398, 483-484, 483
- Holocene\*, 389, 417-425, 428-435, 434, 776-777, 776-777, 1146
- ice sheets\*, 387, 426-428, 1170, 1174
- interglacials\*, 386, 407-409, 425-428, 1146
- last 2,000 years, 389, 409-415, 409-410
- Last Glacial Maximum (LGM)\*, 385, 389, 394, 403-407, 404, 776-777, 776-777
- last glacial termination, 389, 400-401, 428-432
- Last Interglacial (LIG), 385, 389, 407-409, 408, 425-428, 427, 1146
- last millennium, 917-920, 918
- Little Ice Age\*, 386, 389, 413
- Medieval Warm Period\*, 5, 386, 389
- methods, 385, 388
- models, 388, 403-405, 411-415, 413-414, 456-464, 776-777, 820-821
- modes of climate variability\*, 386, 415-416

- next glacial inception, 387, 435  
ocean circulation, 433-435, 456, 783-784  
orbital forcing, 385, 386, 388, 399  
periods assessed, 389  
Pliocene\*, 1145-1146  
polar amplification, 385, 396-398  
pre-industrial perspectives, 388-398, 389  
proxy methods\*, 388, 394, 403-404, 457-458  
radiative forcing\*, 385, 388-398  
reconstructions\*, 77-78, 411-415, 414-415  
sea level, 47, 385, 425-432, 427-429, 1139, 1145-1150, 1147  
temperature, 385-386, 395, 409-415, 417-420, 461-464  
uncertainties\*, 404, 411-412  
volcanic forcing, 390, 391
- Particulate matter.** See Aerosols
- Pattern scaling,** 1058-1062, 1061
- Perfluorocarbons (PFCs),** 161, 168-169, 679, 733-734, 1000
- Permafrost\*,** 320, 362-364  
active layer\*, 364-366, 365  
carbon storage in, 480, 526-528  
irreversible changes, 70-71, 1115, 1116  
methane from, 508, 530-531, 541-542  
models, 752  
near-surface\*, 996  
observed changes, 9  
permafrost-climate feedback, 27  
projections, 25, 27, 468, 541-542, 997  
projections, long-term, 1032-1033, 1092, 1093  
subsea, 364  
temperature, 9, 25, 362-364, 362-363
- Perturbed physics experiments (PPEs),** 1040
- Phosphorus,** 542
- Photosynthesis,** 470, 471-472, 475, 478, 480, 502, 545
- Polar amplification,** 385, 396-398, 907, 1031, 1062-1064
- Polynyas,** 329, 332-334
- Precipitation,** 201-204  
aerosol effects, 624-627  
attribution of changes, 72, 870, 871, 896-897, 897-898  
extremes, 5, 7, 23, 110-112, 162, 211-212, 213-214, 573, 626-627, 807, 808, 871, 912, 956, 991, 992, 1082-1087  
extremes, indices of, 221  
extremes, physical basis for changes in, 626-627  
global changes and projections, 1320-1321  
global distribution of, 1225  
global warming effects on, 624, 625  
large-scale changes, 201-204, 202-203, 624  
models, 743, 761-762, 763, 811-813, 811-813, 1013-1014  
observations, 5, 7, 8, 22, 162, 201-204  
ocean precipitation, 275-276, 276  
projections, 7, 20-23, 22, 573, 956, 984-986, 985, 991, 1014-1015, 1278-1287  
projections, global, 1320-1321  
projections, long-term, 91-92, 91, 1032, 1055-1057, 1057, 1076-1079, 1078  
regional, 573, 1219-1220
- runoff\*, 91-92, 204-205, 956, 1081, 1081  
summary, 5, 7-8  
trends, 202-203, 215, 624, 898  
warmer-get-wetter, 1219, 1240  
wet-get-wetter, 624  
See also Monsoons
- Predictability\*,** 131, 953-1029  
near-term predictions, 963-978  
prediction quality/skill\*, 85-86, 86, 958, 960-961, 966-978  
terminology, 960  
See also Climate predictions
- Principal component,** 1223
- Probability density functions (PDFs)\*,** 134-135, 134, 697
- Probability in climate predictions/projections,** 961-962
- Projections.** See Climate projections
- Proxy methods\*,** 388, 394, 404, 457-458
- ## Q
- Quasi-Biennial Oscillation (QBO)\*,** 230, 744, 806, 806, 1224, 1254
- ## R
- Radiation**  
radiative imbalance, 264  
surface solar (SSR), 183-184, 184, 185-186  
surface thermal and net, 184-185  
top of the atmosphere (TOA), 180-181, 580-582, 618, 620, 765, 1069, 1069
- Radiation budget,** 161, 180-186, 576  
cloud effects on, 580-582, 582  
global mean, 127, 181, 182-183, 183  
rapid adjustments and, 573, 576  
surface, changes in, 183-186, 184
- Radiative effect\*,** 573, 576, 578, 1161  
cloud radiative effect (CRE)\*, 580-582, 582, 585-586, 764, 765
- Radiative efficiency,** 717, 731-738
- Radiative forcing (RF)\*,** 13-14, 14, 53-57, 54, 127, 659-740, 1404-1409, 1433-1436  
aerosols\*, 13-14, 14, 576-578, 577, 614-623, 682-684, 1404-1409  
aircraft and contrails, 574, 592-594, 686  
anthropogenic, 13, 13-14, 14, 17, 146, 617, 661-662, 675-688, 932-934, 1005-1008  
atmospheric carbon dioxide, 13  
atmospheric chemistry, 669-675  
calculation methodologies, 668-669, 669  
climate response, 395  
clouds, 576-578, 577, 580-582, 582, 585-586, 620-622  
common properties of forcing compounds, 668  
comparison of previous reports, 696  
concentration/emission changes, 668-669  
concept, 53, 661, 664-668  
confidence levels, 694-695, 694-695  
definitions, 664-665, 665
- distinguished from feedbacks, 573  
drivers of, 124  
effective (ERF)\*, 53, 574, 576-578, 578, 614-621, 619-621, 661, 770, 1052-1053, 1160-1161, 1404-1409, 1433-1436  
effective (ERF)\*, defined, 664-665, 665  
effective (ERF)\*, probability density function\*, 697  
effective (ERF)\*, total anthropogenic, 661  
emission metrics, 710-720, 711, 731-738  
external\*, 388-398, 917-919  
geographic distribution, 702-709, 703-705  
global mean, 89, 693-701, 696-697  
Global Warming Potential and Temperature change Potential, 663, 710-714  
industrial-era, 661-662, 697-698, 697-698, 705-708, 705  
land surface changes, 686-688, 1404-1409  
limitations of, 667-668  
models, 146, 700-701, 701, 818  
natural forcings, 13-14, 14, 55-56, 126, 662, 688-693, 760, 1008  
orbital forcing, 385, 386, 387, 388, 399, 400  
paleoclimate\*, 130, 385, 388-398  
polar amplification, 396-398  
pre-industrial, 388-398  
projections, 79-81, 662-663, 700-701, 701, 955, 1005-1010, 1006-1007, 1044-1054, 1048-1050, 1053  
radiative transfer codes, 675-676  
scenarios, 79-81, 1046-1047, 1046  
solar forcing, 388-391, 885-886, 1007, 1404-1409  
solar irradiance, 14, 14, 126-127, 126, 662, 688-691, 885-886  
spatial and temporal patterns, 662, 702-709, 703-705, 709  
summary, 13-14, 56-57, 57, 126, 129, 661-663, 693-701, 1052-1054, 1159-1161  
surface albedo and energy budget, 360-361, 662, 686-687, 687  
time evolution of, 698-700, 698  
timescales and, 128-129, 128  
uncertainties\*, 667, 694-698, 694, 955, 1004-1008, 1005-1006  
volcanic, 390, 391, 662, 691-693, 692-693, 923, 1007, 1404-1409  
well-mixed greenhouse gases, 164, 661, 668, 676-679, 677-678  
See also specific gases and components
- Radiosonde records,** 194-196, 195, 200-201, 206-207
- Rapid adjustments\*,** 355-357, 573, 576, 590, 605, 661, 664-665, 665, 1005  
See also Abrupt climate change
- Rebound effect\*,** 546
- Region(s)\*,** 1222  
atlas (map), 1317  
carbon cycle feedbacks, 522  
radiative forcing\*, 705-708, 705
- Regional climate change,** 73-74, 105-108, 106, 1217-1308  
annular and dipolar modes, 108, 1220, 1243-1246, 1288-1289  
Atlantic Multi-decadal Oscillation (AMO), 1220

- Atlantic Ocean modes, 1239-1240  
 blocking, 1220, 1224, 1246-1248  
 changes and projections, 1322-1393  
 climate indices, 209-213, 211-212  
 climate system, 930  
 CO<sub>2</sub> budgets, 501  
 CO<sub>2</sub> fluxes, 499, 500  
 confidence in projections, 1286-1287  
 cyclones, 1220, 1248-1251, 1288-1289  
 El Niño-Southern Oscillation (ENSO)\*, 106-107, 1240-1243, 1241-1243, 1288-1289  
 extreme events, 211-212  
 global means and, 1256-1257  
 in Holocene (paleoclimate), 417-425  
 large-scale storm systems, 1248-1253, 1250  
 models, 748, 810-817, 816, 1013-1014, 1219  
 modes of climate variability\*, 1222-1223, 1223-1225  
 monsoon systems\*, 105, 1219, 1222, 1225-1235, 1288-1289  
 Pacific South American pattern, 1221, 1253  
 precipitation, 1032, 1078-1079  
 projections, 956, 1001-1002, 1001-1003, 1014-1015, 1031, 1032, 1078-1079, 1255-1277, 1256, 1278-1289  
 projections, summary, 1288-1289  
 sea level, 100-101, 101, 288-289, 1140, 1191-1199, 1194-1197, 1195-1199  
 temperature, 89-90, 869, 888-891, 889, 919, 930, 938-939, 1278-1285  
 tropical cyclones, 1248-1251, 1288-1289  
 tropical phenomena, 105-106, 1219-1220, 1222, 1235-1240, 1288-1289  
 See also specific regions
- Regional Climate Models (RCMs)\***, 748, 810-817, 816, 1013-1014, 1145, 1222
- Representative Concentration Pathways (RCPs)\***, 19-20, 22, 25, 79-81, 147-150, 468, 523-526, 524-529, 1045-1047, 1100  
 compared with SRES, 149-150, 997  
 described, 29  
 extensions, 1102, 1103  
 projections and, 955-956, 1031, 1034, 1045-1047, 1100  
 uncertainties\*, 1004-1005, 1005-1006, 1038-1039, 1038
- Respiration\***, 470, 471-472, 477-478, 545
- River and lake ice**, 320, 361-362, 367
- River discharge**. See Streamflow
- Runoff\***, 91-92, 204-205, 956, 1081, 1081
- S**
- Salinity (of oceans)**, 257, 265-273, 269-270, 280, 301, 904-905, 904  
 attribution of changes, 870, 904-905  
 before fossil fuel era, 481  
 defined, 265  
 measurement, 312  
 models, 778-779, 778, 783  
 projections, 994, 994  
 sea ice and, 271-273
- sea surface, 267-268, 268, 270, 1094, 1094  
 trends in, 257, 273  
 upper ocean, regional changes, 271-273, 301  
 upper ocean, subsurface, 268-271
- Satellite-based methods**, 164, 175, 182, 191, 207, 208  
 altimetry\*, 286, 287, 348-349  
 GRACE, 349, 351-353, 380, 1156, 1157  
 Microwave Sounding Unit (MSU), 194-196, 195  
 sea level measurement, 1150
- Scenarios\***. See Climate scenarios; Emissions scenarios
- Scientific method**, 123
- Sea ice\***, 69, 136-137, 323-335, 333-334, 367, 481  
 aerosol absorption on, 617-618  
 Antarctic, 9, 18, 69, 319, 330-335, 333-334, 368, 906-909, 908, 1092  
 Arctic, 9, 10, 18, 24-25, 69, 271-273, 319, 323-330, 333-334, 367, 368, 906-908, 908, 1087-1092, 1089-1091  
 attribution of changes, 870, 906-909, 908, 931, 936-937  
 as climate change indicator, 136-137  
 cloud interactions, 590  
 drift, 328-329, 332  
 extent and concentration, 324-326, 325-326, 330, 331-332  
 irreversible changes, 1115, 1117-1118  
 land-fast ice, 329, 334-335  
 models, 18, 20, 744, 751, 787-790, 787-789  
 observations, 40  
 observed changes, 136-137, 319, 367, 368, 386  
 paleoclimate\*, 420-421  
 projections, 20, 21-22, 24-25, 956, 995-996  
 projections, long-term, 92, 92, 1032, 1087-1092, 1088-1091  
 rate of decrease, 319, 386  
 salinity effects on, 271-273  
 sea level equivalent, 321  
 summary, 9, 319, 367  
 thickness and volume, 319, 327-328, 328, 330-332  
 trends, 329-330, 331, 333-334, 335
- Sea level**, 11, 127, 1137-1216  
 anomalies, 286, 287  
 geocentric, 1142, 1143  
 irreversible aspects of, 29  
 mean\*, 1142, 1151, 1156-1159  
 measurement, 285-286, 312, 1142, 1146-1150  
 models, 779-781, 781, 1139-1140, 1192-1193  
 processes affecting, 1143-1144, 1143-1144  
 projections, 20, 23, 26  
 relative (RSL)\*, 1142, 1143, 1194-1197, 1195-1199  
 storm-surge models, 1200-1202  
 trends in, 286-288, 287, 289, 291
- Sea level change\***, 12, 47-49, 98-101, 258, 285-289, 1137-1216  
 atmospheric pressure change and, 1193, 1193  
 attribution of changes, 19, 110, 870, 905, 1156, 1176-1179  
 budget, 1156-1159, 1157-1158  
 commitment, 28, 1140  
 confidence in projections, 1184-1186
- contributions to, 11, 25-26, 288, 291, 1139, 1142-1145, 1150-1179, 1177-1179, 1182  
 extremes, 7, 101, 110, 112, 258, 290-291, 290, 1140, 1200-1204  
 freshwater forcing and, 1193-1194  
 glaciers and, 367, 1139, 1151-1153, 1151, 1163-1165, 1164-1165, 1182, 1184  
 global average, 10, 11, 1148-1149  
 global mean sea level rise, 90, 1140, 1152, 1156-1159, 1157-1158, 1179-1191  
 ice sheets\* and, 367, 1139, 1140, 1151, 1153-1155, 1154-1155, 1159, 1165-1176, 1177-1179, 1182  
 instrumental record (1700-2012), 1146-1161  
 land water storage and, 1151, 1155-1156, 1176-1179, 1182  
 long-term scenarios, 98-101, 1186-1191, 1188, 1190-1191  
 measurements, 1146-1150  
 models, 1139-1140, 1142, 1144-1145, 1179-1183, 1180-1184, 1192-1193, 1192-1193  
 models, compared with observations, 1152, 1158  
 nonuniformity of, 26  
 observed changes, 4, 10, 11, 46, 110, 124, 136, 137, 157-158, 258, 291, 301, 1151, 1198  
 ocean heat content/uptake\*, 905, 1161-1163, 1162, 1183-1184  
 ocean mass observations, 1156, 1157  
 ocean waves, 1202-1204, 1203  
 paleoclimate\*, 46, 47, 385, 425-432, 427-429, 1139, 1145-1150, 1147  
 past sea level change, 1139, 1145-1150, 1147  
 process-based projections, 99-100, 1179-1180, 1180-1182  
 processes and linkages, 1143-1144, 1143-1144  
 projected extremes, 1200-1204, 1201, 1203  
 projections, 7, 20, 23, 25-26, 26, 97-101, 125, 137, 157, 1140, 1150-1191, 1445  
 projections with loss of Greenland ice sheet, 1140, 1169-1170  
 rate of, 258, 289-290, 291, 430-431  
 regional changes, 288-289, 1191-1199  
 regional projections, 100-101, 101, 1140, 1194-1197, 1195-1199  
 satellite altimeter record (1993-2012), 1150  
 semi-empirical projections, 99-100, 1182-1184, 1184  
 summary, 1139-1141, 1204-1205, 1204  
 thermal expansion\* and, 99, 99, 1139, 1143, 1150-1151, 1151, 1159, 1161-1163, 1180, 1182  
 timescales, 1142  
 uncertainties\*, 47-49, 1197-1198, 1204-1205
- Sea level equivalent (SLE)\***, 319, 320, 321, 344, 349-350, 350, 352-354, 353, 1153
- Sea level pressure (SLP)**, 223-224, 223-224, 871, 901  
 projections, 1071-1072, 1071
- Sea salt**, 1048-1050
- Sea spray aerosols**, 599-601
- Sea surface temperature (SST)\***, 164, 190-194, 190-193, 480-481  
 models, 777-779, 778-780  
 observations, 5, 6

- paleoclimate\*, 416, 420, 422, 458  
 projections, 994-995, 1093  
 proxy methods, 458  
 tropical phenomena and, 1235, 1236  
 variability, 107
- Sectors**  
 emission metrics and impacts, 719-720, 720  
 radiative forcing and temperature, 663
- Snow, ice and frozen ground**, 320, 358-360, 367  
 aerosol absorption on, 574, 617-618, 685  
 attribution of changes, 870, 906-910, 931, 936-937  
 frozen ground, 320, 362-366, 367  
 glaciers\*, 9, 24, 319, 335-344  
 ice sheets and shelves\*, 9, 320, 344-357, 367  
 models, 790, 790  
 observed changes, 4, 320  
 projections, 24-25, 92, 92-93, 996, 1032-1033, 1092-1093, 1092  
 river and lake ice, 320, 361-362, 367  
 seasonal snow, 320, 358-361, 358-360  
 snow albedo, 321, 358, 359  
 snow cover (Northern Hemisphere), 9, 10, 24, 25, 92, 93, 320, 358, 358-359, 367, 870, 910, 931, 937, 996, 1092-1093, 1092  
 snow-cryosphere interactions, 360-361  
 snowfall, 204, 358-361
- Soil moisture\***, 790-791, 897  
 projections, 91-92, 956, 988, 1079-1080, 1080
- Solar activity\***, 393
- Solar forcing**, 388-391, 885-886, 1007, 1048-1050
- Solar irradiance**, 14, 14, 19, 126-127, 126, 392-393, 688-691, 885-886  
 global dimming\*, 161, 183-184, 794  
 measurement, 689-690, 689  
 paleoclimate\*, 388-391  
 projections, 86, 690, 955-956  
 radiative forcing\*, 662, 688-691, 1404-1409  
 surface solar radiation (SSR), 183-184, 184, 185-186  
 total (TSI)\*, 19, 388-391, 394-395, 662, 689-690, 689  
 variations, 689-690, 689
- Solar radiation\***, 126-127, 126, 662  
 projections, 543, 662  
 See also Orbital forcing
- Solar Radiation Management (SRM)\***, 29, 469, 574-575, 627-635, 633-634  
 cirrus thinning, 628  
 climate response and, 629-635, 629-631  
 cloud brightening, 628  
 impacts on carbon cycle, 551-552  
 side effects and risks, 575, 627-628, 634  
 stratospheric aerosols, 627-628, 693  
 summary, 635  
 surface albedo, 628
- Solubility pump\***, 472
- South America**  
 climate indices, changes in, 211-212  
 monsoon, 1233-1234, 1233  
 precipitation extremes, 211-212, 213  
 projections, 106, 1261-1264, 1262-1263, 1280-1281, 1288, 1338-1349
- South American Convergence Zone**, 1221
- South Atlantic Convergence Zone (SACZ)**, 1237
- South-east Asia**, 106, 211-212, 1273, 1274, 1378-1381
- South Pacific Convergence Zone (SPCZ)\***, 1219, 1236-1237
- Southern Annular Mode (SAM)\***, 231, 233-235, 354, 871, 900-901, 900, 937, 1245-1246  
 impacts, 1224  
 models, 415-416, 801, 806  
 paleoclimate\*, 386, 415-416  
 projections, 108, 1220, 1245, 1246  
 summary, 806
- Southern Ocean**, 273, 783, 1141  
 polar amplification, 396-398  
 projections, 24, 1095  
 temperature, 354, 387, 780
- SRES scenarios\***, 131-132, 146-147, 149-150, 955, 997, 1034, 1045, 1100
- Stabilization**. See Climate stabilization
- Storm surge\***, 1200-1202
- Storm tracks\***, 229, 743, 773, 956  
 projections, 1074, 1075, 1220
- Stratosphere\***, 130  
 aerosols\*, 627-628, 693  
 Brewer-Dobson circulation\*, 163, 230, 1073-1074, 1248  
 ozone, 161, 171-172, 172, 672-674, 681-682, 681, 774-775, 1000, 1048-1050, 1078, 1428  
 stratospheric-tropospheric relations, 753  
 temperature, 162, 197, 892-893, 893  
 water vapour, 161, 170-171, 171, 661-662, 681-682
- Streamflow\***, 204-205
- Sulphate aerosols**, 81, 605-606, 616
- Sulphur cycle**, 537, 539
- Sulphur dioxide (SO<sub>2</sub>)**, 127, 538, 684, 794, 1402  
 geoengineering with, 627  
 models, 744, 794, 795
- Sulphur hexafluoride (SF<sub>6</sub>)**, 161, 168, 169, 733  
 projections, 1412, 1423  
 radiative forcing\*, 678, 679, 1434
- Surface**  
 climate projections\*, 980-993  
 land surface changes, 684-688  
 models, 131-132, 132, 750-751  
 observations, 5, 6-7, 130, 159-254  
 wind speed, 224-226  
 See also Atmosphere; Hydrological cycle
- Surface air temperature**, 760-761, 761, 974-975, 980-984, 981-982
- Surface fluxes**, 784-786, 784-785, 897
- Surface solar radiation (SSR)**, 183-184, 184, 185-186
- Surface temperature\***, 5, 6-7, 60-66, 60, 187-194, 461-462, 577, 760-761, 761-762, 878-881, 879-881  
 interannual variability, 6, 207-208  
 projections, 980-984, 981-982
- T**
- Teleconnections\***, 233, 1224, 1243, 1243  
 models, 805, 806
- Temperature**, 5, 187-201, 926  
 anomalies, 197, 461-462, 768, 1059  
 atmosphere and surface, 4-5, 6, 60-68, 161-162, 187-201, 869-870, 984  
 attribution of changes, 17-19, 60, 869-870, 871, 878-893, 918-920, 930, 932-934  
 cold days/cold nights\*, 86, 162, 210-212, 221, 956, 990, 1065-1066, 1067  
 commitment, 20  
 diurnal temperature range (DTR)\*, 188  
 evidence for warming, 198-199  
 extremes, 19, 109-112, 209-212, 209-212, 218-219, 807, 808, 871, 910-912, 931, 1064-1068  
 free atmosphere, 196-201, 197-201, 984  
 geoengineering and, 29, 574-575  
 global changes and projections, 1318-1319  
 global diurnal temperature range (DTR), 162  
 global instrumental record, 881-885, 882  
 global mean surface air surface temperature, 131-132, 132, 955-956, 1409  
 global mean surface air temperature, 23  
 global mean surface temperature (GMST)\*, 20, 21, 23, 90, 121, 161-162, 164, 192-194, 192-194, 385, 878-880, 879, 1011  
 global mean surface temperature, models, 743, 769-772  
 global mean surface temperature, variability, 887-888, 888-889  
 global temperature change potential, 17, 663, 712-714, 714-715, 720  
 global warming potential\*, 17, 663, 710-714, 711-712  
 heat waves\*, 110, 162, 211-212, 212, 915, 916, 939  
 interannual variability, 5, 6, 207-208  
 land-surface air temperature (LSAT)\*, 162, 164, 187-189, 187  
 last 2,000 years, 409-415, 409-410  
 marine air temperature (MAT), 191  
 mitigation\*, 27-28  
 models, 15-16, 20, 743-745, 760-761, 761-762, 767-771, 768, 769-772, 777-779, 778-780, 807, 810, 811-813, 1013-1014  
 observed changes, 4, 6-7, 22, 121, 124, 131-132, 132, 187-201, 878-881, 879-881  
 observed variability, 393, 744, 869  
 oceans, 5, 6, 8, 10, 68-69, 257, 260-265, 266-267, 274-275, 280, 311, 311-312, 901-903, 902  
 paleoclimate\*, 385-386, 395, 398-399, 409-420, 418-419, 461-464  
 radiative forcing overview, 62  
 sea surface temperature (SST)\*, 6, 107, 164, 190-194, 190-193, 777-779, 778-780, 806, 994-995, 1093  
 summary, 5, 6-7, 161-162  
 surface\*, 5, 6-7, 60-66, 60, 161-162, 187-194, 461-462, 577, 743, 878-881, 879-881  
 surface air temperature, 760-761, 761, 974-975, 980-984, 981-982

- trends, 194, 194, 197-201, 222, 880, 895  
 upper air, 162, 194-201, 197, 772-773, 774  
 upper ocean, 257, 258, 261-262, 261, 263, 265, 301, 307  
 warm days/warm nights\*, 86, 162, 210-212, 221-222, 956, 990, 1065-1066, 1067  
 warming hiatus, 61-63, 769-772, 798, 909  
 warming hole in N. America, 212
- Temperature projections**, 7, 20, 21-23, 125, 155, 929, 1278-1287, 1444-1445  
 extremes, 991-992, 991, 1031-1032, 1064-1068, 1067-1068  
 free atmospheric temperature, 984  
 global mean surface temperature, 972, 980-984, 981, 1010-1012, 1012-1013, 1444-1445  
 global projections, 1318-1319  
 long-term, 89-90, 1031-1032, 1054-1057, 1054-1056, 1062-1068, 1063, 1065, 1067-1068  
 near-term, 85-86, 87, 955-956, 980-984, 993-995, 993-994, 1009-1012, 1011-1012  
 ocean temperature, 956, 993-995, 993-994  
 regional projections, 1014, 1031  
 skill in, 974, 977-978, 977  
 summary, 955-956, 1009-1012, 1011-1012  
 surface air temperature, 974-975, 980-984, 981-982  
 timescale, 28  
 uncertainties\*, 140-141, 1006, 1006  
 zonal average, 1064, 1065  
 See also Regional climate change
- Thematic Focus Elements (TFEs)**  
 Carbon cycle perturbations and uncertainties, 96-97  
 Climate extremes, 109-113  
 Climate sensitivity and feedbacks, 82-85  
 Climate targets and stabilization, 102-105  
 Comparing projections from previous IPCC assessments with observations, 64-65  
 Irreversibility and abrupt change, 70-72  
 Sea level change: scientific understanding and uncertainties\*, 47-49  
 The changing energy budget of the global climate system, 67-68  
 Water cycle change, 42-45
- Thermal expansion\***, 1139, 1143, 1150-1151, 1159  
 projections, 99, 99, 1161-1163, 1180, 1182
- Thermal radiation**, 184-185
- Tide gauge\* records**, 285-286, 1146-1150, 1201
- Timescales**, 28, 125, 128-129, 128, 1033, 1105-1107
- Tipping points\***. See Irreversibility
- Top of the atmosphere (TOA) radiation**, 180-181, 580-582, 618, 620, 765, 1069, 1069
- Transient climate response (TCR)**, 128, 817-818, 821, 871, 920-921, 925  
 projections, 81, 84-85, 1033  
 summary, 16-17, 1110-1112
- Transient climate response to cumulative CO<sub>2</sub> emissions (TCRE)\***, 16-17, 871, 926-927  
 projections, 102-104, 1033, 1108-1109, 1113
- Trend models**, 179-180
- Tropical Atlantic Ocean Variability**, 233-235
- Tropical cyclones**, 7, 107-108, 108, 110, 162, 216-217, 216, 807, 871, 913-914, 938, 956, 992-993, 993, 1220, 1248-1251, 1288-1289
- Tropical Indian Ocean Variability**, 233-235
- Tropics**, 1217, 1219-1220, 1235-1240  
 atmospheric circulation, 226-230, 989-990, 989, 1073  
 convergence zones, 421-422, 1219, 1221, 1222, 1235-1237, 1236-1237  
 extratropical modes, 415-416  
 paleoclimate\*, 415, 420  
 precipitation, 1219  
 projections, 1235-1240, 1288-1289  
 tropical modes, 415  
 tropical Pacific mean state, 1240, 1241  
 tropical phenomena, 105-106, 1219-1220, 1222, 1235-1240, 1288-1289  
 tropical storms, 216-217  
 warmer-get-wetter pattern, 1219, 1240
- Tropopause\***, 226, 228
- Troposphere\***, 130  
 humidity, 206-208  
 ozone, 161, 172-173, 670-672, 672-673, 679-681, 680-681, 684, 775, 998-999, 1048-1050, 1428-1429  
 stratospheric-tropospheric relations, 753  
 temperature, 5, 162, 195, 197, 772-773, 774, 891-892  
 water vapour, 207, 207
- Tropospheric Biennial Oscillation (TBO)**, 805, 1224, 1253-1254
- U**
- Uncertainty\***, 36, 114-115, 121, 139-142, 140-141  
 carbon cycle\*, 96-97  
 climate models\*, 139-142, 140-141, 809-810, 815, 1035-1040, 1038, 1197-1198  
 climate projections, 115, 955, 978-980, 979, 1004-1012, 1035-1040, 1038, 1057-1058, 1058, 1197-1198  
 in observations, 36, 114, 165, 810  
 quantification, 1040-1044  
 scenario uncertainty, 1038-1039, 1038  
 sea level change\*, 47-49  
 temperature projections, 140-141  
 See also Variability
- Urban albedo**, 687
- Urban heat islands\***, 162, 188-189
- V**
- Variability**, 121, 129-130, 138, 163, 164, 232-235  
 internal\*, 61-62, 138, 769-770, 869, 919, 923  
 models, 795-806  
 natural, 121, 129-132, 138, 140  
 paleoclimate\*, 386  
 See also Climate variability
- Vegetation**  
 models, 752, 791  
 projections, 1097-1099, 1098
- Volatile organic compounds (VOCs)\***, 127, 718, 740
- Volcanic aerosols**, 14, 662, 691-693
- Volcanic eruptions**, 15, 86, 140, 393-394, 691-693  
 as analogues, 693  
 climate prediction and, 1008-1009  
 models, 391  
 projections, 693, 1007  
 volcanic forcing, 390, 391, 662, 691-693, 692-693, 923, 1007, 1048-1050, 1404-1409
- W**
- Walker Circulation\***, 163, 226-229, 227  
 projections, 90, 991, 1032, 1073
- Warm days/warm nights\***, 162, 210-212, 221-222  
 projections, 86, 956, 990, 1065-1066, 1067
- Warmer-get-wetter pattern**, 1219, 1240
- Water cycle**. See Hydrological cycle
- Water vapour**, 207, 624, 666-667, 896  
 feedbacks, 586-587, 587, 667, 819  
 projections, 1076, 1076  
 radiative forcing\*, 126, 661-662, 666-667  
 stratospheric, 161, 170-171, 171, 661-662, 681-682  
 tropospheric, 207, 207, 265  
 water vapour-lapse rate, 586-587, 587, 819  
 See also Humidity
- Wave height**, 258, 277-278, 1141  
 projections, 101, 1202-1204, 1203
- Weather**, 229-230  
 climate and, 123-126, 914-917
- Wetlands**, 539-541
- Winds**  
 mid-latitude westerlies, 956  
 models, 784-785, 784-785  
 projections, 1072, 1072  
 upper-air, 226  
 wave height and, 258, 277-278, 1141  
 wind speeds, 217, 220, 224-226, 225  
 wind stress (oceanic), 276-278, 784-785, 784-785

