XEROX® PRIMELINK® PRINTER

The world's no. 1* entry-level production colour printer just got even better.



C9065 AND C9070



Xerox® PrimeLink® C9065 and C9070 Printer

The Xerox® PrimeLink® C9065/C9070 delivers the most adaptable capabilities on the market. From superior image quality and unmatched media flexibility to professional-grade finishing, automation and security, it takes entry level to the next level.



IMPROVE YOUR IMAGE

Entry-level price point shouldn't mean entry-level image quality. With PrimeLink, you can deliver stunning output on every job, every time.

It all starts with resolution. 2400 x 2400 dpi means you get outstanding fine-line detail and text with vivid images and smooth colour transitions – even at speeds of up to 70 ppm. EFI servers with embedded PANTONE® technologies such as PANTONE® GOE and PANTONE® PLUS ensure the colours you want are the colours you get.

And a combination of Xerox® Emulsion Aggregation (EA) toner with ultra-low melt technology, +/- 1.5 mm front-to-back registration and Simple Image Quality Adjustment (SIQA) means you get consistent quality from your first print to your last.



^{*} Idealliance, Fogra and Adobe PDF Print
Engine achieved with the optional EFI server

WORK SMARTER, NOT HARDER

Looming deadlines are the norm. Now, there's no reason to compromise. Adding a PrimeLink to your arsenal allows you to upgrade your productivity in ways you wouldn't think possible.

Designed to promote multitasking and collaboration, it's customisable to suit your work style. The Xerox® Integrated Colour Server comes standard. Or you can choose from one of three optional EFI servers for more capabilities and more volume. All you have to do is select the best fit based on your business applications and the level of automation and colour accuracy you need.

The printer also has access to the Xerox App Gallery. With apps that connect to leading applications including Box®, Microsoft® OneDrive®, Google Drive™, Dropbox™ and Microsoft Office 365™, you can print and scan directly to and from the cloud, simplify workflows and automate complex tasks.

Plus, built-in mobile connectivity with @ PrintByXerox helps your team stay on-task when they're on the go. With this feature, PrimeLink can securely accept print submissions from any email-enabled device – no extra software required.

It's all there at the touch of a button. Say yes to more, and Xerox® PrimeLink C9065/C9070 will help you deliver.

SERVE AND PROTECT

PrimeLink applies a strategic approach to security to keep your network and projects safe from prying eyes. Stop suspicious activity where it starts with our comprehensive approach to security:

- Multiple layers of security include data encryption, access controls, disk overwrite and industry certifications.
- Audit Log ensures an audit trail of operators' key events. These logs are imperative for Administrators/Key Operators to use for troubleshooting, resource optimisation and security audits.
- Secure Print holds documents for release until you're ready to retrieve them.
- Secure Scanning includes password protection for PDFs and folders, as well as encryption for scanning to email.

FINISH STRONG

PrimeLink delivers media latitude and finishing options that are best in class and unparalleled in an entry-level device.

Print on speciality stocks and heavyweight stocks up to 350 gsm. Print up to 660 mm with the Extra Long Sheet (XLS) capability up to 220 gsm. And print long runs without refilling the paper tray using high-volume feeding options.

Finishing options are professional grade, easy to navigate and nearly endless. Enjoy options ranging from full-bleed trimmed booklets to punch, crease and fold.



Xerox® PrimeLink® C9065/C9070 Printer

- 1 Two-Tray Oversized High Capacity Feeder: Adds 4,000 sheets in sizes from 100 x 148 mm to 330 x 488 mm (up to 350 gsm). Up to 330 x 660mm via Tray 5 (up to 220 gsm).
- 2 Extra Long Sheet (XLS) Capability: Print banners, book jackets, calendars and other applications up to 660 mm long, and up to 220 gsm via Tray 5 (Bypass).
- 3 Control Panel: An intuitive user interface makes it simple to access general print, copy, scan and fax functions, integrated colour server, useful apps from the Xerox App Gallery, colour controls, security features and much more.
- 4 Integrated Scanner: Single Pass Duplex Automatic Document Feeder scans up to 270 impressions per minute; 600 dots per inch colour up to A3. Scan to a variety of output options; desktop, USB, mailbox, FTP, SFTP, SMB and Job Flow multidestination scanning.
- 5 Xerox® PrimeLink C9065/C9070 Printer: Prints, copies, scans and faxes all while delivering stunning colour image quality at a highly productive 65 ppm colour and 70 ppm black-and-white (C9065) or 70 ppm colour and 75 ppm black-and-white (C9070).
- **6 Five Internal Trays (Standard):** Includes an SRA3 tray and Tray 5 (Bypass) max. weight up to 350 gsm and up to 660 mm sheet size.
- 7 Xerox® Interface Decurler Module: Inline paper cooling and decurler unit improves throughput and efficiency, connecting Production Ready finishing modules, ensuring flat sheets for reliability and speed.

- 8 Xerox Inserter: Insert preprinted or blank media into printed documents with a tray capacity of 250 sheets, sheet sizes up to 330 x 488 mm and 350 qsm.
- 9 GBC[®] AdvancedPunch Pro™: Lets you create bound documents in-house by combining printing, punching and collating into one convenient step. Choose the punch to fit your needs.
- 10 Xerox® Crease and Two-sided Trimmer:

 Trims 6-25 mm from the head and foot of prints or booklets to produce an even edge and creases spine. Available with Production Ready Finishers.
- **11 Xerox® C/Z Folder:** Produces Z-fold, C-fold and Engineering Z-fold.
- 12 Xerox® Production Ready Finisher
 Booklet Maker: Ensures consistent
 high-quality stapled sets for small or large
 documents with a variable-length stapler,
 single or dual stapling option and a 100
 sheet capacity. Plus, creates stapled
 booklets up to 30 sheets or 120 imposed
 pages (uncoated), or 15 sheets
 or 60 imposed pages (coated).
- 13 Xerox® SquareFold® Trimmer Module: Enhances the power of the Production Ready Finisher with square fold of cover sheets and face trimming to produce booklets.

ADDITIONAL FEEDING AND FINISHING OPTIONS NOT PICTURED

- One-Tray Xerox® High Capacity Feeder Holds 2,000 sheets of A4 paper, 64–220 gsm.
- Banner Feed Guide An option for the Tray 5 (Bypass)/MSI/OHCF that increases reliability when feeding XLS or 350 gsm media.

- One-Tray Oversized High Capacity Feeder with Storage Cabinet – Adds 2,000 sheets in sizes from 100 x 148 mm to 330 x 488 mm (up to 350 gsm). Up to 330 x 660 mm via Tray 5 (up to 220 gsm).
- Offset Catch Tray 500-sheet stacking.
- Xerox® Business Ready Finisher A lighter-duty option for finishing and stacking and staples up to 50 sheets uncoated/15 coated.
- Xerox® Business Ready Booklet Maker Finisher
 Provides booklet-making capability.
- Xerox® Production Ready Finisher Produces superior-quality finishing and stacking with a 500-sheet top tray and 3,000-sheet stacker tray and built-in bi-directional decurler.
- Xerox® Production Ready Finisher Plus Provides same function as the Production Ready Finisher. Used to connect thirdparty inline finishing options.
- Xerox® Basic Punch An option for punching 2/3, 2/4 and Swedish 4-hole on the Production Ready Finisher and Booklet Maker.
- Plockmatic Pro 50/35 Booklet Maker Highestquality production booklets up to 200 pages (up to 50 sheets). Face trimming, square fold, rotate crease and bleed trim.
- Convenience Stapler Staples up to 50 sheets of 80 gsm media.
- Xerox® Tape Binder Combines inline thermal tape binding with the speed, value and convenience of Production printing. Works with Xerox® Production Ready Finisher Plus.
- GBC® eWire™ Combines printing, punching, collating and twin-loop binding into one integrated process. Runs in line with the GBC® AdvancedPunch™ Pro and the Xerox® Production Ready Finisher Plus.

FINISHING APPLICATIONS Sort and Square XLS Tri-Fold Face Trim Hole Punch Collate Fold Tabloid 2-Sided Basic GBC eWire Booklet Z-Fold Z-Fold Trim