

## State of the State Capability Assessment Rubric Supplemental Guidance

The POETE Rubric is a supplemental guidance document to the State of the State Capability Assessment. The POETE Rubric is intended to help rank each core capability functional area by standardized levels. For additional information on completing the State of the State Capability Assessment see the Capability Assessment Guidance or reach out to the Oregon Department of Emergency Management Emergency Preparedness Planner Sarah Puls at <a href="mailto:sarah.puls@oem.oregon.gov">sarah.puls@oem.oregon.gov</a>

**Core Capability POETE Scale Rubric** 

	Planning	Organization	Equipment	Training	Exercises
	The jurisdiction does	There is no	The jurisdiction does	The jurisdiction does	The jurisdiction has
0	not have a plan	organizational support	not have the	not have baseline	not exercised nor
	associated with this	for this functional area	necessary equipment	training in this	participated in an
	functional area.	from the jurisdiction.	and/or supplies to	functional area of the	exercise designed to
	Tutictional area.	Troffi the jurisdiction.	conduct or implement	core capability.	test this area.
			this functional area.	core capability.	test tills area.
	There is a plan in	There is some specific	The needed	The jurisdiction has a	The jurisdiction has a
1	There is a plan in	-		The jurisdiction has a	The jurisdiction has a
	process or in draft form for this	organizational staff	equipment has been identified and there is	plan for new and	progressive exercise plan that includes this
	functional area of the	identified to support this functional area.		continuing staff to receive baseline	functional area.
		this functional area.	a plan to obtain it.		Tunctional area.
	core capability.	Thous is some	The invited attempts a	training in this area.	The invited sties has
2	There is a plan but it	There is some	The jurisdiction has	The jurisdiction has 1 or more staff trained	The jurisdiction has
	does not cover all	organizational support	the minimum needed		exercised or
	identified necessary	for this functional	equipment to conduct	in this area and a plan	participated in a basic
	areas.	area, but not sufficient	or implement this	for new and	exercise (TTX or
		staff to engage	functional area.	continuing staff to	workshop) that tested
		external stakeholders.		receive training in this	this functional area.
	There is a miss	The section of the se	The discrete disease has a	functional area.	The first distinction
3	There is a plan	There is sufficient	The jurisdiction has	The jurisdiction has 2	The jurisdiction has
	developed that covers	organizational support	the equipment and/or	or more staff trained	exercised or
	this functional area, or	and a plan to engage	supplies to conduct or	in this area and a plan	participated in a larger
	this area is	external stakeholders	implement this	for staff to receive	exercise (drill or full-
	encompassed as part	in this functional area.	functional area as well	advanced training in	scale) that tested this
	of a larger plan.		as the training and	this functional area (as	functional area.
			ability to maintain the	available or	
	T	e	equipment.	appropriate).	T1 ' ' 1' 1'
4	There is a plan	External stakeholders	The jurisdiction has	The jurisdiction has 1	The jurisdiction
	developed that covers	have been engaged in	redundant equipment	or more staff trained	exercised or
	this functional area	workshops and/or	and/or supply systems	to an advanced level	participated in an
	and there is a plan to	planning mechanisms	to allow for partial	in this functional area.	exercise that tested
	exercise it, or it has	for this functional	(50% or less, 72 hours		this functional area
	been exercised.	area.	or less) continued		(whether TTX, drill or
			service during disaster		full-scale) and
			conditions (loss of		included internal and
			power, loss of		external stakeholders
	There is a minu	The subale community	communications etc.)	The invited attended	(as appropriate).
5	There is a plan	The whole community	The jurisdiction has	The jurisdiction has a	The jurisdiction has a
	developed that covers	has been engaged in	redundant equipment	robust training	progressive exercise
	this functional area	planning, training and	and/or supply systems	program including	program that tests all
	that has been	exercises relevant to	to allow for almost	both baseline and	areas, includes
	exercised and trained	this functional area.	complete (50% or	advanced level	internal and external
	to. Exercises and real		more, 72 hours or	training for new and	stakeholders, and
	world events are		more) continued	continuing staff.	makes improvements
	regularly used to make		service during disaster	Advanced level staff	as necessary.
	on-going		conditions (loss of	may be certified to	
	improvements.		power, loss of	train staff and local	
			communications etc.)	partners.	