

# Bowling Green, Kentucky

## Seasonal Average Temperatures, Total Precipitation, and Total Snowfall

YEAR	WINTER (Dec – Feb)			SPRING (Mar – May)			SUMMER (Jun – Aug)			AUTUMN (Sep – Nov)		
	Temp	Precip	Snow	Temp	Precip	Snow	Temp	Precip	Snow	Temp	Precip	Snow
1893					19.08			13.09			5.52	0
1894		9.47	15.7	59.9	9.78	2	79.5	7.75	0	60.0	4.07	0
1895	32.8	7.26	35.6	60.3	11.42	0	77.6	15.54	0	58.6	6.2	0
1896	38.4	9.83	6	61.0	16.3	1.6	77.6	13.65	0	60.0	10.57	3.9
1897	38.5	9.6	3.4	57.1	17.49	0	78.7	6.08	0	63.1	4.03	0
1898	39.8	16.57	4.5	58.3	16.27	0	78.6	9.86	0	58.6	11.49	0
1899	32.6	14.61	15.7	58.5	17.42	5	79.3	9.8	0	62.0	4.11	0
1900	37.3	12.61	10.9	56.8	9.35	1	79.2	13.06	0	62.9	18	0
1901	37.2	6.45	3.8	55.4	8.57	0	79.6	10.22	0	54.7	7.25	0
1902	33.1	15.24	6.5	58.7	11.13	0	77.7	6.47	0	60.2	11.62	0.5
1903	38.1	20.25	11	59.8	11.28	0	74.7	13.44	0	56.8	4.6	1.2
1904	33.8	9.11	2	56.1	9.78	0	75.4	12	0	59.3	3.69	0
1905	33.3	10.57	4.4	61.1	8.98	0	77.5	9.06	0	60.3	8.57	0
1906	39.0	9.09	8.8	56.7	9.25	0.5	77.0	13.26	0	60.5	15.06	5
1907	42.0	15.27	25.7	57.4	11.04	0	77.6	12.93	0	59.2	10.5	0
1908	38.2	10.14	2.5	61.2	14.74	1.3	77.2	9.85	0	61.7	5.62	0
1909	41.7	12.43	2.3	57.5	15.58	0	78.2	13.88	0	61.7	6.14	0
1910	34.4	11.17	32.2	59.7	12.75	2.3	75.6	17.52	0	60.0	8.26	0
1911	39.2	8.12	8.1	58.2	13.85	0	77.5	13.19	0	60.4	7.6	0
1912	34.2	15.99	11.8	56.9	20.73	8.4	74.6	15.29	0	59.7	4.18	0.2
1913	38.3	21.84	9	56.9	11	0.9	79.1	9.74	0	59.6	8.47	1
1914	37.8	7.65	3.1	56.0	16.52	9.1	79.4	9.13	0	58.7	13.42	0.3
1915	36.0	13.07	13.8	56.1	11.73	3.6	73.8	13.12	0	61.3	16.5	0
1916	38.0	18.19	13.7	56.8	10.68	1	77.6	10.38	0	59.3	11.26	0
1917	36.9	17.22	24	55.5	15.55	8	75.5	11.04	0	57.5	6.4	0
1918	31.4	10.81	33	60.9	7.61	0	78.5	7.79	0	59.0	8.1	0
1919	42.7	12.66	0	59.0	23.35	0	80.4	7.53	0	63.6	17.02	8
1920	37.5	18.67	6.3	56.7	18.91	0.7	75.6	8.04	0	61.2	8.29	0
1921	42.4	10.17	15	62.8	15.41	0	81.1	9.76	0	63.0	22.39	0
1922	41.3	7.84	2.7	61.4	22.84	0	78.0	17.49	0	61.9	9.66	0
1923	41.5	19.64	0.5	57.6	17.02	0	77.7	15.51	0	59.7	8.3	0
1924	39.63	16.25	6	54.8	15.46	0	78.2	8.16	0	60.0	8.85	0
1925	40.1	18.45	2.5	58.6	14.24	1.5	78.3	11.21	0	59.6	15.35	3
1926	38.7	9.42	5.6	55.0	7.82	0	76.8	16.16	0	59.8	16.05	2.7
1927	41.3	20.09	1.5	60.0	21.41	8.3	76.0	9.16	0	64.5	15.06	0
1928	39.1	9.4	1.2	56.6	10.55	0	76.6	19.58	0	60.5	9.34	0
1929	37.4	9.23	26	61.7	15.24	2	77.5	7.68	0	59.5	12.38	3.8
1930	42.3	11.94	8.5	59.3	6.09	0	79.5	6.12	0	61.3	6.27	0
1931	40.4	8.63	5.5	56.5	9.25	0.5	79.9	11.4	0	66.7	8.68	0

YEAR	WINTER (Dec – Feb)			SPRING (Mar – May)			SUMMER (Jun – Aug)			AUTUMN (Sep – Nov)		
	Temp	Precip	Snow	Temp	Precip	Snow	Temp	Precip	Snow	Temp	Precip	Snow
1932	47.7	21.35	0	57.3	13.29	1.2	79.8	12.72	0	59.3	9.15	0
1933	42.4	15.24	5.7	59.6	17.38	0	77.8	14.76	0	60.3	9.97	0
1934	41.5	10.67	4	58.2	8.22	0	79.4	13.75	0	60.8	7.57	0
1935	40.7	15.61	8	59.8	23.26	0	76.7	18.3	0	60.3	7.21	0
1936	33.4	7.2	27.5	61.0	12.14	0.3	82.3	7	0	60.6	9.05	2.5
1937	42.8	28.48	3.5	58.1	11.67	1.5	79.2	8.12	0	57.2	10.75	2.8
1938	41.6	9.56	3.9	62.2	12.95	0	77.8	19.56	0	61.0	12.02	2
1939	41.9	17.5	0.8	59.4	13.05	0	78.6	11.71	0	62.6	4.89	0
1940	34.6	9.92	10	56.6	15.83	2	77.2	9.71	0	59.3	8.62	0
1941	39.5	6.74	1.2	59.7	7.96	1.5	79.1	18.55	0	63.1	6.32	0
1942	38.7	12.84	12	60.7	13.02	0.5	79.2	14.47	0	60.8	11.29	0
1943	40.3	8.38	5	58.0	18.6	3.5	80.7	6.11	0	58.0	6.5	0
1944	40.2	12.6	2.8	58.5	13.53	0	79.3	7.59	0	60.5	9.73	0
1945	35.4	17.76	2.3	59.5	12.85	0	74.9	9.75	0	59.4	12.03	0
1946	36.0	13.17	9.2	59.8	13.29	0	74.8	9.41	0	60.3	9.76	0
1947	37.6	10.48	6.4	52.7	14.25	9.4	75.2	11.94	0	60.0	9.77	0
1948	34.0	11.88	26.3	58.3	15.84	0	76.5	11.4	0	58.5	15.31	0
1949	42.2	18.9	2.6	56.4	11.51	3.2	77.5	16.78	0	57.6	6.06	0
1950	42.7	30.12	0	54.7	12.52	0	73.2	14.21	0	57.3	10.55	2.7
1951	35.5	16.04	12.6	54.9	8.69	5.3	76.5	14.03	0	55.6	12.25	0.7
1952	41.4	17.26	0.9	56.3	12.03	0	80.7	5.22	0	55.5	8.26	1
1953	41.1	9.49	0.6	57.2	17.52	0	78.1	13.6	0	59.0	3.45	0
1954	39.1	13.38	4	56.1	10.48	0	78.8	8.22	0	59.8	8.89	1
1955	37.2	13.99	5	59.5	17.17	0	76.4	9.66	0	58.5	7.48	0
1956	38.1	17.02	0.5	56.2	12.66	0	76.4	11.23	0	58.4	4.06	0
1957	41.1	17.36	0	57.6	13.18	0.1	76.0	12.05	0	57.0	15.66	0
1958	34.3	9.94	4	54.3	12.43	1.1	75.3	13.52	0	58.7	7.74	0
1959	35.1	11.34	0.1	57.1	10.21	0	76.6	10.41	0	58.0	11.01	1
1960	37.3	10.5	15	51.5	8.14	32	76.5	13.33	0	59.2	8.46	0
1961	35.5	10.41	12.1	54.6	15.22	0	74.6	14.99	0	59.6	8.05	0
1962	37.9	20.38	4.8	56.9	10.92	3	76.4	7.49	0	58.1	12.44	0
1963	30.8	5.45	15.1	58.5	12.36	0	75.0	11.58	0	60.2	2.82	0
1964	32.8	7.74	25	58.6	15.5	0	77.4	9.39	0	58.2	9.74	0.6
1965	38.0	17.23	12.4	57.0	13.85	2.8	76.0	9.75	0	59.2	8.25	0
1966	36.4	12.31	7.6	55.9	11.95	0	75.9	9.59	0	56.6	10.79	8
1967	36.8	8.81	11.1	59.6	16.77	2	73.0	14.83	0	55.0	8.41	0
1968	33.9	7.86	19.7	55.9	24.06	11	76.8	8.99	0	57.8	8.97	0.2
1969	36.1	11.21	10.1	54.9	11.49	0.1	77.2	15.97	0	56.8	7.31	0
1970	32.2	11.86	15.2	57.2	13.61	1	75.6	10.11	0	60.3	8.67	0
1971	37.0	12.44	12.5	53.6	11.29	1	76.0	19.43	0	61.7	4.84	0
1972	40.2	18.09	1	56.5	12.68	2	75.0	8.66	0	58.1	13.01	0.5
1973	37.0	14.35	2.2	57.3	19.26	0	76.9	17.31	0	62.2	12.75	0
1974	39.9	16.54	1	59.2	12.68	0	74.7	12.03	0	56.4	10.28	0

YEAR	WINTER (Dec – Feb)			SPRING (Mar – May)			SUMMER (Jun – Aug)			AUTUMN (Sep – Nov)		
	Temp	Precip	Snow	Temp	Precip	Snow	Temp	Precip	Snow	Temp	Precip	Snow
1975	40.0	14.37	3	55.6	24.17	2.1	77.3	10.18	0	58.2	17.18	0
1976	39.1	13.86	3	57.3	14.06	0	74.2	12.4	0	52.8	9.18	1
1977	30.4	6.95	18.5	61.5	9.97	0	78.4	12.28	0	59.3	15.07	3
1978	28.2	12.47	34.7	56.5	10.31	0	78.1	14.77	0	60.0	10.78	0
1979	31.9	25.41	27.3	57.2	18.69	0	76.4	18.24	0	57.8	22.05	0
1980	36.1	8.99	8.5	55.6	14.45	5	79.5	16.23	0	58.7	8.54	0
1981	35.9	8.26	9	55.5	14.9	0	75.4	12.26	0	56.8	12.45	0
1982	34.5	11.38	6.5	56.8	13.18	0	73.1	14.16	0	57.4	9.21	0
1983	39.6	10.1	2.6	52.7	25.58	2.1	77.4	8.15	0	59.0	11.95	0
1984	32.9	13.47	14.2	53.2	22.5	0	75.0	10.17	0	57.7	16.9	0
1985	35.5	9.05	17.6	59.0	9.43	0	74.5	15.81	0	60.9	11.6	0
1986	35.1	6.62	12.8	57.9	9.95	0	76.0	8.22	0	59.1	15.12	0
1987	37.2	11.74	4.3	58.2	9.56	8	76.6	13.92	0	56.5	8.16	0
1988	35.8	14.98	6.4	55.6	7.88	0	76.5	8.27	0	55.4	17.74	0
1989	38.2	23.53	3.7	56.7	15.25	0	76.8	18.13	0	59.3	9.8	0
1990	38.8	14.74	7.9	57.0	9.38	2	77.1	9.43	0	60.4	13.27	0
1991	39.5	23.24	4.1	60.9	13.39	1	77.7	9.68	0	58.6	10.31	0
1992	40.8	12.29	0.4	56.3	12.25	0.4	74.7	9.61	0	57.5	10.29	0
1993	37.7	9.04	8.9	55.3	9.37	2.2	78.9	7.44	0	56.4	10.48	0.9
1994	35.6	18.44	9.5	56.6	18.12	2.5	76.8	14.66	0	59.3	9.74	0
1995	39.1	12	1.7	59.6	18.17	0	79.0	8.63	0	57.4	14.04	T
1996	37.1	10.05	17.3		14.31	8.3		15.33	0	56.2	15.06	0
1997	39.7	20.11	4.0	50.7	14.76	0	76.8	6.67	0	56.7	9.68	0
1998	41.1	9.45	19.6	57.3	25.12	T	76.3	7.84	0	62.4	9.36	0
1999	41.4	12.76		56.6	8.68		78.9	6.28		60.0	6.78	T
2000	40.3	10.53	1.3	57.7	13.56	T	76.3	7.19	0	58.4	8.78	0
2001	34.2	8.77	3.9	57.8	10.19	T	76.6	13.12	0	58.2	11.04	0
2002	40.1	10.02	6.1	56.6	18.63	T	78.2	9.88	0	61.1	19.76	T
2003	35.4	12.15	11.5	58.8	12.33	T	74.7	16.78	0	58.9	13.34	T
2004	37.0	9.65	3	59.6	17.93	0	73.9	13.81	0	60.9	12.33	0
2005	40.4	12.72	1	55.1	11.76	0.1	77.9	14.62	0	60.0	3.76	0
2006	39.2	9.19	8.5	58.2	11.02	0	77.3	11.93	0	56.9	14.23	0
2007	38.0	9.24	4.7	60.4	8.56	0	79.5	6.09	0	61.8	14.21	0
2008	39.0	14.7	0.5	56.5	16.65	5	77.5	7.43	0	58.9	7.05	0
2009	38.3	14.91	0.7	58.5	14.17	3	75.8	18.57	0	59.3	14.24	0
2010	34.8	8.78	15.4	59.8	17.35	0	80.6	16.29	0	60.6	8.25	0
2011	35.2	10.06	21.2	59.8	21.62	0	79.8	12.23	0	59.8	16.34	T
2012	43.1	11.34	1.4	65.0	11.02	0	79.4	9.25	0	57.8	8.71	0
2013	41.9	13.10	1.3	56.4	16.84	2.5	76.1	18.17	0	57.8	11.95	1.1
2014	34.5	12.18	4.2	56.9	13.41	5.1	76.5	15.58	0	57.2	8.27	0.3
2015	35.2	7.57	16.0	58.8	18.31	7.2	77.5	10.85	0	62.0	14.21	0
2016	42.1	11.81	24.0	59.8	12.59	T	79.8	18.75	0	64.0	4.04	0
2017	43.9	12.22	0.7	60.9	13.72	T	76.7	16.78	0	59.8	11.90	T

