



SHERWIN-WILLIAMS.



Student Housing/Dormitory Guide Specification

This Painting Schedule is furnished as a guide to select paint systems, and is not all-inclusive of available Sherwin-Williams products. Specifiers should review the contents and edit to suit the particular project and its location.

The schedule is arranged by substrates, and offers latex, acrylic, water-based epoxy, and waterbased urethane. Each type also includes the available sheens.

Local and National V.O.C. (Volatile Organic Compound) regulations have been taken into consideration. However, because regulations vary by region and frequently change, specifiers should verify that the products comply with local rules. Consult with your Sherwin-Williams representative before finalizing the selection.

If you need additional product information, contact your Sherwin-Williams representative, refer to the Sherwin-Williams Painting Systems Catalog, or visit sherwin-williams.com.

The Sherwin-Williams Company
Architectural Services Department
1-800-321-8194 (Telephone)
216-566-1392 (Fax)
specifications@sherwin.com (Email)

**09 91 13 EXTERIOR &
09 91 23 INTERIOR**

Issued August 2016

The Sherwin-Williams Company

**Download this document at
www.swspecs.com**



Table of Contents

EXTERIOR SYSTEMS:

| | |
|--|---------------|
| Important Surface Prep Instructions: | Page 2 |
| Miscellaneous Notes: | Page 3 |
| Exterior Topcoats: | Page 4 |
| Concrete and Masonry Vertical Surfaces (Cementitious Siding, Plaster, EIFS (Exterior Insulation and Finish System), Flexboard, Brick, Stucco, Precast): | Page 5 |
| CMU (Concrete Block, Cement Block, Foundation Block): | Page 5 |
| Concrete (Floors Non-Vehicular — Patios, Porches, Steps & Platforms): | Page 6 |
| Wood: | Page 6 |
| Wood, Stained (Siding, Trim, Shutters, Sashes, Hardboard — Bare/Primed): | Page 6 |
| Ferrous Metals: | Page 7 |
| High Performance Finish | |
| Non-Ferrous Metals: | Page 7 |
| High Performance Finish | |
| UNIFLEX Fluid Applied Roofing Systems: | Page 7 |

INTERIOR SYSTEMS:

| | |
|---|----------------|
| Interior Topcoats | Page 8 |
| General Interior Areas (Lobby Area, Student Lounge, etc.): | Page 9 |
| Gypsum Board — Walls | |
| Gypsum Board — Ceiling | |
| Wood — Painted Doors, Frames, Trim, or Chair Rails | |
| Wood — Stained Trim or Chair Rails | |
| Hallways/Corridors/Stairwells: | Page 10 |
| Gypsum Board — Walls | |
| Gypsum Board — Ceiling | |
| Residential Living Areas: | Page 11 |
| Gypsum Board — Walls | |
| Gypsum Board — Ceiling | |
| Multi-Purpose / Recreational Room: | Page 12 |
| Gypsum Board — Walls | |
| Gypsum Board — Ceiling | |

Table of Contents (Cont.)

Bathroom: **Page 13**

Gypsum Board — Walls
Gypsum Board — Ceiling
Ferrous Metals — Doors, Frames, and Miscellaneous Metals

Fitness Center: **Page 14**

Gypsum Board — Walls
Gypsum Board — Ceiling
Ferrous Metals — Doors, Frames, and Miscellaneous Metals

Kitchen Areas / Laundry Rooms: **Page 15**

Gypsum Board — Walls
Gypsum Board — Ceiling

Concrete Floors — Pigmented Coating Systems: **Page 16**

Light Duty (Foot Traffic)

Concrete Floors — Decorative Concrete Floor Systems: **Page 16**

Important Surface Preparation Instructions:

Verify the existence of lead based paints on the project. Buildings constructed after 1978 are less likely to contain lead based paints. If lead based paints are suspected on the project, all removal must be done in accordance with the EPA Renovation, Repair and Painting rule or similar state regulation. Verify that Owner has completed a Hazardous Material Assessment Report for the project prior to issuing of Drawings.

WARNING! Removal of old paint by sanding, scraping or other means may generate dust or fumes that contain lead. Exposure to lead dust or fumes may cause brain damage or other adverse health effects, especially in children or pregnant women. Controlling exposure to lead or other hazardous substances requires the use of proper protective equipment, such as a properly fitted respirator (**NIOSH** approved) and proper containment and cleanup. For more information, call the National Lead Information Center at **1-800-424-LEAD** (in US) or contact your local health authority. Removal must be done in accordance with EPA Renovation, Repair and Painting Rule and all related state and local regulations. Care should be taken to follow all state and local regulations which may be stricter than those set under the federal RRP Rule.

Miscellaneous Notes:

SURFACE PREPARATION:

- A. Proper product selection, surface preparation, and application affect coating performance. Coating integrity and service life will be reduced because of improperly prepared surfaces. Selection and implementation of proper surface preparation ensures coating adhesion to the substrate and prolongs the service life of the coating system. Recognize that any surface preparation short of total removal of the old coating may compromise the service length of the system.
- B. Selection of the proper method of surface preparation depends on the substrate, the environment, and the expected service life of the coating system. Economics, surface contamination, and the effect on the substrate will also influence the selection of surface preparation methods.
- C. The surface must be dry and in sound condition. Remove oil, dust, dirt, loose rust, peeling paint or other contamination to ensure good adhesion.
- D. Prior to attempting to remove mildew, it is always recommended to test any cleaner on a small, inconspicuous area prior to use. Bleach and bleaching type cleaners may damage or discolor existing paint films. Bleach alternative cleaning solutions may be advised. Remove mildew before painting by washing with a solution of 1 part liquid household bleach and 3 parts of warm water. Apply the solution and scrub the mildewed area. Allow the solution to remain on the surface for 10 minutes. Rinse thoroughly with clean water and allow the surface to dry 48 hours before painting. Wear protective glasses or goggles, waterproof gloves, and protective clothing. Quickly wash off any of the mixture that comes in contact with your skin. Do not add detergents or ammonia to the bleach/water solution.
- E. Previously Coated Surfaces: maintenance painting will frequently not permit or require complete removal of all old coatings prior to repainting. However, all surface contamination such as oil, grease, loose paint, mill scale, dirt, foreign matter, rust, mold, mildew, mortar, efflorescence, and sealers must be removed to assure sound bonding to the tightly adhering old paint. Glossy surfaces of old paint films must be clean and dull before repainting. Thorough washing with an abrasive cleanser will clean and dull in one operation, or, wash thoroughly and dull by sanding. Spot prime any bare areas with an appropriate primer. Recognize that any surface preparation short of total removal of the old coating may compromise the service length of the system. Check for compatibility by applying a test patch of the recommended coating system, covering at least 2 to 3 square feet. Allow to dry one week before testing adhesion per ASTM D3359. If the coating system is incompatible, complete removal is required per ASTM D4259.
- F. No exterior painting should be done immediately after a rain, during foggy weather, when rain is predicted, or when the temperature is below 50°F, unless products are designed specifically for these conditions. On large expanses of metal siding, the air, surface and material temperatures must be 50°F or higher to use low temperature products.
- G. This schedule is not inclusive of all Sherwin-Williams products; other products and finishes are available.
- H. Not all products are compliant nationwide, visit related websites for CARB, OTC, SCAQMD for current VOC regulations.
 - CARB — <http://www.arb.ca.gov/coatings/coatingsrules.htm>
 - OTC — www.otc.air.org
 - SCAQMD — <http://www.aqmd.gov/home/regulations/rules>
- I. Product names, logos, brands and other trademarks are the property of their respective trademark holders.
- J. Refer to the current MSDS/SDS/EDS for specific VOCs (calculated per 40 CFR 59.406). VOCs may vary by base and sheen.
- K. Coating Maintenance Manual: upon conclusion of the project, the Contractor or paint manufacture/supplier shall furnish a coating maintenance manual, such as Sherwin-Williams "Custodian Project Color and Product Information" report or equal. Manual shall include an Area Summary with finish schedule, Area Detail designating where each product/color/finish was used, product data pages, Material Safety Data Sheets, care and cleaning instructions, touch-up procedures, and color samples of each color and finish used.

Specifier Notes (Exterior Topcoats):

A-100® Exterior Latex — A 100% acrylic formula that offers a durable, professional quality coating available in Flat, Satin, Low-Sheen, and Gloss finishes.

SuperDeck® Exterior Waterborne Solid Color Deck Stain — This stain provides opaque protection for many horizontal wood surfaces and most composite decking*. Protects new, weathered or previously stained wood and easily cleans up with soap and water.

* Consult composite deck manufacturer for staining procedures.

SuperDeck® Exterior Waterborne Semi-Transparent Stain — This stain provides a semi-transparent film on wood deck surfaces. It allows the wood grain texture to show through and easily cleans up with soap and water.

H&C® Concrete Sealer Wet Look — A 100% acrylic sealer that will protect previously coated, bare concrete, and other masonry surfaces.

H&C® Concrete Stain Solid Color Water Based — Interior and exterior application, this concrete stain is resistant to pool chemicals and can be used on new or properly prepared, previously painted surfaces.

Loxon® 7% Siloxane Water Repellant — Protects against damage resulting from moisture intrusion and chloride ion penetration.

Loxon® Vertical Concrete Stain — An opaque water repellant that provides protection and beauty for exterior tilt-up concrete.

Loxon XP™ Masonry Coating — A high build exterior masonry coating that can be applied to fresh concrete and masonry surfaces. It is highly alkali and efflorescent resistant. This may be applied to a surface with a pH of 6 to 13.

ArmorSeal® TreadPlex™ — A waterborne coating designed for interior and exterior, wood and concrete, porches and floors while providing chemical resistance to common household chemicals.

Pro Industrial™ Acrylic Coating — A single-component, light industrial, 100% acrylic coating that flows and levels to a smooth finish. Available in Eg-Shel, Semi-Gloss, and Gloss finishes.

Sher-Crete® Flexible Concrete Waterproof — A flexible and breathable waterproof coating based on a unique combination of acrylic resin and mineral aggregate.

Pro Industrial™ Water Based Acrolon™ 100 Urethane — A two-component, waterbased, acrylic urethane enamel. It is designed for high performance protection with outstanding exterior gloss and color retention properties.

UNIFLEX® Fluid Applied Roofing Systems — Fluid applied roofing systems available in acrylic and solvent-based formulations.

WoodScapes® Exterior Polyurethane Semi-Transparent Stain — This stain provides a semi-transparent film on vertical wood surfaces. It allows the wood grain texture to show through and easily cleans up with soap and water.

WoodScapes® Exterior Acrylic Solid Color Stain — This acrylic solid color stain provides protection for vertical wood surfaces. Protects new, weathered or previously stained wood and easily cleans up with soap and water.

Recommended Finishes:

Body: Flat or Satin (unless otherwise noted)
Trim: Semi-Gloss or Gloss Finish (unless otherwise noted)

Concrete and Masonry Vertical Surfaces (Cementitious Siding, Plaster, EIFS (Exterior Insulation and Finish System), Flexboard, Brick, Stucco, Precast):

Gloss Finish

Primer: [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300

1st coat: [A-100® Exterior Latex Gloss](#), A8 Series

2nd coat: [A-100® Exterior Latex Gloss](#), A8 Series

Satin Finish

Primer: [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300

1st coat: [A-100® Exterior Latex Satin](#), A82 Series

2nd coat: [A-100® Exterior Latex Satin](#), A82 Series

Flat Finish

Primer: [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300

1st coat: [A-100® Exterior Latex Flat](#), A6 Series

2nd coat: [A-100® Exterior Latex Flat](#), A6 Series

Clear Water Repellants

1st coat: [Loxon® 7% Siloxane Water Repellant](#), A10T7

2nd coat: [Loxon® 7% Siloxane Water Repellant](#), A10T7

Stain Systems: Solid Color Waterborne Finish

1st coat: [Loxon® Vertical Concrete Stain](#), A31 Series

2nd coat: [Loxon® Vertical Concrete Stain](#), A31 Series

CMU (Concrete Block, Cement Block, Foundation Block):

Gloss Finish

Primer: [PrepRite® Block Filler](#) B25W25

1st Coat: [A-100® Exterior Latex Gloss](#), A8 Series

2nd Coat: [A-100® Exterior Latex Gloss](#), A8 Series

Satin Finish

Primer: [PrepRite® Block Filler](#) B25W25

1st coat: [A-100® Exterior Latex Satin](#), A82 Series

2nd coat: [A-100® Exterior Latex Satin](#), A82 Series

Flat Finish

Primer: [PrepRite® Block Filler](#) B25W25

1st coat: [A-100® Exterior Latex Flat](#), A6 Series

2nd coat: [A-100® Exterior Latex Flat](#), A6 Series

Flat Finish — High Build Coating

1st coat: [Loxon XP™ Waterproofing Coating](#), A24-1400 Series

2nd coat: [Loxon XP™ Waterproofing Coating](#), A24-1400 Series

Concrete (Floors Non-Vehicular — Patios, Porches, Steps & Platforms):

Gloss Finish

- 1st coat:** [Sher-Crete® Flexible Waterproofer](#), A5 Series
- 2nd coat:** [H&C® Concrete Sealer Wet Look](#)
- 3rd coat:** [H&C® Concrete Sealer Wet Look](#)

Satin Finish

- Primer:** [ArmorSeal® Tread-Plex™ Waterbased Acrylic Primer](#), B90 Series
- 1st coat:** [ArmorSeal® Tread-Plex™ Waterbased Acrylic Floor Coating](#), B90 Series
- 2nd coat:** [ArmorSeal® Tread-Plex™ Waterbased Acrylic Floor Coating](#), B90 Series

Wood:

Gloss Finish

- Primer:** [Exterior Latex Wood Primer](#), B42W8041
- 1st coat:** [A-100® Exterior Latex Gloss](#), A8 Series
- 2nd coat:** [A-100® Exterior Latex Gloss](#), A8 Series

Low Sheen Finish

- Primer:** [Exterior Latex Wood Primer](#), B42W8041
- 1st coat:** [A-100® Exterior Latex Low Sheen](#), A12 Series
- 2nd coat:** [A-100® Exterior Latex Low Sheen](#), A12 Series

Satin Finish

- Primer:** [Exterior Latex Wood Primer](#), B42W8041
- 1st coat:** [A-100® Exterior Latex Satin](#), A82 Series
- 2nd coat:** [A-100® Exterior Latex Satin](#), A82 Series

Flat Finish

- Primer:** [Exterior Latex Wood Primer](#), B42W8041
- 1st coat:** [A-100® Exterior Latex Flat](#), A6 Series
- 2nd coat:** [A-100® Exterior Latex Flat](#), A6 Series

Wood, Stained (Siding, Trim, Shutters, Sashes, Hardboard — Bare/Primed):

Solid Color

- 1st coat:** [WoodScapes® Exterior Acrylic Solid Color Stain](#), A15 Series
- 2nd coat:** [WoodScapes® Exterior Acrylic Solid Color Stain](#), A15 Series

Semi-Transparent

- 1st coat:** [WoodScapes® Exterior Polyurethane Semi-Transparent Stain](#), A15T5
- 2nd coat:** [WoodScapes® Exterior Polyurethane Semi-Transparent Stain](#), A15T5

Ferrous Metals:

Gloss — High Performance Finish (Areas where performance is critical such as railings, canopies, handrails, etc.)

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Water Based Acrolon™100 Urethane](#), B65-720 Series
2nd coat: [Pro Industrial™ Water Based Acrolon™100 Urethane](#), B65-720 Series

Semi-Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Non-Ferrous Metals:

Gloss — High Performance Finish (Areas where performance is critical such as railings, canopies, handrails, etc.)

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Water Based Acrolon™100 Urethane](#), B65-720 Series
2nd coat: [Pro Industrial™ Water Based Acrolon™100 Urethane](#), B65-720 Series

Semi-Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

UNIFLEX® Fluid Applied Roofing Systems:

UNIFLEX®, distributed by Sherwin-Williams, offers a full line of patching materials, basecoats and high-performance topcoats. UNIFLEX® has a coating solution for most roof surfaces, including: metal, weathered single-ply membranes, modified bitumen, smooth build-up, and polyurethane foam.

Please contact your local Sherwin-Williams representative for detailed information and specifications.

Student Housing/Dormitory Interior Paint Schedule

Specifier Notes (Interior Products):

ProMar® 200 Zero VOC Interior Latex — A professional quality interior paint, available in Flat, Eg-Shel, Low Sheen, Low Gloss, Semi-Gloss and Gloss finishes. It contains an anti-microbial agent that inhibits the growth of mold and mildew on the paint film.

Harmony® Interior Latex — A durable interior paint. Harmony also contains an anti-microbial agent that inhibits the growth of mold and mildew on the paint film — which also inhibits the growth of bacterial odors. Its Odor Eliminating Technology reduces common odors to help keep rooms smelling fresher, longer. Its VOC Reducing Technology helps remove formaldehyde to improve indoor air quality. Available in Flat, Eg-Shel and Semi-Gloss finishes.

*The length of time Harmony actively reduces odors and formaldehyde depends on the concentration, the frequency of exposure and the amount of painted surface area.

Paint Shield® Microbicidal Interior Latex Paint — A durable interior paint available in an eg-shel finish. Surfaces painted with Paint Shield® kill greater than 99.9% of (Staph) *Staphylococcus aureus*, MRSA (Methicillin-resistant *Staphylococcus aureus*), *E. Coli* (*Escherichia coli*), VRE (Vancomycin-resistant *Enterococcus faecalis*), and *Enterobacter aerogenes* within two hours of exposure on the painted surface.

Minwax® Water Based Polyurethane Varnish — A fast drying polyurethane that provides a warm, rich look comparable to an oil-based polyurethane with easy clean-up.

ArmorSeal® TreadPlex™ — A waterborne coating designed for interior and exterior, wood and concrete, porches and floors while providing chemical resistance to common household chemicals.

Pro Industrial™ Pre-Catalyzed Waterbased Epoxy — A single-component, waterbased acrylic epoxy that offers the durability and resistance to stains and most cleaning solvents usually characteristic of two-component waterbased epoxies. Available in Eg-Shel and Semi-Gloss finishes.

Pro Industrial™ Acrylic Coating — A single-component, light industrial, 100% acrylic coating that flows and levels to a smooth finish. Available in Eg-Shel, Semi-Gloss, and Gloss finishes.

Recommended Finishes:

| | |
|------------------------------|--|
| Ceilings and Soffits: | Flat Finish |
| Walls: | Eg-Shel or Semi-Gloss Finish |
| Trim: | Semi-Gloss Finish (unless otherwise noted) |

General Interior Areas (Lobby Area, Student Lounge, etc):

Gypsum Board — Walls

Semi-Gloss Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series

Alternate:

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46-150 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46-150 Series

Eg-Shel Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Acrylic Coating Eg-Shel](#), B66-660 Series
2nd coat: [Pro Industrial™ Acrylic Coating Eg-Shel](#), B66-660 Series

Alternate:

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45-150 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45-150 Series

Eg-Shel Finish, Microbicial Paint

Primer: [ProMar® 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51
2nd coat: [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51

Gypsum Board — Ceiling

Flat Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

Alternate:

Primer: [Harmony® Interior Latex Primer](#), B11
1st coat: [Harmony® Interior Latex Flat](#), B5 Series
2nd coat: [Harmony® Interior Latex Flat](#), B5 Series

Wood — Painted Doors, Frames, Trim, or Chair Rails

Semi-Gloss Finish

Primer: [PrepRite® ProBlock® Latex Primer/Sealer](#) B51 Series
1st coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series

Eg-Shel Finish, Microbicial Paint

Primer: [PrepRite® ProBlock® Latex Primer/Sealer](#) B51 Series
1st coat: [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51
2nd coat: [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51

Wood — Stained Trim or Chair Rails

Stained Finish

Stain: [Minwax® Wood 250 Stain](#)
1st coat: [Minwax® Water Based Polyurethane Varnish, Satin or Gloss](#)
2nd coat: [Minwax® Water Based Polyurethane Varnish, Satin or Gloss](#)

Hallways/Corridors/Stairwells:

Gypsum Board — Walls

Semi-Gloss Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series

Alternate:

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46-150 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46-150 Series

Eg-Shel Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Acrylic Coating Eg-Shel](#), B66-660 Series
2nd coat: [Pro Industrial™ Acrylic Coating Eg-Shel](#), B66-660 Series

Alternate:

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45-150 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45-150 Series

Eg-Shel Finish, Microbicidal Paint

Primer: [ProMar® 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Paint Shield® Interior Latex Eg-Shel Microbicidal Paint](#), D12W51
2nd coat: [Paint Shield® Interior Latex Eg-Shel Microbicidal Paint](#), D12W51

Gypsum Board — Ceiling

Flat Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

Alternate:

Primer: [Harmony® Interior Latex Primer](#), B11
1st coat: [Harmony® Interior Latex Flat](#), B5 Series
2nd coat: [Harmony® Interior Latex Flat](#), B5 Series

Residential Living Areas:

Gypsum Board — Walls

Semi-Gloss Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series

Alternate:

Primer: [Harmony® Interior Latex Primer](#), B11
1st coat: [Harmony® Interior Latex Semi-Gloss](#), B10 Series
2nd coat: [Harmony® Interior Latex Semi-Gloss](#), B10 Series

Eg-Shel Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

Alternate:

Primer: [Harmony® Interior Latex Primer](#), B11
1st coat: [Harmony® Interior Latex Eg-Shel](#), B9 Series
2nd coat: [Harmony® Interior Latex Eg-Shel](#), B9 Series

Eg-Shel Finish, Microbical Paint

Primer: [ProMar® 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Paint Shield® Interior Latex Eg-Shel Microbical Paint](#), D12W51
2nd coat: [Paint Shield® Interior Latex Eg-Shel Microbical Paint](#), D12W51

Gypsum Board — Ceiling

Flat Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

Alternate:

Primer: [Harmony® Interior Latex Primer](#), B11
1st coat: [Harmony® Interior Latex Flat](#), B5 Series
2nd coat: [Harmony® Interior Latex Flat](#), B5 Series

Multi-Purpose / Recreational Room:

Gypsum Board — Walls

Semi-Gloss Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series

Alternate:

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46-150 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46-150 Series

Eg-Shel Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Acrylic Coating Eg-Shel](#), B66-660 Series
2nd coat: [Pro Industrial™ Acrylic Coating Eg-Shel](#), B66-660 Series

Alternate:

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45-150 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45-150 Series

Eg-Shel Finish, Microbicial Paint

- Primer:** [ProMar® 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51
2nd coat: [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51

Gypsum Board — Ceiling

Flat Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

Alternate:

- Primer:** [Harmony® Interior Latex Primer](#), B11
1st coat: [Harmony® Interior Latex Flat](#), B5 Series
2nd coat: [Harmony® Interior Latex Flat](#), B5 Series

Bathroom:

Gypsum Board — Walls

Semi-Gloss Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series

Alternate:

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46-150 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46-150 Series

Eg-Shel Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Acrylic Coating Eg-Shel](#), B66-660 Series
2nd coat: [Pro Industrial™ Acrylic Coating Eg-Shel](#), B66-660 Series

Alternate:

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45-150 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45-150 Series

Eg-Shel Finish, Microbicidal Paint

Primer: [ProMar® 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Paint Shield® Interior Latex Eg-Shel Microbicidal Paint](#), D12W51
2nd coat: [Paint Shield® Interior Latex Eg-Shel Microbicidal Paint](#), D12W51

Gypsum Board — Ceiling

Eg-Shel Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45-150 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45-150 Series

Ferrous Metals — Doors, Frames, and Miscellaneous Metals

Semi-Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series

Alternate:

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Eg-Shel Finish, Microbicidal Paint

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Paint Shield® Interior Latex Eg-Shel Microbicidal Paint](#), D12W51
2nd coat: [Paint Shield® Interior Latex Eg-Shel Microbicidal Paint](#), D12W51

Fitness Center:

Gypsum Board — Walls

Semi-Gloss Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series

Alternate:

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46-150 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46-150 Series

Eg-Shel Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Acrylic Coating Eg-Shel](#), B66-660 Series
2nd coat: [Pro Industrial™ Acrylic Coating Eg-Shel](#), B66-660 Series

Alternate:

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45-150 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45-150 Series

Eg-Shel Finish, Microbicial Paint

Primer: [ProMar® 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51
2nd coat: [Paint Shield® Interior Latex Eg-Shel Microbicial Paint](#), D12W51

Gypsum Board — Ceiling

Flat Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

Alternate:

Primer: [Harmony® Interior Latex Primer](#), B11
1st coat: [Harmony® Interior Latex Flat](#), B5 Series
2nd coat: [Harmony® Interior Latex Flat](#), B5 Series

Ferrous Metals — Doors, Frames, and Miscellaneous Metals

Semi-Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series

Kitchen Areas / Laundry Rooms:

Gypsum Board — Walls

Semi-Gloss Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Coating Semi-Gloss](#), B66-650 Series

Alternate:

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46-150 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46-150 Series

Eg-Shel Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Acrylic Coating Eg-Shel](#), B66-660 Series
2nd coat: [Pro Industrial™ Acrylic Coating Eg-Shel](#), B66-660 Series

Alternate:

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45-150 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45-150 Series

Gypsum Board — Ceiling

Flat Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Flat](#), B30-2600 Series

Alternate:

Primer: [Harmony® Interior Latex Primer](#), B11
1st coat: [Harmony® Interior Latex Flat](#), B5 Series
2nd coat: [Harmony® Interior Latex Flat](#), B5 Series

Concrete Floors — Pigmented Coating Systems:

Light Duty (Foot Traffic)

Primer: [ArmorSeal® Tread-Plex™ Waterbased Acrylic Primer](#), B90 Series

1st coat: [ArmorSeal® Tread-Plex™ Waterbased Acrylic Floor Coating](#), B90 Series

2nd coat: [ArmorSeal® Tread-Plex™ Waterbased Acrylic Floor Coating](#), B90 Series

Concrete Floors — Decorative Concrete Floor Systems:

Sherwin-Williams offers a full line of patching materials, basecoats and high-performance floor finishes. Sherwin-Williams has a coating solution for most surfaces.

Please contact your local Sherwin-Williams representative for detailed information and specifications.





©2016 The Sherwin-Williams Company