



SHERWIN-WILLIAMS.



Stadium/Event Center Facility Guide Specification

This Facility Guide Specification is also great for indoor arenas, theatres, auditoriums and other venues.

This Painting Schedule is furnished as a guide to select paint systems, and is not all-inclusive of available Sherwin-Williams products. Specifiers should review the contents and edit to suit the particular project and its location.

The schedule is arranged by substrates, and offers latex, acrylic, water-based epoxy, and water-based urethane. Each type also includes the available sheens.

Local and National V.O.C. (Volatile Organic Compound) regulations have been taken into consideration. However, because regulations vary by region and frequently change, specifiers should verify that the products comply with local rules. Consult with your Sherwin-Williams representative before finalizing the selection.

If you need additional product information, contact your Sherwin-Williams representative, refer to the Sherwin-Williams Painting Systems Catalog, visit sherwin-williams.com or call our Architectural Services Answer Team.

The Sherwin-Williams Company
Architectural Services Department
800-321-8194 (Telephone)
216-566-1392 (Fax)
specifications@sherwin.com (Email)

**09 91 23 INTERIOR &
09 91 13 EXTERIOR**

Issued July 2015

The Sherwin-Williams Company

**Download this document at
www.swspecs.com**



Table of Contents

INTERIOR SYSTEMS:

Important Surface Prep Instructions: **Page 3**

Interior Topcoats: **Page 3**

Miscellaneous Notes: **Page 4**

Hallway/Corridor/Stairwell: **Pages 5 – 6**

CMU — Concrete Masonry Units
Masonry and Concrete — Ceilings and Soffits
Gypsum Board — Walls
Gypsum Board — Ceilings and Soffits
Wood — Painted Doors, Frames, Trim and Chair Rails
Wood — Stained Doors, Frames, Trim and Chair Rails
Ferrous Metal — Doors, Frames and Miscellaneous Metals
Ferrous Metal — High Performance Finish for Handrails
Non-Ferrous Metal — Galvanized/Aluminum Metal Surfaces
Non-Ferrous Metal — High Performance Finish for Handrails

Office/Luxury Suite/Media Box/Kids Center: **Pages 7 – 9**

CMU — Concrete Masonry Units
Masonry and Concrete — Ceilings and Soffits
Gypsum Board — Walls
Gypsum Board — Level 5 Walls — Transform Any Wall Into A Great Dry Erase Space!
Gypsum Board — Ceilings and Soffits
Wood — Painted Doors, Frames, Trim and Chair Rails
Wood — Stained Doors, Frames, Trim and Chair Rails
Ferrous Metal — Doors, Frames and Miscellaneous Metals
Ferrous Metal — High Performance Finish for Handrails
Non-Ferrous Metal — Galvanized/Aluminum Metal Surfaces
Non-Ferrous Metal — High Performance Finish for Handrails

Concession Stand/Restaurant/Cafeteria: **Pages 10 – 11**

CMU — Concrete Masonry Units (Dry Areas)
Masonry and Concrete — Ceilings and Soffits
Gypsum Board — Walls (Dry Areas)
Gypsum Board — Ceilings and Soffits
Ferrous Metal — Doors, Frames and Miscellaneous Metals
Ferrous Metal — High Performance Finish for Handrails
Non-Ferrous Metal — Galvanized/Aluminum Metal Surfaces
Non-Ferrous Metal — High Performance Finish for Handrails
CMU — Concrete Masonry Units (Moist Areas: Not within Shower)

Fitness — Training Facility/Locker Room/Dressing Room: **Page 12**

CMU — Concrete Masonry Units
Gypsum Board — Walls and Ceilings
Ferrous Metal — Doors, Frames and Miscellaneous Metals including Handrails
Non-Ferrous Metal — Galvanized/Aluminum Metal Surfaces including Handrails

Exposed Ceilings and Decking: **Page 13**

Ferrous Metal Decking — Including Bar Joists
Non-Ferrous Metal Decking

Wood Flooring and Playing Surfaces: **Page 13**

Heavy Duty (Foot Traffic)

Concrete Floors — Pigmented & Decorative: **Page 13**

Light Duty (Foot Traffic)
Medium Duty (Restrooms, Labs, Corridors)
Heavy Duty (Kitchen/Cooking Areas and Food Service Areas)

Table of Contents (Cont.)

EXTERIOR SYSTEMS: INCLUDING SEATING BOWL

<u>Exterior Topcoats:</u>	Page 14
<u>Exterior Concrete/Masonry Areas (Smooth):</u>	Page 15
<u>Exterior CMU and Block Areas (Porous):</u>	Page 15
<u>Exterior Ferrous Metals (Including Handrails):</u>	Page 15
<u>Exterior Non-Ferrous Metals (Including Handrails):</u>	Page 16
<u>Exterior Plaster/Stucco:</u>	Page 16
<u>Exterior Parking Lot:</u>	Page 16
<u>Exterior Athletic Playing Field:</u>	Page 16

Stadium/Event Center Facility Interior Paint Schedule

Important Surface Preparation Instructions:

Verify the existence of lead based paints on the project. Buildings constructed after 1978 are less likely to contain lead based paints. If lead based paints are suspected on the project, all removal must be done in accordance with the EPA Renovation, Repair and Painting rule and all applicable state and local regulations. State and local regulations may be more strict than those set under the federal regulations. Verify that Owner has completed a Hazardous Material Assessment Report for the project prior to issuing of Drawings.

WARNING! Removal of old paint by sanding, scraping or other means may generate dust or fumes that contain lead. Exposure to lead dust or fumes may cause brain damage or other adverse health effects, especially in children or pregnant women. Controlling exposure to lead or other hazardous substances requires the use of proper protective equipment, such as a properly fitted respirator (NIOSH approved) and proper containment and cleanup. For more information, call the National Lead Information Center at 1-800-424-LEAD (in US) or contact your local health authority. Removal must be done in accordance with EPA Renovation, Repair and Painting Rule and all related state and local regulations. Care should be taken to follow all state and local regulations which may be more strict than those set under the federal RRP Rule.

Specifier Notes — Topcoats:

- a. **ProMar® 200 Zero VOC Interior Latex** — A durable, professional quality vinyl acrylic topcoat available in Flat, Low Sheen, Eg-Shel, and Semi-Gloss finishes.
- b. **ProMar® 400 Zero VOC Interior Latex** — A durable, economical, professional quality vinyl acrylic topcoat available in Flat, Low Sheen, Eg-Shel, and Semi-Gloss finishes.
- c. **Pro Industrial™ Pre-Catalyzed Waterbased Epoxy** — A single component, waterborne acrylic epoxy that offers the durability and resistance to stains and most cleaning solvents usually characteristic of two-component waterbased epoxies. Available in an Eg-Shel and Semi-Gloss finish. (Not Available in SCAQMD)
- d. **Pro Industrial™ Water Based Catalyzed Epoxy** — A two-component, water-based epoxy formulated to provide excellent corrosion resistance, chemical resistance, abrasion resistance, and moisture resistance. Available in an Eg-Shel and Gloss finish.
- e. **Pro Industrial™ Acrylic Coating**— A single component, light industrial, 100% acrylic coating that flows and levels to a smooth finish. Available in Eg-Shel, Semi-Gloss, and Gloss finishes.

Recommended Finishes:

Ceilings and Soffits:	Flat Finish
Walls:	Eg-Shel or Semi-Gloss Finish
Trim:	Semi-Gloss Finish (unless otherwise noted)

Miscellaneous Notes:

SURFACE PREPARATION:

- A. Proper product selection, surface preparation, and application affect coating performance. Coating integrity and service life will be reduced because of improperly prepared surfaces. Selection and implementation of proper surface preparation ensures coating adhesion to the substrate and prolongs the service life of the coating system.
- B. Selection of the proper method of surface preparation depends on the substrate, the environment, and the expected service life of the coating system. Economics, surface contamination, and the effect on the substrate will also influence the selection of surface preparation methods.
- C. The surface must be dry and in sound condition. Remove oil, dust, dirt, loose rust, peeling paint or other contamination to ensure good adhesion.
- D. Remove mildew before painting by washing with a solution of 1 part liquid household bleach and 3 parts of warm water. Apply the solution and scrub the mildewed area. Allow the solution to remain on the surface for 10 minutes. Rinse thoroughly with clean water and allow the surface to dry 48 hours before painting. Wear protective glasses or goggles, waterproof gloves, and protective clothing. Quickly wash off any of the mixture that comes in contact with your skin. Do not add detergents or ammonia to the bleach/water solution.
- E. Previously Coated Surfaces: maintenance painting will frequently not permit or require complete removal of all old coatings prior to repainting. However, all surface contamination such as oil, grease, loose paint, mill scale, dirt, foreign matter, rust, mold, mildew, mortar, efflorescence, and sealers must be removed to assure sound bonding to the tightly adhering old paint. Glossy surfaces of old paint films must be clean and dull before repainting. Thorough washing with an abrasive cleanser will clean and dull in one operation, or, wash thoroughly and dull by sanding. Spot prime any bare areas with an appropriate primer. Recognize that any surface preparation short of total removal of the old coating may compromise the service length of the system. Check for compatibility by applying a test patch of the recommended coating system, covering at least 2 to 3 square feet. Allow to dry one week before testing adhesion per ASTM D3359. If the coating system is incompatible, complete removal is required per ASTM D4259.
- F. No exterior painting should be done immediately after a rain, during foggy weather, when rain is predicted, or when the temperature is below 50°F, unless products are designed specifically for these conditions. On large expanses of metal siding, the air, surface and material temperatures must be 50°F or higher to use low temperature products.
- G. This schedule is not inclusive of all Sherwin-Williams products; other products and finishes are available.
- H. Not all products are compliant nationwide, visit related websites for CARB, OTC, SCAQMD for current VOC regulations.
 - CARB — <http://www.arb.ca.gov/coatings/coatingsrules.htm>
 - OTC — www.otcair.org
 - SCAQMD — <http://www.aqmd.gov/rules>
- I. Product names, logos, brands and other trademarks are the property of their respective trademark holders.
- J. Refer to the current MSDS/EDS for specific VOCs (calculated per 40 CFR 59.406). VOCs may vary by base and sheen.
- K. Coating Maintenance Manual: upon conclusion of the project, the Contractor or paint manufacture/supplier shall furnish a coating maintenance manual, such as Sherwin-Williams "Custodian Project Color and Product Information" report or equal. Manual shall include an Area Summary with finish schedule, Area Detail designating where each product/color/finish was used, product data pages, Material Safety Data Sheets, care and cleaning instructions, touch-up procedures, and color samples of each color and finish used.

Hallway/Corridor/Stairwell:

CMU — Concrete Masonry Units

Semi-Gloss or Gloss Finish

Primer: [PrepRite® Block Filler](#), B25W25
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy, Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy, Semi-Gloss](#), K46 Series

Alternate:

Primer: [PrepRite® Block Filler](#), B25W25
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#) B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#) B73-360 Series or Gloss, B73-300 Series

Eg-Shel Finish

Primer: [PrepRite® Block Filler](#), B25W25
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy, Eg-Shel](#), K45 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy, Eg-Shel](#), K45 Series

Alternate:

Primer: [PrepRite® Block Filler](#), B25W25
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#) B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#) B73-360 Series or Gloss, B73-300 Series

Masonry and Concrete — Ceilings and Soffits

Flat Finish

Primer: [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300
1st coat: [ProMar® 400 Zero VOC Interior Latex Flat](#), B30-2600 Series
2nd coat: [ProMar® 400 Zero VOC Interior Latex Flat](#), B30-2600 Series

Gypsum Board — Walls

Semi-Gloss or Gloss Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy](#), Semi-Gloss, K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy](#), Semi-Gloss, K46 Series

Alternate:

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#) B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#) B73-360 Series or Gloss, B73-300 Series

Gypsum Board — Walls

Eg-Shel Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy, Eg-Shel](#), K45 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy, Eg-Shel](#), K45 Series

Alternate:

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#) B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#) B73-360 Series or Gloss, B73-300 Series

Gypsum Board — Ceilings and Soffits

Flat Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 400 Zero VOC Interior Latex Flat](#), B30-4600 Series
2nd coat: [ProMar® 400 Zero VOC Interior Latex Flat](#), B30-4600 Series

Hallway/Corridor/Stairwell (Cont.):

Wood — Painted Doors, Frames, Trim and Chair Rails

Semi-Gloss Finish

Primer: [PrepRite® ProBlock® Latex Primer/Sealer](#), B51 Series

1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Alternate:

Primer: [PrepRite® ProBlock® Latex Primer/Sealer](#), B51 Series

1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Wood — Stained Doors, Frames, Trim and Chair Rails

Stained Finish

Stain: [Wood Classics® 250 Stain](#), A49-800 Series

2nd coat: [Wood Classics® Waterborne Polyurethane Satin or Gloss](#) A68 Series

3rd coat: [Wood Classics® Waterborne Polyurethane Satin or Gloss](#) A68 Series

Ferrous Metal — Doors, Frames and Miscellaneous Metals

Semi-Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Alternate:

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Ferrous Metal — High Performance Finish for Handrails

Eg-Shel or Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#) B73-360 Series or Gloss, B73-300 Series

2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#) B73-360 Series or Gloss, B73-300 Series

Non-Ferrous Metal — Galvanized/Aluminum Metal Surfaces

Semi-Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Alternate:

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Non-Ferrous Metal — High Performance Finish

Eg-Shel or Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

1st coat: [Pro Industrial™ Water Based Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

2nd coat: [Pro Industrial™ Water Based Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

Office/Luxury Suite/Media Box/Kid Center:

CMU — Concrete Masonry Units

Semi-Gloss Finish

- Filler:** [Loxon® Block Surfacers](#), A24W200
1st coat: [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B32-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B32-2600 Series

Semi-Gloss — High Performance Finish

- Filler:** [Loxon® Block Surfacers](#), A24W200
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Eg-Shel Finish

- Filler:** [Loxon® Block Surfacers](#), A24W200
1st coat: [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

Eg-Shel — High Performance Finish

- Filler:** [Loxon® Block Surfacers](#), A24W200
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series

Masonry and Concrete — Ceilings and Soffits

Flat Finish

- Primer:** [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300
1st coat: [ProMar® 400 Zero VOC Interior Latex Flat](#), B30-4600 Series
2nd coat: [ProMar® 400 Zero VOC Interior Latex Flat](#), B30-4600 Series

Gypsum Board — Walls

Semi-Gloss

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B32-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Semi-Gloss](#), B32-2600 Series

Semi-Gloss — High Performance Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Eg-Shel Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series
2nd coat: [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

Eg-Shel — High Performance Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Eg-Shel](#), K45 Series

Office/Luxury Suite/Media Box/Kid Center (Cont.):

Alternate

Gypsum Board — Level 5 Walls — Transform Any Wall Into A Great Dry Erase Space!

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series
2nd coat: [Dry Erase Coating Clear Gloss](#), KB65C2000

Gypsum Board — Ceilings and Soffits

Flat Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 400 Zero VOC Interior Latex Flat](#), B30-4600 Series
2nd coat: [ProMar® 400 Zero VOC Interior Latex Flat](#), B30-4600 Series

Wood — Painted Doors, Frames, Trim and Chair Rails

Semi-Gloss Finish

Primer: [PrepRite® ProBlock® Latex Primer/Sealer](#) B51 Series
1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Alternate:

Primer: [PrepRite® ProBlock® Latex Primer/Sealer](#) B51 Series
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Wood — Stained Doors, Frames, Trim and Chair Rails

Stained Finish

Stain: [Wood Classics® 250 Stain](#), A49-800 Series
2nd coat: [Wood Classics® Waterborne Polyurethane Satin or Gloss](#) A68 Series
3rd coat: [Wood Classics® Waterborne Polyurethane Satin or Gloss](#) A68 Series

Ferrous Metal — Doors, Frames and Miscellaneous Metals

Semi-Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Alternate:

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Office/Luxury Suite/Media Box/Kid Center (Cont.):

Ferrous Metal — High Performance Finish (Including Handrails)

Eg-Shel or Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

Non-Ferrous Metal — Galvanized/Aluminum Metal Surfaces

Semi-Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Alternate:

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Non-Ferrous Metal — High Performance Finish (Including Handrails)

Eg-Shel or Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

Concession Stand/Restaurant/Cafeteria:

CMU — Concrete Masonry Units

Semi-Gloss or Gloss Finish

Primer: [PrepRite® Block Filler](#), B25W25

1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy](#), Semi-Gloss, K46 Series

2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy](#), Semi-Gloss, K46 Series

Alternate:

Primer: [PrepRite® Block Filler](#), B25W25

1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

Eg-Shel Finish

Primer: [PrepRite® Block Filler](#), B25W25

1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy](#), Eg-Shel, K45 Series

2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy](#), Eg-Shel, K45 Series

Alternate:

Primer: [PrepRite® Block Filler](#), B25W25

1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

Masonry and Concrete — Ceilings and Soffits

Eg-Shel Finish

Primer: [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300

1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy](#), Eg-Shel, K45 Series

2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy](#), Eg-Shel, K45 Series

Gypsum Board — Walls

Semi-Gloss or Gloss Finish

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600

1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy](#), Semi-Gloss, K46 Series

2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy](#), Semi-Gloss, K46 Series

Semi-Gloss — **High Performance Finish**

Primer: [ProMar® 200 Zero VOC Latex Primer](#), B28W2600

1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

Gypsum Board — Ceilings and Soffits

Eg-Shel Finish

Primer: [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300

1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy](#), Eg-Shel, K45 Series

2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy](#), Eg-Shel, K45 Series

Concession Stand/Restaurant/Cafeteria (Cont.):

Ferrous Metal — Doors, Frames and Miscellaneous Metals

Semi-Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Alternate:

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Ferrous Metal — High Performance Finish (Including Handrails)

Eg-Shel or Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

Non-Ferrous Metal — Galvanized/Aluminum Metal Surfaces

Semi-Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66-650 Series

Alternate:

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Non-Ferrous Metal — High Performance Finish (Including Handrails)

Eg-Shel or Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

CMU — Concrete Masonry Units (Moist Areas)

High Performance Finish

Primer: [Heavy Duty Block Filler](#), B42W46
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

Fitness — Training Facility/Locker Room/Dressing Room:

CMU — Concrete Masonry Units

Gloss — High Performance Finish

- Filler:** [Loxon® Block Surfacers](#), A24W200
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Gloss](#), B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Gloss](#), B73-300 Series

Semi-Gloss

- Filler:** [Loxon® Block Surfacers](#), A24W200
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Eg-Shel — High Performance Finish

- Filler:** [Loxon® Block Surfacers](#), A24W200
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series

Gypsum Board — Walls

Gloss — High Performance Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Gloss](#), B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Gloss](#), B73-300 Series

Semi-Gloss

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial™ Pre-Catalyzed Waterbased Epoxy Semi-Gloss](#), K46 Series

Eg-Shel — High Performance Finish

- Primer:** [ProMar 200® Zero VOC Latex Primer](#), B28W2600
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series

Gypsum Board — Ceilings and Soffits

Flat Finish

- Primer:** [ProMar® 200 Zero VOC Latex Primer](#), B28W2600
1st coat: [ProMar® 400 Zero VOC Interior Latex Flat](#), B30-4600 Series
2nd coat: [ProMar® 400 Zero VOC Interior Latex Flat](#), B30-4600 Series

Ferrous Metal — Doors, Frames and Miscellaneous Metals (Including Handrails)

Eg-Shel or Gloss — High Performance Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

Non-Ferrous Metal — Galvanized/Aluminum Metal Surfaces (Including Handrails)

Eg-Shel or Gloss — High Performance Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial™ Water Based Catalyzed Epoxy Eg-Shel](#), B73-360 Series or Gloss, B73-300 Series

Exposed Ceilings and Decking:

Ferrous Metal Decking — Including Bar Joists

Flat, Eg-Shel, or Semi-Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series

1st coat: [Pro Industrial™ Waterborne Acrylic Dryfall, Flat, Eg-Shel, Semi-Gloss](#), B42-80 Series

2nd coat: [Pro Industrial™ Waterborne Acrylic Dryfall, Flat, Eg-Shel, Semi-Gloss](#), B42-80 Series

Non-Ferrous Metal Decking

Flat, Eg-Shel, or Semi-Gloss Finish

1st coat: [Pro Industrial™ Waterborne Acrylic Dryfall, Flat, Eg-Shel, Semi-Gloss](#), B42-80 Series

2nd coat: [Pro Industrial™ Waterborne Acrylic Dryfall, Flat, Eg-Shel, Semi-Gloss](#), B42-80 Series

Wood Flooring and Playing Surfaces:

Please contact your local Sherwin-Williams representative for detailed information and specifications.

Concrete Floors — Pigmented:

Light Duty (Foot Traffic)

1st coat: [ArmorSeal® Tread-Plex™](#)

2nd coat: [ArmorSeal® Tread-Plex™](#)

Medium/Heavy Duty (Restrooms, Labs, Corridors)

Gloss Finish

1st coat: [ArmorSeal® 8100 Finish](#) B70-8100 Series

2nd coat: [ArmorSeal® 8100 Finish](#) B70-8100 Series

Satin Finish

1st coat: [ArmorSeal® 8100 Finish](#) B70-8160 Series

2nd coat: [ArmorSeal® 8100 Finish](#) B70-8160 Series

Heavy Duty (Kitchen/Cooking Areas and Food Services)

Sherwin-Williams offers a full line of high performance resinous epoxy and urethane floor coatings. Specifications for floor coatings systems are specific to each project. Please contact your Sherwin-Williams product representative for detailed information and specifications assistance.

Concrete Floors — Decorative:

Sherwin-Williams, offers a full line of patching materials, basecoats, seamless floor coatings, Terrazzo and polished concrete. Sherwin-Williams has a coating solution for most surfaces.

Please contact your local Sherwin-Williams representative for detailed information and specifications.

Stadium/Event Center Facility Exterior Paint Schedule

Specifier Notes — Topcoats:

- a. **A-100® Exterior Latex** — A 100% acrylic formula that offers a durable, professional quality coating available in a Flat, Satin, Low-Sheen, and Gloss finishes.
- b. **Loxon XP™ Masonry Coating** — Provides flexibility, durability, and weather resistance. This product will protect against wind-driven rain when used on tilt-up, precast, or poured-in-place concrete, CMU, and stucco. This may be applied to a surface with a pH of 6 to 13.
- c. **ConFlex XL™ Elastomeric High Build Coating** — An elastomeric coating that provides excellent flexibility, durability, and weather resistance. This product will protect against wind-driven rain when used on tilt-up, precast, or poured-in-place concrete, CMU, and stucco. Available in smooth or textured finishes.
- d. **Waterbased Acrolon™ 100 Urethane** — A two-component, waterbased, acrylic urethane enamel. It is designed for high performance protection with outstanding exterior gloss and color retention properties.
- e. **Pro Industrial™ Acrylic Coating** — A single component, light industrial, 100% acrylic coating that flows and levels to a smooth finish. Available in a Eg-Shel, Semi-Gloss, and Gloss finishes.
- f. **UltraCrete Textured Masonry Topcoat** — A 100% acrylic aggregate-filled coating used to produce a textured finish on exterior surfaces.

Recommended Finishes:

- Walls:** Flat or Satin (unless otherwise noted)
Trim: Semi-gloss or Gloss Finish (unless otherwise noted)

Exterior Concrete/Masonry Area:

Satin Finish

Primer: [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300

1st coat: [A-100® Exterior Latex Satin](#), A82 Series

2nd coat: [A-100® Exterior Latex Satin](#), A82 Series

Flat Finish

Primer: [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300

1st coat: [A-100® Exterior Latex Flat](#), A6 Series

2nd coat: [A-100® Exterior Latex Flat](#), A6 Series

Textured Finish

Primer: [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300

1st coat: [UltraCrete Textured Masonry Topcoat Fine, Medium, Extra Coarse](#), A44-800 Series

2nd coat: [UltraCrete Textured Masonry Topcoat Fine, Medium, Extra Coarse](#), A44-800 Series

Exterior CMU & Block Areas:

Satin Finish

Filler: [Loxon® Block Surfacer](#), A24W200

1st coat: [A-100® Exterior Latex Satin](#), A82 Series

2nd coat: [A-100® Exterior Latex Satin](#), A82 Series

Flat Finish — High Build Coating

Filler: [Loxon XP™ High Build Coating](#), A24-1400 Series

1st coat: [Loxon XP™ High Build Coating](#), A24-1400 Series

Elastomeric

Filler: [Loxon® Block Surfacer](#), A24W200

1st coat: [ConFlex XL™ Elastomeric High Build Coating](#), A5-400 Series

2nd coat: [ConFlex XL™ Elastomeric High Build Coating](#), A5-400 Series

Exterior Ferrous Metals (Including Handrails):

Gloss — High Performance Finish

Primer: [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310

1st coat: Waterbased Acrolon® 100 Polyurethane Gloss, B65-700 Series

2nd coat: Waterbased Acrolon 100 Polyurethane Gloss, B65-700 Series

Semi-Gloss Finish

Primer: [Pro Industrial™ Pro-Cryl Universal Primer](#), B66-310

1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66 Series

2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66 Series

Exterior Non-Ferrous Metals (Including Handrails):

Gloss — High Performance Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310
1st coat: Waterbased Acrolon 100 Polyurethane Gloss, B65-700 Series
2nd coat: Waterbased Acrolon 100 Polyurethane Gloss, B65-700 Series

Semi-Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310
1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66 Series
2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66 Series

Exterior Plaster/Stucco:

Gloss Finish

- Primer:** [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300
1st coat: [A-100® Exterior Latex Gloss](#), A8 Series
2nd coat: [A-100® Exterior Latex Gloss](#), A8 Series

Satin Finish

- Primer:** [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300
1st coat: [A-100® Exterior Latex Satin](#), A82 Series
2nd coat: [A-100® Exterior Latex Satin](#), A82 Series

Flat Finish

- Primer:** [Loxon® Concrete & Masonry Primer Sealer](#), A24W8300
1st coat: [A-100® Exterior Latex Flat](#), A6 Series
2nd coat: [A-100® Exterior Latex Flat](#), A6 Series

Flat Finish — High Build Coating

- Primer:** [Loxon XP™ High Build Coating](#), A24-1400 Series
1st coat: [Loxon XP™ High Build Coating](#), A24-1400 Series

Exterior Parking Lot:

Cured Asphalt, Concrete, and Brick

- 1 coat:** [Pro-Park® Traffic Marking Paint](#)
@330 lineal feet of standard 4" stripe per gallon

Light Poles

Semi-Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310
1st coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66 Series
2nd coat: [Pro Industrial™ Acrylic Semi-Gloss](#), B66 Series

Exterior Athletic Playing Field:

Natural Turf Athletic Fields

- 1–2 coats:** [SherStripe® Athletic Field Marking Paint](#)
B2-900 Series and Aerosols





©2015 The Sherwin-Williams Company