



SHERWIN-WILLIAMS.



Religious Facilities Guide Specification

This Painting Schedule is furnished as a guide to select paint systems, and is not all-inclusive of available Sherwin-Williams products. Specifiers should review the contents and edit to suit the particular project and its location.

The schedule is arranged by substrates, and offers latex, acrylic, water-based epoxy, and water-based urethane. Each type also includes the available sheens.

Local and National V.O.C. (Volatile Organic Compound) regulations have been taken into consideration. However, because regulations vary by region and frequently change, specifiers should verify that the products comply with local rules. Consult with your Sherwin-Williams representative before finalizing the selection.

If you need additional product information, contact your Sherwin-Williams representative, refer to the Sherwin-Williams Painting Systems Catalog, visit sherwin-williams.com or call our Architectural Services Answer Team.

The Sherwin-Williams Company
Architectural Services Department
800-321-8194 (Telephone)
216-566-1392 (Fax)

09 91 23 – INTERIOR & EXTERIOR

Issued May 2013

The Sherwin-Williams Company



Table of Contents

INTERIOR SYSTEMS:

Important Surface Prep Instructions: **Page 2**

Interior Topcoats: **Page 3**

Miscellaneous Notes: **Page 4**

Office — Conference Rooms: **Page 5**

Gypsum Board — Walls

Gypsum Board — Ceiling

Ferrous Metal — Doors, Frames, and Miscellaneous Metals

Wood — Painted Doors, Frames, Trim, or Chair Rails

Wood — Stained Trim, Chair Rails & Structural Beams

Hallway/Corridor: **Page 6**

Gypsum Board — Walls

Gypsum Board — Ceiling

Ferrous Metal — Doors, Frames, and Miscellaneous Metals

Ferrous Metal — High Performance Finish (including Handrails)

Non-Ferrous Metal — Galvanized/Aluminum Surfaces

Non-Ferrous Metal — High Performance Finish (including Handrails)

Lobby/Worship Areas: **Page 7 – 8**

Gypsum Board — Walls

Gypsum Board — Ceiling

Ferrous Metal — Doors, Frames, and Miscellaneous Metals

Ferrous Metal — High Performance Finish (including Handrails)

Non-Ferrous Metal — Galvanized/Aluminum Surfaces

Non-Ferrous Metal — High Performance Finish (including Handrails)

Wood — Stained Trim, Structural Beams, Chair Rails & Pews

Conference/Multi-Purpose Room: **Page 8**

Gypsum Board — Walls

Gypsum Board — Ceiling

Ferrous Metal — Doors, Frames, and Miscellaneous Metals

Bathroom: **Page 9**

Gypsum Board — Walls

Gypsum Board — Ceiling

Ferrous Metal — Doors, Frames, and Miscellaneous Metals

Child Day Care Center: **Page 10**

Gypsum Board — Walls

Gypsum Board — Dry Erase Finish for Walls

Gypsum Board — Ceiling

Ferrous Metal — Doors, Frames, and Miscellaneous Metals

Kitchen — Cafeteria: **Page 11**

Gypsum Board — Walls

Gypsum Board — Ceiling

Ferrous Metal — High Performance Finish

Non-Ferrous Metal — High Performance Finish

Non-Ferrous Metal — Galvanized/Aluminum Surfaces

Table of Contents (Cont.)

Indoor/Outdoor Pool	Page 12
----------------------------	----------------

Faux Impressions — Decorative Wall Finishes; Metallic and High-Polish Fresco (Venetian Plaster)	Page 12
--------------------------------------------------------------------------------------------------------	----------------

Concrete Floors — Pigmented: Light Duty (Foot Traffic)	Page 13
------------------------------------------------------------------	----------------

Concrete Floors — Decorative:	Page 13
--------------------------------------	----------------

EXTERIOR SYSTEMS:

Exterior Topcoats	Page 14
--------------------------	----------------

Concrete & Masonry Vertical Surfaces — Smooth:	Page 14 – 15
-----------------------------------------------------------	---------------------

Plaster/Stucco/EIFS:	Page 15
-----------------------------	----------------

Wood:	Page 16
--------------	----------------

Ferrous Metals:	Page 16
------------------------	----------------

Non-Ferrous Metals:	Page 16
----------------------------	----------------

Balcony:	Page 16
-----------------	----------------

Important Surface Preparation Instructions:

Verify the existence of lead based paints on the project. Buildings constructed after 1978 are less likely to contain lead based paints. If lead based paints are suspected on the project, all removal must be done in accordance with the EPA Renovation, Repair and Painting rule and all applicable state and local regulations. State and local regulations may be more strict than those set under the federal regulations. Verify that Owner has completed a Hazardous Material Assessment Report for the project prior to issuing of Drawings.

WARNING! Removal of old paint by sanding, scraping or other means may generate dust or fumes that contain lead. Exposure to lead dust or fumes may cause brain damage or other adverse health effects, especially in children or pregnant women. Controlling exposure to lead or other hazardous substances requires the use of proper protective equipment, such as a properly fitted respirator (NIOSH approved) and proper containment and cleanup. For more information, call the National Lead Information Center at 1-800-424-LEAD (in US) or contact your local health authority. Removal must be done in accordance with EPA Renovation, Repair and Painting Rule and all related state and local regulations. Care should be taken to follow all state and local regulations which may be more strict than those set under the federal RRP Rule.

Religious Facility Interior Paint Schedule

Specifier Notes — Topcoats:

a. **ProMar 400 Zero VOC Interior Latex** — A durable, professional quality zero VOC vinyl acrylic topcoat available in a Flat, Low Sheen, Eg-Shel, and Semi-Gloss finishes.

b. **ProMar 200 Zero VOC Interior Latex** — A durable, professional quality zero VOC vinyl acrylic topcoat available in a Flat, Low Sheen, Eg-Shel, and Semi-Gloss finishes.

c. **Harmony[®] Interior Latex** — A durable zero VOC interior paint. Harmony also contains an anti-microbial agent that inhibits the growth of mold and mildew on the paint film — which also inhibits the growth of bacterial odors. Its Odor Eliminating Technology reduces common odors to help keep rooms smelling fresher, longer.

d. **Pro Industrial Pre-Catalyzed Waterbased Epoxy** — A single-component, waterbased acrylic epoxy that offers the durability and resistance to stains and most cleaning solvents usually characteristic of two-component waterbased epoxies. Available in Eg-Shel and Semi-Gloss finishes.

e. **Pro Industrial Water Based Catalyzed Epoxy** — A two-component waterbased epoxy formulated to provide excellent corrosion resistance, chemical resistance, abrasion resistance, and moisture resistance. Available in Eg-Shel and Gloss finishes.

f. **Pro Industrial Acrylic Coating** — A single-component, light industrial, 100% acrylic coating that flows and levels to a smooth finish. Available in an Eg-Shel, Semi-Gloss, and Gloss finishes.

Recommended Finishes:

Ceilings and Soffits:	Flat Finish
Walls:	Eg-Shel or Semi-Gloss Finish
Trim:	Semi-Gloss Finish (unless otherwise noted)

Miscellaneous Notes:

SURFACE PREPARATION:

- A. Proper product selection, surface preparation, and application affect coating performance. Coating integrity and service life will be reduced because of improperly prepared surfaces. Selection and implementation of proper surface preparation ensures coating adhesion to the substrate and prolongs the service life of the coating system.
- B. Selection of the proper method of surface preparation depends on the substrate, the environment, and the expected service life of the coating system. Economics, surface contamination, and the effect on the substrate will also influence the selection of surface preparation methods.
- C. The surface must be dry and in sound condition. Remove oil, dust, dirt, loose rust, peeling paint or other contamination to ensure good adhesion.
- D. Remove mildew before painting by washing with a solution of 1 part liquid household bleach and 3 parts of warm water. Apply the solution and scrub the mildewed area. Allow the solution to remain on the surface for 10 minutes. Rinse thoroughly with clean water and allow the surface to dry 48 hours before painting. Wear protective glasses or goggles, waterproof gloves, and protective clothing. Quickly wash off any of the mixture that comes in contact with your skin. Do not add detergents or ammonia to the bleach/water solution.
- E. No exterior painting should be done immediately after a rain, during foggy weather, when rain is predicted, or when the temperature is below 50°F, unless products are designed specifically for these conditions. On large expanses of metal siding, the air, surface and material temperatures must be 50°F or higher to use low temperature products.
- F. This schedule is not inclusive of all Sherwin-Williams products; other products and finishes are available.
- G. Not all products are compliant nationwide, visit related websites for CARB, OTC, SCAQMD for current VOC regulations.
 - CARB — <http://www.arb.ca.gov/coatings/coatingsrules.htm>
 - OTC — www.otcair.org
 - SCAQM — <http://www.aqmd.gov/rules>
- H. Product names, logos, brands and other trademarks are the property of their respective trademark holders.
- I. Refer to the current MSDS/EDS for specific VOCs (calculated per 40 CFR 59.406). VOCs may vary by base and sheen.
- J. Coating Maintenance Manual: upon conclusion of the project, the Contractor or paint manufacture/supplier shall furnish a coating maintenance manual, such as Sherwin-Williams "Custodian Project Color and Product Information" report or equal. Manual shall include an Area Summary with finish schedule, Area Detail designating where each product/color/finish was used, product data pages, Material Safety Data Sheets, care and cleaning instructions, touch-up procedures, and color samples of each color and finish used.

Office – Conference Rooms:

Gypsum Board — Walls

Semi-Gloss Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series
2nd coat: [ProMar 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series

Semi-Gloss — High Performance Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Semi-Gloss](#), K46 Series

Eg-Shel Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series
2nd coat: [ProMar 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

Eg-Shel — High Performance Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Pro Industrial Pre-Catalyzed Water based Epoxy Eg-Shel](#), K45 Series
2nd coat: [Pro Industrial Pre-Catalyzed Water based Epoxy Eg-Shel](#), K45 Series

Gypsum Board — Ceiling

Flat Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 400 Zero VOC Interior Latex Flat](#), B30-4600 Series
2nd coat: [ProMar 400 Zero VOC Interior Latex Flat](#), B30-4600 Series

Ferrous Metal — Doors, Frames, and Miscellaneous Metals

Semi-Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series

Wood — Painted Doors, Frames, Trim, or Chair Rails

Semi-Gloss Finish

- Primer:** [PrepRite ProBlock® Latex Primer/Sealer](#) B51 Series
1st coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series

Wood — Stained Trim, Chair Rails & Structural Beams

Stained Finish

- Stain:** [Minwax Wood 250 Stain](#)
2nd coat: [Minwax Water based Polyurethane Varnish](#), Satin or Gloss
3rd coat: [Minwax Water based Polyurethane Varnish](#), Satin or Gloss

Hallway/Corridor:

Gypsum Board — Walls

Semi-Gloss Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series
2nd coat: [ProMar 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series

Semi-Gloss — High Performance Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Semi-Gloss](#), K46 Series

Eg-Shel Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series
2nd coat: [ProMar 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

Eg-Shel — High Performance Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Eg-Shel](#), K45 Series
2nd coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Eg-Shel](#), K45 Series

Gypsum Board — Ceiling

Flat Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 400 Zero VOC Interior Latex Flat](#), B30-4600 Series
2nd coat: [ProMar 400 Zero VOC Interior Latex Flat](#), B30-4600 Series

Ferrous Metal — Doors, Frames, and Miscellaneous Metals

Semi-Gloss Finish

- Primer:** [Pro Industrial Pro-Cryl Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series

Ferrous Metal — High Performance Finish (Including Handrails)

Eg-Shel or Gloss Finish

- Primer:** [Pro Industrial Pro-Cryl Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series

Non-Ferrous Metal — Galvanized/Aluminum Surfaces

Semi-Gloss Finish

- Primer:** [Pro Industrial Pro-Cryl Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series

Non-Ferrous Metal — High Performance Finish (Including Handrails)

Eg-Shel or Gloss Finish

- Primer:** [Pro Industrial Pro-Cryl Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series

Lobby/Worship Areas:

Gypsum Board — Walls

Semi-Gloss Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series
2nd coat: [ProMar 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series

Semi-Gloss — High Performance Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Semi-Gloss](#), K46 Series

Eg-Shel Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series
2nd coat: [ProMar 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

Eg-Shel — High Performance Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Pro Industrial Pre-Catalyzed Water based Epoxy Eg-Shel](#), K45 Series
2nd coat: [Pro Industrial Pre-Catalyzed Water based Epoxy Eg-Shel](#), K45 Series

Gypsum Board — Ceiling

Flat Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 400 Zero VOC Interior Latex Flat](#), B30-4600 Series
2nd coat: [ProMar 400 Zero VOC Interior Latex Flat](#), B30-4600 Series

Ferrous Metal — Doors, Frames, and Miscellaneous Metals

Semi-Gloss Finish

- Primer:** [Pro Industrial Pro-Cryl Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series

Ferrous Metal — High Performance Finish (Including Handrails)

Eg-Shel or Gloss Finish

- Primer:** [Pro Industrial Pro-Cryl Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series

Non-Ferrous Metal — Galvanized/Aluminum Surfaces

Semi-Gloss Finish

- Primer:** [Pro Industrial Pro-Cryl Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series

Non-Ferrous Metal — High Performance Finish (Including Handrails)

Eg-Shel or Gloss Finish

- Primer:** [Pro Industrial Pro-Cryl Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series

Lobby/Worship Areas (Cont.):

Wood — Stained Trim, Chair Rails, Pews & Structural Beams

Stained Finish

- Stain:** [Minwax Wood 250 Stain](#)
2nd coat: [Minwax Water based Polyurethane Varnish](#), Satin or Gloss
3rd coat: [Minwax Water based Polyurethane Varnish](#), Satin or Gloss

Conference/Multi-Purpose Room:

Gypsum Board — Walls

Semi-Gloss Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series
2nd coat: [ProMar 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series

Semi-Gloss — High Performance Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Semi-Gloss](#), K46 Series

Eg-Shel Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series
2nd coat: [ProMar 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

Eg-Shel — High Performance Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Pro Industrial Pre-Catalyzed Water based Epoxy Eg-Shel](#), K45 Series
2nd coat: [Pro Industrial Pre-Catalyzed Water based Epoxy Eg-Shel](#), K45 Series

Gypsum Board — Ceiling

Flat Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 400 Zero VOC Interior Latex Flat](#), B30-4600 Series
2nd coat: [ProMar 400 Zero VOC Interior Latex Flat](#), B30-4600 Series

Ferrous Metal — Doors, Frames, and Miscellaneous Metals

Semi-Gloss Finish

- Primer:** [Pro Industrial™ Pro-Cryl® Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series

Bathroom:

Gypsum Board — Walls

Semi-Gloss Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series
2nd coat: [ProMar 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series

Semi-Gloss — High Performance Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Semi-Gloss](#), K46 Series

Eg-Shel Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series
2nd coat: [ProMar 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

Eg-Shel — High Performance Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Pro Industrial Pre-Catalyzed Water based Epoxy Eg-Shel](#), K45 Series
2nd coat: [Pro Industrial Pre-Catalyzed Water based Epoxy Eg-Shel](#), K45 Series

Gypsum Board — Ceiling

Flat Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 400 Zero VOC Interior Latex Flat](#), B30-4600 Series
2nd coat: [ProMar 400 Zero VOC Interior Latex Flat](#), B30-4600 Series

Ferrous Metal — Doors, Frames, and Miscellaneous Metals

Semi-Gloss Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B66-310 Series
1st coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series

Child Day Care Center:

Gypsum Board — Walls

Semi-Gloss Finish

Primer: [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series
2nd coat: [ProMar 200 Zero VOC Interior Latex Semi-Gloss](#), B31-2600 Series

Semi-Gloss — High Performance Finish

Primer: [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Semi-Gloss](#), K46 Series

Eg-Shel Finish

Primer: [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series
2nd coat: [ProMar 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

Eg-Shel — High Performance Finish

Primer: [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Eg-Shel](#), K45 Series
2nd coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Eg-Shel](#), K45 Series

Dry Erase Finish

Primer: [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series
2nd coat: [SW Dry Erase](#) KB65C2000

Gypsum Board — Ceiling

Flat Finish

Primer: [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 200 Zero VOC Interior Latex Flat](#), B30-4600 Series
2nd coat: [ProMar 200 Zero VOC Interior Latex Flat](#), B30-4600 Series

Ferrous Metal — Doors, Frames, and Miscellaneous Metals

Semi-Gloss Finish

Primer: [Pro Industrial Pro-Cryl Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series

Kitchen — Cafeteria:

Gypsum Board — Walls

Semi-Gloss Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Semi-Gloss](#), K46 Series
2nd coat: [Pro Industrial Pre-Catalyzed Water Based Epoxy Semi-Gloss](#), K46 Series

Eg-Shel Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Pro Industrial Pre-Catalyzed Water based Epoxy Eg-Shel](#), K45 Series
2nd coat: [Pro Industrial Pre-Catalyzed Water based Epoxy Eg-Shel](#), K45 Series

Eg-Shel or Gloss — High Performance Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series

Gypsum Board — Ceiling

Flat Finish

- Primer:** [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600
1st coat: [ProMar 400 Zero VOC Interior Latex Flat](#), B30-4600 Series
2nd coat: [ProMar 400 Zero VOC Interior Latex Flat](#), B30-4600 Series

Ferrous Metal — High Performance Finish

Eg-Shel or Gloss Finish

- Primer:** [Pro Industrial Pro-Cryl Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series

Non-Ferrous Metal

Eg-Shel or Gloss — High Performance Finish

- Primer:** [Pro Industrial Pro-Cryl Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series
2nd coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series

Non-Ferrous Metal — Galvanized/Aluminum Surfaces

Semi-Gloss Finish

- Primer:** [Pro Industrial Pro-Cryl Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series

Indoor/Outdoor Pool:

Pool Deck — Waterproofing Deck Coating

Please contact your local Sherwin-Williams Sales Representative to evaluate the project for the most complete product recommendation.

CMU — Interior Walls in Pool Area & Chemical Storage

Eg-Shel or Gloss — **High Performance Finish**

Filler coat: [Heavy Duty Block Filler](#) B42W46

1st coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series

2nd coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series

Gypsum Board — Walls & Ceilings

Eg-Shel or Gloss — **High Performance Finish**

Primer: [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600

1st coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series

2nd coat: [Pro Industrial Water Based Catalyzed Epoxy](#) Eg-Shel, B73-360 Series or Gloss, B73-300 Series

Faux Impressions — Decorative Wall Finishes; Metallic and High-Polish Fresco (Venetian Plaster):

Faux Impressions Metallic Finish

Primer: [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600

1st coat: [ProMar 200 Zero VOC Interior Latex Eg-Shel](#) B20-2600 Series

2nd coat: [ProMar 200 Zero VOC Interior Latex Eg-Shel](#) B20-2600 Series

3rd coat: [Faux Impressions Metallic Glaze](#)

Faux Impressions Metallic Finish

Primer: [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600

1st coat: [ProMar 200 Zero VOC Interior Latex Eg-Shel](#) B20-2600 Series

2nd coat: [ProMar 200 Zero VOC Interior Latex Eg-Shel](#), B20-2600 Series

3rd coat: [Faux Impressions Metallic Glaze](#)

4th coat: [Sher-Clear Acrylic Clear Coat High Gloss](#), B66C375

Faux Impressions High Polish Fresco (Venetian Plaster)

Walls, Gypsum Board, Level 5 Drywall Finish required)

1st Coat: [ProMar 200 Zero VOC Interior Latex Primer](#), B28W2600

2nd Coat: [Faux Impressions Venetian Plaster](#)

3rd Coat: [Faux Impressions Venetian Plaster](#)

4th Coat: [Faux Impressions Venetian Plaster](#)

Concrete Floors — Pigmented:

Light Duty (Foot Traffic)

1st coat: [ArmorSeal® Tread-Plex™](#)

2nd coat: [ArmorSeal Tread-Plex](#)

Concrete Floors — Decorative:

Sherwin-Williams, offers a full line of patching materials, basecoats and high-performance floor finishes. Sherwin-Williams has a coating solution for most surfaces.

Please contact your local Sherwin-Williams representative for detailed information and specifications.

Religious Facility Exterior Paint Schedule

Specifier Notes — Topcoats:

- a. **A-100 Exterior Latex** — A 100% acrylic formula that offers a durable, professional quality coating available in a Flat, Satin, Low-Sheen and Gloss finishes.
- b. **Loxon XP** — A high build exterior masonry coating that can be applied to fresh concrete and masonry surfaces. It is highly alkali and efflorescent resistant. This may be applied to a surface with a pH of 6 to 13.
- c. **Waterbased Acrolon® 100 Urethane** — A two-component, waterbased, acrylic urethane enamel. It is designed for high performance protection with outstanding exterior gloss and color retention properties.
- d. **Pro Industrial Acrylic Coating** — A single-component, light industrial, 100% acrylic coating that flows and levels to a smooth finish. Available in an Eg-Shel, Semi-Gloss, and Gloss finishes.
- e. **UltraCrete Textured Masonry Topcoat** — A 100% acrylic aggregate filled coating used to produce a textured finish on exterior surfaces.

Recommended Finishes:

Body: Flat or Satin (unless otherwise noted)
Trim: Semi-Gloss or Gloss Finish (unless otherwise noted)

Concrete and Masonry Vertical Surfaces — Smooth:

Gloss Finish

Primer: [Loxon Concrete & Masonry Primer Sealer](#), A24W8300
1st coat: [A-100 Exterior Latex Gloss](#), A8 Series
2nd coat: [A-100 Exterior Latex Gloss](#), A8 Series

Satin Finish

Primer: [Loxon Concrete & Masonry Primer Sealer](#), A24W8300
1st coat: [A-100 Exterior Latex Satin](#), A82 Series
2nd coat: [A-100 Exterior Latex Satin](#), A82 Series

Low-Sheen Finish

Primer: [Loxon Concrete & Masonry Primer Sealer](#), A24W8300
1st coat: [A-100 Exterior Latex Low Sheen](#), A12 Series
2nd coat: [A-100 Exterior Latex Low Sheen](#), A12 Series

Concrete and Masonry Vertical Surfaces — Smooth (Cont.):

Flat Finish

Primer: [Loxon Concrete & Masonry Primer Sealer](#), A24W8300

1st coat: [A-100 Exterior Latex Flat](#), A6 Series

2nd coat: [A-100 Exterior Latex Flat](#), A6 Series

Flat Finish — High Build Coating

1st coat: [Loxon XP Waterproofing Coating](#), A24-1400 Series

2nd coat: [Loxon XP Waterproofing Coating](#), A24-1400 Series

Textured Finish

Primer: [Loxon Concrete & Masonry Primer Sealer](#), A24W8300

1st coat: [Ultracrete Textured Masonry Topcoat](#) Fine, Medium, Extra Coarse, A44-800 Series

2nd coat: [Ultracrete Textured Masonry Topcoat](#) Fine, Medium, Extra Coarse, A44-800 Series

Plaster/Stucco/EIFS:

Gloss Finish

Primer: [Loxon Concrete & Masonry Primer Sealer](#), A24W8300

1st coat: [A-100 Exterior Latex Gloss](#), A8 Series

2nd coat: [A-100 Exterior Latex Gloss](#), A8 Series

Satin Finish

Primer: [Loxon Concrete & Masonry Primer Sealer](#), A24W8300

1st coat: [A-100 Exterior Latex Satin](#), A82 Series

2nd coat: [A-100 Exterior Latex Satin](#), A82 Series

Low-Sheen Finish

Primer: [Loxon Concrete & Masonry Primer Sealer](#), A24W8300

1st coat: [A-100 Exterior Latex Low Sheen](#), A12 Series

2nd coat: [A-100 Exterior Latex Low Sheen](#), A12 Series

Flat Finish

Primer: [Loxon Concrete & Masonry Primer Sealer](#), A24W8300

1st coat: [A-100 Exterior Latex Flat](#), A6 Series

2nd coat: [A-100 Exterior Latex Flat](#), A6 Series

Flat Finish — High Build Coating

1st coat: [Loxon XP Waterproofing Coating](#), A24-1400 Series

2nd coat: [Loxon XP Waterproofing Coating](#), A24-1400 Series

Wood:

Satin Finish

Primer: [Exterior Latex Wood Primer](#), B42W8041
1st coat: [A-100 Exterior Latex Satin](#), A82 Series
2nd coat: [A-100 Exterior Latex Satin](#), A82 Series

Low-Sheen Finish

Primer: [Exterior Latex Wood Primer](#), B42W8041
1st coat: [A-100 Exterior Latex Low Sheen](#), A12 Series
2nd coat: [A-100 Exterior Latex Low Sheen](#), A12 Series

Ferrous Metals:

Gloss Finish — High Performance (Areas where performance is critical such as railings, canopies, handrails, etc.)

Primer: [Pro Industrial Pro-Cryl Universal Primer](#), B66-310 Series
1st coat: [Water Based Acrolon® 100 Polyurethane Gloss](#), B65-720 Series
2nd coat: [Water Based Acrolon® 100 Polyurethane Gloss](#), B65-720 Series

Semi-Gloss Finish

Primer: [Pro Industrial Pro-Cryl Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series

Non-Ferrous Metals:

Gloss Finish — High Performance (Areas where performance is critical such as railings, canopies, handrails, etc.)

Primer: [Pro Industrial Pro-Cryl Universal Primer](#), B66-310 Series
1st coat: [Water Based Acrolon® 100 Polyurethane Gloss](#), B65-720 Series
2nd coat: [Water Based Acrolon® 100 Polyurethane Gloss](#), B65-720 Series

Semi-Gloss Finish

Primer: [Pro Industrial Pro-Cryl Universal Primer](#), B66-310 Series
1st coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series
2nd coat: [Pro Industrial Acrylic Semi-Gloss](#), B66-650 Series

Balcony:

Concrete Deck — Balcony Floors

Flat Finish

1st coat: [Sher-Crete Flexible Concrete Waterproof](#), A5 Series
2nd coat: [Sher-Crete Flexible Concrete Waterproof](#), A5 Series

Non-Ferrous Metal — Railing

Gloss Finish

Primer: [Pro Industrial Pro-Cryl Universal Primer](#), B66-310 Series
1st coat: [Water Based Acrolon® 100 Polyurethane Gloss](#), B65-720 Series
2nd coat: [Water Based Acrolon® 100 Polyurethane Gloss](#), B65-720 Series





©2013 The Sherwin-Williams Company