

United States Department of Agriculture (USDA)
Agricultural Marketing Service (AMS)



**Livestock Mandatory Price Reporting (LMPR),
Dairy Products Mandatory Reporting Program (DPMRP) &
Federal Milk Marketing Orders (FMMOS)
Application Programming Interface (API) User Guide**

V3.3

U.S. Department of Agriculture
Agricultural Marketing Service
1400 Independence Avenue SW
Washington DC 20250

November 2024

Table of Contents

1	Overview	5
1.1	Purpose of LMPR & DPMRP API	5
1.2	Notification of Changes to LMR API	5
1.3	Overuse	5
1.4	Record Limit.....	5
1.5	“Report Date” vs. “Report End Date”	6
1.6	Document Audience	6
1.7	Definitions	6
2	Design	6
2.1	Goals.....	6
2.2	Implementation	7
2.3	Important Note	7
2.4	Corrections	8
2.5	Using Excel for an API request.....	8
2.6	Using Dynamic Parameters in Excel	13
3	Examples	14
3.1	Livestock Report Examples	15
3.2	Important Note on Report Section Names.....	16
3.3	Dairy Examples.....	28
3.3.1	Dairy Product Mandatory Reporting Program (DPMRP) Examples.....	28
3.3.2	Federal Milk Marketing Order Statistics (FMMOS) Examples.....	41
3.4	Examples of Corrections.....	56
3.5	Examples of enhanced “All Sections” data pull	60
3.6	Single Comma querying for multiple values.	60
3.7	Double Comma querying for multiple values.....	61
4	Email API Feature.....	61
4.1	Addition of “is_corrections” field to Summary/Header Section	62
5	Report Holidays.....	63

Change History

Date	Change	Version
06 APR 20	Initial Draft	1.0
07 APR 20	Updated to include examples for “AllSections”	1.1
29 APR 20	Section added to help identify the correct Section names	1.2
06 MAY 20	Includes updated Dairy examples, brief discussion on parameters, and an explanation for using Excel	1.3
08 MAY 20	Added video link that explains using Excel Data Query “parameters” to make is easier to query dynamically. Add clarification on O365 in Section 2.4	1.4
01 JUN 20	Added Section 1.3 Record Limit clarification statements.	1.5
02 JUN 20	Added Section 1.4 offering clarification on “Report_Date” and “Report_End_Date”	1.6
10 JUN 20	Updates to API to support a between clause for “Published_Date”	1.7
25 JUN 20	Updates to API to support using multiple variables together such as Report Year and Report Month	1.8
27 JUL 20	Updates made to Section 2.4 regarding Microsoft Excel 2016, (32 bit) versions.	1.9
13 AUG 20	Updated to include examples for “Final Prices” for the <i>National Dairy Products Sales Report</i>	2.0
4 SEP 20	Updated <i>National Dairy Products Sales Report</i> examples	2.1
10 NOV 20	Added two new reports to the list of FMMOS reports in Section 3.3.2	2.2
21 DEC 20	Added new examples of enhanced API features related to “Corrections” under Section 2.4. Examples are provided under Section 3.4.	2.3
22 JUN 21	Added new example of enhanced API features related to “All Sections” under Section 3.5	2.4
11 AUG 21	Introduce new Email API feature in Section 4.	2.5
30 NOV 21	Add “is_correction” field to “Summary/Header section” of each report. More information is available under Section 4 of User Guide. New section 1.2 added titled “Notification of Changes to LMR API”.	2.6

09 SEP 22	Added clarification remarks to the limits on date range when using the Email Zip feature in Section 4.0	2.7
01 DEC 22	API Data Range limitation introduced. Date ranges API requests are limited to 180 days per request.	2.8
02 MAR 23	Added new example of enhanced API feature for Dairy related to “time series” configuration under section 3.3.2.	2.9
01 MAR 24	Added the following, “NOTE: Once pulled into Excel, most data needs to be converted to numeric.” to Dairy section.	3.0
18 SEP 24	Modified the API to accept multiple values on a field. Example provided in Section 3.6 Modified the API to accept for double comma where values have several comma’s in them. Examples provided in Section 3.7.	3.1
19 SEP 24	Added one new report to the list of FMMOS reports in Section 3.3.2	3.2
01 NOV24	Introduce a “Correction Only” attribute to API calls. See Section 3.8	3.3

1 Overview

1.1 Purpose of LMPR & DPMRP API

The LMPR & DPMRP & FMMOS API allows public access to Livestock Mandatory Price Reporting (LMPR), Dairy Products Mandatory Reporting Program (DPMRP), and Federal Milk Marketing Orders (FMMOS) market report information.

The output of the LMPR API is JavaScript Object Notation (JSON). JSON is an open standard format and data interchange format. This file format uses human-readable text to store and transmit data objects consisting of attribute–value pairs and array data types (or any other serializable value). It is a very common data format and easily consumable in various applications.

NOTE: Once pulled into Excel, most data needs to be converted to numeric.

1.2 Notification of Changes to LMR API

Occasionally there will be updates to the LMR API and LMR Web Service . The updates are a reflection of report enhancements or changes, which are necessary to ensure AMS is providing data and reports that reflect the current marketplace. Any changes to the LMR API and LMR Web Service XML files are essential to ensure data users are receiving all components and communication regarding the desired report. If you would like to receive an advanced notice of any API and XML changes, please send an email to <mailto:mymarketnews@usda.gov> and request to be added to the distribution list.

1.3 Overuse

Overloading the LMPR API with high frequency automated requests unnecessarily taxes computing resources. High frequency requests consume all the network bandwidth, create website performance issues often causing the website to crash, and reduce data availability to other customers attempting to reach the site. To mitigate overloading the systems, AMS will temporarily block IP addresses found taxing the systems with high frequency requests.

If you find DataMart unavailable, or notice performance issues on your LMPR API request, it is possible your IP address has been temporarily blocked. Often these high frequency requests occur due to simple coding errors. Email <mailto:mymarketnews@usda.gov> for assistance in restoring your access.

1.4 Record Limit

Both the LMR and MyMarketNews API's limit data calls record results to 100,000 per request. This is done so as to not overwhelm the system and ensure that the systems remain operational, responsive and available to all parties.

1.5 “Report Date” vs. “Report End Date”

AMS would like to make users aware that certain reports that, since inception, have slightly different “Report Date” offerings. Certain Summary reports may not offer “Report Date”, but will offer “Report End Date”. Examples of this would be in, but not limited to, are LM_CT106, LM_CT109, & LM_CT168. Pending future budgetary conditions, AMS may be able to work towards standardizing this, but it is not in the immediate future. AMS recommends checking the “Summary” section in DataMart, LMR Web Service XML or LMR API to determine if the report uses “Report Date” or “Report End Date”.

1.6 Document Audience

This document is technical in nature. This document was written to assist technical support staff in configuring LMPR API to pull data into their own environment or network. This document contains technical information and is not intended for non-technical audience(s).

1.7 Definitions

Abbreviation	Definition
AMS	Agricultural Marketing Service
DPMRP	Dairy Product Mandatory Reporting Program
FMMOS	Federal Milk Marketing Order Statistics
HTTPS	Hypertext Transfer Protocol Secure
JSON	JavaScript Object Notation
LPGMN	Livestock, Poultry, and Grain Market News
LMPR	Livestock Mandatory Price Reporting
MN	Market News
REST	Representational State Transfer
URL	Uniform Resource Locator
USDA	United States Department of Agriculture

2 Design

2.1 Goals

The LMPR API is designed to meet these goals:

- Simple
- Lightweight
- Flexible
- Intuitive
- Extendable

- Integration available
- Minimal development effort required
- Structurally predictable
- Consumable

Every effort has been made to ensure the LMPR API works in the same fashion as the [MyMarketNews API](#); however the LMPR data structure is different than MyMarketNews. LMPR has a slightly different underlying database structure than MyMarketNews. These differences may show themselves in LMPR API request that yield slightly different data set results.

2.2 Implementation

The LMPR API does not require a user key like the MyMarketNews API requires. User request are unrestricted with no limit on record counts or restrictions.

Market News will monitor the usage of the LMPR API for abuse. If the system shows excessive taxation where other user request are being affected, LPGMN will move to limit, restrict, or block abusive user request.

The LMPR API is set to Central Standard Time (CST) time zone. Standard and daylight time rules apply.

2.3 Important Note

The LMPR API offers access to the same data set that is available at <https://mpr.datamart.ams.usda.gov/> and the LMPR Web Service. If the report is not on the DataMart website or in the current Web Service, then it is not available via the LMPR API.

LPGMN uses both [Postman](#) and [Microsoft Excel](#) to show data sample in this User Guide. LPGMN does not endorse either product but references them to aid in articulating expected results.

Before creating API requests either in Postman or Excel, there are few filter parameter standards that a data user must know. First a common way to limit the data received from your API request is limiting it by a time threshold. The most common variables used to limit your data by time are report_date, report_year and report month. To add this to your request use the following syntax:

?q=time variable=value (e.g. ?q=report_year=2018 or ?q=report_date=09/15/2017)

If you want to limit your API request to a range of values use a colon in the value portion of the parameter (e.g. ?q=report_year=2012:2014).

There are two other useful parameters that are commonly used for API requests. The first is the &sort=variable (e.g. &sort=report_date). This sorts the results of your API request based on the variable you supply in the &sort parameter. The second is the &allSections=True parameter.

Almost all the reports that use the LMPR API have different sections to the report. You can use your API request to pull a certain section of the report or use the &all Sections=True parameter

to pull all sections of the report at one time. There are helpful examples later in this documentation that illustrate how to use both the `&sort=` and the `&allSections=True` parameters.

2.4 Corrections

In late December 2020, the LMR API introduced support for identifying and consuming Report Corrections. Additionally, enhanced syntax was introduced that allows for consuming X amount of days of data and X amount of a particular report. Samples of that syntax is listed in Examples section titled “Examples of Corrections”

Users now have the ability to:


1. List reports that are “Correction”
2. List reports that are “Correction” since X amount of days.
3. List reports in the last X amount of days.
4. List X amount of a particular report.

2.5 Using Excel for an API request

Both Microsoft Excel 2016 (64 bit), and 2013 (with the optional Power Query Tab installed) support data calls to web based API. The Microsoft 2013 Power Query Tab can be downloaded [here \(https://www.microsoft.com/en-us/download/details.aspx?id=39379\)](https://www.microsoft.com/en-us/download/details.aspx?id=39379).

Note: Users who have Office 365 may have slightly different menus or slightly different steps than the ones shown below.


In Excel 2016, the Tab is called “Data”. By following the instructions included in this document, you will be creating linked data sources to the LMR API from an Excel file. Clicking the “Refresh” button automatically connects to the LMR API and pulls the latest publically available data.



To start a LMR API connection, click “From Web” on the Data Tab. For Microsoft Excel 2016 (32 bit), users should select “Get Data” >> “From Other Sources” >> From Web.

Enter the URL for the report you would like to get. For this example we will pull the data for the Table of Contents (<https://mpr.datamart.ams.usda.gov/services/v1.1/reports/>). Click “Ok”. The

screen will pause for a few seconds while the request is made to the LMR API. The screen will refresh.



The page will refresh, and the Query Editor will launch.


The screenshot displays the Power Query Editor interface. The ribbon is set to 'List Tools' under the 'Transform' tab. The ribbon contains the following groups and options:

- Convert**: To Table
- Manage Items**: Keep Items, Remove Items, Remove Duplicates, Reverse Items
- Sort**: Sort (A-Z, Z-A)
- Numeric List**: Statistics


The main workspace shows a list of 26 records. The first row is a header row with the column name 'List'. The subsequent 25 rows are data rows, each containing a number from 1 to 26 followed by the word 'Record'.

	List
1	Record
2	Record
3	Record
4	Record
5	Record
6	Record
7	Record
8	Record
9	Record
10	Record
11	Record
12	Record
13	Record
14	Record
15	Record
16	Record
17	Record
18	Record
19	Record
20	Record
21	Record
22	Record
23	Record
24	Record
25	Record
26	Record


Place your mouse on the column heading titled “List”. Right click your mouse and select “Copy Entire List”



Click the “To Table” button




A menu will appear. Click “Ok”




The screen will refresh. There will be an icon to the right of “Column1”.




Click the “Double Arrow” icon. The screen will refresh. Click “Ok”.



The screen will refresh again and show



Click the “Close and Load” button. This will load all data into a new Excel worksheet.



2.6 Using Dynamic Parameters in Excel

There are ways to dynamically pass parameters to the Data Query Editor on the fly to pull different data. A YouTube video outlining how to do that is located here:

<https://www.youtube.com/watch?v=sdR2BI2e5Y8&feature=youtu.be>

3 Examples

The LMPR API offers a table of contents of all published reports accessible @ <https://mpr.datamart.ams.usda.gov/services/v1.1/reports/>.

Legacy Slug-ID were added to the Report Title for ease of identification. All specific report drill down queries should be done using the new Slug-ID column denoted below in column A.

A	B	C	D
Column1.slug_id	Column1.slug_name	Column1.report_title	Column1.published_date
2993	DYWDAIRYPRODUCTSSALES	National Dairy Products Sales Report (PDF)	02/20/2020 13:05:43
2991	DYMCLASSPRICES	Announcement of Class and Component Prices (PDF)	03/04/2020 13:22:00
2989	DYADVANCEDPRICES	Announcement of Advanced Prices and Pricing Factors (PDF)	03/11/2020 13:03:51
2466	AMS_2466	5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)	03/11/2020 10:25:45
2467	AMS_2467	Daily Direct Cow and Bull Negotiated Report - Summary (PDF) (LM_CT103)	03/11/2020 14:19:22
2656	AMS_2656	National Daily Slaughter Cattle - Committed and Delivered Cattle - Summary (PDF) (LM_CT106)	03/11/2020 10:20:21
2659	AMS_2659	National Daily Direct Slaughter Cattle Report - Formulated Purchases - Summary (PDF) (LM_CT109)	03/11/2020 10:21:01
2660	AMS_2660	National Daily Direct Slaughter Cattle Report - Negotiated Purchases - AM (PDF) (LM_CT113)	03/11/2020 10:26:22
2661	AMS_2661	National Daily Direct Slaughter Cattle Report - Negotiated Purchases - PM (PDF) (LM_CT114)	03/11/2020 15:05:47
2662	AMS_2662	National Daily Direct Slaughter Cattle Report - Negotiated Purchases - Summary (PDF) (LM_CT115)	03/11/2020 10:26:46
2663	AMS_2663	TX/OK/NM Daily Direct Slaughter Cattle - Negotiated Purchases - Afternoon (PDF) (LM_CT117)	03/11/2020 15:06:09
2664	AMS_2664	TX/OK/NM Daily Direct Slaughter Cattle - Negotiated Purchases - Summary (PDF) (LM_CT118)	03/11/2020 10:27:46
2665	AMS_2665	Kansas Daily Direct Slaughter Cattle - Negotiated Purchases - Afternoon (PDF) (LM_CT120)	03/11/2020 15:06:31
2666	AMS_2666	Kansas Daily Direct Slaughter Cattle - Negotiated Purchases - Summary (PDF) (LM_CT121)	03/11/2020 10:28:16
2667	AMS_2667	Nebraska Daily Direct Slaughter Cattle - Negotiated Purchases - Afternoon (PDF) (LM_CT123)	03/11/2020 15:06:53
2668	AMS_2668	Nebraska Daily Direct Slaughter Cattle - Negotiated Purchases - Summary (PDF) (LM_CT124)	03/11/2020 10:28:58
2669	AMS_2669	CO Daily Direct Slaughter Cattle - Negotiated Purchases - Afternoon (PDF) (LM_CT133)	10/23/2019 15:00:31
2670	AMS_2670	CO Daily Direct Slaughter Cattle - Negotiated Purchases - Summary (PDF) (LM_CT134)	10/21/2019 10:53:59
2671	AMS_2671	IA-MN Daily Direct Slaughter Cattle - Negotiated Purchases - Afternoon (PDF) (LM_CT136)	03/11/2020 15:07:07
2672	AMS_2672	IA-MN Daily Direct Slaughter Cattle - Negotiated Purchases - Summary (PDF) (LM_CT137)	03/11/2020 10:29:57
2468	AMS_2468	Direct Slaughter Cow and Bull Report - Plant Delivered Bids (PDF) (LM_CT138)	03/11/2020 10:31:38
2469	AMS_2469	TX-OK-NM Weekly Direct Slaughter Cattle - Formula, Grid and Contract Purchases (PDF) (LM_CT139)	03/09/2020 10:52:26
2470	AMS_2470	Kansas Weekly Directly Slaughter Cattle - Formula, Grid and Contract Purchases (PDF) (LM_CT140)	03/09/2020 10:52:49
2471	AMS_2471	Nebraska Weekly Directly Slaughter Cattle-Formula, Grid and Contract Purchases (PDF) (LM_CT141)	03/09/2020 10:53:06
2472	AMS_2472	Weekly Direct Slaughter Cattle - Committed and Delivered Cattle (PDF) (LM_CT142)	03/09/2020 10:53:23
2474	AMS_2474	5 Area Weekly Direct Slaughter Cattle - Formulated, Forward Contract, and Negotiated Grid Purchases (PDF) (LM_CT145)	03/09/2020 10:53:39
2475	AMS_2475	CO Weekly Direct Slaughter Cattle - Formula, Grid, and Contract Purchases (PDF) (LM_CT146)	03/09/2020 10:53:58
2476	AMS_2476	IA-MN Weekly Direct Slaughter Cattle - Formula, Grid, and Contract Purchases (PDF) (LM_CT147)	03/09/2020 10:54:19
2477	AMS_2477	5 Area Weekly Weighted Average Direct Slaughter Cattle (PDF) (LM_CT150)	03/09/2020 10:48:54
2478	AMS_2478	National Weekly Direct Slaughter Cattle Report - Formulated and Forward Contract (PDF) (LM_CT151)	03/09/2020 10:51:14
2479	AMS_2479	National Weekly Direct Slaughter Cattle Report - Formulated and Forward Contract - Imported (PDF) (LM_CT152)	03/09/2020 10:51:58
2480	AMS_2480	National Weekly Direct Slaughter Cattle - Prior Week Slaughter and Contract Purchases (PDF) (LM_CT153)	03/09/2020 09:33:48
2481	AMS_2481	National Weekly Direct Slaughter Cattle - Negotiated Purchases (PDF) (LM_CT154)	03/09/2020 10:53:50
2482	AMS_2482	National Weekly Direct Slaughter Cattle - Premiums and Discounts (PDF) (LM_CT155)	03/09/2020 09:29:49
2483	AMS_2483	Texas-Oklahoma Weekly Direct Slaughter Cattle - Negotiated Purchases (PDF) (LM_CT156)	03/09/2020 10:50:54

3.1 Livestock Report Examples

To pull the Summary Section of the “5 Area Daily Weighted Average Direct Slaughter Cattle – Negotiated (LM_CT100)”, the sample syntax would be:

<https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466>

Note the usage of the slug_id to access this particular report. Results by default show the most recent report first.

Expected results would be:

The screenshot shows a REST client interface with the following details:

- Method:** GET
- URL:** https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466
- Params:** A table with columns KEY and VALUE, containing a single entry: Key | Value.
- Body:** The response body is displayed in JSON format, showing report statistics and a list of report results.

```

1  {
2    "reportSection": "Summary",
3    "reportSections": [
4      "Summary",
5      "Detail"
6    ],
7    "stats": {
8      "totalRows": 4876,
9      "returnedRows": 4876,
10     "userAllowedRows": 99999
11   },
12   "results": [
13     {
14       "report_date": "03/17/2020",
15       "previous_day_head_count": "48,989",
16       "narrative": null,
17       "slug_name": "AMS_2466",
18       "slug_id": "2466",
19       "report_title": "5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)",
20       "office_name": "St Joseph, MO",
21       "office_code": "LS-SJ",
22       "office_city": "Saint Joseph",
23       "office_state": "MO",
24       "market_location_name": "St. Joseph, MO",
25       "market_location_city": "St. Joseph",
26       "market_location_state": "MO",
27       "market_type": "Direct Livestock - LMR Cattle",
28       "market_type_category": "Direct Livestock - LMR Cattle",
29       "published_date": "03/17/2020 10:41:16"
30     },
31     {
32       "report_date": "03/16/2020",
33       "previous_day_head_count": "9,449",
34       "narrative": null,
35       "slug_name": "AMS_2466",
36       "slug_id": "2466",
37       "report_title": "5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)",
38       "office_name": "St Joseph, MO",
39       "office_code": "LS-SJ",
40       "office_city": "Saint Joseph",

```

3.2 Important Note on Report Section Names

The sections of each report differs depending on the commodity. The recommended way to identify unique “Section” names is to query the Summary first. Examples are below.

Example 1:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2668/?q=report_date=03/09/2020&allSections=true

```
{
  "reportSection": "Summary",
  "reportSections": [
    "Summary",
    "Detail",
    "History",
    "Distribution"
  ],
  "stats": {
    "totalRows": 2,
  }
}
```

Example 2:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2511/?q=report_date=03/09/2020&allSections=true

```
{
  "reportSection": "Summary",
  "reportSections": [
    "Summary",
    "Barrows/Gilts",
    "Carcass Measurements",
    "Sows/Boars",
    "14-Day Scheduled Swine",
    "Barrows/Gilts Negotiated"
  ],
  "stats": {
    "totalRows": 2,
  }
}
```

Example 3:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2676/Summary?q=report_date=03/09/2020&allSections=true

```
{
  "reportSection": "Summary",
  "reportSections": [
    "Summary",
    "Current Volume by Purchase Type",
    "Negotiated Sows",
    "Negotiated Formula Sows",
    "Swine and Pork Market Formula Sows",
    "Boars",
    "State of Origin"
  ],
  "stats": {
    "totalRows": 2,
  }
}
```

Example 4:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2993?q=week_ending_date=3/28/2020&allSections=true

```
{
  "reportSection": "Summary",
  "reportSections": [
    "Summary",
    "Butter Prices and Sales",
    "40 Pound Block Cheddar Cheese Prices and Sales",
    "500 Pound Barrel Cheddar Cheese Prices, Sales, and Moisture Content",
    "Dry Whey Prices and Sales",
    "Nonfat Dry Milk Prices and Sales"
  ],
  "stats": {
    "totalRows": 2,
  }
}
```


To pull the Summary for this same report (“5 Area Daily Weighted Average Direct Slaughter Cattle – Negotiated (LM_CT100)”), but for only one report_date, the sample syntax would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Summary?q=report_date=08/05/2019

Expected results would be:

The screenshot shows a REST client interface with the following details:

- Method:** GET
- URL:** `https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Summary?q=report_date=08/05/2019`
- Params:** A table with one entry:

KEY	VALUE
q	report_date=08/05/2019
- Body:** The response is displayed in JSON format:


```

1 {
2   "reportSection": "Summary",
3   "reportSections": [
4     "Summary",
5     "Detail"
6   ],
7   "stats": {
8     "totalRows": 1,
9     "returnedRows": 1,
10    "userAllowedRows": 99999
11  },
12  "results": [
13    {
14      "report_date": "08/05/2019",
15      "previous_day_head_count": "24,519",
16      "narrative": null,
17      "slug_name": "AMS_2466",
18      "slug_id": "2466",
19      "report_title": "5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)",
20      "office_name": "St Joseph, MO",
21      "office_code": "LS-SJ",
22      "office_city": "Saint Joseph",
23      "office_state": "MO",
24      "market_location_name": "St. Joseph, MO",
25      "market_location_city": "St. Joseph",
26      "market_location_state": "MO",
27      "market_type": "Direct Livestock - LMR Cattle",
28      "market_type_category": "Direct Livestock - LMR Cattle",
29      "published_date": "08/05/2019 10:38:59"
30    }
31  ]
32 }
```

To access the Detail section of “5 Area Daily Weighted Average Direct Slaughter Cattle – Negotiated (LM_CT100)” for the same report_date, the sample syntax would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?q=report_date=08/05/2019

Expected results would be:

The screenshot shows a REST client interface with a GET request to the URL: `https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?q=report_date=08/05/2019`. The parameters section shows a query parameter `q` with the value `report_date=08/05/2019`. The response body is displayed in JSON format, showing a detailed report entry for the date 08/05/2019.

```

1 {
2   "reportSection": "Detail",
3   "reportSections": [
4     "Summary",
5     "Detail"
6   ],
7   "stats": {
8     "totalRows": "64",
9     "returnedRows": "64",
10    "userAllowedRows": "99999"
11  },
12  "results": [
13    {
14      "report_date": "08/05/2019",
15      "previous_day_head_count": "24,519",
16      "narrative": null,
17      "class_description": "ALL BEEF TYPE",
18      "selling_basis_description": "DRESSED DELIVERED",
19      "grade_description": "Total all grades",
20      "head_count": "3,095",
21      "weight_range_low": "729",
22      "weight_range_high": "945",
23      "weight_range_avg": "867",
24      "price_range_low": "180.00",
25      "price_range_high": "185.00",
26      "weighted_avg_price": "182.46",
27      "report_title": "5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)",
28      "slug_name": "AMS_2466",
29      "slug_id": "2466",
30      "office_name": "St Joseph, MO",
31      "office_code": "LS-SJ",
32      "office_city": "Saint Joseph",
33      "office_state": "MO",
34      "market_location_name": "St. Joseph, MO",
35      "market_location_city": "St. Joseph",
36      "market_location_state": "MO",
37      "market_type": "Direct Livestock - LMR Cattle",
38      "market_type_category": "Direct Livestock - LMR Cattle",

```

To pull All Sections of the “5 Area Daily Weighted Average Direct Slaughter Cattle – Negotiated (LM_CT100)” at one time, the sample syntax would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466?q=report_date=3/30/2020&allSections=true

Expected results would be:

The screenshot shows a REST client interface with a GET request to the URL: `https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466?q=report_date=3/30/2020&allSections=true`. The response is displayed in JSON format, showing two report sections: a Summary section and a Detail section. The Summary section has 1 row returned, while the Detail section has 64 rows returned. The Detail section includes specific data for the report date, head count, and various descriptions.

```

1  [
2  {
3    "reportSection": "Summary",
4    "reportSections": [
5      "Summary",
6      "Detail"
7    ],
8    "stats": {
9      "totalRows": 1,
10     "returnedRows": 1,
11     "userAllowedRows": 99999
12   },
13   "results": [
14     {
15       "report_date": "03/30/2020",
16       "previous_day_head_count": "3,557",
17       "narrative": null,
18       "slug_name": "AMS_2466",
19       "slug_id": "2466",
20       "report_title": "5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)",
21       "office_name": "St Joseph, MO",
22       "office_code": "LS-S3",
23       "office_city": "Saint Joseph",
24       "office_state": "MO",
25       "market_location_name": "St. Joseph, MO",
26       "market_location_city": "St. Joseph",
27       "market_location_state": "MO",
28       "market_type": "Direct Livestock - LMR Cattle",
29       "market_type_category": "Direct Livestock - LMR Cattle",
30       "published_date": "03/30/2020 10:48:13"
31     }
32   ]
33 },
34 {
35   "reportSection": "Detail",
36   "reportSections": [
37     "Summary",
38     "Detail"
39   ],
40   "stats": {
41     "totalRows": 64,
42     "returnedRows": 64,
43     "userAllowedRows": 99999
44   },
45   "results": [
46     {
47       "report_date": "03/30/2020",
48       "previous_day_head_count": "3,557",
49       "narrative": null,
50       "class_description": "ALL BEEF TYPE",
51       "selling_basis_description": "DRESSED DELIVERED",
52       "grade_description": "Total all grades",

```

To access the Summary section of “5 Area Daily Weighted Average Direct Slaughter Cattle – Negotiated (LM_CT100)” with a published date of 03/25/2020, the sample syntax would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466?q=published_date=03/25/2020

Special note. The published date query also accepts HH:MM:SS as shown below. The published date query accepts either, and on any section of a report

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466?q=published_date=03/25/2020 10:45:06

Expected results would be:

The screenshot shows a REST client interface with the following details:

- Method:** GET
- URL:** https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466?q=published_date=03/25/2020 10:45:06
- Params:** A table with one entry:

KEY	VALUE
q	published_date=03/25/2020 10:45:06
Key	Value
- Body:** JSON response (Pretty view):



```

1 {
2   "reportSection": "Summary",
3   "reportSections": [
4     "Summary",
5     "Detail"
6   ],
7   "stats": {
8     "totalRows": 1,
9     "returnedRows": 1,
10    "userAllowedRows": 99999
11  },
12  "results": [
13    {
14      "report_date": "03/25/2020",
15      "previous_day_head_count": "914",
16      "narrative": null,
17      "slug_name": "AMS_2466",
18      "slug_id": "2466",
19      "report_title": "5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)",
20      "office_name": "St Joseph, MO",
21      "office_code": "LS-SJ",
22      "office_city": "Saint Joseph",
23      "office_state": "MO",
24      "market_location_name": "St. Joseph, MO",
25      "market_location_city": "St. Joseph",
26      "market_location_state": "MO",
27      "market_type": "Direct Livestock - LMR Cattle",
28      "market_type_category": "Direct Livestock - LMR Cattle",
29      "published_date": "03/25/2020 10:45:06"
30    }
31  ]
32 }
```

To access the Summary section of “*National Daily Pork FOB Plant - Negotiated Sales - Afternoon (PDF) (LM_PK602)*” with a published date between 05-01-2020 and 05-06-2020, the sample syntax would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2498/Summary?q=published_date=2020-05-01:2020-05-06

Expected results would be:



```

GET https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2498/Summary?q=published_date=2020-05-01:2020-05-06

Pretty Raw Preview JSON

16     Added ingredients cuts
19   ],
20   "stats": {
21     "totalRows": 4,
22     "returnedRows": 4,
23     "userAllowedRows": 99999
24   },
25   "results": [
26     {
27       "report_date": "05/06/2020",
28       "narrative": null,
29       "slug_name": "AMS_2498",
30       "slug_id": "2498",
31       "report_title": "National Daily Pork FOB Plant - Negotiated Sales - Afternoon (PDF) (LM_PK602)",
32       "office_name": "Des Moines, IA",
33       "office_code": "LS-NW",
34       "office_city": "Des Moines",
35       "office_state": "IA",
36       "market_location_name": "Des Moines, IA",
37       "market_location_city": "Des Moines",
38       "market_location_state": "IA",
39       "market_type": "Direct Livestock - LMR Pork",
40       "market_type_category": "Direct Livestock - LMR Pork",
41       "published_date": "05/06/2020 14:56:19"
42     },
43     {
44       "report_date": "05/05/2020",
45       "narrative": null,
46       "slug_name": "AMS_2498",
47       "slug_id": "2498",
48       "report_title": "National Daily Pork FOB Plant - Negotiated Sales - Afternoon (PDF) (LM_PK602)",
49       "office_name": "Des Moines, IA",
50       "office_code": "LS-NW",
51       "office_city": "Des Moines",
52       "office_state": "IA",
53       "market_location_name": "Des Moines, IA",
54       "market_location_city": "Des Moines",
55       "market_location_state": "IA",
56       "market_type": "Direct Livestock - LMR Pork",
57       "market_type_category": "Direct Livestock - LMR Pork",
58       "published_date": "05/05/2020 14:54:14"
59     },
60     {
61       "report_date": "05/04/2020",
62       "narrative": null,
63       "slug_name": "AMS_2498",
64       "slug_id": "2498",
65       "report_title": "National Daily Pork FOB Plant - Negotiated Sales - Afternoon (PDF) (LM_PK602)",
66       "office_name": "Des Moines, IA",
67       "office_code": "LS-NW",
68       "office_city": "Des Moines",
69       "office_state": "IA",

```

Date ranges are limited to 180 days per request.

To access the Detail section of “5 Area Daily Weighted Average Direct Slaughter Cattle – Negotiated (LM_CT100)” for the report_date range of 08/05/2019 to 08/06/2019, but add a Sort filter on previous_day_head_count field, the sample syntax would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?q=report_date=08/05/2019:08/06/2019&sort=previous_day_head_count

Expected results would be:

The screenshot shows a REST client interface with the following details:

- Request Method:** GET
- URL:** https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?q=report_date=08/05/2019:08/06/2019&sort=previous_day_head_count
- Params:**
 - q: report_date=08/05/2019:08/06/2019
 - sort: previous_day_head_count...
- Body:**

```

1 {
2   "reportSection": "Detail",
3   "reportSections": [
4     "Summary",
5     "Detail"
6   ],
7   "stats": {
8     "totalRows": 128,
9     "returnedRows": 128,
10    "userAllowedRows": 99999
11  },
12  "results": [
13    {
14      "report_date": "08/06/2019",
15      "previous_day_head_count": "88",
16      "narrative": null,
17      "class_description": "ALL BEEF TYPE",
18      "selling_basis_description": "DRESSED DELIVERED",
19      "grade_description": "Total all grades",
20      "head_count": "61",
21      "weight_range_low": "850",
22      "weight_range_high": "889",
23      "weight_range_avg": "876",
24      "price_range_low": "181.00",
25      "price_range_high": "185.00",
26      "weighted_avg_price": "182.38",
27      "report_title": "5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)",
28      "slug_name": "AMS_2466",
29      "slug_id": "2466",
30      "office_name": "St Joseph, MO",
31      "office_code": "LS-SJ",
32      "office_city": "Saint Joseph",
33      "office_state": "MO",
34      "market_location_name": "St. Joseph, MO",
35      "market_location_city": "St. Joseph",
36      "market_location_state": "MO",


```

Date ranges are limited to 180 days per request.

To pull the Detail section of “5 Area Daily Weighted Average Direct Slaughter Cattle – Negotiated (LM_CT100)” for the report_date range of 08/05/2019 to 08/06/2019, but only select class_description of STEER with a selling_basis of LIVE DELIVERED, the sample syntax would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?q=report_date=08/05/2019:08/06/2019;class_description=STEER;selling_basis_description=LIVE DELIVERED

Expected results would be:



Date ranges are limited to 180 days per request.

To pull the Detail section of “5 Area Daily Weighted Average Direct Slaughter Cattle – Negotiated (LM_CT100)” for the report_date range of 08/05/2019 to 08/06/2019, but only select class_description of either STEER or HEIFER, the sample syntax would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?q=report_date=08/05/2019:08/06/2019;class_description=STEER,HEIFER

Expected results would be:

The screenshot shows a REST client interface with a GET request to the URL: `https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?q=report_date=08/05/2019:08/06/2019;class_description=STEER,HEIFER`. The query parameters are listed as follows:

KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/> q	report_date=08/05/2019:08/06/2019;class_description=STEER,HEIFER	
Key	Value	Description

The response body is shown in JSON format:

```

1  {
2    "reportSection": "Detail",
3    "reportSections": [
4      "Summary",
5      "Detail"
6    ],
7    "stats": {
8      "totalRows": 80,
9      "returnedRows": 80,
10     "userAllowedRows": 99999
11   },
12   "results": [
13     {
14       "report_date": "08/06/2019",
15       "previous_day_head_count": "88",
16       "narrative": null,
17       "class_description": "HEIFER",
18       "selling_basis_description": "DRESSED DELIVERED",
19       "grade_description": " 0 - 35% Choice",
20       "head_count": null,
21       "weight_range_low": null,
22       "weight_range_high": null,
23       "weight_range_avg": null,
24       "price_range_low": null,
25       "price_range_high": null,
26       "weighted_avg_price": null,
27       "report_title": "5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)",
28       "slug_name": "AMS_2466",
29       "slug_id": "2466",
30       "office_name": "St Joseph, MO",
31       "office_code": "LS-SJ",
32       "office_city": "Saint Joseph"
33     }
34   ]
35 }

```

Date ranges are limited to 180 days per request.

To pull the Detail section of “5 Area Daily Weighted Average Direct Slaughter Cattle – Negotiated (LM_CT100)” for the report_date range of 08/05/2019 to 08/10/2019, but only select class_description of STEER with a selling_basis of LIVE DELIVERED sorted with the oldest published_date first, the sample syntax would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?q=report_date=08/05/2019:08/10/2019;class_description=STEER;selling_basis_description=LIVE DELIVERED&sort=published_date

Expected results would be:

The screenshot shows a REST client interface with the following details:

- Request Method:** GET
- Request URL:** https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?q=report_date=08/05/2019:08/10/2019;class_description=STEER;selling_basis_description=LIVE DELIVERED&sort=published_date
- Params:**

KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/> q	report_date=08/05/2019:08/10/2019;class_description=STEER;selling_basis_description...	
<input checked="" type="checkbox"/> sort	published_date	
Key	Value	Description
- Response Body (JSON):**

```

1 {
2   "reportSection": "Detail",
3   "reportSections": {
4     "Summary",
5     "Detail"
6   },
7   "stats": {
8     "totalRows": 25,
9     "returnedRows": 25,
10    "userAllowedRows": 99999
11  },
12  "results": [
13    {
14      "report_date": "08/05/2019",
15      "previous_day_head_count": "24,519",
16      "narrative": null,
17      "class_description": "STEER",
18      "selling_basis_description": "LIVE DELIVERED",
19      "grade_description": "0 - 35% Choice",
20      "head_count": null,
21      "weight_range_low": null,
22      "weight_range_high": null,
23      "weight_range_avg": null,
24      "price_range_low": null,
25      "price_range_high": null,
26      "weighted_avg_price": null,
27      "report_title": "5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)",
28      "slug_name": "AMS_2466",
29      "slug_id": "2466",
30      "office_name": "St Joseph, MO",
31      "office_code": "LS-SJ",
32      "office_city": "Saint Joseph",
33      "office_state": "MO",
34      "market_location_name": "St. Joseph, MO",
35      "market_location_city": "St. Joseph",
36      "market_location_state": "MO",


```

Date ranges are limited to 180 days per request.

To pull the Detail section of “5 Area Daily Weighted Average Direct Slaughter Cattle – Negotiated (LM_CT100)” for the report_date range of 08/05/2019 to 08/10/2019, but only select class_description of STEER with a selling_basis of LIVE DELIVERED sorted with more recent published_date first, the sample syntax would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?q=report_date=08/05/2019:08/10/2019;class_description=STEER;selling_basis_description=LIVE DELIVERED&sort=-published_date

Note the “-“ before the published_date sort syntax. Expected results would be:



Date ranges are limited to 180 days per request.

3.3 Dairy Examples

3.3.1 Dairy Product Mandatory Reporting Program (DPMRP) Examples


NOTE: Once pulled into Excel, most data needs to be converted to numeric.

To pull the Summary Section of the *National Dairy Products Sales Report*, the sample syntax would be:

<https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2993>

Denote the usage of the Slug_ID to access this particular report. Results by default show the most recent report first. In addition, the summary section for Dairy reports will not show any data.

Expected results in Postman:



Expected result in Excel:

Column1.week_ending_date	Column1.created_date	Column1.narrative	Column1.slug_name	Column1.slug_id	Column1.report_title	Column1.office_name
03/14/2020	03/18/2020		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
03/07/2020	03/11/2020		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
02/29/2020	03/04/2020		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
02/22/2020	02/26/2020		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
02/15/2020	02/20/2020		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
02/08/2020	02/12/2020		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
02/01/2020	02/05/2020		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
01/25/2020	01/29/2020		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
01/18/2020	01/23/2020		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
01/11/2020	01/15/2020		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
01/04/2020	01/08/2020		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
12/28/2019	01/02/2020		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
12/21/2019	12/26/2019		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
12/14/2019	12/18/2019		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
12/07/2019	12/11/2019		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
11/30/2019	12/04/2019		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
11/23/2019	11/27/2019		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
11/16/2019	11/20/2019		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
11/09/2019	11/14/2019		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
11/02/2019	11/06/2019		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
10/26/2019	10/30/2019		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
10/19/2019	10/23/2019		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
10/12/2019	10/17/2019		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
10/05/2019	10/09/2019		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR
09/28/2019	10/02/2019		DYWDAIRYPRODUCTSSALES	2993	National Dairy Products Sales Report (PDF)	Dairy MMR

The “*National Dairy Products Sales Report*” is comprised of six sections, including Summary (above), Butter, Cheddar 40s, Cheddar 500s, Dry Whey, and Nonfat Dry Milk Sections. To pull the each Section of the “*National Dairy Products Sales Report*”, the sample syntaxes would be:

- Butter - <https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2993/Butter Prices and Sales>
- Cheddar 40s - <https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2993/40 Pound Block Cheddar Cheese Prices and Sales>
- Cheddar 500s - <https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2993/500 Pound Barrel Cheddar Cheese Prices, Sales, and Moisture Content>
- Dry Whey - <https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2993/Dry Whey Prices and Sales>
- Nonfat Dry Milk - <https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2993/Nonfat Dry Milk Prices and Sales>

Denote that there are six sections to this report. When setting up your workbook you will need to pull one section per tab. For these examples the URL is the same for Postman and Excel.


Expected results in Excel for butter:

Column1_week_ending_date	Column1.created_date	Column1.Week Ending Date	Column1.Butter Price	Column1.Butter Sales	Column1.report_title
03/14/2020	03/18/2020	02/15/2020	1.8237	8,178,848	National Dairy Products Sales Report (PDF)
03/14/2020	03/18/2020	02/22/2020	1.7885	8,030,701	National Dairy Products Sales Report (PDF)
03/14/2020	03/18/2020	02/29/2020	1.7691	5,549,051	National Dairy Products Sales Report (PDF)
03/14/2020	03/18/2020	03/07/2020	1.7461	6,545,706	National Dairy Products Sales Report (PDF)
03/14/2020	03/18/2020	03/14/2020	1.8270	3,985,572	National Dairy Products Sales Report (PDF)
03/07/2020	03/11/2020	03/07/2020	1.7352	5,341,939	National Dairy Products Sales Report (PDF)
03/07/2020	03/11/2020	02/29/2020	1.7759	5,591,489	National Dairy Products Sales Report (PDF)
03/07/2020	03/11/2020	02/22/2020	1.7885	8,030,701	National Dairy Products Sales Report (PDF)
03/07/2020	03/11/2020	02/15/2020	1.8237	8,178,848	National Dairy Products Sales Report (PDF)
03/07/2020	03/11/2020	02/08/2020	1.8306	8,581,510	National Dairy Products Sales Report (PDF)
02/29/2020	03/04/2020	02/01/2020	1.8711	6,179,233	National Dairy Products Sales Report (PDF)
02/29/2020	03/04/2020	02/08/2020	1.8306	8,581,510	National Dairy Products Sales Report (PDF)
02/29/2020	03/04/2020	02/15/2020	1.8237	8,178,848	National Dairy Products Sales Report (PDF)
02/29/2020	03/04/2020	02/22/2020	1.7885	8,032,905	National Dairy Products Sales Report (PDF)
02/29/2020	03/04/2020	02/29/2020	1.7762	5,591,489	National Dairy Products Sales Report (PDF)
02/22/2020	02/26/2020	02/22/2020	1.7921	7,412,860	National Dairy Products Sales Report (PDF)
02/22/2020	02/26/2020	02/15/2020	1.8262	8,302,913	National Dairy Products Sales Report (PDF)
02/22/2020	02/26/2020	02/08/2020	1.8312	8,581,510	National Dairy Products Sales Report (PDF)
02/22/2020	02/26/2020	02/01/2020	1.8711	6,179,233	National Dairy Products Sales Report (PDF)
02/22/2020	02/26/2020	01/25/2020	1.9011	4,059,032	National Dairy Products Sales Report (PDF)
02/15/2020	02/20/2020	01/18/2020	1.9549	2,412,583	National Dairy Products Sales Report (PDF)
02/15/2020	02/20/2020	01/25/2020	1.9011	4,059,032	National Dairy Products Sales Report (PDF)
02/15/2020	02/20/2020	02/01/2020	1.8675	5,991,195	National Dairy Products Sales Report (PDF)
02/15/2020	02/20/2020	02/08/2020	1.8296	8,470,002	National Dairy Products Sales Report (PDF)
02/15/2020	02/20/2020	02/15/2020	1.8257	8,282,960	National Dairy Products Sales Report (PDF)
02/08/2020	02/12/2020	02/08/2020	1.8561	5,141,276	National Dairy Products Sales Report (PDF)
02/08/2020	02/12/2020	02/01/2020	1.8675	5,991,195	National Dairy Products Sales Report (PDF)
02/08/2020	02/12/2020	01/25/2020	1.9011	4,059,032	National Dairy Products Sales Report (PDF)
02/08/2020	02/12/2020	01/18/2020	1.9549	2,412,583	National Dairy Products Sales Report (PDF)
02/08/2020	02/12/2020	01/11/2020	1.9199	5,562,688	National Dairy Products Sales Report (PDF)
02/01/2020	02/05/2020	01/04/2020	1.9789	3,520,035	National Dairy Products Sales Report (PDF)
02/01/2020	02/05/2020	01/11/2020	1.9199	5,562,688	National Dairy Products Sales Report (PDF)
02/01/2020	02/05/2020	01/18/2020	1.9549	2,412,583	National Dairy Products Sales Report (PDF)
02/01/2020	02/05/2020	01/25/2020	1.9011	4,059,032	National Dairy Products Sales Report (PDF)
02/01/2020	02/05/2020	02/01/2020	1.8675	5,991,195	National Dairy Products Sales Report (PDF)
01/25/2020	01/29/2020	01/25/2020	1.9009	3,976,360	National Dairy Products Sales Report (PDF)
01/25/2020	01/29/2020	01/18/2020	1.9549	2,412,583	National Dairy Products Sales Report (PDF)
01/25/2020	01/29/2020	01/11/2020	1.9206	5,579,224	National Dairy Products Sales Report (PDF)
01/25/2020	01/29/2020	01/04/2020	1.9850	3,575,151	National Dairy Products Sales Report (PDF)

To pull the Butter section for this same report “*National Dairy Products Sales Report*” but for only one report date, the sample syntax for Postman and Excel would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2993/Butter Prices and Sales?q=week_ending_date=03/14/2020

Expected results in Postman:




Expected results in Excel:

Column1.week_ending_date	Column1.created_date	Column1.Week Ending Date	Column1.Butter_Price	Column1.Butter_Sales	Column1.report_title
03/14/2020	03/18/2020	03/14/2020	1.8270	3,985,572	National Dairy Products Sales Report (PDF)

To access the Butter section of “*National Dairy Products Sales Report*” for the date range of 02/22/2020 to 03/14/2020, but Sort with the oldest date first, the sample syntax for Postman and Excel would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2993/Butter Prices and Sales?q=week_ending_date=02/22/2020:03/14/2020&sort=published_date

Expected results in Postman:



Date ranges are limited to 180 days per request.

Expected results in Excel:

Column1.week_ending_date	Column1.created_date	Column1.Week Ending Date	Column1.Butter_Price	Column1.Butter_Sales	Column1.report_title	Column1.slug_name	Column1.slug_id
02/22/2020	02/26/2020	02/22/2020	1.7921	7,412,860	National Dairy Products Sales Report (PDF)	DYWDAIRYPRODUCTSSALES	2993
02/29/2020	03/04/2020	02/29/2020	1.7762	5,591,489	National Dairy Products Sales Report (PDF)	DYWDAIRYPRODUCTSSALES	2993
02/29/2020	03/04/2020	02/22/2020	1.7885	8,032,905	National Dairy Products Sales Report (PDF)	DYWDAIRYPRODUCTSSALES	2993
03/07/2020	03/11/2020	02/29/2020	1.7759	5,591,489	National Dairy Products Sales Report (PDF)	DYWDAIRYPRODUCTSSALES	2993
03/07/2020	03/11/2020	02/22/2020	1.7885	8,030,701	National Dairy Products Sales Report (PDF)	DYWDAIRYPRODUCTSSALES	2993
03/07/2020	03/11/2020	03/07/2020	1.7352	5,341,939	National Dairy Products Sales Report (PDF)	DYWDAIRYPRODUCTSSALES	2993
03/14/2020	03/18/2020	03/14/2020	1.8270	3,985,572	National Dairy Products Sales Report (PDF)	DYWDAIRYPRODUCTSSALES	2993
03/14/2020	03/18/2020	02/29/2020	1.7691	5,549,051	National Dairy Products Sales Report (PDF)	DYWDAIRYPRODUCTSSALES	2993
03/14/2020	03/18/2020	03/07/2020	1.7461	6,545,706	National Dairy Products Sales Report (PDF)	DYWDAIRYPRODUCTSSALES	2993
03/14/2020	03/18/2020	02/22/2020	1.7885	8,030,701	National Dairy Products Sales Report (PDF)	DYWDAIRYPRODUCTSSALES	2993

To pull the all sections of the *National Dairy Products Sales Report*, but for only one report date the sample syntax for Postman and Excel would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2993?q=week_ending_date=3/28/2020&allSections=true

Expected results:

The screenshot shows a Postman interface for a GET request to the URL: `https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2993?q=week_ending_date=3/28/2020&allSections=true`. The 'Query Params' section is expanded, showing two parameters: 'q' with value 'week_ending_date=3/28/2020' and 'allSections' with value 'true'. The 'Body' tab is selected, displaying the JSON response in 'Pretty' format. The response is a JSON object with the following structure:

```

1  {
2    "reportSection": "Summary",
3    "reportSections": [
4      "Summary",
5      "Butter Prices and Sales",
6      "40 Pound Block Cheddar Cheese Prices and Sales",
7      "500 Pound Barrel Cheddar Cheese Prices, Sales, and Moisture Content",
8      "Dry Whey Prices and Sales",
9      "Nonfat Dry Milk Prices and Sales"
10   ],
11   "stats": {
12     "totalRows": 1,
13     "returnedRows": 1,
14     "userAllowedRows": 99999
15   },
16   "results": [
17     {
18       "week_ending_date": "03/28/2020",
19       "created_date": "04/01/2020",
20       "narrative": null,
21       "slug_name": "DYMDAIRYPRODUCTSSALES",
22       "slug_id": "2993",
23       "report_title": "National Dairy Products Sales Report (PDF)",
24       "office_name": "Dairy MMR",
25       "office_code": "DY-WA",
26       "office_city": "Washington",
27       "office_state": "DC",
28       "market_location_name": "Washington, DC",
29       "market_location_city": "Washington",
30       "market_location_state": "DC",
31       "market_type": "LMR Dairy",
32       "market_type_category": "LMR Dairy",
33       "published_date": "04/01/2020 13:04:43"
34     }
35   ]

```

The “*National Dairy Products Sales Report*” report allows revisions to the four weeks of data prior to the current reporting week. To pull final price and volume information that includes all revisions, the sample syntaxes would be:

- Butter – <https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2993/Final Butter Prices and Sales>
- Cheddar 40s - <https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2993/Final 40 Pound Block Cheddar Cheese Prices and Sales>
- Cheddar 500s - <https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2993/Final 500 Pound Barrel Cheddar Cheese Prices, Sales, and Moisture Content>
- Dry Whey - <https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2993/Final Dry Whey Prices and Sales>
- Nonfat Dry Milk - <https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2993/Final Nonfat Dry Milk Prices and Sales>

Denote that for these examples the URL is the same for Postman and Excel.

Expected results in Excel for dry whey:


Column1.week_ending_date	Column1.created_date	Column1.narrative	Column1.Week Ending Date	Column1.whey_Price	Column1.whey_Sales	Column1.report_title
08/01/2020	08/05/2020		08/01/2020	0.3496	5,049,880	National Dairy Products Sales Report (PDF)
07/25/2020	07/29/2020		07/25/2020	0.3474	5,543,515	National Dairy Products Sales Report (PDF)
07/18/2020	07/22/2020		07/18/2020	0.3427	4,910,676	National Dairy Products Sales Report (PDF)
07/11/2020	07/15/2020		07/11/2020	0.3470	5,721,767	National Dairy Products Sales Report (PDF)
07/04/2020	07/08/2020		07/04/2020	0.3340	5,368,521	National Dairy Products Sales Report (PDF)
06/27/2020	07/01/2020		06/27/2020	0.3647	4,993,473	National Dairy Products Sales Report (PDF)
06/20/2020	06/24/2020		06/20/2020	0.3553	6,972,651	National Dairy Products Sales Report (PDF)
06/20/2020	06/24/2020		06/20/2020	0.3553	6,972,651	National Dairy Products Sales Report (PDF)
06/13/2020	06/17/2020		06/13/2020	0.3691	7,785,635	National Dairy Products Sales Report (PDF)
06/06/2020	06/10/2020		06/06/2020	0.3661	6,998,124	National Dairy Products Sales Report (PDF)
05/30/2020	06/04/2020		05/30/2020	0.3815	4,997,371	National Dairy Products Sales Report (PDF)
05/23/2020	05/28/2020		05/23/2020	0.3840	7,279,068	National Dairy Products Sales Report (PDF)
05/16/2020	05/20/2020		05/16/2020	0.3849	5,870,671	National Dairy Products Sales Report (PDF)
05/09/2020	05/13/2020		05/09/2020	0.3796	4,666,108	National Dairy Products Sales Report (PDF)
05/02/2020	05/06/2020		05/02/2020	0.3775	4,393,231	National Dairy Products Sales Report (PDF)
04/25/2020	04/29/2020		04/25/2020	0.3723	5,510,620	National Dairy Products Sales Report (PDF)
04/18/2020	04/22/2020		04/18/2020	0.3739	4,754,500	National Dairy Products Sales Report (PDF)
04/11/2020	04/15/2020		04/11/2020	0.3704	5,383,921	National Dairy Products Sales Report (PDF)
04/04/2020	04/08/2020		04/04/2020	0.3771	3,657,890	National Dairy Products Sales Report (PDF)
03/28/2020	04/01/2020		03/28/2020	0.3763	5,807,786	National Dairy Products Sales Report (PDF)
03/21/2020	03/25/2020		03/21/2020	0.3794	6,385,081	National Dairy Products Sales Report (PDF)
03/14/2020	03/18/2020		03/14/2020	0.3722	6,323,757	National Dairy Products Sales Report (PDF)
03/07/2020	03/11/2020		03/07/2020	0.3750	4,943,781	National Dairy Products Sales Report (PDF)
02/29/2020	03/04/2020		02/29/2020	0.3743	5,668,297	National Dairy Products Sales Report (PDF)
02/22/2020	02/26/2020		02/22/2020	0.3700	5,642,919	National Dairy Products Sales Report (PDF)
02/15/2020	02/20/2020		02/15/2020	0.3654	5,827,938	National Dairy Products Sales Report (PDF)
02/08/2020	02/12/2020		02/08/2020	0.3668	4,781,604	National Dairy Products Sales Report (PDF)
02/01/2020	02/05/2020		02/01/2020	0.3529	5,867,359	National Dairy Products Sales Report (PDF)
01/25/2020	01/29/2020		01/25/2020	0.3409	5,707,795	National Dairy Products Sales Report (PDF)
01/18/2020	01/23/2020		01/18/2020	0.3340	6,634,651	National Dairy Products Sales Report (PDF)
01/11/2020	01/15/2020		01/11/2020	0.3255	7,798,231	National Dairy Products Sales Report (PDF)
01/04/2020	01/08/2020		01/04/2020	0.3331	3,506,400	National Dairy Products Sales Report (PDF)
12/28/2019	01/02/2020		12/28/2019	0.3338	3,801,535	National Dairy Products Sales Report (PDF)
12/21/2019	12/26/2019		12/21/2019	0.3368	5,710,879	National Dairy Products Sales Report (PDF)
12/14/2019	12/18/2019		12/14/2019	0.3336	6,517,154	National Dairy Products Sales Report (PDF)
12/07/2019	12/11/2019		12/07/2019	0.3183	7,922,069	National Dairy Products Sales Report (PDF)
11/30/2019	12/04/2019		11/30/2019	0.3209	3,936,290	National Dairy Products Sales Report (PDF)
11/23/2019	11/27/2019		11/23/2019	0.3134	7,263,902	National Dairy Products Sales Report (PDF)
11/16/2019	11/20/2019		11/16/2019	0.2974	6,762,290	National Dairy Products Sales Report (PDF)
11/09/2019	11/14/2019		11/09/2019	0.2997	7,965,961	National Dairy Products Sales Report (PDF)
11/02/2019	11/06/2019		11/02/2019	0.3097	7,465,314	National Dairy Products Sales Report (PDF)
10/26/2019	10/30/2019		10/26/2019	0.3278	8,260,810	National Dairy Products Sales Report (PDF)

To pull the Detail section for the “*Announcement of Class and Component Prices*”, the sample syntax would be:

<https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2991/detail>

Denote that for this example the URL is the same for both Postman and Excel.

Expected results in Postman:



Expected results in Excel:


Column1.week_ending_date	Column1.created_date	Column1.class_2_Price	Column1.class_2_butterfat_Price	Column1.advanced_skin_milk_class_2_Price	Column1.class_3_Price	Column1.class_3_skin_milk_Price
02/29/2020	03/04/2020	16.84	1.9883	10.24	17.00	10.43
02/01/2020	02/05/2020	17.05	2.1187	9.98	17.05	10.01
12/28/2019	01/02/2020	16.81	2.2022	9.43	19.37	12.11
11/30/2019	12/04/2019	16.85	2.3265	9.02	20.45	12.78
10/26/2019	10/30/2019	16.68	2.4101	8.54	18.72	10.68
09/28/2019	10/02/2019	16.93	2.5052	8.46	18.31	9.91
08/31/2019	09/05/2019	17.60	2.6644	8.57	17.60	8.60
07/27/2019	07/31/2019	17.61	2.6928	8.48	17.55	8.45
06/29/2019	07/03/2019	17.30	2.6649	8.26	16.27	7.22
06/01/2019	06/05/2019	16.48	2.5788	7.72	16.38	7.65
04/27/2019	05/01/2019	16.38	2.5445	7.75	15.96	7.34
03/30/2019	04/03/2019	16.61	2.5531	7.95	15.04	6.35
02/23/2019	02/27/2019	16.13	2.5415	7.50	13.89	5.20
01/26/2019	01/30/2019	15.74	2.5051	7.22	13.96	5.41
12/29/2018	01/03/2019	15.67	2.5150	7.12	13.78	5.18
12/01/2018	12/05/2018	15.63	2.5455	6.96	14.44	5.76
10/27/2018	10/31/2018	15.54	2.5621	6.81	15.53	6.83
09/29/2018	10/03/2018	15.13	2.5512	6.43	16.09	7.45
08/25/2018	08/29/2018	15.07	2.6079	6.16	14.95	6.06
07/28/2018	08/01/2018	15.20	2.5357	6.55	14.10	5.44
06/30/2018	07/05/2018	15.48	2.6762	6.33	15.21	6.08
05/26/2018	05/31/2018	14.47	2.6309	5.45	15.18	6.21
04/28/2018	05/02/2018	14.03	2.5183	5.41	14.47	5.89
03/31/2018	04/04/2018	13.88	2.4343	5.55	14.22	5.93
02/24/2018	02/28/2018	13.44	2.3560	5.38	13.40	5.37
01/27/2018	01/31/2018	14.11	2.4601	5.70	14.00	5.61
12/30/2017	01/04/2018	14.49	2.5021	5.94	15.44	6.95
11/25/2017	11/29/2017	15.32	2.5616	6.58	16.88	8.23
10/28/2017	11/01/2017	15.95	2.6716	6.84	16.69	7.63
09/30/2017	10/04/2017	16.80	2.8629	7.03	16.36	6.59
08/26/2017	08/30/2017	17.56	3.0179	7.25	16.57	6.25
07/29/2017	08/02/2017	17.48	2.9526	7.41	15.45	5.33
06/24/2017	06/28/2017	16.15	2.7136	6.89	16.44	7.22
05/27/2017	06/01/2017	14.84	2.4204	6.60	15.57	7.38
04/29/2017	05/03/2017	14.81	2.3618	6.78	15.22	7.23
04/01/2017	04/05/2017	16.21	2.4246	8.00	15.81	7.61
02/25/2017	03/01/2017	16.52	2.4344	8.29	16.88	8.69
01/28/2017	02/01/2017	16.36	2.5323	7.77	16.77	8.22
12/31/2016	01/05/2017	15.26	2.3424	7.32	17.40	9.56
11/26/2016	11/30/2016	14.60	2.1114	7.47	16.76	9.74
10/29/2016	11/02/2016	14.09	2.0563	7.14	14.82	7.92

To pull the Detail section for the “*Announcement of Advanced Prices and Pricing Factors*”, the sample syntax would be:

<https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2989/detail>

Denote that for this example the URL is the same for both Postman and Excel.

Expected results in Postman:



Expected results in Excel:


Column1.week_ending_date	Column1.created_date	Column1.base_class_1_Price	Column1.base_skim_milk_class_1_Price	Column1.advanced_skim_milk_class_3_Factor	Column1.advanced_skim_milk_class_4_Factor
03/14/2020	03/18/2020	16.64	10.19	10.04	8.85
02/15/2020	02/20/2020	17.46	10.82	10.47	9.68
01/18/2020	01/23/2020	17.55	10.46	9.90	9.54
12/14/2019	12/18/2019	19.01	11.71	12.65	9.28
11/16/2019	11/20/2019	19.33	11.61	13.01	8.73
10/19/2019	10/23/2019	18.14	10.11	10.42	8.32
09/14/2019	09/18/2019	17.84	9.29	9.26	7.84
08/17/2019	08/21/2019	17.85	8.87	8.49	7.76
07/13/2019	07/17/2019	17.89	8.81	8.27	7.87
06/15/2019	06/19/2019	17.18	8.18	7.09	7.78
05/18/2019	05/22/2019	17.07	8.39	7.74	7.56
04/13/2019	04/17/2019	16.42	7.82	7.14	7.02
03/16/2019	03/20/2019	15.76	7.05	6.35	7.05
02/16/2019	02/21/2019	15.98	7.25	4.97	7.25
01/12/2019	01/16/2019	15.30	6.80	5.47	6.80
12/15/2018	12/19/2018	15.12	6.52	5.16	6.52
11/17/2018	11/21/2018	15.05	6.42	5.85	6.42
10/13/2018	10/17/2018	15.52	6.81	6.81	6.26
09/15/2018	09/19/2018	16.33	7.71	7.71	6.11
08/18/2018	08/22/2018	14.85	5.92	5.92	5.73
07/14/2018	07/18/2018	14.15	5.46	5.39	5.46
06/16/2018	06/20/2018	15.36	6.25	6.25	5.85
05/19/2018	05/23/2018	15.25	6.35	6.35	5.63
04/14/2018	04/18/2018	14.44	5.98	5.98	4.75
03/17/2018	03/21/2018	14.10	5.82	5.82	4.71
02/17/2018	02/22/2018	13.36	5.38	5.38	4.85
01/13/2018	01/18/2018	14.25	5.71	5.71	4.68
12/16/2017	12/20/2017	15.44	6.98	6.98	5.00
11/18/2017	11/22/2017	16.88	8.30	8.30	5.24
10/14/2017	10/18/2017	16.41	7.28	7.28	5.88
09/16/2017	09/20/2017	16.44	6.67	6.67	6.14
08/19/2017	08/23/2017	16.71	6.33	6.21	6.33
07/15/2017	07/19/2017	16.72	6.55	5.07	6.55
06/17/2017	06/21/2017	16.59	7.32	7.32	6.71
05/13/2017	05/17/2017	15.31	7.34	7.34	6.19
04/15/2017	04/19/2017	15.20	7.14	7.14	5.90
03/18/2017	03/22/2017	16.05	7.75	7.75	6.08
02/18/2017	02/23/2017	16.90	8.65	8.65	7.30
01/14/2017	01/19/2017	16.73	8.20	8.20	7.59
12/17/2016	12/21/2016	17.45	9.61	9.61	7.07
11/19/2016	11/23/2016	16.88	9.84	9.84	6.62

To pull the Detail section for the “*Announcement of Advanced Prices and Pricing Factors*” for the entire year of 2020 but Sort with the oldest date first, the sample syntax would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2989/Detail?q=week_ending_date=01/04/2020:01/02/2021&sort=published_date

Denote that the week_ending_date parameter is used in a range form of 01/04/2020 to 01/02/2021. This range encompasses all the data for year 2020. The URL is the same for both Postman and Excel.

Expected results in Postman:



Date ranges are limited to 180 days per request.

Expected results in Excel:


Column1.week_ending_date	Column1.created_date	Column1.base_class_1_Price	Column1.base_skim_milk_class_1_Price	Column1.advanced_skim_milk_class_3_Factor
01/18/2020	01/23/2020	17.55	10.46	9.90
02/15/2020	02/20/2020	17.46	10.82	10.47
03/14/2020	03/18/2020	16.64	10.19	10.04
04/18/2020	04/22/2020	12.95	8.72	8.93
05/16/2020	05/20/2020	11.42	7.08	6.68
06/13/2020	06/17/2020	16.56	10.62	13.29

To pull the Detail section for the “*Announcement of Advanced Prices and Pricing Factors*” for only one report date, e.g. the *May Advanced Prices and Pricing Factors* report, the sample syntax would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2989/Detail?q=week_ending_date=04/18/2020

Denote the URL is the same for both Postman and Excel.

Expected results in Postman:



Expected results in Excel:

Column1.week_ending_date	Column1.created_date	Column1.base_class_1	Column1.advanced	Column1.ad	Column1.advanced	Column1.skim_r	
04/18/2020	04/22/2020	12.95	8.72	8.93	7.03	1.2948	7.73

3.3.2 Federal Milk Marketing Order Statistics (FMMOS) Examples

NOTE: Once pulled into Excel, most data needs to be converted to numeric.

Listed below are some easy ways to pull FMMOS data by section of a particular report using the example syntax:

<https://mpr.datamart.ams.usda.gov/services/v1.1/reports/nnnn/sssssss>

nnnn = Slug_ID of the desired report.

sssssss = section name

On the following page, please refer to a table of the FMMOS reports, Slug_ID's and section names.

Slug ID	Report	Report Sections					
3345	Class I Prices	Summary	Milk	Butterfat		Skim	
3346	Class I Utilization	Summary	Milk	Utilization	Butterfat	NFS	
3347	Class II Utilization	Summary	Milk	Utilization	Butterfat	NFS	
3348	Class III Utilization	Summary	Milk	Utilization	Butterfat	Protein	Other Solids
3349	Class IV Utilization	Summary	Milk	Utilization	Butterfat	NFS	
3350 (Pool Data Prior to October 2020)	Total Receipts of Producer Milk	Summary	Producers	Receipts	Avg Daily	Butterfat	
			NFS	Protein	Other Solids	SomCell	
3461 (Pool Data starting with October 2020)	Producer Receipts	Summary		Producers	Receipts	Avg Daily	
3462 (Pool Data starting with October 2020)	Producer Milk Components	Summary	Receipts	Butterfat	NFS	Protein	
					Other Solids	SomCell	
3351	Uniform Milk Prices	Summary	Milk	Butterfat	Skim	PPD	
3352	Price and Pool – Monthly	Summary	Price and Pool Monthly				
3353	Price and Pool – Annual	Summary	Price and Pool Annual				
3354	Advanced Prices by Order	Summary	Advanced Class Prices by Order				
3355	Class Prices by Order	Summary	Final Class Prices by Order				

3356	Retail Prices	Summary	Conventional Whole Milk	Conventional Reduced Fat
			Organic Whole Milk	Organic Reduced Fat
3357	Mailbox Milk Prices	Summary	Mailbox Milk Prices	
3358	Estimated Fluid Milk Sales	Summary	Estimated Total U.S. Sales of Fluid Milk Conventional Products	
			Estimated Total U.S. Sales of Fluid Milk Organic Products	
			Total Package Sales of Fluid Milk Products	
			Estimated Total U.S. Sales - Conventional, Organic and Total	
			Estimated U.S. Sales of Conventional Fluid Milk Products by Month	
			Estimated U.S. Sales of Organic Fluid Milk Products by Month	
			Total Package Sales of Fluid Milk Products by Month	
3359	Regulated Pool Plant Lists	Summary	Distributing Plants by Month	Supply Plants by Month
3361	Milk by State of Origin	Summary	Receipts of Producer Milk by Handlers	Receipts of Producer Milk by Marketing Area
				Top 10 States

To pull the Milk Section of the “*Class I Utilization*”, the sample syntax for Postman would be: <https://mpr.datamart.ams.usda.gov/services/v1.1/reports/3346/Milk>

Denote the usage of the Slug_ID to access this particular report.


Expected results in Postman:

The screenshot shows a REST client interface with the following components:


- Method:** GET
- URL:** https://mpr.datamart.ams.usda.gov/services/v1.1/reports/3346/Milk
- Params:** Authorization, Headers (6), Body, Pre-request Script, Tests, Settings
- Query Params:** A table with columns KEY and VALUE, containing a single entry: Key | Value.
- Body:** Cookies, Headers (6), Test Results
- Response Format:** Pretty, Raw, Preview, Visualize, JSON (selected), and a refresh icon.
- JSON Response:**

```
1 {
2   "reportSection": "Milk",
3   "reportSections": [
4     "Summary",
5     "Milk",
6     "Utilization",
7     "Butterfat",
8     "NFS"
9   ],
10  "stats": {
11    "totalRows": 239,
12    "returnedRows": 239,
13    "userAllowedRows": 99999
14  },
15  "results": [
16    {
17      "report_month": "Dec",
18      "report_year": 2000,
19      "narrative": null,
20      "Pool_Order_Name": "All Markets Combined",
21      "Pool_order_No": null,
22      "jan": "3,965",
23      "feb": "3,745",
24      "mar": "4,039",
25      "apr": "3,611",
26      "may": "3,830",
27      "jun": "3,624",
28      "jul": "3,549",
29      "aug": "3,898",
30      "sep": "3,875",
31      "oct": "3,946",
32      "nov": "3,956",
```


To use the API request in Excel, start by following the first few steps on page 7 above. You will then see the following:




Next, click on the Into Table button on the top left part of the screen. Next you will see:




At this point, right click on the List cell in the second column. Click on Drill Down on the menu that pops up. Next you will see a list of records:



Again, you will click on the To Table button in the upper left part of the window. Click Ok when prompted. Your list will now look like this:



Click on the double arrows icon that is circled in red above. Click OK when prompted. This will all the variables associated with the records from your API request as shown below.



At this point, you may sort your data as you choose, and you can remove any columns of data that are not needed for your analysis purposes. I have sorted and reduced the number of variables for the Expected results in Excel snaps you see on the next number of pages.

Expected results in Excel:


Column1	Column1.report_year	Column1	Column1.Pool_Order_Name	Column1.Pool_order_No	Column1.jan	Column1.feb	Column1.mar	Column1.apr	Column1.may	Column1.jun	Column1.jul	Column1.aug	Column1.sep	Column1.oct	Column1.nov	Column1
Dec	2000		All Markets Combined		3,965	3,745	4,039	3,611	3,830	3,624	3,549	3,898	3,875	3,946	3,956	3,952
Dec	2000		Appalachian		5,386	344	380	341	363	347	340	377	358	366	371	370
Dec	2000		Arizona-Las Vegas		131.79	81	86	77	82	77	73	85	80	87	85	81
Dec	2000		Central		32,412	396	419	381	392	377	382	417	418	431	422	429
Dec	2000		Florida		6,225	221	236	212	215	203	199	202	187	199	209	219
Dec	2000		Midwest		33,584	550	586	523	556	522	514	579	578	569	578	578
Dec	2000		Northeast		1,906	840	916	816	868	820	805	868	904	919	914	937
Dec	2000		Pacific Northwest		124,174	169	184	163	180	168	162	175	181	183	184	177
Dec	2000		Southeast		7,426	399	425	383	407	389	374	416	405	415	417	411
Dec	2000		Southwest		126,339	321	346	313	328	314	306	350	335	346	343	330
Dec	2000		Upper Midwest		30,352	339	368	326	351	327	314	345	345	343	345	338
Dec	2000		Western		135,84	84	92	76	89	82	79	85	85	87	88	82
Dec	2001		Western		135,89	81	89	81	88	80	84	91	82	92	91	85
Dec	2001		Upper Midwest		30,344	312	347	314	331	300	303	339	335	355	349	340
Dec	2001		Southwest		126,358	311	347	323	335	310	314	357	333	361	349	332
Dec	2001		Southeast		7,424	380	430	392	404	380	380	409	380	415	410	400
Dec	2001		Pacific Northwest		124,188	159	182	170	175	166	169	174	167	189	184	175
Dec	2001		Northeast		1,888	822	953	843	904	841	834	890	881	949	926	910
Dec	2001		Midwest		33,588	519	592	524	549	509	511	572	542	592	571	562
Dec	2001		Florida		6,233	209	240	211	213	203	197	199	179	201	203	204
Dec	2001		Central		32,435	390	433	384	404	376	382	418	397	432	422	407
Dec	2001		Arizona-Las Vegas		131,84	78	85	77	77	73	73	82	78	83	82	81
Dec	2001		Appalachian		5,378	334	382	341	364	339	345	387	351	387	379	365
Dec	2001		All Markets Combined		4,008	3,595	4,081	3,661	3,843	3,576	3,592	3,918	3,725	4,058	3,967	3,864
Dec	2002		Arizona-Las Vegas		131,85	76	82	78	85	72	78	80	78	86	81	84
Dec	2002		Central		32,433	381	411	408	399	351	387	422	401	434	423	415
Dec	2002		All Markets Combined		4,085	3,593	3,876	3,822	3,899	3,407	3,702	3,926	3,785	4,080	3,949	3,913
Dec	2002		Appalachian		5,406	346	370	369	377	329	368	384	361	391	373	375
Dec	2002		Florida		6,220	202	218	211	207	186	194	200	173	185	191	207
Dec	2002		Midwest		33,578	514	550	538	557	476	523	566	541	590	568	551
Dec	2002		Northeast		1,925	820	897	872	908	813	862	886	892	957	930	933
Dec	2002		Southwest		126,365	316	338	338	341	302	325	351	338	362	344	336
Dec	2002		Upper Midwest		30,364	319	346	344	356	294	321	344	340	370	352	343
Dec	2002		Pacific Northwest		124,187	162	177	175	186	150	173	179	175	189	182	180

To pull the 2018 Butterfat Section of the “*Class I Prices*”, the sample syntax for Postman would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/3345/Butterfat?q=report_year=2018

Denote the usage of the Slug_ID and the report_year variables to access this particular report.

Expected results in Postman:



Expected results in Excel:


Column1.report_month	Column1.report_year	Column1.narrative	Column1.Pool_Order_Name	Column1.Pool_order No	Column1.jan	Column1.feb	Column1.mar	Column1.apr	Column1.may	Column1.jun	Column1.jul	Column1.aug	Column1.sep
Dec	2018	All Markets Combined			2.5165	2.5265	2.3624	2.4541	2.5067	2.6365	2.6931	2.5652	2.6406
Dec	2018	Appalachian			5 2.5215	2.5316	2.3674	2.4591	2.5117	2.6414	2.6981	2.5703	2.6458
Dec	2018	Arizona			131 2.5110	2.5211	2.3569	2.4486	2.5012	2.6309	2.6876	2.5598	2.6353
Dec	2018	California			51								
Dec	2018	Central			32 2.5075	2.5176	2.3534	2.4451	2.4977	2.6274	2.6841	2.5563	2.6318
Dec	2018	Florida			6 2.5415	2.5516	2.3874	2.4791	2.5317	2.6614	2.7181	2.5903	2.6658
Dec	2018	Midwest			33 2.5075	2.5176	2.3534	2.4451	2.4977	2.6274	2.6841	2.5563	2.6318
Dec	2018	Northeast			1 2.5200	2.5301	2.3659	2.4576	2.5102	2.6399	2.6966	2.5688	2.6443
Dec	2018	Pacific Northwest			124 2.5065	2.5166	2.3524	2.4441	2.4967	2.6264	2.6831	2.5553	2.6308
Dec	2018	Southeast			7 2.5255	2.5356	2.3714	2.4631	2.5157	2.6454	2.7021	2.5743	2.6498
Dec	2018	Southwest			126 2.5175	2.5276	2.3634	2.4551	2.5077	2.6374	2.6941	2.5663	2.6418
Dec	2018	Upper Midwest			30 2.5055	2.5156	2.3514	2.4431	2.4957	2.6254	2.6821	2.5543	2.6298

To pull the Summary Section for years 2015-2018 of the “Uniform Milk Prices”, the sample syntax for Postman would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/3351/Summary?q=report_year=2015:2018

Denote the usage of the Slug_ID and report_year range to access this particular report. NOTE: This pull would only give you confirmation of the years selected but not any actual data from this report.

Expected results in Postman:



Expected results in Excel:


Column1.report_month	Column1.report_year	Column1.narrative	Column1.slug_name	Column1.slug_id	Column1.report_title	Column1.office_name	Column1.office_code	Column1.office_city	Column1.office_state	Column1.market_location_name	Column1.market_location_city	Column1.market_location_state	Column1.market_type
Dec	2015			null	null	null	null	null	null	Washington, DC	Washington	DC	null
Dec	2016			null	null	null	null	null	null	Washington, DC	Washington	DC	null
Dec	2017			null	null	null	null	null	null	Washington, DC	Washington	DC	null
Dec	2018			null	null	null	null	null	null	Washington, DC	Washington	DC	null

To pull all the report sections for 2017 of the “*Total Receipts of Producer Milk*”, the sample syntax for Postman would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/3350?q=report_year=2017&allSections=true

Denote the usage of the Slug_ID, report_year, and allSections variables to access this particular report.

Expected results in Postman:



Expected results in Excel:


Column1.reportSection	Column1.results.Pool_Order_Name	Column1.results.Pool_order_No	Column1.results.jan	Column1.results.feb	Column1.results.mar	Column1.results.apr	Column1.results.may	Column1.results.jun	Column1.results.jul	Column1.results.aug
Summary										
Producers	All Markets Combined		33,296	32,801	33,260	33,678	32,162	32,688	33,638	34,114
Producers	Appalachian		5 2,072	1,977	1,877	2,037	2,100	2,113	2,018	1,994
Producers	Arizona		131 90	89	88	88	89	89	90	91
Producers	Central		32 2,687	2,699	2,724	2,701	2,491	2,469	2,486	2,511
Producers	Florida		6 143	143	143	143	143	143	143	143
Producers	Midwest		33 5,169	5,088	5,070	5,105	5,024	4,981	4,925	4,920
Producers	Northeast		1 11,413	11,332	11,272	11,017	11,022	10,947	11,239	11,200
Producers	Pacific Northwest		124 446	446	445	446	445	440	532	534
Producers	Southeast		7 1,672	1,672	1,672	1,672	1,672	1,672	1,672	1,672
Producers	Southwest		126 468	500	520	519	424	445	490	508
Producers	Upper Midwest		30 9,136	8,855	9,449	9,950	8,752	9,389	10,043	10,541
Receipts	All Markets Combined		11,517	10,116	12,252	12,202	11,192	11,516	11,921	12,165
Receipts	Appalachian		5 483	432	503	481	487	485	470	494
Receipts	Arizona		131 460	392	458	441	447	433	427	414
Receipts	Central		32 1,270	1,226	1,495	1,461	1,367	1,374	1,436	1,461
Receipts	Florida		6 232	213	236	220	218	204	197	215
Receipts	Midwest		33 1,742	1,610	1,856	1,843	1,736	1,777	1,712	1,669
Receipts	Northeast		1 2,351	2,149	2,396	2,355	2,432	2,270	2,306	2,274
Receipts	Pacific Northwest		124 604	552	619	610	633	616	759	750
Receipts	Southeast		7 493	438	513	502	497	451	422	427
Receipts	Southwest		126 1,339	854	1,239	1,211	918	1,166	1,172	1,241
Receipts	Upper Midwest		30 2,543	2,251	2,936	3,080	2,458	2,740	3,020	3,220
Avg Daily	All Markets Combined		11,158	11,015	11,883	12,077	11,226	11,744	11,432	11,504
Avg Daily	Appalachian		5 7,526	7,804	8,640	7,864	7,476	7,656	7,509	7,997
Avg Daily	Arizona		131 164,991	157,386	167,893	167,167	162,141	162,163	152,891	146,683
Avg Daily	Central		32 15,244	16,228	17,708	18,030	17,697	18,544	18,631	18,769
Avg Daily	Florida		6 52,383	53,200	53,129	51,249	49,271	47,629	44,525	48,534
Avg Daily	Midwest		33 10,872	11,299	11,807	12,031	11,144	11,891	11,213	10,944
Avg Daily	Northeast		1 6,644	6,772	6,857	7,125	7,119	6,913	6,618	6,550
Avg Daily	Pacific Northwest		124 43,685	44,174	44,884	45,562	45,891	46,657	46,045	45,305
Avg Daily	Southeast		7 9,517	9,350	9,902	10,003	9,581	8,991	8,148	8,245
Avg Daily	Southwest		126 92,276	60,988	76,887	77,755	69,856	87,314	77,176	78,772
Avg Daily	Upper Midwest		30 8,977	9,079	10,025	10,319	9,058	9,729	9,700	9,854

At certain times a data user may want to pull a report for just one month of a particular year. In that situation you would use both the report_year and report_month parameters. To pull the Price and Pool Monthly section for August 2018 of the “Price and Pool - Monthly”, the sample syntax for Postman would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/3352/Price and Pool Monthly?q=report_year=2018;report_month=aug

Denote the usage of the Slug_ID, report_year, and report_month (in three characters, e.g. report_month=feb) variables to access this particular report.

Expected results in Postman:



Expected results in Excel:

Column1.report_month	Column1.report_year	Column1.narrative	Column1.Pool_Order_Name	Column1.Pool_order_No	Column1.Producer_Receipts	Column1.Producer_Receipts_Diff	Column1.Class_Util_Diff	Column1.Pool_Order_No
Aug	2018		Northeast (Boston)		1 2,268.4	-0.3	-1.8	706.4
Aug	2018		Appalachian (Charlotte)		5 473.4	-4.2	-3.1	343.0
Aug	2018		Florida (Tampa)		6 214.9	-0.1	-0.9	179.6
Aug	2018		Southeast (Atlanta)		7 420.9	-1.5	-3.5	318.4
Aug	2018		Upper Midwest (Chicago)		30 2,949.5	-8.4	-5.4	253.4
Aug	2018		Central (Kansas City)		32 1,341.0	-8.2	-2.2	408.8
Aug	2018		Midwest (Cleveland)		33 1,699.3	1.8	-0.5	549.7
Aug	2018		Pacific Northwest (Seattle)		124 636.0	-15.2	-3.2	152.6
Aug	2018		Southwest (Dallas)		126 1,286.5	3.7	2.6	361.3
Aug	2018		Arizona (Phoenix)		131 402.2	-2.8	-5.2	106.4
Aug	2018		ALL MARKET AVERAGE OR TOTAL		11,692.1	-3.9	-1.9	3,379.1

Please note that the requesting of just one specific month for a particular year will only work on the following reports that have a unique report for each month:

- 3352 – Price and Pool - Monthly
- 3354 – Advanced Prices by Order
- 3355 – Class Prices by Order
- 3358 – Estimated Fluid Milk Sales

The remainder of the FMMOS reports simply build a year-to-date table that eventually has all monthly data included. For the remainder of the tables, any request can only use report_month=dec.

A time series is a series of data points listed in time order. This can be a helpful query to use when inputting data into software such as SAS. Listed below are some easy ways to pull FMMOS data in a time series format for a particular report using the example syntax:

<https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/nnnn/ssssssss>

nnnn = Slug_ID of the desired report.

ssssssss = section name

NOTE: See the Report Sections table (above) for a list of reports and their corresponding report sections.

Report Name	Slug ID	URL
Class I-Prices	3345	https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/3345
Class I-Utilization of Producer Milk	3346	https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/3346
Class II-Utilization of Producer Milk	3347	https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/3347
Class III-Utilization of Producer Milk	3348	https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/3348
Class IV-Utilization of Producer Milk	3349	https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/3349
Total Receipts (prior to October 2020)	3350	https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/3350
Uniform Price	3351	https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/3351
Price and Pool Monthly	3352	https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/3352
Price and Pool Annual	3353	https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/3353
Advanced Class Prices by Order	3354	https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/3354
Final Class Prices by Order	3355	https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/3355
MA Retail Prices	3356	https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/3356
Mailbox Milk Prices	3357	https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/3357
Estimated Sales	3358	https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/3358
Distributing & Supply List	3359	https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/3359
Producer Receipts (beginning October 2020)	3461	https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/3461
Producer Milk Components (beginning October 2020)	3462	https://mpr.datamart.ams.usda.gov/services/v1.2/timeseries/3462

3.4 Examples of Corrections

To pull Corrections only of the Detail section of “5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)” the sample syntax would be:

<https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?correctionsOnly=true>

Expected results would be:

The screenshot shows a REST client interface with the following details:

- Request Method:** GET
- Request URL:** https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?correctionsOnly=true
- Params:** A table showing the parameter 'correctionsOnly' with a value of 'true'.
- Response Body:** A JSON object containing report metadata and a list of results.

```

1 {
2   "reportSection": "Detail",
3   "reportSections": [
4     "Summary",
5     "Detail"
6   ],
7   "stats": {
8     "totalRows": 13871,
9     "returnedRows": 13871,
10    "userAllowedRows": 99999
11  },
12  "results": [
13    {
14      "report_date": "12/14/2020",
15      "previous_day_head_count": "1,310",
16      "narrative": null,
17      "class_description": "ALL BEEF TYPE",
18      "selling_basis_description": "DRESSED DELIVERED",
19      "grade_description": "Total all grades",
20      "head_count": "348",
21      "weight_range_low": "809",
22      "weight_range_high": "961",
23      "weight_range_avg": "929",
24      "price_range_low": "164.00",
25      "price_range_high": "168.00",
26      "weighted_avg_price": "166.40",
27      "report_title": "5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)",
28      "slug_name": "AMS_2466",
29      "slug_id": "2466",
30      "office_name": "St Joseph, MO",
31      "office_code": "LS-SJ",
32      "office_city": "Saint Joseph",
33      "office_state": "MO",
34      "market_location_name": "St. Joseph, MO",
35      "market_location_city": "St. Joseph",
36      "market_location_state": "MO",
37      "market_type": "Direct Livestock - LMR Cattle",

```


To pull Corrections only of the Detail section of “5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)” since 04 July 2020, the sample syntax would be:

<https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?correctionsOnly=true&anyChangesSince=7/4/2020>

Expected results would be:

The screenshot shows a REST client interface with the following details:

- Method:** GET
- URL:** `https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?correctionsOnly=true&anyChangesSince=7/4/2020`
- Params:**

KEY	VALUE
<input checked="" type="checkbox"/> correctionsOnly	true
<input checked="" type="checkbox"/> anyChangesSince	7/4/2020
Key	Value
- Body:**

```

1 {
2   "reportSection": "Detail",
3   "reportSections": [
4     "Summary",
5     "Detail"
6   ],
7   "stats": {
8     "totalRows": 576,
9     "returnedRows": 576,
10    "userAllowedRows": 99999
11  },
12  "results": [
13    {
14      "report_date": "12/14/2020",
15      "previous_day_head_count": "1,310",
16      "narrative": null,
17      "class_description": "ALL BEEF TYPE",
18      "selling_basis_description": "DRESSED DELIVERED",
19      "grade_description": "Total all grades",
20      "head_count": "348",
21      "weight_range_low": "809",
22      "weight_range_high": "961",
23      "weight_range_avg": "929",
24      "price_range_low": "164.00",
25      "price_range_high": "168.00",
26      "weighted_avg_price": "166.40",
27      "report_title": "5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)",
28      "slug_name": "AMS_2466",
29      "slug_id": "2466",
30      "office_name": "St Joseph, MO",
31      "office_code": "LS-SJ",
32      "office_city": "Saint Joseph",
33      "office_state": "MO",
34      "market_location_name": "St. Joseph, MO",
35      "market_location_city": "St. Joseph",
36      "market_location_state": "MO",

```

To pull the Detail section of “5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)” for the last one hundred days, the sample syntax would be:

<https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?lastDays=100>

Expected results would be:

The screenshot shows a REST client interface with the following details:

- Request Method:** GET
- Request URL:** `https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?lastDays=100`
- Params:**

KEY	VALUE
<input checked="" type="checkbox"/> lastDays	100
Key	Value
- Response Body (JSON):**

```

1 {
2   "reportSection": "Detail",
3   "reportSections": [
4     "Summary",
5     "Detail"
6   ],
7   "stats": {
8     "totalRows": 4544,
9     "returnedRows": 4544,
10    "userAllowedRows": 99999
11  },
12  "results": [
13    {
14      "report_date": "12/22/2020",
15      "previous_day_head_count": "135",
16      "narrative": null,
17      "class_description": "ALL BEEF TYPE",
18      "selling_basis_description": "DRESSED DELIVERED",
19      "grade_description": "Total all grades",
20      "head_count": "36",
21      "weight_range_low": "871",
22      "weight_range_high": "871",
23      "weight_range_avg": "871",
24      "price_range_low": "165.00",
25      "price_range_high": "165.00",
26      "weighted_avg_price": "165.00",
27      "report_title": "5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)",
28      "slug_name": "AMS_2466",
29      "slug_id": "2466",
30      "office_name": "St Joseph, MO",
31      "office_code": "LS-SJ",
32      "office_city": "Saint Joseph",
33      "office_state": "MO",
34      "market_location_name": "St. Joseph, MO",
35      "market_location_city": "St. Joseph",
36      "market_location_state": "MO",
37      "market_type": "Direct Livestock - LMR Cattle",
38      "market_type_category": "Direct Livestock - LMR Cattle",
39      "market_type_code": "4000000000-00-50-00"
40    }
41  ]
42 }

```

To pull last five reports of the Detail section of “5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)”, the sample syntax would be:

<https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?lastReports=5>

Expected results would be:

The screenshot shows a REST client interface with the following details:

- Request:** GET `https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?lastReports=5`
- Parameters:**

KEY	VALUE
<input checked="" type="checkbox"/> lastReports	5
Key	Value
- Response (JSON):**

```

1 {
2   "reportSection": "Detail",
3   "reportSections": [
4     "Summary",
5     "Detail"
6   ],
7   "stats": {
8     "totalRows": 320,
9     "returnedRows": 320,
10    "userAllowedRows": 99999
11  },
12  "results": [
13    {
14      "report_date": "12/22/2020",
15      "previous_day_head_count": "135",
16      "narrative": null,
17      "class_description": "ALL BEEF TYPE",
18      "selling_basis_description": "DRESSED DELIVERED",
19      "grade_description": "Total all grades",
20      "head_count": "36",
21      "weight_range_low": "871",
22      "weight_range_high": "871",
23      "weight_range_avg": "871",
24      "price_range_low": "165.00",
25      "price_range_high": "165.00",
26      "weighted_avg_price": "165.00",
27      "report_title": "5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)",
28      "slug_name": "AMS_2466",
29      "slug_id": "2466",
30      "office_name": "St Joseph, MO",
31      "office_code": "LS-SJ",
32      "office_city": "Saint Joseph",
33      "office_state": "MO",
34      "market_location_name": "St. Joseph, MO",
35      "market_location_city": "St. Joseph",
36      "market_location_state": "MO",
37      "market_type": "Direct Livestock - LMR Cattle",
38      "market type category": "Direct Livestock - LMR Cattle",

```

3.5 Examples of enhanced “All Sections” data pull

Users are now able to pull “All Sections” for an “X” amount of the most recent days using the “lastReports” attribute. To pull “All Sections” of the last ten reports of the “5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)”, the sample syntax would be:

<https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466?lastReports=10&allSections=true>

Expected results would be:

The screenshot shows a REST client interface with the following details:

- Method:** GET
- URL:** <https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466?lastReports=10&allSections=true>
- Query Params:**

KEY	VALUE
<input checked="" type="checkbox"/> lastReports	10
<input checked="" type="checkbox"/> allSections	true
Key	Value
- Body:**

```

1  {
2
3    "reportSection": "Summary",
4    "reportSections": [
5      "Summary",
6      "Detail"
7    ],
8    "stats": {
9      "totalRows": "10",
10     "returnedRows": "10",
11     "userAllowedRows": "99999"
12   },
13   "results": [
14     {
15       "report_date": "06/21/2021",
16       "previous_day_head_count": "2,325",
17       "narrative": null,
18       "report_title": "5 Area Daily Weighted Average Direct Slaughter Cattle - Negotiated (PDF) (LM_CT100)",
19       "slug_name": "AMS_2466",
20       "slug_id": "2466",
21       "office_name": "St Joseph, MO",
22       "office_code": "LS-SJ",
23       "office_city": "Saint Joseph",
24       "office_state": "MO",
25       "market_location_name": "St. Joseph, MO",
26       "market_location_city": "St. Joseph",
27       "market_location_state": "MO",

```

3.6 Single Comma querying for multiple values.

The API supports filtering on fields using a comma.

Example:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2466/Detail?q=report_date=08/05/2019:08/06/2019;class_description=STEER,HEIFER

Query will return both STEER and HEIFER results for date range specified.

3.7 Double Comma querying for multiple values.

The API also supports filtering on fields where the value of the field itself, contains a comma.

Example:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2451/National?q=report_date=7/29/2024;item_desc=Chemical%20Lean,,%20Fresh%20%2050%2525

Query will return item description that equal “Chemical Lean, Fresh 50%” for date ranged specified.

Another example would be:

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2451/National?q=report_date=7/29/2024;item_desc=Chemical%20Lean,,%20Fresh%20%2065%2525

Query will return item description that equal “Chemical Lean, Fresh 65%” for date ranged specified

3.8 “Correction Only” Attribute

To query for corrections only on a report, use the following syntax. Be sure to specify which section requested.

<https://mpr.ams.usda.gov/services/v1.1/reports/2466/Detail?correctionsOnly=true>

To query for corrections only, from a date forward, use the following syntax. Be sure to specify which section requested.

<https://mpr.ams.usda.gov/services/v1.1/reports/2466/Detail?correctionsOnly=true&anyChangesS ince=2/4/2024>

4 Email API Feature

The LMR API now supports “sendEmail” and “Email=” attributes. Any standard API request can now be sent to the LMR API with these attributes and an email will be send to that address with a link to download the zip file of your data request. The zip file will contain one or more CSV files. The URL is only good for 24hrs. The email address can be any email address.

For API requests where “allsections” is used. The zip file will contain separate CSV files for each section of the report.

Important Note: When using this feature, 30 days is the maximum date range that can be passed to the API for processing. Date ranges over 30 days will receive a message that the range needs to be reduce. This is done for performance reasons.

Examples are below.

1. The following URL pulls a date range of date for all sections and emails to provided address.

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2451?q=report_date=04/07/2020:05/07/2020&allSections=true&sendEmail=true&email=fakeemail@gmail.com

2. The following URL pulls the “Current Volume” section of the report for a date range. Date ranges are limited to 180 days per request.

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2451/CurrentVolume?q=report_date=04/07/2020:05/07/2020&sendEmail=true&email=fakeemail@usda.com

3. The following URL pulls the “Summary” section for one day.

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2451?q=report_date=04/07/2020&sendEmail=true&email=fakeemail@usda.com

4. The following URL pulls “All Sections” but only Corrections for a date range. Date ranges are limited to 180 days per request.

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2451?q=report_date=04/07/2020:05/07/2020&allSections=true&correctionsOnly=true&sendEmail=true&email=fakeemail@usda.com

5. The following URL pulls the “Current Volume” for a date range, but only Corrections.

https://mpr.datamart.ams.usda.gov/services/v1.1/reports/2451/CurrentVolume?q=report_date=04/07/2020:05/07/2020&correctionsOnly=true&sendEmail=true&email=fakeemail@usda.com

4.1 Addition of “is_corrections” field to Summary/Header Section.

AMS has added an additional field to the Summary/Header section of all reports on LMR that will allow users to know if a particular report has been issued a correction. Users can filter on this attribute and only pull corrections.

```
1  {
2    "reportSection": "Summary",
3    "reportSections": [
4      "Summary",
5      "Current Cutout Values",
6      "Change From Prior Day",
7      "Composite Primal Values",
8      "Current Volume",
9      "Choice Cuts",
10     "Select Cuts",
11     "Choice and Select Cuts",
12     "Ground Beef",
13     "Blended Ground Beef",
14     "Beef Trimmings"
15   ],
16   "stats": { ...
20   },
21   "results": [
22     {
23       "report_date": "12/01/2021",
24       "is_correction": null,
25       "narrative": null,
26       "trend": null,
27       "report_title": "National Daily Boxed Beef Cutout
28       "slug_name": "AMS_2453",
29       "slug_id": "2453",
30       "office_name": "Des Moines, IA",
31       "office_code": "LS-NW",
32       "office_city": "Des Moines",
33       "office_state": "IA",
34       "market_location_name": "Des Moines, IA"
```

5 Report Holidays

There are six national holidays that are usually observed when reports are not issued. Reports resume following these holidays. The observed dates do not follow actual dates for the holiday, but are a subset of observed holidays derived from the [U.S. OPM Federal Holiday schedule](#).

The six holidays normally selected from this schedule are as follows:

1. New Year's Day
2. Memorial Day
3. Independence Day
4. Labor Day
5. Thanksgiving Day
6. Christmas Day

Besides the holidays above, extenuating circumstances may also impact the dates when reports are issued.