

NOAA Technical Memorandum ERL GLERL-58

LAKE SUPERIOR COOLING SEASON TEMPERATURE CLIMATOLOGY

Raymond A. Assel

Great Lakes Environmental Research Laboratory
Ann Arbor, Michigan
March 1985



UNITED STATES
DEPARTMENT OF COMMERCE

Malcolm Baldrige,
Secretary

NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION

Environmental Research
Laboratories

Vernon E. Derr,
Director

NOTICE

Mention of a commercial company or product does not constitute an endorsement by **NOAA/ERL**. Use for publicity or advertising purposes, of information from this publication concerning proprietary products or the tests of such products, is not authorized.

CONTENTS

	PAGE
ABSTRACT	1
1. INTRODUCTION	1
2. PROCEDURES	1
3. RESULTS	2
4. DISCUSSION AND CONCLUDING REMARKS	10
5. REFERENCES	44

FIGURES

	PAGE
Figure 1. Mean survey profiles.	
1a. Fall 1976 mea" survey profiles.	4
1b. Fall 1977 mean survey profiles.	4
1c. Fall 1978 mea" survey profiles.	5
1d. Fall 1979 mean survey profiles.	5
1e. Winter 1973 mean survey profiles.	6
1f. Winter 1974 mean survey profiles.	6
1g. Winter 1975 mea" survey profiles.	7
1h. Winter 1976 mea" survey profiles.	8
Figure 2. Survey route and lake area locations.	9
Figure 3. Mean survey temperature climatology and stages in cooling season.	41
Figure 4. Spatial variation of the temperature climatology from area 14 to area 2 at end of month dates.	
4a. August 31 isothermal contour analysis.	41
4b. September 30 isothermal contour analysis.	41
4c. October 31 isothermal contour analysis.	42
4d. November 30 isothermal contour analysis.	42
4e. December 31 isothermal contour analysis.	42
4f. January 31 isothermal contour analysis.	42
4g. February 28 isothermal contour analysis.	43

TABLES

	PAGE
Table 1. Temperature surveys across Lake Superior.	3
Table 2. Summary of equations.	8
Table 3. Location and depth statistics for each lake area.	9
Table 4. Summary of number of days meeting observation density criteria for Fourier analysis for each area by depth.	10
Table 5a. Summary of Lake Superior temperature climatology and extreme temperatures over period of record.	11
Table 5b. Summary of Lake Superior, area 1, temperature climatology and extreme temperatures over period of record.	12
Table 5c. Summary of Lake Superior, area 2, temperature climatology and extreme temperatures over period of record.	13
Table 5d. Summary of Lake Superior, area 3, temperature climatology and extreme temperatures over period of record.	14
Table 5e. Summary of Lake Superior, area 4, temperature climatology and extreme temperatures over period of record.	15
Table 5f. Summary of Lake Superior, area 5, temperature climatology and extreme temperatures over period of record.	16
Table 5g. Summary of Lake Superior, area 6, temperature climatology and extreme temperatures over period of record.	17
Table 5h. Summary of Lake Superior, area 7, temperature climatology and extreme temperatures over period of record.	18
Table 5i. Summary of Lake Superior, area 8, temperature climatology and extreme temperatures over period of record.	19
Table 5j. Summary of Lake Superior, area 9, temperature climatology and extreme temperatures over period of record.	20

	PAGE
Table 5k. Summary of Lake Superior, area 10, temperature climatology and extreme temperatures over period of record.	21
Table 5l. Summary of Lake Superior, area 11, temperature climatology and extreme temperatures over period of record.	22
Table 5m. Summary of Lake Superior, area 12, temperature climatology and extreme temperatures over period of record.	23
Table 5n. Summary of Lake Superior, area 13, temperature climatology and extreme temperatures over period of record.	24
Table 5o. Summary of Lake Superior, area 14, temperature climatology and extreme temperatures over period of record.	25
Table 5p. Summary of Lake Superior, areas 15, temperature climatology and extreme temperatures over period of record.	26
Table 6a. Fourier coefficients for Lake Superior.	27
Table 6b. Fourier coefficients for Lake Superior, area 2.	28
Table 6c. Fourier coefficients for Lake Superior, area 3.	29
Table 6d. Fourier coefficients for Lake Superior, area 4.	30
Table 6e. Fourier coefficients for Lake Superior, area 5.	31
Table 6f. Fourier coefficients for Lake Superior, area 6.	32
Table 6g. Fourier coefficients for Lake Superior, area 7.	33
Table 6h. Fourier coefficients for Lake Superior, area 8.	34
Table 6i. Fourier coefficients for Lake Superior, area 9.	35
Table 6j. Fourier coefficients for Lake Superior, area 10.	36
Table 6k. Fourier coefficients for Lake Superior, area 11.	37
Table 6l. Fourier coefficients for Lake Superior, area 12.	38
Table 6m. Fourier coefficients for Lake Superior, area 13.	39
Table 6n. Fourier coefficients for Lake Superior, area 14.	40

LAKE SUPERIOR COOLING SEASON TEMPERATURE CLIMATOLOGY¹

Raymond A. Assel

ABSTRACT. A temperature climatology has been developed for the surface and ten 10-m layers along the normal ship route between the eastern and western ends of Lake Superior and for discrete areas along the ship route. Base period for the climatology includes winters 1973-76 and falls 1976-79. Daily average temperatures and extreme temperatures for the base period were calculated, and a six-wave Fourier equation fitted to the average temperature time series to define the temperature climatology.

1. INTRODUCTION

Bathythermograph surveys were made across an east-to-west section of Lake Superior during portions of the 1973-76 winters and the 1976-79 falls (Assel, 1983). A climatology of daily average surface temperatures and daily average vertically averaged temperatures for ten 10-m layers, from the surface to 100 m, was developed from that data. The climatology was derived for the entire survey route and for discrete areas along that route. The methods used in the analysis are similar to those described by Feit and Goldenburg (1976), who developed a surface temperature climatology for the Great Lakes. They stated

"Few observations were taken between November and March on all the lakes. This problem was greatest at Lake Superior where almost no observations were taken between October and April; hence, on this lake, the temperatures in this time frame are dubious."

The work described in this report should help to solve this problem by providing an improved temperature climatology of the surface temperatures and temperatures at depth for Lake Superior during the fall and winter cooling periods of the annual temperature cycle. The surface temperature climatology described here, however, is not a skin temperature but rather a surface layer temperature, down to about 5 m, because of the instrument system depth measurement accuracy. Products of the analysis include tabulations and graphical summaries of the temperature climatology.

2. PROCEDURES

A portable bathythermograph recorder using expendable bathythermograph probes was used to measure temperature profiles to a depth of 200 m along the normal shipping route between the eastern and western ends of Lake Superior.

¹GLERL Contribution No. 452.

Survey date, number of profiles per survey, and average distance between profiles are given in table 1. Temperature is accurate to plus or minus 0.2°C and depth is accurate to within 2% of **actual** depth or 4.57 m, whichever is greater. Over 1,000 temperature profile measurements were made during 46 surveys across the lake.

Mean survey thermal profiles (fig. 1a-1h) were calculated by horizontally averaging the temperatures for a given survey for each meter down to 200 m, eq. (1), (table 2; all equations referenced in the text are in table 2). Next the vertically averaged temperature (vat) for each 10-m layer of the mean profile down to 100 m, eq. (2) was calculated. Interpolation between observation dates produced a daily time series of water temperature for each of the fall and winter seasons. The average daily temperatures were averaged for the fall and winter from these data. That time series was irregular because of discontinuities in observation density and the small number of observations. A six-wave Fourier curve, eq. (3) was fitted to the temperature data at each depth and it filtered out most of the irregularities. The Fourier equation was used to define the temperature climatology. It was applied to data with a minimum density of three observations per day for the fall season (August to December) and two observations per day for the winter season (January to March), where observation density was lower. The period of the climatology extends from late August to early March. Mid-March and April is not included in the Fourier analysis because of insufficient data. The number of observations per day over the eight seasons ranged from 0 to 4; August to January usually had three or four observations per day, February and early March primarily two or three observations per day, and most of March and all of April zero or one observation per day.

The survey **route** was partitioned into 15 areas (fig. 2 and table 3) and a temperature climatology was calculated for each area in the same way the climatology was developed for the entire survey route. Mean **survey** profiles for a given day and season were calculated, eq. (4), then the vat's for each 10-m layer were calculated, eq. (2), and daily temperatures interpolated between survey dates for each season. The average daily temperature over the eight seasons was then calculated and Fourier curves fitted to those data to produce the climatology. The number of observations used in the Fourier analysis for each area and depth is summarized in table 4. No climatology was defined for areas 1 and 15 because a preliminary analysis indicated there was insufficient data; and the climatologies for areas 2 and 13 were limited to the upper 30 m and 50 m of the water column for the same reason.

3. RESULTS

Tabulations of the climatology for the first day of each month, and the 5th through the 25th day at 5-day intervals, are given for September-March in table 5a for the lake as a whole and in tables 5b-5p for areas 1-15, respectively. Observed temperatures on **survey** dates given in table 1 were analyzed for the maximum and minimum temperatures over the period of record. These temperatures define the variation of temperature for each area and depth over the base period. These extreme temperatures and the dates of their occurrence are listed for comparison with the temperature climatology. Fourier equation coefficients, tables 6a-6n, define the climatology over the period of their

Table I.--Temperature surveys *across* Lake Superior: winter 1973, 1974, 1975, and 1976, and autumn 1976, 1977, 1978, 1979

Winter survey dates	Number of stations	Average distance between stations (km)	Autumn survey dates	Number of stations	Average distance between stations (km)
1973					
Dec. 20-21, 1972	43	13.7	Aug. 18-20, 1976	24	24.0
Dec. 27-28, 1972	43	13.2	Sept. 7-9, 1976	24	22.8
Jan. 15-16, 1973	30	18.0	Sept. 28-29, 1976	24	23.1
Jan. 31-Feb. 1, 1973	28	19.3	Oct. 20-22, 1976	24	23.9
1974					
			Nov. 14-16, 1976	24	23.4
			Dec. 5-7, 1976	24	22.9
1975					
Dec. 19-20, 1973	27	20.6	1977		
Jan. 10-12, 1974	31	17.5	Oct. 30-31, 1977	27	20.8
Jan. 22-23, 1974	24	25.1	Nov. 1-2, 1977	28	20.5
1976					
Dec. 19, 1974	22	25.3	Nov. 17-22, 1977	31	22.6
Dec. 27-28, 1974	33	17.3	Dec. 16-17, 1977	25	22.2
Jan. 7-8, 1975	32	17.7	Dec. 19-20, 1977	16	31.1
Jan. 21-24, 1975	38	16.8	1978		
Feb. 5-7, 1975	25	21.0	Aug. 22-23, 1978	19	26.1
Feb. 18-20, 1975	27	19.5	Sept. 11, 1978	21	26.9
Mar. 11-12, 1975	26	19.9	Sept. 28-29, 1978	21	26.9
1977					
Oct. 17-18, 1978			Oct. 17-18, 1978	27	19.0
Nov. 16-17, 1978			Nov. 16-17, 1978	26	20.4
Nov. 30-Dec. 1, 1978			Nov. 30-Dec. 1, 1978	31	18.3
Dec. 15-17, 1978			Dec. 15-17, 1978	29	20.5
1979					
Jan. 6-8, 1976	16	41.6	1979		
Jan. 8-9, 1976	9	56.1	Aug. 23-24, 1979	23	23.0
Jan. 27-29, 1976	24	34.9	Sept. 11, 1979	24	23.7
Feb. 21-22, 1976	22	23.7	Sept. 25-26, 1979	26	21.0
Mar. 25-27, 1976	16	30.8	Oct. 16-18, 1979	26	21.4
Apr. 27-29, 1976	22	24.6	Oct. 30-31, 1979	22	25.8
			Nov. 16-18, 1979	26	21.6
			Dec. 13-15, 1979	23	22.8




Figure 1a.--Fall 1976 mean survey profile.




Figure 1b.--Fall 1977 mean survey profile.




Figure 1c.--Fall 1978 mean survey profile.




Figure 1d.--Fall 1979 mean survey profile.




Figure 1e.--Winter 1973 *mean survey profile*.




Figure 1f .--Winter 1974 *mean survey profile*.




Figure 1g.--Winter 1975 mean survey profile.




Figure 1h.--Winter 1976 mean survey profile.

Table 2.--Summary of equations

Equation 1.

$$T(z) = \frac{1}{S_z} \int_0^{S_z} T(s) z ds,$$

where S_z = ship track length at depth z ,

$T(s)_z$ = temperature as a function of distance along the ship track for depth z , and

$T(z)$ = horizontally averaged temperature for depth z .

Equation 2.

$$T_v = \frac{1}{(z_2 - z_1)} \int_{z_1}^{z_2} T(z) dz,$$

where T_v = vertically averaged temperature for layer $(z_2 - z_1)$, and

$T(z)$ = horizontally averaged temperature for depth z .

Equation 3.

$$\begin{aligned} T = & A_0 + A_1 \sin 2\pi t + B_1 \cos 2\pi t \\ & A_2 \sin 4\pi t + B_2 \cos 4\pi t \\ & A_3 \sin 6\pi t + B_3 \cos 6\pi t \\ & A_4 \sin 8\pi t + B_4 \cos 8\pi t \\ & A_5 \sin 10\pi t + B_5 \cos 10\pi t \\ & A_6 \sin 12\pi t + B_6 \cos 12\pi t, \end{aligned}$$

where the A's and B's are the coefficients of regression, t is time in days, and T is temperature.

Equation 4.

$$T_a(z) = \frac{1}{n} \sum_{i=1}^n T_{ai}(z),$$

where $T_a(z)$ = horizontally averaged temperature for area "a" at depth z , and

$T_{ai}(z)$ = ith temperature observation for area "a" at depth z for a given day and year.




Figure 2.--Survey **route and take area** locations.

Table 3.--*Location and depth statistics* for each lake area

Areas	Latitude*		Longitude*		Profile depth statistics			
	from	to	from	to	ave†	sd†	cv‡	
1	46.36	46.85	84.50	84.99	53	26	48	
2	46.75	46.95	85.00	85.49	61	47	76	
3	46.92	47.08	85.50	85.99	151	31	21	
4	47.01	47.25	86.00	86.49	195	46	24	
5	47.15	47.40	86.50	86.99	253	40	16	
6	47.25	47.60	87.00	87.49	221	53	24	
7	47.43	47.63	87.50	87.99	142	33	24	
8	47.40	47.66	88.00	88.49	224	30	13	
9	47.36	47.56	88.50	88.99	190	42	22	
10	47.31	47.50	89.00	89.49	177	14	8	
11	47.26	47.41	89.50	89.99	177	20	11	
12	47.15	47.36	90.00	90.49	110	23	21	
13	47.05	47.26	90.50	90.99	79	37	46	
14	47.00	47.16	91.00	91.49	171	33	20	
15	46.98	46.98	91.00	91.99	105	43	41	

* Latitude north and Longitude west in degrees and hundreds.

† Average depth (ave) and standard deviation (sd) in meters
for temperature profiles in each area.

‡ Depth coefficient of variation (cv) in percent.

Table 4.--Summary of number of day8 meeting observation density criteria* **for Fourier analysis** for each area by depth

Areas	Layer depth in meters										
	0	10	20	30	40	50	60	70	80	90	100
1	45	45	44	37	37	37	28	2	1	0	0
2	196	196	196	175	165	121	113	74	22	11	11
3	196	196	196	196	196	196	196	196	196	196	196
4	197	197	197	197	197	197	197	197	197	197	197
5	197	197	197	197	197	197	197	197	197	197	197
6	197	197	197	197	197	197	197	197	197	197	197
7	197	197	197	197	197	197	197	197	197	197	158
8	179	179	179	179	179	179	179	179	179	179	179
9	145	145	145	145	145	145	145	145	145	145	145
10	145	145	145	145	145	145	145	145	145	145	145
11	137	137	137	137	137	137	137	137	137	137	137
12	177	177	177	177	177	177	177	177	177	177	144
13	177	177	177	177	177	141	68	45	22	21	21
14	142	142	142	142	142	142	142	142	142	142	42
15	20	20	20	20	20	20	20	20	20	20	20

* Minimum of 3 years of data for days in the months of August through December and minimum observation density of 2 years of data for days in January through March.

derivation, but using these coefficients outside the range of Julian days given may result in erroneous temperatures. The temperature climatology for the mean survey thermal profile is shown in fig. 3 for six layers; it illustrates some of the seasonal characteristics and the thermal structure of the lake along the survey route. Isothermal contour charts illustrate the spatial variation of the temperature climatology over areas 2-14 at end-of-month dates from August to February (fig. 4a-4g).

4. DISCUSSION AND CONCLUDING REMARKS

The annual temperature cycle of Lake Superior has been described by Bennett (1978); in the present study the climatology of the three stages of the cooling period are described. These are (1) loss of summer stratification due to atmospheric cooling and convective mixing, leading to isothermal conditions; (2) isothermal cooling of the entire water column due to full convective mixing; and (3) winter restratification due to reduction of the depth of convective mixing caused by cooling of the water column past the temperature of maximum density and subsequent formation of a stable water density gradient with respect to depth. These stages are shown for Lake Superior in figure 3

Table 5a.--Summary of Lake Superior temperature climatology
and extreme temperatures over period of record

TEMPERATURE CC) CLIMATOLOGY FOR LAKE

LAYERS IN METERS

	0	10	20	30	40	50	60	70	80	90	100
SEP 1	14.2	13.0	10.1	6.9	5.2	4.5	4.3	4.2	4.1	4.0	4.0
5	14.1	13.0	10.3	7.1	5.3	4.6	4.3	4.2	4.1	4.0	4.3
10	13.7	12.8	10.4	7.4	5.5	4.7	4.3	4.2	4.1	4.0	4.0
15	13.1	12.3	10.4	7.7	5.8	4.9	4.5	4.3	4.2	4.0	4.0
20	12.2	11.7	10.2	7.9	4.2	5.1	4.6	4.4	4.2	4.1	4.0
25	11.3	11.0	10.0	8.1	6.5	5.4	4.8	4.6	4.3	4.2	4.1
OCT 1	10.3	10.1	9.5	8.2	6.8	5.7	4.9	4.5	4.3	4.2	4.1
5	9.7	9.5	9.2	8.2	7.0	5.8	5.1	4.6	4.3	4.2	4.1
10	9.0	8.9	8.7	8.1	7.1	5.9	5.2	4.7	4.4	4.2	4.1
15	8.5	8.4	8.3	7.9	7.1	6.1	5.4	4.8	4.5	4.3	4.2
20	8.0	8.0	7.9	7.7	7.1	6.1	5.5	5.0	4.6	4.4	4.3
25	7.6	7.6	7.5	7.3	6.9	6.2	5.7	5.2	4.8	4.5	4.1.
NOV 1	6.9	6.9	6.9	6.8	6.5	6.1	5.7	5.3	5.1	4.9	4.6
5	6.6	6.6	4.6	6.5	6.3	6.0	5.7	5.4	5.1	4.9	4.7
10	6.1	6.1	6.1	6.1	6.0	5.8	5.6	5.4	5.2	5.3	4.3
15	5.7	5.7	5.7	5.5	5.6	5.5	5.4	5.3	5.1	5.0	4.8
20	5.3	5.3	5.3	5.3	5.2	5.2	5.1	5.0	4.9	4.8	4.8
25	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.3	4.8	4.8	4.1
OEC 1	4.5	4.6	4.5	4.5	4.6	4.6	4.5	4.6	4.6	4.5	4.5
5	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.5	4.5	4.5
10	4.2	4.2	4.2	4.2	4.3	4.3	4.3	4.3	4.3	4.3	4.3
15	4.0	4.0	4.0	4.1	4.1	4.1	4.1	4.2	4.2	4.2	4.2
20	3.8	3.8	3.8	3.9	3.9	4.0	4.0	4.0	4.5	4.0	4.0
25	3.6	3.6	3.6	3.7	3.7	3.8	3.8	3.8	3.8	3.9	3.9
JAN 1	3.2	3.2	3.3	3.3	3.3	3.4	3.4	3.5	3.5	3.6	3.5
5	2.9	3.0	3.0	3.0	3.1	3.1	3.2	3.3	3.3	3.4	3.5
10	2.6	2.7	2.7	2.7	2.8	2.8	2.9	3.0	3.1	3.2	3.3
15	2.4	2.4	2.4	2.5	2.5	2.6	2.6	2.8	2.9	3.0	3.1
20	2.2	2.2	2.2	2.2	2.3	2.3	2.4	2.6	2.7	2.8	3.0
25	2.0	2.0	2.0	2.1	2.2	2.2	2.3	2.3	2.6	2.7	2.9
FEB 1	1.9	1.9	1.9	2.0	2.0	2.1	2.2	2.4	2.5	2.7	2.8
5	1.8	1.8	1.8	1.9	2.0	2.1	2.2	2.3	2.5	2.5	2.7
10	1.7	1.7	1.8	1.8	1.9	2.0	2.1	2.3	2.4	2.5	2.7
15	1.6	1.6	1.6	1.7	1.8	1.9	2.0	2.2	2.3	2.5	2.6
20	1.5	1.5	1.5	1.5	1.6	1.7	1.9	2.0	2.2	2.3	2.4
25	1.3	1.3	1.3	1.4	1.4	1.5	1.7	1.8	2.0	2.1	2.3
MAR 1	1.2	1.2	1.2	1.2	1.3	1.4	1.5	1.7	1.9	2.0	2.2
5	1.1	1.1	1.1	1.2	1.2	1.3	1.5	1.5	1.8	2.0	2.1
10	1.1	1.1	1.1	1.1	1.1	1.2	1.4	1.5	1.7	1.9	2.0
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0

Extreme Temperatures For The Base Period

MAX DATE	15.9 Aug22	15.0 Aug20	12.1 Aug22	8.2 Sep28	7.3 Oct17	6.4 Oct30	6.0 Oct30	5.5 Oct30	5.2 Nov16	5.1 Nov16	4.9 Nov16
MIN DATE	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
MIN DATE	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0

99 = insufficient data for climatic analysis

Table 5b.--Summary of Lake Superior, area 1, temperature climatology
and extreme temperatures over period of record

TEMPERATURE (C) CLIMATOLOGY FOR AREA 1

	LAYERS IN METERS											
	0	10	20	30	40	50	60	70	80	90	100	
SEP 1	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	93.0	99.0	
5	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
10	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
OCT 1	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
5	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
10	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	93.0	99.0	
NOV 1	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
5	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
10	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	93.0	99.0	99.0	99.0	
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	93.0	99.0	99.0	99.0	
DEC 1	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
5	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
10	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
JAN 1	99.0	99.0	99.0	99.0	99.0	99.0	99.0	93.0	99.0	99.0	99.0	
5	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
10	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
FEB 1	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
5	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
10	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
15	99.0	99.0	99.0	99.0	99.0	93.0	99.0	99.0	99.0	99.0	99.0	
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
MAR 1	99.0	99.0	99.0	93.0	99.0	99.0	99.0	99.0	99.0	93.0	99.0	
5	99.0	93.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
10	99.0	93.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
	Extreme Temperatures For The Base Period											
MAX DATE	18.1 Aug20	17.6 Aug20	17.3 Aug20	lb.3 Aug20	14.0 Aug20	10.6 Oct20	99.0	99.0	99.0	99.0	99.0	99.0
				0.3	0.4	0.5
MIN DATE	0.3 Feb 1	0.3 Feb 1	0.3 Feb 1	0.3 Feb 1	Jan27	99.0	99.0	99.0	99.0	99.0	99.0	99.0

99 = insufficient data for climatic analysis

Table 5c.--Summary of Lake Superior, area 2, temperature climatology
and extreme temperatures over period of record

TEMPERATURE (C) CLIMATOLOGY FOR AREA 2

LAYERS IN METERS

	0	10	20	30	40	50	60	70	80	90	100
SEP 1	15.2	14.2	11.4	8.3	99.0	99.0	99.0	99.0	99.0	99.0	99.0
5	15.1	14.0	11.2	8.3	99.0	99.0	99.0	93.0	99.0	99.0	99.0
10	14.8	13.7	10.9	8.2	99.0	99.0	99.0	99.0	99.0	99.0	99.0
15	14.2	13.3	10.6	8.2	99.0	99.0	99.0	99.0	99.0	99.0	99.0
20	13.5	12.8	10.3	8.3	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	12.6	12.2	10.1	8.4	99.0	99.0	99.0	99.0	99.0	99.0	99.0
OCT 1	11.6	11.4	9.9	8.6	99.0	99.0	99.0	99.0	99.0	99.0	99.0
5	11.0	10.9	9.7	8.7	99.0	99.0	99.0	99.0	99.0	99.0	99.0
10	10.3	10.3	9.6	8.8	99.0	99.0	99.0	99.0	99.0	99.0	99.0
15	9.8	9.7	9.4	8.7	99.0	99.0	99.0	99.0	99.0	99.0	99.0
20	9.3	9.2	9.1	8.5	99.0	99.0	99.0	99.0	99.0	93.0	99.0
25	8.8	8.8	8.7	8.3	99.0	99.0	99.0	99.0	99.0	99.0	99.0
NOV 1	8.1	9.1	8.1	7.8	99.0	99.0	99.0	99.0	99.0	99.0	99.3
5	7.6	7.7	7.7	7.4	99.0	99.0	99.0	99.0	99.0	99.0	99.0
10	7.1	7.1	7.1	6.9	99.0	99.0	99.0	99.0	99.3	99.0	99.0
15	6.5	6.5	6.5	6.5	99.0	99.0	99.0	99.0	99.0	99.0	99.0
20	5.9	5.9	5.9	6.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	5.4	5.4	5.4	5.6	99.0	99.0	99.0	99.0	99.0	99.0	99.0
OEC 1	4.8	4.8	4.9	5.1	99.0	99.0	99.0	99.0	99.0	99.0	99.3
5	4.5	4.5	4.6	4.8	99.0	99.0	99.0	99.0	99.0	99.0	99.0
10	4.2	4.2	4.4		99.0	99.0	99.0	99.0	99.0	99.0	99.0
15	3.9	3.9	4.1	a:	99.0	99.0	99.0	99.0	99.0	99.0	99.0
20	3.6	3.7	3.8	3.9	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	3.3	3.3	3.5	3.6	99.0	99.0	99.0	99.0	99.0	99.0	99.0
JAN 1	2.8	2.8	3.0	3.1	99.0	99.0	99.0	99.0	99.0	99.0	99.0
5	2.4	2.5	2.7	2.8	99.0	99.0	99.0	99.0	99.0	99.0	99.0
10	2.0	2.0	2.2	2.4	99.0	99.0	99.0	99.0	99.0	99.0	99.0
15	1.6	1.6	1.8	2.1	99.0	99.0	99.0	99.0	99.0	99.0	99.0
20	1.3	1.3	1.5	1.7	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	1.0	1.1	1.2	1.5	99.0	99.0	99.0	99.0	99.0	99.0	99.0
FEB 1	0.9	0.9	0.9	1.2	99.0	99.0	99.0	99.0	99.0	99.0	99.0
5	0.8	0.9	0.9	1.1	99.0	99.0	99.0	99.0	99.0	99.0	99.0
10	0.8	0.8	0.8	1.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
15	0.7	0.7	0.7	0.9	99.0	99.0	99.0	99.0	99.0	99.0	99.0
20	0.6	0.6	0.5	0.8	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	0.5	0.5	0.4	0.5	99.0	99.0	99.0	99.0	99.0	99.0	99.0
MAR 1	0.4	0.4	0.3	0.4	99.0	99.0	99.0	99.3	99.0	99.0	99.0
5	0.4	0.4	0.3	0.4	99.0	99.0	99.0	99.0	99.0	99.0	99.0
10	0.6	0.6	0.5	0.6	99.0	99.0	99.0	99.0	99.0	99.0	99.0
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	93.0	99.0	99.0	99.0
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0

Extreme Temperatures For The Base Period

MAX	16.1	15.7	13.3	9.1	8.5	7.9	7.3	5.3	6.3	6.0	5.7
DATE	Aug21	Aug20	Aug21	Oct1b	Oct16	Oct16	Oct16	Nov14	Nov14	Nov14	Nov14
MIN	0.4	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
DATE	Mar26	Mar26	Feb18	Feb18	Mar25	Mar26	Mar26	Mar25	Mar26	Mar26	Mar26

99 = insufficient data for climatic analysis

Table 5d.--Summary of Lake Superior, area 3, temperature climatology and extreme temperatures over period of record

TEMPERATURE (°C) CLIMATOLOGY FOR AREA 3

LAYERS IN METERS

	0	10	20	30	40	50	60	70	80	90	100
SEP 1	13.1	11.6	9.2	6.7	5.0	4.3	4.2	4.1	4.0	4.0	4.0
5	13.0	11.6	9.4	6.7	5.0	4.4	4.2	4.1	4.0	4.0	3.9
10	12.6	11.3	9.3	6.7	5.0	4.4	4.2	4.1	4.0	4.0	3.9
15	12.0	10.7	9.1	6.6	5.0	4.4	4.2	4.2	4.1	4.1	4.0
20	11.3	10.0	8.8	6.6	5.0	4.5	4.3	4.2	4.2	4.1	4.1
25	10.4	9.3	8.4	6.7	5.2	4.6	4.3	4.2	4.2	4.2	4.1
OCT 1	9.5	8.6	8.1	6.8	5.6	4.9	4.4		4.2	4.1	4.1
5	9.0	8.3	7.9	6.9	5.9	5.1	4.5		4.2	4.1	4.1
10	8.3	7.9	7.7	7.1	6.3	5.4	4.8	4.4	4.2	4.1	4.1
15	7.8	7.7	7.5	7.1	6.6	5.8	5.0	4.5	4.3	4.2	4.2
20	7.4	7.4	7.3	7.1	6.7	6.0	5.3	4.9	4.5	4.4	4.4
25	7.0	7.1	7.0	6.9	6.7	6.2	5.5	5.1	4.9	4.6	4.5
NOV 1	6.6	6.6	6.6	6.6	6.5	6.2	5.7	5.3	5.1	4.9	4.9
5	6.3	6.3	6.3	6.3	6.3	6.1	5.7	5.4	5.2	5.0	5.0
10	6.0	6.0	6.0	6.0	5.9	5.8	5.6	5.4	5.3	5.1	5.1
15	5.7	5.7	5.7	5.7	5.6	5.6	5.5	5.3	5.3	5.1	5.0
20	5.4	5.4	5.4	5.4	5.3	5.3	5.3	5.1	5.1	5.0	4.9
25	5.2	5.1	5.1	5.2	5.1	5.1	5.0	4.9	4.8	4.8	4.8
DEC 1	4.9	4.9	4.9	4.9	4.9	4.9	4.8	4.3	4.7	4.7	4.7
5	4.8	4.8	4.7	4.8	4.8	4.8	4.7	4.7	4.6	4.6	4.6
10	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.5	4.5	4.5	4.5
15	4.4	4.4	4.4	4.4	4.5	4.5	4.5	4.5	4.4	4.4	4.5
20	4.3	4.3	4.3	4.3	4.3	4.4	4.4	4.4	4.3	4.4	4.4
25	4.1	4.1	4.1	4.1	4.2	4.2	4.2	4.2	4.2	4.2	4.3
JAN 1	3.8	3.8	3.8	3.9	3.9	3.9	4.0	4.0	4.0	4.0	4.0
5	3.6	3.6	3.6	3.7	3.7	3.7	3.8	3.8	3.8	3.8	3.8
10	3.3	3.4	3.4	3.4	3.5	3.5	3.5	3.5	3.5	3.5	3.5
15	3.0	3.1	3.1	3.2	3.2	3.2	3.2	3.2	3.2	3.3	3.3
20	2.8	2.8	2.8	2.9	3.0	2.9	3.0	3.0	3.0	3.1	3.1
25	2.5	2.5	2.5	2.6	2.7	2.7	2.7	2.8	2.8	2.9	3.0
FEB 1	2.3	2.2	2.2	2.3	2.5	2.5	2.5	2.6	2.5	2.3	2.9
5	2.1	2.0	2.1	2.1	2.3	2.3	2.4	2.5	2.5	2.8	2.9
10	2.0	1.9	1.9	2.0	2.2	2.2	2.3	2.3	2.5	2.6	2.7
15	1.8	1.8	1.8	1.8	2.0	2.0	2.1	2.2	2.3	2.5	2.5
20	1.6	1.6	1.6	1.7	1.8	1.8	1.9	2.0	2.1	2.2	2.2
25	1.4	1.4	1.4	1.5	1.6	1.6	1.7	1.8	1.9	2.0	2.0
MAR 1	1.2	1.2	1.2	1.3	1.4	1.4	1.5	1.6	1.7	1.8	1.9
5	1.0	1.0	1.1	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8
10	1.1	1.1	1.1	1.1	1.1	1.2	1.3	1.4	1.4	1.6	1.7
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0

Extreme Temperatures For The Base Period

MAX DATE	13.5 Aug21	13.3 Aug20	9.9 Aug21	7.6 Oct16	6.9 Oct17	6.4 Oct30	5.9 Oct30	5.5 Oct30	5.3 Nov14	5.1 Nov14	5.1 Nov14
MIN DATE	0.7 Mar26	0.7 Mar26	0.7 Mar26	0.7 Mar26	0.7 Mar24	0.7 Mar26	3.7 Mar26	0.7 Mar26	0.7 Mar26	1.0 Mar26	1.2 Mar26

99 = insufficient data for climatic analysis

Table 5e.--Summary of Lake Superior, area 4, temperature climatology and extreme temperatures over period of record

TEMPERATURE (C) CLIMATOLOGY FOR 4RCA 4

LAYERS IN METERS

	0	10	20	30	40	50	60	70	80	90	100
SEP 1	13.4	12.3	10.4	7.6	5.5	4.6	4.3	4.2	4.2	4.1	4.1
5	13.5	12.3	10.5	7.9	5.6	4.6	4.3	4.2	4.1	4.0	4.0
10	13.2	12.2	10.6	8.3	5.7	4.5	4.3	4.2	4.1	4.0	4.0
15	12.7	11.9	10.6	8.6	5.8	4.5	4.2	4.1	4.1	4.0	4.0
20	11.9	11.4	10.6	8.8	5.9	4.5	4.2	4.1	4.1	4.0	4.0
25	11.0	10.8	10.4	9.0	6.2	4.7	4.3	4.2	4.1	4.1	4.1
OCT 1	10.1	10.0	9.9	8.9	6.6	5.1	4.6	4.4	4.2	4.1	4.1
5	9.5	9.5	9.4	8.7	6.8	5.3	4.8	4.6	4.2	4.2	4.1
10	8.9	8.9	8.9	8.4	7.1	5.7	5.2	4.9	4.3	4.2	4.1
15	8.3	8.3	8.3	8.0	7.2	6.1	5.5	5.1	4.4	4.3	4.1
20	7.8	7.7	7.7	7.6	7.2	6.2	5.7	5.3	4.6	4.4	4.3
25	7.3	7.2	7.1	7.1	6.9	6.3	5.8	5.4	4.7	4.5	4.4
NOV 1	6.6	6.5	6.5	6.4	6.4	6.0	5.7	5.4	4.9	4.8	4.6
5	6.2	6.2	6.1	6.1	6.0	5.8	5.6	5.3	5.0	4.9	4.7
10	5.7	5.7	5.7	5.7	5.6	5.5	5.3	5.2	5.0	4.9	4.8
15	5.3	5.3	5.4	5.3	5.2	5.2	5.1	5.0	4.9	4.9	4.8
20	5.0	5.0	5.1	5.1	5.0	5.0	4.9	4.9	4.9	4.9	4.8
25	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8
DEC 1	4.6	4.6	4.6	4.6	4.7	4.7	4.7	4.7	4.7	4.7	4.7
5	4.5	4.5	4.5	4.5	4.6	4.6	4.7	4.7	4.6	4.5	4.5
10	4.5	4.5	4.4	4.5	4.5	4.6	4.6	4.6	4.5	4.5	4.5
15	4.4	4.4	4.4	4.4	4.4	4.5	4.5	4.5	4.4	4.5	4.4
20	4.3	4.3	4.3	4.3	4.3	4.3	4.4	4.3	4.3	4.4	4.3
25	4.2	4.2	4.1	4.1	a::	4.2	4.2	4.2	4.2	4.2	4.2
JAN 1	3.8	3.9	3.9	3.9	3.8	3.9	3.9	3.9	3.9	4.0	3.9
5	3.7	3.7	3.7	3.7	3.5	3.7	3.7	3.7	3.7	3.8	3.8
10	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.5	3.5	3.5
15	3.1	3.1	3.1	3.1	3.2	3.2	3.2	3.2	3.2	3.3	3.3
20	2.9	2.9	2.9	2.9	3.0	3.0	3.0	3.0	3.0	3.0	3.0
25	2.7	2.7	2.7	2.7	2.8	2.7	2.8	2.8	2.8	2.8	2.9
FEB 1	2.4	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.6	2.7	2.7
5	t-4	2.3	2.3	2.4	2.3	2.4	2.4	2.5	2.5	2.6	2.6
10	2.2	2.2	2.2	2.2	2.2	2.2	2.3	2.3	2.4	2.5	2.5
15	2.0	2.0	2.0	2.1	2.0	2.1	2.1	2.2	2.3	2.3	2.4
20	1.9	1.9	1.9	1.9	1.9	2.0	2.0	2.0	2.1	2.2	2.2
25	1.8	1.8	1.8	1.8	1.8	1.9	1.9	1.9	1.9	2.0	2.0
MAR 1	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.8	1.9	2.0
5	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.7	1.8	1.9
10	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.6	1.7	1.8
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
20	93.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0

Extreme Temperatures For The Base Period

	MAX DATE	13.8 Aug 21	13.6 Aug 20	13.2 Aug 20	9.3 Aug 21	7.6 Oct 17	6.4 Oct 20	5.3 Oct 20	5.5 Oct 20	5.1 Nov 17	5.1 Nov 17
MIN DATE		0.9 Mar 26	1.0 Mar 26	1.0 Mar 26	1.0 Mar 26	1.0 Mar 26	1.0 Mar 25	1.0 Mar 26	1.0 Mar 25	1.0 Mar 26	1.1 Mar 26
		99 = insufficient	data for climatic analysis								

Table 5f.--Summary of Lake Superior, area 5, temperature climatology and extreme temperatures over period of record

TEMPERATURE (°C) CLIMATOLOGY FOR AREA 5

LAYERS IN METERS

	0	10	20	30	40	50	60	70	50	90	100
SEP 1	12.8	11.7	9.0	6.4	4.8	4.4	4.2	4.1	4.0	4.0	4.0
5	12.9	11.9	9.4	6.5	4.8	4.4	4.2	4.0	4.0	4.0	4.0
10	12.8	11.9	9.8	5.9	5.0	4.5	4.2	4.1	4.0	4.0	4.0
15	12.3	11.6	9.9	7.3	5.4	4.7	4.3	4.1	4.0	4.0	4.0
20	11.6	11.1	9.9	7.7	6.0	4.9	4.4	4.2	4.1	4.1	4.0
25	10.3	10.5	9.6	8.1	6.5	5.2	4.5	4.2	4.1	4.1	4.1
OCT 1	9.8	9.7	9.2	8.2	6.9	5.5	4.7	4.3	4.1	4.1	4.3
5	9.2	9.1	8.8	8.2	7.0	5.7	4.8	4.3	4.1	4.1	4.0
10	8.5	8.5	8.4	8.0	7.0	5.8	5.0	4.4	4.2	4.1	4.0
15	8.0	8.0	7.9	7.7	6.9	5.9	5.1	4.5	4.2	4.1	4.7
20	7.5	7.5	7.4	7.3	6.8	5.9	5.3	4.7	4.4	4.2	4.1
25	7.1	7.1	7.0	6.9	6.5	5.9	5.4	4.9	4.6	4.3	4.2
NOV 1	6.5	6.5	6.5	6.4	6.2	5.8	5.5	5.1	4.8	4.5	4.4
5	6.2	6.2	6.2	6.2	6.0	5.7	5.5	5.2	5.0	4.7	4.5
10	5.8	5.8	5.8	5.8	5.7	5.6	5.4	5.2	5.0	4.8	4.6
15	5.4	5.4	5.5	5.5	5.4	5.3	5.3	5.2	5.0	4.8	4.7
20	5.1	5.1	5.1	5.2	5.1	5.1	5.1	5.1	5.0	4.8	4.7
25	4.8	4.8	4.8	4.9	4.9	4.9	4.8	4.9	4.8	4.7	4.6
DEC 1	4.6	4.6	4.6	4.6	4.6	4.5	4.6	4.7	4.6	4.6	4.5
5	4.4	4.4	4.4	4.4	4.4	4.4	4.5	4.5	4.5	4.5	4.5
10	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.4	4.3
15	4.2	4.2	4.2	4.1	4.1	4.2	4.2	4.2	4.2	4.2	4.2
20	4.0	4.0	4.0	4.0	4.0	4.0	4.1	4.1	4.1	4.1	4.1
25	3.8	3.8	3.8	3.9	3.9	3.9	3.9	3.9	4.0	4.0	4.0
JAN 1	3.6	3.6	3.5	3.5	3.6	3.7	3.7	3.7	3.7	3.7	3.7
5	3.4	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5
10	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.4	3.4	3.4	3.4
15	3.1	3.1	3.1	3.1	3.1	3.1	3.2	3.2	3.2	3.2	3.3
20	3.0	3.0	3.0	2.9	3.0	3.0	3.0	3.0	3.1	3.1	3.1
25	2.8	2.8	2.8	2.8	2.8	2.8	2.9	2.9	2.9	3.0	3.0
FEB 1	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.8	2.8	2.9
5	2.5	2.5	2.5	2.6	2.6	2.6	2.6	2.6	2.7	2.7	2.8
10	2.4	2.4	2.4	2.4	2.4	2.4	2.5	2.5	2.5	2.6	2.6
15	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.4	2.5
20	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.2	2.2	2.3
25	2.0	2.0	2.0	1.9	1.9	2.0	2.0	2.0	2.0	2.0	2.1
MAR 1	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	2.0	2.0
5	1.8	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	2.0
10	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.9
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0

Extreme Temperatures For The Base Period

MAX DATE	13.1	12.2	9.9	8.4	7.0	6.0	5.7	5.3	5.2	4.9	4.8
Sep 7	Aug 19	Sep 11	Sep 28	Oct 17	Oct 17	Oct 30	Nov 17	Nov 17	Nov 18	Nov 18	
MIN DATE	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Mar 26	Mar 26	Mar 26	Mar 26	Mar 26	Mar 26	Mar 26	Mar 26	Mar 26	Mar 26	Mar 26	

99 = insufficient data for climatic analysis

Table 5g.--Summary of Lake Superior, area 6, temperature climatology
and extreme temperatures over period of record

TEMPERATURE CC) CLIMATOLOGY FOR AREA 6

LAYERS IN METERS

	0	10	20	30	40	50	60	70	80	90	100
SEP 1	14.4	12.3	10.3	7.2	5.6	4.7	4.2	4.1	4.1	4.1	4.1
5	14.2	13.0	10.8	7.3	5.7	4.7	4.3	4.1	4.1	4.0	4.1
10	13:b	12.7	11.1	7.6	5.8	4.8	4.3	4.2	4.1	4.1	4.1
15	12.7	12.1	11.0	8.0	6.1	5.0	4.5	4.3	4.2	4.1	4.1
20	11.7	11.4	10.6	8.5	6.4	5.3	4.7	4.3	4.3	4.2	4.1
25	10.7	10.5	10.1	8.8	6.8	5.5	4.8	4.4	4.3	4.2	4.1
OCT 1	9.6	9.6	9.4	8.3	7.0	5.8		4.5	4.3	4.2	4.1
5	9.1	9.0	8.9	8.6	7.1	6.0	4.2	4.5	4.3	4.2	4.1
10	8.5	8.4	8.4	8.3	7.1	6.1	5.1	4.6	4.3	4.2	4.0
15	8.0	7.9	7.9	7.8	7.0	6.1	5.3	4.8	4.4	4.2	4.1
20		7.5	7.5	7.3	6.7	6.1	5.4	4.9	4.5	4.3	4.1
25	3::	7.1	7.0	6.8	6.5	6.0	5.5	5.1	4.7	4.4	4.3
NOV 1	6.4	6.4	6.3	6.2	6.0	5.8	5.5	5.2	4.9	4.7	4.5
5	6.0	6.0	6.0	5.9	5.8	5.6	5.5	5.2	5.0	4.8	4.6
10	5.6	5.6	5.6	5.6	5.4	5.3	5.3	5.2	5.0	4.9	4.7
15	5.2	5.2	5.2	5.3	5.1	5.1	5.1	5.1	4.9	4.9	4.7
20	4.9	4.9	4.9	4.9	4.9	4.8	4.9	4.9	4.8	4.8	4.7
25	4.6	4.6	4.6	4.7	4.6	4.6	4.7	4.7	4.1	4.7	4.6
DEC 1	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.5	4.4
5	4.3	4.3	4.3	4.2	4.3	4.3	4.2	4.3	4.3	4.3	4.3
10	4.2	4.2	4.2	4.1	4.1	4.2	4.1	4.1	4.2	4.2	4.2
15	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
20	3.8	3.8	3.8	3.8	3.8	3.9	3.9	3.9	3.9	3.9	3.9
25	3.7	3.6	3.7	3.7	3.7	3.7	3.8	3.8	3.8	3.8	3.8
JAN 1	3.4	3.4	3.4	3.4	3.4	3.4	3.5	3.5	3.5	3.5	3.5
5	3.2	3.2	3.2	3.3	3.3	3.3	3.4	3.4	3.4	3.4	3.5
10	3.1	3.1	3.1	3.1	3.1	3.1	3.2	3.2	3.3	3.3	3.3
15	2.9	2.9	2.9	2.9	2.9	2.9	3.0	3.0	3.1	3.1	3.2
20	2.8	2.8	2.8	2.8	2.8	2.8	2.9	2.9	3.0	3.0	3.1
25	2.7	2.7	2.7	2.7	2.7	2.7	2.8	2.8	2.9	3.0	3.1
FEB 1	2.6	2.6	2.6	2.7	2.6	2.6	2.7	2.8	2.8	2.9	3.0
5	2.5	2.5	2.5	2.6	2.6	2.5	2.7	2.7	2.8	2.8	3.0
10	2.4	2.4	2.4	2.5	2.5	2.5	2.6	2.7	2.8	2.8	2.9
15	2.3	2.3	2.3	2.4	2.4	2.4	2.5	2.6	2.6	2.5	2.7
20	2.1	2.1	2.2	2.2	2.2	2.3	2.3	2.4	2.5	2.5	2.5
25	2.0	2.0	2.0	2.0	2.1	2.1	2.2	2.2	2.3	2.3	2.3
MAR 1	1.8	1.8	1.9	1.9	1.9	2.0	2.0	2.1	2.2	2.2	2.2
5	1.7	1.7	1.7	1.9	1.8	1.8	1.9	2.0	2.1	2.1	2.2
10	1.7	1.7	1.7	1.7	1.7	1.7	1.8	1.8	1.9	1.9	2.1
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0

Extreme Temperatures For The Base Period

MAX	15.6	14.2	11.4	3.1	7.1	6.3	5.8	5.4	5.0	4.9	4.9
DATE	Aug19	Aug19	Sep11	Sep26	Oct16	Oct17	Oct30	Oct30	Nov11	Nov17	Nov17
MIN	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
DATE	Mar26										

99 = insufficient data for climatic analysis

Table 5h.--Summary of Lake Superior, area 7, temperature climatology and extreme temperatures over period of record

TEMPERATURE (C) CLIMATOLOGY FOR AREA 7

		LAYERS IN METERS											
		0	10	20	30	40	50	60	70	80	90	100	
SEP	1	14.3	13.3	10.7	7.3	5.5	4.6	4.3	4.2	4.1	4.1	4.1	
	5	14.1	13.1		7.3	5.4	4.6	4.3	4.1	4.1	4.0	4.0	
	10	13.7	12.6	"9-i	7.5	5.7	4.8	4.4	4.2	4.1	4.0	4.1	
	15	13.0	12.1	9.9	7.9	6.3	5.3	4.3	4.5	4.3	4.2	4.2	
	20	12.1	11.5	10.0	8.5	7.1	6.0	5.3	4.9	4.5	4.3	4.2	
	25	11.3	11.0	10.1	9.0	7.8	6.5	5.7	5.3	4.7	4.5	4.7	
OCT	1	10.5	10.4	10.1	9.3	8.3	7.0	6.2	5.7	5.0	4.6	4.0	
	5	10.1	10.1	10.0	9.4	8.4	7.1	6.3	5.8	5.2	4.6	3.9	
	10	9.7	9.7	9.6	9.2	8.3	7.1	6.5	6.0	5.7	4.7	3.7	
	15	9.2	9.2	9.2	8.8	8.0	7.0	6.5	6.1	5.5	4.8	3.7	
	20	8.8	8.8	8.6	8.3	7.7	6.8	6.5	6.1	5.6	4.9	3.9	
	25	8.3	8.2	8.1	7.a	7.3	6.7	6.4	6.2	5.7	5.1	4.3	
NUV	1	7.5	7.4	7.3	7.2	6.9	6.5	6.3	6.2	5.8	5.4	4.9	
	5	7.0	7.0	6.9	6.8	6.7	6.3	6.1	5.3	5.5	5.2	5.2	
	10	6.5	6.5	6.5	6.4	6.4	6.2	6.1	6.0	5.8	5.6	5.5	
	15	6.0	6.0	6.1	6.1	6.1	5.9	5.8	5.8	5.7	5.6	5.5	
	20	5.6	5.6	5.7	5.7	5.6	5.6	5.6	5.6	5.5	5.5	5.5	
	25	5.2	5.2	5.2	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	
DEC	1	4.8	4.8	4.8	4.8	4.8	4.8	4.9	4.9	4.9	4.9	4.3	
	5	4.6	4.5	4.5	4.5	4.6	4.6	4.6	4.6	4.7	4.7	4.6	
	10	4.3	4.2	4.2	4.2	4.2	4.3	4.3	4.3	4.4	4.4	4.2	
	15	3.9	3.9	3.9	4.0	4.0	4.0	4.1	4.1	4.1	4.1	4.0	
	20	3.5	3.6	3.6	3.7	3.7	3.8	3.8	3.8	3.8	3.8	3.8	
	25	3.3	3.3	3.3	3.5	3:S	3.5	3.5	3.5	3.5	3.6	3:b	
JAN	1	2.9	2.9	3.0	3.1	3.1	3.1	3.1	3.1	3.1	3.2	3.3	
	5	2.7	2.7	2.7	2.8	2.9	2.9	2.9	2.9	2.9	3.0	3.1	
	10	2.4	2.4	2.4	2.5	2.5	2.5	2.6	2.6	2.7	2.8	2.9	
	15	2.1	2.1	2.1	2.2	2.2	2.3	2.3	2.4	2.5	2.6	2.7	
	20	1.8	1.8	1.8	1.9	1.9	2.0	2.1	2.2	2.4	2.5	2.5	
	25	1.5	1.5	1.5	1.6	1.7	1.3	1.9	2.1	2.3	2.4	2.4	
FEB	1	1.1	1.1	1.2	1.3	1.5	1.7	1.8	2.0	2.2	2.3	2.3	
	5	0.9	1.0	1.1	1.2	1.4	1.6	1.7	1.9	2.1	2.2	2.3	
	10	0.8	0.9	1.0	1.1	1.2	1.4	1.5	1.8	2.0	2.1	2.3	
	15	0.8	0.8	0.9	1.0	1.1	1.3	1.4	1.6	1.8	2.0	2.2	
	20	0.9	0.8	0.8	0.9	0.9	1.1	1.2	1.4	1.7	1.8	2.0	
	25	0.9	0.8	0.8	0.9	0.9	1.0	1.1	1.3	1.5	1.6	1.8	
HAR	1	0.3	0.8	0.8	0.9	0.9	1.0	..	1.3	1.5	1.5	1.7	
	5	0.7	0.8	0.9	0.9	1.0	1.0	1.1	1.2	1.4	1.5	1.6	
	10	0.3				0.9	1.0	1.1	1.2	1.3	1.3	1.5	
	15	99.0	99.0	0.8	0.9	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
	20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
	25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	

Extreme Temperatures For The Base Period

MAX DATE	16.4 Aug22	15.8 Aug19	13.7 Aug19	9.4 Sep26	R.3 Sep28	7.1 Oct20	6.7 Oct20	6.3 Oct20	5.8 Nov14	5.8 Nov16	5.8 Nov16
MIN DATE	0.6 Mar13	0.6 Mar13	0.7 Mar13	0.7 Mar13	0.7 Mar13	0.7 Mar24	0.7 Mar25				

99 = insufficient date for climatic analysis

Table 5i.--Summary of Lake Superior, area 8, temperature climatology
and extreme temperatures over period of record

TEMPERATURE (C) CLIMATOLOGY FOR AREA 8

LAYERS IN METERS

	0	10	20	30	40	50	60	70	80	90	100
SEP 1	15.5	14.1	10.5	7.4	5.3	4.2	4.1	4.0	4.0	4.0	4.0
5	15.4	14.0	10.3	7.5	5.3	4.3	4.1	4.0	4.0	4.0	4.0
10	14.9	13.5	10.2	7.9	5.9	4.6	4.2	4.1	4.0	4.0	4.0
15	14.0	12.9	10.2	8.6	6.8	5.1	4.4	4.2	4.1	4.1	4.0
20	12.9	12.1	10.3	9.2	7.3	5.8	4.6	4.3	4.2	4.2	4.1
25	11.9	11.3	10.4	9.7	8.6	6.3	4.9	4.4	4.3	4.2	4.1
GCT 1	10.8	10.6	10.3	9.9	9.1	6.8	5.2	4.5	4.3	4.2	4.1
5	10.3	10.2	10.1	9.9	9.1	6.9	5.4	4.5	4.2	4.2	4.1
10	9.8	9.8	9.8	9.5	8.9	7.1	5.7	4.5	4.2	4.1	4.1
15	9.4	9.3	9.3	9.1	8.5	7.1	5.9	4.6	4.3	4.2	4.1
20	8.9	8.9	8.8	8.6	8.1	7.1	6.1	4.8	4.4	4.3	4.2
25	8.3	8.3	8.2	8.0	7.7	7.0	6.2	5.0	4.7	4.8	4.4
NOV 1	7.4	7.4	7.4	7.3	7.1	6.7	6.2	5.3	5.1	4.9	4.8
5	6.9	6.9	6.9	6.9	6.8	6.5	6.1	5.4	5.3	5.1	4.9
10	6.3	6.3	6.3	6.3	6.3	6.1	5.9	5.5	5.4	5.3	5.1
15	5.8	5.8	5.8	5.8	5.9	5.7	5.6	5.5	5.4	5.3	5.2
20	5.3	5.3	5.3	5.4	5.4	5.3	5.3	5.3	5.2	5.1	5.0
25	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
DEC 1	4.7	4.6	4.6	4.6	4.6	4.6	4.6	4.7	4.7	4.1	4.7
5	4.5	4.4	4.4	4.4	4.4	4.5	4.5	4.5	4.4	4.5	4.5
10	4.2	4.2	4.3	4.3	4.3	4.3	4.3	4.3	4.2	4.2	4.3
15	4.0	4.0	4.1	4.1	4.2	4.2	4.1	4.1	4.1	4.1	4.1
20	3.8	3.8	3.9	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
25	3.7	3.7	3.7	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
JAN 1	3.4	3.4	3.4	3.5	3.5	3.5	3.6	3.6	3.6	3.6	3.3
5	3.2	3.2	3.2	3.2	3.3	3.3	3.4	3.4	3.4	3.4	3.4
10	3.0	3.0	2.9	3.0	3.0	3.0	3.1	3.1	3.1	3.2	3.2
15	2.7	2.7	2.7	2.7	2.7	2.8	2.8	2.8	2.8	2.9	3.0
20	2.4	2.4	2.4	2.4	2.5	2.5	2.5	2.6	2.6	2.7	2.8
25	2.0	2.0	2.1	2.2	2.3	2.3	2.3	2.4	2.5	2.6	2.6
FEB 1	1.6	1.6	1.7	1.8	1.9	2.0	2.1	2.3	2.4	2.5	2.5
5	1.4	1.5	1.5	1.6	1.7	1.8	2.0	2.2	2.3	2.4	2.4
10	1.3	1.3	1.3	1.5	1.5	1.7	1.9	2.1	2.2	2.3	2.3
15	1.1	1.1	1.2	1.4	1.5	1.8	1.8	1.9	2.0	2.1	2.2
20	1.0	1.0	1.0	1.3	1.4	1.6	1.7	1.8	1.9	2.0	2.2
25	99.0	99.0	99.0	99.0	99.0	99.0	93.0	99.0	99.0	99.0	99.0
MAR 1	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.3
5	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	93.0	99.0
10	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	93.0	99.0
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0

Extreme Temperatures For The Base Period

MAX DATE	16.2 Aug22	15.5 Aug22	11.6 Aug22	10.1 Sep26	9.2 Sep27	7.3 Oct20	6.2 Oct20	5.7 Nov14	5.6 Nov14	5.6 Nov14	5.3 Nov14
MIN DATE	1.0 Feb19	1.0 Feb19	1.0 Feb19	1.1 Mar12	1.1 Mar12	1.3 Mar12	1.3 Mar12	1.5 Mar12	1.5 Mar12	1.5 Mar12	2.0 Feb19

99 = insufficient data for climatic analysis

Table 5j .--Summary of Lake Superior, area 9, temperature climatology
and extreme temperatures over period of record

TEMPERATURE (C) CLIMATOLOGY FOR AREA 9

		LAYERS IN METERS											
		0	10	20	30	40	50	60	70	30	90	100	
SEP	1	14.5	13-b	10.1	6.8	4.9	4.1	4.0	4.0	3.9	3.9	4.0	
	5	14.6	13.7	10.5	7.2	4.9	4.1	4.0	3.9	3.9	3.9	3.3	
	10	14.2	13.4	10:b	7.4	5.0	4.1	4.0	4.0	4.0	3.9	3.9	
	15	13.3	12.6	10.3	7.4	5.1	4.3	4.2	4.1	4.0	4.0	4.0	
	20	12.0	11.5	9.8	7.1	4.6	4.5	4.3	4.1	4.0	4.0	4.0	
	25	10:b	10.3	9.1	6.8	5.4	4.9	4.7	4.4	4.1	4.0	4.0	
OCT	1	9.2	9.1	8.5	6.7	5.1	5.2	4.8	4.4	4.1	3.9	3.9	
	5	8.5	8.5	8.2	6.7	5.9	5.3	4.8	4.4	4.0	3.8	3.8	
	10	8.0	8.1	7.9	6.8	6.2	5.5	4.9	4.3	3.9	3.8	3.8	
	15	7.8	7.8	7.9	7.0	5.4	5.6	4.9	4.3	3.9	3.8	3.8	
	20	7.7	7.7	7.8	7.2	6.5	5.7	5.0	4.5	4.1	3.9	3.9	
	25	7.6	7.6	7.6	7.2	6.7	5.8	5.2	4.7	4.7	4.1	4.1	
NOV	1	7.2	7.2	7.2	7.0	6.5	5.8	5.4	5.0	4.7	4.5	4.1	
	5	6.8	6.8	6.8	6.7	6.3	5.9	5.4	5.2	4.9	4.1	4.6	
	10	6.3	6.2	6.2	6.2	5.9	5.6	5.4	5.2	5.0	4.8	4.7	
	15	5.7	5.7	5.6	5.6	5.5	5.3	5.2	5.1	5.0	4.8	4.7	
	20	5.1	5.1	5.1	5.1	5.1	5.1	5.0	5.0	4.9	4.8	4.7	
	25	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.6	4.6	
DEC	1	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	
	5	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	
	10	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	
	15	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	
	20	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.1	4.1	4.0	
	25	3.8	3.8	3.8	3.8	3.9	3.9	3.9	3.9	4.0	3.9	3.9	
JAN	1	3.4	3.4	3.5	3.5	3.6	3.5	3.7	3.7	3.7	3.7	3.7	
	5	3.2	3.2	3.2	3.3	3.3	3.4	3.4	3.4	3.5	3.5	3.5	
	10	2.9	2.9	3.0	3.0	3.0	3.1	3.1	3.1	3.2	3.2	3.3	
	15	2.7	2.7	2.7	2.7	2.8	2.8	2.8	2.8	2.9	3.0	3.1	
	20	2.5	2.5	2.5	2.5	2.5	2.6	2.6	2.6	2.7	2.8	2.9	
	25	2.4	f-2	2.4	2.4	2.4	2.4	2.4	2.5	2.6	2.7	2.8	
FEB	1	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.5	2.6	2.6	2.8	
	5	2.2	2.2	2.2	2.2	2.3	2.3	2.3	2.5	2.6	2.5	2.8	
	10	2.0	2.0	2.0	2.1	2.2	2.2	2.2	2.4	2.5	2.5	2.7	
	15	1.9	1.9	1.9	1.9	2.0	2.0	2.1	2.2	2.4	2.4	2.5	
	20	1.7	1.7	1.7	1.7	1.8	1.8	1.8	2.0	2.1	2.2	2.3	
	25	1.6	1.6	1.6	1.6	1.6	1.6	1.8	1.9	2.0	2.0	2.2	
MAR	1	1.5	1.5	1.5	1.5	1.5	1.5	1.6	1.8	1.9	2.0	2.0	
	5	1.4	1.4	1.4	1.4	1.4	1.4	1.6	1.7	1.9	2.0	2.0	
	10	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.5	1.6	1.8	1.9	
	15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
	20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
	25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	

Extreme Temperatures For The Ease Period

MAX DATE	15.8 Aug22	15.0 Aug22	12.6 Aug22	8.0 Oct18	7.3 Oct17	6.2 Oct17	5.4 Nov 2	5.2 Nov13	5.0 Nov13	4.B Nov14	4.8 Nov14
MIN DATE	0.7 Mar25	0.7 Mar25	0.7 Mar25	0.7 Mar25	0.7 Mar25	0.7 Mar25	0.7 Mar25	0.8 Mar25	0.8 Mar25	0.8 Mar25	0.8 Mar25

99 = insufficient data for climatic analysis

Table 5k.--Summary of Lake Superior, area 10, temperature climatology and extreme temperatures over period of record

TEMPERATURE (°C) CLIMATOLOGY FOR AREA 10												
	LAYERS IN METERS											
	0	10	20	30	40	50	60	70	80	90	100	
SEP 1	14.5	13.5	10.2	6.8	4.6	4.1	4.1	4.0	4.0	4.0	4.0	4.3
5	14.6	13.6	10.6	6.8	4.6	4.1	4.0	4.0	4.0	4.3	4.3	3.9
10	14.2	13.3	10.8	7.0	4.6	4.1	4.0	4.0	4.0	4.0	4.0	4.0
15	13.3	12.7	10.7	7.1	4.8	4.3	4.1	4.1	4.0	4.0	4.0	4.0
20	12.1	11.7	10.2	7.3	5.0	4.5	4.2	4.1	4.0	4.0	4.0	4.0
25	10.8	10.6	9.7	7.4	5.3	4.7	4.2	4.1	4.0	4.0	4.0	4.0
OCT 1	9.5	9.5	9.1	7.7	5.8	4.9	4.3	4.0	3.9	3.9	3.9	3.9
5	8.8	8.9	8.8	7.9	6.1	5.0	4.3	4.0	3.8	3.8	3.8	3.8
10	8.3	8.4	8.5	7.9	6.4	5.1	4.4	4.0	3.8	3.8	3.8	3.8
15	7.9	8.1	8.3	8.0	6.7	5.3	4.5	4.1	3.9	3.8	3.8	3.8
20	7.7	7.8	8.0	7.9	6.9	5.4	4.7	4.3	4.0	4.0	4.0	3.9
25	7.5	7.5	7.7	7.6	6.8	5.5	4.9	4.6	4.3	4.2	4.3	
NOV 1	7.0	7.0	7.1	7.0	6.6	5.6	5.2	4.9	4.6	4.5	4.5	4.3
5	6.6	6.5	6.6	6.6	6.3	5.5	5.3	5.0	4.3	4.7	4.5	
10	6.0	5.0	6.0	6.0	5.8	5.4	5.2	5.1	4.9	4.8	4.6	
15	5.4	5.5	5.4	5.4	5.4	5.2	5.1	5.0	4.9	4.8	4.7	
20	5.0	5.0	5.0	5.0	4.9	4.9	4.9	4.3	4.8	4.8	4.7	
25	4.6	4.7	4.6	4.6	4.6	4.7	4.7	4.1	4.7	4.6	4.6	
DEC 1	4.3	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4
5	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3
10	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2
15	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.0	4.0	4.1
20	3.9	3.9	3.9	3.9	3.9	3.9	4.0	3.9	3.9	3.9	3.9	3.9
25	3.7	3.7	3.7	3.7	3.7	3.8	3.8	3.8	3.8	3.8	3.8	3.8
JAN 1	3.3	3.3	3.3	3.3	3.4	3.5	3.5	3.5	3.5	3.5	3.5	3.5
5	3.1	3.1	3.1	3.1	3.2	3.2	3.3	3.3	3.4	3.4	3.4	3.4
10	2.8	2.8	2.8	2.8	2.9	2.9	3.0	3.1	3.2	3.2	3.2	3.2
15	2.6	2.6	2.6	2.6	2.7	2.7	2.8	2.8	2.9	3.0	3.0	3.1
20	2.4	2.4	2.5	2.5	2.5	2.5	2.5	2.7	2.9	2.8	2.9	2.9
25	2.3	2.3	2.3	2.3	2.4	2.4	2.4	2.5	2.6	2.7	2.7	2.9
FEB 1	2.0	2.0	2.1	2.2	2.2	2.3	2.4	2.5	2.5	2.6	2.8	
5	1.9	1.9	2.0	2.1	2.1	2.2	2.3	2.4	2.5	2.6	2.8	
10	1.7	1.7	1.8	1.9	2.0	2.1	2.3	2.4	2.4	2.5	2.8	
15	1.5	1.5	1.6	1.7	1.8	1.9	2.1	2.2	2.3	2.4	2.7	
20	1.4	1.4	1.5	1.5	1.6	1.6	1.9	2.0	2.1	2.3	2.3	
25	1.3	1.3	1.4	1.4	1.4	1.4	1.7	1.9	2.0	2.2	2.4	
MAR 1	1.3	1.3	1.3	1.3	1.3	1.4	1.6	1.7	1.9	2.0	2.3	
5	1.3	1.3	1.3	1.3	1.3	1.3	1.5	1.6	1.9	1.9	2.2	
10	1.2	1.3	1.3	1.3	1.3	1.3	1.4	1.5	1.7	1.8	2.0	
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0

Extreme Temperatures for The Base Period												
MAX DATE	18.0 Aug18	17.1 Aug18	16.0 Aug18	10.3 Aug22	6.9 Oct18	5.6 Nov 2	5.2 Nov 2	5.1 Nov14	No %	4.9 Nov17	4.8 Nov17	
MIN DATE	0.9 Mar25	0.9 Mar25	0.9 Mar25	0.9 Mar25	0.9 Mar25	0.9 Mar25	0.9 Mar25	0.9 Mar25	0.9 Mar25	0.9 Mar25	0.9 Mar25	0.9 Mar25

99 = insufficient data for climatic analysis

Table 51.--Summary of Lake Superior, area 11, temperature climatology
and extreme temperatures over period of record

TEMPERATURE (C) CLIMATOLOGY FOR AREA 11

	LAYERS IN METERS											
	0	10	20	30	40	50	60	70	80	90	100	
SEP 1	14.7	14.1	9.8	5.8	4.5	4.1	4.0	4.0	4.0	4.0	3.9	
5	14.6	14.1	10.0	6.0	4.5	4.1	4.0	4.0	4.0	4.0	4.0	
10	14.3	13.9	10.2	6.4	4.7	4.1	4.0	4.0	4.0	4.0	4.0	
15	13.7	13.5	10.4	6.8	5.0	4.2	4.1	4.0	4.0	4.0	4.0	
20	12.9	12.7	10.4	7.3	5.3	4.4	4.1	4.0	4.0	4.0	4.0	
25	12.0	11.8	10.4	7.7	5.7	4.5	4.2	4.0	4.0	4.0	3.3	
OCT 1	10.8	10.7	10.2	8.0	6.1	4.7	4.2	4.1	4.1	4.0	3.9	
5	10.1	10.0	9.9	8.2	6.3	4.8	4.3	4.2	4.1	4.0	3.9	
10	9.3	9.2	9.5	8.2	6.5	4.9	4.5	4.3	4.3	4.0	4.0	
15	8.7	8.6	9.0	8.1	6.6	5.2	4.7	4.5	4.4	4.1	4.0	
20	8.2	8.1	8.4	7.9	6.7	5.4	5.0	4.8	4.6	4.2	4.0	
25	7.7	7.7	7.9	7.6	6.7	5.6	5.3	5.1	4.8	4.2	4.1	
NOV 1	7.1	7.1	7.1	7.0	6.4	5.8	5.5	5.4	5.0	4.4	4.2	
5	6.7	6.7	6.7	6.6	5.2	5.8	5.7	5.5	5.1	4.5	4.3	
10	6.1	6.1	6.1	6.0	5.9	5.6	5.6	5.4	5.1	4.5	4.4	
15	5.6	5.6	5.6	5.5	5.5	5.3	5.3	5.0	4.6	4.5	4.5	
20	5.1	5.1	5.1	5.1	5.1	5.0	5.0	5.0	4.8	4.5	4.5	
25	4.7	4.6	4.7	4.7	4.7	4.7	4.7	4.7	4.6	4.5	4.5	
DEC 1	4.3	4.3	4.4	4.4	4.3	4.4	4.4	4.4	4.4	4.4	4.4	
5	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.3	4.3	4.3	
10	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	
15	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
20	3.8	3.8	3.9	3.9	3.9	3.9	3.9	3.8	3.8	3.8	3.8	
25	3.6	3.6	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	
JAN 1	3.2	3.2	3.2	3.3	3.3	3.3	3.3	3.4	3.5	3.5	3.5	
5	2.9	2.9	3.0	3.0	3.0	3.0	3.1	3.2	3.3	3.4	3.5	
10	2.6	2.6	2.6	2.7	2.7	2.7	2.8	2.9	3.1	3.3	3.4	
15	2.3	2.3	2.3	2.4	2.4	2.4	2.5	2.7	2.9	3.1	3.2	
20	2.1	2.1	2.2	2.2	2.2	2.2	2.3	2.5	2.8	2.9	3.1	
25	2.1	2.1	2.1	2.1	2.1	2.2	2.2	2.5	2.6	2.8	2.9	
FEB 1	2.0	2.0	2.1	2.1	2.1	2.2	2.2	2.4	2.5	2.6	2.7	
5	2.0	2.0	2.1	2.1	2.1	2.1	2.2	2.3	2.4	2.5	2.6	
10	1.9	2.0	2.0	2.0	2.0	2.1	2.2	2.3	2.3	2.4	2.6	
15	1.8	1.8	1.8	1.8	1.9	1.9	2.0	2.1	2.2	2.4	2.6	
20	1.5	1.6	1.6	1.6	1.6	1.7	1.8	1.9	2.1	2.3	2.5	
25	1.3	1.4	1.4	1.4	1.4	1.5	1.6	1.7	2.0	2.2	2.5	
MAR 1	1.2	1.2	1.2	1.2	1.3	1.3	1.4	1.6	1.9	2.1	2.5	
5	1.1	1.1	1.1	1.1	1.2	1.3	1.4	1.5	1.7	2.0	2.3	
10	1.0	1.0	1.0	1.0	1.1	1.2	1.3	1.4	1.6	1.8	2.2	
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.3	99.0	99.0	
25	99.0	99.0	99.0	99.0	99.0	99.0	93.0	99.0	99.0	99.0	99.0	

	Extreme Temperatures For The Base Period											
MAX DATE	17.0 Aug 18	16.3 Aug 18	13.5 dug 22	7.9 Sep 29	6.4 Oct 18	5.8 Nov 2	5.3 Nov 2	5.4 Nov 2	5.1 Nov 14	4.8 Nov 17	4.6 Nov 17	
MIN DATE	0.8 Mar 25	0.8 Mar 25	0.8 Mar 25	0.3 Mar 25	0.8 Mar 25	0.8 Mar 25	0.8 Mar 25	0.8 Mar 25	3.8 Mar 25	0.8 Mar 25	1.0 Mar 25	

99 = insufficient data for climatic analysis

Table Sm.--Summary of Lake Superior, area 12, temperature climatology
and extreme temperatures over period of record

TEMPERATURE (°C) CLIMATOLOGY FOR AREA 12

		LAYERS IN METERS										
		0	10	20	30	40	50	60	70	80	90	100
SEP	1	15.1	14.1	9.6	5.2	4.2	4.1	4.1	4.0	4.0	4.3	3.9
	5	14.7	13.9	3.6	5.2	4.1	4.1	4.0	4.0	4.0	4.3	4.0
	10	14.1	13.5	9.7	5.4	4.4	4.2	4.1	4.0	4.0	4.0	4.0
	15	13.4	13.0	9.9	5.1	5.1	4.4	4.1	4.1	4.0	4.0	4.0
	20	12.6	12.4	10.0	6.9	5.9	4.5	4.2	4.1	4.1	4.0	4.0
	25	11.8	11.6	10.0	7.6	6.5	4.8	4.3	4.1	4.1	4.0	4.0
OCT	1	10.7	10.5	9.7	8.0	7.0	4.9	4.4	4.1	4.1	4.0	4.0
	5	9.9	9.8	9.3	8.1	7.0	5.0	4.4	4.1	4.1	4.1	4.1
	10	9.1	9.0	8.8	7.9	6.8	5.0	4.5	4.2	4.1	4.1	4.1
	15	8.3	8.3	8.1	7.6	6.6	5.1	4.7	4.2	4.2	4.2	4.2
	20	7.7	7.6	7.6	7.2	6.3	5.3	4.9	4.4	4.3	4.3	4.2
	25	7.1	7.1	7.1	6.8	6.1	5.4	5.1	4.6	4.5	4.3	4.2
NOV	1	6.5	5.5	6.4	6.3	5.9	5.6	5.3	4.8	4.7	4.5	4.3
	5	6.2	5.2	6.1	6.1	5.8	5.6	5.3	5.0	4.9	4.6	4.4
	10	5.8	5.8	5.7	5.7	5.7	5.5	5.2	5.0	4.9	4.6	4.5
	15	5.3	5.4	5.3	5.4	5.4	5.3	5.1	5.0	4.9	4.7	4.5
	20	5.11	5.0	5.0	5.0	5.0	4.9	4.9	4.8	4.8	4.6	4.6
	25	4.7	4.7	4.7	4.7	4.7	4.6	4.7	4.7	1.1	4.5	
DEC	1	4.3	4.4	4.3	4.3	4.3	4.3	4.3	4.4	4.4	4.4	4.4
	5	4.2	4.2	4.2	4.1	4.1	4.1	4.2	4.2	4.2	4.3	4.3
	10	4.0	4.0	4.0	4.0	3.9	4.0	4.0	4.3	4.0	4.1	4.1
	15	3.8	3.8	3.8	3.8	3.8	3.8	3.9	3.8	3.8	3.8	3.9
	20	3.5	3.5	3.5	3.5	3.7	3.7	3.7	3.7	3.7	3.7	3.7
	25	3.2	3.2	3.3	3.4	3.4	3.4	3.5	3.5	3.5	3.6	3.6
JAN	1	2.7	2.7	2.8	2.9	3.0	3.0	3.0	3.2	3.3	3.5	3.5
	5	2.4	2.4	2.5	2.6	2.6	2.7	2.8	3.0	3.2	3.4	3.4
	10	2.0	2.1	2.1	2.2	2.2	2.3	2.5	2.7	3.0	3.3	3.3
	15	1.8	1.8	1.9	1.9	1.9	2.1	2.2	2.5	2.9	3.2	3.2
	20	1.7	1.7	1.7	1.8	1.8	1.9	2.0	2.3	2.7	3.0	3.1
	25	1.7	1.7	1.7	1.7	1.8	1.9	2.0	2.3	2.6	2.8	3.0
FEB	1	1.8	1.8	1.8	1.9	2.0	1.13	2.0	2.3	2.5	2.7	2.9
	5	1.9	1.8	1.8	1.9	2.1	1.9	2.0	2.3	2.5	2.7	2.9
	10	1.7	1.7	1.7	1.9	2.0	1.9	2.0	2.4	2.7	2.7	3.0
	15	1.5	1.5	1.6	1.7	1.8	1.7	2.0	2.4	2.8	2.9	3.1
	20	1.3	1.3	1.3	1.4	1.5	1.5	1.8	2.4	3.0	3.3	
	25	1.1	1.2	1.1	1.2	1.2	1.4	1.7	2.2	5.1	3.1	3.3
MAR	1	1.1	1.1	1.1	1.1	1.2	1.2	1.6	2.1	2.6	3.0	3.3
	5	1.1	1.1	1.1	1.2	1.2	1.3	1.5	2.0	2.5	2.9	3.1
	10	1.1	1.1	1.1	1.1	1.2	1.2	1.4	1.8	2.3	2.7	3.0
	15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	25	99.0	99.0	99.0	99.0	99.0	93.0	93.0	99.0	99.0	99.0	99.0

Extreme Temperatures For The Base Period

15.4 8.3 7.3 5.9

MAX DATE	19.5 Aug18	19.1 Aug18	Aug18	Sep29	Sep29	Oct31	Nov5.4	Nov5.0	Nov5.2	Nov5.0	4.9	4.8	4.6
MIN DATE	1.0 Mar13	1.0 Mar13	Mar13	Mar13	Mar24	Mar25	Mar25	Mar25	Mar25	Mar25	2	Nov15	Nov17
	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.1	1.1	1.9	2.5	2.6

99 = insufficient data for climatic analysis

Table 5n.--Summary of Lake Superior, area 13, temperature climatology and extreme temperatures over period of record

TEMPERATURE (C) CLIMATOLOGY FOR AREA 13

LAYERS IN METERS

	0	10	20	30	40	50	60	70	80	90	100
SEP 1	14.3	12.5	8.9	5.9	5.0	99.0	99.0	99.0	99.0	99.0	99.0
5	14.1	12.9	9.9	6.4	5.3	99.0	99.0	99.0	99.0	99.3	91.0
10	13.7	13.2	10.9	7.1	5.7	99.0	99.0	99.0	99.0	99.0	99.0
15	13.2	13.0	11.4	7.6	6.2	99.0	99.0	99.0	99.0	99.0	99.0
20	12.5	12.4	11.4	8.0	6.5	99.0	99.0	99.0	99.3	99.0	99.0
25	11.8	11.7	11.0	8.3	6.9	99.0	99.0	99.0	99.0	99.0	99.0
OCT 1	10.8	10.6	10.3	8.4	7.1	6.8	99.0	99.0	99.0	99.0	99.0
5	10.1	10.0	9.8	8.3	7.2	6.6	99.0	99.0	93.0	99.0	99.0
10	9.4	9.3	9.1	8.2	7.2	6.1	99.0	99.0	99.0	99.0	99.0
15	8.7	8.6	8.5	8.0	7.1	5.7	99.0	99.0	99.0	99.0	99.0
20	8.1	8.1	8.0	7.7	7.0	5.6	99.0	99.0	99.0	99.0	99.0
25	7.6	7.6	7.5	7.4	6.8	5.6	93.0	99.0	99.0	99.0	99.0
NOV 1	7.0	7.0	7.0	6.9	6.5	5.7	99.0	93.0	99.0	99.0	99.0
5	6.7	6.7	6.7	6.7	6.4	5.8	99.0	93.0	99.0	99.0	99.0
10	6.3	6.3	6.3	6.3	6.1	5.8	99.0	99.0	99.0	99.0	99.0
15	5.9	5.8	5.9	5.8	5.7	5.7	99.0	99.0	99.0	99.0	99.0
20	5.4	5.4	5.4	5.4	5.3	5.4	99.0	99.0	99.0	99.0	99.0
25	5.0	5.0	5.0	5.0	5.0	5.1	99.0	99.0	99.0	99.0	99.0
DEC 1	4.5	4.5	4.5	4.5	4.6	4.6	99.0	99.0	99.0	97.0	99.0
5	4.2	4.2	4.2	4.3	4.3	4.3	99.0	99.0	99.0	99.0	99.0
10	3.9	3.9	3.9	3.9	4.0	4.0	99.0	99.0	99.0	99.0	99.0
15	3.5	3.5	3.5	3.6	3.7	3.8	93.0	99.0	99.0	99.0	99.0
20	3.2	3.2	3.3	3.3	3.4	3.5	99.0	99.0	99.0	99.0	99.0
25	2.9	2.9	3.0	3.0	3.1	3.2	99.0	99.0	99.0	99.0	99.0
JAN 1	2.5	2.5	2.6	2.6	2.6	2.7	99.0	99.0	99.0	99.0	99.0
5	2.3	2.3	2.3	2.3	2.3	2.5	99.0	99.0	99.0	99.0	99.0
10	2.0	2.0	2.1	2.1	2.1	2.2	99.0	99.0	99.0	99.0	99.0
15	1.7	1.7	1.8	1.8	1.9	2.0	99.0	99.0	99.0	99.0	99.0
20	1.4	1.4	1.5	1.6	1.9	2.0	99.0	99.0	99.0	99.0	99.0
25	1.2	1.2	1.3	1.5	1.9	2.1	99.0	99.0	99.0	99.0	99.0
FEB 1	1.0	1.0	1.0	1.4	2.0	2.4	99.0	99.0	99.0	99.0	93.0
5	0.9	0.9	1.0	1.3	2.0	2.5	99.0	99.0	99.0	99.0	99.0
10	0.9	0.8	0.9	1.3	1.9	2.4	99.0	99.0	99.0	99.0	99.0
15	0.8	0.8	0.9	1.2	1.5	2.1	99.0	99.0	99.0	99.0	99.0
20	0.8	0.9	0.9	1.1	1.3	1.6	99.0	99.0	99.0	99.0	99.0
25	0.8	0.9	0.9	1.0	1.0	1.2	99.0	99.0	99.0	99.0	99.0
MAR 1	0.8	0.8	0.8	0.9	0.9	1.0	99.0	97.0	99.0	99.0	99.0
5	0.8	0.8	0.8	0.9	0.9	1.0	99.0	99.0	99.0	99.0	99.0
10	0.7	0.7	0.7	0.8	0.8	0.9	97.0	99.0	99.0	99.0	99.0
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	93.3	99.0	99.0	99.0
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0

Extreme Temperatures For The Bass Period

	20.0	15.8	11.3	8.5	7.2	7.0	6.0	5.5	4.8	4.8	4.3
MAX DATE	Aug18	Aug13	Sep11	Sep29	Sep29	Sep29	Oct31	Nov14	Nov14	Nov14	Nov14
MIN DATE	Feb20	Mar12	Mar25	Mar25	Mar25						

99 = insufficient date for climatic analysis

Table 50.--Summary of Lake Superior, area 14, temperature climatology and extreme temperatures over period of record

TEMPERATURE (C) CLIMATOLOGY FOR AREA 14

LAYERS IN METERS

	0	10	20	30	40	50	60	70	80	90	100	
SEP	1	99.0	99.0	99.0	99.0	99.0	93.0	99.0	99.0	93.0	99.0	99.0
	5	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	10	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
OCT	1	10.3	10.2	3.7	7.0	5.5	4.6	4.3	4.2	4.1	4.0	4.0
	5	9.9	9.9	9.3	7.2	5.9	5.2	4.8	4.5	4.3	4.2	4.1
	10	9.4	9.3	8.9	7.5	6.5	5.8	5.3	4.9	4.6	4.3	4.2
	15	a.7	8.7	8.3	7.6	6.7	6.2	5.5	4.9	4.6	4.3	4.2
	20	8.1	8.1	7.8	7.8	6.7	6.2	5.5	4.9	4.6	4.3	4.2
	25	7.6	7.5	7.4	7.3	6.5	6.1	5.5	4.9	4.5	4.3	4.2
NOV	1	6.9	6.9	6.8	6.7	6.2	5.8	5.4	5.0	4.1	4.5	4.3
	5	6.4	6.4	5.4	5.3	5.9	5.6	5.3	5.0	4.8	4.6	4.4
	10	5.9	5.9	5.9	5.8	5.6	5.3	5.1	5.0	4.8	4.7	4.6
	15	5.3	5.3	5.3	5.3	5.2	5.1	5.0	4.9	4.8	4.7	4.5
	20	4.9	4.9	4.8	4.8	4.8	4.8	4.8	4.8	4.7	4.1	4.5
	25	4.5	4.5	4.5	4.5	4.5	4.6	4:h	4.6	4.6	4.6	4.5
DEC	1	4.3	4.3	4.3	4.3	4.3	4.4	4.4	4.4	4.4	4.4	4.4
	5	4.2	4.2	4.2	4.2	4.2	4.3	4.3	4.3	4.3	4.3	4.3
	10	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.2	4.2	4.2
	15	3.9	3.9	3.9	3.9	3.9	4.0	4.0	4.0	4.0	4.0	4.1
	20	3.7	3.7	3.7	3.7	3.7	3.8	3.5	3.8	3.9	3.9	4.0
	25	3.4	3.4	3.4	3.5	3.5	3.6	3.6	3.7	3.7	3.7	3.3
JAN	1	2.3	2.9	3.0	3.1	3.2	3.3	3.4	3.5	3.5	3.6	3.6
	5	2.7	2.7	2.8	2.8	3.0	3.1	3.2	3.3	3.4	3.5	3.5
	10	2.4	2.4	2.5	2.5	2.7	2.9	3.0	3.2	3.3	3.3	3.4
	15	2.2	2.2	2.2	2.3	2.5	2.7	2.7	2.9	3.1	3.1	3.2
	20	2.0	2.0	2.0	2.1	2.3	2.4	2.5	2.7	2.8	2.9	3.0
	25	2.0	2.0	2.0	2.1	2.2	2.3	2.3	2.5	2.8	2.8	2.9
FEB	1	2.0	2.0	2.0	2.1	2.2	2.2	2.3	2.4	2.5	2.7	2.9
	5	1.9	2.0	2.0	2.1	2.2	2.3	2.4	2.4	2.5	2.7	2.9
	10	1.7	1.8	1.8	2.0	2.2	2.2	2.3	2.4	2.5	2.8	3.0
	15	1.3	1.5	1.5	1.6	1.8	1.9	2.0	2.3	2.5	2.8	3.1
	20	1.2	1.4	1.5	1.5	1.7	1.9	2.0	2.2	2.7	2.9	3.1
	25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
MAR	1	99.0	93.0	93.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	5	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	10	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	20	99.0	93.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
	25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0

Extreme Temperatures For The Base Period

MAX DATE	15.0 Aug22	13.3 Au322	19.0 Sep29	77.7 Oct18	6.9 Oct18	6.5 Oct18	5.8 Oct18	5.1 Oct18	4.9 Nov11	4.8 Nov16	4.7 Dec17
MIN DATE	0.8 Mar12	0.8 Mar12	0.8 Mar12	0.8 Mar12	1.0 Mar12	1.3 Mar12	1.9 Feb21	2.2 Feb21	2.4 Jan31	2.7 Jan31	2.8 Jan30

99 = insufficient data for climatic analysis

Table 5p.--Summary of Lake Superior, area 15, temperature climatology and extreme temperatures over period of record

TEMPERATURE (C) CLIMATOLOGY FOR AREA 15

LAYERS IN METERS

	0	10	20	30	40	50	60	70	80	90	100
SEP 1	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
5	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
10	99.0	99.0	99.0	93.0	99.0	99.0	99.0	99.0	99.0	59.0	99.0
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	93.0	93.0
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
OCT 1	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
5	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
10	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
15	99.0	99.0	99.0	99.0	99.0	93.0	99.0	99.0	99.0	99.0	93.0
20	99.0	99.0	99.0	93.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	99.0	93.0	99.0	93.0	99.0	99.0	93.0	99.0	99.0	99.0	93.0
NOV 1	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
5	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
10	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
DEC 1	99.0	99.0	93.0	99.0	99.0	99.0	99.0	99.3	93.0	99.0	99.0
5	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
10	99.0	99.0	99.0	93.0	99.0	99.0	93.0	99.0	99.0	99.0	99.0
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	93.0
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	93.0	99.0	99.0	99.0
JAN 1	99.0	93.0	99.0	99.0	99.0	09.0	99.0	99.0	99.0	99.0	99.0
5	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.3	99.0
10	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	133.0	93.0
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	93.0
FEB 1	99.0	99.0	93.0	99.0	99.0	99.3	99.0	99.0	99.0	99.0	99.0
5	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	93.0
10	99.0	99.0	99.0	99.0	93.0	99.0	99.0	99.0	99.0	99.0	99.0
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	99.0	99.0	99.0	93.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
MAR 1	99.0	99.0	99.0	93.0	99.0	99.0	99.0	99.0	93.0	99.0	99.0
5	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
10	99.0	93.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
15	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	93.0	99.0	99.0
20	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
25	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0	99.0
Extreme Temperatures For The Base Period											
MAX DATE	16.8 Sep 8	15.5 Sep 8	12.1 Sep a	8.1 Oct 31	8.1 Oct 31	7.9 Oct 31	7.7 Oct 31	7.4 Oct 31	7.0 Oct 31	6.2 Nov 1	5.5 Nov 18
MIN DATE	99.0										

93 = insufficient data for climatic analysis

Table ba.--Fourier **coefficients for Lake Superior.**

VALID DATES FOR COEFFICIENTS				LAYER 0	LAYER 1	LAYER 2	LAYER 3	LAYER 4	
Layer	Julian date	First	Last	A0	24.76658630	18.51961517	-21.77382088	-39.38548279	-41.84466553 A0
0	236	435		A1	-33.81136322	15.84580653	-23.84144020	11.29031944	-21.16004131
1	236	435		A2	-3.44150066		41.55287552		-36.44079634
2	236	435		A3	-0.76299965	0.31889820	70.50527454		74.09924316 A1A2
3	236	435		A4	0.51081250	-0.08588907	6.43415689		6.08348456 A3
4	236	435		A5			5.38559580		5.88643340 A4
5	236	435		B1	10.05313969	0.52123177	-26.73670197	1.09123218	-4.42294148
6	236	435		B2	-18.351393631	-11.69046525	31.30505888	1.29590881	-40.19434357 1.35421881 A6B1
7	236	435		B3	14.44582157	9.41329224	-22.52450104	47.97017470	50.58193588 B2
8	236	435		B4			-34.18615723		-33.42763901 03
9	236	435		B5	-7.29336647	2.39165167	-2.47022436	10.37827396	-4.60707235 17.25377044
10	236	435		B6	-0.56918430	-0.49505359	0.00100810	3.29922984	-4.85963365 18.33134270 04 B5

LAYER 5		LAYER 6	LAYER 7	LAYER 8	LAYER 9	LAYER 10
A0	-54.56447054	-45.18490601	-47.77088165	-49.45783615	-44.81117630	-35.78425598 A0
A1	93.78585760	78.49959564	82.85614777	84.02552032	78.71434200	64.28973389 A1
A2	-45.28336633	-37.60743168	-40.10247421	-40.74255753	-39.39791107	-32.40534851 A2
A3	5.22540283	4.05519104	5.03084758	5.40364313	6.83852339	4.36838531 A3
A4	3.06329727	7.88213968	7.30784845	7.40897589	5.89328623	4.26435075 A4
A5	-6.65152025	1.86520565	-5.83599901	-6.32571058	-5.93786526	-5.09306574 1.48324203
81	-51.84462738	-43.50382197	-45.1761777	-45.40019224	-41.09190369	-3.94883440 1.16917586 A5A6
	65.37519836	55.77169800	58.36450958	59.92199324	53.73557443	-33.01361465 B1
						43.14246414 B2

***** = insufficient data for climatic analysis

Table 6b.--Fourier coefficients for Lake Superior, area 2

VALID DATES FOR COEFFICIENTS		LAYER 0	LAYER 1	LAYER 2	LAYER 3	LAYER 4
Layer	Julian date					
First		8.91962624	-23.84006310	-14.65899086	-16.07092094	*****
Last		A0	8.91962624	45.29205322	32.72492981	A0
0	235	A1	-7.29423809	-24.21367073	-23.13047218	A1
1	235	A2	0.53015012	3.11301637	9.70458984	A2
2	235	A3	0.61345053	5.47637987	-1.08145523	A3
3	235	A4	0.43370863	-4.34022903	-1.19640374	A4
4	0	A5	-0.94342202	1.39622056	0.73329473	A5
5	0	A6	0.58307409	-31.17180824	-16.76707758	A6
6	0	A7	-2.95283175	35.34962082	18.88589668	B1
7	0	A8	-1.36186337	-27.36673164	-16.94207573	B2
8	0	A9	0.56295760	12.91835747	10.03368187	B3
9	0	A10	0.06262697	-3.16382647	-3.37727427	B4
10	0	A11	0.10429153	0.06855557	0.31500378	B5
		A12	-0.25844908		0.95467436	B6
		LAYER 5	LAYER 6	LAYER 7	LAYER 8	LAYER 9
A0	*****	*****	*****	*****	*****	*****
A1	*****	*****	*****	*****	*****	*****
A2	*****	*****	*****	*****	*****	*****
A3	*****	*****	*****	*****	*****	*****
A4	*****	*****	*****	*****	*****	*****
A5	*****	*****	*****	*****	*****	*****
A6	*****	*****	*****	*****	*****	*****
A7	*****	*****	*****	*****	*****	*****
A8	*****	*****	*****	*****	*****	*****
A9	*****	*****	*****	*****	*****	*****
A10	*****	*****	*****	*****	*****	*****
A11	*****	*****	*****	*****	*****	*****
A12	*****	*****	*****	*****	*****	*****
		LAYER 10				
A0	*****	*****				
A1	*****	*****				
A2	*****	*****				
A3	*****	*****				
A4	*****	*****				
A5	*****	*****				
A6	*****	*****				
B1	*****	*****				
B2	*****	*****				
B3	*****	*****				
B4	*****	*****				
B5	*****	*****				
B6	*****	*****				

***** = insufficient data for climatic analysis

Table 6c.- Fourier coefficients for Lake Superior, area 3

VALID DATES FOR COEFFICIENTS		LAYER	0	1	2	3	4									
Layer	Julian date	First	Last	A0	A1	A2	A3	A4	A5	A6	B1	B2	B3	B4	B5	B6
0	235	435		18.83084488	-21.22363853	-103.47563171	47.15623474	34.24210739	-46.17294693	16.02353859	7.33915472	-33.48530579	-66.68305969	27.92657661	46.34558868	A0
1	235	435		5.89631987		-0.17739248		4.58410015		9.51554298		1.50970674		-1.50970674		A1
2	235	435		-5.38392019		-12.97366154		-8.19599724		-10.44098091		-9.51884747		-5.42002821		A2
3	235	435		1.92824349		7.51802540		3.91073823		4.59454432		-0.76128042		-1.08339691		A3
4	235	435		-0.06097636		-1.51340902		-0.61314213		-0.76128042		-24.41495895		37.85163498		A4
5	235	435		11.13013268		57.94110870		26.55831718		24.41495895		-52.41913986		36.32711029		A5
6	235	435		-17.55762482		-79.96739197		-37.65958405		-33.77935791		-11.16983128		-14.41432190		B1
7	235	435		11.16983128		57.21664429		25.43269920		21.16365005		-9.33385384		-6.20766973		B2
8	235	435		-3.28198171		-24.14724159		-9.33385384		-6.20766973		-0.04693112		2.85655975		B3
9	235	435		0.01117906		5.31874371		1.38613927		-0.04693112		0.38421050		-0.18435699		B4
10	235	435		0.13934945		-0.36559889		0.04970869		0.38421050						B5

	1	AYFR	5	6	7	8	9	10
A0	29.99214745		-1.15658236	-20.57158279	-49.31543350	-59.80339432	-64.01114655	A0
A1	-42.37430954		7.52982378	38.73179626	85.50222778	101.93798065	108.23337555	A1
A2	20.70767593		-2.71242356	-17.61960220	-41.09194193	-47.87172318	-49.70256042	A2
A3	-3.02075481		-0.76462036	0.99798000	3.16657972	4.63046265	3.39052820	A3
A4	-3.15027618		2.01323592	4.98549500	8.29945946	10.79832935	12.41801739	A4
A5	2.13913757		-1.55433214	-3.69625044	-6.50128269	-7.87132645	-8.56086254	A5
A6	-0.33522576		0.63947315	1.17862940	1.95392847	2.20378757	2.27433467	A6
B1	20.48757935		-6.44516277	-23.00908661	-46.68775177	-56.44785690	-60.93557358	B1
B2	-30.01675224		6.31018496	28.57255020	60.77796555	73.65187073	79.33882904	B2
B3	21.32727814		-5.55957985	-22.10729027	-46.30586243	-55.19340240	-58.75737762	B3
B4	-9.21343327		2.85110092	10.32250535	21.73131371	25.20651627	26.20872688	B4
B5	2.44743037		-0.59193379	-2.49762535	-5.58938971	-6.21996498	-6.09158993	B5
B6	-0.41979495		-0.10126452	0.08360753	0.50811470	0.41436347	0.26818803	B6

***** = insufficient data for climatic analysis

Table 6d.--Fourier coefficients for Lake Superior, area 4

VALID DATES FOR COEFFICIENTS			LAYER 0	LAYER 1	LAYER 2	LAYER 3	LAYER 4
Layer	Julian date	First Last	A0	A1	A2	A3	A4
0	235	434	40.36167526	8.673014464	-36.31089020	-37.06338120	39.262279351
1	235	436	28.91857910	4.69330502	-30.57697868	-33.29916000	-54.39180374
2	235	436	-5.47183139	-3.73650551	1.83059692	4.79529047	-0.97382176
3	235	436	44	-3.32319078	2.73473406	8.23290348	-6.95379440
4	235	436	A5	2.48614345	-1.13517155	-5.36117953	4.79394531
5	235	436	A6	-0.60010505	0.32912330	1.40337494	-1.19690524
6	235	436	81	23.79023552	-5.00930071	-41.00474548	29.83947182
7	235	436	82	-36.80114345	1.74692915	50.31920242	-43.05344391
8	235	436	83	2v.28652131	0.58739811	-34.04549799	31.58146667
9	235	436	84	-14.52523422	-1.34019446	15.96969174	-13.82809258
10	235	436	85	4.40966749	0.95723152	-3.83810353	3.39165711
			86	-0.77503198	-0.39991045	0.19721693	-0.44229325

LAYER 5	LAYER 6	LAYER 7	LAYER 8	LAYER 9	LAYER 10
A0	41.63473614	25.74055039	14.20420456	-29.65330505	-41.84402737
A1	-61.45373535	-43.94132614	-17.31585388	53.90924835	74.07479858
A2	30.28154853	20.90600204	8.23780823	-26.42181778	-37.18545914
A3	-4.38422394	-3.73085451	-0.71115404	4.29425097	4.90652466
A4	-5.33353142	-2.97693396	-1.77129626	4.32170296	5.31900358
A5	4.18398333	2.51084518	1.18111670	-3.57021141	-4.44510666
A6	-1.01722550	-0.58321660	-0.21224897	1.07374632	1.37816811
B1	30.52006912	19.36146355	8.02803707	-28.98334122	-38.43380356
B2	-43.94836426	-28.30393982	-13.07734203	36.14853256	30.26140976
B3	32.70022583	21.47519438	9.21015358	-28.32345417	-38.71434021
B4	-15.08920097	-10.13277245	-4.07464314	13.30109978	18.43908691
B5	4.18193434	2.99339461	1.14485977	-3.50840378	-5.07611561
B6	-0.66124847	-0.55334621	-0.28419736	0.29669404	0.40395334

***** = insufficient data for climatic analysis

Table 6e.- Fourier coefficients for Lake Superior, area 5

VALID DATES FOR COEFFICIENTS	Layer	Julian date	LAYER 0	LAYER 1	LAYER 2	LAYER 3	LAYER 4
First	Lst						
0	235	436	A0 21.44282722	13.32893467	-20.56180191	-80.42938995	-72.35961914 A0
1	235	436	A1 -29.15867043	-16.46318054	38.84122086	136.25251770	123.53651428 A1
2	235	436	A2 16.14832306	10.93860149	-17.21207047	-66.20088196	-59.19280624 A2
3	235	436	A3 -6.02284145	-6.54979038	-0.94638729	8.18828869	6.50807858 A3
4	235	436	A4 1.16082275	3.24284291	6.41874075	12.40507317	11.74309826 A4
5	235	436	A5 0.11610146	-1.08482802	-3.81443906	-8.68650627	-8.04395580 A5
6	235	436	A6 -0.05949771	0.21845199	0.91944653	2.13765836	1.96996212 A6
7	235	436	B1 6.61463070	-0.80357665	-26.78362656	-74.83641052	-68.31589508 B1
8	235	436	B2 -13.98452663	-4.10028458	31.12686920	96.27419281	88.05634308 B2
9	235	436	B3 13.01325417	5.73084307	-21.10178947	-70.70397186	-65.04000854 B3
10	235	436	B4 -7.74065971	-4.44289732	8.40795326	32.15217590	29.71861267 B4
			B5 3.07458973	2.24265313	-1.38507807	-9.05819035	-7.46840429 B5
			B6 -0.70278114	-0.52097483	-0.16693756	0.45876305	0.61387146 RA

LAYER 5	LAYER 6	LAYER 7	LAYER 8	LAYER 9	LAYER 10
A0 -41.43606873	-29.05302620	-39.16365433	46.35275650	-34.08199692	-32.85204315 A0
A1 72.45747375	52.27577536	68.2890936	80.41081238	60.93349457	58.81739807 A1
A2 -34.73572159	-24.00303459	-31.17831421	-38.25432968	-29.74088860	-28.47373962 A2
A3 3.97909830	1.60280824	1.96877229	4.43720341	4.60214472	4.13673115 A3
A4 -6.73466873	5.71564627	7.67812490	7.70268345	4.97907972	5.04892111 A4
A5 -4.72527497	-3.83953905	-5.23002911	-5.71013021	-4.01537943	-3.96008182 A5
A6 1.21236277	1.00644898	1.36122513	1.52275109	1.07485807	1.03461051 A6
B1 -40.19775391	130.11646271	-39.03384781	-43.99231339	-32.60940170	-31.69030571 B1
B2 51.02529144	37.64253998	49.77157593	56.98682022	42.09063721	40.90365219 B2
B3 -37.93565369	-27.78266335	-36.76356125	-42.71241760	-31.94296265	-30.89431953 B3
B4 17.31324005	12.29181576	16.23620415	19.42412949	14.81389523	14.20080185 B4
B5 -4.20864344	-2.69339657	-3.66185927	-4.75416660	-3.84947109	-3.60980320 B5
B6 0.27722701	0.07117999	0.18907154	0.37386891	0.37467450	0.29771551 RA

***** = insufficient

tic analysis

Table 6f. -Fourier coefficients for Lake Superior area 6

VALID DATES FOR COEFFICIENTS			LAYER 0	LAYER 1	LAYER 2	LAYER 3	LAYER 4			
Layer	Julian date First	Julian date Last	A0	A1	A2	A3	A4			
0	235	436	61.57213593	-93.37320709	45.38118744	45.00040054	61.18663025	50.91439056	-95.70881653	-37.41773605 A0
1	235	436	-7.51679945	-6.39551258	-8.63572025	-5.46839571	-76.15796661	37.09918213	161.65780640	67.97135925 A1
2	235	436	A5	5.00524139	4.56507874	3.53538432	-4.55208540	12.18170643	-80.47640991	-36.43484116 A2
3	235	436	A6	-1.26156437	-1.15763700	-0.88441944	3.61135530	13.31065369	3.20731974 A4	
4	235	436	B1	41.63692474	41.32966995	34.76831055	-86.98863220	-10.09485340	-3.29834604 A5	
5	235	436	B2	-60.36487579	-60.00096893	-50.89748001	113.20840454	-4.53690948 B1	0.34573045 A6	
6	235	436	B3	46.80982590	46.52586594	39.42051697	-86.14442444	-33.88244629 B3	44.11440277 B2	
7	235	436	B4	-22.57386780	-22.55921173	-18.95072136	39.23463821	39.23463821	16.87303925 B4	
8	235	436	B5	6.55276060	6.58498287	5.37768412	-10.50653553	-4.99459076 B5	-4.99459076 B5	
9	235	436	B6	-1.00573902	-1.01559103	-0.82144994	1.04749012	0.54822689 B6	0.54822689 B6	

LAYER 5	LAYER 6	LAYER 7	LAYER 8	LAYER 9	LAYER 10
A0	-14.49202919	-36.17302322	-33.36683655	-37.31308355	-37.71138382
A1	30.07748604	63.19944763	58.31093216	65.79827118	66.90396118
A2	-16.37618446	-28.19568443	-26.49170876	-31.24922371	-32.89091110
A3	4.01451015	0.49807474	0.94978744	3.30884218	5.04507160
A4	1.22774422	8.09536552	7.21393394	6.59653616	5.50027990
A5	-1.46701288	-5.30017471	-4.90829039	-4.96514368	-4.57254076
A6	0.48282392	1.43263316	1.35913701	1.39700496	1.29889405
B1	-15.80298710	-37.56353378	-34.53254700	-36.51223373	-35.73176193
B2	18.98660660	47.47815323	43.82957840	47.14064026	46.49088669
B3	-14.96327767	-34.74901581	-32.33948838	-35.42460632	-35.38689041
B4	7.74243116	15.36119652	14.41554832	16.28108406	16.66967010
B5	-2.33470654	-3.43669128	-3.31243920	-4.08444548	-4.47252750
B6	0.19043222	0.07440158	0.12235256	0.30745415	0.47308198

***** = insufficient data for climatic analysis

Table 6g. -Fourier coefficients for Lake Superior, area 7

VALID DATES FOR COEFFICIENTS				LAYER 0	LAYER 1	LAYER 2	LAYER 3	LAYER 4
Layer	Julian	date						
	First	Last						
0	235	436	A0	-100.39714813	60.50227356	-57.14565659	-67.84038544	-121.41586304 A0
1	235	436	A1	-154.37451172	-89.92011261	100.51877594	118.27193451	203.26441956 A1
2	235	436	A2	69.82702637	33.54815437	-54.63709641	-64.16326141	-101.93442535 A2
3	235	436	A3	-4.69241095	-0.42991433	13.20384026	15.78884315	16.77886963 A3
4	235	436	A4	-15.50964203	-11.15048504	4.29059076	4.82330942	15.25169277 A4
5	235	436	A5	10.99820709	7.03800726	-4.46067429	-5.25886202	-11.82091141 A5
6	235	436	A6	-2.52020993	-1.53024533	1.26248562	1.52202213	3.06269884 A6
7	235	436	B1	73.23544257	44.50422287	-54.05119705	-60.03020477	-107.65267181 B1
8	235	436	B2	-109.59480236	-64.24996948	68.33593750	76.97245026	140.40484619 B2
9	235	436	B3	80.89599554	46.90915680	-52.53153610	-59.64099503	-105.87646484 B3
10	235	436	B4	-36.11031723	-20.24524879	26.16054916	29.93280411	50.04941177 B4
			B5	8.66285038	4.39162016	-8.09173107	-9.31210899	-13.83926582 B5
			B6	-0.53111152	-0.14157337	1.26208174	1.43670654	1.68863451 B6
			LAYER 5	LAYER 6	LAYER 7	LAYER 8	LAYER 9	LAYER 10
A0	-109.99922180		-72.72015381	-57.36291504	-33.13101959	-58.18912125	-97.16348267 A0	
A1	183.70642090		123.29698944	98.41690826	59.39190674	100.28882599	162.31211853 A1	
A2	-90.09184265		-60.39563370	-43.10767365	-29.44707108	-50.19961166	-78.22624207 A2	
A3	12.48430061		8.24308121	6.57493019	4.58264914	8.67936897	9.76856232 A3	
A4	15.71111679		10.52567959	8.22486687	4.28545475	7.13363600	14.98598099 A4	
A5	-11.61765480		-7.79341602	-6.13707399	-3.51516128	-6.14791918	-11.54392529 A5	
A6	2.97726703		2.00771499	1.56104350	0.31403604	1.71391404	3.18384576 A6	
B1	-98.97386658		-66.94519806	-53.55826950	-32.18755341	-52.59075546	-87.54386139 B1	
B2	128.88414001		86.18097687	68.41365814	40.25298691	68.31951141	115.32896423 B2	
B3	-96.72408295		-64.99991760	-51.51275635	-30.68908310	-52.21390533	-86.79326630 B3	
B4	44.99790192		30.19110489	23.87241936	14.37731171	24.71876144	39.99835968 B4	
B5	-11.90398121		-7.91255569	-6.18752813	-3.79920578	-6.77449465	-10.41459846 B5	
B6	1.23359215		0.76290256	0.58047190	0.39233920	0.82255678	1.12880490 B6	

***** = data for climatic analysis

Table 6h.--Fourier coefficients for Lake Superior, area 8

VALID DATES FOR COEFFICIENTS				LAYER 0	LAYER 1	LAYER 2	LAYER 3	LAYER 4	
Layer	Julian	date		A0	A1	A2	A3	A4	
First	Last			-405.27297974	-242.29341125	231.97117615	457.00283813	-146.40457153	-227.99266052
0	235	418		146.28187561	90.41709137	-73.89193726	-146.40457153	-53.38080597	-93.49417114
1	235	418		27.87801361	13.06004524	-29.15517807	125.65817261	125.65817261	A3
2	235	418		-58.28315735	-33.13022232	33.10591507	75.71360779	7.81735611	A4
3	235	418		27.04101617	16.06649208	-15.53050137	-30.81321144	-50.74519730	A5
4	235	418		-4.75452232	-2.92662597	2.29550140	4.76932192	7.81735611	A6
5	235	418		253.52729797	145.62475586	-166.40031433	-319.79696655	-515.55731201	B1
6	235	418		-313.13119507	135.29315186	195.35699463	379.17739868	614.50689697	82
7	235	418		204.37395911	121.87226868	-117.27451324	-229.11944580	-369.39227295	B3
8	235	418		-72.14266205	-44.38205338	36.09642029	71.47567749	113.21215820	B4
9	235	418		10.71487045					
10	235	418		0.39170834	7.245643620.04610447	-2.79363288	-0.95103284	-1.61319697	-6.28008223
									-0.75237274
									-2.91235018
									8586

					LAYER 5	LAYER 6	LAYER 7	LAYER 8	LAYER 9	LAYER 10
A0	-311.27780151	-22.94997679	-4.38949347	48.70906067	85.64144135	95.84266663	A0			
A1	457.65375244	41.04496364	30.12511635	-44.76440811	-95.38720703	-115.74978630	A1			
A2	-123.78290558	-16.53890300	-47.18301498	-31.89124298	-26.15242004	-7.14817381	A2			
A3	-77.51375427	-1.06524706	36.04315567	54.29747772	71.07567596	60.15987396	A3			
A4	86.00003155	5.13280964	-10.43527031	-27.08200455	-39.57563782	-37.87441254	A4			
A5	-31.83303070	-2.84378016	-2.57789135	2.88952661	6.27885246	7.99856563	A5			
A6	4.40931416	0.32914490	2.05054426	1.49359465	1.27153063	0.40859386	A6			
B1	-339.55945435	-26.77874374	14.32981014	74.51873016	120.11267853	121.73282623	81			
B2	395.03918457	33.90594864	-1.96053755	-70.70082092	-120.38538361	-128.13905334	02			
B3	-227.79022217	-21.36824608	-22.37701939	14.46064281	38.15139389	50.76342773	B3			
B4	62.01952744	3.36537933	24.45203731	16.76028824	13.92738438	3.96782398	B4			
B5	-0.77358262	-1.39400339	-10.86460475	-12.29132366	-14.22187710	-10.38628292	B5			
B6	-2.67579572	0.08352570	1.78628314	2.57937152	3.20840645	2.68611383	B6			

***** = insufficient data for climatic analysis

Table 61.--Fourier coefficients for Lake Superior, area 3

VALID DATES FOR COEFFICIENTS			LAYER 0	LAYER 1	LAYER 2	LAYER 3	LAYER 4	
Layer	Julian date	First Last						
		A0	86.3613181641	73.38608551	48.25781631	31.05276299	-39.95487976 A0	
0	236	A1 436	-140.28382764	-118.57376532	-76.16941833	-47.99109268	69.51395416 A1	
1	236	A2 436	83.57275391	71.36315155	46.55000153	31.92997131	-31.55961037 A2	
2	236	A3 436	-32.14319717	-23.37742805	-19.71061707	-15.82475471	0.83900404 A3	
3	236	A4 436	4.90332031	5.06795821	4.37109947	5.04612827	8.95796585 A4	
4	236	A5 436	1.76629041	1.11427546	0.30753673	-0.68607670	-5.81319046 A5	
5	236	A6 436	-0.67345799	-0.47795899	-0.18883257	0.12288930	1.64115953 A6	
6	236	B1 436	43.73468781	39.67417145	24.18556023	12.83245136	-41.26199341 01	
7	236	B2 436	-74.27088165	-61.64235637	-39.64269638	-23.43648720	51.63403320 B2	
8	236	B3 436	63.02529526	52.87699509	34.63129425	21.43686867	-37.93911743 83	
9	236	B4 436	-35.61400223	-30.26556396	-20.22676277	-13.46018791	16.78244591 B4	
10	236	B5 436	13.43233204	11.55107346	8.13071346	6.08773899	-3.45945716 B5	
		B6	-2.87720990	-2.58046259	-1.96267807	-1.68283439	-0.19001186 B6	
			LAYER 5	LAYER 6	LAYER 7	LAYER 8	LAYER 9	LAYER 10
A0	-82.46100616	-95.24395752	-109.46560669	-93.97708893	-76.05541992	-68.32305908 A0		
A1	133.69236755	161.85130310	193.16476440	157.90261841	128.91642761	114.20433807 A1		
A2	-69.21003723	-79.34907532	-90.06740570	-77.30246735	-63.23421478	-56.51210403 A2		
A3	10.52363777	11.83693600	13.05041122	10.88474083	9.12853336	7.68725109 A3		
A4	11.73511927	14.00128555	16.13821993	14.26082993	11.51176071	10.65921171 A4		
A5	-9.26784932	-11.05741024	-12.73386288	-11.27277374	-9.18270779	-8.33466816 A5		
A6	2.67298436	3.16364483	3.62391400	3.23344254	2.63537979	2.34377670 A6		
B1	-73.91564178	-85.51503754	-96.71839905	-83.69300079	-68.23723602	-61.98508072 B1		
B2	97.05820455	112.98957117	128.45419312	111.11408997	90.50542395	81.98898315 82		
B3	-73.75885010	-85.78172302	-97.42957306	-84.30104065	-68.83110809	-62.03621292 B3		
B4	34.87580109	40.37382839	45.68578720	39.43140411	32.21903610	28.81750107 B4		
B5	-9.19275333	-10.64558933	-12.00253827	-10.30779552	-8.46802807	-7.47586012 B5		
B6	0.77748799	0.96599482	1.10130322	0.92589110	0.77585649	0.67054027 B6		

***** = insufficient data for climatic analysis

Table 6j.- Fourier coefficients for Lake Superior, area 10

VALID DATES FOR COEFFICIENTS				LAYER 0	LAYER 1	LAYER 2	LAYER 3	LAYER 4
Layer	Julian date	First	Last	A ₀	A ₁	A ₂	A ₃	A ₄
0	236	436	A ₀	79.95036530	68.77119446	54.26699829	-19.59624481	-32.87990189 A0
		A ₁	-130.06440735	-110.95011902	-86.44329071	35.30549622	56.62179184 A1	
1	236	436	A ₂	73.36523438	66.78221893	52.50311661	-12.14565563	-22.47407341 A2
2	236	436	A ₃	-31.02628136	-26.55663300	-21.52089310	-5.48355436	-3.66544533 A3
3	236	436	A ₄	5.28259553	4.60132027	4.06760740	8.47582150	9.86497879 A4
4	236	436	A ₅	1.64184797	1.41715051	1.09371281	-3.94060135	-5.21261024 A5
5	236	436	A ₆	-0.79186660	-0.70016414	-0.59318012	0.78513116	1.17798913 A6
6	236	436	B ₁	43.45811452	36.51489258	28.37259102	-27.62209892	-37.35258484 B1
7	236	436	B ₂	-67.43399048	-57.53153569	-45.93946457	31.16843796	45.14764404 B2
8	236	436	B ₃	59.10928345	49.75561469	40.07208252	-20.23312103	-31.44594002 B3
9	236	436	B ₄	-33.43378882	-23.67600632	-23.22117615	6.93005705	12.40118217 B4
10	236	436	B ₅	12.78207111	10.99057865	9.03275490	-0.04390672	-1.55853152 B5
		B ₆	-2.72471495	-2.36949182	-2.03690314	-0.79966474	-0.60811156	86
LAYER 5		LAYER 6	LAYER 7	LAYER 8	LAYER 9	LAYER 10		
A0	-75.23722076	-63.47315488	-53.51045990	-51.17103195	-43.70614624	-38.01122284 A0		
A1	126.11865997	107.66803082	91.46237946	88.02621460	78.19435883	67.59935760 A1		
A2	-58.85200832	-51.12213516	-43.07300949	-42.21822357	-36.89447784	-33.35968399 A2		
A3	4.53943434	5.20813806	4.09661722	5.16918421	5.05334282	6.00091887 A3		
A4	13.79122353	11.17241287	9.70599888	8.37326336	6.81596565	5.07965899 A4		
A5	-9.41179371	-3.22457409	-7.15356054	-6.44182444	-5.45216084	-4.60620165 A5		
A6	2.45615244	2.36358597	2.04524732	1.84623132	1.59142160	1.41249990 A6		
B1	-70.66631317	-59.42169189	-50.35466003	-47.98872757	-41.18404770	-35.32668304 B1		
B2	91.53223419	77.44828033	65.10601807	62.61097717	53.71723938	46.47992325 B2		
B3	-67.75711050	-58.20012283	-49.62747574	-47.27108002	-40.75246429	-35.86497116 B3		
B4	30.33199310	29.67822075	22.64175415	21.80930710	13.99093056	17.23424149 B4		
B5	-7.02527189	-5.57867718	-5.56369019	-5.61921692	-5.04395914	-4.90959263 B5		
	0.27394116	0.41010758	0.36243680	0.54626948	0.53265613	0.58872306	86	

***** = insufficient data for climatic analysis

Table 6k.--Fourier coefficients for Lake Superior, area 11

VALID DATES FOR COEFFICIENTS				LAYER 0	LAYER 1	LAYER 2	LAYER 3	LAYER 4	
Layer	Julian date	First	Last	A0	-20.42956543	-16.31489944	-65.56854248	-70.16085052	-78.09090424 A0
0	236	436		A1	35.70317566	28.96017265	111.70602417	119.33567810	131.05107117 A1
1	236	436		A2	-9.36376953	-5.37812185	-53.64048386	-58.16753006	-61.74583054 A2
2	236	436		A3	-10.30346298	-11.01592255	4.54327154	6.81655790	5.02952909 A3
3	236	436		A4	13.46955109	13.06323912	12.51235523	11.46360397	14.25319481 A4
4	236	436		A5	-7.09022713	-5.75357533	-9.60295296	-8.10100651	-9.74001408 A5
5	236	436		A6	1.77398324	1.71003694	2.25279236	2.13762546	2.59140277 A6
6	236	436		B1	-35.15533799	-32.46916199	-65.57948014	-65.94713593	-73.44210052 B1
7	236	436		B2	41.36280823	36.43383408	82.72893865	84.11335754	94.64907074 B2
8	236	436		B3	-25.35911942	-22.66151619	-60.18962097	-62.19648743	-70.04521942 B3
9	236	436		B4	3.59273434	5.36709785	25.97175739	28.48082924	31.57731819 B4
10	236	436		B5	0.05033164	0.51313132	-6.36161327	-6.94257307	-7.34808350 B5
				B6	-1.01119089	-1.06393206	0.12731287	0.22468413	0.17559408 B6

LAYER 5	LAYER 6	LAYER 7	LAYER 8	LAYER 9	LAYER 10
A0	-83.37551672	-78.98601532	-50.44094849	-11.71189308	12.06719589
A1	139.83517456	131.342339197	85.37285614	23.55629158	-13.68124580
A2	-64.69300842	-59.55927658	-37.51486053	-9.44703579	5.82293940
A3	4.05290538	2.19171616	3.10547972	-0.92971677	1.33175123 A3
A4	16.28909605	16.46374428	11.49705491	3.64903307	-2.59995580
A5	-11.13019848	-11.03776073	-7.52657843	-2.31746263	-5.70607981 A4
A6	3.01132917	2.98711777	2.05331707	0.48361936	1.31260002
B1	-78.96375763	-75.35471344	-50.49302399	-15.57362690	-0.22069442
B2	102.60076904	97.77947998	64.56465912	18.40789223	19.77722549 B1
B3	-76.01464031	-72.12376404	-47.33779144	-13.42162323	-27.34776497 B2
B4	33.93830109	31.77199219	20.56517792	5.67989397	7.56971455
B5	-7.73534870	-4.95381451	-4.29552317	-1.10313964	-2.86763144
B6	0.18534315	0.06379127	-0.01501746	-0.00657436	-7.58357763 B4

***** = insufficient date for climatic analysis

Table 61.--Fourier coefficients for Lake Superior, area 12

VALID DATES FOR COEFFICIENTS		LAYER 0		LAYER 1		LAYER 2		LAYER 3		LAYER 4	
Layer	Julian date	First	Last	A0	-72.32482147	-57.87466431	-123.73545837	-181.7271285	-216.61305237	A0	
1	236	436	A1	120.68346838	97.24563702	205.1677039	299.97952271	354.80303955	A1		
2	236	436	A2	-54.59425727	-43.11513519	-98.39711761	-147.46965027	-170.66763306	A2		
3	236	436	A3	0.24013149	-1.53497136	10.38854122	20.49979973	19.51809502	A3		
4	236236	436	A4	17.04725838	15.16275537	20.92352867	26.07387543	34.14797974	A4		
5	236	436	A5	-10.30462551	-3.36362223	-14.68169689	-19.37418747	-24.40247536	A5		
6	236236	436	A6	2.62182212	2.25400257	3.69381547	4.99447632	6.25003624	A6		
7	236	436	B1	-77.26779938	-64.42183685	-114.87590027	-159.69279480	-191.58084106	B1		
8	236	436	B2	97.34992981	80.07592773	149.02062988	210.62153625	253.10441589	B2		
9	236	436	B3	-69.29465248	-56.35791775	-109.58493805	-157.47061157	-188.16175842	B3		
10	236	436	B4	29.20761871	23.18147278	49.28445435	72.92961884	85.87761688	B4		
			B5	-5.96933937	-4.36565925	-12.30630569	-18.97831154	-21.58792114	B5		
			B6	-0.17375384	-0.34355869	0.66103417	1.59570088	1.62274921	B6		
LAYER 5 LAYER 6 LAYER 7 LAYER 8 LAYER 9 LAYER 10											
A0	-104.77614594	-56.31225204	-3 4 . 0 9 0 0 1 1 6 0	5.27546501	50.58797455	5 4 . 5 3 1 9 7 8 6 1	A0				
A1	172.51494446	95.41072083	61.50574438 -0 . 3 1 7 8 3 6 6 4	-73.87197876	-79.89978027	A1					
A2	-79.42502534	-44.40990829	-32.13422394 -4 . 26564741 3 0 . 9 9 6 9 0 6 2 8 . 3 3 . 3 9 1 8 6 4 7 8	A2							
A3	4.51217127	3.05804276	5.84103448 6.26557493	2.12105276	2.40282893	A3					
A4	20. 1 1 1 3 1 2 3 7	10.87991428	3. 6 7 3 9 1 1 5 7 -4 . 37078047	-1 1 . 5 4 3 7 9 9 4 0	-12.51296616	A4					
A5	-1 3 . 4 4 3 2 3 8 3 0	-7. 5 6 4 5 6 5 0 5	-3. 37861576 1. 1 5 3 2 5 7 5 1	6. 5 4 4 8 1 6 0 2	7. 1 0 5 8 9 1 7 0	A5					
A6	3. 47255397	2. 13544774	1 . 3 . 8 3 8 8 6 3 2 0 . 13583018	-1. 35228693 -1 . 5 2 5 8 2 5 8 6	A6						
B1	-97.72909546	-54.09100723	-3 1 . 4 0 1 5 6 1 1 9 4 . 2 8 4 3 6 0 4 1	43.26029968	4 7 . 1 8 5 2 5 3 1 4	B1					
B2	127.13935152	69.32102203	41.11219215 -5.72754860	-57.83340454	-62.68960190	B2					
B3	-5 3 . 5 1 2 7 3 4 4 9	-5 2 . 0 9 1 3 5 8 1 8	-32.56885529 1. 37554693	40.39702606	43.84976196	B3					
B4	41.27989197	23.37658119	16.24775314 1. 71866202	-16.23009300	-17.67926407	B4					
B5	-9.40008831	-5.51559019	-4.94722891 -1.95963395	2.50998735	2.77975941	B5					
B6	0.30533311	0.18292397	0.65293837 0.72125715	0.46333870	0.42723379	B6					

***** = insufficient data for climatic analysis

Table 6m.--Fourier coefficients for Lake Superior, area 13

VALID DATES FOR COEFFICIENTS	Layer	Julian First	Last	LAYER	0	LAYER	1	LAYER	2	LAYER	3	LAYER	4
				A0	-5.64573799	51.36445398	20.44045639	-29.	17255020	-84.	65943909	A0	
D	236	436		A1	14.28782368	-78.10037994	-28.04931641	52.51653290	141.64976501	A1			
1	236	436		A2	-5.30235529	38.58830643	14.29902935	-25.	65829036	-67.	43663738	A2	
2	236	436		A3	-1.31364202	-8.08401775	-4.96847973	2.12550950	6.01947308	A3			
3	236	436		A4	3.61016774	-3.83231735	0.67355907	5.80250883	14.95557690	A4			
4	236	436		A5	-2.20214272	3.33636110	0.01434068	-4.02988529	-10.44451912	A5			
5	272	436		A6	0.62371743	-0.75282633	0.12465157	1.01591617	2.59647810	A6			
6	0	0		B1	-17.14575958	32.43373215	8.36543901	-31.	40810204	-78.	94638062	B1	
7	0	0		B2	17.01085472	-49.55798559	-17.	20580482	37.19706726	101.	36238098	B2	
8	0	0		B3	-11.25421047	38.74382019	-14.09443784	-22.	71.91353	-74.74452912	B3		
9	0	0		B4	4.31744671	-7.518.9219750012.	348155983.50990611	84					
10	0	0		B5	-0.30576205	5.31295586	2.35085058	-3.02188969	-7.79401350	B5			
				B6	0.01635179	-0.59939092	-0.29274940	0.15635866	0.22729883	B6			

	LAYER	5	LAYER	6	LAYER	7	LAYER	8	LAYER	9	LAYER	10
	A0	-454.04553931	*****	*****	*****	*****	*****	*****	*****	*****	*****	A0
	A1	775.52429199	*****	*****	*****	*****	*****	*****	*****	*****	*****	A1
	A2	-460.96838379	*****	*****	*****	*****	*****	*****	*****	*****	*****	A2
	A3	171.38327515	*****	*****	*****	*****	*****	*****	*****	*****	*****	A3
	A4	-23.50112915	*****	*****	*****	*****	*****	*****	*****	*****	*****	A4
	A5	-10.75553322	*****	*****	*****	*****	*****	*****	*****	*****	*****	A5
	A6	4.66344452	*****	*****	*****	*****	*****	*****	*****	*****	*****	A6
	B1	-256.00408936	*****	*****	*****	*****	*****	*****	*****	*****	*****	B1
	B2	344.15360633	*****	*****	*****	*****	*****	*****	*****	*****	*****	B2
	B3	-262.60550635	*****	*****	*****	*****	*****	*****	*****	*****	*****	B3
	B4	125.57344818	*****	*****	*****	*****	*****	*****	*****	*****	*****	B4
	B5	-34.59790268	*****	*****	*****	*****	*****	*****	*****	*****	*****	B5
	B6	3.75302996	*****	*****	*****	*****	*****	*****	*****	*****	*****	B6

***** = insufficient data for climatic analysis

Table 6n.--Fourier coefficients for Lake Superior, area 14

VALID DATES FOR COEFFICIENTS		LAYER 0	LAYER 1	LAYER 2	LAYER 3	LAYER 4		
Layer	Julian date							
	First	A0	4416.03363141	4348.02783203	<i>4530.43096404</i>	<i>4987.06103516</i>	<i>4971.88232422</i>	A0
	Last	A2	-7332.45751953	-7216.28369141	-7490.49609375	-8240.81542969	<i>-8249.39257813</i>	A1
0	272	A3	-1391.1536174101.57275391	-1358.76380864029.27148430	-1330.846679694121.95458984	-1450.61230469	-1543.60473633	4599.39013672
1	272	A4						
2	272	A5	180.07678223 44.94103622	168.69912720 48.02075958	123.17966451 68.22824060	127.4949340877.28053284	186.51557922 56.69567325	A4 A5
3	272	A6						
4	272	B1	2696.84350586 -15.37316990	2672.47307695 -15.99442348	2870.95947266 -19.34890366	3150.43286133 -21.46257401	3032.31250000 -18.22164345	A6 B1
5	272	B2	-3491.99218750	-3461.93579102	-3708.65478516	-4059.43798828	-3915.40105541	B2
6	272	B3						
7	272	B4	-1058.69299316 2460.06298828 262.6804443	-1051.57409668 2440.76928711 261.26174921	-1110.61840820 260.21160992 271.48834229	-1198.93322754 2833.55004883287.90284912	-1168.184014452743.68188477283.17059326	83485
8	272	B6	-29.27297211	-29.14341164	-29.31764984	-29.94803619	-29.74471855	B6
9	272							
10	272							

LAYER	LAYER	LAYER	LAYER	LAYER	LAYER	LAYER	LAYER	LAYER	LAYER
A0									2086.22656250 A0
A1	-7612.01171875 457501074219	-8339.43451031	5014.90517578	-8614.62304688	5149.14990234	-7352.03320313	4382.33740234	-5679.941894533386.35888672	-3516.83300781 A1
A2									
A3	-1479.99804688	4288.16650391	-1608.98684092	4688.05566406	-1792.97167969	4947.47556250	-1580.31445313	4264.13416563	-1221.48632813 3294.81567383
A4									
A5	206.18211365	41.40292358	218.48748779	47.43466568	304.36883545	24.78032494	287.43432617	14.06799984	222.42477417
A6									
B1	2722.10668945	-15.36773777	3001.23193359	-17.03247070	2965.39721680	-14.66956902	2481.44677734	-12.05071068	1915.13757324
B2									
B3	-3522.12451172	-3880.93041992	-3863.75292969	-3248.37719727	-2506.98828125	-1468.83398438	B2		
B4	-1060.24763984375	07361328	-1165.82165527	2727.00830078	-1205.12072754	2753.64404297	-1034.89746094	2334.40991211	-798.23095703
B5									
B6	-27.22731400	258.59939575	-29.70874214	283.82211304	-34.03729630	304.82968140	-30.47517014	266.61795044	-23.34836578

***** = insufficient data for climatic analysis




Figure 3.--Mean survey temperature climatology and stages in cooling season.




Figure 4a.--August 31 isothermal contour analysis.




Figure 4b.--September 30 isothermal contour analysis.




Figure 4c.--October 31 isothermal contour analysis.




Figure 4d.--November 30 isothermal contour analysis.




Figure 4e.--December 31 isothermal contour analysis.




Figure 4f.--January 31 isothermal contour analysis.




Figure 4g.--February 28 isothermal contour analysis.

for the mean survey climatology. Surface temperature is near its maximum at the end of August (Julian date 243) (fig. 3). Stage 1 starts when the **epilimnion** begins to cool during the last half of September, and it lasts about 80 days. The **thermocline** in Lake Superior extends down to the 20-m to 25-m depth in summer (Smith, 1972). Maximum temperature in the 20-m and 30-m layers usually occurs during the last half of September (Julian dates 258 to 273) and the entire water column is virtually isothermal near the end of November (Julian day 334) (fig. 3). The isothermal water column cools to the temperature of maximum density, **3.98°C**, the last half of December; however the end of stage 2 is difficult to identify because, after the temperature of maximum density is attained, the development of winter stratification is dependent upon wind conditions as well as air temperature. Stage 3 can start any time between the last half of December and the last half of January. Frequent high winds in December and January can cause continued deep convective mixing and thus maintain isothermal conditions, as occurred in winter 1975 and to a lesser degree in winter 1976 (fig. 1g-1h). Another possibility is a long period of calm wind conditions that would result in rapid cooling, stratification, and early ice formation, assuming normal or below-normal air temperatures. A more likely condition is alternating periods of relative calm and episodic high winds associated with storm passage. This condition results in alternating periods of stratification formation and stratification loss. This is illustrated by the mean thermal profiles shown in figure 1e for the two December surveys. Stratification formation is evident on December 20, but by December 27 there is a loss of the initial winter stratification probably caused by high winds during the week ending December 27. The climatology in figure 3 illustrates a gradual formation of winter stratification and in this respect is representative of a smoothed winter restratification. Winter stratification lasts until March, which is a period of transition, but because there are so few surveys in March and April, it is not possible to define the normal end of the winter stratification stage. In the one winter with

surveys through April, winter 1976, the upper 100 m of the water column was isothermal by the end of March, but there was still weak stratification below the 100-m level. Over the next month, the upper 100-m layer remained virtually isothermal, but the temperature in this layer increased nearly 1°C, indicating that spring overturn had started.

The **variation** in temperature over the survey route corresponds to depth and wind fetch variations. During stage 1 cooling, the fetch-limited and shallower western lake basin, areas 9 to 15, generally has higher surface and **epilimnion** temperatures (fig. 4b). Sharp differences in isotherm depth between adjacent areas are observed between areas 14 and 13, areas 9 and 8, and areas 4, 3, and 2 at the end of September. **Ragotzkie** (1974) noted that **upwelling** along the northwestern shore of Lake Superior occurs frequently. This, in combination with the deep trough in that area and relatively shallow waters in area 13, helps to explain the rise in isotherms from area 13 to 14. The convex shape of isotherms from areas 4 to 3 to 2 indicates that upwelling is also part of the temperature climatology of area 3. Bennett (1978) attributes this **midlake** upwelling to the divergence of wind-induced water motion or to the shoreward drift of surface waters associated with the general counter-clockwise shore circulation pattern. While the large downward trend in isotherms between areas 9 and 8 likely marks the boundary between the water masses of the **midlake** areas of the eastern and western basins of Lake Superior, this spatial pattern is considerably weaker by the end of October (fig. 4c) and it is reversed by the end of November when full convective mixing results in warmer waters in the **midlake** areas of the eastern lake basin than in the western lake basin. This new spatial pattern persists in stage 2 and stage 3 cooling. Fall overturn is completed first in the shallow shore areas, that is, in areas 13, 7, and 2 (and in areas 1 and 15), next in the **midlake** western lake basin, and last in the **midlake** eastern lake basin. By the end of December (fig. 4e), temperature in shore areas in both eastern and western lake basins are less than 3°C, the **midlake** areas of the eastern basin are still isothermal and near the temperature of maximum density, and **midlake** areas of the western lake basin have begun to stratify. Winter stratification is stronger in the western lake basin in January and February (fig. 4f-4g) owing to the smaller wind fetch and also earlier and **more** extensive ice cover that normally forms in the western lake basin (Assel et al.. 1983).

5. REFERENCES

- Assel, R.A., 1983. Lake Superior bathythermograph data: 1973-79. NOAA Data Rep. ERL GLERL-25, National Technical Information Service, Springfield, VA 22161, 17 pp.
- Assel, R.A., F.H. Quinn, G.A. Leshkevich, and S.J. Bolsenga, 1983. NOAA Great Lakes Ice Atlas. National Technical Information Services, Springfield, VA 22161, 115 pp.
- Bennett, E.B., 1978. Characteristics of the thermal regime of Lake Superior. J. Great Lakes Res. 4:310-319.

Feit, D.M., and D.S. Goldenberg, 1976. Climatology of surface temperatures of Lakes Superior, Huron, Erie, and Ontario. TDL Office Note 76-16, National Weather Service, Systems Development Office, Techniques Development Laboratory, Silver Springs, MD 20233, 14 pp.

Ragotzkie, R.A., 1974. Vertical motions along the north shore of Lake Superior. Proceedings of the 17th Conference on Great Lakes Research. August 12-14, 1974, International Association for Great Lakes Research, 456-461.

Smith, N., 1972. Summertime temperature and circulation patterns in Lake Superior, Ph.D. dissertation, University of Wisconsin--Madison, Madison, 205 pp.