Appendix A Statistical Methodology

The purpose of a census is to enumerate all objects with a defined characteristic. For the census of aquaculture, that goal is to account for any farm or operation from which \$1,000 or more of aquaculture products were produced and sold, or produced and distributed for restoration, conservation, enhancement, or recreational purposes during the census year. To do this, NASS creates a mail list of aquaculture operations that potentially meet the farm definition, collects aquaculture information from those operations, reviews the data, corrects or completes the requested information, and combines the data to provide information on the characteristics of aquaculture farm operations at the national and State levels. In this appendix, these census processes are described.

THE CENSUS POPULATION

The target population for the census of aquaculture was composed of all aquaculture farm operations that reported any amount of aquaculture activity on their 2022 Census of Agriculture report form. An effort was made to identify additional aquaculture operations of significance from new sources.

DATA COLLECTION

Method of Enumeration

The 2023 Census of Aquaculture was conducted primarily by mail. It was supplemented with Computer-Assisted Self Interview (CASI) on the Internet, telephone calls, and personal enumeration. Enumeration methods were like those used in the 2018 Census of Aquaculture.

Report Forms

A 16-page 2023 Census of Aquaculture report form was designed to collect data from operations producing or distributing aquaculture. It was designed to collect data that also supported the agricultural surveys conducted for catfish and trout production which are part of the National Agricultural Statistics Service's (NASS) Estimates Program. One version of the report form was used in all States. See Appendix B for changes since the last aquaculture census and a copy of the report form.

Report Form Mailings and Respondent Follow-up

The initial mailout took place in December 2023. Mail packets were mailed to approximately 3,600 farms thought to have produced aquaculture in 2022. The initial mail packets included a report form, an instruction sheet, a letter that requested a prompt response with instructions for completing the form via the internet, and a postage-paid return envelope. Mailout packet preparation, initial mailout, and one follow-up mailing to nonrespondents were handled by the Census Bureau's National Processing Center (NPC) in Jeffersonville, IN. In February 2024, a NASS data collection center conducted telephone follow-ups with those who did not return their report form.

Data were collected for a select group of operations by the NASS field offices. To minimize the number of agency contacts, operations included in this group were flagged for contact by NASS for other agricultural surveys. Report forms were labeled at the NPC and sent to field offices in November 2023. Field office staff collected data by personal enumeration or by phone from December 2023 through May 2024. For a description of the adjustment for nonresponse, see Estimation.

REPORT FORM PROCESSING

Data Capture

All report forms returned to the NPC were immediately checked in using barcodes printed on the mailing label. This check-in process removed the responding farms from follow-up mailings and telephone calls. All forms were reviewed prior to data keying to identify inconsistencies and ensure that the data could be keyed. Major inconsistencies, respondent remarks, blank report forms, and large aquaculture cases were reviewed by analysts and adjusted prior to data keying, as needed. All forms with any data were scanned, and an image of each page was saved to a secure internal server.

Data Editing and Analysis

Data from each report form were processed through a computer edit which flagged inconsistent entries. Each flagged entry was reviewed by staff. Reported data that were obviously incorrect due to misinterpretation of a question were either corrected or deleted prior to the computer edit. In some cases, respondents may have failed to provide all the information requested, only indicating the presence of an item but not the amount. Some data were estimated by the analyst based on other responses in the geographic area and by similarly sized farms.

Prior to publication, tabulated totals were reviewed to identify and resolve remaining inconsistencies and potential coverage problems. Comparisons were made to 2022 Census of Agriculture data, 2018 Census of Aquaculture data, and other available administrative data. The data were processed through a disclosure program to prevent data from being published that could be sourced back to an individual operation.

ESTIMATION

Estimates were produced for the Nation and for each of the 50 States. All respondents to the 2022 Census of Agriculture that reported involvement with an aquaculture enterprise, regardless of its economic size, were included on the 2023 Census of Aquaculture mailing list.

The estimation methodology consisted of two weighting components. The first component was the fully adjusted weight pulled in from the 2022 Census of Agriculture. In processing the 2022 Census of Agriculture data, statistical weights were applied to each responding record. These weights were designed to account for 2022 Census of Agriculture mail list nonrespondents, farms that existed but were not included on the 2022 Census of Agriculture mail list, and various farm classification errors.

The second weighting component was from a 2023 Census of Aquaculture nonresponse adjustment factor. Despite a determined effort to obtain aquaculture information from every operation on the 2023 Census of Aquaculture mailing list, not all operations responded. A nonresponse adjustment factor was used to account for active aquaculture operations on the list that did not respond to the 2023 Census of Aquaculture.

Together these two weighting components compensate for aquaculture farm data that were not obtained from either the 2022 Census of Agriculture or the 2023 Census of Aquaculture. Each farm on the 2023 Census of Aquaculture mail list was put into a weight adjustment group. All weight adjustment groups were formed within a given State. These groups were based on the economic size of the farm's aquaculture enterprise as indicated by the data obtained from the 2022 Census of Agriculture. The weights that were carried over from the 2022 Census of Agriculture were summed across every record within each aquaculture weight adjustment group. The resulting weight sum was the best available estimate of the number of aquaculture farms that existed for a given State in 2022. The number of aquaculture farms for the weight adjustment group was divided equally among all aquaculture census respondents within the group. The resulting value became the statistically fully adjusted weight for each respondent in the weight adjustment group. The sum of the adjusted weights across all respondents in the group necessarily equaled the target value.

DATA COMPARABILITY

Data definitions are comparable between the 2023 and 2018 aquaculture censuses. Minor report form wording changes and publication table changes from 2023 are noted in Appendix B. Dollar figures are expressed in current dollars and have not been adjusted for inflation or deflation.

The census of aquaculture data are not directly comparable to the census of agriculture data, due to different priorities and data definitions. A census of agriculture priority is the value of production of all agriculture (including aquaculture) at the county level. A census of aquaculture priority is a more specific look at U.S. and State-level aquaculture sales and aquaculture distributed for restoration, conservation, enhancement, or recreational purposes.

In the 2022 Census of Agriculture, all agriculture production moved off the farm had a value of sales reported or assigned. Aquaculture, which was moved for distribution, restoration, conservation, enhancement, or recreational purposes was assigned a value. In the 2023 Census of Aquaculture, farms with aquaculture which was produced and sold are included in tables 1 through 9 and 13 through 21. Aquaculture, which was not sold, but distributed for conservation is included in tables 22 and 23. Differing priorities between the census of agriculture and the census of aquaculture explain some of the farm count differences between the two censuses. For the 2022 Census of Agriculture, there were several large farms that span across county lines. To capture the agricultural production in the correct county, these farms were split into multiple records. These operations were weighted and summarized as individual farms for the 2022 Census of Agriculture. The census of aquaculture allowed one respondent to report for multiple locations within the same State. All production, sales, and distributed aquaculture data may have been tabulated as one farm. As a result, farm counts were reduced in Tables 1 - 20, and 22 - 24 by a maximum of 360 farms throughout the United States. The 360 total farms are distributed as follows: Arkansas – 1 farm, Idaho - 18 farms, Louisiana - 10 farms, Mississippi - 3 farms, Oregon - 34 farms, Pennsylvania - 158 farms, South Carolina – 1 farm, and Washington – 135 farms.

Another difference with the census of agriculture is the

minimum level of production. The census of agriculture has a minimum of \$1,000 of production or potential production of all agriculture items. For example, a farm with \$200 of crayfish and \$900 of rice is included. The census of aquaculture minimum is \$1,000 worth of aquaculture production either sold, or distributed for restoration, conservation, enhancement, or recreational purposes, which could reduce the number of farms. The last difference is that the census of agriculture food fish category excludes catfish and trout. The census of aquaculture includes catfish and trout in the food fish totals.

MEASURES OF CENSUS QUALITY

There are two main types of estimation error that affect all estimates obtained from almost any survey. These errors make it unlikely that estimates obtained from the 2023 Census of Aquaculture will exactly match the true value in the population for a given farm characteristic.

The first type of error, referred to as non-observation error, occurs in any estimate generated from a survey in which nonresponse occurs or data are not potentially obtainable from every unit in the target population. Statistical weighting as described in the Estimation section is used to reduce the effects of this type of error.

The second type of error is called nonsampling error. There are many sources of nonsampling error. Respondent reporting errors, data collection errors, data keying errors, and data editing errors are all examples of errors of this type. Quality controlled data processing is used to keep the effect of nonsampling errors to a minimum.

Census Response Rate

The response rate is one indicator of the quality of a data collection. It is generally assumed that if a response rate is close to a full participation level of 100 percent, the potential for nonresponse bias is small. Because the aquaculture mail list contained both farm and nonfarm records, the response rate is an indicator of replying to the data collection effort but does not reflect whether those

responding records qualified for data summarization. The U.S. response rate for the 2023 Census of Aquaculture is 80.9 percent. The U.S. response rate for the 2018 Census of Aquaculture was 83.7.

MEASURES OF PRECISION

Under the guidance of the Statistical Policy Office of the Office of Management and Budget (OMB), NASS provides data users with quality metrics for its published data series. The accuracy of data products may be evaluated through sampling and nonsampling error. The measurement of error due to sampling in the current period is evaluated by the coefficient of variation (CV) for each estimated item. Nonsampling error is evaluated by response rates and the percent of the estimate from respondents.

Coefficient of variation is a measure of the relative amount of error associated with a sample estimate. Specifically, it is the standard error of a point estimate divided by that estimate, generally multiplied times 100 so that it can be reported as a percentage. This relative measure allows the reliability of a range of estimates to be compared. For example, the standard error is often larger for large population estimates than for small population estimates, but the large population estimates may have a smaller CV, indicating a more reliable estimate. Every estimate for the 2023 Census of Aquaculture has a corresponding CV published with it. NASS has identified the following index to use when evaluating coefficient of variation for the 2023 Census of Aquaculture. The coefficient of variation is used as an indicator of the precision in the census estimates and is reported for some census items in Table A.

- Low Reliability Estimate. Coefficient of Variation (CV) 30 percent or higher. Caution should be used when using this estimate in any form. Please consult NASS for more information or guidance.
- Medium Reliability Estimate. Coefficient of Variation (CV) between 15 percent and 29.9 percent.
- **High Reliability Estimate.** Coefficient of Variation (CV) less than 15 percent.

Table A. Coefficient of Variation: 2023

[For meaning of abbreviations and symbols, see introductory text.]

Geographic area	Farms	Coefficient of variation (percent)	Value (\$1,000)	Coefficient of variation (percent)
CATFISH		. ,		<u> </u>
United States	398	9	479,994	18.7
Alabama Arkansas California Florida Georgia Hawaii Idaho Illinois Iowa Kansas Kentucky Louisiana Maryland Michigan Mississippi Missouri Nebraska North Carolina Ohio Oklahoma	78 21 28 7 14 9 2 5 3 6 5 15 2 2 121 10 6 9 7 2	15.5 21.5 48.8 73.7 25.4 81.8 69 97 76.6 70.6 57.9 97.2 (H) 4 62.2 60.3 48.8 53.1 (H)	125,849 31,314 12,560 980 (D) 163 (D) 75 13 1,002 (D) 3,065 (D) (D) 271,011 (D) (D) (D) (D) (D) (D) (D) (D)	29.6 39.3 68.9 77.3 (D) 79.4 (D) (H) 84.4 (H) (D) (D) (D) (D) 26.5 (D) (D) (D) (D) (D)
South Carolina Tennessee Texas Virginia West Virginia BAITFISH	1 6 36 2 1	(H) 56.1 18.5 (H) (H)	(D) (D) 27,700 (D) (D)	(D) (D) 72.2 (D) (D)
United States	205	12.3	48,125	33.3
Alabama Arkansas California Colorado Delaware Florida Georgia Illinois Indiana Iowa	4 28 3 1 3 18 1 4 2 4	76.7 13.9 (H) (H) 97.3 42.4 (H) 53.9 97.6 95.1	172 27,402 (D) (D) (D) 733 (D) (D) (D) (D) 163	(H) 46.8 (D) (D) (D) 79.7 (D) (D) (D) (H)
Kansas Kentucky Maine Michigan Minnesota Mississippi Missouri Nebraska New Jersey New York	4 1 3 5 20 1 9 3 2 7	95.1 (H) (H) 54.6 35.3 (H) 50.5 86 (H) 85.4	(D) (D) 7 (D) 2,907 (D) (D) 106 (D) 786	(D) (D) (H) (D) 58.9 (D) (D) (H) (D) 76.1
North Carolina Ohio Oklahoma Pennsylvania South Carolina South Dakota Tennessee Texas West Virginia Wisconsin	3 21 4 9 4 3 3 14 3 18	(H) 33.8 (H) 70.7 71.4 82.8 67.2 55.4 90.7 41.6	(D) 3,633 56 486 32 1,061 6 (D) (D) 4,031	(D) (H) (H) (H) 71.4 76.3 63.9 (D) (D) 76.2

--continued

Table A. Coefficient of Variation: 2023 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

Geographic area	Farms	Coefficient of variation (percent)	Value (\$1,000)	Coefficient of variation (percent)
CRUSTACEANS				
United States	848	3.7	175,746	11.1
Alabama Arkansas California Colorado Delaware Florida Hawaii Indiana Kentucky Louisiana	1 3 1 3 34 11 2 8 731	(H) (H) (H) 97.3 30.4 37.3 (H) 56.2 3.1	(D) 104 (D) (D) 21,793 23,011 (D) 24 122,461	(D) (H) (D) (D) 67.1 75 (D) 91.6 7.6
Maryland Massachusetts Minnesota Missouri Nebraska New Hampshire New Jersey North Carolina Ohio South Carolina	7 2 2 3 1 7 3 4 6	56.1 (H) 95.8 (H) 64.7 (H) 47.9 (H) 67.9 77.7	(D) (D) (D) (D) (D) 313 24 17 98	(D) (D) (D) (D) (D) (H) (H) 94.1 93.6
Texas Virginia	12 4	48.5 (H)	(D) (D)	(D) (D)
ORNAMENTAL FISH				
United States	315	8.4	77,095	14.6
Alabama Arkansas California Delaware Florida Hawaii Illinois Indiana Iowa Kentucky	2 3 4 2 161 12 3 5 1 2	(H) 86.7 67.5 (H) 9.8 35.8 69.3 95.8 (H) (H)	(D) 2,119 (D) 57,791 (D) (D) 1,774 (D) (D)	(D) (H) (D) 17.1 (D) 97.6 (D) (D)
Louisiana	9 2 6 4 2 3 5 1 10 11	80.3 (H) 74.3 68 96.1 78.4 74.9 (H) 60.1 42.6	188 (D) (D) 44 (D) (D) 9 (D) (D) 289	84.6 (D) 70.2 (D) (D) (H) (D) (D) (D) 59.5
North Carolina Ohio Oklahoma Oregon Pennsylvania Rhode Island South Carolina Tennessee Texas Virginia	3 26 4 2 7 1 3 1 10 4	65.6 37.7 (H) (H) 78.4 (H) (H) (H) 37.4 71.9	13 553 (D) (D) (D) (D) 13 (D) 978 (D)	87.5 62.7 (D) (D) (D) (D) (H) (D) 85.1 (D)
Washington West Virginia Wisconsin	2 1 3	(H) (H) 95.8	(D) (D) 3	(D) (D) 95.8