



Update on NAWIPS/GEMPAK Migration to AWIPS-II

Michelle Mainelli
NCEP Central Operations
11 March 2010





Topics

- Mission
- Migration & Goals
- Software Strategy
- GEMPAK 6.0
- FY10 Activities
- User Perspective: NAWIPS vs AWIPS-II
- Suggested Hardware for AWIPS-II at NCEP
- Unidata Involvement
- Key Takeaways
- Training resources






NAWIPS Team Mission




- Develop meteorological application software to meet NCEP requirements
 - National Centers given responsibility to meet their mission requirements during AWIPS-II
- Transition NAWIPS functionality to AWIPS-II environment
 - National Centers will be fully integrated with the NWS-wide system





NAWIPS/AWIPS-II Team



- 18.5 members
 - Increased from 11-12 members prior to migration
- Roughly 60-40 split between IT and earth science backgrounds, some overlap
 - All new hires have significant experience in Java (OOAD), SOA, XML, PostgreSQL, Eclipse, Subversion, JUnit, GeoTools
- Almost 250 years total experience in software design and development



Migration Goals

- NWS Hardware and Software consolidation
- Migration to AWIPS-II must include:
 - All current functionality in NMAP, NSHARP, NWX, and NTRANS
 - Product generation
 - Multi-panel display
 - Observation & product display
 - Data Decoders
 - GEMPAK (legacy command line interface)
 - Working on a forward capability






Software Goals

- No changes to the forecaster workflow
 - “Gray box” migration
 - Some visual differences may be unavoidable
- Adopt and/or adapt new technology
 - e.g., GeoTools, integrated pan and zoom
- Challenges
 - Concurrent Raytheon development
 - Development Environment
 - Eclipse, Java





Software Strategy

- Studied AWIPS-II system as delivered by Raytheon
- Break down existing functionality into small pieces
- Trac wiki and ticketing system
- Employ “agile scrum” development environment
- Use Eclipse Rich Client Platform
 - CAVE is an Eclipse application made of various plugins
- Hudson continuous integration





GEMPAK 6.0

- Official GEMPAK 6.0 release scheduled for April/May
- Modify GEMPAK to access the AWIPS-II database
 - Allows users to continue to use their legacy batch scripts with the new database
 - Data management (DM) library extended to make AWIPS2 service requests via http
 - Server-side microEngine scripts
 - Applies to all GEMPAK / NAWIPS applications
- Images, surface data completed, model & upper-air next
- GEMPAK will continue to be supported until a **full** replacement is ready
 - GUIs deprecated eventually



FY10 Activities

- Software development is on schedule
- Hardware configuration determination in progress
- Anticipate software ready for OT&E to begin by Q1FY11
- Migration activities continue in the following areas:
 - GUI integration & Interactive Product Generation & GEMPAK
 - Decoder migration is complete
- Continue to have one-on-one TIMs w/ Raytheon
- Continue to work closely with the NWS AWIPS Program Office
- Testing & Test Plans - Monthly drops of RTS baseline w/ NCEP integration



NAWIPS Perspective

within CAVE



- Integrates **NMAP2**, **NTRANS**, **NWX**
 - Multiple tabbed loops
 - Flexible timeline
 - Includes single time resource collections
 - Flexible extended attribute assignment for displayable resources
 - e.g., multi-color displays
 - Procedure, Bundle and Resource selection and management
 - **Multi-panel displays, spatially and temporally synchronized (or not)**
 - **GUI FOS bulletin select and display**





National Centers Perspective



User View – CAVE Top Buttons


NAWIPS Button Type	Functionality in CAVE Perspective	NAWIPS Button Type	Functionality in AWIPS-II
Data	Yes - unchanged	Auto Update	Still under investigation
Map	Yes - replaced with pull-down Area & Overlays	Wipe	None at this time
PGEN	Yes - unchanged	Reload	None at this time – AWIPS reloads data automatically
Print	Yes - unchanged	Loop	Replaced w/tabs, hotkeys unchanged
Seek	Yes - unchanged	Animation Controls	Unchanged – however “hide loop” already in AWIPS-II
Cloud Height	Yes - unchanged	Stop	None at this time
AODT	Yes - unchanged	Zoom/Unzoom	Available in CAVE; however, unneeded





National Centers D2D 5 Pane

1-METAR_Michael.gao 3-Mcidas_Sat 4panels 4-US_4km_VIS 4-NWPac_2km_IR 4-Wtropical_4km-WV 4-NatIPol-8km_IR Map 2-Metar Standard



Multiple tabbed multiframe sequences

National Centers Perspective

Multi-color resource display

LATLON 35.09, -79.87



Time: 21:35Z 11-Jan-10

Metar standard Time 17:00Z 05-Jan-10 Geo-Political



National Centers Perspective



User View – CAVE Bottom Buttons



NAWIPS Button Type	Functionality in CAVE Perspective
Valid Time	Located in the resource legend – lower right corner
Locator / Lat/Lon Readout	Moved from lower right corner to lower left
PGEN hints	Still under investigation
Fade	Yes - unchanged
Error	Functionality in AWIPS-II
Loop Counter	No longer needed





NTRANS Capabilities

National Centers D2D 5 Pane

1-Map 2-US_4panels 3-Demo_Dave_4p 3-Demo_Dave_4p 3-Dave_4panels_demo2 3-Metar Standard



Multipanel (any M x N configuration)



LATLON 34.94, -93.96




Time: 15:35Z 12-Jan-10



NWX Capabilities

National Centers D2D 5 Pane



NCTEXT

Select Data Type Group: Recon CARCAH, Flash Flood, Marine, Aviation Forecasts, **MOS**, HPC Products

Select Data Type Product: NGM MOS, ETA MOS, GFS MOS, **GFSX MOS**, NGM GUID, ETA GUID

Hour Covered: 1 3 6 12 24 48

Select By: station state

Text Report:

----Text 1:: Reporting Station: CLARKSVILLE ----
 KCKV GFSX MOS GUIDANCE 3/01/2010 1200 UTC

FHR 24 36| 48 60| 72 84| 96 108|120 132|144 156|168 180|192
 TUE 02| WED 03| THU 04| FRI 05| SAT 06| SUN 07| MON 08|TUE CLIMO
 N/X 31 45| 30 45| 26 45| 26 50| 28 59| 38 61| 43 61| 42 33 57
 TMP 33 40| 31 39| 27 38| 28 42| 30 52| 40 55| 46 55| 44
 OPT 28 25| 25 22| 22 20| 22 21| 25 30| 33 36| 38 38| 38
 WND 9 15| 10 10| 7 10| 7 9| 5 9| 5 13| 8 12| 10
 P12 33 25| 4 3| 6 2| 0 0| 2 8| 12 11| 13 26| 29999999
 P24 35| 9| 9| 0| 8| 20| 26| 999
 Q12 0 0| 0 0| 0 0| 0 0| 0 0| 0 0|

Text Mode:
 Replace Append Previous Next Print

LATLON 64.96, -109.76

Time: 17:33Z 02-Mar-10

PGEN Capabilities



National Centers D2D 5 Pane

PGEN 2-metar

Launch Configure Help

Controls:



Actions:



Classes:



Objects:



Line Attr

Color:

Line Width:

Smooth Level: 2

Closed Filled

OK Cancel

Product Center

Products: Multi-Save

New All On Delete

Default Default


Product_2 SurfaceAnalysis

Layers:

New All On Delete

Default A/F

Exit <<



PGEN Resource
 Metar Fri 17:00Z 23-Oct-09
 Latitude/Longitude
 Geo-Political

LATLON 31.51, -117.53


Time: 17:21Z 23-Oct-09




Hardware Configuration


- National Center configuration TBD ASAP
 - Need Raytheon resources - unavailable until after TO11 completion
 - Until then, testing on HQ test bed
- New configuration needs to be procured and deployed to the NCs prior to OT&E (Q1FY11)
- Minimum Configuration
 - EDEX (Data server) requires 2G RAM
 - CAVE (workstation) requires a video card that supports OPEN GL w/ 256M video RAM
 - 4G RAM to run both





NAWIPS Roadmap





Benefits for Unidata Users

- Facilitate Research => Operations
- Classroom tool / training
 - Weather Event Simulator ~ 2012
- NWS operational system
 - Simulates a fully operational forecasting system
- Less data processing required
- Run your own EDEX to create database
- Modern development environment/platform
 - Flexible & expandable architecture
 - Object oriented languages such as Java and Python





Unidata Involvement

- Monthly migration telecons
- IV&V, OT&E (baseline + NAWIPS extensions)
 - Test plans, cases and execution
- User training (limited) – web based
- Design and development collaboration
- Liaison with University community
- Developers conference scheduled late FY10
- **NCEP continues to view Unidata as a very important partner for NCEP's total mission.**





Key Takeaways

- NAWIPS/AWIPS-II migration on schedule
- NC transition highly dependent on Raytheon development
- GEMPAK supported until a full replacement is ready
- Hardware configuration finalized - May 2010
- First NC operational release - Fall 2011
- Unidata support 18 months after 1st delivery
– Spring 2013
- GEMPAK is free to anyone who wants to use it
- Once NWS implemented, AWIPS-II will have open software policies





Training Resources

- **Training Portals:**

http://www.nwstc.noaa.gov/AWIPS/ADE/ADE_resources.html

- **NCEP Central Operations – AWIPS-II Wiki Site:**

<http://wiki.ncep.noaa.gov/nco/sib>

- **AWIPS Migration training and resources:**

<http://www.nwstc.noaa.gov/nwstrn/awips.htm>

- Includes new AWIPS-II SOA module

- **Suggested training:**

- Java, Advanced Java (best practices)


- Please note that Java allows “wrapping” of C

- Best implemented when performance is an issue





Questions ?



*“From the Sun to the Sea...
Where America’s Climate, Weather, Ocean and Space
Weather Services Begin”*