





OFF-GRID PRODUCTIVE USE OF ENERGY 2020 CATALOG

Senegal

ACRONYMS AND ABBREVIATIONS

| AC | alternating current | DIN | Deutsches Institut für Normung |
|--------|---|---------|--|
| Ah | ampere hours | EBZ | Electro Education and Technology |
| ALPS | aquaculture, livestock, and poultry solutions | | Center Dresden (Elektro Bildungs- und Technologiezentrum Dresden) |
| AMMA | Modern and Handcrafted Carpentry Workshop (Atelier de Menuiserie Moderne et | EDA | Energy of Africa (Energie d'Afrique) |
| | Artisanal) | EN | European Standard |
| ASG | African Solar Generation | ESP | Higher Polytechnic School of Dakar (Ecole Supérieur Polytechnique de Dakar) |
| C | Celsius | | , , , |
| CAC | Crop Aggregation Center | F | Fahrenheit |
| CDA | controlled droplet application | FBO | farmer-based organizations |
| | | FES | Free Engineering Services |
| CDARMA | Center for the Development of Rural Crafts and Agricultural Machinery (Centre de Développement de l'Artisanat Rural et du | GAM | Group of Metal Artisans (Groupement des Artisans du Métal) |
| | Machinisme Agricole) | GIE | Global International Energy |
| CPF | Mbouo-Bandjoun Polyvalent Training Center (Centre Polyvalent de Formation de Mbouo-Bandjoun) | GIMAFOR | Engineering, Management, Training, and Research Group (Groupe d'Ingénierie, de Management, de Formation et de Recherche) |
| DC | direct current | | management, de l'omnation et de Necherene) |

DENG Ltd. Danish Engineering Limited

ACRONYMS AND ABBREVIATIONS

GMACI Business Marketing and International LV low volume

Brokerage Group (Groupe Marketing des
Affaires et Courtage International)

m meter

global system for mobile communications ml milliliter

hours m² square meters

HP horsepower **m**³ cubic meters

IEC International Electrotechnical Commission MFI microfinance institution

international protection min minute

ISO International Organization for mm millimeter

Standardization `

KCIC Kenya Climate Innovation Center

kg kilograms

h

IP

kW kilowatts

kWh kilowatt hours

kWp kilowatt peak (kilowatt crête)

L liters

LCB linear current booster

MPPT maximum power-point tracking

MSBHD mobile solar biomass hybrid dryer

PAYGO pay-as-you-go

PV photovoltaic

PUE productive use of energy

RESEDA Network for the Development of Crafts

(Réseau pour le Développement de l'Artisanat)

SACCO savings and credit cooperative

ACRONYMS AND ABBREVIATIONS

Wp

ZECI

watt peak

Zola EDF Côte d'Ivoire

SARL incorporated business (Société A

Responsabilité Limitée)

Simplified Joint-Stock Company (Société par

Actions Simplifiée)

SATECH African Society of Technology (Société

Africaine de Téchnologies)

SEV Sun Water Life (Soleil Eau Vie)

SI2E ENR Ivorian Society of Energy Efficiency and

Renewable Energies (Société Ivoirienne d'Efficacité Energétique et des Energies

Renouvelables)

SNV Netherlands Development Organization

T / Tel telephone number

ULV ultra-low volume

V volts

SAS

V DC volts direct current

V AC volts alternating current

W watts

ACKNOWLEDGEMENTS

The Off-grid Productive Use of Energy 2020 Catalog (this "Document") was produced by RTI International for Power Africa. September 2020.

Contract: IDIQ No. 720-674-18-D-00004 | Task Order: 720-674-19-F-00005

RTI International is grateful for the cooperation of the companies with products featured in this Document and would like to thank everyone involved in the research, development, and review of the content included in the Document.

Particular thanks go to:

- Practical Action for research and content development.
- CLASP for contributing and reviewing technical content.
- Kenya Climate Innovation Center (KCIC) for connecting the authors with companies in KCIC's business accelerator program and beyond.

Cover Photo Credit: Aldo Pavan/The Image Bank/Getty Images

DISCLAIMER

The information in this Document is provided for general informational purposes only. The inclusion of any company, activity, or resource in this Document does not constitute an official endorsement, recommendation, sponsorship, or approval by Power Africa, USAID, the U.S. Securities and Exchange Commission, any state securities authority, or any other U.S. Government agency, its employees, contractors, or agents. Information about companies in this document was primarily self-reported by the companies. USAID did not verify the accuracy of information provided by the companies or information derived from public sources. USAID does not make any representations or warranties (expressed or implied) as to the accuracy or completeness of the data and information contained in this Document and expressly disclaims any and all legal responsibility and liability that may be based on the information provided herein or errors or omissions thereof. USAID reserves the right to modify this Document at any time and undertakes no obligation to notify readers of updates or corrections.

BACKGROUND

Power Africa is a U.S. Government-led partnership that brings together the collective resources of over 170 public and private sector partners to double access to electricity in sub-Saharan Africa. Power Africa's goal is to add more than 30,000 megawatts of new electricity generation capacity and connect 60 million new homes and businesses to power by 2030. Read more: www.usaid.gov/powerafrica.

Reliable supply of energy is one of many important requirements for significant growth and increased productivity in African agriculture. For farmers in most African countries, access to fuel or electricity for farm operations, crop processing, and food storage is limited and costly. Rapid growth in agricultural production can stimulate rural and overall economic development.

Power Africa Off-grid Project provides technical assistance to private sector companies, agriculture cooperatives, agribusinesses, and government stakeholders to increase the uptake of off-grid energy solutions, such as solar home systems (SHS), mini-grids, and productive use of energy (PUE) technologies. Under its cross-cutting work stream, the Project plays a vital role in the adoption of PUE technologies by supporting off-grid companies to:

- Expand their product portfolios to include PUE
- Access finance to facilitate company growth, enter new markets, and pilot PUE business models across agricultural value chains, leveraging innovation as the sector matures
- Leverage innovation as the sector matures

INTRODUCTION

What is Productive Use of Energy (PUE)?

For the purposes of this catalog, PUE refers to any electrical and thermal equipment and technology that serves as a direct input for the production of goods or provision of services for income-generating activities.

Objectives

The main objective of this catalog is to increase awareness and uptake of the off-grid PUE appliances that are available in Senegal. The catalog provides stakeholders (including manufacturers, suppliers, nongovernment and community organizations, and government policymakers) with insight into PUE products and innovations.


This catalog is part of a collection aiming to:

- Increase the knowledge base of off-grid PUE equipment
- Address the PUE needs of the East and West Africa regions
- Identify sectors for which greater adoption of PUE products can stimulate economic development

Selected Countries

The collection of catalogs covers ten countries:

- East Africa: Ethiopia, Kenya, Rwanda, Tanzania, and Uganda
- West Africa: Cameroon, Côte d'Ivoire, Ghana, Niger, and Senegal



INTRODUCTION

Contents

The catalog includes technical and financial information for a range of PUE technologies with a focus on the economic activities of agriculture, fishing, livestock, and poultry.

The catalog presents the following information:

- The existing terms of sale for PUE products
- Pay-as-you-go (PAYGO) integration capabilities
- Manufacturer, distributor, and supplier channels

Target Audience

A wide range of participants in the off-grid energy sector can leverage insights from the catalog to inform their decisions, including government policymakers, private-sector practitioners, stakeholders from nongovernment and community organizations, investors, financial institutions, and end users.

CRITERIA FOR SELECTION OF PUE PRODUCTS

The catalog's scope is limited to off-grid PUE products for agriculture, fishing, livestock, and poultry and does not include other uses of energy, such as phone charging. Featured technologies include photovoltaic (PV) solar and those that combine electrical and thermal power, such as food dryers.

Applications and value chains include the following:

| Category | Examples |
|--------------------------|--|
| Agriculture production | Water pumping solutions, solar spraying |
| Agriculture conservation | Fridges and freezers |
| Agriculture processing | Grain mills, threshing and husking machines, and food dryers |
| Livestock and poultry | Egg incubators, milk chillers, and fodder preparation (i.e. chaff cutters) |
| Fishing and aquaculture | Cold storage units (i.e. ice machines), fishing lights |

HOW TO READ THE CATALOG

The catalog has two sections:

Section I: Company Information

Provides an overview of local companies supplying PUE products in the targeted countries and outlines general information about the companies, such as contact information and current product offerings.

Classifies companies into four categories:

- Manufacturer a company that builds, design, and packages products for a market
- 2. **Distributor** a company that buys products or product lines from a manufacturer and sells them directly to end users or supplies them to other retailing companies
- 3. **Brand Representative** an international company's in-country subsidiary or partner company that fulfills sales and other services for end users
- **4. Reseller/Retailer** a company (or entity) that receives products from a distributor and sells them directly to end users

Classifies distribution channels into ten categories:

- I. Direct retail
- 2. Online retail
- 3. On order
- 4. Large distributors
- Retail through farmer cooperatives/producer groups and savings and credit cooperatives (SACCOs)
- 6. Retail through kiosks and similar outlets
- 7. Retail through microfinance institutions (MFIs)
- 8. Retail through outgrower schemes
- 9. Retail through sales agents
- 10. Retail through women's groups

Classifies payment models into six categories:

- I. PAYGO
- 2. Flexible installments (hire purchase agreement, leasing, etc.)
- 3. Cooperation with local banks or MFIs
- 4. Cash payment or cash and carry
- 5. Product only sold as part of a package
- 6. Fee for service

HOW TO READ THE CATALOG

Section 2: Product Information

Provides detailed technical information on PUE products and further categorizes products into six sections by type of solutions:

- I. Agro-Processing mills, hullers, threshers, crushers, paste makers, and oil presses
- 2. Cooling cold rooms, freezers, ice-making machines, milk tanks, and refrigerators
- 3. Food Dryers thermal and ventilation-based solutions
- **4.** Aquaculture, Livestock, and Poultry fishing lights and egg incubators
- 5. Pumping surface pumps and submersible pumps
- Sprayers animal medical treatments, disinfectants, fungicides, herbicides, insecticides, and pesticides

The following reference table explains the product information and technical specifications for the product categories of pumps, fridges, mills, dryers, and ALPS (aquaculture, livestock, and poultry solutions) and country-specific data:

| Datasheet Heading | Explanation | Unit of Measure | Product Category |
|--------------------------|--|--------------------|---------------------|
| Product Information | | | |
| Product Name | Product brand name and model | | All |
| Manufacturer | The company that manufactures the product | | All |
| Picture | Image of the product | | All |
| Product Description | Characteristics of the product | | All |
| Target Use | How the product is used and its target group | | All |
| Technical Specifications | | | |
| Models | Specific model type, series, and number if applicable | | Pumps, Mills |
| Product Type | Submersible or surface pump | | All |
| Load | The power required to operate the solution | W | Pumps |
| Pump Type | Operational category of the pump, based on its mechanics: centrifugal, helical, and piston | | Pumps |

| Datasheet Heading | Explanation | Unit of Measure | Product Category |
|-----------------------|--|--------------------|-----------------------------------|
| Automation | Process by which an equipment operates an action or a process operated automatically by an electronically controlled system and often without human assistance | | ALPS |
| Electrical Output | Electrical energy produced by the product | kW | Dryers |
| Thermal Output | Thermal energy produced by the product | kW | Dryers |
| Mechanical Output | Mechanical energy produced by the product | kW | Dryers |
| AC/DC Coupled | Type of electric current | AC or DC or both | All |
| Electrical Efficiency | Measurement of the ratio between the energy input and the electrical-energy output | % | Dryers |
| Thermal Efficiency | Measurement of the ratio between the energy input and the thermal-energy output | % | Dryers |
| Voltage Range | Operating voltage range of the product | V DC or V AC | Pumps, Fridges, Mills, ALPS |
| Throughput | Processing-capacity output of the product | kg/h | Mills |

| Datasheet Heading | Explanation | Unit of Measure | Product Category |
|------------------------------------|--|--------------------|-----------------------------------|
| Egg Capacity | Number of eggs the incubator can hold in one batch | eggs | ALPS |
| Power Rating | Highest approved power input of the product motor | W | Pumps, Fridges, Mills, ALPS |
| Required Solar Panel Size | Required PV-panel capacity required to power the product | WorWp | Pumps |
| Storage Capacity | Volume of available storage | L | Fridges |
| Operating Temperature | Operating temperature of the product | °C (°F) | Fridges |
| Capacity of PV Modules Required | Required PV panel capacity that is required to power the product | Wp or W | Fridges, Mills, ALPS |

| Datasheet Heading | Explanation | Unit of Measure | Product Category |
|-------------------------------|--|-------------------------------|---------------------|
| Holdover Time | The time taken by the product to raise the inside cabinet's temperature from its cut-off temperature to the maximum temperature limit of its recommended range. For example, for a fridge with an operating temperature of 4 °C (39.2 °F) and a maximum operating temperature of 8 °C (46.4 °F), the holdover time is the time taken to reach 8 °C (46.4 °F) from 4 °C (39.2 °F) in case of a power loss | h or min | Fridges |
| Power (Energy Consumption) | Daily energy consumption of the product | W or Wh/ | Fridges |
| Product Dimensions | External measurements of the product (recorded as length × width × height, unless otherwise noted) | length x width x height | Fridges, ALPS |
| Total Dynamic Head | Maximum height at which a pump can raise water, inclusive of friction losses | m | Pumps |
| Max Discharge Rate | Maximum rated volume of water pumped per hour | m³/h | Pumps |
| Controller Requirements | Requirement for an external pump controller | | Pumps |

| Datasheet Heading | Explanation | Unit of Measure | Product Category |
|--------------------------------|--|--------------------|---------------------|
| Lamp Display/Output | Amount of light produced | lumens | ALPS |
| Lighting Duration | Length of time that the product produces light | hours | ALPS |
| Battery Size | Type, size, and specifications of the battery | Ah | ALPS |
| PAYGO Integration Capabilities | Compatibility with PAYGO | | All |
| Product Link | Product website or datasheet link | | All |
| Distribution Channels | Channels listed under the following categories: Direct retail Online retail On order Large distributors Retail through farmer cooperatives/producer groups and savings and credit cooperatives (SACCOs) Retail through kiosks and similar outlets Retail through microfinance institutions (MFIs) Retail through outgrower schemes Retail through sales agents Retail through women's groups | | All |

| Datasheet Heading | Explanation | Unit of Measure | Product Category |
|------------------------------------|---|--------------------|---------------------|
| Payment Models / Terms of Sales | Models and terms listed under the following categories: PAYGO Flexible installments (hire purchase agreement, leasing, etc.) Cooperation with local banks or MFIs Cash payment or cash and carry Product only sold as part of a package Fee for service | | All |

SECTION I COMPANY INFORMATION



| Companies | Distributed Technologies | Category | Distribution Channels | Payment Models |
|---|---|-------------|-----------------------------|--|
| Baraka Energie +221 78 606 65 81 Pikine, Dakar | Fridges • Steca Fridges PF 166-H PF 240-H | Reseller | Direct retail | Cash & carry Flexible installments |
| Bernasol SARL +221 33 958 55 58 belapeyre@yahoo.fr Ngaparou,Thiès | Pumps Lorentz Pump PS-CS-F Lorentz Pump PS2-Series Lorentz PSK2-Series | Reseller | Direct retail Online retail | Cash & carry |
| Beta Energy +221 33 879 13 09 Dalifort Foirail, Dakar | Pumps • Lorentz Pump PS-CS-F • Lorentz Pump PS2-150 HR-07S • Lorentz PSK2-Series | Reseller | Direct retail | Cash & carry |
| Bonergie +221 33 825 37 95 senegal@bonergie.com VDN, Cité CPI, Dakar | Pumps • Lorentz Pump PS-CS-F • Lorentz PS2-Series • Lorentz PSK2-Series Fridges • Steca Fridge PF 166-H PF 240-H | Distributor | Direct retail | Cash & carry Flexible installments PAYGO |
| | DryersCona Solar - Solar Dryer | | | |

| Companies | Distributed Technologies | Category | Distribution Channels | Payment Models |
|---|---|--|-----------------------------|--|
| Cogelec +221 33 823 3315 cogelec@cogelecsn.com Medina, Dakar | Pumps Caprari Submersible Pumps Series Caprari Surface Pumps Series | Distributor | Direct retail Online retail | Cash & carry |
| Flex NRJ +221 33 867 00 57 flexnrj@flexnrj.com Liberté 6, CPI, Dakar | Pumps • Grundfos CR Flex Pump Series • Grundfos SQ Flex Pump Series centrifugal • Grundfos SQ Flex Series Helical Fridges • Steca Fridge PF 166-H PF 240-H | Brand Representative Distributor | Direct retail | Cash & carry Cooperation with local banks or MFIs |
| Gie Yaya Fofana & Abdou Drame (FOFANA) Sédhiou, Chambre des métiers; +221 77 338 77 11 | Dryers • Atesta CEAS Dryer | Manufacturer | Direct retail | Cash & carry |
| Group of Metal Artisans (Groupement des Artisans du Métal [GAM]) Ziguinchor | Dryers • Atesta CEAS Dryer | Manufacturer | Direct retail | Cash & carry |

| Companies | Distributed Technologies | Category | Distribution Channels | Payment Models |
|---|--|--------------|--------------------------|-------------------|
| Higher Polytechnic School of Dakar (Ecole Supérieur Polytechnique de Dakar [ESP]) Fann, Dakar +221 77 819 29 09 cmkebe@gmail.com | Dryers • CSec-T Dryer | Manufacturer | Direct retail | Cash & carry |
| Kayor Energie +221 33 955 55 00 Ngaye Mékhé,Thiès | Pumps • Lorentz Pump PS-CS-F • Lorentz Pump PS2-150 HR-07S • Lorentz PSK2-Series | Reseller | Direct retail | Cash & carry |
| Kouraka Kabacar de Ziguinchor (Kouraba) Ziguinchor, Boucotte Centre | Dryers • Atesta CEAS Dryer | Manufacturer | Direct retail | Cash & carry |
| Modern and Handcrafted Carpentry Workshop (Atelier de Menuiserie Moderne et Artisanal [AMMA]) Ziguinchor, Boucotte Centre yamatogne | Dryers • Atesta CEAS Dryer | Manufacturer | Direct retail | Cash & carry |

| Companies | Distributed Technologies | Category | Distribution Channels | Payment Models |
|---|---|--------------|------------------------------------|--|
| Nadji Bi Distributed Technologies +221 33 957 30 97 senegal@ nadjibi.com 23000 Mbour, Senegal www.nadjibi.com | Pumps NJB Pump Frog Series NJB Pump FrogS Series Fridges NJB Cool, Fridges NJB Ice, Freezer NJB G693L NJB Cool & Ice NJB Ice Cube Maker NJB Cold Milk Mills NJB Solar Mill | Manufacturer | Direct retail Retail through MFIs | Cash & carry Cooperation with local banks or MFIs |

| Companies | Distributed Technologies | Category | Distribution Channels | Payment Models |
|--|---|--------------------------------|-----------------------------|-------------------------------------|
| NRJ Solaire +221 77 534 22 04 nrjsolaire I@gmail.com Derklé, Dakar https://nrjsolaires.com | Pumps Lorentz Pump PS-CS-F Lorentz Pump PS2-Series NRJ Pumps Lorentz PSK2-Series Agro-processing Novital Mill Golia 4V Fridges Felicity freezer | Reseller Brand representative | Direct retail Online retail | Cash & carry Flexible installments |
| Omega Technologies Thiès 167 M'bour 1, Senegal Technologieomega@Yahoo.fr | Agro-processing | Manufacturer | Direct Retail | Cash & carry |
| PAKAO Sédhiou, Sourwacounda; 77 535 03 99 | • CSec-T Dryer | Manufacturer | Direct Retail | Cash & carry |

| Companies | Distributed Technologies | Category | Distribution Channels | Payment Models |
|--|--|-------------|-----------------------------|-------------------------------------|
| PEG Senegal +221 33 869 45 69 +221 77 834 47 47 Cité Keur Gorgui, près Auchan infosn@pegafrica.com | Pumps Lorentz Pump PS2-100 Lorentz Pump PS2-600 Lorentz Pump PS2-1800 Dayliff SUNFLO B Pump Series Fridges Nilo 100 L, DC Solar Fridge | Distributor | Direct retail Online retail | Cash & carry Flexible installments |
| Prosolia joseluis@prosoliaafrica.com www.prosoliaafrica.com Dakar | Mills Paste Maker Mill Solar Milling Crusher Mill Solar Milling Stone Mill | Distributor | On order | Cash & carry |
| Rayon Vert +221 33 860 13 04 Mermoz, Dakar | Pumps • Lorentz Pump PS-CS-F • Lorentz Pump PS2-150 HR-07S • Lorentz Pump PSK2- Series | Distributor | Online retail | Cash & carry |

| Companies | Distributed Technologies | Category | Distribution Channels | Payment Models |
|--|--|-------------------------|--------------------------|-------------------|
| SATECH (Société Africaine de Téchnologies [African Society of Technology]) SARL +221 33 835 90 90 satech@satechsen.com Patte d'Oie, Dakar | Pumps • SP Pump Series | Brand Representative | Direct retail | Cash & carry |
| Schneider Electric Senegal +221 33 824 65 65 Cité Keur Gorgui, Dakar AFR- Info-Afc@schneider-electric.com | PumpsVillaya Solar WaterPumping System | Brand Representative | Direct retail | Cash & carry |
| SEnergyS Africa +221 77 217 33 64 Biagui, Yoff, Dakar support_tech@senergysafrica. com | Dryers • Solar Greenhouse | Reseller | Direct retail | Cash & carry |

| Companies | Distributed Technologies | Category | Distribution Channels | Payment Models |
|--|--|-------------|--------------------------|-------------------|
| SOS Energie Rue Tolbiac x Noel Baley Dakar Sénégal +221 77 412 83 86 +221 33 821 10 72 sosenergies@gmail.com www.sosenergie.sn | Pumps Lorentz Pump PS-CS-F Lorentz Pump PS2-Series Lorentz Pump PSK2-Series Grundfos CR Flex Pump Series Grundfos SQ Flex Pump Series centrifugal Grundfos SQ Flex Series Helical Fridges Steca Fridge PF 166-H PF 240-H LEAP Solar Eco AC/DC Chest Freezer | Distributor | Online retail | Cash & carry |

| Companies | Distributed Technologies | Category | Distribution Channels | Payment Models |
|---|--|-------------|-----------------------------|-------------------|
| Sun Water Life (Soleil Eau Vie [SEV]) +221 33 820 06 25 Ouest-Foire, Dakar | Pumps Lorentz Pump PS-CS-F Lorentz Pump PS2-Series Lorentz Pump PSK2- Series | Distributor | Direct retail Online retail | Cash & carry |
| | FridgesZiegra Ice Machine | | | |

SECTION 2

PRODUCT INFORMATION



QUALITY STANDARDS

| Product | Quality Standards | VeraSol-tested / Certified |
|--------------------------------------|---|--|
| Pumping Solutions | | |
| Caprari Submersible Pumps Series | Management and production process meet International Organization for Standardization (ISO) 9001 Multisite Quality Management | |
| Caprari Surface Pumps Series | System, ISO 14001 Environmental Management System and BS OHSAS 18001 Occupational Health and Safety Management System. | |
| Grundfos CR Flex Series | International Electrotechnical Commission (IEC) and Deutsches Institut für Normung (DIN) | |
| Grundfos SQ Flex Series, centrifugal | IEC, DIN, ISO | |
| Grundfos SQ Flex Series, helical | IEC, DIN, ISO | VeraSol-tested (SQFlex 2.5-2) |
| Lorentz PS2 Series | IEC, EN, ISO | VeraSol-tested (PS2-600 HR-04H, PS2-600 C-SJ8-5) |
| Lorentz PS-CS-F | IEC, EN, ISO | |
| Lorentz PSK2 Submersible Pumps | IEC, EN, ISO | |
| Lorentz PSK2 Surface Pumps | IEC, EN, ISO | |

QUALITY STANDARDS

| Product | Quality Standards | VeraSol-tested / Certified |
|---------------------------------------|-------------------|----------------------------|
| Cooling Solutions | | |
| Felicity Solar | IEC, ISO | |
| LEAP Solar Eco AC/DC Chest Freezer | | Verasol-tested (LP-110Q) |
| Steca PF 166-H PF 240-H | IEC, ISO | VeraSol-tested (PF166-H) |
| Youmma Nilo 100 L | IEC | VeraSol-tested |

AGRO-PROCESSING SOLUTIONS

Agro-Processing Solutions – List of Featured Products

- I. Nadji Bi Solar Mill
- 2. Novital Mill GOLIA 4V
- 3. Omega Solar Mill
- 4. Omega Thresher
- 5. Paste Maker Mill
- 6. Solar Milling Crusher Mill
- 7. Solar Milling Stone Mill

AGRO-PROCESSING SOLUTIONS

Agro-Processing Solutions – Introduction

Solar-powered mills for agro-processing are available in different types, including rice mills, cassava graters, paste makers, crushers, flour mills, and more. This section details appropriate offgrid milling technologies that are financially viable PUE solutions for project developers as well as communities, smallholder farmers, agro-processing enterprises, and other end users. This section also includes technical information to help practitioners operationalize milling technologies and notes the complexities of doing so.

In sub-Saharan Africa, most agriculture-based economies produce grains as their top staple-food crops—especially corn/maize. Current non-solar offgrid milling solutions, such as diesel-powered mills, are not viable in small communities, because they are too large and expensive to run. For this reason, off-grid solar milling solutions have the potential

to increase farming efficiency, increase farmers' revenues, and promote food security. PAYGO models of digital finance use embedded internet-connected hardware to give smallholder farmers and communities the ability to pay with greater ease and flexibility. Solar mills also give farmers the opportunity to generate income immediately after installation, have lower upkeep costs, and provide sound returns on investments.



NADJI BI SOLAR MILL

A solar hammer mill.

TERMS OF SALE

Cash & carry

Cooperation with
local banks or MFIs

Manufacturer:

Nadji Bi Place Du Martyr Mamadou Diop, 23000 Mbour, Senegal

Distributor(s):

Nadji Bi

Distribution channels:

Direct retail
Retail through MFIs

SPECS | Nadji Bi Solar Mill

| Product information | |
|---------------------------------|-------------|
| Product type | Hammer mill |
| AC/DC coupled | DC |
| Voltage range | 48 V DC |
| Throughput | 50 kg/h |
| Power (energy consumption) | 1,300 W |
| Capacity of PV modules required | 2,000 W |
| PAYGO integration capabilities | No |



TERMS OF SALE

Cash & carry

Flexible installments

NOVITAL MILL GOLIA 4V

Mill Golia 4V is a photovoltaic solution for husking cereal seeds (millet, sorghum, maize, etc.).

Target use: Women's cooperatives.

Manufacturer:

Novital Srl
Via Europa, 7 - 21015 Lonate Pozzolo
(Va) Italy
Info@Novital.it

Distributor(s):

NRJ Solaire

Distribution channels:

Direct retail
Online retail

SPECS | Novital Mill Golia 4V

| Product information | |
|---------------------------------|-------------|
| Product type | Hammer mill |
| AC/DC coupled | DC/AC |
| Voltage range | 220 V AC |
| Throughput | 130 kg/h |
| Power (energy consumption) | 750 W |
| Capacity of PV modules required | 1,000 Wp |
| PAYGO integration capabilities | No |



TERMS OF SALE

Cash & carry

OMEGA SOLAR MILL

A solar hammer mill.

Manufacturer:

Omega Technologies Thiès 167 M'bour I, Senegal

Distributor(s):

Omega Technologies

Distribution channels:

Direct retail

SPECS | Omega Solar Mill

| Product information | |
|---------------------------------|------------------|
| Product type | Hammer mill |
| AC/DC coupled | AC/DC |
| Voltage range | 48 V DC/220 V AC |
| Throughput | 50 kg/h |
| Power (energy consumption) | 1,800 W |
| Capacity of PV modules required | 3,000 Wp |
| PAYGO integration capabilities | No |



TERMS OF SALE

Cash & carry

OMEGA THRESHER

A hammer mill.

Manufacturer:

Omega Technologies Thiès 167 M'bour I, Senegal

Distributor(s):

Omega Technologies

Distribution channels:

Direct retail

SPECS | Omega Thresher

| Product information | |
|---------------------------------|--------------------|
| Product type | Hammer mill |
| AC/DC coupled | DC |
| Voltage range | 24 DC |
| Throughput | 100 kg/h |
| Power (energy consumption) | 125 W |
| Capacity of PV modules required | 500 W _P |
| PAYGO integration capabilities | No |



TERMS OF SALE Cash & carry

PASTE MAKER MILL

Solar paste maker for shea or peanuts.

Target use: Women's cooperatives.

Manufacturer:

Solar Milling Alemanya, 58 Pol. Ind. 08700 Igualada/Spain

Distributor(s):

Prosolia

Distribution channels:

On order

SPECS | Paste Maker Mill

| Product information | |
|---------------------------------|------------------|
| Product type | Paste maker mill |
| AC/DC coupled | DC/AC |
| Voltage range | 230 V AC |
| Throughput | 95 kg/h |
| Power (energy consumption) | 1,500 W |
| Capacity of PV modules required | 1,650 Wp |
| PAYGO integration capabilities | No |



TERMS OF SALE Cash & carry

SOLAR MILLING CRUSHER MILL

Solar crusher mill and size reducer for nuts/shea nuts.

Target use: Women's cooperatives.

Manufacturer:

Solar Milling Alemanya, 58 Pol. Ind. 08700 Igualada/Spain

Distributor(s):

Prosolia

Distribution channels:

On order

SPECS | Solar Milling Crusher Mill

| Product information | |
|---------------------------------|------------------------|
| Product type | Crusher (size reducer) |
| AC/DC coupled | DC/AC |
| Voltage range | 230 V AC |
| Throughput | 120 kg/h |
| Power (energy consumption) | 1,500 W |
| Capacity of PV modules required | 1,650 Wp |
| PAYGO integration capabilities | No |



TERMS OF SALE

Cash & carry

SOLAR MILLING STONE MILL

This solar milling system is a photovoltaic solution for grinding cereals to obtain flour and other ground outputs, specially designed to operate in off-grid conditions.

Target use: Women's cooperatives.

Manufacturer:

Solar Milling Alemanya, 58 Pol. Ind. 08700 Igualada/Spain

Distributor(s):

Prosolia

Distribution channels:

On order

SPECS | Solar Milling Stone Mill

| Product information | |
|---------------------------------|--------------------------|
| Product type | Stone mill |
| AC/DC coupled | AC/DC |
| Voltage range | 230 V AC or 150–300 V DC |
| Throughput | 20–25 kg/h |
| Power (energy consumption) | 1,500 W |
| Capacity of PV modules required | 1,650 Wp |
| PAYGO integration capabilities | No |

COOLING SOLUTIONS

Cooling Solutions – List of Featured Products

- I. Felicity Solar Freezer
- **②** 2. <u>LEAP Solar Eco AC/DC Chest Freezer</u>
 - 3. NJB Cold Milk
 - 4. NJB Cool
 - 5. NJB Cool & Ice
 - 6. NJB ICE
 - 7. NJB Ice Cube Maker
 - 8. NJB G 693L
 - 9. Omega Mobile Cold Storage
- **♥** 10. <u>Steca PF 166-H | PF 240-H</u>
- VII. Nilo 100 L, DC Solar Fridge
 - 12. Ziegra Ice Cube Maker

COOLING SOLUTIONS

Cooling Solutions – Introduction

The cooling solutions vary from solar fridges and freezers to solar cold rooms, solar ice-cube makers, and solar milk tanks.

Solar Fridges and Freezers

Solar fridges and freezers provide various solutions and applications, including the preservation of juices, meat, fish, and milk, as well as cooling and ice production. The medical sector can use them for drug and vaccine storage. In this catalog, all solar fridges and freezers are solar products, powered by solar panels, with a voltage system of 12 and 24 V DC. Most solar fridges use batteries to ensure continuous energy service; however, some have very effective insulation capabilities, which allow them to function without battery power. If powered by PV panels, the equipment may not draw enough solar energy to maintain low refrigeration temperatures in severe cloud cover or at night; therefore, the

equipment must preserve low temperatures with high-efficiency insulation, draw reserve power, or couple with another source of power (e.g., a battery).

The capacity of the fridges and freezers is expressed in volume capacity (liters), which manufacturers usually indicate. Freezers operate only at negative temperatures in Celsius (up to -18 °C [-0.4 °F]), while some fridges or refrigerators can operate dually.

In most cases, solar fridges and freezers are imported from Europe and the United States of America.

Solar Cold Rooms

Solar cold rooms have a variety of applications. Their cooling temperatures can be adjusted and monitored.

COOLING SOLUTIONS

The structure of their cooling chambers enables the preservation of fruits and vegetables (usually at positive temperatures) and the preservation of meat and fish (usually at negative temperatures) over long periods. In general, most cold rooms are large industrial units, but smaller sizes are also manufactured locally. In this catalog, all cold rooms are powered by solar panels with varying voltage systems (AC and DC).

Solar Ice-cube Makers

The solar ice-cube makers are machines that produce ice in large quantities. These machines are useful for people who need ice in large quantities daily, such as fishers or fish sellers who need to preserve and transport fish. Ice-cube makers are

powered by solar panels but run with AC voltage.

Solar Milk Tanks

Solar milk tanks, which are generally in the shape of a tank or a cistern, allow the refrigeration of raw milk from animal milking to slow down the degradation of milk quality. Such tanks usually operate at a positive temperature of approximately 4 °C (39.2 °F). The capacity of these tanks (measured in liters) varies by model.





TERMS OF SALE

Cash & carry

Flexible installments

FELICITY FREEZER

A solar freezer.

Target use: Women's cooperatives, shops.

Manufacturer:

Guangzhou Felicity Solar Technology

Co. Ltd.

Guangzhou, China

roy@felicitysolar.com

Distributor(s):

NRJ Solaire

Distribution channels:

Direct retail

Online retail

SPECS | Felicity Freezer

| Product information | |
|---------------------------------|---------------|
| Product type | Solar freezer |
| AC/DC coupled | DC |
| Voltage range | 12V DC |
| Storage capacity | 200 L |
| Power (energy consumption) | 125 W |
| Capacity of PV modules required | 250 Wp |
| PAYGO integration capabilities | Yes |



TERMS OF SALE Cash & carry

LEAP SOLAR ECO AC/DC CHEST FREEZER

Fast cooling.AC/DC 12 V/24 V. Low consumption. Indoor and outdoor use. Digital display control panel and AC adaptor are optional.

Target use: Preservation of juices, meat, fish, and milk. Production of ice. Cooling and storage of drugs and vaccines.

Manufacturer:

LEAP China

Distributor(s):

SOS Energie

Distribution channels:

Direct retail
Online retail

SPECS | LEAP Solar ECO AC/DC Chest Freezer

| Product models | LP-68 | LP-98 | LP-110 | LP-160 | LP-208 | LP-258 | LP-308 | LP-358 | LP-188 (double door) |
|--------------------------------|---|---|---|---|---|---|---|---------------------------------------|---------------------------------------|
| Product type | Refrigerator/fr | reezer | | | | | | | |
| AC/DC coupled | AC/DC | AC/DC | AC/DC |
| Voltage range | 12–24V DC | 12–24V DC | 24V DC | 12-24 V DC | 12–24V DC | 12–24V DC | 12–24V DC | 12–24V DC | 12-24 V DC |
| Storage capacity | 50 L | 70 L | 115 L | 150 L | 200 L | 250 L | 300 L | 350 L | 175 L |
| Operating temperature | 0 °C to +23 °C (32 °F to 73.4 °F) | 0 °C to +23 °C (32 °F to 73.4 °F) | 0 °C to +23 °C (32 °F to 73.4 °F) | 0 °C to +23 °C (32 °F to 73.4 °F) | 0 °C to +23 °C (32 °F to 73.4 °F) | 0 °C to +23 °C (32 °F to 73.4 °F) | 0 °C to +23 °C (32 °F to 73.4 °F) | 0 °C to +10 °C (32 °F to 50 °F) | 0 °C to +10 °C (32 °F to 50 °F) |
| Power (energy consumption) | 81 W | 81 W | 93 W | 81 W | 93 W | 93 W | 105 W | 105 W | 93 W |
| PAYGO integration capabilities | No | | | | | | | | |







TERMS OF SALE

Cash & carry

Cooperation with
local banks or MFIs

NJB COLD MILK

Milk tanks available in different sizes

Manufacturer:

Nadji Bi Place Du Martyr Mamadou Diop, 23000 Mbour, Senegal

Distributor(s):

Nadji Bi

Distribution channels:

Direct retail
Retail through MFIs

SPECS | NJB Cold Milk

| Product models | NJB COLD MILK 250 | NJB COLD MILK 500 | NJB COLD MILK 1000 | NJB COLD MILK 1500 | NJB COLD MILK 2000 | NJB COLD MILK 3000 | NJB COLD MILK 5000 |
|--------------------------------|----------------------|----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Product type | Cold milk tanks | | | | | | |
| AC/DC coupled | AC | AC | AC | AC | AC | AC | AC |
| Voltage range | 220 V AC | 220 V AC | 380 V AC | 220 V AC | 220 V AC | 220 V AC | 220 V AC |
| Storage capacity | 250 L | 500 L | 1,000 L | 1,500 L | 2,000 L | 3,000 L | 5,000 L |
| Operating temperature | 4 °C (39.2 °F) | 4 °C (39.2 °F) | 4 °C (39.2 °F) | 4 °C (39.2 °F) | 4 °C (39.2 °F) | 4 °C (39.2 °F) | 4 °C (39.2 °F) |
| Power (energy consumption) | 1,200 W | 2,700 W | 4,500 W | 5,900 W | 6,000 W | 7,800 W | 11,800 VV |
| PAYGO integration capabilities | No | | | | | | |





TERMS OF SALE

Cash & carry

Cooperation with
local banks or MFIs

NJB COOL

A solar fridge

Manufacturer:

Nadji Bi

Place Du Martyr Mamadou Diop, 23000 Mbour, Senegal

Distributor(s):

Nadji Bi

Distribution channels:

Direct retail
Retail through MFIs

SPECS | NJB Cool

| Product models | NJB Cool 90L | NJB Cool 132L | NJB Cool 230L | |
|--------------------------------|-----------------|---------------|---------------|--|
| Product type | DC solar fridge | | | |
| AC/DC coupled | DC | DC | DC | |
| Voltage range | 12 & 24 V DC | 12 & 24 V DC | 12 & 24 V DC | |
| Storage capacity | 90 L | 132 L | 230 L | |
| Power (energy consumption) | 65 Wh | 95 Wh | 95 Wh | |
| PAYGO integration capabilities | No | No | No | |



NJB COOL & ICE

Cold chambers at several temperatures.



TERMS OF SALE

Cash & carry

Cooperation with
local banks or MFIs

Manufacturer:

Nadji Bi Place Du Martyr Mamadou Diop, 23000 Mbour, Senegal

Distributor(s):

Nadji Bi

Distribution channels:

Direct retail
Retail through MFIs

SPECS | NJB Cool & Ice

| Product models | NJB Cool 43 m³ | NJB Ice 43 m³ | NJB Cool Inflat 90 m³ | NJB Cool 20 FT | NJB Ice 20 FT | NJB Cool 40 FT | NJB Ice 40 FT |
|--------------------------------|--------------------|---------------------|-----------------------------|--------------------|---------------------|--------------------|-----------------------|
| Product type | Solar positive & | negative cold ch | namber | | | | |
| AC/DC coupled | AC | AC | AC | AC | AC | AC | AC |
| Storage capacity | 43,000 L | 43,000 L | 90,000 L | 22,600 L | 22,600 L | 58,000 L | 58,000 L |
| Operating temperature | +4 °C (39.2 °F) | -18 °C (-0.4 °F) | +4 °C (39.2 °F) | +4 °C (39.2 °F) | -18 °C (-0.4 °F) | +4 °C (39.2 °F) | -18 °C (-0.4 °F) |
| Power (energy consumption) | 7,000Wp | 11,000 Wp | 20,000 Wp | 4,400 Wp | 4,800 Wp | 8,300 Wp | 9 ,000 W _P |
| PAYGO integration capabilities | No | | | | • | | |



NJB ICE

A freezer that comes in three sizes.



TERMS OF SALE
Cash & carry
Cooperation with
local banks or MFIs

Manufacturer:

Nadji Bi Place Du Martyr Mamadou Diop, 23000 Mbour, Senegal

Distributor(s):

Nadji Bi

Distribution channels:

Direct retail
Retail through MFIs

SPECS | NJB Ice

| Product models | NJB Ice 100L | NJB Ice 150L | NJB Ice 200L | |
|--------------------------------|--------------|--------------|--------------|--|
| Product type | DC freezer | | | |
| AC/DC coupled | DC | DC | DC | |
| Voltage range | 12 & 24 V DC | 12 & 24 V DC | 12 & 24 V DC | |
| Storage capacity | 100 L | 150 L | 200 L | |
| Power (energy consumption) | 65 Wh | 95 Wh | 95 Wh | |
| PAYGO integration capabilities | No | No | No | |



TERMS OF SALE

Cash & carry

Cooperation with
local banks or MFIs

NJB ICE CUBE MAKER

The product model numbers correspond to the amount of ice (in kg) that the machine can produce in 24 hours.

Manufacturer:

Nadji Bi

Place Du Martyr Mamadou Diop, 23000 Mbour, Senegal

Distributor(s):

Nadji Bi

Distribution channels:

Direct retail

Retail through MFIs

SPECS | NJB Ice Cube Maker

| Product models | NJB Ice Cube Maker 30 | NJB Ice Cube Maker 60 | NJB Ice Cube Maker 90 | NJB Ice Cube Maker 120 | NJB Ice Cube Maker 190 | NJB Ice Cube Maker 280 | NJB Ice Cube Maker 350 | NJB Ice Cube Maker 450 | NJB Ice Cube Maker 900 |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| Product type | Ice cube make | er machine | | | | | | | |
| AC/DC coupled | AC | AC | AC | AC | AC | AC | AC | AC | AC |
| Voltage range | 220 V AC | 220 V AC | 220 V AC | 220 V AC | 220 V AC | 220 V AC | 220 V AC | 220 V AC | 380 V AC |
| Storage capacity | 10 L | 20 L | 20 L | 20 L | 105 L | 105 L | 125 L | 125 L | 315 L |
| Power (energy consumption) | 270 W | 300 VV | 300 VV | 350 W | 1,100 W | 980 W | 990 W | 1,240 W | 3,800 W |
| PAYGO integration capabilities | No | | | | | | | | |

NJB G 693L



TERMS OF SALE

Cash & carry

Cooperation with

local banks or MFIs

A freezer with glass doors.

Manufacturer:

Nadji Bi

Place Du Martyr Mamadou Diop, 23000 Mbour, Senegal

Distributor(s):

Nadji Bi

Distribution channels:

Direct retail

Retail through MFIs

SPECS | NJB G 693L

| Product models | NJB Cool 90L |
|--------------------------------|--------------------|
| Product type | Glass door freezer |
| AC/DC coupled | AC |
| Voltage range | 220 V AC |
| Storage capacity | 693 L |
| Power (energy consumption) | 700 Wh |
| PAYGO integration capabilities | No |





TERMS OF SALE Cash & carry

OMEGA MOBILE COLD ROOM (CHAMBRE FROIDE MOBILE)

A cold room for agriculture and fish.

Target use: Farmers, fishermen, and fish sellers.

Manufacturer:

Omega Technologies
Thiès 167 M'bour 1, Senegal
Technologieomega@Yahoo.fr

Distributor(s):

Omega Technologies

Distribution channels:

Direct retail

SPECS | Omega Mobile Cold Room

| Product information | |
|---------------------------------|---------------------|
| Product type | Mobile cold storage |
| AC/DC coupled | AC/DC |
| Voltage range | 220 V AC |
| Storage capacity | 50 L |
| Power (energy consumption) | I,000 W |
| Capacity of PV modules required | I,000 ₩p |
| PAYGO integration capabilities | No |



TERMS OF SALE

Cash & carry

Flexible installments

STECA PF 166-H | PF 240-H

Steca PF Solar Refrigerators are highly efficient DC energy-saving refrigerators, specially designed for off-grid solar-powered applications, including medical clinics, camps, and residential homes. They can be used either as refrigerators or freezers due to their fully programmable temperature controls.

Target use: Preservation of juices, meat, fish, and milk. Production of ice. Cooling and storage of drugs and vaccines.

Manufacturer:

Steca

Katek Memmingen GMBH

Mammostraße I

87700 Memmingen

Germany

Distributor(s):

Bonergie

Flex NRI

Baraka Energie

SOS Energie

Distribution channels:

Direct retail

Online retail

SPECS | Steca PF 166-H | PF 240-H

| Product models | PF 166-H | PF 240-H |
|--------------------------------|--|--|
| Product type | Refrigerator/freezer | Refrigerator/freezer |
| AC/DC coupled | DC | DC |
| Voltage range | 12/24 V DC automatic battery voltage detection | 12/24 V DC automatic battery voltage detection |
| Storage capacity | 166 L | 240 L |
| Power (energy consumption) | 70 W | 100 W |
| Operating temperature | Refrigerator: +2 °C to +12 °C Freezer: -20 °C to -10 °C | Refrigerator: +2 °C to +12 °C Freezer: -20 °C to -10 °C |
| PAYGO integration capabilities | No | No |



TERMS OF SALE

Cash & carry

Flexible installments

NILO 100 L, DC SOLAR FRIDGE

This fridge has an autonomy of 14 hours at full charge.

Target use: Preservation of juices, meat, fish, and milk. Production of ice. Cooling and storage of drugs and vaccines.

Manufacturer:

Youmma Solar
Rui Barbosa 1020
PO Box 91 ZIP Code 89219-901
Joinville-SC, Brazil
contact@yoummasolar.com

Distributor(s):

PEG Senegal

Distribution channels:

Direct retail

SPECS | Nilo 100 L, DC Solar Fridge

| Product information | |
|--------------------------------|----------------------|
| Models | Nilo 100 L |
| Product type | Refrigerator/freezer |
| AC/DC | DC |
| Voltage range | 9–16 V DC |
| Storage capacity | 96 L |
| Operating temperature | 6 °C (42.8 °F) |
| Power (energy consumption) | 17.8 W |
| PAYGO integration capabilities | No |



TERMS OF SALE Cash & carry

ZIEGRA ICE MACHINE (MACHINE À GLACE)

An ice-making machine that has a production capacity of 375 kg per day.

Manufacturer:

Ziegra

Sattlerstr. 5, D - 30916 Isernhagen, Austria

Distributor(s):

Sun Water Life (Soleil Eau Vie)

Distribution channels:

Direct retail

SPECS | Ziegra Ice Machine (Machine À Glace)

| Product information | |
|---------------------------------|-----------|
| Product type | Ice maker |
| AC/DC coupled | DC/AC |
| Voltage range | 220 V AC |
| Power (energy consumption) | 1,700 W |
| Capacity of PV modules required | 6,000 Wp |
| PAYGO integration capabilities | No |

FOOD DRYERS

Food Dryers – List of Featured Products

- I. Atesta CEAS-Solar Dryer
- 2. Cona Solar Solar Dryer
- 3. ESP CSec-T Solar Dryer
- 4. <u>SEnergyS Africa, Solar Greenhouse</u>

FOOD DRYERS

Food Dryers – Introduction

Off-grid food dryers are generally used for the preservation and transformation of food (e.g., fruits and vegetables, meat, fish, and medicinal herbs) and can be operated on site immediately after a harvest. For the majority of the ten targeted countries in this catalog, off-grid communities face a particular challenge: Large quantities of agricultural products can spoil due to inadequate infrastructure and insufficient processing capacities, even during the traditional process of open-air drying. For such communities, solar food dryers have the potential to prevent food losses, generate income, and promote food security.


Food dryers are mostly produced locally and come in different sizes and shapes, often tailored to customer needs. Some are solely thermal, while others have ventilation systems powered by small PV panels.

In this catalog, solar food dryers fall into several categories:

| Category | Examples |
|---|-------------------------------------|
| Direct drying | Solar box dryers |
| Indirect drying | Solar cabinet dryers |
| Mixed-mode drying | Solar tunnel dryers |
| Hybrid drying | Hybrid solar/biomass cabinet dryers |
| Natural air convection | Small-scale solar box dryers |
| Forced convection (with air circulation fans) | Solar tunnel dryers |

Special Considerations

Some models are simple and inexpensive. More sophisticated types have temperature and humidity monitoring. For protection and hygiene, air filters and insect screens are useful. Manufacturers usually specify product-drying times in days or hours, which vary from food to food.



TERMS OF SALE Cash & carry

ATESTA CEAS-SOLAR DRYER

The product is a forced air-convection solar dryer, with a capacity of 46 kg and a drying area of 7 m².

Target use: Women's cooperatives.

Manufacturer:

cobf@ceas.ch

Atesta

Bureau de coordination CEAS au
Burkina Faso; Quartiter de Zogona,
sur la même rue que la maison d'hôte
Chez Tess, à droite en direction du
marché de Zogona
Ouagadougou

Distributor(s):

Amma (Ziguinchor) Kouraba (Ziguinchor) Gam (Ziguinchor) Yaya Fofana

Distribution channels:

Direct retail

SPECS | Atesta CEAS-Solar Dryer

| Product information | |
|--------------------------------|-----------------------------------|
| Product type | Solar food dryer |
| AC/DC coupled | DC/AC |
| Voltage range | 12V DC |
| Operating temperature | 45 °C to 65 °C (113 °F to 149 °F) |
| PAYGO integration capabilities | No |



TERMS OF SALE

Cash & carry

Flexible installments

CONA SOLAR SOLAR DRYER

Dry chamber for protected and hygienic drying, air filters, and insect screens for the protection and hygiene of the products to be dried. It has a drying area of 5 m².

Target use: Farmers, agro-processors.

Manufacturer:

Cona Solar
Cona Entwicklungs- Und
Handelsgesellschaft Mbh
Voitsdorf 55
4551 Ried Im Traunkries, Austria

Distributor(s):

Bonergie

Distribution channels:

Direct retail

SPECS | Cona Solar Solar Dryer

| Product information | |
|---------------------------------|---|
| Product type | Solar food dryer |
| AC/DC coupled | DC |
| Voltage range | 12V DC |
| Storage capacity | Max 25 kg (10 stainless steel colanders) |
| Capacity of PV modules required | 25 Wp |
| PAYGO integration capabilities | No |



TERMS OF SALE Cash & carry

ESP CSEC-T SOLAR DRYER

This is a gas dryer transformed into a solar dryer. It is easy to build and is used to dry mainly dry cereals. It can also dry fruits and vegetables. Its capacity is 64 kg and its drying area is 5.4 m^2 .

Target use: Women's cooperatives.

Manufacturer:

Cmkebe@Gmail.com

Esp-Cirad (Ecole Supérieure
Polytechnique [Polytechnic HigherEducation School])
Fann-Dakar, Cheikh Anta Diop
University

Distributor(s):


Esp (Dakar) Pakao (Sédhiou)

Distribution channels:

Direct retail

SPECS | ESP CSec-T Solar Dryer

| Product information | | |
|--------------------------------|------------------------------------|--|
| Product type | Solar food dryer | |
| AC/DC coupled | C/AC | |
| Voltage range | 12V DC | |
| Operating temperature | 645 C° to 65 °C (113 °F to 149 °F) | |
| PAYGO integration capabilities | No | |



TERMS OF SALE Cash & carry

SENERGYS AFRICA, SOLAR GREENHOUSE

This solar greenhouse for cereals is made from a metal structure and resistant plastic foil, equipped with air extractors, powered by a 50 Wp PV panel. It allows drying of 250 kg of products (cereals and others) per day on a 40 m² surface, with an output humidity rate of 10 percent.

Target use: Women's cooperatives producing millet cereals (e.g., thiakry, arraw).

Manufacturer:

SEnergyS Africa

Yoff Cité Biagui N°61, Dakar, Senegal

Distributor(s):

SEnergyS Africa

Distribution channels:

Direct retail

SPECS | SEnergyS Africa, Solar Greenhouse

| Product information | |
|---------------------------------|---------------------|
| Product type | Solar greenhouse |
| AC/DC coupled | DC |
| Voltage range | 212V DC |
| Storage capacity | 250 kg (of cereals) |
| Capacity of PV modules required | 50 Wp |
| PAYGO integration capabilities | No |

AQUACULTURE, LIVESTOCK, AND POULTRY SOLUTIONS

Aquaculture, Livestock, and Poultry Solutions – List of Featured Products

Currently no listings for Senegal



AQUACULTURE, LIVESTOCK, AND POULTRY SOLUTIONS

This section consists of solar products for fishing lights, livestock, and poultry. Solar-powered egg incubators vary by size and capacity, depending on the needs of smallholder farmers to provide chickhatching solutions to farmers, especially in rural areas without electricity. Incubators ensure that eggs hatch in bulk, which is an efficiency that many farmers prefer to the natural hatching process. Because incubators boost poultry production, they often result in greater income generation for communities and empower women and youth in rural communities. For example, through new poultry-raising opportunities facilitated by the NGO Tanager in Burkina Faso, local women improved their decision-making skills, gained market inclusion, and increased their societal status (Agrilinks 2019).

Special Considerations

In selecting an incubator, it is useful to consider a product's automation capabilities. For example, many incubators automate egg turning, temperature and humidity controls, and more.

Pumping Solutions – List of Featured Products

- I. Caprari Submersible Pumps Series
- 2. <u>Caprari Surface Pumps Series</u>
- 3. <u>Dayliff SUNFLO-B Series</u>
- 4. Grundfos CR Flex Series
- 5. Grundfos SQ Flex Series Centrifugal
- **V** 6. Grundfos SQ Flex Series Helical
 - 7. Lorentz PS-CS-F
- **V** 8. Lorentz PS2 Series
 - 9. Lorentz PSK2 Submersible Pumps
 - 10. Lorentz PSK2 Surface Pumps
 - 11. NJB Frog Series
 - 12. NJB FrogS Series
 - 13. NRJ Pumps
 - 14. SATECH SP Series
 - 15. Villaya Solar Water Pumping System

While solar water pumps vary in size, this catalog focuses on solar pumps with a power rating between 150 watts (W) to 10 kilowatts (kW) (13 horsepower [HP]). Solar pumps are one part of the pumping system that involves three key components: the pumping mechanism itself, the pump controller, and the solar energy-generating technology (i.e., solar panels and inverters, when needed).

Pumps are classified either as surface pumps or submersible pumps depending on the depth of their submersion in a water source. **Surface pumps** are designed to pump water from surface sources, such as rivers, ponds, and shallow wells. They are placed above the surface of the water and should not be submerged. They are designed to draw water to a maximum depth of eight meters, beyond which submersible pumps are used. **Submersible pumps** are fully submerged in water and include a hermetically sealed motor which is close-coupled to

the body of the pump.

Direct current (DC) pumps draw power directly from solar panels without inverting. Alternating current (AC) pumps require an inverter to transform the DC power from the panels into AC power. Both types of solar pumps require an electronic-pump controller. One of the key features of the controller, the Linear Current Booster (LCB), boosts the current from the solar array by lowering the voltage, which translates the current and voltage available from the PV panels into a combination that better serves the pump's power requirements. The LCB enables pumping to operate even in the low-light conditions of early mornings, late evenings, and cloudy days. A pump's control box also protects it from current and voltage spikes and enables its sensors, such as the float switch, to activate and deactivate the pump. Some controllers also have remote monitoring capabilities.

DC pumps can operate without a controller while connected to a battery system. External power-storage systems, such as batteries, allow pumping to occur at night and in low-light conditions. Such storage systems allow pressure boosting to provide a continuous water supply at any time for optimal output. Most solar water-pumping systems, however, do not have energy storage and, therefore, can only operate within daylight hours.

Pump Sizing

The process of selecting the best pump system for a specific purpose involves several steps, the first of which is sizing. During the sizing process, a user must evaluate several parameters, such as flow rate and total dynamic head. Sizing is a technical process that requires the analysis of qualified personnel and technicians to get an accurate fit.

Various online resources are available to assist in determining the correct pump for a particular application, including pump-sizing resources on the websites of many manufacturers. Some manufacturers also sell complete plug-and-play solar systems, as featured in this catalog, which come equipped with solar panels, pump controllers, and solar pumps. In most cases, because companies sell pumps as singular units, users must complete the process of sizing.

Special Considerations

Because it is essential to seek the advice of qualified technical experts to achieve correct sizing, this catalog does not delve into the technical details of pump sizing.

However, in general, the sizing process involves the following steps:

| | Objective | Considerations |
|--------|---|---|
| Step I | Determine if a surface or submersible pump is suitable for a particular application | What is the source of water, river, water pan, shallow well, borehole. |
| Step 2 | Determine the daily water requirement | How many liters is the pump required to move during the day within prime daylight hours? |
| Step 3 | Determine if the water source can produce enough water to supply the pump system | For example, the required water amount may be 100 liters per hour (L/h); however, the water source may only supply 50 liters per hour. For boreholes, wells, or streams, if flowrates are unknown, end users can conduct test-pumping |
| Step 4 | Determine the effective dynamic head | How high does the pump need to move the water? Measurements must account for the margin of friction loss |
| Step 5 | Determine the correct pump make and model by referencing the pump flow chart, as provided by the manufacturer | |
| Step 6 | Estimate the balance of the system | This includes the wiring, piping, and necessary fittings |

Pump Controllers

The primary function of the controller is to boost the current of solar modules in low-light conditions while holding the voltage of the solar modules at the maximum power point (i.e., the point of highest power output). This allows a pump to start earlier in the morning and stay running late into the evening. A variety of controllers meet the specific needs of individual pumps, allowing them to maximize their output. DC pump controllers, also known as converters, maximize both the DC current and voltage. AC pump controllers invert the DC current to AC for use by the AC motors. It is also possible to use a solar-pump inverter to convert a grid-powered AC pump to use solar panels without changing the AC pump.

Related Resources

For calculation sheets, checklists and guidelines, see the <u>Toolbox on Solar Powered Irrigation Systems</u> by the Water and Energy for Food (<u>WE4F</u>) program.



TERMS OF SALE

Cash & carry

CAPRARI SUBMERSIBLE PUMPS SERIES

Caprari submersible pumps series.

Target use: Farmers, pools.

Manufacturer:

Caprari 41123 Modena - Italy Distributor(s):

Cogelec

Distribution channels:

Direct retail
Online retail

SPECS | Caprari Submersible Pumps Series

| Product models | Desert E4X-E6X | ES | E20S-E22S | MC4 | MAC6 |
|--------------------------------|---------------------|-------------|-------------------------|--------------|-------------|
| Product type | Submersible pump | | | | |
| Pump type | Centrifugal | Centrifugal | Centrifugal | Centrifugal | Centrifugal |
| Load | 370 W | 370,000 W | 240,000 W | 7,500 W | 45,000 W |
| AC/DC coupled | AC | AC | AC | AC | AC |
| Voltage range | 230 V AC | 400 V AC | 400 V AC | 230/400 V AC | 400 V AC |
| Total dynamic head | 30 m | 600 m | 130 m | 150 m | 460 m |
| Max discharge rate | 5 m ³ /h | 900 m³/h | 1,260 m ³ /h | _ | _ |
| PAYGO integration capabilities | No | | | | |



CAPRARI SURFACE PUMPS SERIES

Surface pumps.



TERMS OF SALE Cash & carry

Manufacturer:

Caprari 41123 Modena - Italy

Distributor(s):

Cogelec

Distribution channels:

Direct retail
Online retail

SPECS | Caprari Surface Pumps Series

| Product models | MEC D | MEC A | NC | CVX | MD |
|--------------------------------|----------------------|-------------|-------------|--------------|-------------|
| Product type | Surface mounted pump | | | | |
| Pump type | Centrifugal | Centrifugal | Centrifugal | Centrifugal | Centrifugal |
| Load | 12,000 W | 132,000 W | 355,000 W | 30,000 W | 18,500 W |
| AC/DC coupled | AC | AC | AC | AC | AC |
| Voltage range | 230 V AC | 400 V AC | 400 V AC | 230/400 V AC | 230V AC |
| Total dynamic head | 17 m | 140 m | 110 m | 260 m | 85 m |
| Max discharge rate | 50.4 m³/h | 468 m³/h | 1512 m³/h | 43 m³/h | 216 m³/h |
| PAYGO integration capabilities | No | | | | |



TERMS OF SALE

Cash & carry

Flexible installments

DAYLIFF SUNFLO-B SERIES

Dayliff SUNFLO-B pumps are specifically designed for PV solar-powered water supply from wells and boreholes. They are of centrifugal and rotary-screw design. The construction materials for the rotary-screw design are principally stainless steel with rubber stators. The centrifugal design fea-tures Noryl impellers and stainless-steel chambers. Pumps are supplied complete with a controller, cable connectors, water level sensor, solar PV connecting cables, and spare rotor for helical type.

Manufacturer:

Davis & Shirtliff Head Office Dundori Rd, Industrial Area Nairobi, Kenya. headoffice@dayliff.com +254 206 968 000

Distributor(s):

PEG Senegal

Distribution channels:

Direct retail

SPECS | Dayliff Sunflo-B Series

| Product models | Sunflo-B 1000 C | Sunflo-B 500CEF | Sunflo-B 1000CEF | Sunflo-B 2200CEF |
|--------------------------------|-----------------------|-----------------------|--------------------|--------------------|
| Product type | Submersible pump | | | |
| Pump type | Centrifugal | Centrifugal | Centrifugal | Centrifugal |
| Power rating | I,000 W | - | - | - |
| Required solar panel size | 200 W | 660 W (2 × 330W) | 1,350 W (5 × 270W) | 2,800 W (14 × 200W |
| AC/DC coupled | DC | DC | DC | DC |
| Voltage range | 100 V DC | - | - | - |
| Total dynamic head | 80 m | 35 m | 33 m | 38 m |
| Max discharge rate | 4.0 m ³ /h | 5.5 m ³ /h | 16.5 m³/h | 32 m³/h |
| PAYGO integration capabilities | No | | | |



TERMS OF SALE

Cash & carry

Cooperation with
local banks or MFIs

GRUNDFOS CR FLEX SERIES

Grundfos CR Flex is a high-technology multi-stage centrifugal in-line non-self-priming surface pump, specifically designed for water transfer, irrigation, and pressure boosting in solar-powered applications. It is fitted with the advanced MG Flex permanent magnet variable frequency-driven motor.

Target use: Small-scale irrigation, livestock, fish farming, and water supply.

Manufacturer:

Grundfos

Poul Due Jensens Vej 7

Dk-8850 Bjerringbro,

Denmark

Distributor(s):

Flex NRJ

SOS Energie

Distribution channels:

Direct retail

Online retail

SPECS | Grundfos CR Flex Series

| Product information | |
|--------------------------------|--------------|
| Product type | Surface pump |
| Pump type | Centrifugal |
| Load | 1,730 W |
| AC/DC coupled | DC |
| Voltage range | 30–300 V DC |
| Total dynamic head | 150 m |
| Max discharge rate | I3 m³/h |
| Controller requirements | Required |
| PAYGO integration capabilities | No |



TERMS OF SALE

Cash & carry

Cooperation with
local banks or MFIs

GRUNDFOS SQ FLEX SERIES CENTRIFUGAL

The SQFlex system is a reliable water-supply system, based on renewable energy sources, such as solar and wind energy. Thanks to its flexible energy supply and performance, the SQFlex system can be combined and adapted to meet any need at an installation site. The SQFlex system has a wide voltage range, built-in maximum power-point tracking (MPPT), as well as dry-running, voltage, and overload protection. The complete SQFlex pump range consists of I I different pump sizes: five helical rotor pumps for medium to high heads and low to medium flows, and six centrifugal pumps for shallow heads and high flows.

Target use: Medium to high heads and low to medium flows, and six centrifugal pumps for shallow heads and high flows.

Manufacturer:

Grundfos

Poul Due Jensens Vej 7

Dk-8850 Bjerringbro,

Denmark

Distributor(s):

Flex NRI

SOS Energie

Distribution channels:

Direct retail

Online retail

SPECS | Grundfos SQ Flex Series Centrifugal

| Product information | |
|--------------------------------|-----------------------------|
| Product type | Submersible pump |
| Pump type | Centrifugal |
| Power rating | I,400 W |
| AC/DC coupled | AC and DC |
| Voltage range | 30–300 V DC and 90–240 V AC |
| Total dynamic head | 200 m |
| Max discharge rate | 1.79 m ³ /h |
| Controller requirements | External controller |
| PAYGO integration capabilities | No |



TERMS OF SALE

Cash & carry

Cooperation with
local banks or MFIs

GRUNDFOS SQ FLEX SERIES HELICAL

The SQFlex system is a reliable water supply system based on renewable energy sources, such as solar and wind energy. Thanks to its flexible energy supply and performance, the SQFlex system can be combined and adapted to meet any need on the installation site. The SQFlex system has a wide voltage range, built-in maximum power-point tracking (MPPT), as well as dry-running, voltage, and overload protection. The complete SQFlex pump range consists of I I different pump sizes: five helical rotor pumps for medium to high heads and low to medium flows, and six centrifugal pumps for shallow heads and high flows.

Target use: Medium to high heads and low to medium flows.

Manufacturer:

Grundfos

Poul Due Jensens Vej 7

Dk-8850 Bjerringbro,

Denmark

Distributor(s):

Flex NRJ

SOS Energie

Distribution channels:

Direct retail

Online retail

SPECS | Grundfos SQ Flex Series Helical

| Product information | |
|--------------------------------|-----------------------------|
| Product type | Submersible pump |
| Pump type | Helical |
| Power rating | I,400 W |
| Required solar panel size | I,000-4,000 W |
| AC/DC coupled | AC and DC |
| Voltage range | 30–300 V DC and 90–240 V AC |
| Total dynamic head | 120 m |
| Max discharge rate | Max 2.8 m ³ /h |
| Controller requirements | External controller |
| PAYGO integration capabilities | No |



LORENTZ PS-CS-F

The Lorentz PS CS-F DC Surface Solar Pumps are high-specification solar-powered in-line centrifugal DC pumps, specifically designed for high-flow booster applications, including irrigation, water boosting, and industrial processes. They are also ideal diesel pump replacements.

TERMS OF SALE

Cash & carry

Flexible installments

PAYGO

Manufacturer:

Lorentz

Bernt Lorentz Gmbh & Co. Kg

Siebenstuecken 24

24558 Henstedt-Ulzburg, Germany

+49 419 388 06700

Distributor(s):

Bonergie

NRJ Solaire

Soleil Eau Vie

Bernasol Sarl

Rayon Vert

Kayor Énergie

Beta Energy

SOS Energie

Distribution channels:

Direct retail

Online retail

SPECS | Lorentz PS-CS-F

| Product information | |
|--------------------------------|----------------------|
| Product type | Surface mounted pump |
| Pump type | Helical |
| Load | 700/1,700/4,000 W |
| AC/DC coupled | DC |
| Voltage range | 150/200/375 V DC |
| Total dynamic head | Max 90 m |
| Discharge volume | 4 m ³ /h |
| PAYGO integration capabilities | No |



TERMS OF SALE

Cash & carry

Flexible installments

PAYGO

LORENTZ PS2-SERIES

Solar submersible pump system for 4-inch wells

Target use: Farmers, water utility companies, manufacturing companies, NGOs, international organizations

Manufacturer:

Lorentz

Bernt Lorentz Gmbh & Co. Kg

Siebenstuecken 24

24558 Henstedt-Ulzburg, Germany

+49 419 388 06700

Distributor(s):

Bonergie

NRJ Solaire

Soleil Eau Vie (Sun Water Life)

Bernasol Sarl

Rayon Vert

Kayor Energie

Beta Energy

SOS Energie

PEG Senegal

Distribution channels:

Direct retail

Online retail

SPECS | Lorentz PS2-Series

| Product models | PS2-150 HR- 07S | PS2-150 C-SJ5-8 | PS2-200 HR -07 | PS2-600 C-SJ8-5 | PS2-4000 C-SJ8-15 | PS2-4000 C-SJ8-15 |
|--------------------------------|---------------------|--------------------------------|-----------------------|--------------------|----------------------|----------------------|
| Product type | Submersible pump | | | | | |
| Pump type | Helical | Helical | Helical | Helical | Helical | Helical |
| Load | 300 W | 300 W | 300 W | 700 W | 4,000 W | 1,00 W |
| Required solar panel size | 250 Wp | 250 Wp | 250 Wp | - | - | 660 Wp |
| AC/DC coupled | DC | DC/AC | DC | DC | DC | DC |
| Voltage range | 50 V DC | 17–50 V DC and 220–240 V AC | 34-100 V DC | 238–375 V DC | 102-200 V DC | 102–200 V DC |
| Total dynamic head | 60 m | 20 m | 40 m | 15 m | 80 m | 70 m |
| Max discharge rate | I.4 m³/h | 4.6 m³/h | 1.3 m ³ /h | I5 m³/h | 13 m³/h | 7.6 m³/h |
| Controller requirements | Controller required | | | | | |
| PAYGO integration capabilities | Yes | | | | | |



TERMS OF SALE

Cash & carry

Flexible installments

LORENTZ PSK2-SUBMERSIBLE SERIES

Solar submersible pump system for 6-inch wells

Target use: Farmers, water utility companies, manufacturing companies, NGOs, international organizations

Manufacturer:

Lorentz

Bernt Lorentz Gmbh & Co. Kg

Siebenstuecken 24

24558 Henstedt-Ulzburg, Germany

+49 419 388 06700

Distributor(s):

Bonergie

NRJ Solaire

Soleil Eau Vie

Bernasol Sarl

Rayon Vert

Kayor Energie

Beta Energy

SOS Energie

Distribution channels:

Direct retail

Online retail

SPECS | Lorentz PSK2-Submersible Series

| Product models | PSK2-7 C-SJ42-3 | PSK2-9-C-SJ8-44 | PSK2-9-C-SJ17-11 | | |
|--------------------------------|---------------------|-----------------|------------------|--|--|
| Product type | Submersible pump | | | | |
| Pump type | Centrifugal | Centrifugal | Centrifugal | | |
| Load | 8,000 W | 10,000 W | 10,000 W | | |
| AC/DC coupled | DC Coupled | DC Coupled | DC Coupled | | |
| Voltage range | 575-850 V DC | 575-850 V DC | 575-850 V DC | | |
| Total dynamic head | 30 m | 180 m | 90 m | | |
| Discharge volume | 76 m³/h | I2 m³/h | 25 m³/h | | |
| Controller requirements | Controller required | | | | |
| PAYGO integration capabilities | No | | | | |



LORENTZ PSK2-SURFACE SERIES

A solar surface pump system

Target use: Farmers, water utility companies, manufacturing companies, NGOs, international organizations

TERMS OF SALE

Cash & carry

Flexible installments

Manufacturer:

Lorentz

Bernt Lorentz Gmbh & Co. Kg

Siebenstuecken 24

24558 Henstedt-Ulzburg, Germany

+49 419 388 06700

Distributor(s):

Bonergie

NRJ Solaire

Soleil Eau Vie

Bernasol Sarl

Rayon Vert

Kayor Énergie

Beta Energy

SOS Energie

Distribution channels:

Direct retail

Online retail

SPECS | Lorentz PSK2-Surface Series

| Product models | PSK2-9 CS-F20-7 | PSK2-9 CS-G100- 22/2 | PSK2-15-CS F32- 60-2 | PSK2-15- CS-G150-12.54 | | | |
|--------------------------------|----------------------|-------------------------|-------------------------|---------------------------|--|--|--|
| Product type | Surface mounted pump | Surface mounted pump | | | | | |
| Pump type | Centrifugal | Centrifugal | Centrifugal | Centrifugal | | | |
| Load | 10,000 W | 10,000 W | 15,000 W | 15,000 W | | | |
| AC/DC coupled | DC | DC | DC | DC | | | |
| Voltage range | 575 V DC-850 V DC | 575 V DC-850 V DC | 575 V DC-850 V DC | 575 V DC-850 V DC | | | |
| Total dynamic head | 80 m | 120 m | 80 m | 135 m | | | |
| Discharge volume | 22 m³/h | 20 m ³ /h | 41 m³/h | 25 m³/h | | | |
| Controller requirements | Controller required | | | | | | |
| PAYGO integration capabilities | No | | | | | | |



TERMS OF SALE

Cash & carry

Cooperation with
local banks or MFIs

NJB FROG SERIES

Solar submersible pumps.

Manufacturer:

Nadji Bi Place Du Martyr Mamadou Diop, 23000 Mbour, Senegal

Distributor(s):

Nadji Bi

Distribution channels:

Direct retail
Retail through MFIs

SPECS | NJB Frog Series

| Product models | NJB Frog | NJB Frog | NJB Frog | NJB Frog | NJB Frog | NJB Frog | NJB Frog | NJB Frog | NJB Frog |
|--------------------------------|-----------------------|-----------------------|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | 0.3-13 V.1 | 0.5-30 V.I | 0.6-50 V.I | 2-30 V.I | 3-23 V.I | 3-44 V.I | 8-26 V.I | 10-35 V.1 | 15-38 V.1 |
| Product type | Submersible | oump | | , | , | | | _ | |
| Pump type | Centrifugal | Centrifugal | Centrifugal | Centrifugal | Centrifugal | Centrifugal | Centrifugal | Centrifugal | Centrifugal |
| Required solar panel size | 100 W _P | 200 Wp | 275 Wp | 200 Wp | 200 Wp | 260 Wp | 1650 Wp | 3300 Wp | 4400 Wp |
| AC/DC coupled | DC | DC | DC | DC | DC | DC/AC | AC | AC | AC |
| Voltage range | 12V DC | 24V DC | 36 V DC | 48 V DC | 48 V DC | IIOVAC | 220 V AC | 220 V AC | 380 V AC |
| Total dynamic head | 13 m | 30 m | 50 m | 30 m | 23 m | 44 m | 26 m | 35 m | 38 m |
| Max discharge rate | 0.3 m ³ /h | 0.5 m ³ /h | 0.6 m ³ /h | 2 m³/h | 3 m³/h | 3 m³/h | 8 m³/h | 10 m³/h | 15 m³/h |
| PAYGO integration capabilities | No | | | | | | | | |



NJB FROGS SERIES

Surface pumps.

TERMS OF SALE

Cash & carry

Cooperation with
local banks or MFIs

Manufacturer:

Nadji Bi Place Du Martyr Mamadou Diop, 23000 Mbour, Senegal

Distributor(s):

Nadji Bi

Distribution channels:

Cash & Carry Retail through MFIs

SPECS | NJB FrogS Series

| Product models | NJB FrogS 0.8-14 V.1 | NJB FrogS 0.8-12 V.1 | NJB FrogS 0.8-32 V.I | NJB FrogS 1.6-7 V.I | NJB FrogS 1.6-20 V.I | |
|--------------------------------|-------------------------|-------------------------|-------------------------|------------------------|-------------------------|--|
| Product type | Surface mounted pump | | | | | |
| Pump type | Centrifugal | Centrifugal | Centrifugal | Centrifugal | Centrifugal | |
| Required solar panel size | 160 Wp | 275 Wp | 250 Wp | 160 Wp | 250 Wp | |
| AC/DC coupled | DC | DC | DC | DC | DC | |
| Voltage range | 24V DC | 36 V DC | 48 V DC | 24V DC | 48 V DC | |
| Total dynamic head | 14 m | 24 m | 32 m | 7 m | 20 m | |
| Max discharge volume | 0.8 m ³ /h | 0.8 m ³ /h | 0.8 m ³ /h | I.6 m ³ /h | I.6 m ³ /h | |
| PAYGO integration capabilities | No | | | | | |



NRJ PUMPS

Submersible pumps.

Target use: Farmers, water drilling.

TERMS OF SALE

Cash & carry

Flexible installments

Manufacturer:

NRJ Solaire

Distributor(s):

NRJ Solaire

Distribution channels:

Direct retail

Online retail

SPECS | NRJ Pumps

| Product models | NRJ4SP8-8 | NRJ4SP5-15 | NRJ38 | | | |
|--------------------------------|----------------------------|----------------------------|-------------|--|--|--|
| Product type | Submersible pump | | | | | |
| Pump type | Centrifugal | Centrifugal | Centrifugal | | | |
| Load | 3,000 VV | 3,000 W | 1,800 W | | | |
| AC/DC coupled | DC/AC | DC/AC | AC | | | |
| Voltage range | 60–380 V DC 90–240 V AC | 60–380 V DC 90–240 V AC | 220 V AC | | | |
| Total dynamic head | 150 m | 165 m | 30 m | | | |
| Max discharge volume | 15 m³/h | 10 m³/h | 20 m³/h | | | |
| PAYGO integration capabilities | No | | | | | |



TERMS OF SALE

Cash & carry

SATECH SP SERIES

Solar submersible pumps.

Manufacturer:

SATECH SARL

Patte D'oie, Dakar, Senegal

Distributor(s):


SATECH SARL

Distribution channels:

Direct Retail

SPECS | SATECH SP Series

| Product models | SP41K5041 | SP42K2060 | A47K5100 | A469K2100 | SPA475100 | A41K1060 | PS600W |
|--------------------------------|-------------------------|-------------------------|-----------------|-----------------|-----------------|-------------------------|-----------------|
| Product type submersible | Submersible pump | | | | | | |
| Pump type | Centrifugal | Centrifugal | Centrifugal | Centrifugal | Centrifugal | Centrifugal | Centrifugal |
| AC/DC coupled | AC | AC | AC | AC | AC | AC | AC |
| Voltage range | 220/380 V AC | 220/380 V AC | 220/380 V AC | 220/380 V AC | 220/380 V AC | 220/380 V AC | 220/380 V AC |
| Total dynamic head | 60-39 m | 50-27 m | 87-57 m | 140-85 m | 87-57 m | 23-12 m | 15 m |
| Max discharge volume | 20-40 m ³ /h | 40-60 m ³ /h | 60-100 m³/h | 40-100 m³/h | 60-100 m³/h | 40-60 m ³ /h | 6 m³/h |
| PAYGO integration capabilities | No | | | | | | |



TERMS OF SALE Cash & carry

VILLAYA SOLAR WATER PUMPING SYSTEM

A solar-powered submersible pump packaged with a solar pump controller with PAYGO capabilities. It is offered in two versions: with a battery and without a battery. Applicable for smallholder farmers with less than one acre of land.

Target use: Smallholder farmers.

Manufacturer:

Schneider Electric Industries Sas 35 Rue Joseph Monier 92506, Rueil Malmaison, France

Distributor(s):

Schneider Electric Sénégal

Distribution channels:

Direct retail

SPECS | Villaya Solar Water Pumping System

| Product information | |
|--------------------------------|--|
| Product type | Submersible pump |
| Pump type | Centrifugal |
| Power rating | 180−5,500 W |
| AC/DC coupled | AC |
| Voltage range | 200 V AC, Single Phase / 200 V AC 3 Phase / 400 V AC 3 Phase |
| Total dynamic head | 45 m |
| Max discharge rate | 2.7 m³/h |
| PAYGO integration capabilities | Yes |

SOLAR SPRAYERS

Solar Sprayers – List of Featured Products

Currently no listings for Senegal

SOLAR SPRAYERS

Solar Sprayers – Introduction

Sprayers diffuse liquid chemicals into mists through a process known as atomizing. Farmers and other users operate these products to spray a variety of chemicals, such as disinfectants, fungicides, herbicides, insecticides, and pesticides. Farmers often apply them to row crops (e.g., cotton, cowpeas, groundnuts, tobacco, vegetables, sugarcane, sisal, and maize) and for the control of migrant pests (e.g., locusts, grasshoppers, and armyworms). In some cases, farmers use sprayers as medical solutions to strengthen the immune systems of poultry and the treat mange in pigs and other animals.

Many varieties of sprayers are available in sub-Saharan Africa. This catalog presents solar-powered, handheld models of the spinning-disc type, which are designed for smallholder farmers and low volumes of liquid. Some sprayers come equipped with integrated lightemitting diode (LED) lights to allow spraying at night. Solar sprayers can replace other varieties of sprayers that use disposable batteries, thus reducing long-term environmental impacts and costs.

Special Considerations

In selecting the most appropriate sprayer for an activity, it is useful to compare data on run times and charging times as well as battery lifespans. Users may also consider the types of liquids (e.g., water-based products or CDA formulations) that the sprayer is designed to dispense. Other points of reference for decision-making include the volume capacity, flow rate range (measured in ml/min), and time needed to treat one hectare of land. It is essential to observe the precautions indicated by the manufacturer to minimize risks and promote the safety of operators.