



NOAA Technical Memorandum NWS WR-202

**ANNUAL DATA AND VERIFICATION TABULATION
EASTERN NORTH PACIFIC TROPICAL STORMS
AND HURRICANES 1987**

**Roger L. Cross
Eastern Pacific Hurricane Center
San Francisco, California**

**Kenneth B. Mielke
Scientific Services Division
National Weather Service Western Region Headquarters
Salt Lake City, Utah
September 1988**

**U.S. DEPARTMENT OF
COMMERCE**

National Oceanic and
Atmospheric Administration

National Weather
Service



NOAA TECHNICAL MEMORANDA
National Weather Service, Western Region Subseries

The National Weather Service (NWS) Western Region (WR) Subseries provides an informal medium for the documentation and quick dissemination of results not appropriate, or not yet ready, for formal publication. The series is used to report on work in progress, to describe technical procedures and practices, or to relate progress to a limited audience. These Technical Memoranda will report on investigations devoted primarily to regional and local problems of interest mainly to personnel, and hence will not be widely distributed.

Papers 1 to 25 are in the former series, ESSA Technical Memoranda, Western Region Technical Memoranda (WRTM); papers 24 to 59 are in the former series, ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM). Beginning with 60, the papers are part of the series, NOAA Technical Memoranda NWS. Out-of-print memoranda are not listed.

Papers 2 to 22, except for 5 (revised edition), are available from the National Weather Service Western Region, Scientific Services Division, P.O. Box 11188, Federal Building, 125 South State Street, Salt Lake City, Utah 84147. Paper 5 (revised edition), and all others beginning with 25 are available from the National Technical Information Service, U.S. Department of Commerce, Sills Building, E285 Port Royal Road, Springfield, Virginia 22161. Prices vary for all paper copies; microfiche are \$3.50. Order by accession number shown in parentheses at end of each entry.

ESSA Technical Memoranda (WRTM)

- 2 Climatological Precipitation Probabilities. Compiled by Lucianne Miller, December 1965.
- 3 Western Region Pre- and Post-FP-3 Program, December 1, 1965, to February 20, 1966. Edward D. Diemer, March 1966.
- 5 Station Descriptions of Local Effects on Synoptic Weather Patterns. Philip Williams, Jr., April 1966 (Revised November 1967, October 1969). (PB-17800)
- 8 Interpreting the RAREP. Herbert P. Benner, May 1966 (Revised January 1967).
- 11 Some Electrical Processes in the Atmosphere. J. Latham, June 1966.
- 17 A Digitalized Summary of Radar Echoes within 100 Miles of Sacramento, California. J. A. Youngberg and L. B. Overas, December 1966.
- 21 An Objective Aid for Forecasting the End of East Winds in the Columbia Gorge, July through October. D. John Coparans, April 1967.
- 22 Derivation of Radar Horizons in Mountainous Terrain. Roger G. Pappas, April 1967.

ESSA Technical Memoranda, Weather Bureau Technical Memoranda (WBTM)

- 25 Verification of Operation Probability of Precipitation Forecasts, April 1966-March 1967. W. W. Dickey, October 1967. (PB-176240)
- 26 A Study of Winds in the Lake Mead Recreation Area. R. P. Augulis, January 1968. (PB-177830)
- 28 Weather Extremes. R. J. Schmidl, April 1968 (Revised March 1986). (PB86 177672/AS)
- 29 Small-Scale Analysis and Prediction. Philip Williams, Jr., May 1968. (PB178426)
- 30 Numerical Weather Prediction and Synoptic Meteorology. CPT Thomas D. Murphy, USAF, May 1968. (AD 673385)
- 31 Precipitation Detection Probabilities by Salt Lake ARTC Radars. Robert K. Belesky, July 1968. (PB 179084)
- 32 Probability Forecasting--A Problem Analysis with Reference to the Portland Fire Weather District. Harold S. Ayer, July 1968. (PB 179289)
- 36 Temperature Trends in Sacramento--Another Heat Island. Anthony D. Lentini, February 1969. (PB 183055)
- 37 Disposal of Logging Residues Without Damage to Air Quality. Owen P. Cramer, March 1969. (PB 183057)
- 39 Upper-Air Lows Over Northwestern United States. A.L. Jacobson, April 1969. PB 184296)
- 40 The Man-Machine Mix in Applied Weather Forecasting in the 1970s. L.W. Snellman, August 1969. (PB 185068)
- 43 Forecasting Maximum Temperatures at Helena, Montana. David E. Olsen, October 1969. (PB 185762)
- 44 Estimated Return Periods for Short-Duration Precipitation in Arizona. Paul C. Kangieser, October 1969. (PB 187763)
- 46 Applications of the Net Radiometer to Short-Range Fog and Stratus Forecasting at Eugene, Oregon. L. Yee and E. Bates, December 1969. (PB 190476)
- 47 Statistical Analysis as a Flood Routing Tool. Robert J.C. Burnash, December 1969. (PB 188744)
- 48 Tsunami. Richard P. Augulis, February 1970. (PB 190157)
- 49 Predicting Precipitation Type. Robert J.C. Burnash and Floyd E. Hug, March 1970. (PB 190962)
- 50 Statistical Report on Aeroallergens (Pollens and Molds) Fort Huachuca, Arizona, 1969. Wayne S. Johnson, April 1970. (PB 191743)
- 51 Western Region Sea State and Surf Forecaster's Manual. Gordon C. Shields and Gerald B. Burdwell, July 1970. (PB 193102)
- 52 Sacramento Weather Radar Climatology. R.G. Pappas and C. M. Veliquette, July 1970. (PB 193347)
- 54 A Refinement of the Vorticity Field to Delineate Areas of Significant Precipitation. Barry B. Aronovitch, August 1970.
- 55 Application of the SSARR Model to a Basin without Discharge Record. Vail Schermerhorn and Donal W. Kuehl, August 1970. (PB 194394)
- 56 Areal Coverage of Precipitation in Northwestern Utah. Philip Williams, Jr., and Werner J. Heck, September 1970. (PB 194369)
- 57 Preliminary Report on Agricultural Field Burning vs. Atmospheric Visibility in the Willamette Valley of Oregon. Earl M. Bates and David O. Chilcote, September 1970. (PB 194710)
- 58 Air Pollution by Jet Aircraft at Seattle-Tacoma Airport. Wallace R. Donaldson, October 1970. (COM 71 00017)
- 59 Application of PE Model Forecast Parameters to Local-Area Forecasting. Leonard W. Snellman, October 1970. (COM 71 00016)
- 60 An Aid for Forecasting the Minimum Temperature at Medford, Oregon, Arthur W. Fritz, October 1970. (COM 71 00120)
- 63 700-mb Warm Air Advection as a Forecasting Tool for Montana and Northern Idaho. Norris E. Woerner, February 1971. (COM 71 00349)
- 64 Wind and Weather Regimes at Great Falls, Montana. Warren B. Price, March 1971.
- 65 Climate of Sacramento, California. Tony Martini, January 1968. (PB88 206370/AS)
- 66 A Preliminary Report on Correlation of ARTCC Radar Echoes and Precipitation. Wilbur K. Hall, June 1971. (COM 71 00829)
- 69 National Weather Service Support to Soaring Activities. Ellis Burton, August 1971. (COM 71 00956)
- 71 Western Region Synoptic Analysis-Problems and Methods. Philip Williams, Jr., February 1972. (COM 72 10433)

- 74 Thunderstorms and Hail Days Probabilities in Nevada. Clarence M. Sakamoto, April 1972. (COM 72 10554)
- 75 A Study of the Low Level Jet Stream of the San Joaquin Valley. Ronald A. Willis and Philip Williams, Jr., May 1972. (COM 72 10707)
- 76 Monthly Climatological Charts of the Behavior of Fog and Low Stratus at Los Angeles International Airport. Donald M. Gales, July 1972. (COM 72 11140)
- 77 A Study of Radar Echo Distribution in Arizona During July and August. John E. Hales, Jr., July 1972. (COM 72 11136)
- 78 Forecasting Precipitation at Bakersfield, California, Using Pressure Gradient Vectors. Earl T. Riddiough, July 1972. (COM 72 11146)
- 79 Climate of Stockton, California. Robert C. Nelson, July 1972. (COM 72 10920)
- 80 Estimation of Number of Days Above or Below Selected Temperatures. Clarence M. Sakamoto, October 1972. (COM 72 10021)
- 81 An Aid for Forecasting Summer Maximum Temperatures at Seattle, Washington. Edgar G. Johnson, November 1972. (COM 73 10150)
- 82 Flash Flood Forecasting and Warning Program in the Western Region. Philip Williams, Jr., Chester L. Glenn, and Roland L. Raetz, December 1972, (Revised March 1978). (COM 73 10251)
- 83 A comparison of Manual and Semiautomatic Methods of Digitizing Analog Wind Records. Glenn E. Rasch, March 1973. (COM 73 10686)
- 86 Conditional Probabilities for Sequences of Wet Days at Phoenix, Arizona. Paul C. Kangieser, June 1973. (COM 73 11264)
- 87 A Refinement of the Use of K-Values in Forecasting Thunderstorms in Washington and Oregon. Robert Y.G. Lee, June 1973. (COM 73 11276)
- 89 Objective Forecast Precipitation Over the Western Region of the United States. Julia N. Paegle and Larry P. Kierulff, September 1973. (COM 73 11946/3AS)
- 91 Arizona "Eddy" Tornadoes. Robert S. Ingram, October 1973. (COM 73 10465)
- 92 Smoke Management in the Willamette Valley. Earl M. Bates, May 1974. (COM 74 11277/AS)
- 93 An Operational Evaluation of 500-mb Type Regression Equations. Alexander E. MacDonald, June 1974. (COM 74 11407/AS)
- 94 Conditional Probability of Visibility Less than One-Half Mile in Radiation Fog at Fresno, California. John D. Thomas, August 1974. (COM 74 11555/AS)
- 95 Climate of Flagstaff, Arizona. Paul W. Sorenson, and updated by Reginald W. Preston, January 1987. (PB87 143160/AS)
- 96 Map Type Precipitation Probabilities for the Western Region. Glenn E. Rasch and Alexander E. MacDonald, February 1975. (COM 75 10428/AS)
- 97 Eastern Pacific Cut-Off Low of April 21-28, 1974. William J. Alder and George R. Miller, January 1976. (PB 250 711/AS)
- 98 Study on a Significant Precipitation Episode in Western United States. Ira S. Brenner, April 1976. (COM 75 10719/AS)
- 99 A Study of Flash Flood Susceptibility-A Basin in Southern Arizona. Gerald Williams, August 1975. (COM 75 11360/AS)
- 102 A Set of Rules for Forecasting Temperatures in Napa and Sonoma Counties. Wesley L. Tuft, October 1975. (PB 246 902/AS)
- 103 Application of the National Weather Service Flash-Flood Program in the Western Region. Gerald Williams, January 1976. (PB 253 053/AS)
- 104 Objective Aids for Forecasting Minimum Temperatures at Reno, Nevada, During the Summer Months. Christopher D. Hill, January 1976. (PB 252 866/AS)
- 105 Forecasting the Mono Wind. Charles P. Ruscha, Jr., February 1976. (PB 254 650)
- 106 Use of MOS Forecast Parameters in Temperature Forecasting. John C. Plankinton, Jr., March 1976. (PB 254 649)
- 107 Map Types as Aids in Using MOS PoPs in Western United States. Ira S. Brenner, August 1976. (PB 259 594)
- 108 Other Kinds of Wind Shear. Christopher D. Hill, August 1976. (PB 260 437/AS)
- 109 Forecasting North Winds in the Upper Sacramento Valley and Adjoining Forests. Christopher E. Fontana, September 1976. (PB 273 677/AS)
- 110 Cool Inflow as a Weakening Influence on Eastern Pacific Tropical Cyclones. William J. Denney, November 1976. (PB 264 665/AS)
- 112 The MAN/MOS Program. Alexander E. MacDonald, February 1977. (PB 265 941/AS)
- 113 Winter Season Minimum Temperature Formula for Bakersfield, California, Using Multiple Regression. Michael J. Oard, February 1977. (PB 273 694/AS)
- 114 Tropical Cyclone Kathleen. James R. Fors, February 1977. (PB 273 676/AS)
- 116 A Study of Wind Gusts on Lake Mead. Bradley Colman, April 1977. (PB 268 847)
- 117 The Relative Frequency of Cumulonimbus Clouds at the Nevada Test Site as a Function of K-Value. R.F. Quiring, April 1977. (PB 272 831)
- 118 Moisture Distribution Modification by Upward Vertical Motion. Ira S. Brenner, April 1977. (PB 268 740)
- 119 Relative Frequency of Occurrence of Warm Season Echo Activity as a Function of Stability Indices Computed from the Yucca Flat, Nevada, Rawinsonde. Darryl Randerson, June 1977. (PB 271 290/AS)
- 121 Climatological Prediction of Cumulonimbus Clouds in the Vicinity of the Yucca Flat Weather Station. R.F. Quiring, June 1977. (PB 271 704/AS)
- 122 A Method for Transforming Temperature Distribution to Normality. Morris S. Webb, Jr., June 1977. (PB 271 742/AS)
- 124 Statistical Guidance for Prediction of Eastern North Pacific Tropical Cyclone Motion - Part I. Charles J. Neumann and Preston W. Leftwich, August 1977. (PB 272 661)
- 125 Statistical Guidance on the Prediction of Eastern North Pacific Tropical Cyclone Motion - Part II. Preston W. Leftwich and Charles J. Neumann, August 1977. (PB 273 155/AS)
- 126 Climate of San Francisco. E. Jan Null, February 1978. Revised by George T. Ferich, April 1988. (PB88 208624/AS)
- 127 Development of a Probability Equation for Winter-Type Precipitation Patterns in Great Falls, Montana. Kenneth B. Mielke, February 1978. (PB 281 387/AS)
- 128 Hand Calculator Program to Compute Parcel Thermal Dynamics. Dan Gudge, April 1978. (PB 283 080/AS)
- 129 Fire whirls. David W. Goens, May 1978. (PB 283 866/AS)
- 130 Flash-Flood Procedure. Ralph C. Hatch and Gerald Williams, May 1978. (PB 286 014/AS)
- 131 Automated Fire-Weather Forecasts. Mark A. Mollner and David E. Olsen, September 1978. (PB 289 916/AS)
- 132 Estimates of the Effects of Terrain Blocking on the Los Angeles WSR-74C Weather Radar. R.G. Pappas, R.Y. Lee, B.W. Finke, October 1978. (PB 289767/AS)
- 133 Special Techniques in Ocean Wave Forecasting. John A. Jannuzzi, October 1978. (PB291317/AS)
- 134 Solar Radiation. John A. Jannuzzi, November 1978. (PB291195/AS)
- 135 Application of a Spectrum Analyzer in Forecasting Ocean Swell in Southern California Coastal Waters. Lawrence P. Kierulff, January 1979. (PB292716/AS)
- 136 Basic Hydrologic Principles. Thomas L. Dietrich, January 1979. (PB292247/AS)
- 137 LFM 24-Hour Prediction of Eastern Pacific Cyclones Refined by Satellite Images. John R. Zimmerman and Charles P. Ruscha, Jr., January 1979. (PB294324/AS)
- 138 A Simple Analysis/Diagnosis System for Real Time Evaluation of Vertical Motion. Scott Hellick and James R. Fors, February 1979. (PB294216/AS)
- 139 Aids for Forecasting Minimum Temperature in the Wenatchee Frost District. Robert S. Robinson, April 1979. (PB298339/AS)

NOAA Technical Memorandum NWS WR-202

**ANNUAL DATA AND VERIFICATION TABULATION
EASTERN NORTH PACIFIC TROPICAL STORMS
AND HURRICANES 1987**


Roger L. Cross
Eastern Pacific Hurricane Center
San Francisco, California

Kenneth B. Mielke
Scientific Services Division
National Weather Service Western Region Headquarters
Salt Lake City, Utah
September 1988

UNITED STATES
DEPARTMENT OF COMMERCE
C. William Verity, Secretary

National Oceanic and
Atmospheric Administration
William E. Evans, Administrator

National Weather
Service
Elbert W. Friday, Jr., Director



This publication has been reviewed
and is approved for publication by
Scientific Services Division,
Western Region.



Kenneth B. Mielke, Acting Chief
Scientific Services Division
Western Region Headquarters
Salt Lake City, Utah

TABLE OF CONTENTS

	PAGE
LIST OF TABLES	iv
I. Introduction	1
II. Objective Forecast Techniques	1
III. Verification	1
IV. Data Summaries	1
V. References	1-2

LIST OF TABLES

- Table 1. Verification of 1987 Tropical Storms and Hurricane Forecasts
- Table 2. Summary of Eastern North Pacific Tropical Cyclones, 1987
- Tables 3-20. Individual Tropical Cyclone Statistics

ANNUAL DATA AND VERIFICATION TABULATION EASTERN NORTH PACIFIC TROPICAL STORMS AND HURRICANES 1987

I. INTRODUCTION

This is the ninth report of an annual series covering eastern North Pacific tropical cyclone activity. Data are provided by the National Weather Service Eastern Pacific Hurricane Center and the Satellite Field Service Station in San Francisco, California, and the Chief, Aerial Reconnaissance Coordination, all Hurricanes (CARCAH), Miami, Florida.

II. OBJECTIVE FORECAST TECHNIQUES

Tropical cyclone prediction models used by the Eastern Pacific Hurricane Center (EPHC) forecasters include:

1. EPSS87. A statistical-synoptic model, developed by Arthur C. Pike which replaces the older EPHC77. EPSS87 uses input data from EPCLIPER84 rather than the older EPCLPR model. The synoptic grid is oriented along the axes of bivariate normal ellipses determined by the storm displacements in the 1975-1985 developmental data, rather than poleward. This model uses tropospheric (1000-100 mb mass-weighted mean wind components, which help to specify environmental steering better than the 400 mb heights used previously. A publication concerning this model is in preparation.

2. EPHC81 (Leftwich, 1981). A statistical-dynamic model.

3. EPCLIPER84 (Neumann, 1982). A simulated analog model based on persistence and climatology. This model was updated in 1984-85 and was first used during the 1986 season. The model development data set was updated to include all storms from 1965 to 1985.

4. EPANALOG85 (Jarrell, Mauck, and Renard, 1975). An analog model. This model also was updated for use in the 1986 season. The data set was updated to include the years 1965 to 1985 instead of the previous set 1949 to 1976. In addition, all analogs chosen must now be within 650 km, as opposed to the previous 1 1/2 degree limit. The analog date must be within 30 days of the current date whereas previously, analogs from the entire season were used.

5. EPSANBAR (Sanders and Burpee, 1968). A filtered barotropic model.

In addition to the above models, forecasters also make use of NMC analyses and prognoses.

III. VERIFICATION

Verification statistics for the 1987 season are shown in Table 1. The forecast displacement error is the vector difference between the forecast displacement and the actual displacement computed from operational advisory positions. Tropical depressions are not verified.

IV. DATA SUMMARIES

A summary of the 1987 Eastern North Pacific tropical cyclone statistics is given in Table 2. Best track, operational positions, and position errors are given in Tables 3 to 20.

The actual track of a tropical storm consists of two scales of motion. The small scale motion is a trochoidal oscillation about a mean track. The large scale motion is the result of environmental steering forces and is quite conservative. The "best track" positions are constructed by removing the small scale motions. The operational position is real-time storm location, determined while the storm is in progress; the "best track" is based upon past operational positions and updated every 6 hours. Forecast errors are determined from the "best track" positions. The tables on the following pages only include tropical storms and hurricanes, but the storm history for each begins when the system reaches tropical depression status (25 KTS). Forecast errors are only computed once the tropical depression reaches storm status (33 KTS), therefore, there may be a lot of zero entries in the tables at the beginning and ending of a storm.

Aerial reconnaissance was not required during the 1987 season since none of the cyclones posed a threat to the United States mainland or U.S. military installations.

Even as satellite imagery continues to improve and is one of the more important tools used by tropical forecasters, aircraft reconnaissance and ship reports are invaluable in providing comparative observations.

V. REFERENCES

- (1) Hope, J. R., and B. I. Miller, 1972: "A Statistical Method of Combining Synoptic and Empirical Cyclone Prediction Systems". NOAA Technical Memorandum NWS SR-63, U. S. Department of Commerce, National Weather Service Southern Region, 32 pp.

(2) Jarrell, J. D., C. M. Mauck, and R. J. Renard, 1975: "The Navy's Analog Scheme for Forecasting Tropical Cyclone Motion Over the Northeastern Pacific Ocean". Technical Paper No. 6-75, Environmental Prediction Research Facility, Naval Postgraduate School, Monterey, Ca., 27 pp.

(3) Leftwich, P. W., and C. J. Neumann, 1977: "Statistical Guidance on the Prediction of Eastern North Pacific Tropical Cyclone Motion". NOAA Technical Memorandum NWS WR-125, National Oceanic and Atmospheric Administration, U. S. Department of Commerce, National Weather Service Western Region, 15 pp.

(4) Leftwich, P. W., 1981: "A Statistical-Dynamical Model for Prediction of Tropical Cyclone Motion

in the Eastern North Pacific Ocean". NOAA Technical Memorandum NWS WR-169, U. S. Department of Commerce, National Weather Service Western Region, 16 pp.

(5) Neumann, C. J., 1972: "An Alternate to the Hurrell Tropical Cyclone Forecast System". NOAA Technical Memorandum NWS SR-63, National Oceanic and Atmospheric Administration, U. S. Department of Commerce, National Weather Service Southern Region, 24 pp.

(6) Sanders, F., and R. W. Burpee, 1968: "Experiments in Barotropic Hurricane Track Forecasting". Journal of Applied Meteorology, Vol 7, No 3, 313-323.

TABLE 1
1987 FORECAST ERRORS*

	FORECAST PERIOD		
	24 HR	48 HR	72 HR
EPHC FORECASTERS	158 (85)/236	267(144)/176	397(214)/122
EPANALOG85	169(91)/233	282(152)/176	386(207)/125
EPSS87	148(80)/232	252(136)/174	365(197)/121
EPCLIPER84	165(89)/236	272(147)/177	385(208)/124
EPHC81	161(87)/102	245(132)/77	385(208)/55

*Average error in kilometers (nautical miles)/number of cases

TABLE 2

SUMMARY OF EASTERN NORTH PACIFIC TROPICAL CYCLONES OF 1987 *

(Includes only those cyclones that reached hurricane (HU) or tropical storm (TS) strength)

NO.	NAME	CLASS	DATES	MAX WIND (KTS)
1.	Adrian	TS	7-9 Jun	40
2.	Beatriz	TS	3-7 Jul	45
3.	Calvin	TS	5-10 Jul	55
4.	Dora	TS	15-20 Jul	50
5.	Eugene	HU	22-26 Jul	85
6.	Fernanda	TS	24-25 Jul	45
7.	Greg	HU	28 Jul-3 Aug	70
8.	Hilary	HU	31 Jul-9 Aug	105
9.	Irwin	TS	3-9 Aug	55
10.	Jova	HU	13-20 Aug	90
11.	Knut	TS	28-30 Aug	35
12.	Lidia	HU	30 Aug-3 Sep	75
13.	Max	HU	9-16 Sep	135
14.	Norma	HU	14-20 Sep	65
15.	Otis	HU	20-26 Sep	100
16.	Pilar	TS	30 Sep-1 Oct	35
17.	Ramon	HU	5-12 Oct	120
18.	Selma	TS	27-31 Oct	35

* Damage and casualty summaries are unknown

ADRIAN.....

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR	24 HOUR FORECAST ERROR		48 HOUR FORECAST ERROR		72 HOUR FORECAST ERROR				
	LAT.	LONG.	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)
6 700	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
6 706	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
6 712	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
6 718	11.4	96.3	11.8	98.0	99.7	13.8	96.9	50.	15.2	96.9	0.	0.0	0.0	0.
6 800	11.8	97.5	12.5	97.4	42.4	15.3	96.4	188.	0.0	0.0	0.	0.0	0.0	0.
6 806	12.3	98.1	13.0	96.8	86.5	15.6	94.8	290.	0.0	0.0	0.	0.0	0.0	0.
6 812	12.8	98.7	13.0	97.3	82.3	14.7	96.5	162.	0.0	0.0	0.	0.0	0.0	0.
6 818	12.9	99.5	13.2	97.5	117.8	14.6	98.4	0.	15.4	99.9	0.	15.8	100.7	0.
6 900	12.2	99.8	13.1	98.7	83.7	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
6 906	12.4	98.8	13.0	99.0	37.8	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
6 912	13.5	98.6	13.5	99.0	23.3	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
6 918	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
MEAN VECTOR ERRORS (N.MI)								173.			0.			0.
NUMBER OF CASES								4			0			0

TABLE 3

BEATRIZ

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR			
	LAT.	LONG.	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	
7 300	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.	
7 306	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.	
7 312	12.9	115.9	12.0	116.0	54.3	12.3	118.5	102.	13.0	121.3	199.	13.9	124.0	399.	
7 318	13.1	116.6	12.8	116.3	24.9	13.5	119.0	67.	14.3	121.8	197.	15.0	125.0	393.	
7 400	13.4	117.2	13.3	117.0	12.9	14.0	119.6	72.	14.8	122.0	237.	15.6	125.0	402.	
7 406	13.8	117.8	13.5	118.1	24.8	14.0	121.4	115.	14.6	124.7	280.	15.0	128.1	0.	
7 412	14.2	118.4	14.0	118.6	16.6	14.8	121.5	95.	15.7	124.2	300.	16.4	128.0	0.	
7 418	14.6	119.0	14.6	118.8	11.4	16.2	121.6	97.	17.5	124.6	289.	18.7	128.2	0.	
7 500	15.2	119.7	15.2	119.6	5.7	17.1	122.3	112.	18.6	126.0	243.	19.9	129.8	0.	
7 506	15.8	120.5	15.7	120.5	6.0	17.5	124.3	123.	19.0	128.2	0.	20.1	132.2	0.	
7 512	16.5	121.5	16.3	121.0	30.9	18.2	125.2	149.	19.2	128.2	0.	20.0	131.9	0.	
7 518	17.5	122.5	17.5	122.6	5.7	20.2	127.5	59.	21.7	130.0	0.	0.0	0.0	0.	
7 600	18.4	124.0	18.4	123.7	17.1	20.9	128.3	88.	22.1	131.1	0.	0.0	0.0	0.	
7 606	19.2	125.5	19.2	125.5	0.0	21.5	132.0	0.	23.0	137.5	0.	0.0	0.0	0.	
7 612	19.9	126.9	19.8	127.2	18.1	20.8	133.0	0.	21.0	137.2	0.	0.0	0.0	0.	
7 618	20.3	128.5	20.7	128.4	24.7	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.	
7 700	20.5	129.8	20.5	129.8	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.	
7 706	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.	
7 712	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.	
7 718	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.	
MEAN VECTOR ERRORS (N.MI)								98.				249.			
NUMBER OF CASES								11				7			

TABLE 4

CALVIN.....

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR				
	LAT.	LONG.	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)		
7 500	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.		
7 506	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.		
7 512	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.		
7 518	12.6	101.8	12.5	101.8	6.0	12.8	106.9	78.	13.8	112.0	73.	14.8	116.2	75.		
7 600	12.8	103.0	12.7	103.0	6.0	13.6	107.5	38.	14.9	111.7	134.	16.3	115.6	180.		
7 606	13.1	104.1	12.8	104.6	34.1	13.9	109.7	64.	14.9	114.6	53.	15.3	118.1	94.		
7 612	13.4	105.2	13.1	106.8	93.7	14.1	113.3	177.	15.4	118.8	106.	17.9	122.2	179.		
7 618	13.9	106.3	13.9	106.2	5.8	15.3	110.4	83.	16.3	114.0	221.	16.8	116.8	258.		
7 700	14.2	107.3	14.2	107.3	0.0	15.3	110.9	182.	16.7	114.4	252.	16.8	117.7	227.		
7 706	14.5	108.7	14.5	108.8	5.7	15.7	113.7	117.	16.6	117.8	146.	17.2	121.2	59.		
7 712	14.7	110.4	15.0	110.4	18.0	16.5	116.2	96.	17.4	119.7	129.	18.8	122.9	0.		
7 718	14.8	111.7	15.0	111.8	13.3	15.7	117.2	57.	17.0	121.7	67.	18.7	126.3	0.		
7 800	14.8	113.2	14.8	114.0	45.9	14.2	120.5	131.	14.6	125.2	229.	15.5	131.0	0.		
7 806	14.8	114.7	14.8	115.5	45.9	15.0	121.6	110.	15.7	126.1	238.	17.3	130.1	0.		
7 812	14.8	116.0	15.1	117.0	60.1	15.2	123.3	162.	16.0	128.7	0.	17.0	134.4	0.		
7 818	14.8	117.3	14.8	117.5	11.5	15.0	122.9	115.	15.6	127.7	0.	16.7	132.2	0.		
7 900	14.9	118.4	15.0	118.4	6.0	15.5	122.3	58.	16.2	125.9	0.	17.1	129.9	0.		
7 906	15.1	119.5	15.0	119.7	12.9	15.1	124.2	162.	15.5	128.1	0.	0.0	0.0	0.		
7 912	15.2	120.3	15.4	120.5	16.6	16.4	124.5	0.	0.0	0.0	0.	0.0	0.0	0.		
7 918	15.7	121.0	16.0	121.2	21.3	17.5	123.6	0.	0.0	0.0	0.	0.0	0.0	0.		
71000	16.3	121.6	16.2	121.6	6.0	17.5	123.3	0.	0.0	0.0	0.	0.0	0.0	0.		
71006	17.0	122.2	17.0	122.2	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.		
71012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.		
71018	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.		
MEAN VECTOR ERRORS (N.MI)								109.					150.			
NUMBER OF CASES								15					11			

TABLE 5

DORA.....

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR				
	LAT.	LONG.	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)		
71500	15.3	102.5	15.6	102.5	18.0	18.0	106.5	142.	19.2	110.4	134.	19.7	114.6	59.		
71506	15.5	103.8	15.9	103.8	24.0	16.8	108.6	46.	17.7	112.6	71.	17.7	117.6	232.		
71512	15.8	105.0	15.7	105.3	18.1	16.5	110.4	38.	17.2	115.0	156.	17.2	121.0	396.		
71518	16.2	106.3	16.0	106.2	13.3	16.9	110.8	24.	18.0	115.0	132.	18.2	119.5	299.		
71600	16.5	106.3	16.6	108.5	123.4	17.6	112.7	115.	19.4	116.8	176.	21.0	120.5	280.		
71606	16.8	108.5	16.9	109.4	50.8	17.9	115.3	219.	18.8	120.0	339.	20.0	125.0	559.		
71612	16.9	109.3	17.0	110.0	39.8	17.8	114.2	109.	18.7	117.9	197.	19.5	121.8	343.		
71618	17.0	110.2	17.0	110.4	11.2	17.7	114.1	85.	18.8	117.7	194.	19.0	122.0	376.		
71700	17.2	111.0	17.0	110.8	16.4	17.6	113.9	97.	18.7	117.1	165.	19.7	120.2	270.		
71706	17.5	111.8	17.0	111.6	32.0	17.3	114.7	148.	17.8	117.8	276.	18.4	120.8	0.		
71712	17.9	112.4	17.6	112.3	18.8	18.3	115.7	125.	19.4	117.9	173.	20.5	121.0	0.		
71718	18.4	113.0	18.2	112.7	20.6	18.4	115.0	144.	19.0	117.4	207.	20.0	120.0	0.		
71800	18.8	113.6	19.2	113.7	24.6	21.6	115.5	36.	23.5	117.4	65.	24.6	120.0	0.		
71806	19.2	114.0	19.7	114.1	30.5	22.1	115.9	46.	23.4	117.8	0.	24.9	119.9	0.		
71812	19.8	114.6	20.2	114.8	26.5	22.5	116.8	54.	24.3	118.9	0.	0.0	0.0	0.		
71818	20.2	115.1	20.8	115.0	36.4	22.5	116.5	16.	23.6	118.4	0.	0.0	0.0	0.		
71900	20.7	115.6	21.0	115.5	18.8	22.9	117.5	51.	24.3	119.2	0.	0.0	0.0	0.		
71906	21.2	116.0	21.7	115.2	53.9	24.8	115.1	0.	0.0	0.0	0.	0.0	0.0	0.		
71912	21.7	116.2	21.8	116.2	6.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.		
71918	22.3	116.4	22.3	116.3	5.6	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.		
72000	21.7	116.6	22.7	116.6	60.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.		
72006	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.		
72012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.		
72018	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.		
MEAN VECTOR ERRORS (N.MI)								88.				176.				313.
NUMBER OF CASES								17				13				9

TABLE 6

EUGENE.....

DATE/TIME (GMT)	BEST TRACK		OFFRATIONAL POSITION		POSITION ERROR	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR			
	LAT.	LONG.	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	
72200	11.0	97.0	11.0	97.2	11.6	11.4	102.6	107.	12.2	107.8	375.	13.3	112.1	538.	
72206	11.2	98.4	11.0	98.7	21.0	11.5	104.3	197.	12.4	109.6	433.	14.0	114.2	626.	
72212	11.7	99.6	11.1	99.2	42.7	11.5	104.2	207.	13.1	108.3	306.	14.2	112.2	498.	
72218	12.3	100.7	12.0	100.8	18.9	13.5	105.4	204.	15.1	109.7	350.	16.7	112.8	476.	
72300	12.9	101.3	13.0	101.8	28.9	14.8	106.3	224.	16.5	110.4	374.	17.9	114.2	522.	
72306	13.6	101.8	13.8	101.9	13.3	15.2	105.7	156.	16.6	109.5	315.	18.0	113.5	468.	
72312	14.3	102.1	14.2	102.0	8.2	16.4	104.1	32.	18.6	107.0	107.	20.3	110.0	221.	
72318	15.1	102.4	15.1	102.3	5.6	17.8	103.7	84.	19.6	105.6	33.	21.0	108.0	0.	
72400	15.6	102.6	15.9	102.6	18.0	18.4	103.9	42.	20.0	105.6	48.	21.0	108.0	0.	
72406	15.9	103.0	15.9	103.1	5.6	17.0	105.0	88.	18.7	107.8	201.	20.2	110.9	0.	
72412	16.2	103.5	15.9	103.9	28.7	16.7	106.5	162.	18.0	109.6	297.	19.0	113.5	0.	
72418	16.7	103.8	16.4	103.8	18.0	17.5	106.0	157.	19.0	108.8	0.	20.0	112.3	0.	
72500	17.7	104.2	17.7	104.0	11.2	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.	
72506	18.5	104.6	18.3	104.3	20.6	20.5	106.2	72.	22.3	108.5	0.	23.3	111.2	0.	
72512	19.4	105.0	19.1	105.2	21.2	21.4	108.5	117.	22.5	111.4	0.	23.4	114.4	0.	
72518	20.0	105.2	20.0	105.2	0.0	22.5	106.8	0.	24.4	109.2	0.	25.5	111.0	0.	
72600	20.7	105.7	20.8	105.5	12.7	23.5	106.9	0.	25.3	109.1	0.	26.8	111.4	0.	
72606	21.4	105.9	21.7	106.2	24.6	24.1	107.9	0.	25.5	109.4	0.	27.2	111.1	0.	
72612	22.0	106.3	22.0	106.5	11.2	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.	
72618	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.	
MEAN VECTOR ERRORS (N.MI)								132.				258.	478.		
NUMBER OF CASES								14				11	7		

TABLE 7

FERNANDA

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR		
	LAT.	LONG.	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)
72400	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
72406	11.8	131.0	12.0	130.8	16.8	13.5	133.5	204.	15.0	135.5	0.	15.8	137.5	0.
72412	12.0	132.2	12.1	132.5	19.6	12.6	137.5	47.	13.5	142.7	0.	13.8	146.5	0.
72418	12.1	133.6	12.1	133.5	5.9	12.5	138.5	18.	13.2	143.0	0.	13.9	147.5	0.
72500	12.2	135.0	12.2	134.8	11.7	12.5	139.8	0.	13.2	144.8	0.	14.0	149.0	0.
72506	12.3	136.4	12.4	136.8	24.2	12.7	142.6	0.	13.0	149.0	0.	13.6	154.0	0.
72512	12.4	137.8	12.5	138.3	29.9	13.0	144.3	0.	13.5	148.4	0.	14.5	152.5	0.
72518	12.5	138.9	12.5	138.8	5.9	12.8	143.5	0.	13.5	147.5	0.	14.3	151.2	0.
MEAN VECTOR ERRORS (N.MI)								90.			0.			0.
NUMBER OF CASES								3			0			0

TABLE 8

GREG.....

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR	24 HOUR FORECAST		ERROR	48 HOUR FORECAST		ERROR	72 HOUR FORECAST		ERROR
	LAT.	LONG.	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)
72800	11.8	101.0	12.2	100.2	51.9	13.1	102.6	92.	14.3	105.4	59.	15.8	109.9	102.
72806	12.3	101.2	12.3	100.6	34.8	12.7	103.0	138.	12.4	105.6	181.	11.8	108.0	382.
72812	12.7	101.4	12.5	101.0	25.9	13.2	103.3	105.	14.6	106.5	125.	16.2	110.0	144.
72818	13.2	101.7	13.2	101.2	28.4	15.1	103.2	93.	16.8	105.0	219.	18.4	107.2	265.
72900	14.0	102.2	13.8	101.2	58.0	16.0	104.0	128.	17.0	106.4	197.	18.1	108.8	241.
72906	14.7	103.2	14.4	101.4	103.3	16.6	103.4	226.	18.0	105.8	281.	18.8	108.7	295.
72912	14.8	104.3	14.9	103.7	34.4	15.6	107.9	31.	17.3	111.9	72.	19.0	116.0	144.
72918	14.9	105.5	15.0	104.8	40.0	15.6	109.1	98.	16.5	113.3	178.	17.8	118.5	239.
73000	15.0	106.6	15.1	106.0	34.5	15.6	110.1	115.	16.6	114.0	213.	17.0	118.7	276.
73006	15.5	107.7	15.1	107.0	46.3	15.4	110.9	133.	16.1	115.1	277.	17.1	120.0	291.
73012	16.3	108.7	16.1	108.0	40.8	19.0	111.6	48.	21.0	115.0	22.	22.0	118.0	61.
73018	16.9	109.5	17.2	108.8	42.6	20.5	111.6	85.	23.0	113.9	177.	25.0	115.5	322.
73100	17.5	110.4	17.5	109.8	33.5	19.2	113.8	80.	20.7	116.9	48.	21.2	120.7	41.
73106	18.0	111.2	17.6	110.7	36.8	18.9	114.9	121.	20.0	118.0	96.	21.1	120.6	81.
73112	18.5	111.8	18.3	111.2	35.4	19.7	114.7	78.	21.3	118.2	48.	22.5	122.4	53.
73118	19.1	112.5	19.1	111.8	38.6	21.3	114.5	112.	23.1	117.0	191.	24.8	120.5	242.
8 100	19.8	113.3	19.9	112.6	39.1	22.2	114.8	147.	24.0	118.8	191.	24.8	121.3	0.
8 106	20.4	114.3	20.5	113.6	39.1	22.1	117.4	49.	23.1	121.8	84.	23.0	124.5	0.
8 112	21.0	115.4	21.0	114.6	44.1	23.3	118.2	111.	25.0	121.5	211.	25.5	125.0	0.
8 118	21.3	116.7	21.3	116.5	11.0	22.7	119.5	69.	24.7	122.5	185.	25.4	125.5	0.
8 200	21.4	117.9	21.4	117.3	33.1	21.6	122.2	56.	21.8	127.1	0.	21.5	132.1	0.
8 206	21.5	119.0	21.6	118.1	50.0	22.3	121.8	36.	23.3	125.4	0.	23.5	129.4	0.
8 212	21.6	119.9	21.6	119.0	49.6	21.8	122.7	8.	21.8	126.2	0.	0.0	0.0	0.
8 218	21.6	120.9	21.7	120.1	44.5	22.0	123.6	25.	22.3	127.3	0.	0.0	0.0	0.
8 300	21.6	121.9	21.7	121.2	39.1	21.9	125.0	0.	22.2	129.0	0.	0.0	0.0	0.
8 306	21.6	122.7	21.7	121.9	44.5	21.7	125.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 312	21.6	123.5	21.7	122.8	39.1	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
8 318	21.6	124.0	21.7	123.3	39.1	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
MEAN VECTOR ERRORS (N.MI)								91.	153.				198.	
NUMBER OF CASES								24	20				16	

TABLE 9

HILARY.....

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR			
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	
73100	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.	
73106	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.	
73112	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.	
73118	10.7	92.4	10.3	93.0	42.3	11.5	96.0	35.	13.0	99.8	42.	14.5	103.3	112.	
8 100	11.0	93.4	10.6	94.0	42.4	11.8	98.2	56.	12.9	102.3	47.	13.5	106.7	68.	
8 106	11.4	94.4	11.0	95.0	42.3	11.9	99.0	43.	13.2	103.0	41.	15.0	107.0	34.	
8 112	11.7	95.3	11.5	95.6	21.0	13.5	99.1	79.	15.8	102.7	158.	17.4	105.3	233.	
8 118	11.9	96.3	12.0	96.3	6.0	13.8	99.5	91.	15.2	103.0	141.	17.4	106.5	208.	
8 200	12.1	97.2	12.1	97.3	5.8	12.6	101.3	21.	14.0	105.4	68.	15.7	110.6	17.	
8 206	12.3	98.2	12.1	98.3	13.3	12.6	102.3	42.	13.8	106.6	75.	15.1	111.7	43.	
8 212	12.5	99.3	12.2	99.3	18.0	13.0	104.6	43.	14.8	108.5	8.	16.3	113.0	52.	
8 218	12.7	100.3	12.5	100.3	12.0	13.5	104.5	59.	14.5	109.0	45.	16.4	113.8	41.	
8 300	13.0	101.6	12.9	101.5	8.3	14.0	105.6	59.	15.5	110.3	6.	17.8	114.7	58.	
8 306	13.4	102.8	13.3	102.3	29.3	14.7	106.3	70.	16.0	110.5	50.	17.0	114.9	31.	
8 312	13.8	104.0	13.6	104.2	16.6	14.2	108.4	42.	14.9	112.6	89.	16.4	116.9	126.	
8 318	14.2	105.2	14.2	105.2	0.0	16.0	109.7	53.	18.0	114.0	104.	19.6	118.2	77.	
8 400	14.6	106.4	14.6	106.4	0.0	16.2	111.7	86.	17.9	117.0	178.	18.3	122.3	250.	
8 406	14.9	107.5	14.7	107.5	12.0	15.5	112.0	42.	16.8	116.3	96.	18.1	120.7	136.	
8 412	15.2	108.4	14.9	108.4	18.0	15.6	112.5	48.	16.7	116.3	93.	17.5	120.6	147.	
8 418	15.4	109.4	15.2	109.3	13.3	16.3	113.4	21.	17.5	117.8	101.	18.8	122.0	128.	
8 500	15.6	110.4	15.5	110.4	6.0	16.6	114.5	42.	17.6	119.1	115.	19.1	123.1	182.	
8 506	15.9	111.3	15.7	111.3	12.0	16.7	115.1	51.	18.0	119.2	98.	19.2	123.3	187.	
8 512	16.2	112.2	16.3	112.1	8.2	18.7	115.5	36.	20.0	119.0	41.	21.0	122.5	60.	
8 518	16.7	113.1	16.5	113.1	12.0	17.6	117.2	85.	18.8	121.2	98.	20.0	125.3	170.	
8 600	17.0	114.0	17.1	114.0	6.0	19.0	117.8	17.	20.8	121.0	36.	22.0	125.4	123.	
8 606	17.5	114.8	17.5	114.8	0.0	19.3	118.6	25.	21.0	122.3	67.	22.6	126.3	134.	
8 612	18.2	115.7	18.1	115.6	8.2	20.3	119.0	50.	22.0	122.2	11.	23.3	125.5	0.	
8 618	18.8	116.9	19.0	117.0	13.2	21.8	121.0	104.	22.8	124.9	137.	0.0	0.0	0.	
8 700	19.2	117.9	19.2	118.0	5.5	21.2	122.6	90.	22.4	126.8	203.	23.0	131.5	0.	
8 706	19.6	118.7	19.6	118.9	11.1	21.2	122.8	67.	22.3	126.8	161.	0.0	0.0	0.	
8 712	20.0	119.5	19.8	119.7	16.3	21.0	123.7	94.	22.2	127.6	0.	23.2	131.5	0.	
8 718	20.5	120.2	20.2	120.3	18.8	22.0	123.7	56.	23.6	127.0	0.	0.0	0.0	0.	
8 800	21.2	120.8	21.4	121.0	16.3	25.1	123.3	198.	27.5	125.2	0.	0.0	0.0	0.	
8 806	21.5	121.3	22.1	122.1	57.1	25.1	125.5	190.	0.0	0.0	0.	0.0	0.0	0.	
8 812	21.7	121.9	22.0	122.4	33.1	23.9	125.6	0.	0.0	0.0	0.	0.0	0.0	0.	
8 818	21.9	122.6	21.6	122.8	21.1	21.6	126.8	0.	0.0	0.0	0.	0.0	0.0	0.	
8 900	22.1	123.3	21.8	123.2	18.8	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.	
8 906	22.4	123.9	22.3	123.9	6.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.	
8 912	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.	
8 918	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.	
MEAN VECTOR ERRORS (N.MI)								64.				86.	114.		
NUMBER OF CASES								31				27	23		

TABLE 10

IRWIN.....

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR					
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)			
8 300	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.			
8 306	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.			
8 312	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.			
8 318	10.1	90.2	10.0	90.5	18.4	10.9	94.0	88.	12.3	98.4	193.	13.7	102.8	235.			
8 400	10.4	90.9	10.4	91.7	46.3	11.7	95.6	120.	13.5	100.0	204.	15.2	104.4	251.			
8 406	10.8	91.7	10.4	92.4	47.1	11.2	95.8	121.	13.0	100.0	165.	14.7	104.5	206.			
8 412	11.4	92.4	10.8	93.0	49.9	12.2	96.5	96.	13.8	100.4	157.	15.2	105.2	198.			
8 418	12.0	93.1	12.0	93.0	5.7	13.7	95.5	21.	15.5	98.5	37.	17.0	102.0	58.			
8 500	12.6	93.8	12.8	93.9	13.3	15.3	97.1	108.	0.0	0.0	0.	0.0	0.0	0.			
8 506	12.9	94.4	12.9	94.7	17.2	14.7	98.1	71.	17.0	101.5	49.	0.0	0.0	0.			
8 512	13.2	95.0	13.3	95.3	18.1	15.7	99.0	100.	17.5	103.0	75.	19.5	108.0	136.			
8 518	13.4	95.7	13.4	95.3	22.8	14.5	97.3	115.	16.0	100.0	181.	17.8	103.7	186.			
8 600	13.7	96.4	13.6	96.5	8.3	14.6	99.2	89.	16.0	102.7	104.	17.4	106.3	117.			
8 606	14.1	97.0	13.8	97.3	24.8	14.7	100.3	107.	16.0	103.9	130.	17.5	107.8	88.			
8 612	14.7	98.1	14.5	97.8	20.9	16.5	101.4	41.	18.0	104.5	97.	19.0	108.5	0.			
8 618	15.3	99.1	15.3	99.1	0.0	17.3	102.7	30.	19.1	106.2	58.	20.5	109.8	0.			
8 700	15.8	100.2	15.8	100.1	5.7	18.0	103.9	48.	19.9	107.5	89.	20.7	111.3	0.			
8 706	16.2	101.3	16.2	101.3	0.0	17.7	105.9	34.	19.5	110.0	88.	20.6	114.3	0.			
8 712	16.5	102.1	16.6	102.1	6.0	17.8	106.0	17.	19.2	109.7	0.	21.0	113.5	0.			
8 718	16.9	103.0	16.9	103.0	0.0	18.2	106.8	13.	19.5	110.5	0.	20.0	115.0	0.			
8 800	17.1	104.0	17.2	104.0	6.0	18.6	107.9	8.	20.1	111.9	0.	20.9	116.0	0.			
8 806	17.2	105.0	17.7	105.3	34.5	19.3	109.9	77.	20.7	114.4	0.	21.4	118.8	0.			
8 812	17.2	105.6	18.0	106.2	58.9	19.8	110.2	0.	19.8	110.2	0.	22.0	117.0	0.			
8 818	17.2	106.4	18.4	106.9	77.4	19.5	110.6	0.	20.4	114.6	0.	20.7	118.5	0.			
8 900	17.2	107.1	18.5	108.0	93.4	19.3	112.0	0.	20.8	115.7	0.	22.5	119.1	0.			
8 906	17.2	107.9	18.7	108.7	100.9	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.			
8 912	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.			
8 918	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.			
MEAN VECTOR ERRORS (N.MI)								69.					116.				
NUMBER OF CASES								19					14				

TABLE 11

JOVA.....

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	ERROR (N.MI)	LAT.	LONG.	ERROR (N.MI.)	LAT.	LONG.	ERROR (N.MI.)
81300	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
81306	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
81312	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
81318	13.4	119.5	13.5	119.5	6.0	13.2	125.3	151.	13.6	130.0	211.	14.2	134.5	308.
81400	13.2	120.6	13.6	120.8	26.7	14.2	126.0	181.	15.2	130.5	252.	17.0	135.2	380.
81406	13.0	121.4	13.7	121.6	43.6	14.1	125.2	132.	15.1	128.9	204.	16.2	132.7	203.
81412	12.8	122.1	13.7	122.3	55.2	14.0	125.9	135.	14.9	129.5	187.	15.5	134.5	203.
81418	12.6	122.8	12.6	122.8	0.0	12.0	125.6	77.	12.6	129.0	39.	14.0	132.2	17.
81500	12.3	123.6	12.3	123.6	0.0	12.2	126.7	87.	12.3	129.8	43.	12.4	132.9	120.
81506	12.1	124.6	12.0	124.5	8.4	11.8	128.8	13.	0.0	0.0	0.	0.0	0.0	0.
81512	11.8	125.7	11.8	126.4	40.9	11.8	130.8	94.	12.0	135.0	221.	0.0	0.0	0.
81518	11.8	126.8	11.8	126.9	5.8	11.7	131.3	106.	12.0	135.6	248.	12.8	139.5	336.
81600	11.9	127.8	11.7	128.1	21.2	11.7	133.0	179.	11.9	137.9	334.	12.2	142.7	465.
81606	11.9	128.6	11.7	129.0	26.2	11.9	133.0	136.	12.0	137.3	271.	12.7	141.3	346.
81612	12.1	129.3	11.8	129.2	18.9	12.1	132.3	99.	13.0	135.5	147.	14.5	138.2	94.
81618	12.4	129.9	12.3	129.6	18.4	13.3	132.0	54.	14.6	135.1	57.	15.8	138.6	42.
81700	12.8	130.4	12.9	130.2	13.0	15.0	132.7	36.	16.5	135.5	85.	17.7	138.0	217.
81706	13.3	131.1	13.2	131.1	6.0	14.3	134.4	55.	15.2	138.0	116.	15.9	141.9	0.
81712	13.7	131.6	13.6	131.6	6.0	14.9	134.2	24.	16.5	137.3	78.	17.5	140.8	0.
81718	14.1	132.2	14.2	132.0	13.0	16.0	134.4	61.	17.7	137.5	171.	19.0	141.0	0.
81800	14.4	132.8	14.4	132.8	0.0	15.8	135.9	54.	17.2	139.5	144.	18.6	143.2	0.
81806	14.6	133.5	14.6	133.5	0.0	15.5	136.4	26.	16.4	139.7	0.	17.3	142.7	0.
81812	14.8	134.0	14.8	133.8	11.5	15.4	136.1	41.	16.7	139.2	0.	17.8	142.8	0.
81818	14.9	134.6	15.0	134.2	23.8	15.8	136.6	129.	16.7	139.6	0.	18.2	143.6	0.
81900	15.1	135.4	15.1	135.3	5.8	15.8	138.5	125.	16.9	141.7	0.	17.8	145.1	0.
81906	15.1	136.3	15.3	136.0	21.0	16.0	138.9	0.	16.9	142.4	0.	17.9	146.0	0.
81912	15.1	137.5	15.3	136.8	42.0	15.4	139.9	0.	16.3	143.6	0.	18.0	147.0	0.
81918	15.1	138.9	15.1	138.7	11.5	15.1	143.5	0.	15.3	148.0	0.	16.1	151.2	0.
82000	15.0	140.5	15.0	140.5	0.0	14.7	146.3	0.	15.1	151.7	0.	16.8	155.1	0.
82006	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
82012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
82018	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
MEAN VECTOR ERRORS (N.MI)								91.			165.			228.
NUMBER OF CASES								22			17			12

TABLE 12

KNUT.....

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR		
	LAT.	LONG.	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)
82800	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
82806	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
82812	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
82818	10.3	118.9	10.2	118.9	6.0	10.9	125.0	68.	11.7	130.1	84.	13.0	134.6	0.
82900	10.2	120.2	10.1	120.3	8.4	9.9	125.8	35.	10.5	131.3	0.	12.5	136.4	0.
82906	10.2	121.5	10.0	121.5	12.0	10.0	126.2	25.	11.0	131.0	0.	0.0	0.0	0.
82912	10.2	122.8	10.2	122.7	5.9	10.7	127.4	30.	11.4	131.8	0.	12.7	135.4	0.
82918	10.3	124.1	10.2	124.1	6.0	10.8	129.2	56.	11.7	134.1	0.	12.5	136.0	0.
83000	10.3	125.2	10.2	125.3	8.4	10.3	130.0	0.	10.7	134.5	0.	12.8	138.7	0.
83006	10.3	126.5	10.3	126.5	0.0	10.3	131.2	0.	10.6	136.1	0.	11.9	138.8	0.
83012	10.3	127.7	10.3	127.7	0.0	10.6	132.3	0.	11.4	132.2	0.	11.2	141.0	0.
83018	10.3	129.2	10.3	130.0	47.1	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
MEAN VECTOR ERRORS (N.MI)								43.			84.			
NUMBER OF CASES								5			1			

TABLE 13

LIDIA.....

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR	24 HOUR FORECAST		ERROR	48 HOUR FORECAST		ERROR	72 HOUR FORECAST		ERROR			
	LAT.	LONG.	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)			
82900	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.			
82906	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.			
82912	12.5	102.6	12.2	102.8	21.4	13.2	108.3	121.	13.9	114.0	242.	14.5	117.7	266.			
82918	12.9	103.7	13.0	103.9	12.9	14.3	108.7	96.	15.3	113.1	114.	17.3	115.4	38.			
83000	13.9	104.6	13.4	104.6	30.0	14.7	109.1	84.	15.5	113.8	92.	15.9	118.6	212.			
83006	14.0	105.7	13.9	105.8	8.3	15.0	110.0	91.	16.2	114.3	58.	17.0	118.6	166.			
83012	14.6	106.8	14.6	106.8	0.0	16.2	110.9	38.	17.0	114.6	38.	18.2	118.2	101.			
83018	15.3	107.8	15.4	107.5	18.0	18.0	110.9	92.	20.0	113.6	154.	20.7	116.3	113.			
83100	16.0	109.0	16.1	109.0	6.0	17.2	113.2	46.	18.3	117.5	97.	18.5	122.0	247.			
83106	16.4	110.2	16.5	110.2	6.0	17.5	114.5	71.	18.0	118.3	121.	19.0	122.3	250.			
83112	16.5	111.1	16.8	111.1	18.0	17.7	115.1	40.	18.3	118.4	108.	18.9	122.0	222.			
83118	16.6	111.9	16.8	111.9	12.0	17.1	115.6	54.	17.9	119.0	116.	18.5	123.0	0.			
9 100	16.7	112.6	16.6	112.7	8.2	16.8	115.6	85.	17.6	118.7	130.	17.4	122.6	0.			
9 106	16.9	113.5	16.8	113.5	6.0	17.1	116.4	96.	17.8	119.6	140.	17.9	122.6	0.			
9 112	17.4	114.3	17.6	114.4	13.3	19.2	117.6	51.	20.9	120.7	133.	21.5	123.8	0.			
9 118	17.8	115.0	17.8	115.0	0.0	19.3	117.9	23.	20.8	120.8	0.	21.6	123.7	0.			
9 200	18.2	115.8	18.2	115.8	0.0	19.8	118.8	58.	20.6	121.2	0.	21.5	123.5	0.			
9 206	18.5	116.4	18.7	116.3	13.3	19.9	118.2	13.	20.5	120.5	0.	21.3	123.2	0.			
9 212	18.8	117.2	19.1	116.7	33.5	21.0	118.8	42.	22.7	120.8	0.	0.0	0.0	0.			
9 218	19.2	117.4	19.2	117.5	5.7	20.9	119.2	0.	22.5	120.7	0.	0.0	0.0	0.			
9 300	19.6	117.7	19.6	117.8	5.7	21.0	119.1	0.	0.0	0.0	0.	0.0	0.0	0.			
9 306	20.0	118.1	20.0	118.0	5.7	20.9	119.2	0.	0.0	0.0	0.	0.0	0.0	0.			
9 312	20.4	118.4	20.4	118.4	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.			
9 318	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.			
MEAN VECTOR ERRORS (N.MI)								65.					120.				
NUMBER OF CASES								17					13				

TABLE 14

MAX.....

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST		ERROR (N.MI.)	48 HOUR FORECAST		ERROR (N.MI.)	72 HOUR FORECAST		ERROR (N.MI.)
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.		LAT.	LONG.		LAT.	LONG.	
9 900	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
9 906	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
9 912	11.3	100.0	11.5	100.0	12.0	12.3	105.0	67.	13.7	109.9	100.	15.8	113.3	119.
9 918	11.2	101.3	11.5	101.4	18.9	12.2	106.4	60.	13.4	111.6	100.	15.5	115.0	78.
91000	11.1	102.7	11.2	102.7	6.0	11.5	108.0	42.	12.6	113.1	117.	14.5	118.0	117.
91006	11.1	104.0	11.1	104.0	0.0	11.1	109.3	63.	12.0	114.3	139.	13.5	119.4	179.
91012	11.2	105.1	11.2	105.2	5.8	11.7	110.0	43.	12.8	114.7	81.	14.8	118.8	104.
91018	11.3	106.3	11.2	106.3	6.0	11.5	110.7	75.	12.3	115.1	115.	13.4	119.3	210.
91100	11.5	107.3	11.6	107.3	6.0	12.7	111.3	31.	13.7	115.2	76.	14.8	119.3	166.
91106	11.8	108.4	11.9	108.6	13.0	12.8	112.8	46.	13.9	117.1	74.	15.0	121.3	212.
91112	12.2	109.3	12.1	109.4	8.3	13.2	113.5	48.	14.5	117.6	90.	15.8	121.0	199.
91118	12.6	110.1	12.6	110.1	0.0	14.0	113.7	71.	15.6	117.4	77.	17.5	121.0	138.
91200	13.1	111.3	13.2	111.2	8.2	15.4	115.1	67.	17.2	118.7	18.	18.7	122.4	147.
91206	13.5	112.0	13.5	112.5	28.3	14.7	117.2	33.	16.7	121.4	145.	17.8	125.3	326.
91212	13.9	113.9	13.9	113.9	0.0	15.2	118.5	75.	16.8	122.6	214.	18.1	126.3	378.
91218	14.2	115.0	14.2	114.9	5.6	15.6	118.5	70.	17.3	121.6	167.	19.2	125.3	239.
91300	14.6	116.0	14.7	116.0	6.0	15.8	120.3	137.	16.5	124.7	331.	16.8	129.1	472.
91306	15.1	116.8	15.1	116.8	0.0	17.1	120.1	70.	18.8	123.3	198.	19.7	127.2	260.
91312	15.9	117.5	16.0	117.5	6.0	19.0	120.7	69.	21.3	123.5	162.	22.6	127.2	216.
91318	16.7	118.1	16.7	118.1	0.0	20.0	120.2	38.	22.7	121.1	90.	25.3	121.3	0.
91400	17.5	118.6	17.5	118.7	5.6	20.4	121.2	61.	22.0	123.3	51.	23.4	125.6	0.
91406	18.0	119.0	17.9	119.2	12.6	20.4	121.8	85.	22.5	124.2	78.	22.9	126.6	0.
91412	18.7	119.2	18.8	119.5	17.7	21.8	120.7	25.	24.3	121.7	177.	26.3	122.2	0.
91418	19.4	119.6	19.5	119.8	12.6	22.5	120.0	119.	24.5	120.3	0.	26.0	121.8	0.
91500	19.9	120.1	20.0	120.2	8.2	22.4	121.9	58.	24.0	123.7	0.	24.4	126.0	0.
91506	20.4	120.5	20.5	120.3	12.6	22.6	121.7	95.	24.3	123.7	0.	24.4	126.0	0.
91512	20.8	121.0	21.4	120.6	42.3	24.2	121.5	178.	26.3	122.5	0.	27.3	124.0	0.
91518	21.3	121.7	21.3	121.7	0.0	22.0	125.0	0.	22.3	128.5	0.	0.0	0.0	0.
91600	21.6	122.5	21.6	122.5	0.0	22.1	125.7	0.	22.0	129.0	0.	0.0	0.0	0.
91606	21.7	123.1	21.7	123.1	0.0	21.9	126.0	0.	0.0	0.0	0.	0.0	0.0	0.
91612	21.8	123.4	21.8	123.4	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
91618	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
MEAN VECTOR ERRORS (N.MI)								69.			124.			209.
NUMBER OF CASES								25			21			17

TABLE 15

NORMA.....

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR	24 HOUR FORECAST		ERROR	48 HOUR FORECAST		ERROR	72 HOUR FORECAST		ERROR
	LAT.	LONG.	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)
91400	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
91406	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
91412	15.4	107.4	15.2	108.0	36.0	16.3	111.4	139.	17.4	114.6	133.	18.9	117.7	248.
91418	16.2	108.2	16.2	108.3	5.6	18.2	111.1	21.	20.1	113.1	85.	21.3	115.7	145.
91500	16.8	109.0	16.8	109.0	0.0	18.9	112.3	13.	21.0	115.4	160.	23.1	118.0	295.
91506	17.4	109.7	17.8	110.2	36.6	20.9	114.2	149.	18.1	117.5	232.	25.3	119.9	449.
91512	17.8	110.3	18.6	111.1	65.3	21.2	114.8	158.	23.2	117.7	319.	24.5	119.6	380.
91518	18.2	111.0	18.4	111.4	25.2	20.0	114.6	124.	21.6	117.5	245.	23.0	121.5	456.
91600	18.4	111.6	18.7	112.2	37.6	20.7	115.3	144.	22.6	118.5	306.	24.6	121.3	476.
91606	18.7	112.0	18.8	112.8	44.6	19.8	116.0	131.	21.2	119.3	331.	22.6	122.4	549.
91612	18.9	112.4	19.1	113.1	40.5	20.0	115.5	120.	21.3	118.0	246.	22.0	120.4	453.
91618	19.0	112.9	18.7	112.9	18.0	20.4	114.0	36.	22.9	115.1	119.	24.3	117.0	238.
91700	19.3	113.2	19.2	113.3	8.1	20.7	114.7	68.	22.8	115.7	155.	0.0	0.0	0.
91706	19.7	113.3	19.5	113.7	25.0	20.6	115.2	102.	22.4	116.7	241.	0.0	0.0	0.
91712	19.9	113.4	19.7	113.4	12.0	21.0	113.4	26.	22.8	113.5	91.	24.0	114.0	111.
91718	20.2	113.5	20.2	113.4	5.5	22.2	113.5	31.	23.8	113.9	66.	25.7	115.0	0.
91800	20.5	113.5	20.5	113.5	0.0	22.1	114.1	76.	23.6	114.5	100.	25.8	115.6	0.
91806	20.9	113.5	20.8	113.4	8.1	22.5	112.5	60.	24.1	111.9	38.	26.1	110.6	0.
91812	21.4	113.3	21.4	113.6	16.4	22.8	114.0	110.	23.8	114.6	146.	0.0	0.0	0.
91818	21.9	113.2	21.7	113.4	16.2	23.5	113.1	28.	25.6	113.2	0.	27.0	113.5	0.
91900	22.5	113.0	22.7	112.9	13.2	25.5	111.5	116.	28.0	111.5	0.	30.0	112.0	0.
91906	23.2	113.0	23.5	112.5	32.8	26.5	110.5	184.	0.0	0.0	0.	0.0	0.0	0.
91912	23.5	113.0	24.0	112.5	40.6	26.8	111.0	159.	0.0	0.0	0.	0.0	0.0	0.
91918	23.8	112.8	23.8	112.7	5.5	24.8	122.1	0.	0.0	0.0	0.	0.0	0.0	0.
92000	24.0	112.7	23.9	112.7	6.0	24.0	112.7	0.	0.0	0.0	0.	0.0	0.0	0.
92006	24.1	112.4	24.1	112.6	11.0	24.4	112.4	0.	0.0	0.0	0.	0.0	0.0	0.
92012	24.2	112.0	24.3	112.0	6.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
92018	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.

MEAN VECTOR ERRORS (N.MI)								95.			177.			345.
NUMBER OF CASES								21			17			11

TABLE 16

OTIS.....

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.MI.)	24 HOUR FORECAST		ERROR (N.MI)	48 HOUR FORECAST		ERROR (N.MI.)	72 HOUR FORECAST		ERROR (N.MI.)				
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.		LAT.	LONG.		LAT.	LONG.					
92000	10.2	119.5	9.8	119.3	26.7	10.2	123.6	212.	10.9	126.5	340.	11.8	129.4	419.				
92006	10.5	119.9	10.0	120.8	60.4	10.8	124.8	267.	11.7	128.3	405.	12.5	131.3	475.				
92012	11.0	120.1	10.1	121.6	102.6	10.9	125.4	303.	11.8	129.1	437.	12.7	132.1	484.				
92018	11.4	120.3	11.5	120.3	6.0	14.2	120.4	47.	16.3	120.3	151.	18.5	119.5	339.				
92100	11.8	120.4	11.8	120.4	0.0	13.0	120.3	105.	14.5	120.2	189.	18.0	119.5	368.				
92106	12.5	120.6	12.5	120.6	0.0	13.8	121.0	60.	15.5	122.0	104.	19.0	122.7	246.				
92112	13.2	120.8	13.2	120.8	0.0	15.4	122.4	49.	17.6	124.7	97.	19.4	127.5	141.				
92118	13.7	121.2	13.8	121.1	8.3	16.2	123.0	70.	18.1	125.0	102.	19.5	128.1	127.				
92200	14.1	121.6	14.1	121.7	5.7	15.3	124.0	42.	17.0	126.7	53.	18.7	129.0	72.				
92206	14.5	121.8	14.3	121.9	13.3	15.6	123.9	6.	17.3	126.2	27.	19.2	128.4	123.				
92212	14.8	122.2	14.6	122.2	12.0	15.6	124.3	27.	17.1	126.7	17.	18.7	129.3	125.				
92218	15.1	122.7	15.1	122.6	5.7	16.5	124.6	24.	18.1	127.0	62.	19.5	129.8	198.				
92300	15.4	123.2	15.5	123.3	8.3	16.2	124.9	63.	17.5	127.4	63.	18.8	130.0	253.				
92306	15.7	123.7	15.6	123.8	8.3	16.1	126.3	48.	17.4	128.3	52.	18.9	130.4	319.				
92312	16.1	124.5	16.0	124.5	6.0	17.4	127.2	21.	19.1	130.0	126.	20.5	132.3	347.				
92318	16.4	125.0	16.4	125.0	0.0	17.8	127.1	47.	19.5	129.5	211.	20.5	131.5	444.				
92400	16.7	125.7	16.8	125.8	8.3	18.4	129.1	59.	20.0	131.4	228.	21.1	134.1	0.				
92406	16.9	126.4	16.9	126.4	0.0	18.0	129.4	44.	19.5	132.1	247.	20.3	134.7	0.				
92412	17.1	126.9	17.1	127.0	5.7	18.1	129.9	75.	19.3	132.7	293.	20.3	135.7	0.				
92418	17.4	127.7	17.4	127.8	5.7	18.5	130.5	130.	20.0	133.2	344.	20.4	135.6	0.				
92500	17.4	128.7	17.6	128.5	16.5	18.7	131.6	169.	20.0	133.7	0.	22.1	135.4	0.				
92506	17.4	129.7	17.3	129.2	29.0	17.2	132.1	206.	19.5	134.8	0.	18.1	136.1	0.				
92512	17.3	131.0	17.1	130.7	20.8	16.2	135.0	153.	16.2	138.2	0.	16.5	141.4	0.				
92518	17.3	132.4	17.3	132.4	0.0	17.8	137.6	64.	18.7	141.0	0.	0.0	0.0	0.				
92600	17.2	134.1	17.2	134.1	0.0	17.3	139.9	0.	17.7	143.0	0.	0.0	0.0	0.				
92606	17.2	135.7	17.2	135.7	0.0	17.3	141.5	0.	18.1	145.3	0.	0.0	0.0	0.				
92612	17.3	137.4	17.3	137.4	0.0	17.6	143.2	0.	18.5	146.5	0.	0.0	0.0	0.				
92618	17.5	138.7	17.6	138.7	6.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.				
MEAN VECTOR ERRORS (N.MI)								95.					177.					280.
NUMBER OF CASES								24					20					16

TABLE 17

PILAR.....

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR	24 HOUR FORECAST ERROR			48 HOUR FORECAST ERROR			72 HOUR FORECAST ERROR		
	LAT.	LONG.	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)
93000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
93006	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
93012	20.5	110.8	20.5	110.8	0.0	22.7	112.0	67.	24.3	111.9	0.	26.0	110.4	0.
93018	21.1	111.0	21.2	111.0	6.0	23.7	111.2	0.	25.6	110.6	0.	26.8	110.2	0.
10 100	21.6	111.0	21.6	111.0	0.0	23.8	110.9	0.	0.0	0.0	0.	0.0	0.0	0.
10 106	22.4	110.9	22.3	110.8	8.2	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
10 112	22.9	110.8	22.9	110.8	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
10 118	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
MEAN VECTOR ERRORS (N.MI)								67.			0.			0.
NUMBER OF CASES								1			0			0

TABLE 18

RAMON

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR	24 HOUR FORECAST		ERROR	48 HOUR FORECAST		ERROR	72 HOUR FORECAST		ERROR
	LAT.	LONG.	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)	LAT.	LONG.	(N.MI.)
10 500	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
10 506	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
10 512	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
10 518	12.2	104.2	13.2	105.1	79.3	14.8	110.9	229.	16.4	113.5	236.	18.0	115.8	260.
10 600	12.3	104.9	13.7	105.9	101.9	14.7	109.7	108.	15.8	112.7	129.	16.8	115.8	179.
10 606	12.5	105.8	12.8	105.5	25.0	14.0	108.3	6.	15.3	111.0	50.	17.4	112.8	168.
10 612	12.7	106.7	13.2	106.3	37.8	14.9	109.1	85.	16.8	111.6	123.	18.4	114.0	199.
10 618	12.9	107.6	13.5	107.2	42.7	14.6	110.5	31.	15.9	113.1	78.	17.1	115.0	100.
10 700	13.1	108.5	13.8	108.1	47.9	15.0	111.4	43.	16.3	114.2	102.	17.0	117.0	76.
10 706	13.4	109.2	14.0	108.4	58.3	14.9	110.6	59.	16.3	112.8	113.	17.7	115.6	116.
10 712	13.7	109.8	13.6	109.7	8.3	14.2	113.1	68.	14.9	115.8	55.	15.5	119.2	113.
10 718	14.1	110.6	14.1	110.4	11.4	15.4	113.7	63.	16.7	116.3	86.	18.4	118.7	42.
10 800	14.3	111.3	14.4	111.0	18.1	15.4	113.6	42.	16.3	115.8	29.	17.6	119.0	60.
10 806	14.6	111.8	14.7	111.6	12.8	15.8	114.0	54.	17.1	116.4	58.	18.1	119.2	97.
10 812	14.7	112.5	14.8	112.1	23.4	15.7	114.6	35.	16.8	116.8	70.	18.1	119.7	171.
10 818	14.8	113.1	14.6	113.0	13.3	14.9	115.9	43.	15.4	118.4	138.	17.3	121.0	243.
10 900	15.0	113.8	14.7	113.6	21.3	15.0	116.4	61.	15.6	118.8	180.	17.0	122.0	297.
10 906	15.1	114.4	14.9	114.1	20.8	15.2	116.3	86.	16.2	118.5	212.	17.7	121.6	259.
10 912	15.3	115.1	15.2	114.9	12.8	16.0	117.6	64.	17.4	120.0	216.	18.8	122.5	0.
10 918	15.5	115.8	15.5	115.5	16.9	16.8	118.3	57.	18.5	120.6	169.	19.5	123.5	0.
101000	16.0	116.5	16.0	116.2	16.9	18.2	119.0	25.	20.0	121.0	115.	20.3	125.0	0.
101006	16.4	117.4	16.4	117.1	16.9	18.9	120.9	118.	20.4	124.1	152.	20.4	128.0	0.
101012	17.1	118.1	17.0	118.0	8.2	19.2	121.3	161.	21.3	123.3	0.	22.2	126.2	0.
101018	17.8	118.9	17.7	118.6	18.0	20.5	121.3	74.	22.0	123.4	0.	24.0	125.0	0.
101100	18.6	119.2	18.6	118.9	16.9	23.6	119.0	159.	26.1	119.5	0.	0.0	0.0	0.
101106	19.5	119.8	19.7	119.0	46.7	25.0	118.2	276.	28.3	117.8	0.	0.0	0.0	0.
101112	20.3	120.1	20.9	119.1	64.9	25.5	118.9	0.	28.4	118.5	0.	31.0	117.8	0.
101118	21.3	120.8	21.3	120.3	28.2	25.7	120.3	0.	30.3	119.3	0.	0.0	0.0	0.
101200	21.9	121.4	21.9	121.2	11.3	24.1	122.7	0.	0.0	0.0	0.	0.0	0.0	0.
101206	22.0	122.1	22.0	122.0	5.6	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
101212	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
101218	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
MEAN VECTOR ERRORS (N.MI)								85.			121.			159.
NUMBER OF CASES								23			19			15

TABLE 19

SELMA

DATE/TIME (GMT)	BEST TRACK		OPERATIONAL POSITION		POSITION ERROR (N.M.I.)	24 HOUR FORECAST			48 HOUR FORECAST			72 HOUR FORECAST		
	LAT.	LONG.	LAT.	LONG.		LAT.	LONG.	ERROR (N.M.I.)	LAT.	LONG.	ERROR (N.M.I.)	LAT.	LONG.	ERROR (N.M.I.)
102700	9.5	121.2	9.5	121.3	5.0	10.8	124.5	153.	11.9	126.0	307.	12.3	127.8	475.
102706	9.9	122.4	9.9	122.4	0.0	11.0	126.5	216.	11.7	128.5	397.	13.0	131.0	550.
102712	10.7	123.6	10.5	123.5	13.3	12.3	127.7	229.	0.0	0.0	0.	0.0	0.0	0.
102718	11.7	124.4	12.5	124.5	48.3	15.5	128.0	156.	16.5	129.5	243.	0.0	0.0	0.
102800	13.3	125.0	13.3	125.0	0.0	16.7	126.9	82.	0.0	0.0	0.	0.0	0.0	0.
102806	14.4	125.3	14.4	125.3	0.0	18.7	125.6	67.	20.0	125.0	62.	0.0	0.0	0.
102812	15.4	125.6	15.4	125.4	11.5	18.6	125.8	25.	19.9	126.0	93.	0.0	0.0	0.
102818	16.4	125.8	16.5	125.5	18.2	20.0	125.5	77.	0.0	0.0	0.	0.0	0.0	0.
102900	17.0	125.9	17.0	125.5	23.0	18.8	124.5	107.	0.0	0.0	0.	0.0	0.0	0.
102906	17.6	126.0	17.6	125.4	34.5	19.7	124.5	95.	22.1	122.5	121.	0.0	0.0	0.
102912	18.3	125.9	18.2	125.9	6.0	20.2	125.6	68.	21.9	125.0	0.	0.0	0.0	0.
102918	19.1	125.9	18.8	126.0	18.9	20.5	125.8	149.	22.5	125.0	0.	0.0	0.0	0.
103000	19.9	125.8	20.0	125.9	8.3	23.3	124.8	84.	25.5	122.5	0.	0.0	0.0	0.
103006	20.7	125.4	20.7	125.8	23.0	23.7	124.9	118.	0.0	0.0	0.	0.0	0.0	0.
103012	21.5	124.6	21.3	125.3	41.9	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
103018	22.3	123.9	21.9	123.6	29.5	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
103100	23.2	123.4	23.1	123.3	8.3	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
103106	24.1	122.8	24.1	122.8	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
103112	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
103118	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.	0.0	0.0	0.	0.0	0.0	0.
MEAN VECTOR ERRORS (N.M.I)								116.			204.			512.
NUMBER OF CASES								14			6			2

TABLE 20

- 140 Influence of Cloudiness on Summertime Temperatures in the Eastern Washington Fire Weather district. James Holcomb, April 1979. (PB298674/AS)
- 141 Comparison of LFM and MFM Precipitation Guidance for Nevada During Doreen. Christopher Hill, April 1979. (PB298613/AS)
- 142 The Usefulness of Data from Mountaintop Fire Lookout Stations in Determining Atmospheric Stability. Jonathan W. Corey, April 1979. (PB298899/AS)
- 143 The Depth of the Marine Layer at San Diego as Related to Subsequent Cool Season Precipitation Episodes in Arizona. Ira S. Brenner, May 1979. (PB298817/AS)
- 144 Arizona Cool Season Climatological Surface Wind and Pressure Gradient Study. Ira S. Brenner, May 1979. (PB298900/AS)
- 146 The BART Experiment. Morris S. Webb, October 1979. (PB80 155112)
- 147 Occurrence and Distribution of Flash Floods in the Western Region. Thomas L. Dietrich, December 1979. (PB80 160344)
- 149 Misinterpretations of Precipitation Probability Forecasts. Allan H. Murphy, Sarah Lichtenstein, Baruch Fischhoff, and Robert L. Winkler, February 1980. (PB80 174576)
- 150 Annual Data and Verification Tabulation - Eastern and Central North Pacific Tropical Storms and Hurricanes 1979. Emil B. Gunther and Staff, EPHC, April 1980. (PB80 220486)
- 151 NMC Model Performance in the Northeast Pacific. James E. Overland, PMEL-ERL, April 1980. (PB80 196033)
- 152 Climate of Salt Lake City, Utah. Wilbur E. Figgins, Third Revision January 1987. (PB87 157194/AS)
- 153 An Automatic Lightning Detection System in Northern California. James E. Rea and Chris E. Fontana, June 1980. (PB80 225592)
- 154 Regression Equation for the Peak Wind Gust 6 to 12 Hours in Advance at Great Falls During Strong Downslope Wind Storms. Michael J. Oard, July 1980. (PB91 108367)
- 155 A Raininess Index for the Arizona Monsoon. John H. Ten Harkel, July 1980. (PB81 106494)
- 156 The Effects of Terrain Distribution on Summer Thunderstorm Activity at Reno, Nevada. Christopher Dean Hill, July 1980. (PB81 102501)
- 157 An Operational Evaluation of the Scofield/Oliver Technique for Estimating Precipitation Rates from Satellite Imagery. Richard Ochoa, August 1980. (PB81 108227)
- 158 Hydrology Practicum. Thomas Dietrich, September 1980. (PB81 134033)
- 159 Tropical Cyclone Effects on California. Arnold Court, October 1980. (PB81 133779)
- 160 Eastern North Pacific Tropical Cyclone Occurrences During Intraseasonal Periods. Preston W. Leftwich and Gail M. Brown, February 1981. (PB81 205494)
- 161 Solar Radiation as a Sole Source of Energy for Photovoltaics in Las Vegas, Nevada, for July and December. Darryl Randerson, April 1981. (PB81 224503)
- 162 A Systems Approach to Real-Time Runoff Analysis with a Deterministic Rainfall-Runoff Model. Robert J.C. Burnash and R. Larry Ferral, April 1981. (PB81 224495)
- 163 A Comparison of Two Methods for Forecasting Thunderstorms at Luke Air Force Base, Arizona. LTC Keith R. Cooley, April 1981. (PB81 225393)
- 164 An Objective Aid for Forecasting Afternoon Relative Humidity Along the Washington Cascade East Slopes. Robert S. Robinson, April 1981. (PB81 23078)
- 165 Annual Data and Verification Tabulation, Eastern North Pacific Tropical Storms and Hurricanes 1980. Emil B. Gunther and Staff, May 1981. (PB82 230336)
- 166 Preliminary Estimates of Wind Power Potential at the Nevada Test Site. Howard G. Booth, June 1981. (PB82 127036)
- 167 ARAP User's Guide. Mark Mathewson, July 1981, Revised September 1981. (PB82 196783)
- 168 Forecasting the Onset of Coastal Gales Off Washington-Oregon. John R. Zimmerman and William D. Burton, August 1981. (PB82 127051)
- 169 A Statistical-Dynamical Model for Prediction of Tropical Cyclone Motion in the Eastern North Pacific Ocean. Preston W. Leftwich, Jr., October 1981. (PB82 195298)
- 170 An Enhanced Plotter for Surface Airways Observations. Andrew J. Spry and Jeffrey L. Anderson, October 1981. (PB82 153883)
- 171 Verification of 72-Hour 500-MB Map-Type Predictions. R.F. Quiring, November 1981. (PB82 158098)
- 172 Forecasting Heavy Snow at Wenatchee, Washington. James W. Holcomb, December 1981. (PB82 177783)
- 173 Central San Joaquin Valley Type Maps. Thomas R. Crossan, December 1981. (PB82 196064)
- 174 ARAP Test Results. Mark A. Mathewson, December 1981. (PB82 198103)
- 176 Approximations to the Peak Surface Wind Gusts from Desert Thunderstorms. Darryl Randerson, June 1982. (PB82 253089)
- 177 Climate of Phoenix, Arizona. Robert J. Schmidl, April 1969 (Revised December 1986). (PB87 142063/AS)
- 178 Annual Data and Verification Tabulation, Eastern North Pacific Tropical Storms and Hurricanes 1982. E.B. Gunther, June 1983. (PB85 106078)
- 179 Stratified Maximum Temperature Relationships Between Sixteen Zone Stations in Arizona and Respective Key Stations. Ira S. Brenner, June 1983. (PB83 249904)
- 180 Standard Hydrologic Exchange Format (SHEF) Version I. Phillip A. Pastories, Vernon C. Bissel, David G. Bennett, August 1983. (PB85 106052)
- 181 Quantitative and Spatial Distribution of Winter Precipitation along Utah's Wasatch Front. Lawrence B. Dunn, August 1983. (PB85 106912)
- 182 500 Millibar Sign Frequency Teleconnection Charts - Winter. Lawrence B. Dunn, December 1983. (PB85 106276)
- 183 500 Millibar Sign Frequency Teleconnection Charts - Spring. Lawrence B. Dunn, January 1984. (PB85 111367)
- 184 Collection and Use of Lightning Strike Data in the Western U.S. During Summer 1983. Glenn Rasch and Mark Mathewson, February 1984. (PB85 110534)
- 185 500 Millibar Sign Frequency Teleconnection Charts - Summer. Lawrence B. Dunn, March 1984. (PB85 111359)
- 186 Annual Data and Verification Tabulation eastern North Pacific Tropical Storms and Hurricanes 1983. E.B. Gunther, March 1984. (PB85 109635)
- 187 500 Millibar Sign Frequency Teleconnection Charts - Fall. Lawrence B. Dunn, May 1984. (PB85 110930)
- 188 The Use and Interpretation of Isentropic Analyses. Jeffrey L. Anderson, October 1984. (PB85 132694)
- 189 Annual Data & Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1984. E.B. Gunther and R.L. Cross, April 1985. (PB85 187888/AS)
- 190 Great Salt Lake Effect Snowfall: Some Notes and An Example. David M. Carpenter, October 1985. (PB86 119153/AS)
- 191 Large Scale Patterns Associated with Major Freeze Episodes in the Agricultural Southwest. Ronald S. Hamilton and Glenn R. Lussky, December 1985. (PB86 144474/AS)
- 192 NWR Voice Synthesis Project: Phase I. Glen W. Sampson, January 1986. (PB86 145604/AS)
- 193 The MCC - An Overview and Case Study on Its Impact in the Western United States. Glenn R. Lussky, March 1986. (PB86 170651/AS)
- 194 Annual Data and Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1985. E.B. Gunther and R.L. Cross, March 1986. (PB86 170941/AS)
- 195 Rapid Interpretation Guidelines. Roger G. Pappas, March 1986. (PB86 177680/AS)
- 196 A Mesoscale Convective Complex Type Storm over the Desert Southwest. Darryl Randerson, April 1986. (PB86 190998/AS)
- 197 The Effects of Eastern North Pacific Tropical Cyclones on the Southwestern United States. Walter Smith, August 1986. (PB87 106258AS)
- 198 Preliminary Lightning Climatology Studies for Idaho. Christopher D. Hill, Carl J. Gorski, and Michael C. Conger, April 1987. (PB87 180196/AS)
- 199 Heavy Rains and Flooding in Montana: A Case for Slantwise Convection. Glenn R. Lussky, April 1987. (PB87 185229/AS)
- 200 Annual Data and Verification Tabulation Eastern North Pacific Tropical Storms and Hurricanes 1986. Roger L. Cross and Kenneth B. Mielke, September 1987. (PB88 110895/AS)
- 201 An Inexpensive Solution for the Mass Distribution of Satellite Images. Glen W. Sampson and George Clark, September 1987. (PB88 114038/AS)

NOAA SCIENTIFIC AND TECHNICAL PUBLICATIONS

The National Oceanic and Atmospheric Administration was established as part of the Department of Commerce on October 3, 1970. The mission responsibilities of NOAA are to assess the socioeconomic impact of natural and technological changes in the environment and to monitor and predict the state of the solid Earth, the oceans and their living resources, the atmosphere, and the space environment of the Earth.

The major components of NOAA regularly produce various types of scientific and technical information in the following kinds of publications:

PROFESSIONAL PAPERS—Important definitive research results, major techniques, and special investigations.

CONTRACT AND GRANT REPORTS—Reports prepared by contractors or grantees under NOAA sponsorship.

ATLAS—Presentation of analyzed data generally in the form of maps showing distribution of rainfall, chemical and physical conditions of oceans and atmosphere, distribution of fishes and marine mammals, ionospheric conditions, etc.

TECHNICAL SERVICE PUBLICATIONS—Reports containing data, observations, instructions, etc. A partial listing includes data serials; prediction and outlook periodicals; technical manuals, training papers, planning reports, and information serials; and miscellaneous technical publications.

TECHNICAL REPORTS—Journal quality with extensive details, mathematical developments, or data listings.

TECHNICAL MEMORANDUMS—Reports of preliminary, partial, or negative research or technology results, interim instructions, and the like.



Information on availability of NOAA publications can be obtained from:

**NATIONAL TECHNICAL INFORMATION SERVICE
U. S. DEPARTMENT OF COMMERCE
5285 PORT ROYAL ROAD
SPRINGFIELD, VA 22161**