

LAST
COPDA
196

NO. 21

WESTERN REGION TECHNICAL MEMORANDUM

An Objective Aid for Forecasting the End of
East Winds in the Columbia Gorge

by

D. John Coparanis

APRIL 1967



ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION
U. S. WEATHER BUREAU

Western Region Technical Memoranda:

- No. 1 "Some Notes on Probability Forecasting" by Edward D. Diemer
- No. 2 "Climatological Precipitation Probabilities" compiled by Lucianne Miller
- No. 3 "Western Region Pre- and Post-FP-3 Program" by Edward D. Diemer
- No. 4 "Use of Meteorological Satellite Data"
- No. 5 "Station Descriptions of Local Effects on Synoptic Weather Patterns" by Philip Williams, Jr.
- No. 6 "Improvement of Forecast Wording and Format" by C. L. Glenn
- No. 7 "Final Report on Precipitation Probability Test Programs" by Edward D. Diemer
- No. 8 "Interpreting the RAREP" by Herbert P. Benner
- No. 9 "A Collection of Papers Related to the 1966 NMC Primitive-Equation Model"
- No. 10 "Sonic Boom" by Loren Crow (6th Weather Wing, USAF, Pamphlet)
- No. 11 "Some Electrical Processes in the Atmosphere" by J. Latham
- No. 12 "A Comparison of Fog Incidence at Missoula, Montana, with Surrounding Locations" by Richard A. Dightman
- No. 13 "A Collection of Technical Attachments on the 1966 NMC Primitive-Equation Model" by Leonard W. Snellman
- No. 14 "Applications of Net Radiometer Measurements to Short-Range Fog and Stratus Forecasting at Los Angeles" by Frederick Thomas
- No. 15 "The Use of the Mean as an Estimate of 'Normal' Precipitation in an Arid Region" by Paul C. Kangieser
- No. 16. "Some Notes on Acclimatization in Man" edited by Leonard W. Snellman
- No. 17 "A Digitalized Summary of Radar Echoes Within 100 Miles of Sacramento, California" by J. A. Youngberg and L. B. Overaas
- No. 18 "Limitations of Selected Meteorological Data"
- No. 19 "A Grid Method for Estimating Precipitation Amounts by Using the WSR-57 Radar" by R. Granger
- No. 20 "Transmitting Radar Echo Locations to Local Fire Control Agencies for Lightning Fire Detection" by Robert R. Peterson

This paper has been printed as manuscript in limited quantity for preliminary use. As this reproduction does not constitute formal scientific publication, any reference to the paper in published articles and scientific literature should identify it as a manuscript of the U. S. Weather Bureau Western Region.

Western Regional Technical Memorandum No. 21, April 1967

An Objective Aid for Forecasting the End of East Winds
in the Columbia Gorge (July through October)

by

D. John Coparanis

TABLE OF CONTENTS

	<u>Page</u>
List of Tables	iii
List of Figures	iii
I Introduction	1
II Forecast Problems	1
III Selection of Cases	2
IV Development of Objective Aid - Part I	2
V Skill Scores	3
VI Development of Objective Aid - Part II	4
VII Conclusions	5
VIII Acknowledgement	5
IX References	5
X Bibliography	6

LIST OF TABLES

	<u>Page</u>
Table 1 - Indeterminate Cases from Area "B" of Figure 1	3
Table 2 - Contingency Table for Developmental Data	3
Table 3 - Contingency Table for Independent Data	4

LIST OF FIGURES

Figure 1 - Scatter Diagram of 92 Developmental Cases	7
Figure 2 - Regression Line for Predicting Timing of Gradient Reversal or Equalization	8
Figure 3 - Location of Cities in Text	9

AN OBJECTIVE AID FOR FORECASTING THE END OF EAST WINDS
IN THE COLUMBIA GORGE (JULY THROUGH OCTOBER)

D. John Coparanis
Fire-Weather Meteorologist
U. S. Weather Bureau

I. Introduction

Many studies have been developed on east winds by fire-weather meteorologists of the Pacific Northwest, but relatively few have been written on the movement of the thermal trough from western to eastern Oregon. Both types of cases have one thing in common, i.e., a gradient or wind reversal. The importance of accurate forecasting of wind reversals in fire-weather cannot be overemphasized. In addition, there is the ever-present question to be answered, "What time will this wind shift take place?" This paper attempts to solve these problems as they apply to the Columbia Gorge. For this purpose, the assumption is made that any westerly gradient through the Gorge implies a west wind and any easterly gradient implies an east wind.

II. Forecast Problems

The forecast problems can be stated in two parts as follows:

Part I - GIVEN: An easterly sea-level pressure gradient between The Dalles and Portland, plus higher sea-level pressure in eastern Washington than at Portland at 1300 PST (July through October).

FORECAST: An easterly or westerly surface pressure gradient between The Dalles and Portland at 0400 PST the following morning.

By "higher sea-level pressure in eastern Washington" is meant that the majority of the reporting stations have a higher sea-level pressure than Portland.

Part II - GIVEN: At 1300 PST the decision that a westerly gradient will exist between Portland and The Dalles by 0400 PST the following morning.

FORECAST: The time this reversal will occur.

III. Selection of Cases

Ninety-two (92) cases were selected from 1962 - 1966, July through October, based on the above criteria. These comprise the developmental data.

Since 92 cases were selected on a surface-pressure distribution only, it turns out that with respect to the upper air, the majority of cases are associated with upper-air ridges, while a small minority are associated with troughs or closed lows. In other words, most of these cases apply during fair-weather days, but there are a few cases which are associated with cool, moist air masses. On the other hand, cases were eliminated which initially involved the approach of storm systems setting up easterly gradients through the Gorge. However, this did not preclude cases which involved the ending of an east wind regime by the approach of a surface frontal system.

It is interesting to note that only four of the 92 cases showed Eugene with higher sea-level pressure than Redmond at 1300 PST, while in 41 of 92 cases, Seattle reported higher sea-level pressure than Ephrata. The criteria established for choosing the 92 cases also established, in the majority of cases, that the thermal trough existed in western Oregon, but may or may not have existed in western Washington.

Seventy-two (72) percent of the cases occurred in September and October. As expected, this coincides with one of the maxima of east-wind frequencies in the Pacific Northwest as pointed out by Cramer (2).

IV. Development of Objective Aid - Part I

A particular pattern is required to maintain an easterly surface-pressure gradient through the Gorge with the thermal trough in western Oregon. This obviously entails higher pressure existing east of the Cascades. A scatter diagram (Figure 1) was set up to keep track of this pressure relationship using the algebraic difference between North Bend and Spokane ($OTH - GEG$) as the abscissa. For the ordinate, the surface-pressure difference between North Bend and Eugene ($OTH - EUG$) was followed to watch for the signs of a marine push from southwestern Oregon. Positive and negative numbers were used to denote onshore and offshore flow respectively. In Figure 1, the dots show an easterly gradient to exist through the Gorge the following morning at 0400 PST, while the x's show a westerly gradient to exist the next morning.

The scatter diagram (Figure 1) was divided into three areas based on the dependent data. These areas are marked "A", "B", and "C". If the case falls in area "A", an easterly gradient is forecast through the Gorge for the next morning at 0400 PST. If the case falls in area "C", a westerly gradient is forecast to exist through the Gorge the next morning at 0400 PST. Cases falling in area "B" or on the boundary lines are indeterminate and should be referred to Table 1.

An antecedent condition to a marine push in western Oregon shows up in a comparison of the surface-pressure tendency relationship between Crescent City, California, and Pendleton, Oregon. When the algebraic difference between the 1300 PST pressure tendencies of Crescent City and Pendleton (CEC - PDT) is plus 1.7 mb or higher, the dependent data shows that a westerly gradient exists the following morning at 0400 PST through the Gorge (Table 1). As a result, the forecast rule adopted for cases falling in area "B" of Figure 1 becomes simply:

When the 1300 PST pressure-tendency difference (algebraic) between Crescent City and Pendleton is greater than or equal to plus 1.6 mb, forecast a westerly gradient to exist the next morning through the Gorge at 0400 PST. When this difference is less than 1.6 mb, forecast an easterly gradient to exist the next morning through the Gorge at 0400 PST.

1300 PST CRESCENT CITY PRESSURE TENDENCY -
PENDLETON PRESSURE TENDENCY (MBS)

<1.0	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9	>2.0
●		●		●	●		X			X
●							X			X
										X
										X
										X
										X

Table 1 - INDETERMINATE CASES FROM AREA "B" OF FIGURE 1.

V. Skill Scores

Forecasts made for the 92 developmental cases are summarized in the following contingency table:

	FORECAST		
	East Gradient Next Day	West Gradient Next Day	Total
OBSERVED East Gradient Next Day	68	1	69
West Gradient Next Day	2	21	23
Total	70	22	92

Common Skill Score: .91
Percent Correct: 97

Table 2 - CONTINGENCY TABLE FOR DEVELOPMENTAL DATA

The objective forecast technique was tested against eight months of independent data. Specifically, the independent data used covered the months of July through October for the years 1960 and 1961. The results of 43 independent cases are summarized in Table 3:

		FORECAST		
		East Gradient	West Gradient	Total
		Next Day	Next Day	
OBSERVED	East Gradient	29	1	30
	Next Day			
OBSERVED	West Gradient	3	10	13
	Next Day			
Total		32	11	43
		Common Skill Score:	.76	
		Percent Correct:	91	

Table 3 - CONTINGENCY TABLE FOR INDEPENDENT DATA

Ayer (1) recommended that Appleman's skill score be applied to two-category forecast systems. Appleman's skill score uses the climatologically most frequent occurrence in its computation. This is readily available in the contingency table. The results as they apply to the developmental data and the independent forecasts show Appleman's skill scores of .87 and .69 respectively.

VI. Development of Objective Aid - Part II

It was at first thought that a scatter diagram could be constructed to show the times that the gradient reversals took place through the Gorge. The intention was to draw isopleths of time on the scatter diagram. In all attempts where sets of sea-level pressure differences were used, a poor correlation was found with one of the sets. However, one set consistently showed good correlation, the difference in sea-level pressure between Portland and The Dalles (PDX - DLS).

A line of regression was computed to predict the number of hours from 1300 PST that a gradient reversal could be expected through the Gorge based on the pressure difference between Portland and The Dalles. Twenty-one cases were used from Figure 1, areas "B" and "C", reversals only. Figure 2 shows that the variates are negatively correlated, the

correlation coefficient being $-.86$. The scatter about the line of regression was computed in order to increase the forecast potential of this tool.

The equation for the line of regression in its slope intercept form, $y = -3.8x + 0.7$, shows that the line does not intersect the origin. This is because the regression equation is developed from the available observed data. In practice, the line of regression should intersect the origin because of the physical relationship of the variables.

There were ten cases of independent data which involved correct west wind forecasts for the next morning through the Gorge. The timing of these wind shifts from 1300 PST was plotted as small triangles in Figure 2.

With respect to the developmental data, it is of interest to note that 95 percent of the Eugene-Redmond gradients reversed when the Portland-The Dalles gradient reversed. In 76 percent of the cases, the Eugene-Redmond reversal came later than the reversal through the Gorge. In 19 percent of the cases, this reversal came earlier.

VII. Conclusions

The objective aid for forecasting the end of east winds through the Columbia Gorge will be of value to most forecasters in the Pacific Northwest. The timing of the wind reversal will be especially helpful to fire-weather meteorologists who are forecasting for wildfires or controlled burns in the vicinity of the Columbia Gorge.

VIII. Acknowledgement

The author wishes to thank Mr. Harold S. Ayer for his helpful hints during the preparation of this paper, and to Scientific Services Division of WBWR for their technical review.

IX. References

1. Ayer, H. S. - "On Verification and Skill Scores"; Fire-Weather Research Forecaster; Forecasting Note No. 5, May 1961. (Available in most Fire-Weather Offices)
2. Cramer, O. P. - "Frequency of Dry East Winds Over Northwest Oregon and Southwest Washington"; Pacific Northwest Range and Experiment Station, Research Paper No. 24, September 1957.

X. Bibliography

1. Appleman, H. S. - "A Fallacy In the Use of Skill Scores"; Bulletin AMS, Vol. 41, No. 2, February 1960, page 64.
2. Panofsky & Brier - "Some Application of Statistics to Meteorology"; Mineral Industries Extension Services, The Pennsylvania State University, University Park, Pennsylvania, 1958, Chapter 4.
3. _____ - "Some Techniques for Deriving Objective Forecasting Aids and Methods", AWSM (rev.) Department of the Air Force, April 1955.

APPENDIX IV

The objective of this report is to provide a summary of the results of the study conducted by the author and his associates in the field of forecasting the wind velocity and direction at various heights above the ground. The results of the study are presented in the following sections.

APPENDIX V

The author wishes to thank Mr. James H. Taylor for his helpful hints during the preparation of this report, and to the Division of Weather Service for their technical review.

APPENDIX VI


1. Appleman, H. S. - "A Fallacy in the Use of Skill Scores"; Bulletin AMS, Vol. 41, No. 2, February 1960, page 64.

2. Panofsky, H., and Brier, G. - "Some Applications of Statistics to Meteorology"; Mineral Industries Extension Services, The Pennsylvania State University, University Park, Pennsylvania, 1958, Chapter 4.

LEGEND

- EASTERLY GRADIENT
- x WESTERLY GRADIENT

THRU GORBE
NEXT DAY
AT 0400 PST



1300 PST NORTH BEND PRES. - EUGENE PRES.
(MBS.) (SEA LEVEL)

Figure 1. SCATTER DIAGRAM OF 92 DEVELOPMENTAL CASES




Figure 2.- REGRESSION LINE FOR PREDICTING TIMING OF GRADIENT REVERSAL OR EQUALIZATION




Figure 3 - Location of Cities in Text